

Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*) R. S. Stacey (*Secretary*)
P. A. Nasmyth (*Press Editor*)
Jennifer MacLagan (*Assistant Press Editor*)

N. Ambache	D. B. Hope
R. B. Barlow	H. W. Kosterlitz
J. M. Barnes	J. Maddox
J. W. Black	J. F. Mitchell
W. C. Bowman	J. L. Mongar
P. B. Bradley	M. W. Parkes
S. Brenner (co-opted)	Mary Pickford
A. W. Cuthbert	H. P. Rang
C. T. Dollery	H. O. Schild
W. S. Feldberg	D. F. Sharman
L. G. Goodwin	Hannah Steinberg
D. F. Hawkins (co-opted)	F. M. Sullivan
F. Hobbiger	J. R. Vane
J. R. Hodges	Marthe Vogt

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Professor R. S. Stacey, St. Thomas's Hospital Medical School, London S.E.1. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £15 15s. in the United Kingdom and Republic of Ireland; \$48.50 U.S.A. and \$52.50 Canada (by air freight; second class postage paid at New York, N.Y.); £16 10s. all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: The Advertisement Department, *British Journal of Pharmacology*, T. G. Scott and Son Ltd., 1 Clement's Inn, London, WC2A 2ED, England. Tel: 01-242 6264; 01-405 4743. Grams: Textualist London W.C.2.

Copyright © 1970 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

INDEX TO VOLUME 40

AUTHOR INDEX

A

- ADAM, K. R. BOYLES, SUSAN and SCHOLFIELD, P. C. Cardio-selective β adrenoceptor blockade and the coronary circulation, 534P
- ADAMS, P. R., CASH, H. C. and QUILLIAM, J. P. Extrinsic and intrinsic acetylcholine and barbiturate effects on frog skeletal muscle, 552P
- AELLIG, W. H., PRICHARD, B. N. C. and SCALES, B. Blood levels of practolol following intravenous administration, 573P
- AHTEE, LIISA and SHILLOTO, ELIZABETH. The effect of benzodiazepines and atropine on exploratory behaviour and motor activity of mice, 361
- AIKEN, J. W. A method for comparing the sensitivity to chemical stimuli of adrenergic and cholinergic neurones in the cat stellate ganglion (T), 602P
- AIKEN, J. W. and VANE, J. R. Conversion of angiotensin I to angiotensin II in isolated strips of arterial smooth muscle (T), 565P
- ALABASTER, VALERIE A. and BAKHLE, Y. S. The release of biologically active substances from isolated lungs by 5-hydroxytryptamine and tryptamine, 582P
- ALABASTER, VALERIE A. and BAKHLE, Y. S. Removal of 5-hydroxytryptamine in the pulmonary circulation of rat isolated lungs, 468
- ALPS, B. J., HILL, MADELINE, JOHNSON, E. S. and WILSON, A. B. Autonomic blocking properties of Wy 21901, 153P
- ALPS, B. J., JOHNSON, E. S. and WILSON, A. B. Cardiovascular actions of Wy 21901, a new hypotensive and anti-arrhythmic agent, 151P
- AMBACHE, N. and ZAR, M. ABOO. Effects of noradrenaline on the guinea-pig vas deferens (T), 603P
- AMBACHE, N. and ZAR, M. ABOO. Motor transmission in the vas deferens: the inhibitory action of noradrenaline, 556P
- AMBROGI, V., ARTINI, D., DE CARNERI, I., CASTELLINO, S., DRADI, E., LOGEMANN, W., MEINARDI G., DI SOMMA, M., TOSOLINI, G. and VECCHI E. Studies on the antibacterial and antifungal properties of 1,40-naphthoquinones, 871
- ANTONIO, A., ROCHA E SILVA, M. and YASHUDA, Y. Influence of pH on the inhibitory action of local anaesthetics on smooth muscle contraction, 501
- APPEL, W. C. and VINCENZI, F. F. Effects of hemicholinium and bretylium on the release of autonomic transmitters in the isolated sinoatrial node, 268
- ARENSON, M. S., ECCLES, R. and WILSON, H. The Vidian nerve and the sphenopalatine ganglion in relation to lacrimation in the cat, 584P
- ARMITAGE, A. K., GRANT, C. A., LEE, P. N., SELLERS, C. M. and WILSON, A. Measurement and printout of average heart-rate using digital techniques, 588P
- ARMSTRONG, J. M. and BOURA, A. L. A. Relative susceptibility of peripheral sympathetic nerves to adrenergic neurone blockade by bethanidine, 551P
- ARTINI, D. See AMBROGI, V., *et al.*, 871
- ASHFORD, A. and BUNN, D. R. G. The effect of Arvin on reticulo-endothelial activity in rabbits, 37
- AUSTIN, FRANCIS H. A study of the sympathomimetic effects of phencyclidine hydrochloride (T), 173P
- AYERS, A. B., DAVIES, B. N. and WITHRINGTON, P. G. The responses of the isolated perfused spleen of man to sympathetic nerve stimulation, catecholamines and polypeptides, 575P
- AYITEY-SMITH, E. and VARMA, D. R. An assessment of the role of the sympathetic nervous system in experimental hypertension using normal and immunosympathectomized rats, 175
- AYITEY-SMITH, E. and VARMA, D. R. Mechanism of the hypotensive action of methyl dopa in normal and immunosympathectomized rats, 186

B

- BAGSHAW, H. CHAMBERLAIN, D. A. and TURNER, P. Comparison of atropine and (–)-hyoscyamine on heart rate in man, 600P
- BAIRD, J. R. C. and SPILKER, B. A. Inotropic effects of thyroxine and related compounds on guinea-pig left atria *in vitro*, 526
- BAKHLE, Y. S. See ALABASTER, VALERIE A., 468, 582P
- BALASUBRAMANIAM, K., MAWER, G. E. and SIMONS, P. J. The influence of dose on the distribution and elimination of amylobarbitone in healthy subjects, 578P
- BAMFORD, D. S., PERCIVAL, R. C. and TOTHILL, A. U. Raspberry leaf tea: a new aspect to an old problem, 161P
- BANERJEE, U., FELDBERG, W. and GEORGIEV, V. P. Microinjections of tubocurarine, leptazol, strychnine and picrotoxin into the cerebral cortex of anaesthetized cats, 6
- BARRACLOUGH, M. A. and JONES, N. F. Effects of adenosine 3',5'-monophosphate on renal function in the rabbit, 334
- BARRETT, A. M. and CARTER, J. Comparative chronotropic activity of β -adrenoceptive antagonists, 373
- BARTHOLINI, G., KURUMA, I. and PLETSCHER, A. Distribution and metabolism of L-3-O-methyl-dopa in rats, 461
- BEGENT, NICOLA and BORN, G. V. R. A method for measuring the effectiveness of drugs on platelet thrombus formation *in vivo* (T), 565P, 602P
- BEGENT, NICOLA and BORN, G. V. R. Determination of the iontophoretic release of adenosine diphosphate from micropipettes, 592P
- BELL, LINDA J., IVERSEN, L. L., and URETSKY, N. J. Time course of the effects of 6-hydroxydopamine on catecholamine-containing neurones in rat hypothalamus and striatum, 790
- BERRY, CYNTHIA F. and COTTRELL, G. A. Isolation of dense-cored granules from the neurosecretory system of the vena cava of the small octopod, *Eledone cirrosa*, 549P

- BERTACCINI, G., CARO, G. DE and MELCHIORRI, P. The effects of caerulein on insulin secretion in anaesthetized dogs, 78
- BILLINGHAM, M. E. J., GAUGAS, J. M. and ROBINSON, B. V. The anti-inflammatory properties of anti-lymphocytic serum (T), 173P
- BILLINGHAM, M. E. J., GORDON, A. H. and ROBINSON, B. V. Synthesis of an inhibitor of inflammation by the liver (T), 173P
- BISSET, G. W., CLARK, BARBARA J., KREJČÍ, I., POLÁČEK, I. and RUDINGER, J. Some pharmacological properties of a synthetic oxytocin analogue [l-N-carbamoyl-hemicystine-2-O-methyltyrosine]-oxytocin (carbamoyl-methyl-oxytocin), an antagonist to the neurohypophyseal hormones, 342
- BLACK, J. W., PARSONS, M. E. and THOMPSON, M. Comparative assays using gastric acid secretion: a simple application of non-linear curve fitting (T), 565P
- BOADLE-BIBER, MARGARET C., HUGHES, J., and ROTH, R. H. Acceleration of noradrenaline biosynthesis in the guinea-pig vas deferens by potassium, 702
- BOAKES, R. J., BRADLEY, P. B., BRIGGS, I. and DRAY, A. Antagonism of 5-hydroxytryptamine by LSD 25 in the central nervous system: a possible neuronal basis for the actions of LSD 25, 202
- BORN, G. V. R. and MICHAL, F. A rapid morphological change of blood platelets as a pharmacological test system, 602P
- BORN, G. V. R. See BEGENT, NICOLA, 565P, 592P, 602P
- BOULLIN, D. J., McMAHON, E. M. and O'BRIEN, R. A. Uptake of dopamine by platelets *in vivo*, 522
- BOURA, A. L. A. See ARMSTRONG, J. M., 551P
- BOWERY, N. G., LEWIS, G. P. and MATTHEWS, J. The relationship between functional vasodilatation in adipose tissue and prostaglandin, 437
- BOYLES, SUSAN. See ADAM, K. R., *et al.*, 534P
- BRADLEY, P. B. and CANDY, J. M. Ionophoretic release of acetylcholine, noradrenaline, 5-hydroxytryptamine and D-lysergic acid diethylamide from micropipettes, 194
- BRADLEY, P. B. See BOAKES, R. J., *et al.*, 202
- BRASH, A. R. and CUTHBERT, A. W. The effects of saponins on the transporting epithelium of isolated frog skin, 544P
- BRIGGS, I. See BOAKES, R. J., *et al.*, 202
- BRIMBLECOMBE, R. W. and EVERETT, SALLY D. Actions of some cholinergic antagonists on fast-twitch and slow-twitch skeletal muscle of the cat, 45
- BRIMBLECOMBE, R. W. and EVERETT, SALLY D. Actions of sarin on fast-twitch and slow-twitch skeletal muscles of the cat and protective action by anticholinergic drugs, 57
- BROADLEY, K. J. An analysis of the coronary vascular responses to catecholamines, using modified Langendorff heart preparations, 617
- BROWN, D. A. and SCHOLFIELD, C. N. Potentials in isolated rat superior cervical ganglia produced by nicotine, 559P
- BUCKETT, W. R. and FRISK-HOLMBERG, M. The use of neuromuscular blocking agents to investigate receptor structure requirements for histamine release, 165P
- BUCKLEY, G. A. and HEADING, CHRISTINE E. Tolerance to neostigmine, 590P
- BUCKLEY, G. A. and HEATON, J. Simultaneous determination of choline acetylase and cholinesterase activity, 591P
- BUNN, D. R. G. See ASHFORD, A., 37
- BURGEN, A. S. V. and SPERO, L. The effects of calcium and magnesium on the response of intestinal smooth muscle to drugs, 492
- BURNS, J., HORLINGTON, M. and ROBSON, D. Positive correlation between initial pupil diameter and amplitude of miotic response to pilocarpine in rabbits and to carbachol in man, 524
- BURNSTOCK, G., CAMPBELL, G., SATCHELL, D. and SMYTHE, ANNA. Evidence that adenosine triphosphate or a related nucleotide is the transmitter substance released by non-adrenergic inhibitory nerves, 668
- BURRAGE, KAREN and HELLMANN, K. Screening compounds for inhibition of tumour cell dissemination (T), 603P
- BURRAGE, KAREN, KELLMANN, K. and SALSURY, A. J. Inhibition of malignant metastases by ICRF 159 (T), 603P
- BUSHMAN, J. A., HOPE, C. E. and PAYNE, J. P. A method for inducing stress for the assessment of drugs in man, 569P
- BUTLER, W. H. and MAGOS, L. Liver damage and excretion of bivalent sulphur after exposure to carbon disulphide in fed and fasted rats with and without phenobarbitone pretreatment, 171P
- BUTTERWORTH, K. R. and RANDALL, M. J. The effects of α - and β -adrenoceptor blocking agents on the responses of the rat uterus to catecholamines throughout the oestrous cycle, 160P
- BYWATER, R. J. Some effects of *Escherichia coli* enterotoxin on fluid and electrolyte transfer in calf small intestine, 168P

C

- CALLINGHAM, B. A. and SHARMAN, D. F. The concentration of catecholamines in the brain of the domestic fowl (*Gallus domesticus*), 1
- CAMPBELL, G. See BURNSTOCK, G., *et al.*, 668
- CANDY, J. M. See BRADLEY, P. B., 194
- DE CARNERI, I. See AMBROGI, V., *et al.*, 871
- DE CARO, G. See BERTACCINI, G., *et al.*, 78
- CARTER, J. See BARRETT, A. M., 373
- CARTER, S. J., HOPE, C. E. and PAYNE, J. P. The effect of ingested alcohol on hand blood flow in resting man, 570P
- CASH, H. C. See ADAMS, P. R., *et al.*, 552P
- CASTELLINO, S. See AMBROGI, V., *et al.*, 871
- CHAMBERLAIN, D. A. See BAGSHAW, H., *et al.*, 600P
- CHAVES-CHAVARRIA, R., PAYNE, J. P. and POWELL, J. W. A system for the determination of liquid-gas partition coefficients using gas chromatography (T), 603P
- CLARK, BARBARA P. See BISSET, G. W., 342
- CLARKE, R. S. J. and DUNDEE, J. W. A class experiment to investigate the side-effects of anti-emetics, 601P
- CLARKE, R. S. J., DUNDEE, J. W. and LOAN, W. B. The use of post-operative vomiting as a means of evaluating anti-emetics, 568P
- VAN CLINESCHMIDT, B. See GELLER, R. G., *et al.*, 605
- COLLIER, J. G., NACHEV, CH. and ROBINSON, B. F. A new method for quantitating the effect of vaso-active drugs on superficial veins in conscious man (T), 603P

- COLLIER, J. G., NACHEV, CH. and ROBINSON, B. F. A new method for studying the pharmacology of the superficial veins in conscious man, 574P
- COLTART, D. J. A comparison of the effects of propranolol and practolol on the exercise tolerance in angina pectoris, 147P
- COLTART, D. J. and MELDRUM, S. J. The effect of propranolol on the human and canine transmembrane action potential, 148P
- COTTRELL, G. A., POWELL, B. and STANTON, M. A simple method for measuring a picogram of acetylcholine using the clam (*Mya arenaria*) heart, 866
- COTTRELL, G. A. See BERRY, CYNTHIA F., 549P
- COUPAR, I. M. and TURNER, P. Relative affinities of some α -adrenoceptor blocking drugs in isolated human smooth muscle, 155P
- COVILLE, P. F. and TELFORD, J. M. The effect of thyroid hormones on the action of some centrally acting drugs, 747
- CURRY, S. H., D'MELLO, A. and MOULD, G. P. Destruction of chlorpromazine during absorption by rat intestine *in vitro*, 538P
- CURTIS, D. R., FELIX, D. and MCLEAN, H. GABA and hippocampal inhibition, 881
- CUTHBERT, A. W. and DUNANT, YVES. Diffusion of drugs through stationary water layers as the rate limiting process in their action at membrane receptors, 508
- CUTHBERT, A. W. See BRASH, A. R., 544P
- D
- DANIEL, M., GIFFARD, F. and SANFORD, J. The effects of acepromazine and methylamphetamine on the performance of the ridden horse (T), 173P
- DAS, P. K. and PARRATT, J. R. Myocardial effects of phentolamine, 150P
- D'AURIAC, ANGLES G., MEYER, P., OSBORNE, M. J. and WORCEL, M. Mechanism of extraction of angiotensin II in coronary and renal circulations (T), 565P
- DAVIES, B. N. See AYERS, A. B., *et al.*, 575P
- DAVIES, D. DENISON and MATHIAS, J. A. A method for the determination of residual quantities of halothane in blood, 596P
- DAVILA, D. and KHAIRALLAH, P. A. Angiotensin effect on biosynthesis of noradrenaline (T), 565P
- DAY, M. D. and OWEN, D. A. A. Role of noradrenaline in the acute pressor response to angiotensin in conscious cats, 884
- DHAWAN, B. N. and SHARMA, J. N. Facilitation of the flexor reflex in the cat by intrathecal injection of catecholamines, 237
- DI SOMMA, M. See AMBROGI, V., *et al.*, 871
- DODDS, M. G. and FOORD, R. D. Enhancement by potent diuretics of renal tubular necrosis induced by cephaloridine, 227
- DOGGETT, N. S., SPENCER, P. S. J. and TURNER, T. A. R. The pharmacological effects of ouabain administered intracerebrally to conscious mice, 138P
- DOWNEY, J. A. and FREWIN, D. B. The effect of ethyl alcohol and chlorpromazine on the response of the hand blood vessels to cold, 396
- D'MELLO, A. See CURRY, S. H., *et al.*, 538P
- DRADI, E. See AMBROGI, V., *et al.*, 871
- DRAPER, J. G. and TOTTELL, ANNE U. Adrenaline uptake mechanisms in the rat uterus, 588P
- DRAY, A. See BOAKES, R. J., *et al.*, 202
- DUKE, D. I. Teratology of anticancer drugs (T), 603P
- DUNANT, YVES. See CUTHBERT, A. W., 508
- DUNDEE, J. W. See CLARKE, R. S. J., *et al.*, 568P, 601P
- E
- ECCLES, R. See ARENSON, M. S. *et al.*, 524P
- EDGE, N. D. pP_2 of eserine and neostigmine on acetylcholine responses of isolated ileum, 531
- EVANS, M. H. Two toxins from a poisonous sample of mussels *Mytilus edulis*, 847
- EVERETT, SALLY D. See BRIMBLECOMBE, R. W., 45, 57
- EYRE, P. The Schultz-Dale reaction in bovine pulmonary smooth muscles, 166P
- F
- FARMER, J. B. and LEVY, G. P. Interaction of isoprenaline and β -adrenoceptor blocking drugs on intestinal smooth muscle, 154P
- FELDBERG, W. and GEORGIEV, V. P. Central effects of picrotoxin when acting from the liquor spaces in anaesthetized cats, 23
- FELDBERG, W. See BANERJEE, U., *et al.*, 6
- FELIX, D. See CURTIS, D. R., *et al.*, 887
- FOGARTY, M., GILL, D., HILL, P. and PETTIT, J. Cardiovascular effects of pentazocine in rabbits, 151P
- FOLB, P. I. The effects of steroid and of immunosuppressive drug therapy on lymphocyte stimulation by *Candida* antigens (T), 580P
- FOORD, R. D. See DODDS, M. G., 227
- FREWIN, D. B. See DOWNEY, J. A., 396
- FRISK-HOLMBERG, M. See BUCKETT, W. R., 165P
- G
- GABELLA, G. Electron microscopical examination of the junction between the myenteric plexus and the longitudinal muscle of the guinea-pig ileum, 588P
- GAUGAS, J. M. See BILLINGHAM, M. E. J. *et al.*, 173P
- GARCIA, HAMAMURA, L. See LEME, J., 275
- GELLER, R. G., GOVIER, W. C., PISANO, J. J., TANIMURA, T. and VAN CLINESCHMIDT, B. The action of ranatensin, a new polypeptide from amphibian skin, on the blood pressure of experimental animals, 605
- GEORGIEV, V. P. See BANERJEE, U., *et al.*, 6
- GEORGIEV, V. P. See FELDBERG, W., 23
- GIFFARD, F. See DANIEL, M., *et al.*, 173P
- GILL, D. See FOGARTY, M., *et al.*, 151P
- GILLESPIE, J. S., MACLAREN, A. and POLLOCK, D. A method of stimulating different segments of the autonomic outflow from the spinal column to various organs in the pithed cat and rat, 257
- GIL-RODRIGUEZ, J. A., HILL, D. W. and LUNDBERG, S. The measurement of renal blood flow during anaesthesia by means of a single-shot urineless technique with ^{131}I -hippuran, 597P
- GIL-RODRIGUEZ, J. A., PAYNE, J. P. and POTTER, D. R. Some cardiovascular effects of intravenous atropine in patients anaesthetized with halothane, 571P
- GODFRAIND, T. Angiotensin auto-potential, 542P
- GOLDMAN, EPHRAT and YOULTEN, L. J. F. The distribution of ^{125}I -polyvinyl pyrrolidone (PVP) after intravenous injections in rats (T), 603P

- GOODE, P. G. The induction of physical dependence to morphine in the rat using a subcutaneously implanted reservoir, 589P
- GORDON, A. E. The effect of adrenaline on 5-hydroxyindole concentrations in the hypothalamus and thalamus of rat, 142P
- GORDON, A. H. *See* BILLINGHAM, M. E. J., 173P
- GOSLINGS, W. R. O., MATTIE, H. and NAUTA, E. H. The absorption and elimination of cloxacillin in patients on chronic intermittent haemodialysis (T), 580P
- GOVIER, W. C. *See* GELLER, R. G., *et al.*, 605
- GRANT, C. A. *See* ARMITAGE, A. K., *et al.*, 588P
- GREENBERG, R., KOSTERLITZ, H. W. and WATERFIELD, ANGELA A. The effects of hexamethonium, morphine and adrenaline on the output of acetylcholine from the myenteric plexus-longitudinal muscle preparation of the ileum, 553P
- GULATI, O. D., PARIKH, H. M., RINGE, S. Y. and SHERLEKAR, M. L. An investigation of α -methyl amino acids and their derivatives on isolated tissue preparations, 689
- H
- HADHÁZY, P. The effect of isoprenaline on the responses of the guinea-pig isolated heart to vagal stimulation and to acetylcholine, 585P
- HEADING, CHRISTINE E. *See* BUCKLEY, G. A., 590P
- HEATON, J. *See* BUCKLEY, G. A., 591P
- HELLMANN, K. *See* BURRAGE, KAREN, 603P
- HENMAN, F. D., MOLE, K. H. and SHEPHERD, D. M. Effects of decarborane on gastric secretion in the Shay rat, 164P
- HILL, B. D. *See* DE LA LANDE, I. S., *et al.*, 249
- HILL, D. W., MABLE, S. E. R., PAYNE, J. P. and WORSLEY, R. A three-channel telephone data link for the transmission of physiological variables, 598P
- HILL, D. W. *See* GIL-RODRIGUEZ, J. A., *et al.*, 597P
- HILL, MADELINE. *See* ALPS, B. J., *et al.*, 153P
- HILLIER, K. and KARIM, S. M. M. The human isolated cervix: a study of its spontaneous motility and responsiveness to drugs, 576P
- HOBBIGER, F. and PECK, A. W. The relationship between the level of cholinesterase in the plasma and action of suxamethonium in animals, 775
- HODGE, R. L. and ROBINSON, S. M. Vascular actions of clonidine in man, 573P
- HODGES, J. R. and HOTSON, R. T. Ascorbic acid deficiency and pituitary adrenocortical activity in the guinea-pig, 740
- HODGES, J. R. and MITCHLEY, SUSAN. A comparison of the effects of betamethasone and tetracosactrin on hypothalamo-pituitary-adrenal activity in the rat, 548P
- HODGES, J. R. and MITCHLEY, SUSAN. Recovery of hypothalamo-pituitary-adrenal function in the rat after prolonged treatment with betamethasone, 732
- HOOPER, PATRICIA A. and SCHNEIDER, R. The effects of "autonomic drugs" on villous movement in the small intestine of the pigeon, 426
- HOPE, C. E. and WILCOCK, A. H. An improved method of measuring drug-induced peripheral vascular responses in conscious man, 599P
- HOPE, C. E. *See* BUSHMAN, J. A., *et al.*, 569P
- HOPE, C. E. *See* CARTER, S. J., *et al.*, 570P
- HOPKIN, JUDY M. and NEAL, M. J. The release of ^{14}C -glycine from electrically stimulated rat spinal cord slices, 136P
- HORLINGTON, M. *See* BURNS, J., *et al.*, 524
- HOTSON, R. T. *See* HODGES, J. R., 740
- HOYLAND, VALERIE J., SHILLITO, ELIZABETH E. and VOGT, MARTHE. The effect of parachlorophenylalanine on the behaviour of cats, 659
- HUGHES, J. The detection and assay of noradrenaline released from isolated tissues during intramural nerve stimulation, 555P
- HUGHES, J. *See* BOADLE-BIBER, MARGARET C., *et al.*, 702
- I
- IRESON, J. D. A comparison of the antinocceptive actions of cholinomimetic and morphine-like drugs, 92
- IVERSEN, L. L. and SALT, P. J. Inhibition of catecholamine Uptake₂ by steroids in the isolated rat heart, 528
- IVERSEN, L. L. *See* BELL, Linda J., *et al.*, 790
- JAMES, SALLY. Effect of antilymphocytic serum on spontaneous dissemination of tumour cells (T), 603P
- JELLETT, L. B. *See* DE LA LANDE, I. S., *et al.*, 249
- JOHNSON, E. S. *See* ALPS, B. J., *et al.*, 153P
- JOHNSON, G. E. and PUGSLEY, T. A. Effects of chronic metaraminol treatment on the sympathetic activity of intact and adrenal demedullated rats kept in warm or cold environments, 418
- JONES, N. F. *See* BARRACLOUGH, M. A., 334
- JUENGAROEN, KANCHANA and MILLS, D. C. B. Aggregation and the release of active substances in platelets of different species (T), 603P
- KARIM, S. M. M. *See* HILLIER, K., 576P
- KELLMANN, K. *See* BURRAGE, KAREN, 603P
- KELMAN, G. R. and KENNEDY, B. R. Cardiovascular effects of pancuronium in anaesthetized man, 567P
- KENDLE, K. E., and TELFORD, J. M. Investigations into the mechanism of the antifertility, 759
- KENNEDY, B. R. *See* KELMAN, G. R., 567P
- KERKUT, G. A., NEWTON, LYNNE C., PITMAN, R. M., WALKER, R. J., and WOODRUFF, G. N. Acetylcholine receptors of invertebrate neurones, 586P
- KERKUT, G. A., RALPH, K. L., WALKER, R. J. and WOODRUFF, G. N. The effect of drug pretreatment on synaptic activity in *Helix* brain, 561P
- KHAIRALLAH, P. A. *See* DAVILA, D., 565P
- KIRSTEN, E. B., and KUPERMAN, A. S. Effects of sulphhydryl inhibitors on frog sartorius muscle: β -chloromercuribenzoic acid and β -chloromercuribenzenesulphonic acid, 814
- KIRSTEN, E. B., and KUPERMAN, A. S. Effects of sulphhydryl inhibitors on frog sartorius muscle: N-ethylmaleimide, 827
- KNOLL, J. and VIZI, E. S. Presynaptic inhibition of acetylcholine release by endogenous and exogenous noradrenaline at high rate of stimulation, 544P
- KOSTERLITZ, H. W., LEES, G. M. and WALLIS, D. I. Synaptic potentials recorded by the sucrose-gap method from the rabbit superior cervical ganglion, 275
- KOSTERLITZ, H. W. and WATERFIELD, ANGELA A. The effect of the interval between electrical stimuli on the acetylcholine output of the myenteric plexus-longitudinal muscle preparation of the guinea-pig ileum, 162P

- KOSTERLITZ, H. W. *See* GREENBERG, R., *et al.*, 533P
 KREJČI, I. *See* BISSET, G. W., *et al.*, 342
 KUPERMAN, A. S. *See* KIRSTEN, E. B., 814, 827
 KURUMA, I. *See* BARTHOLINI, G., *et al.*, 437, 461

L

- DE LA LANDE, I. S., HILL, B. D., JELLETT, L. B. and MCNEIL, J. M. The role of monoamine oxidase in the response of the isolated central artery of the rabbit ear to tyramine, 249
 LAVERTY, R. and TAYLOR, K. M. Effects of ontra-ventricular 2,4,5-trihydroxyphenylethyl amine (6-hydroxydopamine) on rat behaviour and brain catecholamine metabolism, 836
 LEE, P. N. *See* ARMITAGE, A. K., *et al.*, 588P
 LEES, G. M. *See* KOSTERLITZ, H. W., 275
 LEME, J. GARCIA, HAMAMURA, L. and ROCHA E SILVA, M. Effect of anti-proteases and hexadimethrine bromide on the release of a bradykinin-like substance during heating (46° C) of rat paws, 294
 LEVY, G. P. *See* FARMER, J. B., 154P
 LEWIS, G. P. and WAWRETSCHKE, W. A. The kinin-forming system in rabbit hind limb lymph after thermal injury, 540P
 LEWIS, G. P. and WINSEY, N. J. P. The action of pharmacologically active substances on the flow and composition of cat hind limb lymph, 446
 LEWIS, G. P. *See* BOWERY, N. G., *et al.*, 437
 LOAN, W. B. *See* CLARKE, R. S. J., *et al.*, 568P
 LOGEMAN, W. *See* AMBROGI, V., *et al.*, 871
 LOH, H. S. and WILSON, C. W. M. The origin of ascorbic acid stored in the leucocytes, 169P
 LOH, H. S. and WILSON, C. W. M. The relationship between leucocyte ascorbic acid and plasma iron, 566P
 LOIZOU, L. A. Uptake of monoamines into central neurones and the blood-brain barrier in the infant rat, 800
 LUNDBERG, S. *See* GIL-RODRIGUEZ, J. A., *et al.*, 597P

M

- MABLE, S. E. R. *See* HILL, D. W., *et al.*, 598P
 MCCULLOUGH, DEBORAH O., MILBERG, JANE N. and ROBINSON, S. M. A central site for the hypothermic effects of (+)-amphetamine sulphate and *p*-hydroxyamphetamine hydrobromide in mice, 219
 MACFARLANE, D. E. Demonstration of rapid morphological changes of blood platelets (T), 602P
 McKIERNAN, J. M., MUIR, T. C. and POLLOCK, D. Changes in the responsiveness of the colon and vas deferens to nerve stimulation and injected transmitters in the pithed rat following chronic morphine treatment, 559P
 MACLAREN, A. *See* GILLESPIE, J. S., *et al.*, 257
 MCLEAN, H. *See* CURTIS, D. R., *et al.*, 881
 McMAHON, E. M. *See* BOULLIN, D. J., *et al.*, 522
 MCNEIL, J. M. *See* DE LA LANDE, I. S., *et al.*, 249
 MAGOS, L. *See* BUTLER, W. H., 171P
 MAJOR, C. T. and PLEUVRY, BARBARA J. A comparison of the analgesia produced by morphine and the sympathomimetic drugs, 143P
 MARLEY, E. and SELLER, T. J. Some effects of muscarine on the central nervous system of chickens, 139P
 MARLEY, E. and SELLER, T. J. Some effects of nicotine on the central nervous system of chickens, 141P
 MARLEY, E. and STEPHENSON, J. D. Effects of catecholamines infused into the brain of young chickens, 639
 MARSHALL, I. G. A comparison between the blocking actions of 2-(4-phenylpiperidino) cyclohexanol (AH 5183) and its N-methyl quaternary analogue (AH 5954), 68
 MATHIAS, J. A. and PAYNE, J. P. Practolol in the management of cardiac dysrhythmias in patients anaesthetized with halothane, 572P
 MATHIAS, J. A. *See* DAVIES, D. Denison, *et al.*, 596P
 MATTHEWS, J. *See* BOWERY, N. G., *et al.*, 437
 MATTIE, H. *See* GOSLINGS, W. R. O., 580P
 MAWER, G. E. *See* BALASUBRAMANIAM, K., *et al.*, 578P
 MAWER, G. W., MILLER, N. E. and TURNBERG, L. A. Preliminary observations on the elimination of amylobarbitone by patients with chronic liver disease, 579P
 MEINARDI, G. *See* AMBROGI, V., *et al.*, 871
 MELCHIORRI, P. *See* BERTACCINI, G., *et al.*, 78
 MELDRUM, B. S. and NAQUET, R. Effects of psilocybin, dimethyltryptamine and various lysergic acid derivatives on optically-induced epilepsy in the baboon (*Papio papio*), 144P
 MELDOLESI, J. Effect of caerulein on protein synthesis and secretion in the guinea-pig pancreas, 721
 MELDRUM, S. J. *See* COLTART, D. J., 148P
 METCALFE, J. C. and METCALFE, S. M. Metabolic inhibition in primary cell cultures by lipid-soluble molecules, 537P
 METCALFE, S. M. *See* METCALFE, J. C., 537P
 MEYER, P., PAPADIMITRIOU, A. and WORCEL, M. Blockade of the effects of Valyl-5-angiotensinamide II, oxytocin, noradrenaline, 5-hydroxytryptamine and acetylcholine by guancydine, 534P
 MEYER, P., PAPADIMITRIOU, A. and WORCEL, M. Possible existence of different types of angiotensin II receptors, 541P
 MEYER, P. *See* D'AURIA, ANGLES G., *et al.*, 565P
 MICHAEL, F. *See* BORN, G. V. R., 602P
 MICHAL, F. Platelet aggregation by very low intensity acoustical energy and its inhibition by drugs, 544P
 MILBERG, JANE N. *See* MCCULLOUGH, DEBORAH O., *et al.*, 219
 MILLER, N. E. *See* MAWER, G. W., *et al.*, 579P
 MILLS, D. C. B. and SMITH, J. B. The effect of inhibitors of platelet 3',5'-AMP phosphodiesterase on platelet aggregation (T), 603P
 MILLS, D. C. B. *See* JUENGJAROEN, KANCHANA, 603P
 MITCHELL, R. G. and PORTER, J. F. Histamine and granulocytes in the umbilical cord blood of infants at birth, 310
 MITCHLEY, SUSAN. *See* HODGES, J. R., 548P, 732
 MOIR, A. T. B. and YATES, C. M. Actions of phenelzine on the interactions of the metabolism of tryptophan and dopamine in brain, 563P
 MOLE, K. H. *See* HENMAN, F. D., *et al.*, 164P
 MOLENAAR, P. C. and POLAK, R. L. Stimulation by atropine of acetylcholine release and synthesis in cortical slices from at brain, 406
 MORRISON, P. C. A. A dual-beam alcohol vapour analyser (T), 603P
 MOTTRAM, D. R. Binding sites for 2-haloalkylamines, 157P
 MOULD, G. P. *See* CURRY, S. H., *et al.*, 538P
 MUIR, T. C. *See* McKIERNAN, J. M., *et al.*, 559P

MURNAGHAN, M. F. Comparative effectiveness of lignocaine, quinidine, propranolol and procainamide as antifibrillatory agents, 149P

N

NACHEV, Ch. *See* COLLIER, J. G., *et al.*, 574P, 603P
NAKANO, J. Metabolism of prostaglandin E₁ in dog kidneys, 317

NAQUET, R. *See* MELDRUM, B. S., 144P

NATOFF, I. L. and REIFF, B. Quantitative studies of the effect of antagonists on the acute toxicity of organophosphates in rats, 124

NAUTA, E. H. *See* GOSLINGS, W. R. O., 580P

NEAL, M. J. *See* HOPKIN, JUDY M., 136P

NEWTON, LYNNE C. *See* KERKUT, G. A., *et al.*, 586P

NUSTAD, K. and RUBIN, I. Subcellular localization of renin and kininogenase in the rat kidney, 326

O

O'BRIEN, R. A. *See* BOULLIN, D. J., *et al.*, 522

ODUMOSU, A. and WILSON, C. W. M. The growth maintaining activity and intestinal absorption of ascorbic acid in guinea-pigs, 171P

ODUMOSU, A. and WILSON, C. W. M. The relationship between ascorbic acid concentrations and cortisol production during the development of scurvy in the guinea-pig, 548P

O'MALLEY, K. and STEVENSON, I. H. Increased half-life of antipyrine in women taking oral contraceptives (T), 580P

OSBORNE, M. J. *See* D'AURIAC, ANGLES G., *et al.*, 565P

OWEN, D. A. A. *See* DAY, M. D., 884

P

PALMER, M. A., PIPER, PRISCILLA J. and VANE, J. R. The release of rabbit aorta contracting substance (RCS) from chopped lung and its antagonism by anti-inflammatory drugs, 581P

PALMER, M. A., PIPER, PRISCILLA J. and VANE, J. R. Release of vaso-active substances from lungs by injection of particles, 547P

PAPADIMITRIOU, A. *See* MEYER, P., *et al.*, 534P, 541P

PARIKH, H. M. *See* GULATI, O. D., *et al.*, 689

PARRAT, J. R. *See* DAS, P. K., 150P

PARSONS, M. E. *See* BLACK, J. W., *et al.*, 565P

PAYNE, J. P. *See* BUSHMAN, J. A., *et al.*, 569P

PAYNE, J. P. *See* CARTER, S. J., 570P

PAYNE, J. P. *See* CHAVES-CHAVARRIA, R., *et al.*, 603P

PAYNE, J. P. *See* GIL-RODRIGUEZ, J. A., *et al.*, 571P

PAYNE, J. P. *See* HILL, D. W., *et al.*, 598P

PAYNE, J. P. *See* MATHIAS, J. A., 572P

PECK, A. W. *See* HOBBERGER, F., 775

PERCIVAL, R. C. *See* BAMFORD, D. S., *et al.*, 161P

PETTIT, J. *See* FOGARTY, M., *et al.*, 151P

PHILLIPS, SUSAN J., RICHENS, A. and SHAND, D. G. A method for studying spinal pharmacology in man, 577P

PICKETT, R. D. Acute toxicity of heroin, alone and in combination with cocaine or quinine, 145P

PIPER, PRISCILLA J. *See* PALMER, M. A., *et al.*, 547P, 581P

PISANO, J. J. *See* Geller, R. G., *et al.*, 605

PITMAN, R. M. *See* KERKUT, G. A., *et al.*, 586P

PLETSCHER, A. *See* BARTHOLINI, G., *et al.*, 461

PLEUVRY, BARBARA J. *See* MAJOR, C. T., 143P

POLÁČEK, I. *See* BISSET, G. W., 342

POLAK, R. L. *See* MOLENAAR, P. C., 406

POLLOCK, D. *See* GILLESPIE, J. S., *et al.*, 257

POLLOCK, D. *See* MCKIERNAN, J. M., *et al.*, 559P

PORTER, J. F. *See* MITCHELL, R. G., *et al.*, 310

POSNER, J. The release of prostaglandin E₁ from the bovine iris, 163P

POTTER, D. R. *See* GIL-RODRIGUEZ, J. A., *et al.*, 571P

POWELL, B. *See* COTTRELL, G. A., *et al.*, 866

POWELL, J. W. *See* CHAVES-CHAVARRIA, R., *et al.*, 603P

PRICHARD, B. N. C. *See* AELLIG, W. H., *et al.*, 573P

PUGSLEY, T. A. *See* JOHNSON, G. E., 418

Q

QUILLIAM, J. P. *See* ADAMS, P. R., *et al.*, 552P

R

RALPH, K. L. *See* KERKUT, G. A., *et al.*, 561P

RAND, M. J. and VARMA, B. Effects of McN-A-343 on responses induced by sympathetic nerve stimulation in the rabbit isolated ear artery, 158P

RANDALL, M. J. *See* BUTTERWORTH, K. R., 160P

REID, W. D. Turnover rate of brain 5-hydroxytryptamine increased by D-amphetamine, 483

REIFF, B. Inhibition of brain cholinesterase activity after the injection of organophosphorus compounds in the rat, 135P

REIFF, B. *See* NATOFF, I. L., 124

RICHENS, A. and ROWE, D. J. F. Interaction between anticonvulsant drugs and vitamin D, 593P

RICHENS, A. *See* PHILLIPS, SUSAN J., *et al.*, 577P

RINGE, S. Y. *See* GULATI, O. D., *et al.*, 689

ROBINSON, B. F. *See* COLLIER, J. G., *et al.*, 574P, 603P

ROBINSON, B. V. *See* BILLINGHAM, M. E. J., *et al.*, 173P

ROBINSON, S. M. *See* HODGE, R. L., 573P

ROBINSON, S. M. *See* MCCULLOUGH, DEBORAH O., *et al.*, 219

ROBSON, D. *See* BURNS, J., *et al.*, 524

ROBSON, R. D. Reflex and other vascular changes in anaesthetized dogs after β -adrenoceptor antagonism with alprenolol, bunolol and propranolol, 539P

ROCHA E SILVA, M. *See* ANTONIO, A., *et al.*, 501

ROCHA E SILVA, M. *See* LEME, J., *et al.*, 294

ROTH, R. H. *See* BOADLE-BIBER, MARGARET C., *et al.*, 702

ROWE, D. J. F. *See* RICHENS, A., 593P

RUBIN, I. *See* NUSTAD, K., 316

RUDINGER, J. *See* BISSET, G. W., *et al.*, 342

S

SALSBURY, A. J. *See* BURRAGE, KAREN, 603P

SALT, P. J. *See* IVERSEN, L. L., 528

SANFORD, J. *See* DANIEL, M., *et al.*, 173P

SATCHELL, D. *See* BURNSTOCK, G., *et al.*, 668

SCALES, B. *See* AELLIG, W. M., *et al.*, 573P

SCHOLFIELD, C. N. *See* BROWN, D. A., 559P

SCHOLFIELD, P. C. *See* ADAM, K. R., *et al.*, 534P

SCHNEIDER, R. *See* HOOPER, PATRICIA A., 426

SELLER, T. J. *See* MARLEY, E., 141P

- SELLERS, C. M. *See* ARMITAGE, A. K., *et al.*, 588P
 SHAND, D. G. *See* PHILLIPS, SUSAN J., *et al.*, 577P
 SHARKAWI, M. Effects of morphine and pentobarbitalone on acetylcholine synthesis by rat cerebral cortex, 86
 SHARMA, J. N. *See* DHAWAN, B. N., 237
 SHARMAN, D. F. *See* CALLINGHAM, B. A., 1
 SHEPHERD, D. M. *See* HENMAN, F. D. *et al.*, 164P
 SHERLEKAR, M. L. *See* GULATI, O. D., *et al.*, 689
 SHILLITO, ELIZABETH E. A method for investigating the effects of drugs on the exploratory behaviour of mice, 113
 SHILLITO, ELIZABETH. *See* AHTEE, LIISA, 361
 SHILLITO, ELIZABETH E. *See* HOYLAND, VALERIE J., *et al.*, 659
 SIMONS, P. J. *See* BALASUBRAMANIAM, K., *et al.*, 578P
 SIMMONDS, M. A. and URETSKY, N. J. Acute hypothermic response of the rat to intraventricular injection of 6-hydroxydopamine, 564P
 SIMMONDS, M. A., and URETSKY, N. J. Central effects of 6-hydroxydopamine on the body temperature of the rats, 630
 SMITH, J. B. and WILLIS, A. L. Formation and release of prostaglandins by platelets in response to thrombin, 545P
 SMITH, J. B. *See* MILLS, D. C. B., 603P
 SMYTHE, ANNE. *See* BURNSTOCK, G., *et al.*, 668
 SPENCER, P. S. J. *See* DOGGETT, N. S., *et al.*, 138P
 SPERO, L. *See* BURGEN, A. S. V., 492
 SPILKER, B. Comparison of the inotropic response to glucagon, ouabain and noradrenaline, 382
 SPILKER, B. A. *See* BAIRD, J. R. C., 526
 STANTON, M. *See* COTTRELL, G. A., *et al.*, 866
 STEPHENSON, J. D. *See* MARLEY, E., 639
 STEVENSON, I. H. *See* O'MALLEY, K., 590P
 SUMMERS, R. J. Effects of pargyline on body temperature and on hypothalamic levels of monoamines in the rabbit (T), 172P
 SYKES, JENNIFER A. C. Pharmacologically active substances in malignant ascites fluid, 593P

T

- TANIMURA, T. *See* GELLER, R. G., *et al.*, 605
 TAYLOR, K. M. *See* LAVERTY R., 836
 TELFORD, J. M. *See* COVILLE, P. F., 747
 TELFORD, J. M. *See* KENDLE, K. E., 759
 THOMPSON, M. *See* BLACK, J. W., *et al.*, 565P
 TONKS, R. S. Effects of amylobarbitone, dextro-amphetamine and a mixture of these on performance and learning in man (T), 172P
 TOSOLINI, G. *See* AMBROGI, V., *et al.*, 871
 TOTHILL, A. U. *See* BAMFORD, D. S., *et al.*, 161P
 TOTHILL, ANNE U. *See* DRAPER, J. G., 588P
 TUCKER, DEREK. Cell culture of the chorioallantoic membrane of the chick embryo (T), 603P
 TURNBERG, L. A. *See* MAWER, G. W., 579P
 TURNER, P. Alprenolol and propranolol in hyperthyroid tachycardia, 146P
 TURNER, P. *See* BAGSHAW, H., 600P
 TURNER, P. *See* COUPAR, I. M., 155P
 TURNER, T. A. R. *See* DOGGETT, N. S., 138P

U

- URETSKY, N. J. *See* BELL, LINDA J., *et al.*, 790
 URETSKY, N. J. *See* SIMMONDS, M. A., 630
 URETSKY, N. J. *See* SIMMONDS, M. A., 564P

V

- VANE, J. R. *See* AIKEN, J. W., 565P
 VANE, J. R. *See* PALMER, M. A., *et al.*, 547P, 581P
 VARMA, B. *See* RAND, M. J., 158
 VARMA, D. R. *See* AYITEY-SMITH, E., 175
 VARMA, D. R. *See* AYITEY-SMITH, E., 186
 VECCHI, E. *See* AMBROGI, V., *et al.*, 871
 VINCENZI, F. F. *See* APPEL, W. C., 268
 VIZI, E. S. *See* KNOLL, J., 544P
 VOGT, MARTHE. *See* HOYLAND, VALERIE J., 659

W

- WALKER, R. J. *See* KERKUT, G. A., *et al.*, 586P
 WALKER, R. J. *See* WOODRUFF, G. N., *et al.*, 561P
 WALLIS, D. T. *See* KOSTERLITZ, H. W., 275
 WATERFIELD, ANGELA A. *See* GREENBERG, R., *et al.*, 553P
 WATERFIELD, ANGELA A. *See* KOSTERLITZ, H. W., 162P
 WATSON, P. J. Drug receptor sites in the rabbit saphenous nerve, 102
 WAWRETSCHKE, W. A. *See* LEWIS, G. P., 540
 WESTON, A. H. Changes in the amounts of high-energy phosphate compounds associated with the actions of phenylephrine and isoprenaline on smooth and cardiac muscle, 153P
 WHITTINGTON, HILARY. Effects of azathioprine and phenylbutazone in rat adjuvant arthritis, 167P
 WILCOCK, A. H. *See* HOPE, C. E., 599P
 WILLIAMS, K. I. The release of neurohypophyseal hormones in the dog and their detection using the blood-bathed organ technique (T), 602P
 WILLIS, A. L. Simplified thin-layer chromatography of prostaglandins in biological extracts, 583P
 WILLIS, A. L. *See* SMITH, J. B., 545P
 WILSON, A. *See* ARMITAGE, A. K., *et al.*, 588P
 WILSON, A. B. *See* ALPS, B. J., *et al.*, 153P
 WILSON, C. W. M. *See* LOH, H. S., 169P, 566P
 WILSON, C. W. M. *See* ODUMOSU, A., 171P, 548P
 WILSON, H. *See* ARENSON, M. S., *et al.*, 584P
 WILSON, J. The uptake of adrenergic neurone blocking drugs, 159P
 WINSEY, N. J. P. *See* BOWERY, N. G., 437
 WINSEY, N. J. P. *See* LEWIS, G. P., 446
 WITHRINGTON, P. G. *See* AYERS, A. B., *et al.*, 575P
 WOODRUFF, G. N. *See* KERKUT, G. A., *et al.*, 586P
 WORCELL, M. *See* D'AURIAC, ANGLES G., *et al.*, 565P
 WORCELL, M. *See* MEYER, P., *et al.*, 534P, 541P
 WORSLEY, R. *See* HILL, D. W., *et al.*, 598P
 WRIGHT, HELEN PAYLING. Autoradiological studies of aortic endothelium in guinea-pig (T), 602P

Y

- YASHUDA, Y. *See* ANTONIO, A., *et al.*, 501
 YATES, C. M. *See* MOIR, A. T. B., 563P
 YOULTEN, L. J. F. *See* GOLDMAN, EPHRAT, 603P

Z

- ZAR, M. ABOO. *See* AMBACHE, N., 556P, 603P

SUBJECT INDEX

A

- Acepromazine**, effects on the performance of the ridden horse (T), 173P
- Acetylcholine**, action on neurone, 2-bromolysergic acid diethylamide effect on, 209
- , —, methylsergide maleate effect on, 209
- , action on sensory endings of rabbit saphenous nerve, 102
- , amount required to inhibit rhythmic activity of muscle strip, 869
- , and vagus nerve stimulation, isolated heart response to, isoprenaline effect on, guinea-pig, 585P
- , diffusion through stationary water layers as the rate limiting process in its action at membrane receptors, 508
- , —, in presence of eserine, 508
- , effect on lymph flow and composition, cat hind limb, 448
- , effect on villous movements, small intestine, 429
- , effects, guanydyne blockade of, 543P
- , extrinsic and intrinsic, and barbiturate effect on frog skeletal muscle, 552P
- , iontophoretic release, from micropipettes, 194, 198
- , output, effect of interval between electrical stimuli on, myenteric plexus-longitudinal muscle preparation, guinea-pig ileum, 162P
- , receptors, of invertebrate neurones, 586P
- , release, presynaptic inhibition by endogenous and exogenous noradrenaline at high rate of stimulation, 554P
- , release and synthesis, stimulation by atropine, cortical slices from rat brain, 406
- , —, —, effect of botulinum type A toxin on, cortical slices from rat brain, 406
- , —, —, effect of calcium and magnesium concentration on, cortical slices, 406
- , —, —, effect of physostigmine on, cortical slices, 406
- , responses of isolated ileum, pP_2 of eserine on, 531
- , —, pP_2 of neostigmine on, 531
- , simple method for measuring a picogram of, using clam (*Mya arenaria*) heart, 866
- , synthesis by rat cerebral cortex, morphine and pentobarbitone effects on, 86
- Acetyl coenzyme A**, amount required to inhibit rhythmic activity of muscle strip, 869
- Adenosine**, inhibition of blood platelet aggregation by, 545P
- Adenosine diphosphate**, determination of iontophoretic release of, from micropipettes, 592P
- Adenosine 3',5'-monophosphate**, effects on renal function, 334
- Adenosine triphosphate**, or a related nucleotide, evidence for it as the transmitter substance released by non-adrenergic inhibitory nerves in the gut, 668
- Adipose tissue**, functional vasodilation, and prostaglandin, relationship between, 437
- Adrenal**, intact and demedullated rats, sympathetic activity of, metaraminol chronic treatment effects on, rats kept in warm or cold environments, 418
- , weight, ascorbic acid effect on, guinea-pig, 742
- Adrenal tissue**, betamethasone effect on, 735
- Adrenalectomy**, effect on caerulein action on insulin secretion, 82
- Adrenaline**, amount required to inhibit rhythmic activity of muscle strip, 869
- , brain concentration of, 1
- , —, age effect on, 1
- , cardiac response to, 385
- , cardiovascular response to, practolol effect on, 535
- , effect on acetylcholine output from myenteric plexus-longitudinal muscle preparation of ileum, 553P
- , effect on hypothalamus and thalamus 5-hydroxyindole concentrations, 142P
- , effect on lymph flow and composition, cat hind limb, 449
- , effect on villous movements, propranolol effect on, small intestine, 432
- , —, small intestine, 429
- , —, tolazoline effect on, small intestine, 432
- , uptake mechanisms in rat uterus, 558P
- Adrenaline acid tartrate**, analysis of coronary vascular responses to, using a modified Langendorff heart preparation, 619
- Adrenergic and cholinergic neurones**, method for comparing the sensitivity to, cat stellate ganglion (T), 602P
- Adrenergic neurone blockade**, by bethanidine, relative susceptibility of peripheral sympathetic nerves to, 551P
- Adrenergic neurone blocking drugs**, uptake, 159P
- α -adrenoceptor blocking drugs**, relative affinities in smooth muscle, 155P
- α - and β -adrenoceptor blocking agents**, effects on uterus responses to catecholamines during oestrous, 160P
- β -adrenoceptive antagonists**, comparative chronotropic activity of, 373
- , ten, relative maximal agonist effects of, in catecholamine-depleted rats and their antagonist potencies in cats, 378
- β -Adrenoceptor antagonism**, reflex and other vascular changes in anaesthetized dogs after, with alprenol, bunolol and propranolol, 539P
- β -adrenoceptor blockade**, cardio-selective, and the coronary circulation, 534
- β -adrenoceptor blocking drugs**, interaction with isoprenaline on intestinal smooth muscle, 154P
- Age**, effect on brain catecholamine content, chicken, 1
- AH 5183**, neuromuscular blocking activities, comparison with AH 5954, 68
- AH 5954**, neuromuscular blocking activities, comparison, with AH 5183, 68
- , sensitization of hemidiaphragm preparation to choline neuromuscular blocking action, by, 68
- Alcohol**, ingested, effect on hand blood flow in resting man, 570P
- Alcohol vapour analyser**, dual-beam (T), 603P
- Alprenol**, agonist effect on catecholamine-depleted rats and antagonist potencies in cats, 378
- , and propranolol, comparison of effects in hyperthyroid tachycardia, 146P
- , reflex and other vascular changes after, anaesthetized dogs, 539P
- Amberlite**, behaviour of two toxins from a poisonous sample of *Mytilus edulis* mussels on, 847

- γ -Aminobutyric acid**, action on neurone, 2-bromolysergic acid diethylamide effect on, 209
 —, amount required to inhibit rhythmic activity of muscle strip, 869
 —, and hippocampal inhibition, 881
Amitriptyline, effect on 5-hydroxytryptamine removal by lung, 471
 —, inhibition of blood platelet aggregation by, 545P
cyclic-AMP, effect on urinary solute concentration, 337
3',5'-AMP phosphodiesterase inhibitors, effect on platelet aggregation (T), 603P
Amphetamine, effect on body temperature and on levels of 5-hydroxyindoleacetic acid and 5-hydroxytryptamine, 484
 —, effect on exploratory behaviour, mice, 113, 118
 —, -induced rise in body temperature and brain 5-hydroxyindoleacetic acid level, cold exposure effect on, 486
 —, —, —, ganglionic blockade effect on, 487
 —, —, —, Kö 592 effect on, 486
(+)-amphetamine, a central site for hypothermia produced by, 219
 —, thyroid hormones effect on action of, 751
D-amphetamine, brain 5-hydroxytryptamine turnover rate increased by, 483
Amphibian skin, a new polypeptide from, ranatensin, effect on blood pressure, experimental animals, 605
Amylobarbitone, and dextro-amphetamine, effect on performance and learning, man (T), 172P
 —, dose effect on elimination and distribution, in healthy subjects, 578P
 —, effect on performance and learning, man (T), 172P
 —, preliminary observations on the elimination of, by patients with chronic liver disease, 579P
Anaesthesia, renal blood flow during, measurement by single-shot urineless technique with ^{131}I -hippuran, 597P
Androsterone, inhibition of catecholamine uptake₂, isolated rat heart, 528
Angiotensin, action on sensory endings of rabbit saphenous nerve, 102
 —, acute pressor response to, noradrenaline role in, conscious cats, 884
 —, auto-potential, 542P
 —, effect on blood pressure, 614
 —, effect on noradrenaline biosynthesis (T), 565P
Angiotensin I, conversion to angiotensin II, in isolated strips of arterial smooth muscle (T), 565P
Angiotensin II, angiotensin I conversion to, in isolated strips of arterial smooth muscle (T), 565P
 —, mechanism of extraction, in coronary and renal circulations (T), 565P
 —, receptors, possible existence of different types of, 541P
Angina pectoris, exercise tolerance in, comparison of the effects of propranolol and practocol, 147P
Anti-Arvin serum, effect on Arvin stimulant action, reticulo-endothelial system carbon uptake, 39
Antibacterial properties, 1,4-naphthoquinones, studies on, 871
Anticancer drugs, teratology of (T), 603P
Anticonvulsant drugs, and vitamin D, interaction between, 593P
Anti-emetics, a class experiment to investigate the effects of, 601P
Anti-emetics (contd.)
 —, use of post-operative vomiting as a means of evaluating, 568P
Antifibrillatory agents, comparison of lignocaine, quinidine, propranolol and procainimide as, 149P
Antifungal properties, 1,4-naphthoquinones, studies on, 871
Anti-inflammatory drugs, release of rabbit aorta contracting substance from chopped lung and its antagonism by, 581P
Antilymphocyte serum, anti-inflammatory properties (T), 173P
 —, effect on tumour cell spontaneous dissemination (T), 603P
Anti-proteases, effect on release of bradykinin-like substance, during heating of rat paws, 294
Antipyrine, increased half-life in women taking oral contraceptives (T), 580P
Aortic endothelium, autoradiographical studies of, guinea-pig (T), 602P
Artery, ear, sympathetic nerve stimulation in, McN-A-343 effect on responses induced by, 158P
Arthritis, adjuvant, azathioprine and phenylbutazone effect on, 167P
Arvin, effect on reticuloendothelial activity, 37
 —, effect in reticuloendothelial system blocked animals, 39
 —, stimulant action on reticuloendothelial activity, anti-Arvin serum effect on, 39
Ascites fluid, malignant, pharmacologically active substances in, 595P
Ascorbic acid, concentrations, relationship with cortisol production during scurvy development, guinea-pig, 548P
 —, deficiency, and pituitary adrenocortical activity, guinea-pig, 740
 —, effect on adrenal weight, guinea-pig, 742
 —, growth maintaining activity and intestinal absorption of, 171P
 —, leucocyte, and plasma iron, relationship between, 566P
 —, stored in leucocytes, origin of, 169P
Atropine, acetylcholine release and synthesis stimulation by, botulinum type A toxin pretreatment effect on, cortical slices, 410
 —, —, calcium and magnesium concentration effect on, cortical slices, 410
 —, —, cortical slices from rat brain, 406
 —, —, physostigmine effect on, 410
 —, —, and synthesis, tetrodotoxin effect on, cortical slices, 409
 —, and (—)-hyoscyamine, comparison of effect on heart rate, man, 600P
 —, antagonism of organophosphate toxicity, 128, 129
 —, dose dependent potentiating and depressant action, fast-twitch and slow-twitch muscle, 45
 —, effect on exploratory behaviour and motor activity, mice, 361
 —, effect on release of bradykinin-like substance, during heating of rat paws, 294, 302
 —, intravenous, cardiovascular effects, halothane anaesthetized patients, 571P
 —, protection of fast-twitch and slow-twitch muscles from sarin effects by, 57
 —, with obidoxime, antagonism of organophosphate toxicity, 128, 129
 —, with P2S, antagonism of organophosphate toxicity, 128, 129
Autonomic blocking properties, of Wy 21901, 153P

Autonomic outflow, method of stimulating different segments of, from the spinal column to various organs, pithed rat, 257

Autonomic transmitter release, bretylium effect on, sino-atrial node, 268

—, hemicholinium effect on, sino-atrial node, 268

Azathioprine, and phenylbutazone, effect in rat adjuvant arthritis, 167P

B

Barbiturate, effects on frog skeletal muscle and extrinsic and intrinsic acetylcholine, 552P

Behaviour, exploratory, amphetamine, effect on, 113

—, —, atropine effect on, mice, 361

—, —, benzodiazepines effect on, 361

—, —, chlorpromazine effect on, 113

—, —, haloperidol effect on, 113

—, —, imipramine effect on, 113

—, —, nialimide effect on, 113

—, —, thioridazine effect on, 113

—, —, tranlycypromine effect on, 113

—, 6-hydroxydopamine effect on, rat, 836

—, parachlorophenylalanine effect on, cats, 659

Benzodiazepines, effect on exploratory behaviour and motor activity, mice, 361

Betamethasone, and tetracosactrin, comparison of effects on hypothalamo-pituitary-adrenal activity, rat, 548P

—, effect on adrenal tissue, 735

—, recovery of hypothalamo-pituitary-adrenal function, after prolonged treatment with, 732

Bethanidine, adrenergic neurone blockade by, relative susceptibility of peripheral sympathetic nerves to, 551P

Blood, residual quantities of halothane in, method for the determination of, 596P

—, umbilical cord, histamine and granulocytes in, infants at birth, 310

Blood cells, white, origin of ascorbic acid stored in, 169P

Blood circulation, coronary and renal, mechanism of extraction of angiotensin II in (T), 565P

Blood flow, hand, ingested alcohol effect on, resting man, 570P

—, renal, measurement during anaesthesia, by single-shot urineless technique with ¹³¹I-hippuran, 597P

Blood plasma, iron, and leucocyte ascorbic acid, relationship between, 566P

Blood platelets, aggregation, and release of active substances in, different species (T), 603P

—, aggregation, by very low acoustical energy and its inhibition by drugs, 544P

—, —, effect of platelet 3',5'-AMP phosphodiesterase inhibitors on (T), 603P

—, dopamine uptake by, 522

—, prostaglandin formation and release by, in response to thrombin, 545P

—, rapid morphological change of, as a pharmacological test system (T), 602P

—, thrombus formation, method for measuring drug effectiveness on (T), 602P

—, —, —, *in vivo* (T), 565P

Blood pressure, peptides effect on, man and laboratory animals, 614

—, ranatensin effect on, experimental animals, 605

Blood vascular system, superficial veins, new method for quantitating effect of vaso-active drugs on, conscious man (T), 603P

—, —, new method for studying the pharmacology of, conscious man, 574P

Blood vessels, hand, response to cold, chlorpromazine effect on, 396

Blood-brain barrier, and central neurones, monoamine uptake into, infant rat, 800

Body temperature, amphetamine effect on, 484

—, amphetamine-induced rise in, effect of K₀ 592 on, 486

—, —, effect of ganglionic blockade on, 487

—, and hypothalamic levels of monoamines, pargyline effect on, rabbit (T), 172P

—, 6-hydroxydopamine central effects on, rat, 630

Bradykinin, action on sensory endings of rabbit saphenous nerve, 102

—, and histamine, effect on lymph enzyme composition, 458

—, effect on blood pressure, 614

—, effect on lymph flow and composition, cat hind limb, 448

—, percentage of recovery of, from perfusates of heated rat paws, 300

—, potentiating factor, effect on responses of isolated guinea-pig ileum to perfusates from heated rat paws, 299

Bradykinin-like substance, anti-proteases effect on release of, during heating of rat paws, 294

—, atropine effect on release of, during heating of rat paws, 294, 302

—, diphenhydramine effect on release of, during heating of rat paws, 294, 302

—, hexadimethrine bromide effect on release of, during heating of rat paws, 294, 302

Brain, catecholamine concentration in, chicken, 1

—, catecholamine content, after hydroxyamphetamine, 223

—, catecholamine metabolism, 6-hydroxydopamine effect on, 836

—, cerebral cortex, acetylcholine synthesis, morphine and pentobarbitone effects on, 86

—, —, electrical activity tubocurarine, leptazol, strychnine and picrotoxin effects on, 6

—, cholinesterase activity, inhibition after organophosphorous compounds injection, 135P

—, cortical slices from, acetylcholine release and synthesis in, stimulation by atropine, 406

—, effects of catecholamines infused into, young chickens, 639

—, liquor spaces, picrotoxin perfusion through, central effects after, 23

—, synaptic activity, drug pretreatment effect on, *Helix*, 561P

—, tryptophan and dopamine metabolism interactions in, phenelzine effect on, 563P

Bretylium, effects on autonomic transmitter release, sino-atrial node, 268

—, effect on chronotropic responses to stimulation of intranodal autonomic nerves, 272

2-Bromo-lysergic acid diethylamide, effect on acetylcholine action on neurone, 209

—, effect on γ -aminobutyric acid action on neurone, 209

—, effect on glycine action on neurone, 209

—, effect on D,L-homocysteic acid action on neurone, 209

—, effect on noradrenaline action on neurone, 209

—, inhibition of blood platelet aggregation by, 545P

Bumolol, reflex and other vascular changes after, anaesthetized dogs, 539P

C

Caerulein, and pancreozymin, comparative potency, 83

- Caerulein** (*contd.*)
 —, effect on blood pressure, 614
 —, effect on insulin secretion, adrenalectomy effect on, 82
 —, —, anaesthetized dogs, 78
 —, effect on ^{14}C -L-leucine incorporation into protein, pancreas, 725
 —, effect on protein synthesis and secretion, guinea-pig pancreas, 721
- Caffeine**, thyroid hormones effect on action of, 753
- Candida antigens**, steroid and immunosuppressive drug therapy effect on lymphocyte stimulation by (T), 580P
- Caramiphen**, dose dependent potentiating and depressant action, fast-twitch and slow-twitch muscle, 45
- Carbachol**, action on sensory endings of rabbit saphenous nerve, 102
 —, effect on villous movements, small intestine, 429
 —, positive correlation between initial pupil diameter and amplitude of miotic response to pilocarpine and, in man, 524
- Carbon**, opsonization, effect in reticulo endothelial system blocked animals, 41
 —, uptake, in reticulo-endothelial system, Arvin stimulation of, 37
- Carbon disulphide**, exposure, with and without phenobarbitone pretreatment, liver damage and excretion of bivalent sulphur after, 171P
- Caramylcholine**, diffusion through stationary water layers as the rate limiting process in its action at membrane receptors, 508
- Cardio-selective β -adrenoceptor blockade**, and the coronary circulation, 534
- Catcholamines**, brain content, after hydroxy-amphetamine, 223
 —, isolated perfused spleen responses to, 575P
 —, uterus responses to, during oestrous, effect of α - and β -adrenoceptor blocking agents on, 160P
- Catecholamine** containing neurones, time course of the effects of 6-hydroxydopamine on, hypothalamus and striatum, rat, 790
- Catecholamine metabolism**, brain, 6-hydroxydopamine effect on, 836
- Catecholamine Uptake₂**, inhibition by steroids in isolated rat heart, 528
- Cell culture**, chorioallantoic membrane, chick embryo (T), 630P
- Cell cultures**, primary, metabolic inhibition in, by lipid-soluble molecules, 537P
- Central nervous system**, antagonism of 5-hydroxytryptamine by LSD 25 in, 202, 209
 —, muscarine effect on, chickens, 139P
 —, nicotine effects on, chickens, 141P
- Cephaloridine**, -induced renal tubular necrosis, enhancement by potent diuretics, 227
- Cervix**, human isolated, study of its spontaneous motility and responsiveness to drugs, 576P
- Chlorfenvinphos**, acute toxicity, antagonism by atropine, 124
 —, —, antagonism by methylatropine, 124
 —, —, antagonism by *N*-methylpyridinium-2-aldoxime methane sulphonate, 124
 —, —, antagonism by obidoxime, 124
- Chorioallantoic membrane**, cell culture, chick embryo (T), 603P
- 2-Chloroadenosine**, inhibition of blood platelet aggregation by, 545P
- p-Chloromercuribenzenesulphonic acid**, effects on sartorius muscle, frog, 814
- p-Chloromercuribenzoic acid**, effects on frog sartorius muscle, 814
- p-Chlorophenylalanine**, pretreatment, effect on synaptic activity in *Helix* brain, 561P
- Chlorpromazine**, destruction during absorption by rat intestine, *in vitro*, 538P
 —, effect on exploratory behaviour, mice, 113, 118
 —, effect on hand blood vessels, response to cold, 396
 —, inhibition of blood platelet aggregation by, 545P
- Choline**, amount required to inhibit rhythmic activity of muscle strip, 869
 —, nature of neuromuscular block by, 68
- Choline acetylase**, and cholinesterase activity simultaneous determination of, 591P
- Cholinergic and adrenergic neurones**, method for comparing the sensitivity to, cat stellate, ganglion (T), 602P
- Cholinesterase**, activity, and choline acetylase, simultaneous determination of, 591P
 —, —, brain, after organophosphorous compounds injection, 135P
 —, plasma level, and suxamethonium action, relationship between, animals, 775
 —, purified human, effect on suxamethonium neuromuscular blocking action, anaesthetized cats, 785
- α -Chymotrypsin**, effect on perfusate activity from heated rat paws, 299
- Clam**, (*Mya arenaria*), heart, simple method for measuring a picogram of acetylcholine using, 866
- Cloxacillin**, absorption and elimination, patients on chronic intermittent haemodialysis (T), 580P
- Clonidine**, vascular actions of, man, 573P
- Coagulant action**, of Arvin, relation to reticulo-endothelial stimulant effect, 37
- Cocaine**, acute toxicity of heroin with, 145P
 —, effect on α -methyl dopa action on isolated tissues, 696
 —, inhibitory action, on smooth muscle contraction, pH effect on, 501
- Cold exposure**, effect on amphetamine induced rise in body temperature and brain 5-hydroxy-indoleacetic acid level, 486
- Colon**, and vas deferens, changes in responsiveness to nerve stimulation and injected transmitters in pithed rat following chronic morphine treatment, 559P
- Coronary circulation**, and cardio-selective β -adrenoceptor blockade, 534
- Corticosterone**, inhibition of catecholamine Uptake₂, isolated rat heart, 528
- Cortisol**, production, relationship with ascorbic acid concentrations during scurvy development, guinea-pig, 548P
- Cranial parasympathetic outflow**, stimulation of, 260
- Crotoxyphe**, acute toxicity, antagonism by atropine, 124
 —, —, antagonism by obidoxime, 124
 —, —, antagonism by methylatropine, 124
 —, —, antagonism by *N*-methylpyridinium-2-aldoxime methanesulphonate, 124

D

- Data link**, three-channel, for the transmission of physiological variables, 598P
- Decaborane**, effects on gastric secretion, Shay rat, 164P

Deoxycorticosterone, inhibition of catecholamine uptake₂, isolated rat heart, 528

Dense-cored granules, isolation from the neurosecretory system of the vena cava of the small octopod, *Eledone cirrosa*, 549P

Desmethylimipramine, effect on 5-hydroxytryptamine removal by lung, 471

Dextro-amphetamine, and amylorbarbitone, effect on performance and learning, man (T), 172P

Dibenamine, facilitation of flexor reflex by, 238

Dichloroisoprenaline, agonist effects in catecholamine-depleted rats, and antagonist potencies in cats, 378

Dichloroisopropylnoradrenaline, facilitation of flexor reflex by, 238

Dichlorvos, acute toxicity, antagonism by obidoxime, 124

—, —, antagonism by N-methylpyridinium-2-aldoxime, 124

Dicrotophos, acute toxicity, antagonism by atropine, 124

—, —, antagonism by obidoxime, 124

—, —, antagonism by methylatropine, 124

—, —, antagonism by N-methylpyridinium-2-aldoxime methanesulphonate, 124

L-3-4-dihydrophenylalanine, pretreatment, effect on synaptic activity, in *Helix* brain, 561P

1,1-dimethyl-4-phenylpiperazinium, action on sensory endings of rabbit saphenous nerve, 102

Dimethyltryptamine, effects on photically-induced epilepsy, 144P

Diphenhydramine, effect on release of bradykinin-like substance, during heating of rat paws, 294, 302

Disulphiram, action on α -methyl amino acids effect on isolated tissues, 696

Diuretics, potent, enhancement of renal tubular necrosis induced by cephaloridine, 227

Dopamine, brain concentration of, 1

—, —, age effect on, 1

—, amount required to inhibit rhythmic activity of muscle strip, 869

—, and tryptophan metabolism interactions, phenelzine effect on, brain, 563P

—, facilitation of flexor reflex by, 238

—, micro-infusions, effect on brain, 646

—, uptake by platelets, 522

Drugs, assessment, method of inducing stress for, 569P

—, effect on exploratory behaviour of mice, 113

—, effectiveness, method for measuring effectiveness on platelet formation (T), 602P

—, study of the human isolated cervix spontaneous motility and responsiveness to, 576P

Dual-beam alcohol vapour analyser (T), 603P

E

Ear artery, sympathetic nerve stimulation in, McN-A-343 effects on responses induced by, 158P

Electrolyte transfer, *Escherichia coli* enterotoxin effect on, small intestine, 168P

Egg, transport and viability, megestrol acetate effect on, 764

Eledoisin, effect on blood pressure, 614

Eledoisin-like peptides, effect on blood pressure, 614

Eledone cirrosa, dense-cored granules isolation from the neurosecretory system of the vena cava of, 549P

Enterotoxin, *Escherichia coli*, effects on fluid and electrolyte transfer in calf small intestine, 168P

Epilepsy, photically-induced, dimethyltryptamine effect on, 144P

—, —, lysergic acid derivatives effect on, 144P

—, —, psilocybin effect on, 144P

Epithelium, transporting, saponins effect on, isolated frog skin, 544P

***Escherichia coli* enterotoxin**, effects on fluid and electrolyte transfer, calf small intestine, 168P

Eserine, antioceptive activity, in electroshock and phenylbenzoquinone writhing tests, 92

—, —, in phenylbenzoquinone writhing test, antagonism by atropine sulphate, 92

Eserine, pP₂ on acetylcholine responses of isolated ileum, 531

Ethacrynic acid, enhancement of cephaloridine-induced renal tubular necrosis, 229

Ethanol, inhibitory action on smooth muscle contraction, pH effect on, 501

Ethyl alcohol, effect on hand blood vessels response to cold, 396

N-Ethylmaleimide, effects on frog sartorius muscle, 827

N-Ethyl-2-pyrrolidylmethylcyclopentylphenyl glycolate. See PMCG

Eye, positive correlation between initial pupil diameter and amplitude of miotic response to pilocarpine in rabbits and to carbachol in man, 524

F

Fibrin degradation, effect on reticulo-endothelial system carbon clearance products, 41

Fibrinogen, effect on reticulo-endothelial system carbon clearance products, 41

Fluid transfer, *Escherichia coli* enterotoxin effect on, small intestine, 168P

Frusemide, enhancement of cephaloridine-induced renal tubular necrosis by, 229

G

Ganglia, superior cervical, nicotine produced potentials in, 559P

Ganglion, action potential and P wave, some ionic requirements of, 283

Ganglionic blockade, effect on amphetamine-induced rise in body temperature and brain 5-hydroxyindoleacetic acid levels, 487

Gas chromatography, system for the determination of liquid-gas partition coefficients using, (T), 603P

Gastric acid, secretion, comparative assays using: a simple application of non-linear curve fitting (T), 565P

Gastric secretion, decaborane effects on, Shay rat, 164P

Glucagon, dose-response curves to, before and after propranolol, guinea-pig atria, 384

—, inotropic response to, comparison with noradrenaline and ouabain, 382

Glutamate, action on neurone, 2-bromo-lysergic acid diethylamide effect on, 209

Glutamic acid, amount required to inhibit rhythmic activity of muscle strip, 869

Glycine, action on neurone, 2-bromo-lysergic acid diethylamide effect on, 209

¹⁴C-glycine, release from electrically stimulated rat spinal cord slices, 136P

Granulocytes, in umbilical cord blood, infants at birth, 310

Growth maintaining activity, and intestinal absorption of ascorbic acid, 171P

- Guancydine**, blockade of acetylcholine effects by, 543P
 —, blockade of 5-hydroxytryptamine effects by, 543P
 —, blockade of noradrenaline effects by, 543P
 —, blockade of oxytocin effects by, 543P
 —, blockade of Valyl-5-angiotensinamide effects by, 543P

H

- Haemodialysis**, chronic intermittent, cloxacillin absorption and elimination in (T), 580P
2-Haloalkylamines, binding sites for, 157P
Haloperidol, effect on exploratory behaviour, mice, 111, 113
Halothane, anaesthesia, intravenous atropine cardiovascular effects during, 571P
 —, —, practolol management of cardiac dysrhythmias during, 572P
 —, residual quantities in blood, method for the determination of, 596P
Heart, cardiac dysrhythmias, practolol in the management of, halothane anaesthetized patients, 572P
 —, isolated, responses to vagal stimulation and to acetylcholine, isoprenaline effect on, guinea-pig, 585P
 —, noradrenaline content, syrosingopine effect on, 375
Heart rate, average, measurement and printout of, using digital techniques, 588P
 —, comparison of effects of atropine and (—)-hyoscyamine on, man, 600P
 —, resting, syrosingopine effect on, 375
Hemicholinium, effect on autonomic transmitter release, sino-atrial node, 268
 —, effect on chronotropic responses to stimulation of intranodal autonomic nerves, 272
 —, pretreatment, effect on synaptic activity, in *Helix* brain, 561P
Heroin, acute toxicity, alone and in combination, with cocaine or quinine, 145P
Hexadimethrine bromide, effect on release of bradykinin-like substance, during heating of rat paws, 294, 302
Hexamethonium, and phentolamine, effect on ranatensin action on blood pressure, 611
 —, effect on acetylcholine output from myenteric plexus-longitudinal muscle preparation of the ileum, 553P
 —, effect on ranatensin action on blood pressure, 611
 —, effect on synaptic potentials, 289
Hexobarbitone, effect on different doses on narcosis in hyperthyroid and control female rats, 755
 —, sleeping time, effect of thyroxine on, male and female mice, 755
 —, thyroid hormones effect on action of, 753
High-energy phosphate compounds, amounts in smooth and cardiac muscle, effect of phenylephrine and isoprenaline, 153P
Hippocampal inhibition, and γ -aminobutyric acid, 881
¹³¹**I-Hippuran**, measurement of renal blood flow during anaesthesia by means of a single-shot urineless technique with, 597P
Histamine, action on sensory endings of rabbit saphenous nerve, 102
 —, amount required to inhibit rhythmic activity of muscle strip, 869
 —, and bradykinin, effect on lymph enzyme composition, 458

Histamine (contd.)

- , diffusion through stationary water layers as the rate limiting process in its action at membrane receptors, 508
 —, effect on lymph flow and composition, cat hind limb, 448
 —, facilitation of flexor reflex by, 238
 —, in umbilical cord blood, infants at birth, 310
 —, release, use of neuromuscular blocking agents to investigate receptor structure requirements, 165P
D,L-Homocysteic acid, action on neurone, 2-bromolysergic acid diethylamide effect on, 209
Hydroxyamphetamine, catecholamine content of brain after, 223
p-Hydroxyamphetamine hydrobromide, a central site for hypothermia produced by, 219
5-Hydroxybenzamine, removal by lungs, noradrenaline effect on, 471
6-Hydroxydopamine, acute effects on rectal temperature, 633
 —, central effects on body temperature, rat, 630
 —, effect on behaviour and brain catecholamine metabolism, 836
 —, intraventricular injection, acute hypothermic response to, rat, 564P
 —, pretreatment, effect on synaptic activity, in *Helix* brain, 561P
 —, effect on temperature responses to heat and cold, 632
 —, —, effect on temperature response to a subsequent dose of 6-hydroxytryptamine, 634
 —, time course of effects on catecholamine-containing neurones, hypothalamus and striatum, rat, 790
5-Hydroxyindole, concentrations, adrenaline effect on, hypothalamus and thalamus, 142P
5-Hydroxyindoleacetic acid, brain levels, amphetamine effect on, 484
 —, —, amphetamine induced rise in, ganglionic blockade effect on, 487
 —, —, —, Kö 592 effect on, 486
 —, —, oxotremorine effect on, 487
 —, —, physostigmine effect on, 487
5-hydroxytryptamine, action on sensory endings of rabbit saphenous nerve, 102
 —, amount required to inhibit rhythmic activity of muscle strip, 869
 —, antagonism by LSD 25 in central nervous system, 202
 —, brain, turnover rate increased by D-amphetamine, 483
 —, effects, guancydine blockade of, 543P
 —, effect on lymph flow and composition, cat hind limb, 449
 —, iontophoretic release, from micropipettes, 194, 198
 —, neurone excitation, effect of iontophoretically applied LSD 25, 208
 —, release of biologically active substances from isolated lungs by, 582P
 —, removal by lungs, amitriptyline effect on, 471
 —, —, desmethylinipramine effect on, 471
 —, —, inhibition by amitriptyline, 468
 —, —, iproniazid effect on, 471
 —, —, mebanazine effect on, 471
 —, —, metaraminol effect on, 471
 —, —, normetanephrine effect on, 471
 —, —, phenoxybenzamine effect on, 471
 —, —, reserpine effect on, 471
 —, —, tranlycypromine effect on, 471
 —, removal in the pulmonary circulation, rat isolated lungs, 468

5-hydroxytryptamine (contd.)

—, temperature response to, protriptyline effect on, 634

—, uptake, into central neurones and blood-brain barrier, infant rat, 802

5-Hydroxytryptophan, pretreatment, effect on synaptic activity, in *Helix* brain, 561P

Hyoscine, dose dependent potentiating and depressant action, fast-twitch and slow-twitch muscle, 45

(-)-**Hyoscyamine**, and atropine, comparison of effect on heart rate, man, 600P

Hypertension, experimental, assessment of role of sympathetic nervous system in, using normal and immunosympathectomized rats, 175

Hyperthyroid tachycardia, comparison of effects of alprenol and propranolol on, 146P

Hypotensive action, mechanism of, of methyl dopa, normal and immunosympathectomized rats, 186

Hypothalamo-pituitary-adrenal activity, comparison of effects of betamethasone and tetracosactrin on, rat, 548P

Hypothalamo-pituitary-adrenal function, after prolonged treatment with betamethasone, 732

Hypothalamus, catecholamine-containing neurones in, time course of 6-hydroxydopamine effects on, rat, 790

—, 5-hydroxyindole concentration, adrenaline effect on, 142P

Hypothermia, produced by (+)-amphetamine sulphate, a central site for, 219

—, produced by *p*-hydroxyamphetamine hydrobromide, a central site for, 219

Hypothermic response, acute, to intraventricular injection of 6-hydroxydopamine, rat, 564P

I

I.C.I. 45,763, agonist effect on catecholamine-depleted rats and antagonist potencies in cats, 378

I.C.I. 50,172, analysis of coronary vascular responses to, using a modified Langendorff heart preparation, 619

ICRF 159, malignant metastases inhibition by (T), 603P

Ileum, longitudinal muscle of, junction with myenteric plexus, electron microscopical examination of, 588P

Imipramine, effect on exploratory behaviour, mice, 113, 119

—, inhibition of blood platelet aggregation by, 545P

Immunosuppressive, drugs, and steroid therapy, effect on lymphocyte stimulation by *Candida* antigens (T), 580P

Infants at birth, histamine and granulocytes in umbilical cord blood of, 310

Inflammation, anti-inflammatory properties of anti-lymphocyte serum (T), 173P

Inflammation inhibitor, synthesis by liver (T), 173P

Inotropic effects, thyroxine and related compounds, guinea-pig left atria, *in vitro*, 526

Inotropic response, to glucagon, ouabain and noradrenaline, a comparison, 382

INPEA, agonist effect on catecholamine-depleted rats and antagonist potencies in cats, 378

Insulin, secretion, caerulein effects on, 79

—, —, caerulein effect on, adrenalectomy effect, 82

Intestinal absorption, and growth maintaining activity of ascorbic acid, 171P

Intestinal smooth muscle, interaction of isoprenaline and β -adrenoceptor blocking drugs on, 154P

Iontophoretic release, of acetylcholine, from micropipettes, 198

—, of adenosine diphosphate, from micropipettes, determination of, 592P

—, of 5-hydroxytryptamine, from micropipettes, 198

—, of D-lysergic acid diethylamide, from micropipettes, 199

—, of noradrenaline, from micropipettes, 198

Iproniazid, effect on 5-hydroxytryptamine removal by lung, 471

—, effect on sensitivity to tyramine, isolated central artery of rabbit ear, 252

Iris, bovine, prostaglandin E_2 release from, 163P

Iso-OMPA, effect on neuromuscular blocking action of suxamethonium, 775

Isoprenaline, action on smooth and cardiac muscle, changes in the amounts of high-energy phosphate compounds associated with, 153P

—, agonist effects in catecholamine-depleted rats, and antagonist potencies in cats, 378

—, analysis of coronary vascular responses to, using a modified Langendorff preparation, 619

—, cardiovascular response to, practolol effect on, 535

—, effect on isolated heart responses to vagal stimulation and to acetylcholine, guinea-pig, 585P

—, effect on lymph flow and composition, cat hind limb, 449

—, effect on villous movements, propranolol effect on, small intestine, 432

—, —, small intestine, 429

—, facilitation of flexor reflex by, 237

—, interaction with β -adrenoceptor blocking drugs on intestinal smooth muscle, 154P

(-)-**Isoprenaline**, micro-infusions, effect on brain, 646

(\pm)-**4-(2-Isopropylamino-1-hydroxyethyl) methane sulphonanilide HCl**, facilitation of flexor reflex by, 238

K

Kallidin, effect on blood pressure, 614

Kidney, function, adenosine 3',5'-monophosphate effects on, 334

—, prostaglandin E_1 metabolism in, 317

—, subcellular localization of renin and kininogenase in, 326

Kinin-forming system, in rabbit hind limb lymph after thermal injury, 540P

Kininogenase, subcellular localization in rat kidney, 326

Kö 592, effect on amphetamine-induced rise in body temperature and in brain 5-hydroxyindoleacetic acid level, 486

L

Lacrimation, Vidian nerve and the sphenopalatine ganglion in relation to cat, 584P

Langendorff heart preparation, modified, analysis of the coronary vascular responses to catecholamines using, 617

LB46, agonist effects in catecholamine-depleted rats, and antagonist potencies in cats, 378

Leptazol, effects on cerebral cortex electrical activity, 6, 13

- Leucocyte**, ascorbic acid, and plasma iron relationship between, 566P
 —, origin of ascorbic acid stored in, 169P
- Lignocaine**, facilitation of flexor reflex by, 238
 —, quinidine, propranolol and procainamide, comparative effectiveness as antifibrillatory agents, 149P
- Lipid-soluble molecules**, metabolic inhibition in primary cell cultures by, 537P
- Liquid-gas partition coefficients**, system for the determination of, using gas chromatography (T), 603P
- D-Lysergic acid diethylamide**, iontophoretic release, from micropipettes, 194, 199
- Liver**, chronic disease, preliminary observations on the elimination of amylobarbitone by patients with, 579P
 —, damage, and excretion of bivalent sulphur, after exposure to carbon disulphide in fed and fasted rats with and without phenobarbitone pretreatment, 171P
 —, synthesis of an inhibitor of inflammation by (T), 173P
- LSD 25**, antagonism of 5-hydroxytryptamine by, in central nervous system, 202, 219
 —, effect on isolated rat uterus responses to perfusates from heated rat paws, 300
 —, inhibition of blood platelet aggregation by, 545P
 —, intravenous, effect on 5-hydroxytryptamine neurone excitation, 210
 —, iontophoretically applied, effect on 5-hydroxytryptamine neurone excitation, 208
- Lungs**, chopped, release of rabbit aorta contracting substance by, and its antagonism by anti-inflammatory drugs, 581P
 —, isolated, rat, pulmonary circulation, 5-hydroxytryptamine removal in, 468
 —, release of biologically active substances from, by 5-hydroxytryptamine and tryptamine, 582P
 —, vaso-active substances release from, by injection of particles, 547P
- Lymph**, enzyme composition, effect of bradykinin and histamine effect on, 458
 —, flow and composition, effect pharmacologically active substances effect on, 446
 —, hind limb, rabbit, kinin-forming system in, after thermal injury, 540P
- Lymphocyte stimulation**, by *Candida* antigens, steroid and immunosuppressive drug therapy effect on (T), 580P
- Lysergic acid derivatives**, effects on photically-induced epilepsy, 144P
- M**
- Malignant metastases**, inhibition by ICRF 159 (T), 605P
- McN-A-343**, effect on responses induced by sympathetic nerve stimulation rabbit isolated ear artery, 158P
- Mebanazine**, effect on 5-hydroxytryptamine removal by lung, 471
- Megestrol acetate**, effect on egg transport and viability, 767
 —, effect on sperm transport rate, 764
 —, effect on uterine carbonic anhydrase and endometrial proliferation, 770
 —, effect on uterine receptivity, 767
 —, investigations into the mechanisms of the antifertility action of minimal doses of, in the rabbit, 759
- Membrane receptors**, diffusion of drugs through stationary water layers as the rate limiting process in their action at, 508
- Metabolic inhibition**, in primary cell structures by lipid-soluble molecules, 537P
- Metaraminol**, chronic treatment effects on sympathetic activity of intact and adrenalectomized rats kept in warm or cold environments, 418
 —, effect on 5-hydroxytryptamine removal by lung, 471
 —, effect on isolated tissue preparations, 694
 —, effect on α -methyldopa action on isolated tissues, 697
 —, facilitation of flexor reflex by, 238
- Methacholine**, action on sensory endings of rabbit saphenous nerve, 102
 —, effect on villous movements, small intestine, 429
- α -Methyl amino acids**, and their derivatives, an investigation of, on isolated tissue preparation, 689
- Methylamphetamine**, effects on the performance of the ridden horse (T), 173P
- Methylatropine**, antagonism of organophosphate toxicity, 128, 129
- α -Methyl-3,4-dihydroxytryptophan**, pretreatment, effect on synaptic activity, in *Helix* brain, 561P
- Methyldopa**, mechanism of the hypotensive action of, normal and immunosympathectomized rats, 186
- α -Methyldopa**, action on isolated tissues, cocaine effect on, 696
 —, —, metaraminol effect on, 697
 —, —, sodium-free Tyrode solution effect on, 696
 —, effect on isolated tissue preparations, 694
 —, responses of isolated tissues to, α -methyl-p-tyrosine and α -methyl-m-tyrosine effect on, 696
 —, uptake, into central neurones and blood-brain barrier, infant rat, 802
- L-3-O-Methyldopa**, distribution and metabolism, rats, 461
- α -Methyldopamine**, effect on isolated tissue preparations, 694
 —, uptake, into central neurones and blood-brain barrier, infant rat, 802
- α -Methyl-5-hydroxytryptophan**, pretreatment, effect on synaptic activity, in *Helix* brain, 561P
- α -Methylnoradrenaline**, effect on isolated tissue preparations, 694
 —, facilitation of flexor reflex by, 238
 —, uptake, into central neurones and blood-brain barrier, infant rat, 802
- (-)- α -Methylnoradrenaline**, micro-infusions, effect on brain, 643
- Methysergide maleate**, effect on acetylcholine action on neurone, 209
 —, effect on γ -amino-butyric acid action on neurone, 209
 —, effect on glycine action on neurone, 209
 —, effect of D,L-homocysteic acid action on neurone, 209
 —, effect on 5-hydroxytryptamine neurone excitation, 209
 —, effect on noradrenaline action on neurone, 209
- 2-Methylthioadenosine-5'-phosphate**, inhibition of blood platelet aggregation by, 545P
- α -Methyl-m-tyrosine**, and α -methyl-p-tyrosine, effect on responses to α -methyldopa, isolated tissues, 696

- α -Methyl-*p*-tyrosine**, and α -methyl-*m*-tyrosine, effect on responses to α -methyl dopa, isolated tissues, 696
- , effect on isolated tissue preparations, 694
- , pretreatment, effect on synaptic activity, in *Helix* brain, 561P
- Mevinphos**, acute toxicity, antagonism by atropine, 124
- , —, antagonism by methylatropine, 124
- , —, antagonism by *N*-methylpyridinium-2-aldoxime methanesulphonate, 124
- , —, antagonism by obidoxime, 124
- Monoamines**, hypothalamic levels of, and body temperature, pargyline effect on, rabbit (T), 172P
- , uptake, into central neurones and blood-brain barrier, infant rat, 800
- Monocrotophos**, acute toxicity, antagonism by atropine, 124
- , —, antagonism by methylatropine, 124
- , —, antagonism by *N*-methylpyridinium-2-aldoxime methanesulphonate, 124
- , —, antagonism by obidoxime, 124
- Morphine**, analgesia, comparison with sympathomimetic drugs analgesia, 143P
- , analgesia, thyroxine effect on, mice, 756
- , antinociceptive activity in electroshock and phenylbenzoquinone writhing tests, 92
- , —, antagonism by naloxone, 92
- , effect on acetylcholine output from myenteric plexus-longitudinal muscle preparation of ileum, 553P
- , effects on acetylcholine synthesis, cerebral cortex, rat, 86
- , induction of physical dependence to, using a subcutaneously implanted reservoir, rat, 589P
- , thyroid hormones effect on action of, 756
- , treatment, chronic, changes in responsiveness of the colon and vas deferens to nerve stimulation and injected transmitters in the pithed rat following, 559P
- Motor activity**, atropine effect on, mice, 361
- , benzodiazepines, effect on exploratory behaviour and motor activity, mice, 361
- Muscarine**, effect on central nervous system, chickens, 139P
- Muscle**, arterial smooth, angiotensin I conversion to angiotensin II in (T), 565P
- , bovine pulmonary smooth, Schultz-Dale reaction in, 166P
- , fast-twitch and slow-twitch, PMCG effect on, 45
- , intestinal smooth, interaction of isoprenaline and β -adrenoceptor blocking drugs on, 154P
- , myenteric plexus-longitudinal preparation of ileum, acetylcholine output from, adrenaline effect on, 553P
- , —, —, effect of the interval between electrical stimuli on, 162P
- , —, —, hexamethonium effect on, 553P
- , —, —, morphine effect on, 553P
- , skeletal, frog, extrinsic and intrinsic acetylcholine and barbiturate effects on, 552P
- , smooth, and cardiac, changes in the amounts of high-energy phosphate compounds associated with the actions of phenylephrine and isoprenaline, 153P
- , —, contraction, influence of pH on the inhibitory action of local anaesthetics on, 501
- , —, relative affinities of some α -adrenoceptor blocking drugs in, 155P
- Mussels**, poisonous sample, two toxins from, *Mytilus edulis*, 847
- Mya arenaria**, heart, simple method for measuring a picogram of acetylcholine using, 866
- Myenteric plexus**, junction with longitudinal muscle of guinea-pig ileum, electron microscopical examination of, 588P
- Myocardium**, phentolamine effects on, 149P
- Mytilus edulis**, mussels, two toxins from a poisonous sample of, 847

N

- Nalorphine**, antinociceptive activity, in electroshock and phenylbenzoquinone writhing tests, 92
- 1,4-Naphthoquinones**, studies on the antibacterial and antifungal properties of, 871
- , —, antagonism by naloxone, 92
- Neostigmine**, effect on villous movements, small intestine, 429
- , pP₂ on acetylcholine responses of isolated ileum, 531
- , tolerance to, 590P
- Neosynephrine**, facilitation of flexor reflex by, 237
- Nerves**, non-adrenergic inhibitory, evidence that adenosine triphosphate or a related nucleotide is the transmitter substance released by, gut, 668
- Nerve stimulation**, intramural, detection and assay of noradrenaline released from isolated tissues during, 555P
- Neurohypophyseal hormones**, antagonist synthetic oxytocin analogue, pharmacology, 342
- , release in the dog, and their detection using the blood-bathed organ technique (T), 602P
- Neuromuscular blocking agents**, use to investigate receptor structure requirements for histamine release, 165P
- Neurones**, catecholamine-containing, time course of the effects of 6-hydroxydopamine on, hypothalamus and striatum, rat, 790
- , central, and blood-brain barrier, monoamine uptake into, infant rat, 800
- , invertebrate, acetylcholine receptors of, 586P
- Neurosecretory system**, dense-cored granules isolation from, vena cava, *Eledone cirrosa*, 549P
- Nialamide**, effect on exploratory behaviour, mice, 113, 119
- , effect on sensitivity to tyramine, isolated central artery, rabbit ear, 252
- Nicotine**, action on sensory endings of rabbit saphenous nerve, 102
- , effects on central nervous system, chickens, 141P
- , effect on villous movements, pempidine effect on, small intestine, 433
- , potentials in isolated rat superior cervical ganglia produced by, 559P
- Non-adrenergic inhibitory nerves**, evidence that adenosine triphosphate or a related nucleotide is the transmitter substance released by, gut, 668
- Noradrenaline**, action on neurone, 2-bromolysergic acid diethylamide effect on, 209
- , amount required to inhibit rhythmic activity of muscle strip, 869
- , analysis of coronary vascular responses to, using a modified Langendorff preparation, 619
- , biosynthesis, acceleration by potassium, vas deferens, guinea-pig, 702
- , brain concentration of, 1
- , —, age effect on, 1
- , —, angiotensin biosynthesis effect on (T), 565P
- , cardiovascular response to, practolol effect on, 535

Noradrenaline (*contd.*)

- , effects guanydyne blockade of, 543P
- , effect on 5-hydroxytryptamine removal by lung, 471, 478
- , effect on vas deferens, guinea-pig (T), 603P
- , effect on villous movements, small intestine, 429
- , —, tolazoline effect on, small intestine, 431
- , endogenous and exogenous, presynaptic inhibition of acetylcholine release by, a high rate of stimulation, 554P
- , facilitation of flexor reflex by, 237
- , —, antagonism by α -adrenoceptor blocking agents, 237
- , heart content, syrosingopine effect on, 375
- , iontophoretic release, from micropipettes, 194, 198
- , inotropic response to, comparison with ouabain and glucagon, 389
- , inhibitory action on motor transmission in vas deferens, 556P
- , micro-infusions effect on brain, propranolol action on, 652
- , release from isolated tissues during intramural nerve stimulation, detection and assay, 555P
- , role in acute pressor response to angiotensin, conscious cats, 884
- , uptake, into central neurones and blood-brain barrier, infant rat, 802
- (—)-**Noradrenaline**, micro-infusions, effect on brain, 646
- Normetanephrine**, effect on 5-hydroxytryptamine removal by lung, 471

O

- Obidoxime**, antagonism of organophosphate toxicity, 128, 129
- , with atropine, antagonism of organophosphate toxicity by, 128, 129
- 17- β -Oestradiol**, inhibition of catecholamine Uptake₂, isolated rat heart, 528
- Oestrous cycle**, uterus catecholamines during, effects of α - and β -adrenoceptor blocking agents on, 160P
- Oral contraceptives**, increased half-life of antipyrine in women taking (T), 580P
- Organophosphates**, acute toxicity, quantitative studies of the effect of antagonists on, 124
- , median lethal dose, antidotal regimens effect on, 128
- Organophosphorous compounds**, injection, brain cholinesterase activity after, 135P
- Ouabain**, administered intracerebrally to conscious mice, pharmacological effects, 138P
- , cardiac response to, 385
- , inotropic response to, comparison with noradrenaline and glucagon, 382
- Oxotremorine**, antinociceptive activity, in electroshock and phenylbenzoquinone writhing tests, 92
- , —, antagonism by atropine sulphate, 92
- , effect on 5-hydroxyindole acetic acid levels in brain, 487
- Oxprenolol**, agonist effect on catecholamine-depleted rats and antagonist potencies in cats, 378
- Oxytocin**, analogue, synthetic (1-N-carbamoyl-1-hemicystine-2-O-methyltyrosine)-oxytocin (carbamoyl-methylxytocin), pharmacological properties of, 342
- , effects, guanydyne blockade of, 543P

P

- Pancreas**, caerulein effect on protein synthesis secretion in, guinea-pig, 721
- Pancreozymin**, and caerulein comparative potency, 83
- Pancuronium**, cardiovascular effect, anaesthetized man, 567P
- Parachlorophenylalanine**, effect on behaviour, cats, 659
- , effect on sexual behaviour, cats, 659
- Pargyline**, effects on body temperature and hypothalamic levels of monoamines, rabbit (T), 172P
- Pempidine**, effect on synaptic potentials, 290
- , effect on villous movements response to nicotine, small intestine, 433
- Pentazocine**, cardiovascular effects, 151P
- Pentobarbitone**, effects on acetylcholine synthesis, cerebral cortex, rat, 86
- , inhibitory action on smooth muscle contraction, pH effect on, 501
- Pesticides**, vinyl phosphate, acute toxicity, quantitative studies of the effects of antagonists on, 124
- pH**, influence on inhibitory action of local anaesthetics on smooth muscle contraction, 501
- Phencyclidine hydrochloride**, sympathomimetic effects of (T), 173P
- Phenelzine**, effect on interactions of tryptophan and dopamine metabolism in brain, 563P
- Phenobarbitone**, pretreatment, effect on liver damage and bivalent sulphur excretion after exposure to carbon disulphide, 171P
- Phenopalatine ganglion**, and the Vidian nerve, in relation to lacrimation in the cat, 584P
- Phenoxybenzamine**, effect on 5-hydroxytryptamine in removal by lung, 471, 478
- , micro-infusions, effect on brain, 646
- Phentolamine**, action after practolol cardiovascular effects, 536
- , analysis of coronary vascular responses to, using a modified Langendorff preparation, 619
- , and hexamethonium, effect on ranatensin action on blood pressure, 611
- , and propranolol, effect on ranatensin action on blood pressure, 611
- , effect on ranatensin action on blood pressure, 611
- , effects on myocardium, 149P
- , facilitation of flexor reflex by, 238
- Phenylbutazone**, and azathioprine, effect in rat adjuvant arthritis, 167P
- Phenylephrine**, action on smooth and cardiac muscle, changes in the amounts of high-energy phosphate compounds associated with, 153P
- 2-(4-phenylpiperidino) cyclohexanol. *See* AH 5183
- 2-(4-phenylpiperidino) cyclohexanol N-methyl quaternary analogue. *See* AH 5954
- Phyllokinin**, effect on blood pressure, 614
- Physalaemin**, effect on blood pressure, 614
- Physiological variables**, three-channel telephone data link for the transmission of, 598P
- Physostigmine**, effect on acetylcholine release and synthesis stimulation by atropine, cortical slices, 410
- , effect on 5-hydroxyindoleacetic acid, on, 487
- , effect on villous movements, small intestine, 429
- Picrotoxin**, central effect, when acting from the liquor spaces in anaesthetized cats, 23
- , effects on cerebral cortex electrical activity, 6, 14

Pilocarpine, action on sensory endings of rabbit saphenous nerve, 102
 —, positive correlation between initial pupil diameter and amplitude of miotic response to, in rabbits and to carbachol in man, 524
Pituitary adrenocortical activity, and ascorbic acid deficiency, guinea-pig, 740
Plasma iron, and leucocyte ascorbic acid, relationship between, 566P
Polypeptides, isolated perfused spleen responses to, 575P
¹²⁵I-Polyvinyl pyrrolidone (PVP), distribution after intravenous injections in rats (T), 603P
Potassium, effect on ¹⁴C-tyrosine uptake, 702
 —, noradrenaline biosynthesis acceleration by, vas deferens, guinea-pig, 702
Potassium chloride, action on sensory endings of rabbit saphenous nerve, 102
 —, diffusion through stationary water layers as the rate limiting process in its action at membrane receptors, 508
PMCG, dose dependent potentiating and depressant action, fast-twitch and slow-twitch muscle, 45
 —, effect on fast-twitch and slow-twitch muscles, 45
 —, protection of fast-twitch and slow-twitch muscles from sarin effects by, 57
Practolol, agonist effect in catecholamine-depleted rats, and antagonist potencies, in cats, 378
 —, and propranolol, comparison of effects on exercise tolerance in angina pectoris, 147P
 —, blood levels following intravenous administration, 573P
 —, cardiovascular effects, 534
 —, —, effect on phentolamine after, 536
 —, effect on cardiovascular response to adrenaline, 535
 —, effect on cardiovascular response to isoprenaline, 535
 —, effects on cardiovascular responses to left stellate ganglion stimulation and to intravenous noradrenaline, 535
 —, in the management of cardiac dysrhythmias, halothane anaesthetized patients, 572P
Procainamide, lignocaine, quinidine, propranolol, comparative effectiveness as antifibrillatory agents, 149P
Procaine, inhibitory action on smooth muscle contraction, pH effect on, 501
Progesterone, inhibition of catecholamine Uptake₂, isolated rat heart, 528
Pronethalol, agonist effect on catecholamine-depleted rats and antagonist potencies in cats, 378
Propranolol, agonist effect on catecholamine-depleted rats and antagonist potencies in cats, 378
 —, and alprenol, comparison of effects in hyperthyroid tachycardia, 146P
 —, and phentolamine, effect on ranatensin action on blood pressure, 611
 —, and practolol, comparison of effects on exercise tolerance in angina pectoris, 147P
 —, dose-response curves of glucagon before and after, guinea-pig atria, 384
 —, effect on human and canine transmembrane action potential, 148P
 —, effect on noradrenaline action on brain, 652
 —, effect on ranatensin action on blood pressure, 611
 —, effect on villous movements response to adrenaline, small intestine, 432

Propranolol (contd.)

—, effect on villous movements response to isoprenaline, small intestine, 432
 —, procainamide, lignocaine and quinidine, comparative effectiveness as antifibrillatory agents, 149P
 —, reflex and other vascular changes after, anaesthetized dogs, 539P
Prostaglandin E₁, and its metabolites, separation by silicic acid column chromatography, 319
 —, effect on lymph flow and composition, cat hind limb, 449
 —, metabolism in dog kidneys, 317
Prostaglandin E₂, and adipose tissue functional vasodilation, relationship between, 437
 —, release from bovine iris, 163P
Prostaglandin F_{1α}, effect on lymph flow and composition, cat hind limb, 449
Prostaglandins, formation and release by platelets in response to thrombin, 545P
 —, simplified thin-layer chromatography of, in biological extracts, 583P
Protein synthesis, and secretion, caerulein effect on, guinea-pig pancreas, 721
Protriptyline, effect on temperature response to 6-hydroxytryptamine, 634
Psilocybin, effects on photically-induced epilepsy, baboon, 144P
P2S, antagonism of organophosphate toxicity, 128, 129
 —, with atropine, antagonism of organophosphate toxicity by, 128, 129

Q

Quinidine, propranolol, procainamide and lignocaine, comparative effectiveness as antifibrillatory agents, 149P
Quinine, acute toxicity of heroin with, 145P

R

Rabbit aorta contracting substance, release from chopped lung, and its antagonism by anti-inflammatory drugs, 581P
Ranatensin, a new polypeptide from amphibian skin, effect on blood pressure, experimental animals, 605
 —, effect on blood pressure, 614
 —, —, hexamethonium action on, 611
 —, —, hexamethonium and phentolamine effect on, 611
 —, —, phentolamine effect on, 611
 —, —, phentolamine and hexamethonium effect on, 611
 —, —, phentolamine and propranolol effect on, 611
 —, —, propranolol action on, 611
 —, —, propranolol and phentolamine action on, 611
 —, —, reserpine pretreatment effect on, 611
Raspberry leaf tea: new aspect to an old problem, 161P
Reflex, and other vascular changes, alprenolol effect on, anaesthetized dog, 539P
 —, —, bunolol effect on anaesthetized dog, 539P
 —, —, propranolol effect on anaesthetized dog, 539P
Renal tubular necrosis, cephaloridine induced, enhancement by potent diuretics, 227
Renin, subcellular localization in rat kidney, 326

- Reserpine**, biochemical and behavioural effects of, 842
 —, effect on 5-hydroxytryptamine removal by lung, 471
 —, pretreatment, effect on ranatensin action on blood pressure, 611
 —, —, effect on responses of isolated preparations to tyramine, 692
 —, —, effect on synaptic activity, in *Helix* brain, 561P
Reticulo-endothelial activity, Arvin effect on, 37
Ridden horse, performance of, acepromazine effect on (T), 173P
 —, —, methylamphetamine effect on (T), 173P

S

- Sacral parasympathetic outflow**, stimulation of, 260
Salbutamol, analysis of coronary vascular responses to, using a modified Langendorff preparation, 619
 —, facilitation of flexor reflex by, 237
Saponins, effects on transporting epithelium, isolated frog skin, 544P
Sarin, effect on fast-twitch and slow-twitch muscles, cat, 57
Sartorius muscle, frog, *p*-chloromercuribenzenesulphonic acid effect on, 814
 —, —, *p*-chloromercuribenzoic acid effects on, 814
 —, —, *N*-ethylmaleimide effects on, 827
Saxitoxin, resemblance to two toxins from a poisonous sample of *Mytilus edulis* mussels on, 847
Schultz-Dale reaction, in bovine pulmonary smooth muscles, 166P
Scurvy, development, relationship between ascorbic acid concentrations and cortisol production during, guinea-pig, 548P
SD 4455, acute toxicity, antagonism by atropine, 124
 —, —, antagonism by methylatropine, 124
 —, —, antagonism by *N*-methylpyridinium-2-aldoxime methane sulphonate, 124
 —, —, antagonism by *N*-methylpyridinium-2-obidoxime, 124
SD 7779, acute toxicity, antagonism by atropine, 124
 —, —, antagonism by methylatropine, 124
 —, —, antagonism by *N*-methylpyridinium-2-aldoxime methanesulphonate, 124
 —, —, antagonism by obidoxime, 124
Sexual behaviour, parachlorophenylalanine effect on, cats, 659
Silicic acid column chromatography, separation of prostaglandin E_1 and its metabolites by, 319
Small intestine, fluid and electrolyte transfer in, some effects of *Escherichia coli* enterotoxin, 168P
 —, villous movements in, "autonomic drugs" effects on, 426
Sotalol, agonist effect on catecholamine-depleted rats and antagonist potencies in cats, 378
Sperm, transport rate, megestrol acetate effect on, 764
Spinal column, method of stimulating different segments of the autonomic outflow from, to various organs in the pithed cat and rat, 257
Spinal cord, slices, electrically stimulated, ^{14}C -glycine release from, 136P
Spinal pharmacology, method for studying, 577P

- Spleen**, isolated perfused, responses to catecholamines, 575P
 —, —, responses to polypeptides, 575P
 —, —, responses to sympathetic nerve stimulation, 575P
Stellate ganglion, method for comparing the sensitivity to chemical stimuli of adrenergic and cholinergic neurones in, cat (T), 602
Steroids, and immunosuppressive drug therapy, effect on lymphocyte stimulation by *Candida* antigens (T), 580P
Stress, method of inducing, for assessment of drugs in man, 569P
Striatum, catecholamine-containing neurones in, time course of 6-hydroxydopamine effects on, rat, 790
Strychnine, effects on cerebral cortex electrical activity, 6, 14
 —, facilitation of flexor reflex by, 237
Sulphydryl inhibitors, effect on frog sartorius muscle, 814
 —, —, *N*-ethylmaleimide, 827
Suxamethonium, action, and cholinesterase, plasma level, relationship between, animals, 775
 —, neuromuscular blocking action, effect of *iso*-OMPA on, 775
 —, —, purified human cholinesterase, anaesthetized cats, 785
Sympathetic nerves, peripheral, relative susceptibility to adrenergic neurone blockade by bethanidine, 551P
Sympathetic nerve stimulation, isolated perfused spleen responses to, 575P
 —, McN-A-343 effect on responses induced by, rabbit isolated ear artery, 158P
Sympathetic nervous system, assessment of role, in experimental hypertension, using normal and immunosympathectomized rats, 175
Sympathomimetic drugs, analgesia, comparison with morphine analgesia, 143P
Synaptic potentials, ganglion blocking agents effect on, 285
 —, recorded by the sucrose gap method, rabbit superior cervical ganglion, 275
Syrosingopine, effect on resting rate and noradrenaline content, rat heart, 375

T

- Temperature effects**, effect of chronic metaraminol treatment on the sympathetic activity of intact and adrenal demedullated rats kept in warm and cold environs, 418
 —, effect of ethyl alcohol and chlorpromazine on response of hand blood vessels to cold, 396
Teratology, of anticancer drugs (T), 603P
Testosterone, inhibition of catecholamine Uptake₂, isolated rat heart, 528
Tetracosactrin, and betamethasone, comparison of effects on hypothalamo-pituitary-adrenal activity, rat, 548P
Tetramethylammonium, action on sensory endings of rabbit saphenous nerve, 102
 —, reversal of neuromuscular block produced by choline in AH 5954 sensitized hemidiaphragm, 68
Thalamus, 5-hydroxyindole concentrations, adrenaline effect on, 142P
Thermal injury, kinin-forming systems in rabbit hind limb lymph after, 540P
Thioridazine, effect on exploratory behaviour, mice, 113, 118

- Thoraco-lumbar parasympathetic outflow**, stimulation of, 260
- Thrombin**, platelet formation and release of prostaglandins in response to, 545P
- Thyroid hormones**, effect of action on some centrally acting drugs, 747
- , effect on (+)-amphetamine action, rat, 751
- , effect on caffeine action, rat, 753
- , effect on hexobarbitone action, 753
- , effect on morphine action, 756
- Thyroxine**, and related compounds, inotropic effects, guinea-pig left atria, *in vitro*, 526
- , effect on morphine analgesia duration, mice, 756
- , effect on hexobarbitone sleeping time, male and female mice, 755
- Tissue swelling**, effect of anti-proteases and hexadimethrine bromide on release of a bradykinin-like substance during heating of rat paws, 294
- , effect of ligation of the iliac artery on swelling produced by heating and release of active material, rat paws, 304
- Tolazoline**, effect on villous movements response to adrenaline, small intestine, 432
- , effect on villous movements response to noradrenaline, small intestine, 431
- Toxins**, two, from a poisonous sample of mussels, *Mytilus edulis*, 847
- Transmembrane action potential**, human and canine, propranolol effect on, 148P
- Transmitter substance**, adenosine triphosphate or a related nucleotide as, released by non-adrenergic inhibitory nerves in the gut, 668
- Tranlycypromine**, effect on exploratory behaviour, mice, 113, 118, 119
- , effect on 5-hydroxytryptamine removal by lung, 471
- Tryptamine**, release of biologically active substances from isolated lungs by, 582P
- Tryptophan**, and dopamine metabolism interactions, phenelzine effect on, brain, 563P
- Tubocurarine**, effect on cerebral cortex electrical activity, 6, 9
- (+)-**Tubocurarine**, effects on fast-twitch and slow-twitch muscles, comparison with PMCG, 58
- Tumour cell**, dissemination inhibition, screening compounds for (T), 603P
- , spontaneous dissemination, antilymphocyte serum effect on (T), 603P
- Tyramine**, responses of isolated preparations obtained from normal and reserpine pretreated animals, 692
- , sensitivity to, iproniazid effect on, isolated central artery, rabbit ear, 252
- , —, nialimide effect on, isolated central artery, rabbit ear, 252
- Tyrosine solution**, sodium-free, effect on α -methyl-dopa action on isolated tissues, 696
- ¹⁴C-Tyrosine uptake**, potassium effect on, 702

Tyrosine hydroxylase, studies in homogenates of, guinea-pig vas deferens, 715

U

- Umbilical cord blood**, histamine and granulocytes in infants at birth, 310
- Urinary solute concentration**, cyclic-AMP effect on, 337
- , vasopressin concentration, 336
- Uterine receptivity**, megestrol acetate effect on, 767
- Uterus**, adrenaline uptake mechanisms in rat, 558P
- , carbonic anhydrase and endometrial proliferation, megestrol acetate effect on, 767
- , responses to catecholamines, and adrenoceptor blocking agents effect on, during oestrous, 160P

V

- Vagus nerve**, stimulation, and acetylcholine, isolated heart response to, isoprenaline effect on, guinea-pig, 585P
- Valyl-5-angiotensinamide**, effects, guanydyne blockade of, 543P
- Vas deferens**, noradrenaline biosynthesis in, acceleration by potassium, 702
- , and colon, changes in responsiveness to nerve stimulation and injected transmitters in pithed rat following chronic morphine treatment, 559P
- , homogenates, studies on tyrosine hydroxylase, in 715
- , motor transmission in, inhibitory action of noradrenaline, 556P
- , noradrenaline effect on, guinea-pig (T), 603P
- Vascular responses**, peripheral, drug-induced, improved method for measuring in conscious man, 599P
- Vaso-active drugs**, new method for quantitating effect on superficial veins, conscious man (T), 603P
- Vaso-active substances**, release by injection of particles, 547P
- Vasodilation**, functional, of adipose tissue, and prostaglandin E_2 , relationship between, 437
- Vasopressin**, effects on urinary solute concentration, 336
- , facilitation of flexor reflex by, 238
- Vidian nerve**, and the sphenopalatine ganglion, in relation to lacrimation in the cat, 584P
- Villous movements**, "autonomic drugs" effects on, small intestine, 426
- Vitamin D**, and anticonvulsant drugs, interaction between, 593P
- Vomiting**, post-operative, use as a means of evaluating anti-emetics, 568P

W

Wy 21901, autonomic blocking properties of, 153P

Instructions to Authors

1. **Manuscripts** (2 copies) should be typed in double spacing on one side of paper not larger than foolscap (33×20.5 cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.
2. **A short summary of results and conclusions** (arranged in numbered paragraphs), **tables and legends to figures** should be typed on separate sheets of paper.
3. **References** should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.
4. **Figures** should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.
5. **Lettering** on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:

\times $+$ \bullet \blacksquare \circ \square \triangle \blacktriangle ∇ \blacktriangledown \odot \ominus \diamond
6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.
7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.
8. **An abstract** of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Fifty reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs.

page

Systematic Pharmacology

- 605 GELLER, R. G., GOVIER, W. C., PISANO, J. J., TANIMURA, T. and VAN CLINESCHMIDT, B. The action of ranatensin, a new polypeptide from amphibian skin, on the blood pressure of experimental animals. (SP1)
- 617 BROADLEY, K. J. An analysis of the coronary vascular responses to catecholamines, using a modified Langendorff heart preparation. (SP1, AP1)
- 630 SIMMONDS, M. A. and URETSKY, N. J. Central effects of 6-hydroxydopamine on the body temperature of the rat. (SP2, PK3, DM1)
- 639 MARLEY, E. and STEPHENSON, J. D. Effects of catecholamines infused into the brain of young chickens. (SP2, DM2)
- 659 HOYLAND, VALERIE J., SHILLITO, ELIZABETH E. and VOGT, MARTHE. The effect of parachloro-phenylalanine on the behaviour of cats. (SP2, PP)
- 668 BURNSTOCK, G., CAMPBELL, G., SATCHELL, D. and SMYTHE, ANNE. Evidence that adenosine triphosphate or a related nucleotide is the transmitter substance released by non-adrenergic inhibitory nerves in the gut. (SP3, AP2)

Autopharmacology

- 689 GULATI, O. D., PARIKH, H. M., RINGE, S. Y. and SHERLEKAR, M. L. An investigation of α -methyl amino acids and their derivatives on isolated tissue preparations. (AP1)
- 702 BOADLE-BIBER, MARGARET C., HUGHES, J. and ROTH, R. H. Acceleration of noradrenaline biosynthesis in the guinea-pig vas deferens by potassium. (AP1, PK2, PK3)
- 721 MELDOLES, J. Effect of caerulein on protein synthesis and secretion in the guinea-pig pancreas. (AP2, DM1)
- 732 HODGES, J. R. and MITCHLEY, SUSAN. Recovery of hypothalamo-pituitary-adrenal function in the rat after prolonged treatment with betamethasone. (AP3)
- 740 HODGES, J. R. and HOTSTON, R. T. Ascorbic acid deficiency and pituitary adrenocortical activity in the guinea-pig. (AP3)
- 747 COVILLE, P. F. and TELFORD, J. M. The effect of thyroid hormones on the action of some centrally acting drugs. (AP3, SP2)
- 759 KENDLE, K. E. and TELFORD, J. M. Investigations into the mechanism of the antifertility action of minimal doses of megestrol acetate in the rabbit. (AP3, SP3)

Pharmacokinetics

- 775 HOBBIER, F. and PECK, A. W. The relationship between the level of cholinesterase in the plasma and action of suxamethonium in animals. (PK2, PK1)
- 790 BELL, LINDA J., IVERSEN, L. L. and URETSKY, N. J. Time course of the effects of 6-hydroxy-dopamine on catecholamine-containing neurones in rat hypothalamus and striatum. (PK2, PK3, DM1)
- 800 LOIZOU, L. A. Uptake of monoamines into central neurones and the blood-brain barrier in the infant rat. (PK3, SP2, AP1)

Drug Mechanisms

- 814 KIRSTEN, E. B. and KUPERMAN, A. S. Effects of sulphhydryl inhibitors on frog sartorius muscle: *p*-chloromercuribenzoic acid and *p*-chloromercuribenzenesulphonic acid. (DM1, SP3)
- 827 KIRSTEN, E. B. and KUPERMAN, A. S. Effects of sulphhydryl inhibitors on frog sartorius muscle: N-ethylmaleimide. (DM1, SP3)

Psychopharmacology

- 836 LAVERTY, R. and TAYLOR, K. M. Effects of intraventricular 2,4,5-trihydroxyphenylethylamine (6-hydroxydopamine) on rat behaviour and brain catecholamine metabolism. (PP, SP2, AP1)

Toxicology

- 847 EVANS, M. H. Two toxins from a poisonous sample of mussels *Mytilus edulis*. (TX)

Pharmacometrics

- 866 COTTRELL, G. A., POWELL, B. and STANTON, M. A simple method for measuring a picogram of acetylcholine using the clam (*Mya arenaria*) heart. (PM, AP1)

Chemotherapy

- 871 AMBROGI, V., ARTINI, D., DE CARNERI, I., CASTELLINO, S., DRADI, E., LOGEMANN, W., MEINARDI, G., DI SOMMA, M. and TOSOLINI, G. Studies on the antibacterial and antifungal properties of 1,4-naphthoquinones. (CT, DM1)

SHORT COMMUNICATIONS

- 881 CURTIS, D. R., FELIX, D. and McLELLAN, H. GABA and hippocampal inhibition. (SP2, DM2)
- 884 DAY, M. D. and OWEN, D. A. A. Role of noradrenaline in the acute pressor response to angiotensin in conscious cats. (AP1)
- 887 Index to Volume 40