

Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*)

S. E. Smith (*Acting Secretary*)

P. A. Nasmyth (*Press Editor*)

Jennifer MacLagan (*Assistant Press Editor*)

N. Ambache

R. B. Barlow

J. M. Barnes

J. W. Black

W. C. Bowman

P. B. Bradley

S. Brenner (co-opted)

A. W. Cuthbert

C. T. Dollery

W. S. Feldberg

L. G. Goodwin

D. F. Hawkins (co-opted)

F. Hobbiger

J. R. Hodges

D. B. Hope

H. W. Kosterlitz

J. Maddox

J. F. Mitchell

J. L. Mongar

M. W. Parkes

Mary Pickford

H. P. Rang

H. O. Schild

D. F. Sharman

R. S. Stacey (co-opted)

Hannah Steinberg

F. M. Sullivan

J. R. Vane

Marthe Vogt

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr. S. E. Smith, St. Thomas's Hospital Medical School, London S.E.1. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £15 15s. in the United Kingdom and Republic of Ireland; \$48.50 U.S.A. and \$52.50 Canada (by air freight; second class postage paid at New York, N.Y.); £16 10s. all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan (Journals) Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: J. Ashley-Brown, Advertisement Manager, *British Journal of Pharmacology*, Macmillan Journals Ltd., 4 Little Essex Street, London, WC2R 3LF, England. Tel: 01-836 6633.

Copyright © 1971 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

BRITISH JOURNAL OF PHARMACOLOGY

The following are some of the manuscripts which will be published in future issues:

BAILEY, DIANA M.: Inhibitory and excitatory effects of sympathomimetic amines on muscle strips from the stomach of the guinea-pig.

BARBER, H. E. and BOURNE, G. R.: Distribution kinetics and intestinal absorption of practolol in rat.

CHRIST, D. D. and NISHI, S.: Effects of adrenaline on nerve terminals in the superior cervical ganglion of rabbit.

FOZARD, J. R.: Effects of progesterone on cardiovascular responses to amines and to sympathetic stimulation in the pithed rat.

GOVIER, W. C., CLINESCHMIDT, B. V., GELLER, R. G., TANIMURA, T. and PISANO, J. J.: Effects of ranatensin, a polypeptide from the skin, on isolated smooth muscle.

HUGHES, J. and ROTH, R. H.: Evidence that angiotensin enhances transmitter release during sympathetic nerve stimulation.

MITCHELSON, F.: Differentiation between the actions of acetylcholine and tertamethylammonium on the isolated taenia of the guinea-pig caecum by hemicholinium.

NORTON, P. R. E.: Some endocrinological aspects of barbiturate dependence.

POLAK, R.: Stimulating action of atropine on the release of acetylcholine by rat cerebral cortex *in vitro*.

SCHNIEDEN, H. and SMALL, R. C.: Spasmolytic effects of cadmium and zinc ions upon the guinea-pig isolated ileum preparation.

BRITISH JOURNAL OF PHARMACOLOGY

Short Communications

Papers for consideration should be marked "Short Communication", and be submitted in duplicate to the Secretary of the Editorial Board. They must be less than 1,200 words in length and may contain one figure or one table. To reduce publication delay to a minimum (about 6 weeks), correspondence between author and editor must be avoided. Manuscripts should therefore be prepared with great care and the customary form used in the Journal strictly observed (see instructions on the inside covers of a recent issue of the Journal). Short Communications will be accepted on the understanding that if authors' proofs are not returned before the journal goes to press, the Communication will be published with the Press Editor's corrections only. Communications not accepted for publication will be returned in approximately 2 weeks.

BRITISH
PHARMACOLOGICAL
SOCIETY

Aberdeen Meeting

To avoid overlapping with the Oxford meeting of The Physiological Society, the dates of the Aberdeen Meeting of the British Pharmacological Society have been changed to July 12, 13 and 14, 1971.

The Post Natal Development of Phenotype

S. Kazda MD, PhD, and
V. H. Denenberg PhD.

The symposium of 1967 at Liblic was a major scientific event, from which developed numerous important advances. Its objective was to make further contributions to the subject of ontogenetic development—by investigation into the theory that individual development and the reactivity of the adult organism can be affected by a change in the environment or by a physiological procedure at a certain period in development, particularly in the so-called critical periods of ontogeny.

0 407 96350 6 420 pages illustrated 1970
£8.00

Available from leading booksellers or



The Butterworth Group
88 Kingsway London WC2B 6AB

BRITISH JOURNAL OF PHARMACOLOGY

EDITED FOR

THE BRITISH PHARMACOLOGICAL SOCIETY

BY

W. D. M. Paton (*Chairman*) S. E. Smith (*Acting Secretary*)

P. A. Nasmyth (*Press Editor*)

Jennifer MacLagan (*Assistant Press Editor*)

G. W. Ashcroft (co-opted)	H. W. Kosterlitz
R. B. Barlow	G. P. Lewis
J. M. Barnes	R. D. Lowe
J. W. Black	J. Maddox
W. C. Bowman	J. F. Mitchell
P. B. Bradley	M. W. Parkes
A. W. Cuthbert	Mary Pickford
C. T. Dollery	H. P. Rang
W. S. Feldberg	H. O. Schild
D. F. Hawkins	D. F. Sharman
F. Hobbiger	R. S. Stacey (co-opted)
J. R. Hodges	Hannah Steinberg
Margarethe Holzbauer	F. M. Sullivan
D. B. Hope	J. R. Vane

Editorial assistance is provided by the staff of Nature

VOLUME 41, 1971

LONDON

MACMILLAN JOURNALS LIMITED

4 LITTLE ESSEX STREET, W.C.2.

BRITISH JOURNAL OF PHARMACOLOGY

[THE INTERNATIONAL SYSTEM OF UNITS (SI)]

The British Journal of Pharmacology uses the **symbols** recommended in the SI (Système Internationale) (see *Symbols, Signs and Abbreviations Recommended for British Scientific Publications* (1969) (London: The Royal Society: price 35p.)). It is the policy of the Editorial Board to adopt SI **units**, although the use of certain non-SI units will for the time being be permitted. Full details of the changes involved will be published in a forthcoming "Instructions to Authors". The following is a list (a) of some of the commoner units with their recommended symbols, (b) of some non-SI units which may still be used, and (c) of units which will no longer be acceptable.

(a) SI units with recommended symbols

Unit	Correct symbol
kilogramme	kg
second, millisecond	s ms
mole, millimole, micromole,	mol mmol μ mol
nanomole, picomole	nmol pmol
metre, centimetre, millimetre,	m cm mm
micrometre	μ m
Hertz	Hz

(b) Some permitted non-SI units

ångström	Å (= 10^{-10} m = 0.1 nm)
gramme	g
minute	min
hour	h
molarity (mol/litre)	M
calorie	cal (4.184 J) (Conversion factor to be given as a footnote at first citation or in Methods)
millimetres of mercury	mmHg (1.333 mbar) (Conversion factor to be given as a footnote at first citation or in Methods)
millibar	mbar
poise	P
curie	Ci
litre	l. (where there is danger of confusion between the numeral '1' and the letter 'l', 'litre' should be written in full, and always at the end of a sentence)
millilitre, microlitre	ml μ l
degree Celsius	°C

(c) Units no longer acceptable

inch, foot, pound, pound per square inch, °F.

Expressions such as cycles per second (c/s) will no longer be accepted. Frequencies should be expressed in the appropriate approved symbols: thus a stimulation frequency should be given in Hz (irregular or occasional events should be given per unit time, e.g. s^{-1} , h^{-1}). When there is more than one solidus in an expression, parentheses should be used to eliminate ambiguity, e.g. (mg/kg)/day.

BRITISH JOURNAL OF PHARMACOLOGY

THE INTERNATIONAL SYSTEM OF UNITS (SI)

The British Journal of Pharmacology uses the **symbols** recommended in the SI (Système Internationale) (see *Symbols, Signs and Abbreviations Recommended for British Scientific Publications* (1969) (London: The Royal Society: price 7s.)). It is the policy of the Editorial Board to adopt SI **units**, although the use of certain non-SI units will for the time being be permitted. Full details of the changes involved will be published in a forthcoming "Instructions to Authors". The following is a list (a) of some of the commoner units with their recommended symbols, (b) of some non-SI units which may still be used, and (c) of units which will no longer be acceptable.

(a) SI units with recommended symbols

Unit	Correct symbol
kilogramme	kg
second, millisecond	s ms
mole, millimole, micromole, nanomole, picomole	mol mmol μ mol nmol pmol
metre, centimetre, millimetre, micrometre	m cm mm μ m
Hertz	Hz

(b) Some permitted non-Si units

ångström	Å (=10 ⁻¹⁰ m=0.1 nm)
gramme	g
minute	min
hour	h
molarity (mol/litre)	M
calorie	cal (4.184 J) (Conversion factor to be given as a footnote at first citation or in Methods)
millimetre of mercury	mmHg (1.333 mbar) (Conversion factor to be given as a footnote at first citation or in Methods)
millibar	mbar
poise	P
curie	Ci
litre	l. (where there is danger of confusion between the numeral '1' and the letter 'l', 'litre' should be written in full, and always at the end of a sentence)
millilitre, microlitre	ml μ l
degree Celsius	°C

(c) Units no longer acceptable

inch, foot, pound, pound per square inch, °F.

Expressions such as cycles per second (c/s) will no longer be accepted. Frequencies should be expressed in the appropriate approved symbols: thus a stimulation frequency should be given in Hz (irregular or occasional events should be given per unit time, e.g. s⁻¹, h⁻¹). When there is more than one solidus in an expression, parentheses should be used to eliminate ambiguity, e.g. (mg/kg)/day.

Instructions to Authors

1. **Manuscripts** (2 copies) should be typed in double spacing on one side of paper not larger than foolscap (33×20.5 cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.

2. A **short summary of results and conclusions** (arranged in numbered paragraphs), **tables and legends to figures** should be typed on separate sheets of paper.

3. **References** should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

4. **Figures** should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.

5. **Lettering** on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:

× + ● ■ ○ □ △ ▲ ▽ ▼ ○ ● ◇

6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.

7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.

8. An **abstract** of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Fifty reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs.

BRITISH JOURNAL OF PHARMACOLOGY

January 1971 Volume 41 Number 1

page

Systematic Pharmacology

- 1 DAVIES, B. N. and WITHRINGTON, P. G. Actions of prostaglandin $F_{2\alpha}$ on the splenic vascular and capsular smooth muscle in the dog. (SP1, AP1, AP2)
- 8 LAWRENCE, A. J., SCHILD, H. O. and SMITH, G. M. Preparation and assay of urogastone, an inhibitor of gastric acid secretion. (SP3, PM, DM2)

Autopharmacology

- 19 COX, B. and HECKER, SALLY E. Investigation of the mechanism of action of oxotremorine on the guinea-pig isolated ileum preparation. (AP1)
- 26 HOLMAN, MOLLIE E., MUIR, T. C., SZURSZEWSKI, J. H. and YONEMURA, K. Effect of iontophoretic application of cholinergic agonists and their antagonists to guinea-pig pelvic ganglia. (AP1)
- 41 LOIZOU, L. A. The effect of inhibition of catecholamine synthesis on central catecholamine-containing neurones in the developing albino rat. (AP1, PK2, SP2)
- 49 CRUNKHORN, PEARL and WILLIS, A. L. Cutaneous reactions to intradermal prostaglandins. (AP2, SP1, DM2)

Pharmacokinetics

- 57 COSTA, E., GROPPETTI, A. and REVUELTA, A. Action of fenfluramine on monoamine stores of rat tissues. (PK1, SP2)
- 65 PATON, D. M. Effects of Na^+ and K^+ on the uptake of metaraminol by rabbit ventricular slices. (PK3, AP1)

Drug Mechanisms

- 76 MIKIKITS, W., SKINNER, A., SPECTOR, R. G. and WATTS, D. C. Influence of pH on aggregation and protein binding of barbituric acid and amylobarbitone. (DM1)
- 84 DATTA, K., THAL, L. and WAJDA, I. J. Effects of morphine on choline acetyltransferase levels in the caudate nucleus of the rat. (DM1, SP2)
- 94 HIRST, G. D. S. and WOOD, D. R. On the neuromuscular paralysis produced by procaine. (DM1, SP3)
- 105 HIRST, G. D. S. and WOOD, D. R. Changes in the time course of transmitter action produced by procaine. (DM1, SP3)
- 113 BASSETT, J. R. β -Adrenoceptor antagonist activity of 3-methoxyisoprenaline. (DM2)
- 122 BURDEN, D. T. and PARKES, M. W. Effect of β -adrenoceptive blocking agents on the response to bronchoconstrictor drugs in the guinea-pig air overflow preparation. (DM2, SP3)

Pharmacometrics

- 132 GREEN, ANN Y., GREEN, D., MURRAY, PATRICIA A. and WILSON, A. B. Factors influencing the inhibitory action of anti-inflammatory drugs on carrageenin induced oedema. (PM)

Toxicology

- 140 COONEY, D. A., DAVIS, R. D., HOMAN, E. R., RAKIETEN, N., SCHAEPI, U. and VANATTA, G. Studies on the inhibition of clearance of organic dyes by Saramycetin. (TX)
- 154 FREEMAN, SHIRLEY E. and TURNER, R. J. Cardiovascular effects of toxins isolated from the cnidarian *Chironex fleckeri* Southcott. (TX, SP1)

SHORT COMMUNICATION

- 167 RADWAN, A. G. and WEST, G. B. Effect of aminoguanidine, chlorpromazine and NSD-1055 on gastric secretion and ulceration in the Shay rat. (AP2, CP)

Systematic Pharmacology

Cardiovascular system SP1
Central nervous system SP2
Other physiological systems SP3

Pharmacokinetics

Storage, distribution, fate PK1
Synthesis, metabolism PK2
Uptake, release PK3

Clinical Pharmacology, Experimental

Therapy CP
Chemotherapy CT
Miscellaneous M

Autopharmacology

Adrenergic, cholinergic transmission AP1
Histamine, kinins, prostaglandins, etc. AP2
Hormones AP3

Drug Mechanisms

Molecular, cellular, biochemical, biophysical DM1
Receptors, antagonism, potentiation, tolerance DM2

Pharmacometrics PM

Psychopharmacology PP
Toxicology TX