Edited for the British Pharmacological Society by

W. D. M. Paton (Chairman) H. M. Adam (Secretary)

Margaret Day (Press Editor)

J. D. Stephenson (Assistant Press Editor)

D. B. Hope G. W. Ashcroft (co-opted) R. B. Barlow H. W. Kosterlitz J. M. Barnes G. P. Lewis J. W. Black J. Maddox W. C. Bowman J. F. Mitchell P. B. Bradley P. A. Nasmyth M. W. Parkes A. W. Cuthbert C. T. Dollery Mary Pickford W. S. Feldberg H. P. Rang H. O. Schild D. F. Hawkins F. Hobbiger D. F. Sharman J. R. Hodges Hannah Steinberg Margarethe Holzbauer F. M. Sullivan

J. R. Vane

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr. H. M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £18.50 in the United Kingdom and Republic of Ireland; \$58.20 U.S.A. and Canada (by air freight; second class postage paid at New York, N.Y.); £18.50 all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan Journals Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: J. Ashley-Brown, Advertisement Manager, British Journal of Pharmacology, Macmillan Journals Ltd., 4 Little Essex Street, London, WC2R 3LF, England. Tel: 01-836 6633. Direct line: 01-405 3013.

Copyright © 1972 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

CONNECTIVE TISSUE RESEARCH

An International Journal

EDITOR-IN-CHIEF: INES MANDL

College of Physicians & Surgeons, Columbia University

The aim of this new journal is to highlight the most significant and original contributions in the field of connective tissue research; to relate the many facets of the subject; and to afford easier communication amongst those who wish to remain informed of current developments in the entire field while actively engaged in more narrowly focused studies.

Interdisciplinary in approach, the journal will attempt to cover in most issues advances in basic knowledge of structure, biosynthesis and metabolism of collagen, elastin and proteoglycans as well as pertinent new applications in the laboratory and clinic.

In addition to original, full-length papers this journal will occasionally publish short communications of novel concepts or reports of papers presented at meetings.

Connective Tissue Research will be of interest to investigators in: biochemistry; biophysics; cell biology; immunology; microbiology; molecular biology; pathology; physiology; surgery; experimental research of aorta, bone, cartilage, cornea, lung, sclera, skin and teeth; formation, development and ageing of connective tissue elements; and wound healing.

A descriptive brochure and subscriptions information are available from Gordon and Breach Science Publishers Ltd. (Department BP), 42 William IV Street, London W.C.2, England.

BRITISH JOURNAL OF PHARMACOLOGY

Short Communications

Papers for consideration should be marked "Short Communication", and be submitted in duplicate to the Secretary of the Editorial Board. They must be less than 1,200 words in length and may contain one figure or one table. To reduce publication delay to a minimum (about 6 weeks), correspondence between author and editor must be avoided. Manuscripts should therefore be prepared with great care and the customary form used in the Journal strictly observed (see instructions on the inside covers of a recent issue of the Journal). Short Communications will be accepted on the understanding that if authors' proofs are not returned before the journal goes to press, the Communication will be published with the Press Editor's corrections only. Communications not accepted for publication will be returned in approximately 2 weeks.

INDEX TO VOLUME 44

AUTHOR INDEX

ABOO ZAR, M. See AMBACHE, N., 359P

ADCOCK, JENNIFER J. and GILBERT, J. C. Effects of phenobarbitone and leptazol on rat brain

lysosomes, 337P ADVENIER, C., BOISSIER, J. R. and GIUDICELLI, J. F. Comparative study of six β -adrenoceptive antagonists on airway resistance and

heart rate in the guinea-pig, 642 Ahtee, Liisa and Michal, F. Effects of sympathomimetic amines on rabbit platelet

aggregation in vitro, 363P

- ALHAVA, EEVA and MATTILA, M. J. Amphetamine toxicity and brain amphetamine concentrations in adult and developing mice, 352P
- ALPS, B. J., HILL, MADELINE, JOHNSON, E. S. and WILSON, A. B. Quantitative analysis on isolated organs of the autonomic blocking properties of indoramin hydrochloride (Wy 21901), 52
- AL TAI, SUHAILA, A. and GRAHAM, J. D. P. The actions of prostaglandins E_1 and $F_{2\alpha}$ on the perfused vessels of the isolated rabbit ear, 699
- Ambache, N., Dunk, Linda P., Verney, J. and Aboo Zar, M. Inhibitory nature of the adrenergic innervation in the guinea-pig vas deferens, 359P
- Ancill, R. J., Jackson, D. M. and Redfern, P. H. The pharmacology of the rat ureter in vivo, 628
- ARRIGONI, E., BENZI, G. and FERRARA, A. Effect of tetracyclines and 4-epiderivatives on the ureter, 788
- AYERS, A. B., DAVIES, B. N. and WITHRINGTON, P. G. Responses of the isolated, perfused human spleen to sympathetic nerve stimulation, catecholamines and polypeptides, 17

- BACK, D. J. and CALVEY, T. N. Excretion of ¹⁴C-edrophonium and its metabolites in bile: role of the liver cell and the peribiliary vascular plexus, 534
- BALLANTYNE, B., BOARDMAN, S. P., BRIGHT, J., COFFEE, D. J., WEBBER, T. D. and WILLIAMS, P. Tissue cyanide concentrations and cytochrome oxidase activities in experimental cyanide poisoning, 382P

BARLOW, R. B. and PEARSON, J. D. M. Relationships between stereospecificity and chemical structure (T), 367P

BARLOW, R. B., READING, H. W. and YATES, CELIA M. Distribution and excretion of Celia M. Distribution and excretion of N-[14C]-methyl labelled n-hydroxybenzyltrimethylammonium ions in mice, 577

BEATTIE, I. A., BERRY, P. A. and LISTER, R. E. Effect of oxypertine on anxiety-induced behaviour in baboons, 348P

Bentley, G. A. Pharmacological studies on the hypogastric ganglion of the rat and guineapig, 492

BENZI, G. See ARRIGONI, E., 788 BERKOWITZ, B. A., SPECTOR, S. and TARVER, J. H. Resistance of noradrenaline in blood vessels to depletion by 6-hydroxydopamine or immunosympathectomy, 10 Berry, P. A. See Beattie, I. A., 348P

BEZNAK, MARGARET, PATERSON, R. A. and VALADARES, J. R. E. Cardiac responses to

pituitary and thyroid hormones, 333P

Bhagat, B., Dhalla, N. S., Ginn, Donna, La
Montagne, A. E. and Montier, A. D.
Modification by prostaglandin E₂ (PGE₂)
of the response of guinea-pig isolated vasa deferentia and atria to adrenergic stimuli, 689

BHARGAVA, K. P., KULSHRESTHA, V. K. and SRIVASTAVA, Y. P. Central cholinergic and adrenergic mechanisms in the release of antidiuretic hormone, 617

BHARGAVA, K. P., RASTOGI, S. K. and SINHA, J. N. The muscle relaxant activity of methaqualone and its methyl congener, 805

BHATTACHARYA, S. K. See Das, P. K., 397
BILLINGHAM, M. E. J. and Robinson, B. V.
Separation of irritancy from the anti-inflammatory component of inflammation exudate, 317

- BININI, R., BONACCORSI, A., GARATTINI, S., MORSELLI, P. L. and MUSCETTOLA, G. Uptake of desipramine by the rat vas deferens,
- BLABER, L. C. Mechanism of the facilitatory action of edrophinium in cat skeletal muscle (T), 367P
- BOAKES, A. J., PRICHARD, B. N. C. and TEOH, P. C. a-Adrenoceptor inhibition from indoramin

in man, 378P
BOARDMAN, S. P. See BALLANTYNE, B., 382P
BOISSIER, J. R. See ADVENIER, C., 642
BONACCORSI, A. See BININI, R., 262

BOND, A. J. and LADER, M. H. Residual effects of a new benzodiazepine: flurazepam, 343P

Borison, H. L., Haranath, P. S. R. K. and McCarthy, L. E. Respiratory responses to chemical pulses in the cerebrospinal fluid of cats, 605

BORN, G. V. R., JUENGJAROEN, KANCHANA and MICHAL, F. Relative activities on and uptake by human blood platelets of 5-hydroxy-

tryptamine and several analogues, 117
Bowers, jun., M. B. and Roth, R. H. Interaction of atropine-like drugs with dopaminecontaining neurones in rat brain, 301

Bramwell, G. J. Effect of imipramine on unit activity in the midbrain raphé of rats, 345P Breckenridge, A. M. and Salloch, R. R. Liver

blood flow measurements by internal calori-

metry in rats (T), 390P Breese, G. R. and Traylor, T. D. Developmental characteristics of brain catecholamines and tyrosine hydroxylase in the rat: effects of 6-hydroxydopamine, 210
BRIANT, R. H., BUDDEN, M. L. and DOLLERY, C.

Metabolism of drugs in the isolated perfused dog lung (T), 390P

BRIGHT, J. See BALLANTYNE, B., 382P

BRIMBLECOMBE, R. W., GREEN, D. M. and MUIR, A. W. Pharmacology of o-chlorobenzylidine malononitrile (CS), 561

Brown, D. A., Brownstein, M. J. and Schol-field, C. N. Origin of the after-hyperpolarization that follows removal of depolarizing agents from the isolated superior cervical ganglion of the rat, 651

Brownstein, M. J. See Brown, D. A., 651

BUCKLEY, G. A. and HEADING, CHRISTINE E. Persistence of neostigmine-like activity in tissues of the rat after prolonged oral administration, 336P

BUDDEN, M. L. See BRIANT, R. H., 390P BURMAN, A. S. Peripheral blood scintillometry in

psychophysiological research, 388P Burnstock, G., Dumsday, B. and Smythe, Atropine resistant excitation of the urinary bladder: the possibility of transmission via nerves releasing a purine nucleotide, 451

Bustos, G. and Roth, R. H. Effect of γ -hydroxybutyrate on the release of monoamines from the rat striatum, 817

CALNE, D. B., PETRIE, A., RAO, SUMANT, REID, J. L. and VAKIL, S. D. Action of L-α-methyldopahydrazine on the blood pressure of patients receiving levodopa, 162

- CALVEY, T. N. See BACK, D. J., 534 CAMPBELL, H., CLINE, W., EVANS, M., LLOYD, J. and Peck, A. W. Comparison of the effects of dexamphetamine and 1-benzyl-piperazine in former addicts, 369P
- CARLINI, E. A., HAMAOUI, A. and MÄRTZ, REGINA M. W. Factors influencing the aggressiveness elicited by marihuana in food-deprived rats,
- CASHIN, C. H. Effect of sympathomimetic drugs in eliciting hypertensive responses to reserpine in the rat, after pretreatment with monoaminoxidase inhibitors, 203
- CEASAR, P. M. and SHARMAN, D. F. Studies on the glycol metabolites of noradrenaline in mouse
- brain, 340P CHANG, C. C., CHUANG, SING-TAI, LEE, C. Y. and WEI, J. W. Role of cardiotoxin and phospholipase A in the blockade of nerve conduction and depolarization of skeletal muscle induced by cobra venom, 752

CHATTERJEE, A. K., DATTA, S. C. and GHOSH, B. B. Effects of emetine on the metabolism of ascorbic acid, 810

CHUANG, SING-TAI. See CHANG, C. C., 752 CLARE, R. A., DRAFFAN, G. H., GEORGE, C. F. and WILLIAMS, Faith M. Rapid identification of drugs in cases of self-poisoning by means of combined GC-MS-computer system (T), 390P

CLARK, B. and THOMPSON, J. W., with technical assistance of G. WIDDRINGTON. Analysis of the inhibition of pethidine N-demethylation by monoamine oxidase inhibitors and some other drugs with special reference to drug interactions in man, 89

CLARK, D. W. J., LAVERTY, R. and PHELAN, E. L. Long-lasting peripheral and central effects of

6-hydroxydopamine in rats, 233

CLARKE, G., DAVIES, J. and STRAUGHAN, D. W. Iontophoretic study of the central anticholinergic properties of BRL 1288, 344P

CLARKE, G. and HILL, R. G. Effects of a focal penicillin lesion on responses of rabbit cortical neurones to putative neurotransmitters, 435

CLINE, W. See CAMPBELL, H., 369P

COFFEE, D. J. See BALLANTYNE, B., 382P

COLLIER, J. G. New dialysis technique for the continuous measurement of the concentration of vasoactive hormones, 383P

COLLIER, J. G., DAWNAY, N. A. H., NACHEV, CH. and Robinson, B. F. Clinical investigation of an antagonist at α - and β -adrenoceptors-AH

5158A, 286 Collier, J. G., Karim, S. M. M., Robinson, B. and Somers, K. Action of prostaglandins A2, B_1 , E_2 and $F_{2\alpha}$ on superficial hand veins of man, 374P

COLLIER, J. G., NACHEV, CH. and ROBINSON, B. F. Comparison of blockade at α -adrenoceptors by thymoxamine and phentolamine in peripheral arteries and veins of man, 294

COLLINS, A. J. and RING, E. F. J. Measurement of inflammation in man and animals by radio-

metry, 145

COLTART, D. J., CREE, J. E. and HOWARD, M. R. Plasma digoxin concentrations in children in heart failure, 373P

COLTART, D. J. and ROYDS, R. B. Haemodynamic effects of indoramin: a non-invasive technique for the cardiovascular evaluation of drugs, 387P

COREY, SHARON, E. and McPhillips, J. J. Supersensitivity to the negative chronotopic action of carbachol and methacholine in the rat, 586

- COSTA, E., GROPPETTI, A. and NAIMZADA, M. K. Effects of amphetamine on the turnover rate of brain catecholamines and motor activity,
- COTTRELL, G. A. and TWAROG, BETTY M. Active factors in the venom duct of Conus californicus, 365P
- COWAN, A. and WHITTLE, B. A. Inability of antidepressants and morphine to reverse reserpineinduced hypothermia in adrenalectomized rats, 353P
- CRAWFORD, J. S., JONES, R. L., THOMPSON, J. M. and Wells, W. D. E. Binding of bromosulphthalein sodium by human serum albumin using a continuous diafiltration technique, 80

CREE, J. E. See COLTART, D. J., 373P CROOKS, J. See MOIR, D. C., 371P

CURRY, S. H., LADER, M. H., MOULD, G. P. and SAKALIS, G. Clinical pharmacology of chlorpromazine, 370P

CURWAIN, B. P. and HOLTON, PAMELA. Effects of isoprenaline on gastric acid secretion and mucosal blood flow during stimulation by pentagastrin or feeding, 332P

- DAIRMAN, W. Catecholamine concentrations and the activity of tyrosine hydroxylase after an increase in the concentration of tyrosine in rat tissues, 307
- DANILOV, Á. F., KVITKO, I. J., LAVRENTIEVA, V. V., MICHELSON, M. J., PORAI-KOSHITS, B. A., ROZHKOVA, E. K. and SHELKOVNIKOV, S. A. Action of some bisquaternary derivatives of phthalic acids and related substances on neuromuscular transmission, 765

Das, P. K. and Bhattacharya, S. K. Studies on the effect of physostigmine on experimental cardiac arrhythmias in dogs, 397

Das, P. K. and Sinha, P. S. Effect of physostigmine on ventricular fibrillation and myocardial

glycogen in hypothermic dogs, 391
DATTA, K. and WAJDA, I. J. Morphine-induced kinetic alterations of choline acetyltransferase of the rat caudate nucleus, 732

DATTA, S. C. See CHATTERJEE, A. K., 810 DAVIES, B. N. See AYERS, A. B., 17 DAVIES, J. See CLARKE, G., 344P

DAWNAY, N. A. H. See Collier, J. G., 286

DAY, M. D., HALL, J. M. and OWEN, D. A. A. Selective inhibition of angiotensin pressor responses in the pithed rat by tetraethylthiuram disulphide (disulfiram) and sodium diethyldithiocarbamate (DDC), 192

DELITHEOS, A. K., KARABALI, S. B. and VARONOS, D. D. Inhibition of streptolysin O-induced haemolysis by theobromine sodium salicylate,

DEPOORTERE, H. and LOEW, D. M. Alterations in sleep/wakefulness cycle in rats after administration of (-)-LSD or BOL-148: a com-

parison with (+)-LSD, 354P

DETTLI, L., OHNHAUS, E. E. and Spring, P.
Digoxin dosage in patients with impaired kidney function, 373P

DHALLA, N. S. See BHAGAT, B., 689 DHAWAN, B. N., SHARMA, J. N. and SRIMAL, R. C. Selective inhibition by glycine of some somatic reflexes in the cat, 404

DOLLERY, C. T. See BRIANT, R. H., 390P

DOWNING, O. A. Effect of amphetamine on the transmission of repetitive impulses through the isolated superior cervical ganglion of the rat, 71

Draffan, G. H. See Clare, R. A., 390P

DUMSDAY, B. See BURNSTOCK, G., 451 DUNDEE, J. W. and PANDIT, S. K. Anterograde amnesic effects of pethidine, hyoscine and diazepam in adults, 140

DUNK, LINDA P. See AMBACHE, N., 359P

DUROTOYE, A. O. and SALAKO, L. A. The effect of dehydroemetine on isolated guinea-pig atria,

DUTTA, N. K., MARKER, P. H. and RAO, N. R. Berberine in toxin-induced experimental cholera, with an appendix on berberine in toxin-induced experimental cholera, 153

EAGLING, ELIZABETH M., LOVELL, H. G. and PICKLES, V. R. Interaction of prostaglandin E₁ and calcium in the guinea-pig myometrium, 510

Enero, Maria A., Langer, S. Z., Rothlin, R. P. and Stefano, F. J. E. Role of the α -adrenoceptor in regulating noradrenaline overflow by nerve stimulation, 672

EVANS, M. See CAMPBELL, H., 369P

EVERITT, B. J. and HACKET, N. B. Central stimulant action of fenfluramine in the rat, 342P

EYRE, P. and Lewis, A. J. Production of kinins in bovine anaphylactic shock, 311

FAWKE, LINDA. Is thymoxamine a specific α adrenoceptor blocking agent? 362P Ferrara, A. See Arrigoni, E., 788

FERREIRA, S. H., HERMAN, A. and VANE, J. R. Prostaglandin generation maintains the smooth muscle tone of the rabbit isolated jejunum, 328P

FINCH, L., HAEUSLER, G., KUHN, H. and THOENEN, H. The recovery of vascular adrenergic nerve function in the rat after chemical sympathectomy with 6-hydroxydopamine, 357P

FINCH, L., HAEUSLER, G. and THOENEN, H. Failure to induce experimental hypertension in rats after intraventricular injection of 6-hydroxy-

dopamine, 356P Foreman, J. C. and Mongar, J. L. Activation of anaphylactic histamine release by calcium and strontium ions, 326P

Freeman, Patricia C. and West, G. B. Resistance of rats to carrageenan and to adjuvant-induced arthritis, 327P

FREUDENTHAL, R. I., MARTIN, J. and WALL, M. E. Distribution of Δ9-tetrahydrocannabinol in the mouse, 244

FUKUI, K. and TAKAGI, H. Effect of morphine on the cerebral contents of metabolites of dopamine in normal and tolerant mice: its possible relation to analgesic action, 45

Fuzzey, G. J. J., Hope, C. E. and Payne, J. P. Biphasic response of limb blood flow to intravenous methoxamine in anaesthetized man, 375P

GARATTINI, S. See BININI, R., 262

GARDINER, D. G. and PARKES, M. W. Device for cycle-by-cycle spirometry, applied to the continuous recording of air overflow, 381P

GARDINER, J. E. and GWEE, M. C. E. Effects of two hemicholiniums on the concentrations of plasma choline in the rabbit, 324P

GEORGE, C. F. See CLARE, R. A., 390P GERALD, M. C. and MAICKEL, R. P. Studies on the possible role of brain histamine in behaviour, 462

GHOSH, B. B. See CHATTERJEE, A. K., 810

GILBERT, J. C. Effects of phenobarbitone on glucose transport and membrane ATPase activities of cerebral cortex, 338P

GILBERT, J. C. See ADCOCK, JENNIFER J., 337P GILLESPIE, J. S. and Towart, R. Uptake kinetics and ion requirements for extraneuronal uptake of noradrenaline by arterial smooth muscle, 359P

GINN, DONNA. See BHAGAT, B., 689

GIUDICELLI, J. F. See ADVENIER, C., 642 GLYNN, I. M. and WARNER, ANNE E. Nature of the calcium dependent potassium leak induced by (+)-propranolol and its possible relevance to the drug's antiarrhythmic effect, 271

GRAHAM, J. D. P. See AL TAI, SUHAILA A., 699 GREEN, D. M. See BRIMBLECOMBE, R. W., 561

GREENWAY, C. V. and LAUTT, W. W. Effects of infusions of catecholamines, angiotensin, vasopressin and histamine on hepatic blood

volume in the anaesthetized cat, 177
GREENWAY, C. V. and LAUTT, W. W. Effects of adrenaline, isoprenaline and histamine on transsinusoidal fluid filtration in the cat liver, 185

GROPPETTI, A. See Costa, E., 742 GROVE, J., IRVINE, R. E., TOSELAND, P. and TROUNCE, J. R. Effect of age on the hydroxylation of amylobarbitone sodium in man (T), 390P

GULDBERG, H. C. and MARSDEN, C. A. Brain monoamines and the increase in motor activity in the rat after amphetamine, 347P GWEE, M. C. E. See GARDINER, J. E., 324P

H

Hacket, N. B. See Everitt, B. J., 342P Haeusler, G. See Finch, L., 356P, 357P

Hahn, R. A. and Patil, P. N. Salivation induced by prostaglandin $F_{2\alpha}$ and modification of the response by atropine and physostigmine, 527

HALL, G. H. Changes in body temperature produced by cholinomimetic substances injected into the cerebral ventricles of unanaesthetized cats, 634

HALL, J. M. See DAY, M. D., 192

HAMAOUI, A. See CARLINI, E. A., 794

HAMILTON, T. C. Effects of dopamine on the conductance of perfused vascular beds of the chloralosed cat, 442

HANAHOE, T. H. P. Effects of calcium on dextran anaphylactoid oedema in the rat, 314

anaphylactoid oedema in the rat, 314 HARANATH, P. S. R. K. See Borison, H. L., 605

HARRIS, CAROL A. and JENNER, F. A. Some aspects of the inhibition of the action of antidiuretic hormone by lithium ions in the rat kidney and bladder of the toad, *Bufo marinus*, 223

HARRIS, M., HOPKIN, JUDY and NEAL, M. J. Effect of centrally acting drugs on the uptake of γ -aminobutyric acid by the brain, 339P

HEADING, CHRISTINE E. See BUCKLEY, G. A. 336P HENNINGSSON, S. S. G. and ROSENGREN, ELSA. Alterations of histamine metabolism after injections of sex hormones in mice, 517

HERMAN, A. See FERREIRA, S. H., 328P

HICKS, DEBORAH C. and PHILLIPS, EILEEN M. Preliminary studies of Ro-3528, a β -adrenoceptor blocking agent, in man, 377P

HIGGS, G. A. and YOULTEN, L. J. F. Prostaglandin production by rabbit peritoneal polymorphonuclear leukocytes *in vitro*, 330P

HILL, MADELINE. See ALPS, B. J., 52

HILL, R. G. and SIMMONDS, M. A. Can meaningful dose-response curves be obtained by measuring the firing-rate responses of cells to iontophoretically applied substances? (T), 389P

HILL, R. G., SIMMONDS, M. A. and STRAUGHAN, D. W. Antagonism of GABA by picrotoxin in the feline cerebral cortex, 807

HILL, R. G. See CLARKE, G., 435

Holland, P., Parkes, D. and Shakespeare, J. Concentrations of the oxime 2-hydroxy-iminomethyl pyridinium methyl methane sulphonate (P2S) after intramuscular injection in humans, 368P

HOLMES, LINDA, LEWIS, G. P., PETERS, JUDY and WHITE, A. M. Effect of hydrocortisone and indomethacin on changes in LDH isoenzymes in skin after thermal injury, 325P

HOLTON, PAMELA. See CURWAIN, B. P., 332P

HOLZBAUER, MARGARETHE and YOUDIM, M. B. H. Influence of endocrine glands on central and peripheral monoamine oxidase activity, 355P

HOPE, C. E. See Fuzzey, G. J. J., 375P HOPKIN, JUDY. See HARRIS, M., 339P

HOWARD, M. R. See COLTART, D. J., 373P

Hughes, J. Evaluation of mechanisms controlling the release and inactivation of the adrenergic transmitter in the rabbit portal vein and vas deferens, 472

HUTCHINS, D. A., RAYEVSKY, K. S. and SHARMAN, H. F. Effect of γ-hydroxybutyric acid on dopamine metabolism in the brain, 341P

IIJIMA, ALLAN T. and REIFFENSTEIN, R. J. Possible allosteric interaction between pharmacological receptors in guinea-pig vas deferens, 364P IRVINE, R. E. See GROVE, J., 390P

J

Jackson, D. M. See Ancill, R. J., 628 Jenner, F. A. See Harris, Carol A., 223 Johnson, E. S. See Alps, B. J., 52

JONES, D. G., LENMAN, J. A. R., ROBERTSON, M. A. H. and TURNBULL, M. J. Effect of amantadine on the urinary excretion of some monoamines and metabolites in normal and Parkinsonian subjects, 386P

JONES, R. L. See CRAWFORD, J. S., 80

K

KARABALI, S. B. See DELITHEOS, A. K., 321 KARIM, S. M. M. See COLLIER, J. G., 374P

KATIC, FRANCES, LAVERY, HELEN and LOWE, R. D.
The central action of clonidine and its antagonism 779

antagonism, 779

KATZ, D. M. and STEINBERG, HANNAH. Previous environment and responses to morphine, 350P KETTLEWELL, M., Nowers, A. and WHITE, R. Effect of digoxin on human red blood cell

electrolytes, 165
KNOWLES, B. R., LUCAS, S. B., MAWER, G. E., STIRLAND, R. M. and TOOTH, J. A. Computerassisted prescribing of kanamycin for patients

with renal insufficiency (T), 380P
KUCHII, M. and SHIBATA, S. In vitro effect of
6-hydroxydopamine on isolated rat atria, 583

Kuhn, H. See Finch, L., 357P

KULSHRESTHA, V. K. See BHARGAVA, K. P., 617 KVITKO, I. J. See DANILOV, A. F., 765

L

Lader, M. H. See Bond, A. J., 343P Lader, M. H. See Curry, S. H., 370P La Montagne, A. E. See Bhagat, B., 689 Langer, S. Z. See Enero, Maria A., 672 Lautt, W. W. See Greenway, C. V., 177, 185 Laverty, R. See Clark, D. W. J., 233 Lavery, Helen. See Katic, Frances, 779 Lavrentieva, V. V. See Danilov, A. F., 765

LEAVER, D. G., PRIDE, N. B. and TATTERSFIELD, A. E. Effect of beta-adrenoceptor blockade and stimulation on the airways of normal

subjects (T), 390P
LEDINGHAM, I. McA., McArdle, C. S. and Parratt, J. R. Comparison of a coronary vasodilator drug (carbochromen) and a cardiac stimulant (oxyfedrin) on blood flow and oxygen extraction in experimental myocardial

infarcts, 323P

Lee, C. Y. See Chang, C. C., 752 Lenman, J. A. R. See Jones, D. G., 386P Lewis, A. J. See Eyre, P., 311 Lewis, G. P. See Holmes, Linda, 325P Lister, R. E. See Beattie, I. A., 348P Lloyd, J. See Campbell, H., 369P Loew, D. M. See Depoortere, H., 354P Lovell, H. G. See Eagling, Elizabeth M., 510 Lowe, R. D. See Katic, Frances, 779 Lucas, S. B. See Knowles, B. R., 380P

Mc

McArdle, C. S. See Ledingham, I. McA., 323P McCarthy, L. E. See Borison, H. L., 605

McDonald, T. F. and MacLeod, D. P. The effect of 2,4-dinitrophenol on electrical and mechanical activity, metabolism and ion move-

ments in guinea-pig ventricular muscle, 711 MacKay, D. and McKirdy, H. C. Effect of vasopressin and of adenosine triphosphate on the flat preparation of rabbit rectum, 366P

McKirdy, H. C. See MacKay, D., 366P MacLeod, D. P. See McDonald, T. F., 711 McPhillips, J. J. See Corey, Sharon E., 586

MADAN, B. R. and Soni, R. K. Effect of β -adrenoceptor blocking agents on poststimulatory atrial flutter in the dog, with observations on the participation of adrenergic mechanisms in this experimental arrhythmia, 109 MAICKEL, R. P. See GERALD, M. C., 462

MAIN, I. H. M. and WHITTLE, B. J. R. Effects of prostaglandin E₂ on rat gastric mucosal blood flow, as determined by ¹⁴C-aniline clearance,

MARKER, P. H. See DUTTA, N. K., 153 Marley, E. and Seller, T. J. Effects of muscarine given into the brains of fowls, 413

MARSDEN, C. A. See GULDBERG, H. C.

MARTIN, J. See Freudenthal, R. I., 244 Märtz, Regina M. W. See Carlini, E. A., 794 MASON, P. A. and STURMAN, GILLIAN. Some

pharmacological properties of piperazine, 169 MATTILA, M. J. See ALHAVA, EEVA, 352P

MAWER, G. E. See KNOWLES, B. R., 380P MAWER, G. E., MILLER, N. R. and TURNBERG, L. A. Metabolism of amylobarbitone in patients with chronic liver disease, 549

METCALFE, J. and ROBINSON, B. V. Pharmacology of the autonomic nervous system—a new film (T), 389P

MICHAL, F. See AHTEE, LIISA, 363P

MICHELSON, M. J. See DANILOV, A. F., 765 MILLER, N. E. See MAWER, G. E., 549

MOIR, D. C., CROOKS, J., SAWYER, P., TURNBULL

M. J. and WEIR, R. D. Cardiotoxicity of tricyclic antidepressants, 371P Mongar, J. L. and Svec, P. Effect of phospho-

lipids on histamine release, 327P

Mongar, J. L. See Foreman, J. C., 326P

MONTIER, A. D. See BHAGAT, B., 689 MORLEY, J. and WILLIAMS, T. J. Inflammatory response produced by a factor released from lymphocytes, 384P

MORLEY, J. and WOLSTENCROFT, R. A. Mitogenic and inflammatory activities produced by antigen activation of guinea-pig lymphocytes,

Morris, R. W. and Shanks, D. Comparison of ultrasonic and caliper methods of measuring subcutaneous fat thickness in humans (T),

Morselli, P. L. See Binini, R., 262 Mould, G. P. See Curry, S. H., 370P MUIR, A. W. See BRIMBLECOMBE, R. W., 561 MUSCETTOLA, G. See BININI, R., 262

N

Nachev, Ch. See Collier, J. G., 286, 294 Naimzada, M. K. See Costa, E., 742 NAKANO, J. Relationship between the chemical structure of prostaglandins and their vaso-activities in dogs, 63 NEAL, M. J. See HARRIS, M., 339P

NICOL, C. J. M. and RAE, R. M. Inhibition of accumulation of adrenaline and noradrenaline in arterial smooth muscle by steroids, 361P

NOTT, M. W. and RAPER, C. Use of cumulative dose-response curves in potency comparisons of sympathomimetic amines on the cat soleus muscle, 589

Nowers, A. See Kettlewell, M., 165

Ohnhaus, E. E. See Dettli, L., 373P O'Malley, K., Sawyer, P. R., Stevenson, I. H. and Turnbull, M. J. Effects of tricyclic antidepressants on drug metabolism, 372P

OSUIDE, G. Pharmacological properties of aminooxyacetic acid in the chicken, 31

OSUIDE, G. Effects of gamma-hydroxybutyrate on chick behaviour, electrocortical activity and crossed extensor reflexes, 593

OWEN, D. A. A. See DAY, M. D., 192

PANDIT, S. K. See DUNDEE, J. W., 140 PARKES, D. See HOLLAND, P., 368P PARKES, M. W. See GARDINER, D. G., 381P PARRATT, J. R. See LEDINGHAM, I. McA., 323P PATERSON, R. A. See BEZNAK, MARGARET, 333P PATIL, P. N. See HAHN, R. A., 527 PATON, W. D. M. and PERTWEE, R. G. Effect of cannabis and certain of its constituents on pentobarbitone sleeping time and phenazone metabolism, 250

PATON, W. D. M. and TEMPLE, DIANA M. Effects of chronic and acute cannabis treatment upon thiopentone anaesthesia in rabbits, 346P PAYNE, J. P. See Fuzzey, G. J. J., 375P

PEARSON, J. D. M. See BARLOW, R. B., 367P PECK, A. W. See CAMPBELL, H., 369P PERTWEE, R. G. See PATON, W. D. M., 2 PETERS, JUDY. See HOLMES, LINDA, 325P PETRIE, A. See CALNE, D. B., 162 PHELAN, E. L. See CLARK, D. W. J., 233

PHILLIPS, EILEEN M. See HICKS, DEBORAH C., 377P PICKLES, V. R. See EAGLING, ELIZABETH M., 510 PORAI-KOSHITS, B. A. See DANILOV, A. F., 765

PRABHU, S., SHARMA, V. N. and SINGH, V. The effects of drugs on stress-induced changes of myocardial glycogen and blood glucose concentration in rats, 814

PRICHARD, B. N. C. See BOAKES, A. J., 378P PRIDE, N. B. See LEAVER, D. G., 390P

RAE, R. M. See NICOL, C. J. M., 361P RAO, N. R. See DUTTA, N. K., 153 RAO, SUMANT. See CALNE, D. B., 162 RAPER, C. See NOTT, M. W., 589 RASTOGI, S. K. See BHARGAVA, K. P., 805 RAYEVSKY, K. S. See HUTCHINS, D. A., 341P READING, H. W, See BARLOW, R. B., 577 REDFERN, P. H. See ANCILL, R. J., 628 REID, J. L. See CALNE, D. B., 162 REIFFENSTEIN, R. J. See IIIMA, ALLAN T., 364P Ring, E. F. J. See Collins, A. J., 145 ROBERTSON, M. A. H. See JONES, D. G., 386P ROBINSON, B. See COLLIER, J. G., 374P ROBINSON, B. F. See COLLIER, J. G., 286, 294 ROBINSON, B. V. See BILLINGHAM, M. E. J., 317 ROBINSON, B. V. See METCALFE, J., 389P ROSENGREN, ELSA. See HENNINGSSON, S. S. G., 517 ROTH, R. H. See BOWERS, JUN., M. B., 301

ROTH, R. H. See Bustos, G., 817 ROTHLIN, R. P. See ENERO, MARIA A., 672 ROYDS, R. B. Initial clinical experience with indoramin, a new antihypertensive agent, 379P ROYDS, R. B. See COLTART, D. J., 387P

ROZHKOVA, E. K. See DANILOV, A. F., 765

SAKALIS, G. See CURRY, S. H., 370P SALAKO, L. A. See DUROTOYE, A. O., 723 SALLOCH, R. R. See Breckenridge, A. M., 390P SAWYER, P. See Moir, D. C., 371P SAWYER, P. R. See O'MALLEY, K., 372P SCHOLFIELD, C. N. See BROWN, D. A., 651 SELLER, T. J. See MARLEY, E., 413 SHAKESPEARE, J. See HOLLAND, P., 36 SHANKS, D. See MORRIS, R. W., 390P SHARKAWI, M. Morphine hyperthermia in the rat: its attenuation by physostigmine, 544 SHARMA, J. N. See DHAWAN, B. N., 404
SHARMA, V. N. See PRABHU, S., 814
SHARMAN, D. F. See CEASAR, P. M., 340P
SHARMAN, D. F. See HUTCHINS, D. A., 341P
SHELKOVNIKOV, S. A. See DANILOV, A. F., 765 SHIBATA, S. See KUCHII, M., 583 SIMMONDS, M. A. See HILL, R. G., 389P, 807 SINGH, B. N. and VAUGHAN WILLIAMS, E. M. Investigations of the mode of action of a new antidysrhythmic drug, Kö 1173, 1 Singh, V. See Prabhu, S., 814 Sinha, J. N. See Bhargava, K. P., 805 Sinha, P. S. See Das, P. K., 391 Smythe, A. See Burnstock, G., 451 SOMERS, K. See COLLIER, J. G., 374P SONI, R. K. See MADAN, B. R., 109 SPECTOR, R. G. Effects of formyl tetrahydrofolic acid and noradrenaline on the oxygen consumption of rat brain synaptosome-mitochondrial preparations, 279 SPECTOR, S. See BERKOWITZ, B. A., 10 SPRING, P. See DETTLI, L., 373P SRIMAL, R. C. See DHAWAN, B. N., 404
SRIVASTAVA, Y. P. See BHARGAVA, K. P., 617
STEFANO, F. J. E. See ENERO, MARIA A., 672
STEINBERG, HANNAH. See KATZ, D. M., 350P STEINBERG, HANNAH. See U'PRICHARD, D. C., 349P STEVENSON, I. H. See O'MALLEY, K., 372P STIRLAND, R. M. See KNOWLES, B. R., 380P STRAUGHAN, D. W. See CLARKE, G., 344P STRAUGHAN, D. W. See HILL, R. G., 807 STURMAN, GILLIAN. See MASON, P. A., 169 SVEC, P. See MONGAR, J. L., 327P SWEEDIN, G. Abolition of the perve-induced Abolition of the nerve-induced responses of the isolated vas deferens of the young rat by agents blocking a-adrenoceptors, 160

TAKAGI, H. See FUKUI, K., 45 TARVER, J. H. See BERKOWITZ, B. A., 10 TATTERSFIELD, A. E. See LEAVER, D. G., 390P TEMPLE, DIANA, M. See PATON, W. D. M., 346P TEOH, P. C. See BOAKES, A. J., 378P THOENEN, H. See FINCH, L., 356P, 357P

THOMPSON, J. M. See CRAWFORD, J. S., 80 THOMPSON, J. W. See CLARK, B., 89 TOMKIEWICZ, M. Amylobarbitone abo Amylobarbitone abolishes social dominance hierarchies in laboratory rats, 351P Tonks, R. S. and Williams, P. H. New method of recording responses of isolated tissues, organs and intact preparations, 384P
Tooth, J. A. See Knowles, B. R., 380P
Toseland, P. See Grove, J., 390P
Towart, R. See Gillespie, J. S., 359P
TRAYLOR, T. D. See Breese, G. R., 210
Trounger, J. P. See Grove, J. 300P TROUNCE, J. R. See GROVE, J., 390P
TURNBERG, L. A. See MAWER, G. E., 549
TURNBULL, M. J. See JONES, D. G., 386P
TURNBULL, M. J. See MOIR, D. C., 371P
TURNBULL, M. J. See MOIR, D. C., 371P TURNBULL, M. J. See O'MALLEY, K., 372P TWAROG, BETTY M. See COTTRELL, G. A., 365P

U'PRICHARD, D. C. and STEINBERG, HANNAH. Selective effects of lithium on two forms of spontaneous activity, 349P

Vakil, S. D. See Calne, D. B., 162 VALADARES, J. R. E. See BEZNAK, MARGARET, 333P VANE, J. R. See FERREIRA, S. H., 328P VARONOS, D. D. See DELITHEOS, A. K., 321 VAUGHAN WILLIAMS, E. M. See SINGH, B. N., 1 VERNEY, J. See AMBACHE, N., 359P

Wajda, I. J. See Datta, K., 732 Wall, M. E. See Freudenthal, R. I., 244 Warner, Anne E. See Glynn, I. M., 271 WEBBER, T. D. See BALLANTYNE, B., 382P WEI, J. W. See CHANG, C. C., 752 WEIR, R. D. See MOIR, D. C., 371P Weir, R. D. See Moir, D. C., 371P
Wells, W. D. E. See Crawford, J. S., 80
West, G. B. See Freeman, Patricia C., 327P
White, A. M. See Holmes, Linda, 325P
White, R. See Kettlewell, M., 165
Whittle, B. A. See Cowan, A., 353P
Whittle, B. J. R. See Main, I. H. M., 331P
Widdrington, G. See Clark, B., 89
Williams, Faith M. See Clare, R. A., 390P
Williams, P. See Ballantyne, B., 382P
Williams, P. H. See Tonks, R. S., 384P
Williams, T. J. See Morley, J., 384P
Wilson, A. B. See Alps, B. J., 52
Withrington, P. G. See Ayers, A. B., 17 WITHRINGTON, P. G. See AYERS, A. B., 17 WOLSTENCROFT, R. A. See MORLEY, J., 334P

YAMAGUCHI, T. Effects of 5-hydroxytryptamine on isolated strips of the guinea-pig stomach, YATES, CELIA M. See BARLOW, R. B., 577 YOUDIM, M. B. H. See HOLZBAUER, See HOLZBAUER, MAR-GARETHE, 355P YOULTEN, L. J. F. See HIGGS, G. A., 330P

SUBJECT INDEX

Acetylcholine, effect on rat ureter in vivo, 628 , responses of the isolated perfused human spleen to, compared with those of dog spleen, 17

Actinomycin D, effect on stress-induced changes of myocardial glycogen and blood glucose

- concentration in rats, 814

 Action potentials, effect of 2,4-dinitrophenol on electrical and mechanical activity, metabolism and ion movements in guinea-pig ventricular muscle, 711
- Addiction, comparison of the effects of dexamphetamine and 1-benzylpiperazine in former addicts, 369P
- Adenosine triphosphatase, activities in cerebral cortex, effects of phenobarbitone on, 338P atropine resistant excitation of the urinary

bladder: the possibility of transmission via nerves releasing a purine nucleotide, 451 , effect on the flat preparation of rabbit

- rectum, 366P
- Adrenaline, effect of infusion on hepatic blood volume in the anaesthetized cat, 177
- effects on transsinusoidal fluid filtration in the cat liver, 185

-, effect on rat ureter in vivo, 628

-, effect compared with that of amphetamine on the transmission of repetitive impulses through the isolated superior cervical ganglion of the rat, 71

-, inhibition of accumulation in arterial smooth muscle by steroids, 361P

- -, responses of the isolated perfused human spleen to, compared with those of dog spleen, 17
- -, use of cumulative dose-response curves to assess potency on the cat soleus muscle, 589 Adrenergic innervation, inhibitory nature of the, in the guinea-pig vas deferens, 359P

Adrenergic mechanisms, central, in the release of antidiuretic hormone, 617

Adrenergic nerves, recovery of vascular function in the rat after chemical sympathectomy with 6-hydroxydopamine, 357P

uptake of desipramine by the rat vas

deferens, 262

- Adrenergic nerve terminals, in vitro effect of 6-hydroxydopamine on isolated rat atria, 583
- Adrenergic neurones, modification by prostaglandin E₂ of the response of guinea-pig isolated vasa deferentia and atria to adrenergic stimuli, 689
- Adrenergic systems, long-lasting peripheral and central effects of 6-hydroxydopamine in
- Adrenoceptors, clinical investigation of an antagonist, AH 5158A, 286
- a-Adrenoceptors, action of amphetamine on, at presynaptic sites, 71
- -, comparison of blockade at, by thymoxamine and phentolamine in peripheral arteries and veins of man, 294
- -, role in regulating noradrenaline overflow by nerve stimulation, 672

- a-Adrenoceptor blocking agents, abolition of the nerve-induced responses of the isolated vas deferens of the young rat by, 160
- -, inhibition from indoramin in man, 378P

-, is thymoxamine specific, 362P

- -, quantitative analysis on isolated organs of the autonomic blocking properties of indoramin hydrochloride, 52
- β -Adrenoceptor antagonists, comparative study on airway resistance and heart rate in the guineapig, 642
- β -Adrenoceptor blockade, and stimulation, effect on the airways of normal subjects (T), 390P
- β -Adrenoceptor blocking agents, effect on poststimulatory atrial flutter in the dog, with observations on the participation of adrenergic mechanisms in this experimental arrhythmia, 109
- , preliminary studies of Ro 3-3528 in man, 377P
- Aggressiveness, factors influencing behaviour elicited by marihuana in food-deprived rats,
- AH 5158A, clinical investigation of adrenoceptor blocking action of, 286
- Alprenolol, effect of, on poststimulatory atrial flutter in the dog, with observations on the participation of adrenergic mechanisms in this experimental arrhythmia, 109

Amantadine, effect on the urinary excretion of some monoamines and metabolites in normal and parkinsonian subjects, 386P

- Amino-acids, selective inhibition by glycine of some somatic reflexes in the cat, 404
- γ-Aminobutyric acid, antagonism by picrotoxin in the feline cerebral cortex, 807
- , effect of centrally acting drugs on uptake by the brain, 339P
- Amino-oxyacetic acid, effects on the central nervous system and on skeletal muscle in the chicken, 31
- Amitriptyline, cardiotoxicity of tricyclic antidepressants, 371P

-, effect on drug metabolism, 372P

- Amnesia, anterograde effects of pethidine, hyoscine and diazepam in adults, 140
- Amphetamine, brain monoamines and the increase in motor activity in the rat after, 347P
- effect on the transmission of repetitive impulses through the isolated cervical ganglion of the rat, 71
- effects on the turnover rate of brain catecholamines and motor activity, 742
- inability to reverse reserpine-induced hypothermia in adrenalectomized mice, 353P , toxicity and brain concentrations in adult and developing rats, 352P
- Amylobarbitone, abolition of social dominance hierarchies in laboratory rats, 351P
- metabolism in patients with chronic liver disease, 549
- Amylobarbitone sodium, effect of age on hydroxylation in man (T), 390P
- Anaesthesia, biphasic response of limb blood flow to intravenous methoxamine in anaesthetized man, 375P

Anaesthesia (cont.)

—, induced by thiopentone, effects of chronic and acute cannabis treatment on, in rabbits, 346P

Anaesthetics, effects of γ-hydroxybutyrate on chick behaviour, electrocortical activity and crossed extensor reflexes, 593

Analgesics, effect of morphine on the cerebral contents of metabolites of dopamine in normal and tolerant mice, 45

Anaphylactic shock, bovine, production of kinins in. 311

Anaphylaxis, activation of anaphylactic histamine release by calcium and strontium ions, 326P
 —, effect of phospholipids on histamine release, 327P

—, effects of calcium on dextran anaphylactoid oedema in the rat, 314

----, resistance of rats to carrageenan and to adjuvant-induced arthritis, 327P

Angiotensin, effect of infusion on hepatic blood volume in the anaesthetized cat, 177

effects of clonidine on its central action, 779
 responses of the isolated perfused human spleen to, compared with those of dog spleen, 17

—, selective inhibition of pressor responses to, in the pithed rat, by tetraethylthiuram disulphide and sodium diethyldithiocarbamate, 192

¹⁴C-Aniline, effects of prostaglandin E₂ on rat gastric mucosal blood flow determined by a clearance technique with, 331P

Anorexia, central stimulant action of fenfluramine in the rat, 342P

 —, effects of amphetamine on the turnover rate of brain catecholamines and motor activity, 742

Anoxia, effects on electrical and mechanical activity, metabolism and ion movements in guinea-pig ventricular muscle compared with those of 2,4-dinitrophenol, 711

Anthelmintics, some pharmacological properties of piperazine, 169

Antiarrhythmia, nature of the calcium dependent potassium leak induced by (+)-propranolol, and its possible relevance to the drug's antiarrhythmic effect, 271

Antibiotics, effect of tetracyclines and 4-epiderivatives on the isolated dog ureter, 788

Anticonvulsants, mode of action of a new antidysrhythmic drug, Kö 1173, 1

Antidepressants, inability to reverse reserpineinduced hypothermia in adrenalectomized mice, 353P

Antidiuretic hormone, central cholinergic and adrenergic mechanisms in the release of, 617

—, inhibition of action by lithium ions, in the rest kidney and toad bladder 223

rat kidney and toad bladder, 223

Anti-inflammatory component, of inflammation exudate, of irritancy from, 317

Anxiety, effect of oxypertine in baboons, 348P Arthritis, adjuvant-induced, resistance of dextranresistant rats to, 327P

Arrhythmia, experimental, observations on participation of adrenergic mechanisms in, 109

Arrhythmias, experimental cardiac, effect of physostigmine in dogs, 397

Ascorbic acid, effect on angiotensin pressor responses in the pithed rat, 192

—, effects of emetine on metabolism, 810

Atrial flutter, poststimulatory, effect of β -adrenoceptor blocking agents in the dog, with observations on the participation of adrenergic mechanisms in this experimental arrhythmia, 109

Atropine, effect on the nerve-induced responses of the isolated vas deferens of the young rat, 160

—, effect on rat ureter in vivo, 628

effect on ventricular fibrillation in hypothermic dogs, 391

 effect on body temperature when injected into the cerebral ventricles of unanaesthetized cats, 634

—, modification of salivatory response induced by prostaglandin $F_{2\alpha}$, 527

—, resistant excitation of the urinary bladder: the possibility of transmission via nerves releasing a purine nucleotide, 451

Atropine-like drugs, interaction with dopaminecontaining neurones in rat brain, 301

Autonomic blocking agent, quantitative analysis on isolated organs of the properties of indoramin hydrochloride as an, 52

Autonomic ganglia, rat, effect of amphetamine on the transmission of repetitive impulses through, 71

Autonomic nervous system, pharmacology of (T), 389P

В

Baboons, evaluation of anti-anxiety effect of oxypertine in, 348P

Barbiturates, metabolism of amylobarbitone in patients with chronic liver disease, 549

, analysis of the inhibition of pethidine Ndemethylase by, 89

Behaviour, amylobarbitone abolishes social dominance hierarchies in laboratory rats, 351P

—, effects of γ-hydroxybutyrate in chicks, 593
 —, factors influencing the aggressiveness elicited by marihuana in food-deprived rats, 794
 —, possible role of brain histamine, 462

Benzodiazepines, residual effects of flurazepam, 343P

1-Benzylpiperazine, comparison of effects with those of dexamphetamine in former addicts, 369P

Berberine, in toxin-induced experimental cholera, 153

Bethanidine, antagonism of the central action of clonidine, 779

Bile, role of the liver cell and the peribiliary vascular plexus in excretion of edrophonium and its metabolites in, 534

Bisquaternary compounds, action of some bisquaternary derivatives of phthalic acids and related substances on neuromuscular transmission, 765

Blood, hepatic volume, effects of infusions of catecholamines, angiotensin, vasopressin and histamine on, in the anaesthetized cat, 177—, kinin activity in, during experimental ana-

phylaxis in calves, 311

—, nature of the calcium dependent potassium leak from human red cells induced by (+)propranolol, and its possible relevance to the drug's antiarrhythmic effect, 271

-, peripheral, scintillometry in psychophysio-

logical research, 388P

Blood flow, comparison of effects of oxyfedrin and carbochromen on, in experimental myocardial infarcts, 323P

Blood flow (cont.)

- , limb, biphasic response to intravenous methoxamine in anaesthetized man, 375P
- -, liver, measurements by internal calorimetry
- in rats (T), 390P
 -, mucosal, effects of isoprenaline on, during stimulation by pentagastrin or feeding, 332P
- -, rat gastric mucosal, effect of prostaglandin E₂, as determined by ¹⁴C—aniline clearance,
- Blood platelets, relative activities on and uptake by, of 5-hydroxytryptamine and several analogues,
- Blood pressure, of patients receiving levodopa, action of L-a-methyldopahydrazine, 162
- Blood vessels, actions of prostaglandins E₂ and $F_{2\alpha}$ on the perfused vessels of the isolated rabbit ear, 699
- resistance of noradrenaline in, to depletion by 6-hydroxydopamine or immunosympathectomy, 10
- BOL-148, alterations in the sleep/wakefulness cycle in rats after administration, compared with (+)-LSD, 354P
- Bretylium, antagonism of the central action of clonidine, 779
- British Pharmacological Society, Proceedings of the, 323P
- BRL 1288, iontophoretic study of the central anticholinergic properties of, 344P
- Bromosulphthalein sodium, binding of, by human serum albumin using a continuous diafiltration technique, 80

- Calcium, action of ions in the anaphylactic release of histamine, 326P
- , effects of, on dextran anaphylactoid oedema in the rat, 314
- , interaction with prostaglandin E₁ in the guinea-pig myometrium, 510
- Cannabidiol, effect on pentobarbitone sleeping time and phenazone metabolism, 250
- Cannabinoid, distribution of Δ^9 -tetrahydrocannabinol in the mouse, 244
- Cannabis, and certain of its constituents, effect on pentobarbitone sleeping time and phenazone metabolism, 250
- effects of chronic and acute treatment on
- thiopentone anaesthesia in rabbits, 346P-, factors influencing the aggressiveness elicited by marihuana in food-deprived rats, 794
- Carbachol, changes in body temperature produced by, injected into the cerebral ventricles of unanaesthetized cats, 634
- origin of the after-hyperpolarization that follows removal of, from the isolated superior cervical ganglion of the rat, 651
- -, supersensitivity to the negative chronotopic action of, in the rat, 586
- Carbochromen, effects on blood flow and oxygen extraction in experimental myocardial infarcts, compared with those of oxyfedrin, 323P
- Cardiac glycosides, effect of digoxin on human red blood cell electrolytes, 165
- Cardiac muscle, guinea-pig, effect of 2,4-dinitro-phenol on electrical and mechanical activity, metabolism and ion movements in, 711

Cardiostimulation, mechanism by which prostaglandin E2 affects responses to adrenergic stimuli of guinea-pig atria, 689

- Cardiotoxicity, of tricyclic antidepressants, 371P Cardiotoxin, role in the blockade of nerve conduction and depolarization of skeletal muscle induced by cobra venom, 752
- Cardiovascular function, a noninvasive technique for the cardiovascular evaluation of drugs, 387P
- Cardiovascular system, effect of dehydroemetine on isolated guinea-pig atria, 723
- , resistance of noradrenaline in blood vessels to depletion by 6-hydroxydopamine or immunosympathectomy, 10
- Carrageenan, resistance of dextran-resistant rats to. 327P
- Catecholamines, brain, developmental characteristics in the rat and effects of 6-hydroxydopamine, 210
- , brain, effects of amphetamine on the turnover rate, 742
- concentrations of, and activity of tyrosine hydroxylase, after an increase in the con-centration of tyrosine in rat tissues, 307
- , effects of infusion on hepatic blood volume in the anaesthetized cat, 177
- -, effects of dopamine on the conductance of perfused vascular beds of the chloralosed cat, 442
- , evaluation of mechanisms controlling the release and inactivation of the adrenergic transmitter in the rabbit portal vein and vas deferens, 472
- , resistance of noradrenaline in blood vessels to depletion by 6-hydroxydopamine or immunosympathectomy, 10
- , responses of the isolated perfused human spleen to, compared with those of dog spleen, 17
- Central nervous system, iontophoretic study of the central anticholinergic properties of BRL 1288, 344P
- , stimulant action of fenfluramine in the rat, 342P
- Centrally acting drugs, effects on the uptake of γ -aminobutyric acid by the brain, 339P , effects on the metabolism of pethidine, 89
- Cerebrospinal fluid, respiratory responses chemical pulses in, in cats, 605
- Chemical structure, relationships with stereo-specificity (T), 367P
- Chemosensitivity, brain, respiratory responses to chemical pulses in the cerebrospinal fluid of cats, 605
- Chlorimipramine, effect on drug metabolism,
- Chlorisondamine, induction of supersensitivity to the negative chronotopic action of carbachol and methacholine in the rat, 586
- o-Chlorobenzylidene malononitrile, pharmacology of, 561
- Chlorpromazine, clinical pharmacology of, 370P Cholera, toxin-induced experimental, berberine in, 153
- Choline, effects of two hemicholiniums on concentrations in rabbit plasma, 324
- Choline acetyltransferase, morphine-induced kinetic alterations of, in the rat caudate nucleus, 732
- Cholinergic mechanisms, central, in the release of antidiuretic hormone, 617

Cholinesterase, plasma, determination of re-lationship between inhibition and tolerance to neostigmine in rat tissues, 336P

Cholinometic substances, changes in body temperature produced by, when injected into the cerebral ventricles of unanaesthetized cats, 634 , effects of muscarine given into the brain of

fowls, 413

Clonidine, central action and its antagonism, 779 Cobra venom, role of cardiotoxin and phospholipase A in the blockade of nerve conduction and depolarization of skeletal muscle induced by, 752

Cocaine, effects on the turnover rate of brain catecholamines and motor activity, 742

Convulsants, effects of amino-oxyacetic acid on the central nervous system and on skeletal muscle in the chicken, 31

effects of γ -hydroxybutyrate on chick behaviour, electrocortical activity and crossed

extensor reflexes, 593

Counter-transport, nature of the calcium dependent potassium leak induced by (+)-propranolol, and its possible relevance to the drug's antiarrhythmic effect, 271

CS. See o-Chlorobenzylidene malononitrile, 561 Cyanide, tissue concentrations and cytochrome oxidase activities in experimental cyanide poisoning, 382P

Cytochrome oxidase, activities, and tissue cyanide concentrations in experimental cyanide poisoning, 382P

D

Dehydroemetine, effect on isolated guinea-pig atria, 723

N-Demethylation, of pethidine, analysis of inhibition by monoamine oxidase inhibitors and other drugs, 89

Desipramine, uptake by the rat vas deferens, 262 Desmethylimipramine, inability to reverse reserpine-induced hypothermia in adrenalectomized mice, 353P

, effect on drug metabolism, 372P

Dexamphetamine, comparison of effects with those of 1-benzylpiperazine in former addicts, 369P

Dextran, effect of calcium on local anaphylactoid

response to, in rat, 314

Diafiltration, study of the binding of bromosulphthalein sodium by human serum albumin using, 80

Dialysis, new technique for the continuous measurement of the concentration of vasoactive hormones, 383P

Diarrhoea, berberine in toxin-induced experimental cholera, 153

Diazepam, anterograde amnesic effects in adults, 140

Digoxin, dosage in patients with impaired kidney function, 373P

, effect of, on human red blood cell electrolytes, 165

plasma concentrations in children with heart failure, 373P

1-(3,4-Dihydroxyphenyl)-1,2-ethanediol, studied in mouse brain, 340P

3,4-Dihydroxyphenylacetic acid, effect of morphine on the cerebral contents of, in normal and tolerant mice, 45

1-(2',6'-Dimethyl-phenoxy)-2-amino-propane. See Kö 1173. 1

Dimethylquinazolone, muscle relaxant activity of, 805

2,4-Dinitrophenol, effect on electrical and mechanical activity, metabolism and ion movements in guinea-pig ventricular muscle, 711

Diphenylhydantoin, potency as an antidysrhythmic drug compared with that of Kö 1173, 1

Disulfiram, effect on stress-induced changes of myocardial glycogen and blood glucose concentration in rats, 814

Dopamine, brain, developmental characteristics in the rat and effects of 6-hydroxydopamine, 210 , effects of amphetamine on the turnover rate

in brain and motor activity, 742

, effects on the conductance of perfused vascular beds of the chloralosed cat, 442 , effect of γ -hydroxybutyrate on release from

rat striatum, 817 -, effect of γ-hydroxybutyric acid on metabolism

in the brain, 341P , effect of morphine on cerebral contents of metabolites of, in normal and tolerant mice, 45

Dopamine-containing neurones, in rat brain, interaction of atropine-like drugs with, 301

Dose-response curves, can meaningful curves be obtained by measuring the firing rate responses of cells to iontophoretically applied substances? (T) 389P

cumulative, use to compare potency of sympathomimetic amines on the cat soleus

muscle, 589

Doxycycline, effects on the isolated dog ureter, 788 Drugs, metabolism in the isolated perfused dog lung (T), 390P

Dysrhythmia, investigations of the mode of action of a new antidysrhythmic drug, Kö 1173, 1

E

Edrophonium, and its metabolites, excretion in bile: role of the liver cell and the peribiliary vascular plexus, 534

, mechanism of the facilitatory action in cat skeletal muscle (T), 367P

Emetine, effects on the metabolism of ascorbic acid, 810

Endocrine glands, influence on central and peripheral monoamine oxidase activity, 355P

Enzymes, morphine-induced kinetic alterations of choline acetyltransferase of the rat caudate nucleus, 732

, myocardial, effect of pituitary and thyroid hormones, 333P

Epilepsy, effects of a focal penicillin lesion on responses of rabbit cortical neurones to putative neurotransmitters, 435

, effects of formyl tetrahydrofolic acid and noradrenaline on the oxygen consumption of rat brain synaptosome-mitochondrial preparations, 279

Fenfluramine, central stimulant action in the rat, 342P

Flurazepam, residual effects, 343P

Formyl tetrahydrofolic acid, effects on the oxygen consumption of rat brain synaptosomemitochondrial preparations, 279

G

- Gastric acid, effects of isoprenaline on secretion during stimulation by pentagastrin or feeding,
- Glucose, blood concentrations, effect of drugs on stress-induced changes in rats, 814

transport in cerebral cortex, effects of phenobarbitone on, 338P

Glycine, selective inhibition of some somatic reflexes in the cat, 404

Glycogen, cardiac, effect of drugs on stressinduced changes in rats, 814

myocardial, effect of physostigmine in hypothermic dogs, 391

Guanethidine, antagonism of the central action of clonidine, 779

Η

Haemolysis, induced by streptolysin O, inhibition by theobromine sodium salicylate, 321

Hemicholinium No. 3, and its paraterphenyl analogue effects on the concentrations of plasma choline in the rabbit, 324P

Hepatic fluid, effects of adrenaline, isoprenaline and histamine on transsinusoidal fluid filtration in the cat liver, 185

Hexamethonium, changes in body temperature produced by, when injected into the cerebral ventricles of unanaesthetized cats, 634

Histamine, activation of anaphylactic release by calcium and strontium ions, 326P

-, alterations in metabolism after injections of sex hormones in mice, 517

-, brain, possible role in behaviour, 462

-, effect on rat ureter in vivo, 628

-, effect of phospholipids on anaphylactic release, 327P

 effects of infusion on hepatic blood volume in the anaesthetized cat, 177

effects on transsinusoidal fluid filtration in the cat liver, 185

Homovanillic acid, effect of morphine on cerebral contents of, in normal and tolerant mice, 45 Hormones, sex, alterations of histamine meta-

bolism after injections in mice, 517

Hunger, factors influencing the aggressiveness elicited by marihuana in food-deprived rats,

Hydrocortisone, effect on changes in LDH isoenzymes in skin after thermal injury, 325P m-Hydroxybenzyltrimethylammonium ions, N-[14C]-

methyl labelled, distribution and excretion in mice. 577

y-Hydroxybutyrate, effect on the release of monoamines from the rat striatum, 817

effects on chick behaviour, electrocortical activity and crossed extensor reflexes, 593 γ-Hydroxybutyric acid, effect on dopamine meta-

bolism in the brain, 341P 6-Hydroxydopamine, effects on developmental characteristics of brain catecholamines and

tyrosine hydroxylase in rat, 210

, failure to induce experimental hypertension in rats after intraventricular injection of, 356P

-, in vitro effect on isolated rat atria, 583 , long-lasting peripheral and central effects of,

in rats, 233

, recovery of vascular adrenergic nerve function in the rat after chemical sympathectomy with, 357P

6-Hydroxydopamine (cont.)

, or immunosympathectomy, resistance of noradrenaline in blood vessels to depletion by, 10

831

2-Hydroxyiminomethyl pyridinium methyl methane sulphonate, concentrations after intramuscular injection in humans, 368P

1-(4-Hydroxy-3-methoxyphenyl)-1, 2-ethanediol, studied in mouse brain, 340P

5-Hydroxytryptamine, and its analogues, relative activities on and uptake by human blood platelets, 117

, effect of γ -hydroxybutyrate on release from

rat striatum, 817

-, effect on rat ureter in vivo, 628

-, effects on isolated strips of guinea-pig stomach, 100

, in the brain, role in amphetamine-induced rotational motor activity, 347P

Hyoscine, anterograde amnesic effects in adults. 140

Hyperactivity, selective effects of lithium on two forms of spontaneous activity, 349P
Hyperpolarization, origin of the after-hyper-

polarization that follows removal of depolarizing agents from the isolated superior cervical ganglion of the rat, 651

Hypertension, effect of sympathomimetic drugs in eliciting hypertensive responses to reserpine in the rat, after pretreatment with mono-

amine oxidase inhibitors, 203
-, experimental, failure to induce after intraventricular injection of 6-hydroxydopamine

in rats, 356P
-, initial clinical experience with indoramin, a new antihypertensive agent, 379P

Hyperthermia, induced by morphine in the rat, attenuation by physostigmine, 544

Hypertrophy, cardiac, cardiac responses to pituitary and thyroid hormones, 333P

Hypnotics, residual effects of a new benzodiazepine, flurazepam, 343P

, the muscle relaxant activity of methaqualone and its methyl congener, 805

Hypogastric ganglion, pharmacological studies in

rat and guinea-pig, 492

Hypotension, central action of clonidine and its antagonism, 779

, quantitative analysis on isolated organs of the autonomic blocking properties of indoramin hydrochloride, 52

Hypothermia, effect of physostigmine on ventricular fibrillation and myocardial glycogen in hypothermic dogs, 391
-, reserpine-induced, inability to antidepres-

sants and morphine to reverse, in adrenalectomized mice, 353P

Imipramine, effect on drug metabolism, 372P

, effect on unit activity in the midbrain raphé of rats, 345P

Immunosympathectomy, or 6-hydroxydopamine, resistance of noradrenaline in blood vessels to depletion by, 10

Indomethacin, action on the rabbit isolated jejunum preparation, 328P

effect on changes in LDH isoenzymes in skin after thermal injury, 325P

Indoramin, a new hypertensive agent, initial clinical experience with, 379P

α-adrenoceptor inhibition from, in man, 378P

Indoramin (cont.)

, haemodynamic effects of—a non-invasive technique for the cardiovascular evaluation of drugs, 387P

Indoramin hydrochloride quantitative analysis on isolated organs of the autonomic blocking properties of, 52

Inflammation, inflammatory response produced by a factor released from lymphocytes, 384P measurement in man and animals by

radiometry, 145 -, mitogenic and inflammatory activities produced by antigen activation of guinea-pig lymphocytes, 334P

-, prostaglandin production by rabbit peritoneal polymorphonuclear leukocytes in vitro, 330P

Inflammation exudate, separation of irritancy from the anti-inflammatory component of, 317 Instruments, new method of recording responses of

isolated tissues, organs and intact preparations, 384P

Ions, uptake kinetics and requirements for extraneuronal uptake of noradrenaline by arterial smooth muscle, 359P

Iproniazid, effect of sympathomimetic drugs in

eliciting hypertensive responses to reserpine in the rat after pretreatment with, 203

Irritancy, separation of, from the anti-inflammatory component of inflammation exudate, 317 Irritants, pharmacology of o-chlorobenzylidene malononitrile (CS), 561

Isoprenaline, effect compared with that of amphetamine on the transmission of repetitive impulses through the isolated superior cervical ganglion of the rat, 71

-, effect on rat ureter in vivo, 628

, effects of transsinusoidal fluid filtration in the cat liver, 185

-, effects of, on gastric acid secretion and mucosal blood flow during stimulation by pentagastrin or feeding, 332P

-, responses of the isolated perfused human spleen to, compared with those of dog spleen, 17

, use of cumulative dose-response curves to assess potency on the cat soleus muscle, 589

K

Kanamycin, computer-assisted prescribing of, for patients with renal insufficient (T), 380P Kinins, production of, in bovine anaphylactic

shock, 311

Kö 1173, a new antidysrhythmic drug, investigations of the mode of action of, 1

L

Lactic dehydrogenase isoenzymes, effect of hydrocortisone and indomethacin in changes in, in skin after thermal injury, 325P

Leptazol, effects of rat brain lysosomes, 337P Leukocytes, rabbit peritoneal polymorphonuclear, prostaglandin production in vitro by, 330P Levodopa, action of L-α-methyldopahydrazine on

the blood pressure of patients receiving, 162

Lithium, selective effects on two forms of spontaneous activity, 349P

, some aspects of the inhibition of the action of antidiuretic hormone by, in the rat kidney and toad bladder, 223

Liver, cat, effects of adrenaline, isoprenaline and histamine on transsinusoidal fluid filtration in, 185

effects of infusions of catecholamines, angiotensin, vasopressin, and histamine on hepatic blood volume in the anaesthetized cat, 177

, metabolism of amylobarbitone in patients with chronic disease of, 549

-)-LSD, alterations in the sleep/wakefulness cycle in rats after administration, compared with (+)-LSD, 354P

Lymphocytes, guinea-pig, mitogenic and inflammatory activities produced by antigen activation of, 334P

, inflammatory response produced by a factor released from 384P

Lysosomes, rat brain, effects of phenobarbitone and leptazol, 337P

Marihuana, factors influencing the aggressiveness elicited by marihuana in food-deprived rats, 794

Marine snails, active factors in the venom duct of Conus californicus, 365P

Mebanazine, analysis of the inhibition of pethidine N-demethylase by, 89

Mecamylamine, changes in body temperature produced by, when injected into the cerebral ventricles of unanaesthetized cats, 634

Mepicycline, effects on the isolated dog ureter, 788 Methacholine, effects on the hypogastric ganglion of rat and guinea-pig, 492

, supersensitivity to the negative chronotopic action of, in the rat, 586

Methaqualone, and its methyl congener, muscle relaxant activity of, 805

Methoxamine, biphasic response of limb blood flow to intravenous, in anaesthetized man, 375P

α-Methyldopa, effect on stress-induced changes of myocardial glycogen and blood glucose concentration in rats, 814

L-a-Methyldopahydrazine, action on the blood pressure of patients receiving levodopa, 162 Methylphenylhydrazine, analysis of the inhibition

of pethidine N-demethylase by, 89

α-Methyl-p-tyrosine, effect on stress-induced changes of myocardial glycogen and blood glucose concentration in rats, 814

Mitogenic activity, and inflammatory activity, produced by antigen activation of guinea-pig lymphocytes, 334P

Monoamine oxidase, influence of endocrine glands on central and peripheral activity, 355P

Monoamine oxidase inhibitors, analysis of the inhibition of pethidine N-demethylation by,

, effect of sympathomimetic drugs in eliciting hypertensive responses to reserpine in the rat after pretreatment with, 203

Monoamines, and metabolites, effect of amantadine on the urinary excretion of, in normal and parkinsonian patients 386P

, effect of γ -hydroxybutyrate on release from the rat striatum, 817

in the brain, role in amphetamine-induced rotational motor activity, 347P

Morphine, attentuation by physostigmine of hyperthermia induced by, in the rat, 544

Morphine (cont.)

, effect of previous environment on responses to, 350P

-, effect on rat ureter in vivo, 628

- effect on the cerebral contents of metabolites of dopamine in normal and tolerant mice: its possible relation to analgesic action,
- inability to reverse reserpine-induced hypothermia in adrenalectomized mice, 353P kinetic alterations of choline acetyltrans-

ferase of the rat caudate nucleus induced by, 732

Motor activity, brain, effects of amphetamine on,

Muscarine, effects when given into the brain of fowls, 413

Myocardium, comparison of effects of carbochromen and oxyfedrin on blood flow and oxygen extraction in experimental myocardial infarcts, 323P

Myometrium, interaction of prostaglandin E_1 and calcium in the guinea-pig myometrium, 510

N

Nalorphine, analysis of the inhibition of pethidine N-demethylase by, 89

, effects on morphine hyperthermia in the rat, 544

Narcotics, morphine-induced kinetic alterations of choline acetyltransferase of the rat caudate nucleus, 732

Neostigmine, effects on morphine hyperthermia in the rat, 544

persistence of activity in tissues of the rat after prolonged oral administration, 336P

Neuroleptic drugs, interaction of atropine-like drugs with dopamine-containing neurones in rat brain, 301

Neurones, origin of the after-hyperpolarization that follows removal of depolarizing agents from the isolated superior cervical ganglion of the rat, 651 Neuromuscular transmission, action of

bisquaternary derivatives of phthalic acids and related substances on, 765

Neurotransmission, selective inhibition by glycine

of some somatic reflexes in the cat, 404 Neurotransmitters, putative, effects of a focal penicillin lesion on responses of rabbit cortical neurones to, 435

Nicotine, changes in body temperature induced by, when injected into the cerebral ventricles of unanaesthetized cats, 634

Nicotinic stimulants, effects on the hypogastric ganglion of rat and guinea-pig, 492

Noradrenaline, brain, developmental characteristics in the rat and effects of 6-hydroxydopamine, 210

changes in body temperature produced by when injected into the cerebral ventricles of unanaesthetized cats, 634

-, effect of infusion on hepatic blood volume in the anaesthetized cat, 177

-, effect compared with that of amphetamine on the transmission of repetitive impulses through the isolated superior cervical ganglion of the rat, 71

effects on the oxygen consumption of rat brain synaptosome-mitochondrial preparations, 279

Noradrenaline (cont.)

, effects of amphetamine on the turnover rate in brain and motor activity, 742

-, effect on rat ureter in vivo, 628

, evaluation of mechanisms controlling the release and inactivation of the adrenergic transmitter in the rabbit portal vein and vas deferens, 472

, in blood vessels, resistance of, to depletion 6-hydroxydopamine or immunosympathectomy, 10

, in the brain, role in amphetamine-induced rotational motor activity, 347P

-, inhibition of accumulation in arterial smooth

muscle by steroids, 361P
-, investigation of possible correlation between contraction induced by, in rat vas deferens, and uptake of desipramine, 262, modification by prostaglandin E₂ of the response of guinea-pig isolated vasa deferentia and atria, 689

, peripheral and central effects of 6-hydroxy-

dopamine in rats, 233

, responses of the isolated perfused human spleen to, compared with those of dog spleen, 17

, role of the α-adrenoceptor in regulating overflow by nerve stimulation, 672

, studies on its glycol metabolites in mouse brain, 340P

, uptake kinetics and ion requirements for extraneuronal uptake of, by arterial smooth muscle, 359P

Nortriptyline, effect on drug metabolism, 372P Nucleotides, purine, atropine resistant excitation of the urinary bladder: the possibility of transmission via nerves releasing, 451

Oestradiol, alterations of histamine metabolism after injections in mice, 517

Ouabain, effect of Kö 1173 on cardiac dysrhythmia

produced by, 1

Oxyfedrin, effects on blood flow and oxygen extraction in experimental myocardial infarcts, compared with those of carbochromen, 323P

Oxygen, effects of formyl tetrahydrofolic acid and noradrenaline on consumption of rat brain synaptosome-mitochondrial preparations, 279

Oxygen extraction, comparison of effects of oxyfedrin and carbochromen on, in experimental myocardial infarcts, 323P

Oximes, concentrations of 2-hydroxyiminomethyl pyridinium methyl methane sulphonate after intramuscular injection in humans, 368P

Oxypertine, effect on anxiety-induced behaviour in baboons, 348P

Oxytocin, responses of the isolated perfused human spleen to, compared with those of dog spleen, 17

Parkinsonism, action of L-a-methyldopahydrazine on the blood pressure of patients receiving levodopa, 162

, effect of amantadine on the urinary excretion of some monoamines and metabolites in normal and parkinsonian subjects, 386P

iontophoretic study of the central anticholinergic properties of BRL 1288, 344P

Penicillamine, effect on angiotensin pressor responses in the pithed rat, 192

- Penicillin, effects of a focal lesion on responses of rabbit cortical neurones to putative neuro-transmitters, 435
- Pentobarbitone, effect of cannabis and certain of its constituents on sleeping time induced by, 250
- Pentolinium, effect on ventricular fibrillation in hypothermic dogs, 391
- Pethidine, analysis of the inhibition of N-demethylation of by monoamine oxidase inhibitors and some other drugs with special reference to drug interactions in man, 89
- —, anterograde amnesic effects in adults, 140
- Phenazone, metabolism of, effect of cannabis and certain of its constituents on, 250
- Phenelzine, effect of sympathomimetic drugs in eliciting hypertensive responses to reserpine in the rat after pretreatment with, 203
- Phenobarbitone, effects on glucose transport and membrane ATPase activities of cerebral cortex, 338P
- —, effects on rat brain lysosomes, 337P
- Phenoxybenzamine, abolition of the nerve-induced responses of the isolated vas deferens of the young rat by, 160
- —, effects on transmitter overflow, noradrenaline uptake and α-adrenoceptor blockade in cat nictitating membrane preparation, 672
- Phentolamine, abolition of the nerve-induced responses of the isolated vas deferens of the young rat by, 160
- —, antagonism of the central action of clonidine,
- —, comparison of blockade at α-adrenoceptors with that of thymoxamine, in peripheral arteries and veins of man, 294
- β-Phenylethylamine, effect in eliciting hypertensive responses to reserpine in the rat, after pretreatment with monoamine oxidase inhibitors, 203
- Phenylhydrazine, analysis of the inhibition of pethidine N-demthylase by, 89
- Phospholipase A, role in the blockade of nerve conduction and depolarization of skeletal muscle induced by cobra venom, 752
- Phospholipids, effect on histamine release, 327P Phthalic acids, action of some bisquaternary derivatives and related substances on neuro-muscular transmission, 765
- Physostigmine, attentuation of morphine hyperthermia in the rat, 544
- effect on experimental cardiac arrhythmias
- in dogs, 397
 —, effect on ventricular fibrillation and myocardial glycogen in hypothermic dogs, 391
- —, modification of salivatory response induced by prostaglandin $F_{2\alpha}$, 527
- Picrotoxin, antagonism of γ-aminobutyric acid by, in the feline cerebral cortex, 807
- Pindolol, effects on airway resistance and heart rate in guinea-pig compared with those of other β -adrenoceptor antagonists, 642
- Piperazine, some pharmacological properties of, 169
- Pituitary hormone, cardiac responses to, 333P
- Plasma, digoxin concentrations in children with heart failure, 373P
- , rabbit, effects of two hemicholiniums on choline concentrations in, 324

- Platelet aggregation, relative activities on and uptake by human blood platelets of 5-hydroxy-tryptamine and several analogues, 171
- Platelets, effects of sympathomimetic amines on aggregation in rabbits in vitro, 363P
- Poisoning, rapid identification of drugs in cases of self poisoning by means of combined GC-MS-computer system (T), 390P
- Polypeptides, responses of the isolated perfused human spleen to, compared with those of dog spleen, 17
- Potassium, effect of digoxin on concentration in human red blood cells, 165
- —, effect of 2,4-dinitrophenol on movements in guinea-pig ventricular muscle, 711
- , nature of the calcium dependent leak from red blood cells induced by (+)-propranolol, and its possible relevance to the drug's antiarrhythmic effect, 271
- Practolol, effects on airway resistance and heart rate in guinea-pig compared with those of other β -adrenoceptor antagonists, 642
- —, effect on poststimulatory atrial flutter in the dog, with observations on the participation of adrenergic mechanisms in this experimental arrhythmia, 109
- Premedicants, anterograde amnesic effects of pethidine, hyoscine and diazepam in adults,
- Pressor responses, to angiotensin, in the pithed rat selective inhibition by tetraethylthiuram disulphide and sodium diethyldithiocarbamate, 192
- Procinolol, effects on airway resistance and heart rate in guinea-pig compared with those of other β -adrenoceptor antagonists, 642
- **Progesterone,** alterations of histamine metabolism after injections in mice, 517
- **Propranolol,** effects on airway resistance and heart rate in guinea-pig compared with those of other β -adrenoceptor antagonists, 642
- ---, effect on poststimulatory atrial flutter in the dog, with observations on the participation of adrenergic mechanisms in this experimental arrhythmia, 109
- —, effect on rat ureter in vivo, 628
 (+)-Propranolol, nature of the calcium dependent potassium leak induced by, and its possible relevance to the antiarrhythmic effect of the drug, 271
- Prostaglandin E₁, interaction with calcium in the guinea-pig myometrium, 510
- Prostaglandin E₁, effect on rat gastric mucosal blood flow, as determined by ¹⁴C-aniline clearance, 331P
- —, modification of the response of guinea-pig isolated vasa deferentia and atria to adrenergic stimuli, 689
- Prostaglandin $F_{2\alpha}$, salivation induced by, and modification of the response by atropine and physostigmine, 527
- Prostaglandins, E_1 and $F_{2\alpha}$, actions on the perfused vessels of the isolated rabbit ear, 699
- —, action of A_2 , B_1 , E_2 and $F_{2\alpha}$ on superficial hand veins of man, 374P
- —, generation maintains the smooth muscle tone of the rabbit isolated jejunum, 328P
- —, production by rabbit peritoneal polymorphonuclear leukocytes in vitro, 330P
- ----, relationship between the chemical structure of, and their vasoactivities in dogs, 63

- Psychosis, some aspects of the inhibition of the action of antidiuretic hormone by lithium ions in the rat kidney and bladder of the toad Bufo marinus, 223
- **Psychotropic drugs,** analysis of the inhibition of pethidine N-demethylase by, 89
- Pteroyl glutamate, and its formyl tetrahydrometabolite, effect on brain respiration in vitro, 279

Q

- Quaternary amines, excretion of ¹⁴C-edrophonium and its metabolites in bile: role of the liver cell and the peribiliary vascular plexus, 534
- Quaternary compounds, distribution and excretion of N-[14C]-methyl labelled m-hydroxybenzyl-trimethylammonium ions in mice, 577
- Quinterenol, use of cumulative dose-response curves to assess potency on the cat soleus muscle, 589

R

- Radiometry, measurement of inflammation in man and animals by, 145
- Receptors, central cholinergic and adrenergic mechanisms in the release of antidiuretic hormone, 617
- —, for 5-hydroxytryptamine, on human blood platelets, 117
- —, pharmacological, possible allosteric interaction between, in guinea-pig vas deferens, 364P
- ----, tryptamine, in smooth muscles of guinea-pig stomach, 100
- Red blood cell electrolytes, effect of digoxin on, 165 Reflexes, somatic, selective inhibition by glycine in the cat, 404
- Reserpine, effect of sympathomimetic drugs in eliciting hypertensive responses to, in the rat, after pretreatment with monoamine oxidase inhibitors, 203
- —, effect on angiotensin pressor responses in the pithed rat, 192
- —, effect on ventricular fibrillation in hypothermic dogs, 391
- Respiration, comparative study of six β -adrenoceptor antagonists on airway resistance and heart rate in the guinea-pig, 642
- —, device for cycle-by-cycle spirometry, applied to the continuous recording of air overflow, 381P
- ——, respiratory response to chemical pulses in the cerebrospinal fluid of cats, 605
- Ro 3-3528, a β -adrenoceptor blocking agent, preliminary studies in man, 377P
- Rolitetracycline, effects on the isolated dog ureter,
- Roundworms, some pharmacological effects of piperazine, an anthelmintic agent, 169

S

- Salivation, induced by prostaglandin $F_{2\alpha}$ and modification of the response by atropine and physostigmine, 527
- Scintillometry, peripheral blood, in psychophysiological research, 388P
- Serum albumin, human, binding of bromosulphthalein sodium by, using a continuous diafiltration technique, 80

Sex hormones, alterations of histamine metabolism after injections in mice, 517

- SKF 525A, analysis of the inhibition of pethidine N-demethylase by, 89
- Sleeping time, effect of cannabis and certain of its constituents on, 250
- Sleep/wakefulness cycle, alteration in rats after administration of (-)-LSD or BOL-148; a comparison with (+)-LSD, 354P
- Sodium, effect of digoxin on concentration in human red blood cells, 165
- —, effect of 2,4-dinitrophenol on movements in guinea-pig ventricular muscle, 711
- Sodium diethyldithiocarbamate, selective inhibition of angiotensin pressor responses in the pithed rat by, 192
- Sodium ions, origin of the after-hyperpolarization that follows removal of depolarizing agents from the isolated superior cervical ganglion of the rat, 651
- Sotalol, effects on airway resistance and heart rate in guinea-pig compared with those of other β -adrenoceptor antagonists, 642
- Soterenol, use of cumulative dose-response curves to assess potency on the cat soleus muscle, 589
- Spirometry, cycle-by-cycle, device for applied to the continuous recording of air overflow, 381P
- Spleen, isolated perfused human, responses to sympathetic nerve stimulation, catecholamines and polypeptides, 17
- Stereospecificity, relationships with chemical structure (T), 367P
- Steroids, inhibition of accumulation of adrenaline and noradrenaline in arterial smooth muscle by, 361P
- Streptolysin O, inhibition of haemolysis induced by, by theobromine sodium salicylate, 321
- Strontium, actions of ions in the anaphylactic release of histamine, 326P
- Subcutaneous fat, comparison of ultrasonic and caliper methods of measurement of thickness in man (T), 390P
- Sympathetic nervous system, role in experimental atrial flutter in the dog, 109
- —, responses of the isolated perfused human spleen to stimulation compared with those of dog spleen, 17
- Sympathomimetic amines, effects on rabbit platelet aggregation *in vitro*, 363P
- —, use of cumulative dose-response curves in potency comparisons of, on the cat soleus muscle, 589
- Sympathomimetic drugs, effect in eliciting hypertensive responses to reserpine in the rat, after pretreatment with monoamine oxidase inhibitors, 203

Т

- Temperature, changes produced by cholinomimetic substances injected into the cerebral ventricles of unanaesthetized cats, 634
- Testosterone, alterations of histamine metabolism after injections in mice, 517
- **Tetracyclines**, and 4-epiderivatives, effects on the isolated dog ureter, 788
- Tetraethylthiuram disulphide, selective inhibition of angiotensin pressor responses in the pithed rat by, 192
- Tetrahydrocannabinol, factors influencing the aggressiveness elicited by marihuana in food-deprived rats, 794
- △¹-Tetrahydrocannabinol, effect on pentobarbitone sleeping time and phenazone metabolism, 250

△9-Tetrahydrocannabinol, distribution in the mouse, 244

Theobromine sodium salicylate, inhibition streptolysin O-induced haemolysis by, 321

Thermal injury, effect of hydrocortisone and indomethacin on changes in LDH isoenzymes in skin after, 325P

Thermoregulation, changes in body temperature produced by cholinomimetic substances injected into the cerebral ventricles of unanaesthetized cats, 634

Thiopentone, effects of chronic and acute cannabis treatment on anaesthesia induced by, in rabbits, 346P

Thymoxamine, comparison of blockade at aadrenoceptors with that of phentolamine, in peripheral arteries and veins of man, 294 , is it a specific a-adrenoceptor blocking agent?

362P

Thyroid hormones, cardiac responses to, 333P

Toxicology, role of cardiotoxin and phospholipase A in the blockade of nerve conduction and depolarization of skeletal muscle induced by cobra venom, 752

tissue cyanide concentrations and cytochrome oxidase activities in experimental cyanide poisoning, 382P

Tranquillizers, analysis of the inhibition of pethidine N-demethylase by, 89

Transmission, possibility of, via nerves releasing a purine nucleotide during atropine resistant excitation of the urinary bladder, 451

Transmitter, adrenergic, evaluation of mechanisms controlling release and inactivation of, in rabbit portal vein and vas deferens, 472

, role of the a-adrenoceptor in regulating noradrenaline overflow by nerve stimulation, 672

Tricyclic antidepressants, analysis of the inhibition of pethidine N-demethylase by, 89

cardiotoxicity of, 371P

, effects on drug metabolism, 372P

Tyramine, modification by prostaglandin E2 of the response of guinea-pig isolated vasa deferentia and atria, 689

, effect in eliciting hypertensive responses to reserpine in the rat, after pretreatment with monoamine oxidase inhibitors, 203

Tyrosine, in rat tissues, catecholamine concentra-tions and activity of tyrosine hydroxylase after an increase in concentration of, 307

Tyrosine hydroxylase, activity after an increase in the concentration of tyrosine in rat tissues, 307

developmental characteristics in the rat brain and effects of 6-hydroxydopamine, 210 U

Uptake kinetics, and ion requirements for extraneuronal uptake of noradrenaline by arterial smooth muscle, 359P

Ureter, rat, pharmacology in vivo, 628 USVC 6524, effect of, on poststimulatory atrial flutter in the dog, with observations on the participation of adrenergic mechanisms in this experimental arrhythmia, 109

V

Vascular bed, cutaneous, actions of prostaglandins E_1 and $F_{2\alpha}$ on the perfused vessels of the isolated rabbit ear, 699

, perfused, of the chloralosed cat, effects of dopamine on the conductance of, 442

Vas deferens, isolated rat, abolition of the nerveinduced responses of, by a-adrenoceptor blocking agents, 160

Vasoactive hormones, new dialysis technique for the continuous measurement of the concentration of, 383P

Vasoactivity, relationship between the chemical structure of prostaglandins and their, in dogs,

Vasodilatation, effects of dopamine on the conductance of perfused vascular beds of the chloralosed cat, 442

Vasopressin, effect of infusion on hepatic blood volume in the anaesthetized cat, 177

, effect on the flat preparation of rabbi rectum, 366P

, responses of the isolated perfused human spleen to, compared with those of dog spleen, 17

Venom, active factors in the duct of Conas colifornicus, 365P

Ventricular fibrillation, effect of physostigmine in hypothermic dogs, 391

Wy 21901. See indoramin hydrochloride

X

Xanthine, derivatives of, effect on streptolysin O-induced haemolysis in rabbit red cells, 321

Instructions to Authors

- 1. Manuscripts (2 copies) should be typed in double spacing on one side of paper not larger than foolscap (33×20.5 cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.
- 2. A short summary of results and conclusions (arranged in numbered paragraphs), tables and legends to figures should be typed on separate sheets of paper.
- 3. References should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.
- 4. Figures should NOT BE LARGER THAN FOOLSCAP ($33 \times 20^{\circ}5$ cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.
- 5. Lettering on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:



- 6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.
- 7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.
- 8. An abstract of about 100 words suitable for inclusion in *International Abstracts* of *Biological Sciences* should be typed on a separate sheet, giving the author's name and address and the title of the paper.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

BRITISH JOURNAL OF PHARMACOLOGY April 1972 Volume 44 Number 4

Page

Systematic Pharmacology

- 593 OSUIDE, GABRIEL. Effects of gamma-hydroxybutyrate on chick behaviour, electrocortical activity and crossed extensor reflexes. (SP2)
- BORISON, H. L., HARANATH, P. S. R. K. and McCarthy, L. E. Respiratory responses to chemical pulses in the cerebrospinal fluid of cats. (SP2, PK1)
- 617 BHARGAVA, K. P., KULSHRESTHA, V. K. and SRIVASTAVA, Y. P. Central cholinergic and adrenergic mechanisms in the release of antidiuretic hormone. (SP2, AP1, AP3)
- 628 ANCILL, R. J., JACKSON, D. M. and REDFERN, P. H. The pharmacology of the rat ureter in (SP3)

Autopharmacology

- HALL, G. H. Changes in body temperature produced by cholinomimetic substances injected into the cerebral ventricles of unanaesthetized cats. (API, SP2)
 ADVENIER, C., BOISSIER, J. R. and GIUDICELLI, J. F. Comparative study of six β-adrenoceptive
- Advenier, C., Boissier, J. R. and Giodicelli, J. F. Comparative study of six g-adrenoceptive antagonists on airway resistance and heart rate in the guinea-pig.

 (API, SP3, DM2)
 Brown, D. A., Brownstein, M. J. and Scholfield, C. N. Origin of the after-hyperpolarization
- 651 Brown, D. A., Brownstein, M. J. and Scholfield, C. N. Origin of the after-hyperpolarization that follows removal of depolarizing agents from the isolated superior cervical ganglion of the rat.

 (API, DMI)
- 672 ENERO, A. MARÍA, LANGER, S. Z., ROTHLIN, R. P. and STEFANO, F. J. E. Role of the α-adrenoceptor in regulating noradrenaline overflow by nerve stimulation. (AP1, PK3, BM2)
- 689 BHAGAT, B., DHALLA, N. S., GINN, DONNA, MONTAGNE, A. E. LA, JR. and MONTIER, A. D. Modification by prostaglandin E₂ (PGE₂) of the response of guinea-pig isolated vasa deferentia and atria to adrenergic stimuli. (AP2, AP1)
- 699 AL TAI, SUHAILA A. and GRAHAM, J. D. P. The actions of prostaglandins E_1 and $F_{2\alpha}$ on the perfused vessels of the isolated rabbit ear. (AP2, SP1)

Drug Mechanisms

- 711 McDonald, T. F. and MacLeod, D. P. The effect of 2,4-dinitrophenol on electrical and mechanical activity, metabolism and ion movements in guinea-pig ventricular muscle. (DM1, SP1)
- 723 DUROTOYE, A. O. and SALAKO, L. A. The effect of dehydroemetine on isolated guinea-pig atria. (DM1, SP1)
- 732 DATTA, K. and WAJDA, I. J. Morphine-induced kinetic alterations of choline acetyltransferase of the rat caudate nucleus. (DM1)
- COSTA, E., GROPPETTI, A. and NAIMZADA, M. K. Effects of amphetamine on the turnover rate of brain catecholamines and motor activity. (DM1, PK2)
 CHANG, C. C., CHUANG, SING-TAI, LEE, C. Y. and WEI, J. W. Role of cardiotoxin and phos-
- 752 CHANG, C. C., CHUANG, SING-TAI, LEE, C. Y. and WEI, J. W. Role of cardiotoxin and phospholipase A in the blockade of nerve conduction and depolarization of skeletal muscle induced by cobra venom.

 (DM1)
- 765 DANILOV, A. F., KVITKO, I. J., LAVRENTIEVA, V. V., MICHELSON, M. J., PORAI-KOSHITS, B. A., ROZHKOVA, E. K. and SHELKOVNIKOV, S. A. Action of some bisquaternary derivatives of phthalic acids and related substances on neuromuscular transmission. (DM1)
- 779 KATIC, FRANCES, LAVERY, HELEN and LOWE, R. D. The central action of clonidine and its antagonism. (DM2, SP1, SP2)
- 788 Arrigoni, E., Benzi, G. and Ferrara, A. Effect of tetracylines and 4-epiderivatives on the ureter. (DM2)

Psychopharmacology

794 CARLINI, E. A., HAMAOUI, A. and MÄRTZ, REGINA M. W. Factors influencing the aggressiveness elicited by marihuana in food-deprived rats. (PP)

SHORT COMMUNICATIONS

- 805 BHARGAVA, K. P., RASTOGI, S. K. and SINHA, J. N. The muscle relaxant activity of methaqualone and its methyl congener. (SP2, SP3)
- HILL, R. G., SIMMONDS, M. A. and STRAUGHAN, D. W. Antagonism of GABA by picrotoxin in the feline cerebral cortex.

 (SP2, DM2)
- 810 CHATTERJEE, A. K., DATTA, S. C. and GHOSH, B. B. Effects of emetine on the metabolism of ascorbic acid.

 (PK2)

 814 PRABULL S. SHARMA V. N. and SINGH. V. The effect of drugs on stress-induced changes of
- PRABHU, S., SHARMA, V. N. and SINGH, V. The effect of drugs on stress-induced changes of myocardial glycogen and blood glucose concentration in rats. (PK2, SP1)
- 817 Bustos, G. and Roth, R. H. Effect of γ-hydroxybutyrate on the release of monoamines from the rat striatum. (PK3)