These experiments support an hypothesis that there is an inhibitory monoaminergic link between the medulla and the lateral horn cells of the thoracic spinal cord.

REFERENCE

Dahlstrom, A. & Fuxe, K. (1965). Evidence for the existence of monoamine neurons in the central nervous system. II. Experimentally induced changes in the intraneuronal amine levels of bulbospinal neuron systems. *Acta Physiol. Scand.*, 64, Suppl., 247, 1-36.

The iontophoretic release of aspartate and glutamate ions from multibarrelled micropipettes (T)

RUBY MORGAN and J. H. WOLSTENCROFT

Department of Physiology, University of Birmingham

The fractionation of brain tissue by zonal centrifugation with special reference to the synaptosomal populations (T)

G. B. Ansell and Sheila Spanner (introduced by P. B. Bradley)

Department of Pharmacology (Preclinical), The Medical School, Birmingham B15 2TJ

Effects of α - and β -adrenoceptor blocking agents on the release of renin by renal nerve stimulation in the cat (T)

J. H. COOTE, E. J. JOHNS and BERTHA SINGER (introduced by J. H. WOLSTENCROFT)

Department of Physiology, University of Birmingham

Action of papaverine on spinal reflexes (T)

J. A. GONZALEZ-VEGAS (introduced by J. H. WOLSTENCROFT)

Department of Physiology, University of Birmingham

Central actions of catatonia-inducing drugs with a structural resemblance to catecholamines (T)

J. A. GONZALEZ-VEGAS and J. H. WOLSTENCROFT

Department of Physiology, University of Birmingham

Effects of long-term motor nerve stimulation on the pharmacological responses of rabbit muscles (T)

M. D. Brown and G. Vrbova (introduced by J. H. Wolstencroft)

Department of Physiology, University of Birmingham