

Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*) H. M. Adam (*Secretary*)
Margaret Day (*Press Editor*)
J. D. Stephenson (*Assistant Press Editor*)

G. W. Ashcroft	H. W. Kosterlitz
R. B. Barlow	G. P. Lewis
J. M. Barnes	J. Maddox (co-opted)
J. W. Black	J. F. Mitchell
W. C. Bowman	P. A. Nasmyth
P. B. Bradley	M. W. Parkes
A. W. Cuthbert	Mary Pickford
C. T. Dollery	H. P. Rang
W. S. Feldberg	H. O. Schild
D. F. Hawkins	D. F. Sharman
F. Hobbiger	Hannah Steinberg
Margarethe Holzbauer	F. M. Sullivan
D. B. Hope	J. R. Vane

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr. H. M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £18.50 in the United Kingdom and Republic of Ireland; \$58.20 U.S.A. and Canada (by air freight; second class postage paid at New York, N.Y.); £18.50 all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan Journals Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: J. Ashley-Brown, Advertisement Manager, *British Journal of Pharmacology*, Macmillan Journals Ltd., 4 Little Essex Street, London, WC2R 3LF, England. Tel: 01-836 6633. Direct line: 01-405 3013.

Copyright © 1972 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

BRITISH JOURNAL OF PHARMACOLOGY

The following are some of the articles which will appear in future issues:

CURWAIN, B. P. and HOLTON, PAMELA: The effects of isoprenaline and noradrenaline on pentagastrin-stimulated gastric acid secretion and mucosal blood flow in the dog.

LIU, C. L., ROGERS, S. H. and BUEDING, E.: Inhibition by metrifonate and dichlofos of cholinesterases in schistosomes.

BUÑAG, RUBEN and MULLENIX, PHYLLIS: Augmentation of drug-induced blood pressure increases in rats by amobarbital.

BURNSTOCK, G., SATCHELL, D. G. and SMYTHE, ANNE: A comparison of the excitatory and inhibitory effects of non-adrenergic, non-cholinergic nerve stimulation and exogenously applied ATP on a variety of smooth muscle preparations from different vertebrate species.

CONOLLY, M. E., DAVIES, D. S., DOLLERY, C. T., MORGAN, C. D., PATERSON, J. W. and SANDLER, M.: Metabolism of isoprenaline in dog and man.

CRIPPS, HEATHER, DEARNALEY, D. P., and HOWE, P. R. C.: Enhancement of noradrenaline depletion in the cat spleen by phenoxybenzamine and phentolamine.

GODFRAIND, T. and LESNE, M.: The uptake of cardiac glycosides in relation to their actions in isolated cardiac muscle.

GREENWAY, C. V. and MURTHY, V. S.: Effects of vasopressin and isoprenaline infusions on the distribution of blood flow in the intestine; criteria for the validity of microsphere studies.

BOU CASALS, J.: Pharmacokinetic and toxicological studies of antimony dextran glycoside.

INDEX TO VOLUME 45

AUTHOR INDEX

A

- AARSEN, P. N. and ZEEGERS, A. Effects of histamine, 5-hydroxytryptamine and bradykinin on the vascular system of isolated lungs of the guinea-pig and the influence of phenylbutazone on these effects, 284
- ABDEL-AZIZ, A. and BAKRY, N. The nature of the adrenoceptors in the post-partum rat uterus, 504
- ADNITT, P. I. and FRAYN, K. N. Effects of metformin on glucose uptake by the isolated rat diaphragm, 152P
- ALABASTER, VALERIE A., and BAKHLE, Y. S. The inactivation of bradykinin in the pulmonary circulation of isolated lungs, 299
- ALLEN, G. S., RAND, M. J. and STORY, D. F. Effects of McN-A-343 and DMPP on the uptake and release of ^3H -noradrenaline by guinea-pig atria, 480
- ALLEN, J. D., KOFI EKUE, M. J., SHANKS, R. G., and ZAIDI, S. A. The effect of K δ 1173, a new anticonvulsant agent on experimental cardiac arrhythmias, 561
- ANSELL, G. B. and SPANNER, SHEILA. The fractionation of brain tissue by zonal centrifugation with special reference to the synaptosomal populations (T), 195P
- ARMSTRONG, J. M. Vascular reactivity to noradrenaline and 5-hydroxytryptamine in hypotensive rats, 183P
- ASHTON, HEATHER. The effects of cigarette smoking on the response to stress in a driving simulator, 546
- ASHTON, HEATHER, SAVAGE, R. D., THOMPSON, J. W. and WATSON, D. W. A method for measuring human behavioural and physiological responses at different stress levels in a driving simulator, 532
- ATKINSON, J., and LADINSKY, H. A quantitative study of the anticholinergic action of several tricyclic antidepressants on the rat isolated fundal strip, 519
- AUSTIN, MARILYN. *See* FITZGERALD, J. D., 207

B

- BAJGAR, J. Time course of acetylcholinesterase inhibition in the medulla oblongata of the rat by *O*-ethyl *S*-(2-dimethylaminoethyl) methylphosphonothioate *in vivo*, 368
- BAKHLE, Y. S. *See* ALABASTER, VALERIE A., 299
- BAKRY, N. *See* ABDEL-AZIZ, A., 504
- BALASUBRAMANIAM, K., MAWER, G. E., POHL, J. E. F. and SIMONS, P. J. G. Impairment of cognitive function associated with hydroxyamylbarbitone accumulation in patients with renal insufficiency, 360
- BALLINGER, B., BROWNING, M., O'MALLEY, K. and STEVENSON, I. H. Drug-metabolizing capacity in states of drug dependence and withdrawal, 638
- BARTLET, A. L. Apparent differences between the effects of hyoscine *in vivo* and *in vitro* on the responses of chicken oesophagus to nerve stimulation, 635
- BASU RAY, B. N., BOOKER, W. M., DUTTA, S. N. and PRADHAN, S. N. Effects of microinjection of ouabain into the hypothalamus in cats, 197
- BELAIR, E. J., COHEN, A. I. and YELNOSKY, J. Renal excretion of metolazone, a new diuretic, 476
- BENOY, CHRISTINE J. ELSON, L. A., and SCHNEIDER, R. Multiple emulsions, a suitable vehicle to provide sustained release of cancer chemotherapeutic agents, 135P
- BESWICK, G. W., KAVANAGH, L. G., KELLETT, D. N., STABLES, R. and WILLEY, G. L. A method for providing intermittent intravenous injections in unrestrained animals, 184P
- BHARGAVA, K. P., BHARGAVA, RANI and GUPTA, M. B. Central adrenoceptors concerned in the release of adrenocorticotrophic hormone, 682
- BHARGAVA, K. P., MISHRA, N., and TANGRI, K. K. An analysis of central adrenoceptors for control of cardiovascular function, 596
- BHARGAVA, RANI. *See* BHARGAVA, K. P., 682
- BHOOLA, K. D. and LEMON, M. J. C. Comparison of the phosphodiesterases in the submaxillary gland, brain and liver, 141P
- BITTERLI, E., and JASANI, M. K. A quantitative assessment of tissue changes accompanying homograft reaction: changes in tissue dry weight, DNA and moisture content in rabbit skin homografts, 138P
- BLAKESLEY, B. C., DINNEEN, L. C., ELLIOTT, R. D. and FRANCIS, D. L. Intravenous self-administration of heroin in the rat: experimental technique and computer analysis, 181P
- BLUNN, R. W. and BROWN, T. A. A solid-state iontophoretic current switch, 189P
- BLYTH, D. I. The effect of histamine on the electrical activity of rat uterus, 126
- BOAKES, R. J. A simple device for the construction of multibarrelled micropipettes, 188P
- BOAKES, R. J., BRADLEY, P. B. and CANDY, J. M. A neuronal basis for the alerting action of (+)-amphetamine, 391
- BOAKES, R. J., BRIGGS, I. and CANDY, J. M. Use of the iontophoretic and fluorescence histochemical techniques in investigations of the actions of drugs at synapses in the C.N.S., 187P
- BOOKER, W. M. *See* BASU RAY, B. N., 197
- BOSE, D. and INNES, I. R. Influence of sodium pumping on smooth muscle contraction, 689
- BOULLIN, D. J. and GREEN, A. R. Mechanisms by which human blood platelets accumulate glycine, gaba and amino-acid precursors of putative neurotransmitters, 83
- BOWERY, BARBARA and LEWIS, G. P. Inhibition of prostaglandin synthesis and functional hyperaemia in rabbit adipose tissue, 146P
- BOWERY, N. G. and BROWN, D. A. Depolarization of isolated rat ganglia by γ -aminobutyric acid and related compounds, 160P
- BOWMAN, W. C. and RODGER, I. W. Actions of the sympathomimetic bronchodilator, rimeterol (R798) on the cardiovascular, respiratory and skeletal muscle systems of the anaesthetized cat, 574

- BRADLEY, P. B. *See* BOAKES, R. J., 391
- BRADLEY, P. B. and DRAY, A. The effects of different anaesthetics on responses of brain stem neurones to iontophoretically applied transmitter substances, 169P
- BRADLEY, P. B. and DRAY, A. Short-latency excitation of brain stem neurones in the rat by acetylcholine, 372
- BRADSHAW, C. M. and SZABADI, E. A technique for achieving greater stability of the brain for microiontophoretic studies of single cortical neurones, 185P
- BRIGGS, I. The effects of methylated tryptamine derivatives on brain stem neurones, 177P
- BRIGGS, I. *See* BOAKES, R. J., 187P
- BRITTAİN, R. T. and TYRES, M. B. AH 8165: a new short-acting, competitive neuromuscular blocking drug, 158P
- BROADLEY, K. J. Negative inotropic responses of the rat to isoprenaline, 123
- BROWN, D. A. *See* BOWERY, N. G., 160P
- BROWN, D. A. and HALLIWELL, J. V. Intracellular pH in rat isolated superior cervical ganglia in relation to nicotine-depolarization and nicotine-uptake, 349
- BROWN, D. A. and SCHOLFIELD, C. N. Nicotine washout rates from isolated rat ganglia in relation to recovery from nicotine depolarization, 29
- BROWN, M. D. and VRBOVA, G. Effects of long-term motor nerve stimulation on the pharmacological responses of rabbit muscles (T), 195P
- BROWN, T. A. *See* BLUNN, R. W., 189P
- BROWNING, M. *See* BALLINGER, B., 638
- BURDEN, D. T. and PARKES, M. W. Assessment of the effectiveness of β -adrenoceptor blocking agents towards cardiac and bronchiolar responses of the pitched guinea-pig to electrical stimulation of the spinal outflow, 275
- BUTLER, K. and LEWIS, G. P. The effect of anti-inflammatory agents on the changes in local lymph after thermal injury, 644

C

- CANDY, J. M. *See* BOAKES, R. J., 187P, 391
- CAPPELL, HOWARD, GINSBERG, RONALD and WEBSTER, C. D. Amphetamine and conditioned 'anxiety', 525
- CHAHL, LORIS A. A structure-activity study of sympathomimetic amines on the beta-adrenoceptors of guinea-pig trachea, 510
- CHRISTMAS, A. J., COULSON, C. J., MAXWELL, D. R. and RIDDELL, D. A comparison of the pharmacological and biochemical properties of substrate-selective monoamine oxidase inhibitors, 490
- COHEN, A. I. *See* BELAIR, E. J., 476
- COMIS, S. D., HAYWARD, T. L., HODGES, D. C. and HOLLINS, G. An improved electrically operated microtap, 190P
- COMIS, S. D. and PICKLES, J. O. A pharmacological technique for investigating the function of centrifugal auditory pathways in cat, 192P
- COOPER, F. and SCHNIEDEN, H. Study of the mechanisms of action of desipramine and chlorpromazine in reversing reserpine-induced hypothermia in mice, 162P
- COOTE, J. H., JOHNS, E. J. and SINGER, BERTH A. Effects of α - and β -adrenoceptor blocking agents on the release of renin by renal nerve stimulation in the cat (T), 195P

- COSTA, M. and FURNESS, J. B. Slow contraction of the guinea-pig proximal colon in response to the stimulation of an unidentified type of nerve, 151P
- COTTRELL, G. A., MACON, J. and SZCZEPANIAK, A. C. Glutamic acid mimicking of synaptic inhibition on the giant serotonin neurone of the snail, 684
- COULSON, C. J. *See* CHRISTMAS, A. J., 490
- CROCKER, ANN D. and WILSON, K. A. A preliminary investigation into the metabolic requirements of the contractile response of guinea-pig ileum to angiotensin, 150P
- CURREY, H. L. F. and FOWLER, P. D. A study of clofazimine in the rat, 676

D

- DAY, M. D., ROACH, A. G. and WHITING, R. L. The mode of action of α -methyl dopa, 168P
- DAY, M. D. and WHITING, R. L. An improved technique for the continuous measurement of arterial blood pressure in the conscious unrestrained cat, 182P
- DE WIED, C., GREVEN, H. M., LANDE, S. and WITTER, A. Dissociation of the behavioural and endocrine effects of lysine vasopressin by tryptic digestion, 118
- DINNEEN, L. C. *See* BLAKESLEY, B. C., 181P
- DOW, R. C., LASZLO, I. and RITCHIE, ISOBEL. Cellular localization of the uptake of 5-hydroxytryptamine in the area postrema of the rabbit after injection into a lateral ventricle, 178P
- DOWNING, O. A. The effects of procaine, amylobarbitone on drug induced changes in the surface potentials of an isolated sympathetic ganglion, 159P
- DOUGLAS, W. W. and SORIMACHI, M. Colchicine inhibits adrenal medullary secretion evoked by acetylcholine without affecting that evoked by potassium, 129
- DOUGLAS, W. W. and SORIMACHI, H. Effects of cytochalasin B and colchicine on secretion of posterior pituitary and adrenal medullary hormones, 143P
- DRAKONTIDES, ANNA B. and GERSHON, MICHAEL D. Studies of the interaction of 5-hydroxytryptamine and the perivascular innervation of the guinea-pig caecum, 417
- DRAY, A. *See* BRADLEY, P. B., 169P, 372
- DUDEK, G., LATALLO, Z. S., PROKOPOWICZ, J. and WOROWSKI, K. Degradation of angiotensin II by plasmin, 60
- DUSTING, G. J. and RAND, M. J. Depressor responses to spinal stimulation in the pithed rat, 218
- DUTTA, S. N. *See* BASU RAY, B. N., 197

E

- ECKENFELS, A. and VANE, J. R. Prostaglandins, oxygen tension and smooth muscle tone, 451
- ELIASH, SARAH, and WEINSTOCK, MARTA. Factors influencing the adrenergic neurone blocking action of propranolol, 630
- ELLIOTT, R. D. *See* BLAKESLEY, B. C., 181P
- ELSON, L. A. *See* BENOY, CHRISTINE J., 135P

- ENDO, M., HASHIMOTO, K. and KIMURA, T. Effects of perivascular nerve stimulation on the contraction and automaticity of the blood-perfused canine papillary muscle, 603
- ERSPAMER, V., FALCONIERI ERSPAMER, G., INSELVINI, M. and NEGRI, L. Occurrence of bombesin and alytesin in extracts of the skin of three European discoglossid frogs and pharmacological actions of bombesin on extra-vascular smooth muscle, 333
- ERSPAMER, V., MELCHIORRI, P. and SOPRANZI, N. The action of bombesin on the system arterial blood pressure of some experimental animals, 442
- F
- FALCONIERI ERSPAMER, G. *See* ERSPAMER, V., 333
- FARMER, J. B., KENNEDY, I., LEVY, G. P. and MARSHALL, R. J. Pharmacology of AH 5158: a drug which blocks both α - and β -adrenoceptors, 660
- FENNESSY, M. R. and LEE, J. R. Comparison of the dose-response effects of morphine on brain amines, analgesia and activity in mice, 240
- FERGUSON, D. R. and TWITE, B. R. Effects of frusemide on cyclic AMP binding in the toad bladder, 139P
- FINCH, L. and HAEUSLER, G. Further evidence for a central hypotensive action of α -methyl-dopa, 167P
- FITZGERALD, J. D. and O'DONNELL, STELLA R. (with the technical assistance of AUSTIN, MARILYN). A comparison of the haemodynamic effects of propranolol, 4-hydroxy-propranolol and practolol in anaesthetized dogs, 207
- FOSTER, R. W. and O'DONNELL, STELLA R. Some evidence of the active uptake of noradrenaline in the guinea-pig isolated trachea, 71
- FOWLER, P. D. *See* CURREY, H. L. F., 676
- FOZARD, J. R. and MUSCHOLL, E. Effects of several muscarinic agonists of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
- FRANCIS, D. L. *See* BLAKESLEY, B. C., 181P
- FRAYN, K. N. *See* ADNITT, P. I., 152P
- FURNESS, J. B. *See* COSTA, M., 151P
- FURNESS, J. B. and MARSHALL, JANICE M. Direct observation of the effects of nerve stimulation and of exogenous catecholamines on the rat mesenteric vasculature, 193P
- G
- GERSHON, MICHAEL D. *See* DRAKONTIDES, ANNA B., 417
- GILLESPIE, J. S. The rat anococcygeus muscle and its response to nerve stimulation and to some drugs, 404
- GINSBERG, RONALD. *See* CAPPELL, HOWARD, 525
- GONZALEZ-VEGAS, J. A. Action of papaverine on spinal reflexes (T), 195P
- GONZALEZ-VEGAS, J. A. and WOLSTENCROFT, J. H. Central actions of catatonina-inducing drugs with a structural resemblance to catecholamines (T), 195P
- GREEN, A. R. *See* BOULLIN, D. J., 83
- GREEN, K. L. The anti-inflammatory effect of catecholamines in the peritoneal cavity and hind paw of the mouse, 322
- GREVEN, H. M. *See* DE WIED, C., 118
- GRYGLEWSKI, R. and VANE, J. R. The release of prostaglandins and rabbit aorta contracting substance (RCS) from rabbit spleen and its antagonism by anti-inflammatory drugs, 37
- GUPTA, M. B. *See* BHARGAVA, K. P., 682
- GWEE, M. C. E. and LIM, H. S. Hydrocortisone and the concentration of choline in the plasma of rodents, 133
- H
- HAEUSLER, G. *See* FINCH, L., 167P
- HALL, MOIRA T. Dependence of β -adrenoceptor mediated mechanical effects on the glycogen concentration in the rabbit isolated small intestine, 378
- HALLIWELL, J. V. *See* BROWN, D. A., 349
- HANDLEY, SHEILA L. and MISKIN, RUTH C. Effect of cortisol on a central response to 5-hydroxy-tryptamine, 179P
- HARRY, J. D., LINDEN, R. J. and SNOW, H. M. The action of propranolol on the dog heart, 155P
- HASHIMOTO, K. *See* ENDO, M., 603
- HAYWARD, T. L. *See* COMIS, S. D., 190P
- HILL, R. G., SIMMONS, M. A. and STRAUGHAN, D. W. Blockade of central GABA receptors and the convulsive actions of bicuculline, picrotoxin and leptazol, 176P
- HOBBS, FRANCES M. and WALLACE, W. F. M. Evidence that the potentiation by neostigmine of constrictor responses of the rabbit ear artery is not due to anticholinesterase activity at adrenergic nerve endings, 153P
- HODGES, D. C. *See* COMIS, S. D., 190P
- HOLLINS, G. *See* COMIS, S. D., 190P
- HUGHES, J. and ROTH, R. H. Variations in noradrenaline output with respect to stimulus frequency, train length and origin of the transmitter, 157P
- I
- INNES, I. R. *See* BOSE, D., 689
- INSELVINI, M. *See* ERSPAMER, V., 333
- J
- JASANI, M. K. *See* BITTERLI, E., 138P
- JOHNS, E. J. *See* COOTE, J. H., 195P
- JONES, G. and PERTWEE, R. G. A metabolic interaction *in vitro* between cannabidiol and Δ^1 -tetrahydrocannabinol, 375
- JONES, R. L. Properties of a new prostaglandin, 144P
- JORDAN, L. M. and PHILLIS, J. W. Acetylcholine inhibition in the intact and chronically isolated cerebral cortex, 584
- JOYCE, DAPHNÉ, STEELE, J. W. and SUMMERFIELD, A. Chronic ingestion of nicotine modifies the behaviour of mice after ethanol, 164P
- JUORIO, A. V. Monoamine metabolites in *Octopus vulgaris*, 166P
- K
- KALSNER, STANLEY. Effects of the inhibition of noradrenaline uptake and synthesis on the maintenance of the response to continuous nerve stimulation in the central artery of the rabbit ear, 1
- KAVANAGH, L. G. *See* BESWICK, G. W., 184P
- KELLETT, D. N. *See* BESWICK, G. W., 184P
- KENNEDY, I. *See* FARMER, J. B., 660

- KERKUT, G. A., RICK, J. T. and TABERNER, P. V. The effects of gamma-hydroxybutyric acid on brain respiration *in vitro*, 174P
 KIMURA, T. *See* ENDOH, M., 603
 KING, A. R., MARTIN, I. L. and SEYMOUR, K. ARABELLA. Reversal learning facilitated by a single injection of lysergic acid diethylamide (LSD 25) in the rat, 161P
 KOFI EKUE, M. J. *See* ALLEN, J. D., 561
 KOSTERLITZ, H. W. and WATERFIELD, ANGELA A. Effects of calcium and manganese on acetylcholine release from the myenteric plexus of guinea-pig and rabbit ileum, 157P
 KRAMER, R. L. and RICHENS, A. Two-dimensional immunoelectrophoresis of human serum proteins for the investigation of protein binding of drugs, 184P

L

- LADER, M. H. and TYRER, P. J. Central and peripheral effects of propranolol and sotalol in normal human subject, 557
 LADINSKY, H. *See* ATKINSON, J., 519
 LANDE, S. *See* DE WIED, C., 118
 LAZZLO, I. Investigations on the histochemical demonstration of noradrenaline and 5-hydroxytryptamine in the area postrema of the rabbit by fluorescence microscopy, 186P
 LASZLO, I. *See* DOW, R. C., 178P
 LATALLO, Z. S. *See* DUDEK, G., 60
 LEE, J. R. *See* FENNESSY, M. R., 240
 LEMON, M. J. C. *See* BHoola, K. D., 141P
 LEONARD, B. E. Some effects of the hallucinogenic drug 2,5-dimethoxy-4-methylamphetamine on the metabolism of biogenic amines in the rat brain, 165P
 LEVY, G. P. *See* FARMER, J. B., 660
 LEWIS, G. P. *See* BOWERY, BARBARA, 146P
 LEWIS, G. P. *See* BUTLER, K., 644
 LEWIS, G. P., McMARTIN, C., ROSENTHAL, S. R. and YATES, CATHERINE. Isolation and identification of pharmacologically active amino acids in skin and their structure-activity relationship on the guinea-pig ileum, 104
 LIM, H. S. *See* GWEE, M. C. E., 133
 LINDEN, R. J. *See* HARRY, J. D., 155P
 LIVINGSTON, A. and SOORIYAMOORTHY, T. Blood flow in the neurohypophysis of the rabbit associated with hormone-releasing stimuli, 142P

M

- MACON, J. *See* COTTRELL, G. A., 684
 MARSHALL, JANICE M. *See* FURNESS, J. B., 193P
 MARSHALL, R. J. *See* FARMER, J. B., 660
 MARTIN, I. L. Gas chromatographic method for the estimation of noradrenaline, dopamine and 5-hydroxytryptamine, 188P
 MARTIN, I. L. *See* KING, A. R., 161P
 MASSINGHAM, R. and NASMYTH, P. A. The nature of the positive inotropic response of the isolated frog heart to theophylline and to iminazole, 229
 MATSUBARA, ICHIRO, and SANO, TOYOMI. Effect of cigarette smoking on human precapillary sphincters, 13
 MAWER, G. E. *See* BALASUBRAMANIAM, K., 360
 MAXWELL, D. R. *See* CHRISTMAS, A. J., 490

- MEEK, JAMES L. and NEFF, NORTON H. Fluorometric estimation of 4-hydroxy-3-methoxyphenylethyleneglycol sulphate in brain, 435
 MELCHIORRI, P. *See* ERSPAMER, V., 442
 MISHRA, N. *See* BHARGAVA, K. P., 596
 MISKIN, RUTH C. *See* HANDLEY, SHEILA L., 179P
 MITCHELL, J. F. and ROBERTS, P. J. Evoked release of amino acids from the intact spinal cord, 175P
 MOIR, A. T. B. Interaction in the cerebral metabolism of the biogenic amines. Effects of phenelzine on the cerebral metabolism of the 5-hydroxyindoles in dog brain, 249
 MOIR, A. T. B. and YATES, CELIA M. Interaction in the cerebral metabolism of the biogenic amines. Effect of phenelzine on this interaction, 265
 MORGAN, RUBY and WOLSTENCROFT, J. H. The iontophoretic release of aspartate and glutamate ions from multibarrelled micropipettes (T), 195P
 MUSCHOLL, E. *See* FOZARD, J. R., 616
 MACLEOD, VALERIE H. The influence of some centrally acting drugs on sympathetic nerve activity, 194P
 McMARTIN, C. *See* LEWIS, G. P., 104
 MCQUEEN, D. S. The effect of some prostaglandins on respiration in rats and cats, 147P

N

- NASMYTH, P. A. *See* MASSINGHAM, R., 229
 NAYLER, WINIFRED G. Comparative partial agonist activity of β -adrenoceptor antagonists, 382
 NEFF, NORTON H. *See* MEER, JAMES L., 435
 NEGRI, L. *See* ERSPAMER, V., 333
 NICHOLLS, P. J. and ORTON, T. C. The physiological disposition of ^{14}C -methsuximide in the rat, 48
 NISTRI, A. and PEPEU, G. Effect of bicuculline and strychnine on the acetylcholine content of the amphibian spinal cord, 173P
 NORTHOVER, B. J. The effects of indomethacin on calcium, sodium, potassium and magnesium fluxes in various tissues of the guinea-pig, 651

O

- O'DONNELL, STELLA R. *See* FITZGERALD, J. D., 207
 O'DONNELL, STELLA R. *See* FOSTER, R. W., 71
 ODUMOSU, A. and WILSON, C. W. M. The role of iron in the metabolism of tissue ascorbic acid, 136P
 OKPAKO, D. T. A dual action of histamine on guinea-pig lung vessels, 311
 O'MALLEY, K. *See* BALLINGER, B., 638
 ORTON, T. C. *See* NICHOLLS, P. J., 48

P

- PARKES, M. W. *See* BURDEN, D. T., 275
 PECK, ANTHONY W. Relative importance of the enzymic hydrolysis of suxamethonium in plasma and tissues: studies in Rhesus monkeys, 64
 PEPEU, G. *See* NISTRI, A., 173P
 PERTWEE, R. G. *See* JONES, G., 375
 PHILLIS, J. W. *See* JORDAN, L. M., 584
 PICKENS, JOAN, WEST, G. B. and WHELAN, C. J. Release by kinin of a substance contracting rabbit aorta (RCS) from guinea-pig lung, 140P

PICKLES, J. O. *See* COMIS, S. D., 192P
 POHL, J. E. F. *See* BALASUBRAMANIAM, K., 360
 PRADHAN, S. N. *See* BASU RAY, B. N., 197
 PROKOPOWICZ, J. *See* DUDEK, G., 60

R

RAND, M. J. *See* ALLEN, G. S., 480
 RAND, M. J. *See* DUSTING, G. J., 218
 REIFFENSTEIN, R. J. and VOHRA, M. M. Inhibitory α -adrenoceptors in guinea-pig vas deferens, 156P
 REILLY, MARGARET A. and SCHAYER, R. W. Effect of glucocorticoids on histamine metabolism in mice, 463
 RICHENS, A. *See* KRAMER, R. L., 184P
 RICKS, J. T. *See* KERKUT, G. A., 174P
 RIDDELL, D. *See* CHRISTMAS, A. J., 490
 RITCHIE, ISOBEL. *See* DOW, R. C., 178P
 ROACH, A. G. *See* DAY, M. D., 168P
 ROBERTS, P. J. *See* MITCHELL, J. F., 175P
 RODGER, I. W. *See* BOWMAN, W. C., 574
 ROSA, A. T., ROTHCHILD, A. M. and ROTHCHILD, Z. Fibrinolytic activity evoked in the plasma of the normal and adrenalectomized rat by cellulose sulphate, 470
 ROSENTHAL, S. R. *See* LEWIS, G. P., 104
 ROTH, R. H. *See* HUGHES, J., 157P
 ROTHCHILD, A. M. *See* ROSA, A. T., 470
 ROTHCHILD, Z. *See* ROSA, A. T., 470

S

SANO, TOYOMI. *See* MATSUBARA, ICHIRO, 13
 SAVAGE, R. D. *See* ASHTON, HEATHER, 532, 546
 SAYERS, A. C. Interaction of anti-cholinergic agents with α -methyl-p-tyrosine and (+)-amphetamine, 170P
 SCHAYER, R. W. *See* REILLY, MARGARET A., 463
 SCHNIEDEN, H. *See* COOPER, F., 162P
 SCHNEIDER, R. *See* BENOY, CHRISTINE J., 135P
 SCHOLFIELD, C. N. *See* BROWN, D. A., 29
 SEYMOUR, K. ARABELLA. *See* KING, A. R., 161P
 SHANKS, R. G. *See* ALLEN, J. D., 561
 SIMMONDS, M. A. *See* HILL, R. G., 176P
 SIMONS, P. J. G. *See* BALASUBRAMANIAM, K., 360
 SIMPSON, CHARLES F. Sotalol for the protection of turkeys from the development of β -amino-propionitrile-induced aortic ruptures, 385
 SINGER, BERTHA. *See* COOTE, J. H., 195P
 SMALL, R. C. Transmission from intramural inhibitory neurones to circular smooth muscle of the rabbit caecum and the effects of catecholamines, 149P
 SMITH, CHRISTINE M. The release of acetylcholine from rabbit hippocampus, 172P
 SNOW, H. M. *See* HARRY, J. D., 155P
 SOORIYAMOORTHY, T. *See* LIVINGSTON, A., 142P
 SOPRANZI, N. *See* ERSPAMER, V., 442
 SORIMACHI, M. *See* DOUGLAS, W. W., 129, 143P
 SPANNER, SHEILA. *See* ANSELL, G. B., 195P
 SPEDDING, M. and WEETMAN, D. F. The presence of β -adrenoceptors in the guinea-pig seminal vesicle, 21
 STABLES, R. *See* BESWICK, G. W., 184P
 STEELE, J. W. *See* JOYCE, DAPHNÉ, 164P
 STEVENSON, I. H. *See* BALLINGER, B., 638
 STORY, D. F. *See* ALLEN, G. S., 480
 STRAUGHAN, D. W. *See* HILL, R. G., 176P

SUMMERFIELD, A. *See* JOYCE, DAPHNÉ, 164P
 SZABADI, E. *See* BRADSHAW, C. M., 185P
 SZCZEPANIAK, A. C. *See* COTTRELL, G. A., 684

T

TABERNER, P. V. *See* KERKUT, G. A., 174P
 TANGRI, K. K. *See* BHARGAVA, K. P., 596
 TELFORD, ROSEMARY. *See* ASHTON, HEATHER, 546
 THOMPSON, J. W. *See* ASHTON, HEATHER, 532, 546
 TWITE, B. R. *See* FERGUSON, D. R., 139P
 TYERS, M. B. *See* BRITTAIN, R. T., 158P
 TYRER, P. J. *See* LADER, M. H., 557

V

VANE, J. R. *See* ECKENFELS, A., 451
 VANE, J. R. *See* GRYGLEWSKI, R., 37
 VANE, J. R. and WILLIAMS, K. I. Prostaglandin production contributes to the contractions of the rat isolated uterus, 146P
 VENINGA, T. S. The role of monoamines in the hyperthermia produced in cats and rabbits by irradiation of the hypothalamic area, 163P
 VOHRA, M. M. *See* REIFFENSTEIN, R. J., 156P
 VRBOVA, G. *See* BROWN, M. D., 195P

W

WATSON, D. W. *See* ASHTON, HEATHER, 532, 546
 WALLACE, W. F. M. *See* HOBBS, FRANCES M., 153P
 WATERFIELD, ANGELA A. *See* KOSTERLITZ, H. W., 157P
 WEBSTER, C. D. *See* CAPPELL, HOWARD, 525
 WEETMAN, D. F. *See* SPEDDING, M., 21
 WEINSTOCK, MARTA. *See* ELIASH, SARAH, 630
 WEST, G. B. *See* PICKENS, JOAN, 140P
 WESTON, A. H. The effects of isoprenaline and phenylephrine on oxygen consumption in isolated smooth muscle, 95
 WHELAN, C. J. *See* PICKENS, JOAN, 140P
 WHITING, R. L. *See* DAY, M. D., 168P, 182P
 WILLEY, G. L. *See* BESWICK, G. W., 184P
 WILLIAMS, K. I. *See* VANE, J. R., 146P
 WILSON, C. W. M. *See* ODUMOSU, A., 136P
 WILSON, K. A. *See* CROCKER, ANN D., 150P
 WINSEY, N. J. P. Protein changes in hind limb lymph following injury, 137P
 WITTER, A. *See* DE WIED, C., 118
 WOLSTENCROFT, J. H. *See* GONZALEZ-VEGAS, J. A., 195P
 WOLSTENCROFT, J. H. *See* MORGAN, RUBY, 195P
 WOROWSKI, K. *See* DUDEK, G., 60

Y

YATES, CATHERINE. *See* LEWIS, G. P., 104
 YATES, CELIA M. *See* MOIR, A. T. B., 265
 YELNOSKY, J. *See* BELAIR, E. J., 476

Z

ZAIDI, S. A. *See* ALLEN, J. D., 561
 ZEEGERS, A. *See* AARSEN, P. N., 284

SUBJECT INDEX

A

- Acetylcholine**, effect of calcium and manganese on release from guinea-pig myenteric plexus and rabbit ileum, 157P
 —, effect on the rat anococcygeus muscle, 404
 —, effect on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
 —, in the amphibian spinal cord, effect of bicuculline and strychnine, 173P
 —, inhibition by colchicine of adrenal medullary secretion evoked by, without affecting that evoked by potassium, 129
 —, inhibition in the intact and chronically isolated cerebral cortex, 584
 —, iontophoretically applied, effects of anaesthetics on responses of brain stem neurones to, 169P
 —, release from rabbit hippocampus, 172P
 —, short-latency excitation of brain stem neurones in the rat by, 372
- Acetylcholinesterase**, time course of inhibition in medulla oblongata of the rat by *O*-ethyl *S*-(2-dimethylaminoethyl) methylphosphonothioase *in vivo*, 368
- Adenosine triphosphate**, dependence of mechanical effects mediated by, on glycogen concentration in rabbit isolated small intestine, 378
- Adrenal medullary secretion**, evoked by acetylcholine, effect of colchicine, compared with effect on that evoked by potassium, 129
- Adrenaline**, effect of injection on plasma cortisol concentration in dogs, 682
 —, effect on the adrenergic neurone blocking action of propranolol, 630
- Adrenergic transmission**, effects of the inhibition of noradrenaline uptake and synthesis on the maintenance of the response to continuous nerve stimulation in the central artery of the rabbit ear, 1
- Adrenoceptors**, central, for control of cardiovascular function, an analysis, 596
 —, central, concerned in the release of adrenocorticotrophic hormone, 682
 —, role in the anti-inflammatory effects of catecholamines, 322
 —, α - and β -, pharmacology of AH 5158, a drug which blocks both, 660
- α -Adrenoceptors**, in the post-partum rat uterus, 504
 —, inhibitory, in guinea-pig vas deferens, 156P
 —, transmission from intramural inhibitory neurones to circular smooth muscle of the rabbit caecum and the effects of catecholamines, 149P
- β -Adrenoceptors**, dependence of mechanical effects mediated by, on the glycogen concentration in the rabbit isolated small intestine, 378
 —, negative inotropic responses of the isolated heart of the rat to isoprenaline, 123
 —, of guinea-pig trachea, structure-activity study of sympathomimetic amines on, 510
 —, presence in the guinea-pig seminal vesicle, 21
- Adrenoceptor blocking agents**, effects on the release of renin by renal nerve stimulation in the cat (T), 195P
- β -Adrenoceptor blocking agents**, action of propranolol on the dog heart, 155P
 —, action on the effects of histamine on guinea-pig lung vessels, 311
 —, assessment of effectiveness towards cardiac and bronchiolar responses of the pithed guinea-pig to electrical stimulation of the spinal outflow, 275
 —, central and peripheral effects of propranolol and sotalol in normal human subjects, 557
 —, comparative partial agonist activity of, 382
 —, comparison of the haemodynamic effects of propranolol, 4-hydroxypropranolol and practolol in anaesthetized dogs, 207
 —, effects on the responses of blood-perfused canine papillary muscle to perivascular nerve stimulation, 603
 —, use of sotalol in protecting turkeys against development of β -aminopropionitrile-induced aortic ruptures, 385
- Adrenocorticotrophic hormone**, central adrenoceptors concerned in release, 682
- AH 5158**, a drug which blocks both α - and β -adrenoceptors, pharmacology, 660
- AH 8165**, a new short-acting, competitive neuro-muscular blocking drug, 158P
- AHR 602**, effect on cardiac performance and release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
- Alanine**, isolation and identification in stratum corneum 104
- Alytesin**, occurrence in extracts of skin of three European discoglossid frogs, 333
- Amines**, in mouse brain, comparison of the dose-response effects of morphine on, 240
 —, sympathomimetic, structure-activity study on β -adrenoceptors of guinea-pig trachea, 510
- Amino-acids**, evoked release from the intact spinal cord, 175P
 —, mechanisms by which human blood platelets accumulate glycine, GABA and amino-acid precursors of putative neurotransmitters, 83
 —, pharmacologically-active, isolation and identification in skin, and their structure-activity relationship on the guinea-pig ileum, 104
- γ -Aminobutyric acid**, blockade of central receptors, and the convulsive actions of bicuculline, picrotoxin and leptazol, 176P
 —, depolarization of isolated rat ganglia by, 160P
 —, evoked release from the intact spinal cord, 175P
 —, mechanisms by which human blood platelets accumulate, 83
- β -Aminopropionitrile**, sotalol for the protection of turkeys from the development of aortic ruptures induced by, 385
- Amitriptyline**, a tricyclic antidepressant, quantitative study of anticholinergic action on rat isolated fundal strip, 519
- Amphetamine**, and conditioned 'anxiety', 525
- (+)-Amphetamine**, a neuronal basis for the alerting action of, 391
 —, and α -methyl-*p*-tyrosine, effect of anticholinergic agents on catalepsy induced by, 170P

- Amphetamines**, some effects of 2,5-dimethoxy-4-methylamphetamine on the metabolism of biogenic amines in the rat brain, 165P
- Amylobarbitone**, effects on drug induced changes in the surface potentials of an isolated sympathetic ganglion, 159P
- Anaesthetics**, effects on responses of brain stem neurones to iontophoretically applied transmitter substances, 169P
- Analgesia**, comparison of the dose-response effects of morphine on brain amines in the mouse, 240
- Angina pectoris**, possible use of AH 5158 in treatment, 660
- Angiotensin**, metabolic requirements of the contractile response of the guinea-pig ileum to, 150P
- Angiotensin II**, degradation by plasmin, 60
- Anococcygeus muscle**, rat, a new smooth muscle preparation, and its response to nerve stimulation and various drugs, 404
- Anticholinergic agents**, interaction with α -methyl-p-tyrosine and (+)-amphetamine, 170P
- Anticholinesterases**, activity at adrenergic nerve endings, potentiation by neostigmine of constrictor responses of the rabbit ear arteries is not due to, 153P
- Anticonvulsants**, effect of Kö 1173 on experimental cardiac arrhythmias, 561
—, physiological disposition of ^{14}C -methsuximide in the rat, 48
- Antidepressants**, tricyclic, quantitative study of anticholinergic action on rat isolated fundal strip, 519
- Anti-inflammatory agents**, activity of clofazimine in the rat, 676
—, antagonism of release of prostaglandins and rabbit aorta contracting substance from rabbit spleen, 37
—, effect on the changes in local lymph after thermal injury, 644
—, effects of indomethacin on calcium, sodium, potassium and magnesium fluxes in various tissues of the guinea-pig, 651
- Antimicrobial agent**, anti-inflammatory activity of clofazimine in the rat, 676
- Aortic aneurism**, induced by β -aminopropionitrile, use of sotalol for protection of turkeys against, 385
- Arachidonic acid**, effect on release of prostaglandins and rabbit aorta contracting substance from rabbit spleen, 37
- Arrhythmia**, cardiac, effect of Kö 1173, a new anti-convulsant agent, 561
—, cardiac, effects of microinjection of ouabain into the hypothalamus in cats, 197
—, cardiac, possible use of AH 5158 in treatment, 660
- Ascorbic acid**, in tissue, role of iron in metabolism, 136P
- Aspirin-like drugs**, effect on release of prostaglandins and rabbit aorta contracting substance from rabbit spleen, 37
- Atropine**, effect on the actions of muscarinic agonists on cardiac performance and release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
—, interaction with α -methyl-p-tyrosine and (+)-amphetamine, 170P
- B**
- Barbiturates**, drug-metabolizing capacity in patients in states of dependence and withdrawal, 635
—, impairment of cognitive function associated with hydroxyamylbarbitone accumulation in patients with renal insufficiency, 360
- Behaviour**, amphetamine and conditioned 'anxiety', 525
—, central and peripheral effects of propranolol and sotalol in normal human subjects, 557
—, comparison of the dose-response effects of morphine on brain amines, analgesia and activity in mice, 240
—, dissociation of the behavioural and endocrine effects of lysine vasopressin by tryptic digestion, 118
—, effects of cigarette smoking on the response to stress in a driving simulator, 546
—, impairment of cognitive function associated with hydroxyamylbarbitone accumulation in patients with renal insufficiency, 360
—, intravenous self-administration of heroin in the rat: experimental technique and computer analysis, 181P
—, method for measuring human behavioural and physiological responses at different stress levels in a driving simulator, 532
—, of mice after ethanol, modification by chronic ingestion of nicotine, 164P
—, reversal learning in the rat facilitated by a single injection of lysergic acid diethylamide, 161P
- Bicuculline**, blockade of central GABA receptors and the convulsive action of, 176P
—, effect on the acetylcholine contents of the amphibian spinal cord, 173P
- Biogenic amines**, comparison of activity of some substrate-specific monoamines oxidase inhibitors, 490
—, effects of phenelzine on the cerebral metabolism of the 5-hydroxyindoles in dog brain, 249
—, some effects of 2,5-dimethoxy-4-methylamphetamine on the metabolism of, in the rat brain, 165P
- Blood flow**, in the neurohypophysis of the rabbit associated with hormone-releasing stimuli, 142P
—, method for measuring at different stress levels in a driving simulator, 532
- Blood platelets**, human, mechanisms by which they accumulate glycine, GABA and amino-acid pre-cursors of putative neurotransmitters, 83
- Blood pressure**, arterial, improved technique for continuous measurement in the conscious unrestrained cat, 182P
—, method for measuring at different stress levels in a driving simulator, 532
—, systemic arterial, action of bombesin in some experimental animals, 442
- Bombesin**, action on the systemic arterial blood pressure of some experimental animals, 442
—, occurrence in extracts of skin of three European discoglossid frogs, and its pharmacological actions on extravascular smooth muscle, 333
- Bradycardia**, role of central α -adrenoceptors, 596

Bradykinin, effects on the vascular system of isolated lungs of the guinea-pig and the influence of phenylbutazone on these effects, 284

—, inactivation in the pulmonary circulation of isolated lung, 299

—, release of a rabbit aorta contracting substance from guinea-pig lung, 140P

British Pharmacological Society, Proceedings of the, 135P

Bronchoconstriction, effects of histamine, 5-hydroxytryptamine and bradykinin on the vascular system of isolated lungs of the guinea-pig, and the influence of phenylbutazone on these effects, 284

Bronchodilators, actions of rimeterol on the cardiovascular, respiratory and skeletal muscle systems of the anaesthetized cat, 574

C

Calcium, effect on acetylcholine release from guinea-pig myenteric plexus and rabbit ileum, 157P

—, effects of indomethacin on flux in various tissues of the guinea-pig, 651

—, in isolated frog heart, effects of theophylline and iminazole, 229

Cancer, multiple emulsions, a suitable vehicle to provide sustained release of chemotherapeutic agents, 135P

Cannabidiol, metabolic interaction *in vivo* with Δ^1 -tetrahydrocannabinol, 375

Carbachol, effect on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616

Cardiac performance, effects of several muscarinic agonists in perfused rabbit heart, 616

Cardiovascular responses, improved technique for the continuous measurement of arterial blood pressure in the conscious unrestrained cat, 182P

Cardiovascular system, actions of the sympathomimetic bronchodilator rimeterol in the anaesthetized cat, 574

—, an analysis of central adrenoceptors for control of cardiovascular function, 596

—, effects of microinjection of ouabain into the hypothalamus in cats, 197

Catatonia-inducing drugs, with structural resemblance to catecholamines, central actions of (T), 195P

Catecholamines, anti-inflammatory effect in the peritoneal cavity and hind paw of the mouse, 322

—, exogenous, direct observations of effect on rat mesenteric vasculature, 193P

—, gas chromatographic method for estimation in rat brain, 188P

—, some evidence of the active uptake of noradrenaline in the guinea-pig isolated trachea, 71

—, studies of the interaction of 5-hydroxytryptamine and the perivascular innervation of the guinea-pig caecum, 417

—, transmission from intramural inhibitory neurones in circular smooth muscle of the rabbit caecum and the effects of, 149P

Cellulose sulphate, fibrinolytic activity evoked in the plasma of normal and adrenalectomized rats by, 470

Central nervous system, use of the iontophoretic and fluorescence histochemical techniques in investigations of the actions of drugs at synapses in the, 187P

Centrifugal pathways, auditory, pharmacological technique for investigating the function in the cat, 192P

Centrifugation, zonal, fractionation of brain tissue by, with special reference to the synaptosomal populations (T), 195P

Cerebral cortex, intact and chronically isolated, acetylcholine inhibition in, 584

Chemotherapy, multiple emulsions, a suitable vehicle to provide sustained release of cancer chemotherapeutic agents, 135P

Chlorpromazine, mechanism of action in reversing reserpine-induced hypothermia in mice, 162P

Choline, concentration in the plasma of rodents, effect of hydrocortisone on, 133

Cholinesterase, hydrolysis of suxamethonium in plasma and tissues of Rhesus monkeys, 64

Cholinomimetic drugs, effects of McN-A-343 and DMPP on the uptake and release of 3 H-noradrenaline by guinea-pig atria, 480

Cigarettes, effect of smoking on the response to stress in a driving simulator, 546

Clofazimine, anti-inflammatory activity in the rat, 676

Clorgyline, a substrate-specific monoamine oxidase inhibitor, pharmacological and biochemical properties, 490

Colchicine, and cytochalasin B, effects on secretion of posterior pituitary and adrenal medullary hormones, 143P

—, inhibition of adrenal medullary secretion evoked by acetylcholine, without affecting that evoked by potassium, 129

Cortical neurones, single, technique for achieving greater stability of the brain for microiontophoretic studies of, 185P

Cortisol, effect on a central response to 5-hydroxytryptophan, 179P

—, effect on histamine metabolism in mice, 463

—, plasma, effects of injection of noradrenaline, adrenaline, phenylephrine and isoprenaline on concentration in dogs, 682

Current, a solid-state iontophoretic switch, 189P

Cyclic AMP, effects of fresemide on binding in the toad bladder, 139P

Cytochalasin B, and colchicine, effects on secretion of posterior pituitary and adrenal medullary hormones, 143P

D

Depolarization, nicotine washout rates from isolated rat ganglia in relation to recovery from nicotine, 29

Depressor effects, responses to spinal stimulation in the pithed rat, 218

Desipramine, mechanism of action in reversing reserpine-induced hypothermia in mice, 162P

Desmethylinipramine, a tricyclic antidepressant, quantitative study of anticholinergic action on rat isolated fundal strip, 519

Diabetes, effects of metformin on glucose uptake by the isolated rat diaphragm, 152P

Dibutyl cyclic AMP, dependence of mechanical effects mediated by, on glycogen concentration in rabbit isolated small intestine, 378

3,4-Dihydroxyphenylacetic acid, in optic lobes of *Octopus vulgaris*, 166P

N,N-Dimethyl-N'-phenylpiperazinium iodide, effects on uptake and release of ^3H -noradrenaline by guinea-pig atria, 480

2,5-Dimethoxy-4-methylamphetamine, effects on the metabolism of biogenic amines in the rat brain, 165P

Diuretics, effects of frusemide on cyclic AMP binding in the toad bladder, 139P

—, renal excretion of metolazone, 476

L-Dopa, accumulation by human blood platelets, 83

—, effect on inhibition of action on brain stem neurones of (+)-amphetamine after pretreatment with FLA 63 or α -methyl-*p*-tyrosine, 391

—, influence on sympathetic nerve activity, 194P

Dopamine, in mouse brain, dose-response effects of morphine, 240

—, in rat brain, gas chromatographic method for estimation, 188P

—, model for the cerebral metabolism in deg, 265

Dose-response effects, comparison of morphine effects on brain amines, analgesia and activity in mice, 240

Driving simulator, effects of cigarette smoking on response to stress in a, 546

—, method for measuring human behavioural and physiological responses at different stress levels in a, 532

E

E-250, a substrate-specific monoamine oxidase inhibitor, pharmacological and biochemical properties, 490

Electrical activity, of rat uterus, effect of histamine on, 126

Electrical stimulation, depressor responses to spinal stimulation in the pithed rat, 218

—, effect on the rat anococcygeus muscle, 404

—, of spinal outflow, assessment of the effectiveness of β -adrenoceptor blocking agents towards cardiac and bronchiolar responses of the pithed guinea-pig, 275

—, variations in noradrenaline output with respect to stimulus frequency, train length and origin of the transmitter, 157P

Enzymes, drug-metabolizing capacity in patients in states of drug dependence and withdrawal, 638

—, effect of anti-inflammatory agents on increases in lymph after thermal injury, 644

—, relative importance of the hydrolysis by cholinesterase of suxamethonium in plasma and tissues of Rhesus monkeys, 64

—, responsible for inactivation of bradykinin in the pulmonary circulation of isolated lungs, 299

—, time course of acetylcholinesterase inhibition in the medulla oblongata of the rat by *O*-ethyl *S*-(2-dimethylaminoethyl) methylphosphonothioate *in vivo*, 368

Epilepsy, physiological disposition of ^{14}C -methsuximide in the rat, 48

Ethanol, behaviour of mice after, modified by chronic ingestion of nicotine, 164P

***O*-Ethyl *S*-(2-dimethylaminoethyl) methylphosphonothioate**, time course of acetylcholinesterase inhibition in the medulla oblongata of the rat by, *in vivo*, 368

Excitation, short-latency response of brain stem neurones in the rat to acetylcholine, 372

F

Fibrinolysis, activity evoked in the plasma of the normal and adrenalectomized rat by cellulose sulphate, 470

FLA 63, effect of (+)-amphetamine on brain stem neurones after pretreatment with, 391

Fluorescence microscopy, investigations on the histochemical demonstration of noradrenaline and 5-hydroxytryptamine in the area postrema of the rabbit by, 186P

Fluorometry, estimation of 4-hydroxy-3-methoxy-phenylethyleneglycol sulphate in brain, 435

Frusemide, effects on cyclic AMP binding in toad bladder, 139P

Furmethide, effect on the rat anococcygeus muscle, 404

Furthrethonium, effect on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616

G

Ganglia, rat isolated, nicotine washout rates from, in relation to recovery from nicotine depolarization, 29

Gas chromatography, method for the estimation of noradrenaline, dopamine and 5-hydroxytryptamine in rat brain, 188P

Glucocorticoids, effect on histamine metabolism in mice, 463

Glucose, effects of metformin on uptake by the isolated rat diaphragm, 152P

β -Glucuronidase, effect of anti-inflammatory agents on appearance in local lymph after thermal injury, 644

Glutamic acid, mimicking of synaptic inhibition on the giant serotonin neurone of the snail, 684

Glutamic pyruvate transaminase, effect of anti-inflammatory agents on appearance in local lymph after thermal injury, 644

Glycine, evoked release from the intact spinal cord, 175P

—, isolation and identification in stratum corneum, 104

—, mechanisms by which human blood platelets accumulate, 83

Glycogen, dependence of β -adrenoceptor mediated mechanical effects on the concentration in the rabbit isolated small intestine, 378

GP 45437, a tricyclic antidepressant, quantitative study of anticholinergic action on rat isolated fundal strip, 519

Grafts, quantitative assessment of tissue changes accompanying homograft reaction, 138P

Guanethidine, effects of perivascular nerve stimulation on contraction and automaticity of the blood-perfused canine papillary muscle pretreated with, 603

H

Haemodynamics, comparison between effects of propranolol, 4-hydroxypropranolol and practolol in anaesthetized dogs, 207

Hallucinogens, effects of 2,5-dimethoxy-4-methylamphetamine on the metabolism of biogenic amines in the rat brain, 165P

Heart rate, effect of cigarette smoking on response to stress in a driving simulator, 546

—, method for measuring at different stress levels in a driving simulator, 532

Heroin, intravenous self-administration in the rat: experimental technique and computer analysis, 181P

- Hexamethonium**, effect of, on recovery of isolated rat ganglia from nicotine depolarization, 29
- Hippocampus**, rabbit, release of acetylcholine from, 172P
- Histamine**, dual action on guinea-pig lung vessels, 311
 —, effect of glucocorticoids on metabolism in mice, 463
 —, effect on the electrical activity of rat uterus, 126
 —, effect on the rat anococcygeus muscle, 404
 —, effects on the vascular system of isolated lungs of the guinea-pig, and influence of phenylbutazone on these effects, 284
- Histidine decarboxylase**, effect of glucocorticoids on activity in mice, 463
- Histochemistry**, investigations on the histochemical demonstration of noradrenaline and 5-hydroxytryptamine in the area postrema of the rabbit by fluorescence microscopy, 186P
 —, use of the iontophoretic and fluorescence techniques in investigations of the actions of drugs at synapses in the central nervous system, 187P
- Homografts**, quantitative assessment of tissue changes accompanying reaction to, 138P
- Homovanillic acid**, effect of phenelzine in dog heart, 265
- Hormones**, blood flow in the neurohypophysis of the rabbit associated with hormone-releasing stimuli, 142P
 —, effects of cytochalasin B and colchicine on secretion of posterior pituitary and adrenal medullary, 143P
- Hydrocortisone**, effect on the changes in local lymph after thermal injury, 644
 —, effect on the concentration of choline in the plasma of rodents, 133
- Hydrolysis**, of suxamethonium, by cholinesterase in plasma and tissues of Rhesus monkeys compared, 64
- Hydroxyamylorbarbitone**, impairment of cognitive function associated with accumulation in patients with renal insufficiency, 360
- γ -Hydroxybutyric acid**, effects on brain respiration *in vitro*, 174P
- 6 β -Hydroxycortisol**, metabolizing capacity of patients in states of drug dependence and withdrawal, 638
- 5-Hydroxyindoleacetic acid**, in mouse brain, dose-response effects of morphine, 240
 —, in optic lobes of *Octopus vulgaris*, 166P
- 5-Hydroxyindoles**, effects of phenelzine on cerebral metabolism of, in dog brain, 249
- 4-Hydroxy-3-methoxyphenylethyleneglycol sulphate**, fluorometric estimation of concentration in brain, 435
- 4-Hydroxypropranolol**, comparison of haemodynamic effects with those of propranolol and practolol in anaesthetized dogs, 207
- 5-Hydroxytryptamine**, cellular localization of uptake in the area postrema of the rabbit after injection into a lateral ventricle, 178P
 —, effect of methylated tryptamine derivatives on the actions on, on brain stem neurones, 177P
 —, effect on the rat anococcygeus muscle, 404
 —, effects on the vascular system of isolated lungs of the guinea-pig and the influence of phenylbutazone on these effects, 284
 —, in mouse brain, dose-response effects of morphine on, 240
 —, in rat brain, gas chromatographic method for estimation, 188P
 —, in the area postrema of the rabbit, histochemical demonstration by fluorescence microscopy, 186P
 —, iontophoretically applied, effects of anaesthetics on responses of brain stem neurones to, 169P
 —, studies of interaction with the perivascular innervation of the guinea-pig caecum, 417
 —, vascular reactivity to, in hypertensive rats, 183P
- 5-Hydroxytryptophan**, effect of cortisol on a central response to, 179P
- Hyoscine**, apparent differences between *in vivo* and *in vitro* effects on the responses of chicken oesophagus to nerve stimulation, 635
 —, interaction with α -methyl-*p*-tyrosine and (+)-amphetamine, 170P
- Hyperaemia**, functional, inhibition of prostaglandin synthesis and, in rabbit adipose tissue, 146P
- Hypertension**, action of bombesin on the systemic arterial blood pressure of some experimental animals, 442
 —, mode of action of α -methyldopa in relief of, 168P
 —, possible use of AH 5158 in treatment, 660
 —, vascular reactivity to noradrenaline and 5-hydroxytryptamine in hypertensive rats, 183P
- Hyperthermia**, produced in cats and rabbits by irradiation of the hypothalamic area, role of monoamines in, 163P
- Hypotension**, further evidence for a central hypotensive action of α -methyldopa, 167P
 —, role of central adrenoceptors, 596
- Hypothermia**, induced by reserpine in mice, mechanism of action of desopramine and chlorpromazine in reducing, 162P

I

- Iminazole**, nature of the positive inotropic response of the isolated frog heart to, 229
- Immunoelectrophoresis**, two dimensional, of human serum proteins for the investigation of protein binding of drugs, 184P
- Immunosuppression**, immunosuppressive activity of clofazimine in the rat, 676
- Indomethacin**, effect on release of prostaglandins and rabbit aorta contracting substance from rabbit spleen, 37
 —, effect on the changes in local lymph after thermal injury, 644
 —, effects on calcium, sodium, potassium and magnesium fluxes in various tissues of the guinea-pig, 651
- Inflammation**, anti-inflammatory effect of catecholamines in the peritoneal cavity and hind paw of the mouse, 322
- Injury**, protein changes in hind limb lymph following, 137P
- Inotropic response**, positive, to theophylline and iminazole, its nature in the isolated frog heart, 229
- Inotropism**, negative inotropic responses of the isolated heart of the rat to isoprenaline, 123
- Intracellular fluid**, pH of, in rat isolated superior cervical ganglia in relation to nicotine-depolarization and nicotine-uptake, 349
- Intravenous injections**, intermittent, method for provision in unrestrained animals, 184P

- Iontophoresis**, a solid-state iontophoretic current switch, 189P
 —, iontophoretic release of aspartate and glutamate ions from multibarrelled micropipettes (T), 195P
- Iron**, role in the metabolism of tissue ascorbic acid, 136P
- Isoprenaline**, dependence of mechanical effects mediated by, on glycogen concentration in rabbit isolated small intestine, 378
 —, effect of injection on plasma cortisol concentration in dogs, 682
 —, effect on the rat anococcygeus muscle, 404
 —, effects on oxygen consumption in isolated smooth muscle compared with that of phenylephrine, 95
 —, inhibition of contractions produced by parasympathomimetic agents in guinea-pig seminal vesicle, 21
 —, negative inotropic responses of the isolated heart of the rat to, 123
- ### K
- Kinin**, release of a rabbit aorta contracting substances from guinea-pig lung, 140P
- Kininogen**, in plasma of normal and adrenalectomized rats, after cellulose sulphate administration, 470
- Kö 1173**, effect on experimental cardiac arrhythmias, 561
- KO1366**, partial agonist activity compared with other β -adrenoceptor blocking agents, 382
- ### L
- Lactate dehydrogenase**, effect of anti-inflammatory agents on appearance in local lymph after thermal injury, 644
- Laevoisoprenaline**, actions on the cardiovascular, respiratory and skeletal muscle systems of the anaesthetized cat compared with those of rimiterol, 574
- LB46**, partial agonist activity compared with other β -adrenoceptor blocking agents, 382
- Learning**, reversal, facilitated by a single injection of lysergic acid diethylamide in the rat, 161P
- Leptazol**, blockade of central GABA receptors and the convulsive action of, 176P
- Lilly 51641**, a substrate-specific monoamine oxidase inhibitor, pharmacological and biochemical properties, 490
- Lymph**, hind limb, protein changes following injury, 137P
 —, local, effect of anti-inflammatory agents on changes after thermal injury, 644
- Lysergic acid diethylamide**, reversal learning in the rat facilitated by a single injection of, 161P
- Lysine vasopressin**, dissociation of the behavioural and endocrine effect of, by tryptic digestion, 118
- ### M
- Magnesium**, effects of indomethacin on flux in various tissues of the guinea-pig, 651
- Mandrax**, drug-metabolizing capacity in patients in states of dependence and withdrawal, 635
- Manganese**, effect on acetylcholine release from guinea-pig myenteric plexus and rabbit ileum, 157P
- McN-A-343**, effect on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
 —, effects on uptake and release of ^3H -noradrenaline by guinea-pig atria, 480
- Meclofenamic acid**, effect on release of prostaglandins and rabbit aorta contracting substance from rabbit spleen, 37
- Mepyramine**, effect on the action of histamine on guinea-pig lung vessels, 311
- Metformin**, effects on glucose uptake by the isolated rat diaphragm, 152P
- Methacholine**, effect in guinea-pig vas deferens, 156P
 —, effect on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
- Methixene**, interaction with α -methyl-*p*-tyrosine and (+)-amphetamine, 170P
- Methsuximide**, physiological disposition in the rat, 48
- α -Methyldopa**, further evidence for a central hypotensive action of, 167P
 —, mode of action of, 168P
- α -Methyl-*p*-tyrosine**, and (+)-amphetamine, effect of anticholinergic agents on catalepsy induced by, 170P
 —, effect of (+)-amphetamine on brain stem neurones after pretreatment with, 391
- Metolazone**, a new diuretic, renal excretion of, 476
- MH-1**, a muscarinic agonist, effect on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
- Microiontophoresis**, technique for achieving greater stability of the brain, for microiontophoretic studies of single cortical neurones, 185P
- Micropipettes**, multibarrelled, a simple device for the construction of, 188P
- Microtap**, an improved, electrically-operated, 190P
- Monoamine oxidase**, transport from dog brain and cerebrospinal fluid, inhibitory action of phenelzine, 249
- Monoamine oxidase inhibitors**, substrate-selective, comparison of pharmacological and biochemical properties, 490
- Monoamines**, metabolites in *Octopus vulgaris*, 166P
 —, role in hyperthermia produced in cats and rabbits by irradiation of the hypothalamic area, 163P
- Morphine**, comparison of the dose-response effects on brain amines, analgesia and activity in mice, 240
- Motor activity**, dose-response effects of morphine in the mouse, 240
- Motor-perceptual performance**, method for measuring, at different stress levels in a driving simulator, 532
- Multiple emulsions**, a suitable vehicle to provide sustained release of cancer chemotherapeutic agents, 135P
- Muscarinic agonists**, effects on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
- ### N
- Neostigmine**, potentiation of constrictor responses of the rabbit ear artery is not due to anticholinesterase activity at adrenergic nerve endings, 153P

- Nerve**, slow contraction of the guinea-pig proximal colon in response to the stimulation of an unidentified type of, 151P
- Nerve stimulation**, direct observation of effect on rat mesenteric vasculature, 193P
- , effects of long-term motor, on the pharmacological responses of rabbit muscle (T), 195P
- Neuromuscular blocking agent**, AH 8165, a new short-acting competitive drug, 158P
- Neurotransmitters**, mechanisms by which human blood platelets accumulation glycine, GABA and amino-acid precursors of putative, 83
- Nicotine**, effect of cigarette smoking on human precapillary sphincters, 13
- , effects of procaine and amylobarbitone on changes in the surface potentials of an isolated sympathetic ganglion induced by, 159P
- , intracellular pH in rat isolated superior cervical ganglia in relation to nicotine-depolarization and nicotine-uptake, 349
- , modification by chronic ingestion of the behaviour of mice after ethanol, 164P
- , washout rates from isolated rat ganglia in relation to recovery from nicotine depolarization, 29
- Noradrenaline**, dose-response effects of morphine on, in mouse brain, 240
- , effect in guinea-pig vas deferens, 156P
- , effect of inhibition of uptake and synthesis on the maintenance of response to continuous nerve stimulation in the central artery of the rabbit ear, 1
- , effect of injection on plasma cortisol concentration in dogs, 682
- , effect of muscarinic agonists on release from sympathetic nerves of the perfused rabbit heart, 616
- , effect on the rat anococcygeus muscle, 404
- , effects of McN-A-343 and DMPP on uptake and release by guinea-pig atria, 480
- , formation in brain, use of 4-hydroxy-3-methoxyphenylethyleneglycol sulphate formation as an index of measurement, 435
- , in rat brain, gas chromatographic method for estimation, 188P
- , in the area postrema of the rabbit, histochemical demonstration by fluorescence microscopy, 186P
- , iontophoretically applied, effects of anaesthetics on responses of brain stem neurones to, 169P
- , some evidence of the active uptake of, in the guinea-pig isolated trachea, 71
- , studies of interaction with the perivascular innervation of the guinea-pig caecum, 417
- , variations in output with respect to stimulus frequency, train length and origin of the transmitter, 157P
- , vascular reactivity to, in hypertensive rats, 183P
- NSD 2023**, a substrate-specific monoamine oxidase inhibitor, pharmacological and biochemical properties, 490
- O
- Opipramol**, a tricyclic antidepressant, quantitative study of anticholinergic action on rat isolated fundal strip, 519
- Organophosphates**, time course of acetylcholinesterase inhibition in the medulla oblongata of the rat by *O*-ethyl *S*-(2-dimethyl aminoethyl) methylphosphonothioate *in vivo*, 368
- Ouabain**, effects of microinjection into the hypothalamus in cats, 197
- Oxotremorine**, effect on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616
- Oxprenolol**, partial agonist activity compared with other β -adrenoceptor blocking agents, 382
- Oxygen**, effect of isoprenaline and phenylephrine on consumption in isolated smooth muscle, 95
- Oxygen tension**, effect in smooth muscle preparations mediated by local generation of prostaglandins, 451
- Oxyphenbutazone**, effect on release of prostaglandins and rabbit aorta contracting substance from rabbit spleen, 37
- Oxytocin**, prostaglandin production contributes to the contractions of the rat isolated uterus induced by, 146P
- P
- Papaverine**, action on spinal reflexes (T), 195P
- Pentobarbitone**, effects on responses of brain stem neurones to iontophoretically applied transmitter substances, 169P
- Peptides**, degradation of angiotension II by plasmin, 60
- , dissociation of the behavioural and endocrine effects of lysine vasopressin by tryptic digestion, 118
- Perivascular nerve**, effect of stimulation on the contraction and automaticity of the blood-perfused canine papillary muscle, 603
- pH**, intracellular, in rat isolated superior cervical ganglia in relation to nicotine-depolarization and nicotine-uptake, 349
- Phenelzine**, effects on interaction of biogenic amines in cerebral metabolism, 265
- , effects on the cerebral metabolism of the 5-hydroxyindoles in dog brain, 249
- , inhibitory activity on brain monoamine oxidase compared with that of some substrate-specific monoamine oxidase inhibitors, 490
- Phenylalanine**, accumulation by human blood platelets, 83
- Phenylbutazone**, influence on the effects of histamine, 5-hydroxytryptamine and bradykinin on the vascular system of isolated lungs of the guinea-pig, 284
- Phenylephrine**, dependence of mechanical effects mediated by, on glycogen concentration in rabbit isolated small intestine, 378
- , effect of injection on plasma cortisol concentration in dogs, 682
- , effects on oxygen consumption in isolated smooth muscle compared with that of isoprenaline, 95
- Phenytol**, effect on experimental cardiac arrhythmias compared with the new anticonvulsant Kö 1173, 561
- Phosphodiesterases**, comparison of those in the submaxillary gland, brain and liver, 141P
- , the nature of the positive inotropic response of the isolated frog heart to theophylline and to iminazole, 229
- Picrotoxin**, blockade of central GABA receptors and the convulsive action of, 176P
- Pilocarpine**, effect on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 616

- Plasma**, effect of hydrocortisone on concentration of choline in, in rodents, 133
- , of normal and adrenalectomized rats, fibrinolytic activity evoked by cellulose sulphate, 470
- , protein changes in hind limb lymph following injury, 137P
- Plasmin**, degradation of angiotensin II, 60
- Polypeptides**, action of bombesin on the systemic arterial blood pressure of some experimental animals, 442
- , occurrence of bombesin and alytesin in extracts of skin of three European discoglossid frogs, 333
- Potassium**, effect of colchicine on adrenal medullary secretion evoked by, compared with that on secretion evoked by acetylcholine, 129
- , effects of indomethacin on flux in various tissues of the guinea-pig, 651
- Practolol**, assessment of the effectiveness of blocking action towards cardiac and bronchiolar responses of the pithed guinea-pig to electrical stimulation of the spinal outflow, 275
- , blockade of the negative inotropic responses of the isolated rat heart to isoprenaline, 123
- , comparison of haemodynamic effects with those of propranolol and 4-hydroxypropranolol in anaesthetized dogs, 207
- , partial agonist activity compared with other β -adrenoceptor blocking agents, 382
- Precapillary sphincters**, effect of cigarette smoking on, 13
- Pressor substances**, vascular reactivity to, in hypertensive rats, 183P
- Procainamide**, effect on experimental cardiac arrhythmias compared with the new anti-convulsant K \ddot{o} 1173, 561
- Procaine**, effects on drug-induced changes in the surface potentials of an isolated sympathetic ganglion, 159P
- Proline**, isolation and identification in stratum corneum, 104
- Propranolol**, action on the dog heart, 155P
- , assessment of effectiveness of blocking action towards cardiac and bronchiolar responses of the pithed guinea-pig to electrical stimulation of the spinal outflow, 275
- , central and peripheral effects in normal human subjects, 557
- , comparison of haemodynamic effects with those of 4-hydroxypropranolol and practolol in anaesthetized dogs, 207
- , factors influencing the adrenergic neurone blocking action of, 630
- , partial agonist activity compared with other β -adrenoceptor blocking agents, 382
- Prostaglandin**, properties of a new, 144P
- Prostaglandins**, and rabbit aorta contracting substance, release from rabbit spleen and its antagonism by anti-inflammatory drugs, 37
- , effect on respiration in rats and cats, 147P
- , effects on oxygen tension and smooth muscle tone, 451
- , inhibition of synthesis and functional hyperaemia in rabbit adipose tissue, 146P
- , production contributes to the contractions of the rat isolated uterus, 146P
- Protein**, changes in hind limb lymph following injury, 137P
- , effect of anti-inflammatory agents on appearance in local lymph after thermal injury, 644
- Proteins**, human serum, two-dimensional immunoelectrophoresis of, for the investigation of protein binding of drugs, 184P
- Protriptyline**, a tricyclic antidepressant, quantitative study of anticholinergic action on rat isolated fundal strip, 519
- Proximal colon**, guinea-pig, slow contraction in response to the stimulation of an unidentified type of nerve, 151P

R

- Rabbit aorta contracting substance**, release by kinin from guinea-pig lung, 140P
- , release from rabbit spleen and its antagonism by anti-inflammatory drugs, 37
- Renal insufficiency**, impairment of cognitive function associated with hydroxyamylorbarbitone accumulation in patients with, 360
- Reserpine**, effects of (+)-amphetamine on brain stem neurones after pretreatment with, 391
- , effects of perivascular nerve stimulation on contraction and automaticity of the blood-perfused canine papillary muscle pretreated with, 603
- , influence on sympathetic nerve activity, 194P
- , mechanisms of action of desipramine and chlorpromazine in reversing hypothermia induced in mice by, 162P
- Respiration**, brain, effects of γ -hydroxybutyric acid *in vitro*, 174P
- , effect of some prostaglandins in rats and cats, 147P
- , effect of the sympathomimetic bronchodilator remiterol in the anaesthetized cat, 574
- , method for measuring at different stress levels in a driving simulator, 532
- Rheumatoid arthritis**, possible use of clofazimine in treatment, 676
- Rimiterol**, actions on the cardiovascular, respiratory and skeletal muscle systems of the anaesthetized cat, 574

S

- Salbutamol**, actions on the cardiovascular, respiratory and skeletal muscle systems of the anaesthetized cat compared with those of rimiterol, 574
- , inhibition of contractions produced by parasympathomimetic agents in guinea-pig seminal vesicle, 21
- Seminal vesicle**, guinea-pig, presence of β -adrenoceptors in, 21
- Serine**, isolation and identification in stratum corneum, 104
- Skin**, isolation and identification of pharmacologically active amino-acids in, and their structure-activity relationship on the guinea-pig ileum, 104
- Smoking**, of cigarettes, effect on human precapillary sphincters, 13
- , of cigarettes, effects on the response to stress in a driving simulator, 546
- Smooth muscle**, effects of isoprenaline and phenylephrine on oxygen consumption in, 95
- , effect of prostaglandins on tone of isolated preparations, 451
- , influence of sodium pumping on contraction, 689
- , the rat anococcygeus muscle, a new preparation, 404
- Smooth muscle stimulating substance**, in the stratum corneum, identified as amino-acids, 104

Sodium, effects of indomethacin on flux in various tissues of the guinea-pig, 651
 —, influence of pumping on smooth muscle contraction, 689
Sotalol, central and peripheral effects in normal human subjects, 557
 —, protection of turkeys from the development of β -aminopropionitrile-induced aortic ruptures, 385
Sphincter, human precapillary, effect of cigarette smoking on, 13
Spinal cord, evoked release of amino-acids from, 175P
Strychnine, effect on the acetylcholine contents of the amphibian spinal cord, 173P
Submaxillary gland, comparison of the phosphodiesterases in, with those in brain and liver, 141P
Suxamethonium, relative importance of the enzymic hydrolysis of, in plasma and tissues of Rhesus monkeys, 64
Sympathomimetic amines, structure-activity study on the β -adrenoceptors of guinea-pig trachea, 510

T

Tachycardia, role of central β -adrenoceptors, 596
Tetradecapeptides, action of bombesin on the systemic arterial blood pressure of some experimental animals, 442
 —, occurrence of bombesin and alytesin in extracts of skin of three European discoglossid frogs, 333
 Δ^1 -**Tetrahydrocannabinol**, metabolic interaction *in vivo* with cannabidiol, 375
Tetrodotoxin, effects on the responses of blood-perfused canine papillary muscle to perivascular nerve stimulation, 603
Theophylline, nature of the positive inotropic response of the isolated frog heart to, 229
Tissue, quantitative assessment of changes accompanying homograft reaction, 138P

Tranlycypromine, inhibitory activity on brain monoamine oxidase compared with that of some substrate-specific monoamine oxidase inhibitors, 490
Tribromoethanol, effects on responses of brain stem neurones to iontophoretically applied transmitter substances, 169P
Tricyclic antidepressants, quantitative study of anticholinergic action on rat isolated fundal strip, 519
Trypsin, dissociation of the behavioural and endocrine effects of lysine vasopressin by digestion with, 118
Tryptamine, effects of methylated derivatives of, on brain stem neurones, 177P
Tryptophan, accumulation by human blood platelets, 83
Tryptophan hydroxylase, transport from dog brain and cerebrospinal fluid, inhibitory action of phenelzine, 249
Tyrosine, accumulation by human blood platelets, 83

U

Urethane, effects on response of brain stem neurones to iontophoretically applied transmitter substances, 169P
Uterus, rat post-partum, α -adrenoceptors in the, 504

V

Vascular responses, to noradrenaline and 5-hydroxytryptamine in hypertensive rats, 183P
Vasculature, rat mesenteric, direct observation of the effects of nerve stimulation and of exogenous catecholamines on, 193P
Vasocostriction, depressor responses to spinal stimulation in the pithed rat, 218
 —, effect of cigarette smoking on human precapillary sphincters, 13
 —, effects of the inhibition of noradrenaline uptake and synthesis on the maintenance of the response to continuous nerve stimulation in the central artery of the rabbit ear, 1

Instructions to Authors

1. **Manuscripts** (2 copies) should be typed in double spacing on one side of paper not larger than foolscap (33×20.5 cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.

2. **A short summary of results and conclusions** (arranged in numbered paragraphs), **tables and legends to figures** should be typed on separate sheets of paper.

3. **References** should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

4. **Figures** should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymography tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.

5. **Lettering** on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:

× + ● ■ ○ □ △ ▲ ▽ ▼ ○ ● ◇

6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.

7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.

8. **An abstract** of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet, giving the author's name and address and the title of the paper.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

Page

Systematic Pharmacology

- 561 ALLEN, J. D., KOFI EKUE, J. M., SHANKS, R. G. and ZAIDI, S. A. The effect of K \ddot{o} 1173, a new anticonvulsant agent on experimental cardiac arrhythmias. (SP1)
- 574 BOWMAN, W. C. and RODGER, I. W. Actions of the sympathomimetic bronchodilator, rimiterol (R798), on the cardiovascular, respiratory and skeletal muscle systems of the anaesthetized cat. (SP1, SP3, AP1)
- 584 JORDAN, L. M. and PHILLIS, J. W. Acetylcholine inhibition in the intact and chronically isolated cerebral cortex. (SP2, AP1)

Autopharmacology

- 596 BHARGAVA, K. P., MISHRA, N. and TANGRI, K. K. An analysis of central adrenoceptors for control of cardiovascular function. (AP1, SP1, SP2)
- 603 ENDOH, M., HASHIMOTO, K. and KIMURA, T. Effects of perivascular nerve stimulation on the contraction and automaticity of the blood-perfused canine papillary muscle. (AP1, SP1)
- 616 FOZARD, J. R. and MUSCHOLL, E. Effects of several muscarinic agonists on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart. (AP1, PK3, DM2)
- 630 ELIASH, SARAH and WEINSTOCK, MARTA. Factors influencing the adrenergic neurone blocking action of propranolol. (AP1)
- 635 BARTLET, A. L. Apparent differences between the effects of hyoscyne *in vivo* and *in vitro* on the responses of chicken oesophagus to nerve stimulation. (AP1)

Pharmacokinetics

- 638 BALLINGER, B., BROWNING, M., O'MALLEY, K. and STEVENSON, I. H. Drug-metabolizing capacity in states of drug dependence and withdrawal. (PK2, CP, DM2)

Drug Mechanisms

- 644 BUTLER, K. and LEWIS, G. P. The effect of anti-inflammatory agents on the changes in local lymph after thermal injury. (DM1)
- 651 NORTHOVER, B. J. The effects of indomethacin on calcium, sodium, potassium and magnesium fluxes in various tissues of the guinea-pig. (DM1)
- 660 FARMER, J. B., KENNEDY, I., LEVY, G. P. and MARSHALL, R. J. Pharmacology of AH 5158; a drug which blocks both α - and β -adrenoceptors. (DM2, SP1, SP3)

Miscellaneous

- 676 CURREY, H. L. F. and FOWLER, P. D. A study of clofazimine in the rat. (M)

SHORT COMMUNICATIONS

- 682 BHARGAVA, K. P., BHARGAVA, RANI and GUPTA, M. B. Central adrenoceptors concerned in the release of adrenocorticotrophic hormone. (SP2, AP1, DM2)
- 684 COTTRELL, G. A., MACON, J. and SZCZEPANIAK, A. C. Glutamic acid mimicking of synaptic inhibition on the giant serotonin neurone of the snail. (DM1)
- 689 Bose, D. and INNES, I. R. Influence of sodium pumping on smooth muscle contraction. (M)

Systematic Pharmacology

Cardiovascular system SP1
Central nervous system SP2
Other physiological systems SP3

Pharmacokinetics

Storage, distribution, fate PK1
Synthesis, metabolism PK2
Uptake, release PK3

Clinical Pharmacology, Experimental
Therapy CP
Chemotherapy CT
Miscellaneous M

Autopharmacology

Adrenergic, cholinergic transmission AP1
Histamine, kinins, prostaglandins, etc. AP2
Hormones AP3

Drug Mechanisms

Molecular, cellular, biochemical,
biophysical DM1
Receptors, antagonism, potentiation,
tolerance DM2

Pharmacometrics PM
Psychopharmacology PP
Toxicology TX