

# Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*)                      H. M. Adam (*Secretary*)  
Margaret Day (*Press Editor*)  
J. D. Stephenson (*Assistant Press Editor*)

G. W. Ashcroft	H. W. Kosterlitz
R. B. Barlow	G. P. Lewis
J. M. Barnes	J. Maddox (co-opted)
J. W. Black	J. F. Mitchell
W. C. Bowman	P. A. Nasmyth
P. B. Bradley	M. W. Parkes
A. W. Cuthbert	Mary Pickford
C. T. Dollery	H. P. Rang
W. S. Feldberg	H. O. Schild
D. F. Hawkins	D. F. Sharman
F. Hobbiger	Hannah Steinberg
Margarethe Holzbauer	F. M. Sullivan
D. B. Hope	J. R. Vane

*Editorial assistance is provided by the staff of Nature*

---

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

**Manuscripts** (two copies) should be sent to Dr. H. M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the suggestions inside the back cover.

**Subscriptions.** Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £18.50 in the United Kingdom and Republic of Ireland; \$58.20 U.S.A. and Canada (by air freight; second class postage paid at New York, N.Y.); £18.50 all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan Journals Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

**Advertisements:** Applications for advertising space and rates should be sent to: *David Terry*, Advertisement Manager, *British Journal of Pharmacology*, Macmillan Journals Ltd., 4 Little Essex Street, London, WC2R 3LF, England. Tel: 01-836 6633. Direct line: 01-405 3013.

---

Copyright © 1972 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

## CONNECTIVE TISSUE RESEARCH

### An International Journal

**EDITOR-IN-CHIEF: INES MANDL**

*College of Physicians & Surgeons, Columbia University*

The aim of this new journal is to highlight the most significant and original contributions in the field of connective tissue research; to relate the many facets of the subject; and to afford easier communication amongst those who wish to remain informed of current developments in the entire field while actively engaged in more narrowly focused studies.

Interdisciplinary in approach, the journal will attempt to cover in most issues advances in basic knowledge of structure, biosynthesis and metabolism of collagen, elastin and proteoglycans as well as pertinent new applications in the laboratory and clinic.

In addition to original, full-length papers this journal will occasionally publish short communications of novel concepts or reports of papers presented at meetings.

*Connective Tissue Research* will be of interest to investigators in: biochemistry; biophysics; cell biology; immunology; microbiology; molecular biology; pathology; physiology; surgery; experimental research of aorta, bone, cartilage, cornea, lung, sclera, skin and teeth; formation, development and ageing of connective tissue elements; and wound healing.

A descriptive brochure and subscriptions information are available from Gordon and Breach Science Publishers Ltd. (Department BP), 42 William IV Street, London W.C.2, England.

## BRITISH JOURNAL OF PHARMACOLOGY

# Short Communications

Papers for consideration should be marked "Short Communication", and be submitted in duplicate to the Secretary of the Editorial Board. **THEY MUST BE LESS THAN 1,200 WORDS IN LENGTH**, including a short summary, **AND MAY CONTAIN ONE FIGURE OR ONE TABLE**. To reduce publication delay to a minimum (about 6 weeks), correspondence between author and editor must be avoided. Manuscripts should therefore be prepared with great care and the customary form used in the Journal strictly observed (see instructions on the inside covers of a recent issue of the Journal.) Short Communications will be accepted on the understanding that if authors' proofs are not returned before the Journal goes to press, the Communication will be published with the Press Editor's corrections only.

# BRITISH JOURNAL OF PHARMACOLOGY

EDITED FOR  
THE BRITISH PHARMACOLOGICAL SOCIETY  
BY

W. D. M. Paton (*Chairman*)      H. M. Adam (*Secretary*)  
Margaret Day (*Press Editor*)  
J. D. Stephenson (*Assistant Press Editor*)

G. W. Ashcroft	H. W. Kosterlitz
R. B. Barlow	G. P. Lewis
J. M. Barnes	J. Maddox (co-opted)
J. W. Black	J. F. Mitchell
W. C. Bowman	P. A. Nasmyth
P. B. Bradley	M. W. Parkes
A. W. Cuthbert	Mary Pickford
C. T. Dollery	H. P. Rang
W. S. Feldberg	H. O. Schild
D. F. Hawkins	D. F. Sharman
F. Hobbiger	Hannah Steinberg
Margarethe Holzbauer	F. M. Sullivan
D. B. Hope	J. R. Vane

*Editorial assistance is provided by the staff of Nature*

VOLUME 46, 1972

LONDON  
MACMILLAN JOURNALS LIMITED  
4 LITTLE ESSEX STREET, WC2R 3LF

# BRITISH JOURNAL OF PHARMACOLOGY

## THE INTERNATIONAL SYSTEM OF UNITS (SI)<sup>1</sup>

The British Journal of Pharmacology uses the symbols recommended in the SI (Système Internationale) (see *Symbols, Signs and Abbreviations Recommended for British Scientific Publications* (1969) (London: The Royal Society: price 35p.)). It is the policy of the Editorial Board to adopt SI units, although the use of certain non-SI units will for the time being be permitted. Full details of the changes involved will be published in a forthcoming "Instructions to Authors". The following is a list (a) of some of the commoner units with their recommended symbols, (b) of some non-SI units which may still be used, and (c) of units which will no longer be acceptable.

### (a) SI units with recommended symbols

Unit	Correct symbol
kilogramme	kg
second, millisecond	s ms
mole, millimole, micromole,	mol mmol $\mu$ mol
nanomole, picomole	nmol pmol
metre, centimetre, millimetre,	m cm mm
micrometre	$\mu$ m
Hertz	Hz

### (b) Some permitted non-SI units

ångström	Å (= $10^{-10}$ m = 0.1 nm)
gramme	g
minute	min
hour	h
molarity (mol/litre)	M
calorie	cal (4.184 J) (Conversion factor to be given as a footnote at first citation or in Methods)
millimetres of mercury	mmHg (1.333 mbar) (Conversion factor to be given as a footnote at first citation or in Methods)
millibar	mbar
poise	P
curie	Ci
litre	l. (where there is danger of confusion between the numeral '1' and the letter 'l', 'litre' should be written in full, and always at the end of a sentence)
millilitre, microlitre	ml $\mu$ l
degree Celsius	°C

### (c) Units no longer acceptable

inch, foot, pound, pound per square inch, °F.

Expressions such as cycles per second (c/s) will no longer be accepted. Frequencies should be expressed in the appropriate approved symbols: thus a stimulation frequency should be given in Hz (irregular or occasional events should be given per unit time, e.g.  $s^{-1}$ ,  $h^{-1}$ ). When there is more than one solidus in an expression, parentheses should be used to eliminate ambiguity, e.g. (mg/kg)/day.

# BRITISH JOURNAL OF PHARMACOLOGY

## THE INTERNATIONAL SYSTEM OF UNITS (SI)

The British Journal of Pharmacology uses the **symbols** recommended in the SI (Système Internationale) (see *Symbols, Signs and Abbreviations Recommended for British Scientific Publications* (1969) (London: The Royal Society: price 35p.)). It is the policy of the Editorial Board to adopt SI **units**, although the use of certain non-SI units will for the time being be permitted. Full details of the changes involved will be published in a forthcoming "Instructions to Authors". The following is a list (a) of some of the commoner units with their recommended symbols, (b) of some non-SI units which may still be used, and (c) of units which will no longer be acceptable.

(a) SI units with recommended symbols

Unit	Correct symbol
kilogramme	kg
second, millisecond	s ms
mole, millimole, micromole,	mol mmol $\mu$ mol
nanomole, picomole	nmol pmol
metre, centimetre, millimetre,	m cm mm
micrometre	$\mu$ m
Hertz	Hz

(b) Some permitted non-SI units

ångström	Å (= $10^{-10}$ m = 0.1 nm)
gramme	g
minute	min
hour	h
molarity (mol/litre)	M
calorie	cal (4.184 J) (Conversion factor to be given as a footnote at first citation or in Methods)
millimetres of mercury	mmHg (1.333 mbar) (Conversion factor to be given as a footnote at first citation or in Methods)
millibar	mbar
poise	P
curie	Ci
litre	l. (where there is danger of confusion between the numeral '1' and the letter 'l', 'litre' should be written in full, and always at the end of a sentence)
millilitre, microlitre	ml $\mu$ l
degree Celsius	°C

(c) Units no longer acceptable

inch, foot, pound, pound per square inch, °F.

Expressions such as cycles per second (c/s) will no longer be accepted. Frequencies should be expressed in the appropriate approved symbols: thus a stimulation frequency should be given in Hz (irregular or occasional events should be given per unit time, e.g. s<sup>-1</sup>, h<sup>-1</sup>). When there is more than one solidus in an expression, parentheses should be used to eliminate ambiguity, e.g. (mg/kg)/day).

## Instructions to Authors

1. **Manuscripts** (2 copies) should be typed in double spacing on one side of paper not larger than foolscap ( $33 \times 20.5$  cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.

2. **A short summary of results and conclusions** (arranged in numbered paragraphs), **tables and legends to figures** should be typed on separate sheets of paper.

3. **References** should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

4. **Figures** should NOT BE LARGER THAN FOOLSCAP ( $33 \times 20.5$  cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymography tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.

5. **Lettering** on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:

× + ● ■ ○ □ △ ▲ ▽ ▼ ○ ● ◇

6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.

7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.

8. **An abstract** of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet, giving the author's name and address and the title of the paper.

**General remarks.** A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

# BRITISH JOURNAL OF PHARMACOLOGY

## September 1972 Volume 46 Number 1

Page

### Obituary

- 1 BAIN, WILLIAM ALEXANDER

### Systematic Pharmacology

- 13 GRUNDY, H. F. and TRITTHART, H. Effects of pethidine and nalorphine on the mechanical and electrical activities of mammalian isolated ventricular muscle. (SP1)
- 23 FRANK, G. B. and OHTA, M. Blockade of the reticulospinal inhibitory pathway by nitrous oxide and tetrodotoxin. (SP2)
- 32 MODIGH, K. and SVENSSON, T. H. On the role of central nervous system catecholamines and 5-hydroxytryptamine in the nialamide-induced behavioural syndrome. (SP2)
- ✓46 BOND, VALERIE J., SHILLITO, ELIZABETH E. and VOGT, MARTHE. Influence of age and of testosterone on the response of male rats to parachlorophenylalanine. (SP2)
- 56 CHURCH, M. K., COLLIER, H. O. J. and JAMES, G. W. L. The inhibition by dexamethasone and disodium cromoglycate of anaphylactic bronchoconstriction in the rat. (SP3, AP2)
- 66 BENZ, L., ECKSTEIN, B., MATTHEWS, E. K. and WILLIAMS, J. A. Control of pancreatic amylase release *in vitro*: effects of ions, cyclic AMP, and colchicine. (SP3, M)

### Autopharmacology

- 78 LEES, G. M. and NISHI, S. Analysis of the mechanism of action of some ganglion-blocking drugs in the rabbit superior cervical ganglion. (AP1, DM1)
- 89 GAGNON, D. J. and SIROIS, P. The rat isolated colon as a specific assay organ for angiotensin. (AP2)
- 94 JOHANSSON, IRENE, LUNDELL, L. and SVENSSON, S. E. Inhibitory and stimulatory effects of secretin on gastric secretion in conscious rats. (AP3)

### Pharmacokinetics

- 101 BUSTOS, G. and ROTH, R. H. Release of monoamines from the striatum and hypothalamus: effect of  $\gamma$ -hydroxybutyrate. (PK3, DM1)

### Drug Mechanisms

- 116 BOND, P. A., JENNER, F. A., LEE, C. R., LENTON, ELIZABETH, POLLITT, R. J. and SAMPSON, GWYNETH A. The effect of lithium salts on the urinary excretion of  $\alpha$ -oxoglutarate in man. (DM1)
- 124 CARROLL, BERNARD J. and SHARP, PETER T. Monoamine mediation of the morphine-induced activation of mice. (DM1, DM2, PP)
- 140 McCULLOCH, M. W. and STORY, D. F. Antagonism of noradrenaline and histamine by desipramine in the isolated artery of the rabbit ear. (DM2, AP1)

### Psychopharmacology

- 151 MORRISON, CATHLEEN F. and STEPHENSON, JANE A. The occurrence of tolerance to a central depressant effect of nicotine. (PP, DM2)

### Miscellaneous

- 157 EISEN, V. and LOVEDAY, C. Activation of arginine and tyrosine esterase in serum from patients with hereditary angio-oedema. (M, AP2)

### SHORT COMMUNICATIONS

- 167 GARCÍA DE JALÓN, P. D., MORATINOS, J. P. and SERRANO, J. S. Experimentally induced automatism in rat isolated ventricle. (SP1)
- 170 DANHOFF, I. E. and GEUMEI, AIDA. Effect of propranolol on gastric acid secretion in rats. (AP1, SP3)
- 172 GREAVES, M. W. and McDONALD-GIBSON, WENDY. Prostaglandin biosynthesis by human skin and its inhibition by corticosteroids. (AP2)

#### Systematic Pharmacology

Cardiovascular system SP1  
Central nervous system SP2  
Other physiological systems SP3

#### Pharmacokinetics

Storage, distribution, fate PK1  
Synthesis, metabolism PK2  
Uptake, release PK3

#### Clinical Pharmacology, Experimental

Therapy CP  
Chemotherapy CT  
Miscellaneous M

#### Autopharmacology

Adrenergic, cholinergic transmission AP1  
Histamine, kinins, prostaglandins, etc. AP2  
Hormones AP3

#### Drug Mechanisms

Molecular, cellular, biochemical, biophysical DM1  
Receptors, antagonism, potentiation, tolerance DM2

#### Pharmacometrics PM

Psychopharmacology PP  
Toxicology TX