Edited for the British Pharmacological Society by

W. D. M. Paton (Chairman) H. M. Adam (Secretary)

Margaret Day (Press Editor)

J. D. Stephenson (Assistant Press Editor)

R. B. Barlow J. Maddox (co-opted) J. F. Mitchell J. M. Barnes J. W. Black P. A. Nasmyth W. C. Bowman M. W. Parkes P. B. Bradley Mary Pickford H. P. Rang A. W. Cuthbert C. T. Dollery H. O. Schild W. S. Feldberg D. F. Sharman D. F. Hawkins A. P. Silverman F. Hobbiger M. A. Simmonds Margarethe Holzbauer A. D. Smith (co-opted) D. B. Hope F. M. Sullivan H. W. Kosterlitz A. Ungar G. P. Lewis J. R. Vane

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr. H. M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £26.50 in the United Kingdom and Republic of Ireland; \$77.00 U.S.A. and Canada (by air freight; second class postage paid at New York, N.Y.); £26.50 all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan Journals Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: David Terry, Advertisement Manager, British Journal of Pharmacology, Macmillan Journals Ltd., 4 Little Essex Street, London, WC2R 3LF, England. Tel: 01-836 6633. Direct line: 01-405 3013.

Copyright © 1973 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Smith & Nephew Research Limited

INDUSTRIAL PHARMACOLOGIST

Smith & Nephew Research Ltd., the research and development organisation for Smith & Nephew Associated Companies Ltd. wish to appoint immediately a pharmacologist (male or female) who has graduated within the last three years, preferably with pharmaceutical qualification.

Work will be mainly concerned with drug therapies for ophthalmic use and there will be training for the successful candidate for this position in this new and expanding pharmaceutical field. Candidates should not be over 26 years.

There is a pleasant work environment in modern laboratories on a country estate where a wide range of scientific disciplines are practised. Fringe benefits conform to modern practice.

In the first instance send brief details of age, qualifications and experience to:



Administration Manager, Smith & Nephew Research Ltd., Gilston Park, Harlow, Essex.

One of the Smith & Nephew Associated Companies



BRITISH JOURNAL OF PHARMACOLOGY

Short Communications

Papers for consideration should be marked "Short Communication", and be submitted in duplicate to the Secretary of the Editorial Board. THEY MUST BE LESS THAN 1,200 WORDS IN LENGTH, including a short summary, AND MAY CONTAIN ONE FIGURE OR ONE TABLE. To reduce publication delay to a minimum (about 6 weeks), correspondence between author and editor must be avoided. Manuscripts should therefore be prepared with great care and the customary form used in the Journal strictly observed (see instructions on the inside covers of a recent issue of the Journal.) Short Communications will be accepted on the understanding that if authors' proofs are not returned before the Journal goes to press, the Communication will be published with the Press Editor's corrections only.

INDEX TO VOLUME 47

AUTHOR INDEX

ABEL, E. L., McMillan, D. E., and Harris, L. S. Tolerance to the hypothermic effects of Δ ⁹-tetrahydrocannabinol as a function of age in the chicken, 452

ABERG, G., ADLER, G. and ERICSSON, E. The effect of age on β-adrenoceptor activity in

tracheal smooth muscle, 181

ADAMS, P. R. and Brown, D.A. Action of γ-aminobutyric acid (GABA) on rat sympathetic ganglion cells, 639P

ADJEPON-YAMOAH, K. K. and Prescott, L. F. Lignocaine metabolism in man, 672P

- ADLER, G. See ABERG, G., 181
 ADNITT, P. I., FRAYN, K. N. and TURNER, P. Effects of metformin on glucose uptake by isolated human skeletal muscle, 617P
- AELLIG, W. H. See OHNHAUS, E. É., 620P AELLIG, W. H. Isoprenaline antagonism and duration of action in exercise induced tachycardia of three β-adrenoceptor blocking drugs pindolol, LF 17-895, and propranolol, 621P
- AHTEE, LIISA and SAARNIVAARA, LAILA. The effect of narcotic analgesics on the uptake of 5-hydroxytryptamine and (-)-metaraminol by blood platelets, 808

ALABASTER, VALERIE A., and BAKHLE, Y. S. The removal of noradrenaline in the pulmonary circulation of rat isolated lungs, 325

- ALABASTER, VALERIE A., and BAKHLE, Y. S. bradykininase activities of extracts of dog lung, 799
- ALLEN, G. S., RAND, M. J. and STORY, D.F. Comparison of effects of six cholinomimetic drugs on inhibition of uptake of ⁸H-(±)noradrenaline by guinea-pig atria, 179

ALLEN, JUDITH A., JENKINSON, D. J. and RODDIE, I. C. The effect of β-adrenoceptor blockage

on human sweating, 487

ALLUM, WENDY, AMINU, J., BLOOMFIELD, T. H., DAVIES, CAROL, SCALES, A. H. and VERE, D. W. Interaction between debrisoquine and phenylephrine in man, 675P

AMINU, J. See ALLUM, WENDY, 675P

ANLEZARK, G. M., ARBUTHNOTT, G. W., CROW, T. J., ECCLESTON, D. and WALTER, D. S. Intracranial self-stimulation and noradrenaline metabolism in cortex, 645P
Arbab, A. G. Turner, P. and Variava, Dinaz M.

The α-adrenoceptor blocking activity of desacetylthymoxamine on human isolated

smooth muscle, 677P Arbuthnott, G. W. See Anlezark, G. M., 645P

ARMSTRONG, J. M. and BOURA, A. L. A. Effects of clonidine and guaethidine on peripheral nerve function in the pithed rat, 850

BAKER, G. F. and ROGERS, H. J. (introduced by Spector, R. G.). Effect of chlorpromazine on hexose penetration in the human erthrocyte, 655P

- BAKHLE, Y. S. See ALABASTER, VALERIE A., 325 BAKHLE, Y. S. See ALABASTER, VALERIE A., 799
- BALLANTYNE, A., JONES, R. L. and UNGAR, A. The actions of prostaglandins A_1 and A_2 on airway resistance and compliance in the cat, 630P
- BALNAVE, R. J. and GAGE, P. W. The inhibitory effect of manganese on transmitter release at the neuromuscular junction of the toad, 339
- BAMGBOSE, S. O. A., MARQUIS, V. O. and SALAKO, L. A. Some pharmacological effects of nematocide, morantel, 117
- BANKS, W., GREENWOOD, C. T. and MUIR, D. D. The structure of hydroxyethyl starch, 172
- BASIL, B., COLLINS, R. F. and CUTHBERT, M. F. Pharmacokinetics of M&B 17,803A in animals and man, 620P
- BASKIN, S. I., DUTTA, S. and MARKS, B. H. The effects of diphenylehydantoin and potassium on the biological activity of ouabain in the guinea-pig heart, 85

BAUDOUIN-LEGROS, M. and MEYER, P. Effects of angiotensin, catecholamines and cyclic AMP on calcium storage in aortic microsomes, 377

- BAXTER, M. G., FOWLER, L. J., MILLER, A. A. and WALKER, J. M. G. Some behavioural and anticonvulsant actions in mice of ethanolamine O-sulphate, and inhibitor of 4-aminobutyrate aminotransferase, 681P
- BEAUGRAND, J. and ST-LAURENT, J. Effects of α-methyl-p-tyrosine and L-DOPA on brain self stimulation and motor activity in rats, 609
- BENTON, D., RICK, J. T. and TABERNER, P. V. (introduced by MITCHELL, J. F.). Pharmacological interactions between y-hydroxybutyric acid and agents which modify y-aminobutyric acid (GABA) metabolism, 648P BERDE, B. See RICHARDSON, B. P., 623P
- BHARGAVA, K. P., KULSHRESTHA, V. K., SANTHA-KUMARI, G. and SRIVASTAVA, Y. P. Mecha-nism of histamine-induced antidiuretic response, 700
- BIRCH, N. J. and JENNER, F. A. The distribution of lithium and its effects on the distribution and excretion of other ions in the rat, 586
- BISSET, G. W. See HILL, PENNY M. M., 655P BLABER, L. C. The prejunctional actions of some non-depolarizing blocking drugs, 109
- BLAKELEY, A. G. H., POWIS, G. and SUMMERS, R. J. Some characteristics of the uptake process in the isolated blood perfused cat spleen resistant to desmethylimipramine and 17-β-oestradiol, 634P
- BLAKELEY, A. G. H., Powis, G. and Summers, R. J. The effects of pargyline on overflow of transmitter and uptake of noradrenaline in the cat spleen, 719
- BLANC, G., GLOWINSKI, L., STINUS, L. and THIERRY, A. M. (introduced by IVERSEN, L. L.). Is cortical dopamine only the precursor of noradrenaline? 648P
- BLOOMFIELD, T. H. See ALLUM, WENDY, 675P

Blundell, J. E. and Leshem, M. B. Dissociation of the anorexic effects of fenfluramine and amphetamine following intrahypothalamic injection, 183

BOAKES, A. J. and PRICHARD, B. N. C. The effect of AH5158, pindolol, propranolol, D-propranolol on acute exercise tolerance in angina

pectoris, 673P

BOURA, A. L. A. See ARMSTRONG, J. M., 850 BOWERY, BARBARA and LEWIS, G. P. Inhibition of functional vasodilatation and prostaglandin formation in rabbit adipose tissue by indomethacin and aspirin, 305

Bradley, P. B. and Dray, A. Actions and interactions of microiontophoretically applied morphine with transmitter substances on

brain stem neurones, 642P

Bradshaw, C. M., Roberts, M. H. T. and Szabadi, E. Relationship between the kinetics of neuronal responses and the release of drugs from micropipettes: effect of retaining current, 653P

BRADSHAW, C. M., ROBERTS, M. H. T. and SZABADI, E. A theoretical model of ionmovements in micropipettes occurring during the course of microelectrphoresis experiments,

Breckenridge, A., Burke, C. W., Davies, D. S. and Orme, M. L'E. Immediate decrease by hydrocortisone of the plasma half-life of antipyrine, 434.

Breckenridge, A., Davies, D. S., Davies, L. and ORME, M. Dose-dependent enzyme induction, 616P

Brenells, Ann B. (introduced by Straughan, D. W.). An in vivo method for studying release of putative neurotransmitters from rabbit olfactory bulbs, 667P

Brown, D. A. See Adams, P. R., 639P Brown, D. M., Hughes, B. O., Marsden, C. D., Meadows, J. C. and Spicer, B. Some initial animal and human pharmacological studies with benapryzine (BRL 1288), 476

BROWNLEE, G. See GRIFFITHS, P. J., 669P BROWNLEE, G. See PRINCE, A. K., 670P BURKE, C. W. See BRECKENRIDGE, A., 434

CARSON, I. W., CLARKE, R. S. J. and DUNDEE, J. W. Interaction of suxamethonium with intravenous induction agents, 679P

Cashin, C. H. and Sutton, Susan. The effect of anti-Parkinson drugs on catelepsy induced by α-methyl-p-tyrosine in rats pretreated with intraventricular 6-hydroxydopamine, 658P

CAVOTO, F., KELLIHER, G. and ROBERTS, J. Simultaneous measurement of atrial and ventricular pacemaker activity, 843

CHANG, C. C., CHEN, T. F. and CHUANG SING-TAI.
N,O-di and N,N,O-tri (*H) acetyl α-bungaotoxins as specific labelling agents of cholinergic receptors, 147

CHEN, T. F. See CHANG, C. C., 147 CHRISTIE, JANICE E. and CROW, T. J. Behavioural studies of the actions of cocaine, monoamine oxidase inhibitors and iminodibenzyl compounds on central dopamine neurones, 39

CHUANG, SING-TAI. See CHANG, C. C., 147 CLARK, ANNE and OLSON, CAMILLE B. Effects of caffeine and isoprenaline on mammalian ventricular muscle, 1

CLARK, R. A., JULIAN, D. G., NIMMO, J., PRESCOTT, L. F. and TALBOT, R. Clinical pharmacological studies of Kö 1173—a new antirrhythmic agent, 622P

CLARKE, G. and DAVIES, J. The effects of anti-Parkinson drugs on cortical neurones, 465

CLARKE, G., HILL, R. G. and STRAUGHAN, D. W. Pharmacology of the neuronal excitation and inhibition induced by an acute seizure focus in feline cortex, 664P

CLARKE, R. S. J. See CARSON, I. W., 679P COLLINS, C. G. S. Drug-induced changes in the electrically evoked release of ³H-y-aminobutyric acid (3H-GABA) from spinal cord, 641P

COLLINS, R. F. See BASIL, B., 620P COLQUHOUN, D., RANG, H. P. and RITCHIE, J. M. The binding of labelled tetrodotoxin and cobra toxin by the rat diaphragm, 632P

Cousineau, D., Gagnon, D. J. and Sirois, P. Changes in plasma levels of vasopressin and renin in response to haemorrhage in dogs,

CRAWLEY, F. E. H., KENNEDY, P. and SWASH, M. (introduced by MAXWELL, D. R.). Effect of dimethothiazine on tonic vibration reflex in man, 613P

CREESE, R. See HUMPHREY, P. P. A., 636P CROW, T. J. See CHRISTIE, JANICE E., 39 CROW, T. J. See ANLEZARK, G. M., 645P

CUTHBERT, A. W. and YOUNG, J. M. Determination of the number of muscarinic receptors in chick amnion muscle, 631P

CUTHBERT, A. W. and Wong, P. Y. D. Effect of epithelia treated with antidiuretic hormone, 778

CUTHBERT, M. F. See BASIL, B., 620P Cull, Geraldine A. and Scott, N. C. Structureactivity relationships in some series of 2-alkyl-1, 2, 3,-benzotriazinium compounds,

Davies, Carol. See Allum, Wendy, 675P Davies, D. S. See Breckenridge, A., 434 Davies, D. S. See Breckenridge, A., 616P DAVIES, D. L., LANT, A. F., MILLARD, N. R., SMITH, A. J., WARD, J. W. and WILSON,

G. M. Some aspects of the clinical pharmacology of bumetanide, a new potent oral diuretic, 618P

DAVIES, J. See CLARKE, G., 465 DAVIES, L. See BRECKENRIDGE, A., 616P

DEVASANKARAIAH, G., HARANATH, P. R. S. K. and Krishnamurty, A. Passage of intravenously administered tubocurarine into the liquor space in man and dog, 787

DHASMANA, K. M. and SPILKER, B. A. On the mechanism of L-DOPA-induced postural

hypotension in the cat, 437

DOGGETT, N. S. and SPENCER, P. S. J. Pharmacological properties of centrally-administered agents which interfere with neurotransmitter function: a comparison with the central depressant effects of ouabain, 26

Dollery, C. T. and Reid, J. L. Central noradrenergic neurones and the cardiovascular actions of cloidine in the rabbit, 206

DRAY, A. See BRADLEY, P. B., 642P DUNDEE, J. W. See CARSON, I. W., 679P DUTTA, S. See BASKIN, S. I., 85

Е

ECCLESTON, D. See ANLEZARK, G. M., 645P EISEN, V. and LOVEDAY, C. Effects of salicylates on blood changes in mycoplasma arthritis in rats, 272

ENDERSBY, C. A. and WILSON, CATHERINE. The effect of ovarian steroids on the uptake of 3H-noradrenaline, 3H-dopamine and 3H-5hydroxytryptamine by hypathalamic tissue, 647P

ERICSSON, E. See ABERG, G., 181 EYRE, P., LEWIS, A. J. and WELLS, P. W. Acute

systemic anaphylaxis in the calf, 504

F

FERREIRA, S. H., MONCADA, S. and VANE, J. E. Some effects of inhibiting endogenous prostaglandin formation on the responses of the cat spleen, 48

FERREIRA, S. H. MONCADA, S. and VANE, J. R. Further experiments to establish that the analgesic action of aspirin-like drugs depends on the inhibition of prostaglandin biosynthesis, 629P

FERRY, C. B. and MARSHALL, A. R. An anticurare effect of hexamethonium at the mammalian neuromuscular junction, 353

FIBIGER, H. C., FIBIGER, H. P. and ZIS, A. P. Attenuation of amphetamine-induced motor stimulation and stereotypy by 6-hydroxydopamine in the rat, 683

FIBIGER, H. P. See FIBIGER, H. C., 683

FINCH, L. and HAEUSLER, G. Further evidence for a central hypotensive action of α-methyldopa in both the rat and the cat, 217

FINCH, L., HAEUSLER, G. and THOENEN, H. comparison of the effects of chemical sympathectomy by 6-hydroxydopamine in newborn and adult rats, 249

FOWLER, L. J. See BAXTER, M. G., 681P Foy, J. M. and FURMAN, B. L. Effect of single dose administration of diuretics on the blood sugar of alloxan-diabetic mice made hyperglycaemic by the acute administration of diazoxide, 124

FOZARD, J. R. and MWALUKO, G. M. P. The uptake of 5-hydroxytryptamine by the rabbit

heart in vitro, 661P

Franklin, C. S. and Kyegombe, D. B. The distribution and induction of some drug-metabolizing enzymes in man, 616P

FRAYN, K. N. See ADNITT, P. I., 617P FREDHOLM, B. B. and HEDQVIST, P. Role of pre- and postjunctional inhibition by prostaglandin E2 of lipolysis induced by sympathetic nerve stimulation in dog subcutaneous adipose tissue in situ, 711

FURMAN, B. L. See FOY, J. M., 124 FURUTA, Y., HASHIMOTO, K., IWATSUKI, K. and TAKEUCHI, O. Effects of enzyme inhibitors of catecholamine metabolism and of halperidol on the pancreatic secretion induced by L-DOPA and by dopamine in dogs, 77

GABELLA, G. and JUORIO, A. V. Monoamines in the guinea-pig intestine, 635P GAGE, P. W. See BALNAVE, R. J., 339 GAGNON, D. J. See COUSINEAU, D., 315

GAITONDÉ, B. B. and NIMBKAR, A. Y. Interaction of bretylium and guanethidine on the relaxation of the rat isolated fundal strip preparation, evoked by indirect stimulation, 268

GALLACHER, MAUREEN, MACKENNA, B. R. and McKirdy, H. C. Effects of drugs and of electrical stimulation on the muscularis mucosae of rabbit large intestine, 760 GARCIA, A. G. and KIRPEKAR, S. M. Release of

noradrenaline from the cat spleen by sodium

deprivation, 729

GARDNER, C. R. and WEBSTER, R. A. The effect of some anticonvulsant drugs on leptazol and bicuculline induced acetylcholine efflux from rat cerebral cortex, 652P

GARLAND, L. G. and MONGAR, J. L. Inhibition by cromoglycate of histamine release inducted

by dextran plus phosphatidyl serine, 627P GIBSON, A. and GILLESPIE, J. S. The effect of immunosympathectomy and of 6-hydroxydopamine on the responses of the rat anococcygeus to nerve stimulation and to some drugs, 261

GILBERT, J. N. T., MILLARD, B. J. and Powell, J. W. (introduced by STRAUGHAN, D. W.). Gas chromatography—mass spectrometry for the identification of barbiturate metabolites, 665P

GILLESPIE, J. S. See GIBSON, A., 261

GILLESPIE, J. S. and Towart, R. Uptake kinetics and ion requirements for extraneuronal uptake of noradrenaline by arterial smooth muscle and collagen, 556

GINSBORG, B. L., HIRST, G. D. S., MAIZELS, J. V. and Walker, J. Specificity of adenosine on transmitter output at the neuromuscular junction, 637P

GLOWINSKI, L. See Blanc, G., 648P

GOLDSTEIN, A., JUDSON, BARBARA A. and SHEEHAN, PATRICIA. Cellular and metabolic tolerance to an opioid narcotic in mouse brain, 138

GOODCHILD, MARGARET and NEAL, M. J. The uptake of 3H-y-aminobutyric acid by the retina, 529

GOTTESFELD, ZEHAVA, KELLY, J. S. and SCHON, F. (introduced by IVERSEN, L. L.). Uptake of y-aminobutyric acid (GABA) by sensory root ganglia, 640P Graham, J. D. P. See Li, D. M. F., 627P

GREENGRASS, PAMELA M. and TONGE, SALLY R. (introduced by LEONARD, B. E.). Some effects of the acute and chronic administration of sex hormones on brain monoamine concentrations, 660P

GREENWAY, C. V. and OSHIRO, G. Effects of histamine on hepatic volume (outflow block)

in anaesthetized dogs, 282

GREENWOOD, C. T. See BANKS, W., 172 GRIFFITHS, P. J., LITTLETON, J. M. and ORTIZ, A. (introduced by Brownlee, G.). A method for the induction of dependence to ethanol in mice, 669P

GUPTA, N. and LEVY, L. Delayed manifestation of ultraviolet reaction in the guinea-pig caused by anti-inflammatory drugs, 240

GUTMAN, Y., LEVY, M. and SHORR, J. Renin-like activity of the rat submaxillary gland: characterization and the effect of several drugs and stumuli, 59

Haeusler, G. See Finch, L., 217

HAEUSLER, G. See FINCH, F., 249 HÅKANSON, R., LEIDBERG, G. and OSCARSON, J. Effects of prostaglandin E₁ on acid secretion, mucosal histamine content and histidine decarboxylase activity in rat stomach, 498

HAMER, J. See KIDDIE, MOIRA A., 674P HAMMOND, M. D. and Schneider, C. Behavioural changes induced in mice following termination of ethanol administration, 667P HARANATH, P. S. R. K. See DEVASANKARAIAH,

G., 787

HARRIS, J. B., KARLSSON, E. and THESLEFF, S. Effects of an isolated toxin from Australian Tiger snake (Notechis scutatus scutatus) venom at the mammalian neuromuscular junction, 141

HARRIS, L. S. See ABEL, E. L., 452 HARRIS, M., HOPKIN, JUDY M. and NEAL, M. J. Effect of centrally acting drugs on the uptake of y-aminobutyric acid (GABA) by slices of rat cerebral cortex, 229

HASHIMOTO, K. See FURUTA, Y., 77 HEADING, R. C., NIMMO, J. K., PRESCOTT, L. F. and TOTHILL, P. The dependence of paracetamol absorbtion on the rate of gastric emptying, 415

HEDOVIST, P. See Fredholm, B. B., 711

HICKS, DEBORAH C. (introduced by TURNER, P.). The buccal absorption of some β-adrenocep-

tor blocking drugs, 680P

HILL, PENNY M. M. and Young, Maureen (introduced by BISSET, G. W.). Use of the guinea-pig foetal placenta, perfused in situ, as a model to study the placental transfer of pharmacological substances, 655P

HILL, R. G., SIMMONDS, M. A. and STRAUGHAN, D. W. Amino acid antagonists and the depression of cuneate neurones by y-aminobytyric acid (GABA) and glycine, 642P

HILL, R. G. and MILLER, A. A. A technique allowing e.e.g. and activity recording together with intraventricular administration of drugs in the conscious rabbit, 663P

HILL, R. G., SIMMONDS, M. A. and STRAUGHAN, D. W. Microiontophoretic study of depressant amino acids and the specificity of their antagonists, 663P

HILL, R. G. See CLARKE, G., 664P

HIRST, G. D. S. See GINSBORG, B. L., 637P HOLLAND, P. See MARTIN, H. DE V., 619P

HOLMAN, MOLLIE E. and SPITZER, N. C. Action of botulinum toxin on transmission from sympathetic nerves to the vas deferens, 431 HOPKIN, JUDY M. See HARRIS, M., 229

HORN, A. S. Structure-activity relations for the inhibition of catecholamine uptake into synaptosomes from noradrenaline and dopaminergic neurones in rat brain homogenates,

HORN, A. S. and SNODGRASS, S. R. (introduced by IVERSEN, L. L.). The occurrence of tryptamine in rat brain and its pharmacological manipulation, 646P

Houghton, Joan and Philips, Elleen M. (introduced by Turner, P.). The pharmacology of human isolated pulmonary vascular tissue, 676P

HUGHES, B. O. See Brown, D. M., 476 HUGHES, J. Differential labelling of intraneuronal noradrenaline stores with different

concentrations of (-)-3H-noradrenaline, 428
HUGHES, I. E., KIRK, JENNIFER, A., KNEEN,
BARBARA, and LARGE, B. J. An assessment of sympathetic function in isolated tissues from mice given nerve-growth factor anti-serum and 6-hydroxydopamine, 748

HUMPHREY, P. P. A. (introduced by Creese, R.). Depolarization and neuromuscular block in

the rat, 636P

IRESON, J. D. and OSBORNE, H. M. A modified motor activity test to discriminate major and minor tranquillizers, 659P

IVERSEN, L. L. See GOTTESFELD, ZEHAVA, 640P IVERSEN, L. L. See HORN, A. S., 646P

Iversen, L. L. See Blanc, G., 648P Iwatsuki, K. See Furuta, Y., 77

JENKINSON, D. H. and TERRAR, D. A. Influence of chloride ions on changes in membrane potential during prolonged application of carbachol to frog skeletal muscle, 363

JENKINSON, D. J. See Allen, Judith A., 487

JENNER, F. A. See BIRCH, N. J., 586

JENNER, F. A. See BIRCH, N. J., 586

JONDORF, W. R., MACINTYRE, D. E. and Powis,
G. Induction of liver microsomal drug
metabolism in newly-hatched chicks, 624P

JONES, I. M., JORDAN, C. C., MORTON, I. K. M.,
STAGG, C. J. and Webster, R. A. Chronic

dorsal root section on free amino acid levels in the rabbit spinal cord, 668P

JONES, R. L. See BALLANTYNE, A., 630P JORDAN, C. C. See JONES, I. M., 668P Judson, Barbara A. See Goldstein, A., 138 Julian, D. G. See Clark, R. A., 622P Juorio, A. V. See Gabella, G., 635P

KALSNER, S. Mechanism of potentiation by amines of non-equilibrium blockade of the α-adrenoceptor, 386

KAMPMANN, J., LINDAHL, F., MOLHOLM HANSON, J. and SIERSBAEK-NIELSEN, K. Effect of probenecid on the excretion of ampicillin in

human bile, 782

KARLSSON, E. See HARRIS, J. B., 141

KELLIHER, G. See CAVOTO, F., 843

KELLY, J. S. See GOTTESFELD, ZEHAVA, 640P

KENNEDY, P. See CRAWLEY, F. E. H., 613P

KIDDIE, MOIRA A., ROYDS, R. B. and SHAW, T. R. D. (introduced by HAMER, J.). Preli-

minary studies on the pharmacology of an antidysrhythmic, Kö 1173, in man, 674P KIRK, JENNIFER A. See HUGHES, I. E., 748 KIRPEKAR, S. M. See GARCIA, A. G., 729 KNEEN, BARBARA. See HUGHES, I. E., 748

KRISHNAMURTY, A. See DEVASANKARAIAH, G.,

KRIVOY, W., KROEGER, D. and ZIMMERMANN, E. Actions of morphine on the segmental reflex of the decerebrate-spinal cat, 457

KROEGER, D. See KRIVOY, W., 457 KULSHRESTHA, V. K. See BHARGAVA, K. P., 700 KYEGOMBE, D. B. See FRANKLIN, C. S., 616P

LANCASTER, JULIE, SAWYER, P. R., SHEPHERD, D. M. and TURNBULL, M. J. Effect of chronic L-DOPA administration on catecholamine metabolism in the rat, 838

LANG, W. J. and RUSH, M. L. Cardiovascular responses to injections of cholinomimetic drugs into the cerebral ventricals of unanaesthetized dogs, 196

LANT, A. F. See DAVIES, D. L., 618P LARGE, B. J. See HUGHES, I. E., 748

LATHAM, A. N. and RICHENS, A. Pheneturide, a more potent liver enzyme inducer in man than phenobarbitone?, 615P

LEDINGHAM, I. McA., MARSHALL, R. J. and PARRATT, J. R. Drug-induced changes in blood flow in normal and ischaemic regions of the canine myocardium, 626P Leidberg, G. See Håkanson, R., 498 Leonard, B. E. See Greengrass, Pamela M.,

LESHEM, M. B. See Blundell, J. E., 183 Levy, B. Selective blockade of β-adrenoceptors by 1-(p-allylphenoxy) -3-isopropylamino-2 propanol hydrochloride (H64/52) in the anaethetized dog, 398

LEVY, L. See GUPTA, N., 240
LEVY, M. See GUTMAN, Y., 59
LEWIS, A. J. See EYRE, P., 504
LEWIS, G. P. See BOWERY, BARBARA, 305
LI, D. M. F. (introduced by Graham, J. D. P.). Cardiovascular and respiratory effects of cannabis extracts and Δ^1 tetra-hydrocanna-

binol (Δ^1 -THC), 627P

LINDAHL, F. See KAMPMANN, J., 782 LINNOILA, M. and MATTILA, M. J. Interaction of alcohol and drugs on psycomotor skills as demonstrated by a driving stimulator, 671P

LITTLETON, J. M. See GRIFFITHS, P. J., 669P LOOTS, J. M., MEIJ, H. S. and MEYER, B. J. Effects of Naja nivea venom on nerve, cardiac and skeletal muscle activity of the frog, 576 LOVEDAY, C. See EISEN, V., 272

MacIntyre, D. E. See Jondorf, W. R., 624P MacKenna, B. R. See Gallacher, Maureen, 760

MACKENZIE, J. E. and PARRATT, J. R. Effects of oxyfedrine on isolated portal vein and other

smooth muscles, 827
MAIN, I. H. M. and WHITTLE, B. J. R. Effects of indomethacin on rat gastric acid secretion and mucosal blood flow, 666P

MAIZELS, J. V. See GINSBORG, B. L., 637P
MARCHAND, C. and NADEAU, D. Effect of
2-diethylaminoethyl-2, 2-diphenylvalerate hydrochloride (SKF 525-A) on sulphacetamide distribution and excretion in rats, 69

Marks, B. H. See Baskin, S. I., 85 MARQUIS, V. O. See BAMGBOSE, S. O. A., 117 MARSDEN, C. D. See BROWN, D. M., 476 MARSHALL, A. R. See FERRY, C. B., 353 MARSHALL, R. J. See LEDINGHAM, I. McA.,

MARTIN, H. DE V. (introduced by HOLLAND, P.). Atropine sulphate absorbtion from an intramuscular injection of a mixture of the oxime, P2S, and atropine in exercising humans, 619P

Massingham, R. and Shevde, S. The ionic composition of aortic smooth muscle from A.S.-hypertensive rats, 422

MATTILA, M. J. See LINNOILA, M., 671P MAXWELL, D. R. See CRAWLEY, F. E. H., 613P McKirdy, H. C. See Gallacher, Maureen,

McMillan, D. E. See Abel, E. L., 452 Meadows, J. C. See Brown, D. M., 476 Meij, H. S. See Loots, J. M., 576 MEYER, B. J. See LOOTS, J. M., 576 MEYER, P. See BAUDOUIN-LEGROS, M., 377 MILLARD, B. J. See GILBERT, J. N. T., 665P MILLARD, N. R. See DAVIES, D. L., 618P MILLER, A. A. See HILL, R. G., 663P MILLER, A. A. See BAXTER, M. G., 681P MITCHELL, J. F. See BENTON, D., 648P

MOLENAAR, P. C., NICKOLSON, V. J. and POLAK, R. L. Preferential release of newly synthesized ³H-acetylcholine from rat cerebral cortex slices in vitro, 97

Mølholm Hanson, J. See Kampmann, J., 782 Moncada, S. See Ferreira, S. H., 48 Moncada, S. See Ferreira, S. H., 629P MONGAR, J. L. See GARLAND, L. G., 627P MORTON, I. K. M. See JONES, I. M., 668P MUIR, D. D. See BANKS, W., 172 MWALUKO, G. M. P. See FOZARD, J. R., 661P

NADEAU, D. See MARCHAND, C., 69 NAHORSKI, S. R., ROGERS, K. J. and SLATER, P. Analysis of labile brain constituents using a technique for the instantaneous fixation of brain tissue in vivo, 659P

Neal, M. J. See Harris, M., 229 Neal, M. J. See Goodchild, Margaret, 529 Neal, M. J. and Starr, M. S. Effect of inhibitors of y-aminobutyrate aminotransferase on the accumulation of ³H-y-aminobutyric acid by the retina, 543

NEAL, M. J. and STARR, M. S. Effect of aminooxyacetic acid on the accumulation of ⁸H-y-aminobutyric acid (⁸H-GABA) by rat

retina, 649P

NEAL, M. J., PEACOCK, D. G. and WHITE, R. D. Kinetic analysis of amino acid uptake by the rat retina in vitro, 656P

NICKOLSON, V. J. See MOLENAAR, P. C., 97
NIMBKAR, A. Y. See GAITONDÉ, B. B., 268
NIMMO, J. See HEADING, R. C., 415
NIMMO, J. See CLARK, R. A., 622P
NISTRI, A. and PEPEU, G. Increase in brain and spinal acetylcholine levels without antino-

ciceptive actions following morphine administration in the frog, 650P

O'DONNELL, STELLA, R. and SAAR, NILI. Histochemical localization of adrenergic nerves in the guinea-pig trachea, 707

OHNHAUS, E. E. (introduced by AELLIG, W. H.). The pharmacokinetics of unchanged pindolol in patients with impaired renal functions, 620P

OLSON, CAMILLE B. See CLARK, ANNE, 1 ORME, M. L'E. See BRECKENRIDGE, A., ORME, M. See Breckenridge, A., 616P Ortiz, A. See Griffiths, P. J., 669P Osborne, H. M. See Ireson, J. D., 659P Oscarson, J. See Håkanson, R., 498 Oshiro, G. See Greenway, C. V., 282

PARRATT, J. R. Myocardial and circulatory effects *E. coli* endotoxin; modification of responses to catecholamines, 12 PARRATT, J. R. See LEDINGHAM, I. McA., 626P

PARRATT, J. R. See MACKENZIE, J. E., 827 PEACOCK, D. G. See NEAL, M. J., 656P

PEPEU, G. See NISTRI, A., 650P PERKINS, W. E. and VARS, L. Effects of carbenoxolone sodium on stress induced gastric damage in rats, 847

PHILLIPS, EILEEN M. See HOUGHTON, JOAN, 676P PHILLIPS, SUSAN J., RICHENS, A. and SHAND, D. G. Adrenergic control of tendon jerk reflexes in man, 595

PIPER, PRISCILLA J. and WALKER, JOYCE L. The SHAW, T. R. D. See KIDDIE, MOIRA A., 674P SHEEHAN, PATRICIA. See GOLDSTEIN, A., 138 SHEPHERD, D. M. See LANCASTER, JULIE, 838 release of spasmogenic substances from human chopped lung tissue and its inhibition, SHEVDE, S. See MASSINGHAM, R., 422 SHOUR, J. See MIASSINGHAM, R., 422 SHORR, J. See GUTMAN, Y., 59 SIERSBAEK-NIELSEN, K. See KAMPMANN, J., 782 SIMMONDS, M. A. See HILL, R. G., 642P SIMMONDS, M. A. See HILL, R. G., 663P PIXNER, D. B. (introduced by QUILLAM, J. P.). Bicuculline and frog spinal neurones, 637P POLAK, R. L. See MOLENAAR, P. C., 97 POLSTER, P. and VAUGHAN WILLIAMS, E. M. SIROIS, P. See COUSINEAU, D., 315 effect of prolonged treatment with oxyfedrine SLATER, P. See NAHORSKI, S. R., 659P on intracellular potentials and on other features SMITH, A. J. See DAVIES, D. L., 618P SMITH, P. A. and WALKER, R. J. Studies on of cardiac function in rabbits and guineapigs, 187 POWELL, J. W. See GILBERT, J. N. T., 665P 5-hydroxytryptamine receptors of neurones Powis, G. The accumulation and metabolism of from Hirudo medicinalis, 633P SNODGRASS, S. R. See HORN, A. S., 646P SPECTOR, R. G. See BAKER, G. F., 655P SPENCER, P. S. J. See DOGGETT, N. S., 26 (-)-noradrenaline by cells in culture, 568 Powis, G. See Jondorf, W. R., 624P Powis, G. See Blakeley, A. G. H., 634P Powis, G. See Blakeley, A. G. H., 719 Prescott, L. F., See Heading, R. C., 415 Prescott, L. F. See Clark, R. A., 622P Prescott, L. F. See Adjepon-Yamoah, K. K., SPICER, B. See BROWN, D. M., 476 SPILKER, B. A. See DHASMANA, K. M., 437 SPITZER, N. C. See Holman, Mollie E., 431 SRIVASTAVA, Y. P. See BHARGAVA K. P., 700 STAGG, C. J. See JONES, I. M., 668P STARR, M. S. See NEAL, M. J., 543 STARR, M. S. See NEAL, M. J., 649P 672P PRICHARD, B. N. C. See BOAKES, A. J., 673P PRINCE, A. K. and TOATES, P. (introduced by STINUS, L. See BLANC, G., 648P Brownlee, G.). A stain for the detection of ST-LAURENT, J. See BEAUGRAND, J., 609 STORY, D. F. See Allen, G. S., 179 STRAUGHAN, D. W. See HILL, R. G., 642P choline acetyltransferase, 670P QUILLAM, J. P. See PIXNER, D. B., 637P STRAUGHAN, D. W. See HILL, R. G., 663P STRAUGHAN, D. W. See Clarke, G., 664P Straughan, D. W. See Gilbert, J. N. T., 665P Straughan, D. W. See Brenells, Ann B., 667P RAND, M. J. See Allen, G. S., 179 RANG, H. P. See COLQUHOUN, D., 632P REID, J. L. See DOLLERY, C. T., 206 Sugrue, M. F. Effects of morphine and pentazocine on the turnover of noradrenaline and dopamine in various regions of the rat brain, RIBEIRO, S. A. and ROCHA E SILVA, M. Antinociceptive action of bradykinin and related SUMMERS, R. J. See BLAKELEY, A. G. H., 634P kinins of larger molecular weights by the SUMMERS, R. J. See BLAKELEY, A. G. H., 719 intraventricular route, 517 SUTTON, SUSAN. See CASHIN, C. H., 658P SWASH, M. See CRAWLEY, F. E. H., 613P SZABADI, E. See BRADSHAW, C. M., 653P RICHARDSON, B. P. (introduced by BERDE, B.). Evidence for a physiological role of prolactin is osmoregulation in the rat after its inhibition SZABADI, E. See BRADSHAW, C. M., 657P by 2-bromo-α-ergokryptine, 623P RICHENS, A. See PHILLIPS, SUSAN J., 595 RICHENS, A. See LATHAM, A. N., 615P RICK, J. T. See BENTON, D., 648P RITCHIE, J. M. See COLQUHOUN, D., 632P TABERNER, P. V. See BENTON, D., 648P TALBOT, R. See CLARK, R. A., 622P TERRAR, D. A. See JENKINSON, D. H., 363 THESLEFF, S. See HARRIS, J. B., 141 THIERRY, A. M. See BLANC, G., 648P ROBERTS, J. See CAVOTO, F., 843 ROBERTS, M. H. T. See BRADSHAW, C. M., 653P ROBERTS, M. H. T. See BRADSHAW, C. M., 657P ROCHA E SILVA, M. See RIBEIRO, S. A., 517 THOENEN, H. See FINCH, L., 249
THOMAS, G. and WEST, G. B. Amino acids and RODDIE, I. C. See Allen, Judith A., 487 ROGERS, H. J. See BAKER, G. F., 655P inflammation, 662P See Nahorski, S. R., 659P THOMPSON, J. M. Further studies of binding of ROTH, R. H. Inhibition by y-hydroxybutyrate of chlorpromazine-induced increase in homobromosulphthalein sodium by human serum albumin: effects of albumin concentration and vanillic acid, 408 buffer composition, 133 ROYDS, R. B. See KIDDIE, MOIRA A., 674P TOATES, P. See PRINCE, A. K., 670P RUSH, M. L. See LANG, W. J., 196 Tonge, Sally R. Permanent alteration in catecholamine concentrations in discrete areas of brain in the offspring of rats treated with SAAR, NILI. See O'DONNELL, STELLA, 707 methylamphetamine and chlorpromazine, 425 Tonge, Sally R. See Greengrass, Pamela M., Saarnivaara, Laila. See Ahtee, Liisa, 808 SALAKO, L. A. See BAMGBOSE, S. O. A., 117 660P SALMON, G. K. and West, G. B. Variation in the TOTHILL, P. See HEADING, R. C., 415 response of rats to chemical and thermal injury, 625P TOWART, R. See GILLIESPIE, J. S., 556 TRUELOVE, J. F., VAN PETTEN, G. R. and WILLES, SANTHAKUMARI, G. See BHARGAVA, K. P., 700 R. F. Action of several β-adrenoceptor SAWYER, P. R. See LANCASTER, JULIE, 838 blocking drugs in the pregnant sheep and Scales, A. H. See Allum, Wendy, 675P Schneider, C. See Hammond, M. D., 667P foetus, 161 TURNBULL, M. J. See LANCASTER, JULIE, 838 Schon, F. See Gottesfeld, Zehava, 640P Scott, N. C. See Cull, Geraldine A., 819 Shand, D. G. See Phillips, Susan J., 595 Turner, P. See Adnitt, P. I., 617P

Turner, P. See Houghton, Joan, 6 Turner, P. See Arbab, A. G., 677P

See Houghton, Joan, 676P

Turner, P. and Variava, Dinaz M. Comparison of the potencies of edrophonium, neostigmine and eserine with a new anticholinesterase drug RX 67668 on human tissues, 678P

TURNER, P. See HICKS, DEBORAH C., 680P

ι

UNGAR, A. See BALLANTYNE, A., 630P

V

Vane, J. R. See Ferreira, S. H., 48
Vane, J. R. See Ferreira, S. H., 629P
Van Petten, G. R. See Truelove, J. F., 161
Variava, Dinaz M. See Arbab, A. G., 677P
Variava, Dinaz M. See Turner, P., 678P
Vars, L. See Perkins, W. E. 847
Vaughan Williams, E. M. See Polster, P., 187
Vere, D. W. See Allum, Wendy, 675P
Vizi, E. S. Acetycholine release from guineapig ileum by parasympathetic ganglion stimulants and gastrin-like polypeptides, 765

w

WALKER, J. See GINSBORG, B. L., 637P
WALKER, JOYCE L. See PIPER, PRISCILLA J., 291
WALKER, J. M. G. See BAXTER, M. G., 681P
WALKER, R. J. See Smith, P. A., 633P
WALTER, D. S. See ANLEZARK, G. M., 645P

WARD, J. W. See DAVIES, D. L., 618P
WEBSTER, R. A. See GARDNER, C. R., 652P
WEBSTER, R. A. See STAGG, C. J., 668P
WEI, E. Morphine analgesia, tolerance and physical dependence in the adrenalectomized cat, 693
WELLS, P. W. See EYRE, P., 504
WEST, G. B. See SALMON, G. K., 625P
WEST, G. B. See THOMAS, G., 662P
WESTON, A. H. The effect of desensitization to adenosine triphosphate on the peristaltic reflex in guinea-pig ileum, 606
WHITE, R. D. See NEAL, M. J., 656P
WHITTLE, B. J. R. See MAIN, I. H. M., 666P
WILLES, R. F. See TRUELOVE, J. F., 161
WILLIAMS, K. I. Prostaglandin synthesis by the pregnant rat uterus at term and its possible relevance in parturition, 628P
WILSON, CATHERINE. See ENDERSBY, C. A., 647P
WILSON, G. M. See DAVIES, D. L., 618P
WONG, P. Y. D. See CUTHBERT, A. W., 778

V

Young, J. M. See Cuthbert, A. W., 631P Young, Maureen. See Hill, Penny M. M., 655P

7

ZIMMERMANN, E. See KRIVOY, W., 457 ZIS, A. P. See FIBIGER, H. C., 683

SUBJECT INDEX

Α

Acetylcholine, effect of benapryzine, benzhexol, atropine, and procaine on the excitatory responses induced by, 465

—, effects of on inhibition of uptake of ³H-(±)-noradrenaline by guinea-pig atria, 179

- effect of some anticonvulsant drugs on leptazol and bicuculline induced, efflux from rat cerebral cortex, 652P
- —, increase in brain and spinal, levels without antinociceptive actions following morphine administration in the frog, 650P

administration in the frog, 650P

, injection of, into cerebral ventricles of unanaesthetized dogs, 196

----, release of, by parasympathetic ganglion stimulants and gastrin-like polypeptides, 765 ----, response of muscularis mucosae to, 760

Acetycholine-like action of morantel, 117

- 3H-acetylcholine, preferential release of newly synthesized from rat cerebral cortex slices in vitro, 97
- ACh, release of from rat cerebral cortex slices in vitro. 97
- Activity recording, technique allowing, together with e.e.g. recording and intraventricular administration of drugs in the conscious rabbit, 663P
- Adenosine, specificity of, on transmitter output at the neuromuscular junction, 637P
- Adenosine triphosphate, effect of desensitization to, on the peristaltic reflex in guinea-pig ileum, 606
- Advenalectomy, effects of on morphine analgesia, tolerance, and physical dependence in the rat, 693
- Adrenaline, effects inhibited by E. coli endotoxin,
- ----, effect on calcium storage, 377
- —, response of muscularis mucosae to, 760 Adrenergic control, of tendon jerk reflexes in man,
- Adrenergic nerves, histochemical localization of, in guinea-pig trachea, 707
- α-adrenoceptor, blocking activity of desacetylthymoxamine on human isolated smooth muscle, 677P
- —, mechanism of potentiation by amines of non-equilibrium blockade of the, 386
- β-adrenopceptor activity, effect of age on in tracheal smooth muscle, 181
- β-adrenoceptor blockade, the effect of, on human sweating, 487
- β-adrenoceptor blocking drugs, action of several in the pregnant sheep and foetus, 161
- —, isoprenaline antagonism and duration of action in exercise induced tachycardia of three, 621P
- ---, the buccal absorption of some, 680P
- β-adrenoceptors, selective blockade of, by 1-(p-allylphenolxy) - 3 isopropylamino - 2 propanol hydroxychloride (H64/52) in the anaethetized dog, 398
- Age, effect of on β-adrenoceptor activity in tracheal smooth muscle, 181
- AH3474, action of in the pregnant sheep and foetus, 161

- AH 5158, effect of, on acute exercise tolerance in angina pectoris, 673P
- Albumin, human serum, further studies of binding of bromosulphthalein sodium by: effects of albumin concentration and buffer composition, 133
- Alcohol, interaction of, and drugs on psychomotor skills as demonstrated by a driving stimulator, 671P
- L-alanine, effect on uptake of ⁸H-GABA by the retina, 529
- Alphaprodine, effect of on the uptake of 5-HT and metaraminol, 808
- Alprenolol, effects of on cats treated with E. coli endotoxin, 12
- —, inhibition of action of oxyfedrine
- Amines, mechanism of potentiation by, of nonequilibrium of the α-adrenoceptor, 386

Amino acids, and inflammation, 662P

- Amino acid antagonists, and the depression of cuneate neurones by y-aminobutyric acid (GABA) and glycine, 642P
- Amino acids, depressant, microiontophoretic study of, and the specificity of their antagonists, 663P
- —, free, levels in the rabbit spinal cord, chronic dorsal root section on, 668P
- —, kinetic analysis of, uptake by the rat retina in vitro, 656P
- 4-aminobutyrate aminotransferase, some behavioural and anticonvulsant actions of ethanolamine O-sulphate, an inhibitor of, 681P
- y-aminobutyrate aminotransferase, effect of inhibitors of, on the accumulation of ³H-y-aminobutyric acid by the retina, 543
- y-aminobutyric acid, (GABA), action of, on rat sympathetic ganglion cells, 639P
- —, amino acid antagonists and the depression of cuneate neurones by, and glycine, 642P
- —, (GABA), effect of centrally acting drugs on the uptake of, by slices of rat cerebral cortex, 229
- γ-aminobutyric acid metabolism, pharmacological interactions between γ-hydroxybutyric acid and agents which modify cerebreal, 648P
- ---, (GABA), uptake of, by sensory root ganglia, 640P
- 3H-y-aminobutyric acid, effect of amino-oxyacetic acid on the accumulation of, by the rat retina, 649P
- —, (3H-GABA), drug-induced changes in the electrically evoked release of, from spinal cord, 641P
- —, effect of inhibitors of y-aminobutyrate aminotransferase on the accumulation of, by the retina, 543
- ___, uptake of, by the retina, 529
- DL-y-amino-p-hydroxybutyrate, effect on uptake of ³H-GABA by the retina, 529

 Amino-ocyacetic acid, effect of on the accumula-
- Amino-ocyacetic acid, effect of on the accumulation of ³H-y-aminobutyric acid by the rat retina, 649P
- —, effect on uptake of ³H-GABA in the retina, 543
- 1-(2, 6 dimethylphenoxy)-2-amino-propane, a new antiarrhythmic agent, clinical pharmacological studies of, 622P

Amphetamine, dissociation of the anorexic effects of following intrahypothalamic injection, 183

(+)-amphetamine, reduction of stimulatory effects by 6-hydroxtdopamine, 683

Ampicillin, effect of probenecid on the excretion of in the human bile, 782

Anaphylaxis, acute systemic, in the calf, 504

Angiotensin, effects of, on calcium storage in aortic microsomes, 377

Angiotensin I, inhibition of bradykininase activities, 799

Angiotensin II, non-inhibition of bradykininase activities, 799

Anileridine, effect of on the uptake of 5-HT and metaraminol, 808

Anococcygeus, rat, effect of immunosympathectomy and of 6-hydroxydopamine on the responses of, to nerve stimulation and to certain drugs, 261

Anoxia, effect on uptake of ⁸H-GABA by the

retina, 529

Anticonvulsant drugs, the effect of some, on leptazol and bicuculline induced acetylcholine efflux from rat cerebral cortex, 652P

Antidiuretic response, mechanism of histamineinduced, 700

Antidiuretic hormone (ADH), abolition of effect of, by phospholipase C on epithelia, 778

Antigen, effect of, injected, on circulatory response in systemic anaphylaxis, 504
Anti-inflammatory drugs, delayed manifestation

Anti-inflammatory drugs, delayed manifestation of ultraviolet reaction in the guinea-pig caused by, 240

Anti-Parkinson drugs, effect of, on catelepsy induced by α-methyl-p-tyrosine in rats pretreated with intraventricular 6-hydroxydopapamine, 658P

—, effects of, on cortical neurones, 465

Antipyrine, immediate decrease by hydrocortisone of the plasma half-life of, 434

Apomorphine, effect of on uptake of 5-HT, 808
—, effect of on the uptake of GABA, 229

Arthritis, mycoplasma, effect of salicylates on blood changes in rat, 272

L-aspartate, effect on uptake of ³H-GABA by the retina, 529

Aspirin, inhibition of functional vasodilatation and prostaglandin formation in rabbit adipose tissue, by, 305

—, suppression of ultraviolet reaction, 240 Aspirin-like drugs, experiments to prove that analgesic action depends on the inhibition of prostaglandin biosynthesis, 629P

Atrial pacemaker activity measured simultaneously with ventricular, 843

Atropine, antagonization of pharmocological effects of morantel, 117

—, effects of, on excitatory responses, 465

—, effect on human sweating, 487—, effect of on the uptake of GABA, 229

—, inability to prevent histamine induced antidiuresis, 700

Atropine sulphate, absorption from an intramuscular injection of a mixture of the oxime P2S and atropine in exercising humans, 619P

Australian Tiger Snake venom, effects of on the mammalian neuromuscular junction, 141

AY21011, action of in the pregnant sheep and foetus, 161

В

Barbiturates, effect of on the uptake of GABA,

Barbiturate metabolites, mass spectrometry for the identification of, 665P

Benapryzine, effects of, as anti-Parkinson drug, on excitatory responses, 465

----, (BRL 1288), some initial animal and human pharmacological studies of, 476

Benzhexol, compared with benapryzine, 476

—, effects of, as an anti-Parkinson drug, on excitatory responses, 465

Benzoquinonium, prejunctional action of, 109

2-alkyl-1, 2, 3,-benzotriazinium compounds, structure-activity relationships in some series of, 819

Bicuculline, effect of some anticonvulsant drugs on, induced acetylcholine efflux from rat cerebral cortex, 652P

---, and frog spinal neurones, 637P

Botulinum toxin, action of, on transmission from sympathetic nerves to the vas deferens, 431

Bradykininase activities of extracts of dog lung, 799

Bradykinin, antinociceptive action of, and related kinins of larger molecular weights by the intraventricular route, 517

Brain tissue, technique for instantaneous fixation of, in vivo, 659P

Bretylium, interaction of, and guanethidine on the relaxation of the rat isolated fundal strip preparation, 268

2-bromo-α-ergokryptine, evidence for physiological role of prolactin in osmoregulation in the rat after its inhibition by, 623P

Bromosulphthalein sodium, further studies of binding of by human serum albumin, 133

BSP, further studies of binding of by human serum albumin, 133

α-Bungarotoxins, N,N-di and N,N,O-tri (³H) acetyl, as specific labelling agents of choliner-gic receptors, 147

Bunolol, action of in the pregnant sheep and foetus, 161

y-butyrolactone, inhibition of chlorpromazineinduced increase in homovanillic acid, 408

Bumetanide, some aspects of the clinical pharmacology of, a new potent discrete, 618P

Butidrine, action of in the pregnant sheep and foetus, 161

Butyrophenones, effect of on uptake of GABA in rat cortex slices, 229

Caerulein, enhancement of acetycholine release in the guinea-pig ileum by, 765

Caffeine, effects of on mammalian ventricular muscle, 1

Ca⁺⁺, requirements for extraneuronal uptake of noradrenaline, 556

Calcium, withdrawal of inhibiting release of acetycholine induced by nicotine or DMPP, 765

—, effect of phospholipase C on release of, 778 —, effect of on release of noradrenalise from the cat spleen by sodium deprivation, 729

---, and inhibitory effect of manganese on transmitter release, 339

—, in rat body, replacement of by lithium, 586 Cannabis extracts, cardiovascular and respiratory effects of, 627P

Carbachol, sensitivity of rat anococcygeus to, with 6-hydroxydopamine, 261

—, influence of chloride ions on changes in membrane potential during prolonged application of, 363

Carbenoxolone sodium, effects of on stress-induced gastric damage in rats, 847

Cardiovascular actions, of clonidine in the rabbit, 206

Cardiovascular responses, to injections of cholinomimetic drugs into the cerebral ventricles of unanaesthetized dogs, 196

Catecholamines, effect of on myocardial contractility, 12

—, effect of, on calcium storage in aortic microsomes, 377

Catecholamine concentrations, permanent alteration in, in discrete areas of brain in the offspring of rats treated with methylamphetamine and chlorpromazine, 425

Catecholamine uptake, structure-activity relations for the inhibition of, into synaptosomes from noradrenaline and dopaminergic neurones in rat brain homogenates, 332

Catecholamine-O-methyl transferase activity, effect of chronic L-DOPA administration on, 838—, inhibition of, by pargyline, 719

Chemical injury, variation in the response of rats

to, 625P

Chloral hydrate, and non-inhibition of chlorpromazine-induced increase of homovanillic acid, 408

Chloralose, and non-inhibition of chlorpromazineinduced increase of homovanillic acid, 408

Chloride ion, inhibition of bradykininase activities when containing angiotensins I and II, 799

Chloride ions, influence of, on changes in-membrane potential during prolonged application of carbachol to frog skeletal muscle, 363

p-chloromercuriphenylsulphonate, effect of on the uptake of GABA, 229

Chlorothiazine, increase of renin-like activity in the rat submaxillary gland by, 59

Cholecystokinin, octapeptide amide of, enhancement of acetycholine release in guinea-pig ileum, 765

Choline acetyltransferase, stain for the detection of, 670P

Cholinergic receptors, N,O-di and N,N,O-tri (⁸H) acetyle a-bungarotoxins as specific labelling agents of, 147

Cholinomimetic drugs, cardiovascular responses to the injection of, into the cerebral ventricles of unanaesthetized dogs, 196

Cholrpromazine, alteration of catecholamine concentrations in discrete areas of brain in the offspring of rats treated with, 425

—, inhibition by γ-hydroxybutyrate of increase in homvanillic acid, 408

—, effects of on neurotransmitter function in comparison with the central depressant effects of ouabain, 26

---, effect of, on hexose penetration in the human erthrocyte, 655P

—, effect of on the uptake of GABA, 229

Clonidine, effects of on peripheral sympathetic nerve function in the pithed rat, 850

—, central noradrenergic neurones and the cardiovascular actions of, in the rabbit, 206 Cobra toxin, binding of, by the rat diaphragm, 632P

Cocaine, behavioural studies of the actions of on central dopamine neurones, 39

—, blocking effect on uptake-retention of ³H-noradrenaline in cat spleen following sodium deprivation, 729

—, effects of on neurotransmitter function, 26

----, effect of on the uptake of 5-HT, 808

—, inhibition of removal of noradrenaline in rat isolated lungs, 325

Collagen, uptake and ion requirements for extraneuronal uptake of noradrenaline by, 556

Cortiosteroids, and suppression of ultraviolet reaction, 240

Cromoglycate, inhibition by, of histamine release induced by dextran plus phosphatidyl serine, 627P

Curare, anti-, effect of hexamethonium at the mammalian neuromuscular junction, 353

Cyclazocine, effect of on the uptake of 5-HT and metaraminol, 808

Cyclic AMP, effect of, on calcium storage in aortic microsomes, 377

D

DDC, pharmacological properties of and effects on nerotransmitter function in comparison with central depressant effects of ouabain, 26 Debrisoquine, interaction between phenylephrine

and, in man, 675P

Desacetylthymoxamine, α-adrenoceptor blocking activity of, on the human isolated smooth muscle, 677P

Desmethylimipramine, effects of on neurotransmitter function, 26

—, some characteristics of the uptake process in the isolated blood perfused cat spleen resistant to, 634P

—, effect of on the uptake of GABA, 229

Dextran, inhibition by cromoglycate of histamine release induced by, plus phosphatidyl serine,

Dextropropoxyphene, effect of on the uptake of 5-HT and metaraminol, 808

L-2,4-diaminobutyrate, effect on uptake of ³H-GABA by the retina, 529

L-2,4,diaminobutyric acid, effect of on the uptake of GABA, 229Diazoxide, failure to increase renin-like activity in

the rat submaxillary gland, 59
—, production of hyperglycaemia in mice

when administered with frusemide, 124
2-diethylaminoethyl-2,2-driphenylvalerate hydro-

2-diethylaminoethyl-2,2-driphenylvalerate hydrochloride (SKF 525-A), effect of on sulphacetamide distribution and excretion in rats, 69

Diethylcarbamazine, suppression of systemic anaphylaxis, 504

Depolarization, and neuromuscular block in the rat, 636P

3,4-dihydroxy-mandelic acid, potentiation of accumulation of (-)-noradrenaline, 568

3,4-dihydroxy-phenylglycol, potentiation of accumulation of (-)-noradrenaline by, 568

Direct of on tonic vibration reflex

Dimethothiazine, effect of, on tonic vibration reflex in man, 613P

2:3-dimercaptopropanol, inhibition of bradykininase activities in dog lung extracts, 799

1,1-dimethyl-4'-phenylpiperazinium iodide, release of acetycholine in the guinea-pig ileum by, 765 Dimethyltubocurarine, prejunctional action of, 109 Dinitrophenol, effect on release of noradrenaline

by sodium deprivation, 729
—, effect on uptake of ³H-GABA by the retina,

Diphenylhydantoin, effects of on the biological activity of ouabain in the guinea-pig heart, 85 Diphenylhydramine, effect of on the uptake of

GABA, 229

Desipramine, behavioural studies of the actions of

on central dopamine neurones, 39

Disodium cromoglycate, and the release of prostaglanding from human chopped lung tissue, 291

in hibition of unant choice 504

—, inhibition of anaphylaxis, 504

Diuretics, effect of single dose administration of on the blood sugar of alloxan-diabetic mice or mice made hyperglycaemic by the acute administration of diazoxide, 124

DMPP, effects of on inhibition of uptake of ³H-(±)-noradrenaline by guinea-pig atria, 179

DOPA-decarboxylase, effect of chronic L-DOPA administration on, 838

effects of inhibitors of on pancreatic secretion induced by L-DOPA and by dopamine in dogs, 77

L-DOPA, effect of chronic administration of on catecholamine metabolism in the rat, 838

, induced pancreatic secretion in dogs affected by enzyme inhibitors of catecholamine metabolism and of haloperidol, 77

on the mechanism of, -inducted postural hypotension in the cat, 437

-, effect of on brain self-stimulation and motor activity in rats, 609

Dopamine, effects of morphine and pentazocine on the turnover of, in various regions of the rat brain, 644P

, cortical, only the precursor of noradrenaline, 648P

-, effect on postural hypotension and L-DOPA, 437

, induced pancreatic secretion in dogs affected by enzyme inhibitors of catecholamine metabolism and of haloperidol, 77

Dopamine β -hydroxylase, effects of inhibitors of, on the pancreatic secretion induced by L-DOPA and by dopamine in dogs, 77

⁸H-dopamine, effect of ovarian sterioids on the uptake of, by hypothalmic tissue in vitro, 647P

Dopamine neurones, central, behavioural studies of the actions of cocaine, monoamine oxidase inhibitors and iminodibenzyl compounds on central dopamine neurones, 39

Dopaminergic neurones, structure-activity relations for the inhibition of catecholamine uptake into synaptosomes from, in rat brain homogenates, 332

Dopaminergic systems, interference with producing behavioural depression and hypothermia, Dopaminergic systems, interference with produc-

DPH, effects of on the biological activity of ouabain in the guinea-pig heart, 85

Drug-metabolizing enzymes, in man, distribution and induction of some, 616P

E

E. coli endotoxin, myocardial and circulatory effects of; modification of responses to catecholamines, 12

Endogenous prostaglandin formation, some effects of on the responses of the cat spleen, 48

Endotoxin, E. coli, myocardial and circulatory effects of; modification of responses to catecholamines, 12

Edrophonium, potency compared with a new anticholinesterase drug RX 67668 on human tissues, 678P

EDTA, inhibition of bradykininase activities in dog lung extracts, 799

Enzyme, dose-dependant, induction, 616P

Enzymes, drug-metabolizing, distribution and induction of some, in man, 616P

e.e.g. recording, technique allowing, together with activity recording and intraventricular administration of drugs in the conscious rabbit, 663P

Erthrocyte, effect of chlorpromazine on hexose penetration in the human, 655P

Eserine, potency compared with a new anti-cholinesterase drug RX 67668 on human tissues, 678P

Ethacrynic acid, effect on blood sugar in mice when administered with diazoxide, 124

Ethanol, behavioural changes in mice following termination of administration, 667P

, method for the induction of dependence to, in mice, 669P

Ethanolamine O-sulphate, an inhibitor of 4-aminobutyrate aminotransferase, some behavioural and anticonvulsant actions in mice of, 681P

N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline, blockade of the a-adrenoceptor, mechanism of potentiation by amines, 386

N-ethylmaleimide, effect on release of noradrenaline by sodium deprivation, 729

Fenfluramine, dissociation of the anorexic effects of following intrahypothalamic injection, 183 Frusemide, production of hyperglycaemia in mice,

Fundal strip preparation, rat isolated, interaction of bretylium and guanethidine on the relaxations of, 268

Fusaric acid, effects of on pancreatic secretion induced by L-DOPA and by dopamine in dogs, 77

Gastric acid secretion, effect of indomethacin on, in the rat, 666P

Gas chromatography, mass spectrometry for the identification of barbiturate metabolites, 665P Ganglion stimulants, parasympathetic, release of

acetycholine from the guinea-pig ileum by, 765

Glucose uptake, effects of metformin on, by isolated human skeletal muscle, 617P

L-glutamate, effect of benapryzine, benzhexol, atropine and procaine on the excitatory responses induced by, 465

-, effect on uptake of ³H-GABA by the retina, 529

Glutethimide, and non-inhibition of chlorpromazine-induced increase of homvanillic acid,

Glycine, amino acid antagonists and the depression of cuneate neurones by y-aminobutyric acid and, 642P

, effect on uptake of 3H-GABA by the retina,

Guanethidine, effects of on peripheral sympathetic nerve function in the pithed rat, 850

, effect on release of noradrenaline by sodium deprivation, 729

interaction of bretylium and, on the relaxation of the rat isolated fundal strip preparation, 268

β-guanidinopropionate, effect on uptake of ⁸H-GABA by the retina, 529

Haemorrhage, changes in plasma levels of vasopressin and renin in response to, in dogs, 315 Haloperidol, effects of on the pancreatic secretion induced by L-DOPA and by dopamine in dogs, 77

Haloperidol (cont.)

—, inhibition of increase in homovanillic acid induced by, 408

Hallucinogens, effect of on the uptake of GABA, 229

Hepatic volume, effects of histamine on in anaesthetized dogs, 282

Hexamethonium, antagonization of pharmocological effects of morantel, 117

, anti-curare effect of, at the mammalian neuromuscular junction, 353

—, effect of on the uptake of GABA, 229

, non-prevention of release of acetycholine in the guinea-pig ileum by octapeptide amide of choleystokinin and caerulein, 765

—, prevention of release of acetycholine in the guinea-pig ileum by DMPP, 765

Hexose, penetration, effect of chlorpromazine on, in the human erythrocyte, 655P
Histamine, effect of, injected, on circulatory re-

Histamine, effect of, injected, on circulatory responses in systemic anaphylaxis in the calf, 504——, effects of on hepatic volume (outflow block)

in anaesthetized dogs, 282

Histamine-induced antidiuretic response, 700
Histamine release, inhibition by cromoglycate of, induced by dextran plus phosphatidyl serine, 627P

L-histidine, effect on uptake of ³H-GABA by the retina, 529

Histochemical localization of adrenergic nerves in the guinea-pig trachea, 707

Homogenates, uptake of noradrenalin and dopamine into, 332

Homovanillic acid, inhibition by y-hydroxybutyrate of chlorpromazine-induced increase in, 408

HSA, further studies of binding of BSP by, 133 Hydrazine, effect on postural hypotension and L-DOPA, 437

Hydrazinopropionic acid, inhibiting of retinal GABA T, 543

Hydrochlorothiazide, effect on blood sugar in mice when administered with diazoxide, 124

Hydrocortisone, immediate decrease by, of the plasma half life of antipyrine, 434

±-1-(2-acetyl-4-n-butyramidophenoxy)-2-hydroxy - 3 - isopropylamino propane hydrochloride M&B 17803 A., pharmokinetics of, in animals and man, 620P

y-hydroxybutyrate, inhibition by, of chlorpromazine-induced increase in homovanillic acid,

y-hydroxybutyric acid, pharmacological interactions between, and agents which modify cerebral y-aminobutyric acid (GABA) metabolism, 648P

6-hydroxydopamine, attenuation of amphetamineinduced motor stimulation and stereotypy in the rat by, 683

—, comparison of the effects of chemical sympathectomy by, in newborn and adult rats. 249

—, effect of anti-Parkinson drugs on catelepsy induced by α-methyl-p-tyrosine in rats pretreated with intraventricular, 658P

—, effect of, on the responses of the rat anococcygeus to nerve stimulation and to some drugs, 261

—, effect of on neurotransmitter function in comparison with the central depressant effects of ouabain, 26

—, effect on sympathetic function in isolated tissues, 748

Hydroxyethyl starch, structure of, 172

Hydroxylamine, effect on retinal accumulation of ³H-GABA, 543

β-hydroxylation, and catecholamine uptake in rat brain homogenates, 332

5-hydroxytryptamine, and non-equilibrium blockade of the α-adrenoceptor, 386

—, effect of, injected, on circulatory response in systemic anaphylaxis in the calf, 504

—, effect of on the removal of noradrenaline by rat isolated lungs, 325

—, failure to prevent release of acetycholine in the guinea-pig ileum induced by the octapeptide amide of cholecystokinin and caerulein, 765

—, the effect of narcotic analgesics on the uptake of, by blood platelets, 808

—, studies of, receptors of neurones from Hirudo medicinalis, 633P

——, uptake of, by rabbit heart in vitro, 661P 3H-5-hydroxytryptamine, effect of, on the uptake of, by hypothalamic tissue in vitro, 647P

A.S.-hypertensive rats, ionic composition of aortic smooth muscle from, 422

I

Iminodibenzyl compounds, behavioural studies of the actions of on central dopamine neurones,

Immunosympathectomy, the effect of, on the responses of the rat anococcygeus to nerve stimulation and to some drugs, 261

Intracellular potentials, the effect of prolonged treatment with oxyfedrine on, 187

Intravenous induction agents, interaction of, with suxamethonium, 679P

Intraventricular drug administration, technique allowing e.e.g. and activity recording together with, in the conscious rabbit, 663P

Indomethacin, and the release of prostaglandins from human chopped lung tissue, 291

—, inhibition of functional vasodilatation and prostaglandin formation in rabbit adipose tissue, 305

—, effect of, on rat gastric acid secretion and mucosal blood flow, 666P

—, pretreatment of cat spleen by abolishing release of prostaglandins, 48

—, suppression of ultraviolet reaction, 240 **Iodacetic acid**, effect on release of noradrenaline by sodium deprivation, 729

Ionic composition, of aortic smooth muscle from A.S. hypertensive rats, 422

Ion-movements, a theoretical model of, in micropipettes occurring during the course of microelectrophoresis experiments, 657P

Ion requirements, for extraneuronal uptake of noradrenaline by arterial smooth muscle and colleagen, 556

Iprindole, effect of on the uptake of GABA, 229 Isethionate, replacement of chloide ions in Ringers solution by, effect on membrane potential during prolonged application of cabachol, 363

Isoprenaline, antagonism and duration of action in exercise induced tahycardia of three β-adrenoceptor blocking drugs, 621P

—, effects of on mammalian ventricular muscle,

(±)-isoprenaline, effects on renin-like activity of rat submaxillary gland, 59

1-(p-allylphenolxy)-3-isopropylamino-2 pronanol hydroxychloride, selective blockade of β-adrenoceptors by, 398

Isoproterenol, increase in the renin-like activity in the rat submaxillary gland following administration of, 59

.

Jerk reflexes, tendon, adrenergic control of, in man, 595

K

K+, requirements for extraneuronal uptake of noradrenaline, 556

KC1, increase in the renin-like activity in the rat submaxillary gland by, 59

Kinins, bradykinin and related, antinociceptive action of, of larger molecular weights by the intraventricular route, 517

Kö 1173, a new antirrhythmic agent, clinical pharmacological studies of, 622P

—, an antidysrhythmic, preliminary studies on the pharmacology of, in man, 674P

L

Labile brain constituents, analysis of, using a technique for the instantaneous fixation of brain tissue in vivo, 659P

Leptazol, effect of some anticonvulsant drugs on, induced acetylcholine efflux from rat cerebral cortex, 652P

³H-levorphanol, cellular and metabolic tolerance to, 138

LF 17-895, isoprenaline antagonism and duration of action in exercise induced tachycardia, 621P Lignocaine, metabolism in man, 672P

—, prejunctional action of, 109

Lipolysis, role of pre- and post-junctional inhibition by prostaglandin E₂ of, induced by sympathetic nerve stimulation in dog subcutaneous tissue, 711

Lipolytic substances, and functional vasodilatation, 305

Lithium, distribution of, and its effects on the distribution and excretion of other ions in the rat, 586

—, substitute for Na+ as requirement for extraneuronal uptake of noradrenaline, 556 Liver microsomaldrug metabolism, induction of,

in newly-hatched chicks, 624P

Local anaesthetics, effect of on the uptake of GABA, 229

M

Magnesium, effect on release of noradrenaline by sodium deprivation, 729

—, excess of inhibiting release of acetycholine in the guinea-pig ileum induced by nicotine or DMPP, 765

—, in rat body, replacement of by lithium, 586 Magnesium salt of adenosine triphosphate, uptake of calcium, increase by, 377

Manganese, the inhibitory effect of, on transmitter release at the neuromuscular junction of the toad, 339

----, effect on release of noradrenaline by sodium deprivation, 729

M/B 17,803A, pharmacokinetics of, in animals and man, 620P

McN-A-343, effects of on inhibition of uptake of noradrenaline by guinea-pig atria, 179

Membrane potential, influence of chloride ions on changes in, during prolonged application of cabachol, 363

Mepyramine, effect of on the uptake of GABA, 229

—, prevention of histamine-induced antidiuresis, 700 Mepyramine (cont.)

—, failure to suppress systemic anaphylaxis, 504 Metaraminol, effect of on removal of noradrenaline in rat isolated lungs, 325

(-)-metaraminol, the effect of narcotic analgesics on the uptake of, 808

Metformin, effects of, on glucose uptake by isolated human skeletal muscle, 617P

Methacholine, effects of on inhibition of uptake of ³H-(±)-noradrenaline by guinea-pig atria, 179

—, injection of, into cerebral ventricles of unanaethetized dogs, 196

Methadone, effect of on uptake of 5-HT and metaraminol, 808

Methoxylation, and catecholamine uptake in rat brain homogenates, 332

Methylamphetamine, effect on tendon jerk reflexes

in man, 595

, alteration of catecholamine concentrations in the discrete areas of the brain in the off-

spring of rats treated with, 425
—, behavioural studies of the actions of on central dopamine neurones, 39

a-methylation, and catecholamine uptake in rat brain homogenates, 332

N-methylation, and catecholamine uptake in rat brain homogenates, 332

a-methyldopa, effect on postural hypotension, 437—, further evidence for a central hypotensive action of, in both the rat and the cat, 217

a-methyl-p-tyrosine, effect of, on brain self-stimulation and motor activity in rats, 609

—, effect of anti-Parkinson drugs on catelepsy induced by, in rats pretreated with intraventricular 6-hydroxydopamine, 658P

α-methynoradrenaline, effect of in α-methyldopa preparations, 217

Methysergide, suppression of systemic anaphylaxis, 504

Mg++, requirements for extraneuronal uptake of noradrenaline, 556

Microelectrophoresis experiments, theoretical model of ion-movements in micropipettes occurring during the course of, 657P

Microiontophoretic study, of depressant amino acids and the specificity of their antagonists, 663P

Monoamine, brain concentrations of, effects of the acute and chronic administration of sex hormones on, 660P

Monoamine oxidase activity, effect of L-DOPA administration on, 838

—, inhibition of, by pargyline, 719

Monoamine oxydase inhibitors, effect of on the uptake of GABA, 229

—, behavioural studies of the actions of on central dopamine neurones, 39

Monoamine oxidase, effects of inhibitors of, on the pancreatic secretion induced by L-DOPA and by dopamine in dogs, 77

Monoaminergic neurones, and effect of clonidine, 206

Monoamines, in the guinea-pig intestine, 635P Morantel, some pharmacological effects of, 117

Morphine, actions and interactions of microiontophoretically applied, with transmitter substances on brain stem neurones, 642P

—, actions of, on the segmental reflex of the decerebrate-spinal cat, 457

——, analgesia, tolerance and physical dependence in the adrenalectomized rat, 693

Morphine (cont.)

-, effect of, on the turnover of noradrenaline and dopamine in various regions of the rat brain, 644P

, effect of on the uptake of 5-HT and metaraminol, 808

, increase in brain and spinal acetylcholine levels without antinociceptive actions following, administration in the frog, 650P

Motor stimulation, amphetamine-induced, effects of 6-hydroxydopamine on, 683

Mucosal blood flow, effect of indomethacin on, in the rat, 666P

Muscarinic receptors, determination of the number of, in chick amnion muscle, 631P

Muscularis mucosae, effects of drugs and of electrical stimulation on, 760

Mycoplasma arthritis, effect of salicylates on blood changes in, in rats, 272

Myocardium, canine, drug induced changes in blood flow in normal and ischaemic regions of the, 626P

Na+, requirements for extraneuronal uptake of noradrenaline, 556

NaC1, increase of renin-like activity in the rat submaxillary gland by, 59

Naja nivea venom, effects of, on nerve, cardiac and skeletal activity of the frog, 576

Nalorphine, effect of on the uptake of 5-HT, 808 Naloxone, action of morphine on the segmental reflex of the decerebrate-spinal cat by, 457

, effect of on uptake of 5-HT and metaraminol, 808

Nematocide, some pharmacological effects of, 117 Neostigmine, potency compared with a new anticholinesterase drug RX 67668 on human tissues, 678P

Nerve-growth factor antiserum (NGF-As), effect on sympathetic function in isolated tissues, 748

Neuromuscular block, depolarization and, in the rat, 636P

Neuromuscular junction, anti-curare effect of hexamethonium at the mammalian, 353

Neuronal response, kinetics of, relationship between, and the release of drugs from micropipettes: effects of retaining current, 653P

Neuronal excitation and inhibition, pharmacology of, induced by an acute seizure focus in feline cortex, 664P

Neurones, central noradrenergic, and the cardiovascular actions of clonidine in the rabbit,

dopaminergic nigro-striatal, stimulatory effects of amphatamine mediated by, 683

Neurosis cuneate, the depression of by y-aminobutyric acid and glycine, 642P

Neurotransmitters, putative, in vivo method for studying release of, from rabbit olfactory bulbs, 667P

NGF-As, effect on sympathetic function in isolated tissues from mice, 748

Nialamide, behavioural studies of the actions of on central dopamine neurones, 39

-, effects of on pancreactic secretion induced by L-DOPA and by dopamine in dogs, 77

Nickel ions, inhibition of bradykininase activities in dog lung extracts, 799

Nicotine, effects of on inhibition of uptake of $^{8}H-(\pm)$ -noradrenaline by guinea-pig atria, Nicotine (cont.)

-, injection of, into cerebral ventricles of unanaethetized dogs, 196

release of acetycholine by in guinea-pig ileum, 765

Nicotinic acid, effect of on free fatty acid release and blood flow in fat tissue, 305

Noradrenaline, cortical dopamine only the precursor, 648P

differential labelling of intraneuronal, stores, with different concentrations of (-)-3H-noradrenaline, 428

-, effects inhibited by E. coli endotoxin, 12 -, effects of morphine and pentazocine on the

turnover of, in various regions of the rat brain, 644P -, effect of on tendon jerk reflexes in man, 595

-, effects of pargyline on uptake of, in the cat spleen, 719

, effect on postural hypotension and L-DOPA, 437

inhibition of the acetycholine releasing action of peptides by, 765

inhibitory effect of on acetycholine release induced by nicotine or DMPP

metabolism in cortex, intercranial selfstimulation and, 645P

Noradrenaline metabolites, potentiation of accumulation of (-)-noradrenaline, 568

, removal of, in the pulmonary circulation of

-, release of, by sodium deprivation from the cat spleen, 729

-, response of muscularis mucosae to, 780 restoration of anti-diuretic response to histamine, 700

, sensitivity of anococcygeus of the rat to, with 6-hydroxydopamine, 261

, structure-activity relations for the inhibition of catecholomine uptake into synaptosomes from, and dopaminergic neurones in rat brain homogenates, 332

supersensitivity to, in NGF-As and 6-OHDA pre-treated tissues, 748

-, uptake kinetics and ion requirements for extraneuronal uptake of, by arterial smooth muscle and collagen, 556

(-)-3H-noradrenaline, differential labelling of intraneuronal noradrenaline stores with different concentrations of, 428

³H-noradrenaline, effect of ovarian steroids on the uptake of, by hypothalamic tissue in vitro,

(-)(-)-noradrenaline, accumulation and metabolism of, by cells in culture, 568

reduction of calcium storage in aortic microsomes, 377

³H-noradrenaline overflow, effects of prostaglandin E₂ on, 711

Noradrenergic neurones, and the cardiovascular actions of clonidine in the rabbit, 206

Normetanephrine, effect of on removal of noradrenaline in rat isolated lungs, 325

, inhibition of accumulation of (-)-noradrenaline, 568

17-β-oestradiol, inhibition of accumulation of (-)-noradrenaline, 568

, some characteristics of the uptake process in the isolated blood perfused cat spleen resistant to, 643P

6-OHDA, attentuation of amphetamine induced motor stimulation and stereotypy by, 683

- 6-OHD, intracisternal pre-treatment, control of hypotensive action of intravenous clondine by 206
- Ouabain, comparison of central depressant effects of, with pharmacological properties of centrally-administered agents which interfere with neurotransmitter function, 26

effect of DPH and potassium on the biological activity of in the guinea-pig heart, 85
 effect of release of noradrenaline by sodium deprivation, 729

—, effect on uptake of ³H-GABA by the retina,

529 ——. increase of ren

----, increase of renin-like activity in the rat submaxillary gland by, 59

Ovarian steroids, effect of, on the uptake of ³H-noradrenaline, ³H-dopamine and ³H-5-hyroxytryptamine by hypothalmic tissue in vitro, 647P

Oxyfedrine, effects of on isolated portal vein and other smooth muscle, 827

—, the effect of prolonged treatment with, on intracellular potentials and on other features of cardiac function in rabbits and guineapigs, 187

2-oxoglutarate-4-aminobutyrate aminotransferase, parallel inhibitory effect of AOAA in the retina, 543

Oxprenolol, action of in the pregnant sheep and foetus, 161

P

Pacemaker activity, simultaneous measurement of atrial and ventricular, 843

Pancuronium, prejunctional action of, 109

Papaverine, effect of on the uptake of 5-HT and metaraminol, 808

Paracetamol, the dependance of, absorbtion on the rate of gastric emptying, 415

Pargyline, behavioural studies of the actions of on central dopamine neurones, 39

—, effects of, on overflow of transmitter and uptake of noradrenaline in the cat spleen, 719 Pentagastrin, effect of prostaglandin E_1 on, stimulated gastric acid, 498

Pentazocine, effects of, on the turnover of noradrenaline and dopamine in various regions

of the rat brain, 644P
——, effect on the uptake of 5-HT and metaraminol, 808

Peptides, inhibition of bradykininase activities in dog lung extracts, 799

Pethidine, effect of on the uptake of 5-HT and

metaraminol, 808

Pheneturide, as liver enzyme inducer in man

compared with phenobarbitone, 615P

Phenobarbitone, compared with pheneturide as liver enzyme inducer in man, 615P

Phenolic Hydroxyl groups, and effect of inhibition of catecholamine uptake in rat brain homogenates, 332

Phenothiazines, effect of on uptake of GABA in rat cortex slices, 229

Phentolamine, effect of on uptake of GABA, 229—, prevention or reversal of hypotensve effect of α-methyldopa, 217

Phenoxybenzamine, potentiation of EEDQ blockade of α-adrenoceptors, 386

—, inhibition of reduced binding of calcium by (-)-Noradrenaline, 377

, effects on ³H-noradrenaline overflow, 711
 , diuretic response to histamine obtained in animals pretreated with, 700

Phenoxybenzamine (cont.)

—, effect on release of noradrenaline by sodium deprivation, 729

—, effect of on removal of noradrenaline in rat isolated lungs, 325

Phenylbutazone, suppression of ultraviolet reaction, 240

Phenylethylamine analogues, effect of on inhibition of horadrenalin and dopamine uptake into homogenates of rat brain, 332

Phenylephrine, intereaction between debrisoquine and, in man, 675P

Phosphatidyl serine, inhibition by cromoglycate of histamine release induced by dextran plus,

Phospholipase C, effect of on calcium release from epithelia treated with antidiuretic hormone, 778

Physostigimine, compared in Parkinson's disease with benapryzine, 476

with benapryzine, 476

Pilocarpine, effects of on inhibition of uptake of

3H-(±)-noradrenaline by guinea-pig atria, 179

----, failure of to increase renin-like activity in the rat submillary gland, 59

Piminodine, effect of on the uptake of 5-HT and metaraminol, 808

Pindolol, effect of on acute exercise tolerance in angina pectoris, 673P

isoprenaline antagonism and duration of action in exercise induced tachycardia, 621P
 pharmacokinetics of unchanged, in patients with impaired renal function, 620P

Placenta, guinea-pig foetal, use of, perfused in situ as a model to study the placental transfer of pharmacological substances, 655P

Polypeptides, gastrin-like, release of acetycholine from the guinea-pig ileum by, 765

Potassium, effects of on the biological activity of ouabain in the guinea-pig heart, 85

Pralidoxime, in mixture with atropine, as therapy for poisoning by anticholinesterase compounds, 619P

Probenecid, effect of on the excretion of ampicillin in the human bile, 782

Procaine, effects of, on excitatory responses, 465 Prochlorprezine, effect of on the uptake of GABA,

Prolactin, evidence for physiological role of, in osmoregulation in the rat after its inhibition by 2-bromo-α-ergokryptine, 623P

L-proline, effect on uptake of ³H-GABA by the retina, 529

Propranolol, effect of on acute exercise tolerance in angina pectoris, 673P

, action of in the pregnant sheep and foetus,

 , blocking of diuretic response to histamine obtained in phenoxybenzamine pretreated animals by, 700

—, effect of on tendon jerk reflexes in man, 595
—, effect on thermal and emotional sweating in humans, 487

—, effect of on uptake of GABA, 229

, isoprenaline antagonism and duration of action in exercise induced tachycardia, 621P

D-propranolol, effect of on acute exercise tolerance in angina pectoris, 673P

Prostaglandin, synthesis by the pregnant rat uterus at term, 628P

Prostaglandins A_1 , A_2 , actions of, on airway resistance and compliance in the cat, 630P

Prostaglandin E₁, role of pre- and post-junctional inhibition by, of lipolysis induced by sympathetic nerve stimulation in dog subcutaneous adipose tissue in situ, 711

Prostaglandins E₁, E₂, and F₂a, release of from human chopped lung tissue, 291

Prostaglandin E, effects of, on acid secretion, mucosal histamine content and histidine decarboxylase activity in rat stomach, 498

Prostaglandin biosynthesis, experiments to prove that the analgesic action of aspirin-like drugs depends on inhibition of, 629P

Prostaglandin formation, inhibition of, in rabbit adipose tissue by indomethacin and aspirin, 305

—, inhibiting endogenous, some effects of on the responses of the cat spleen, 48

Psychomotor skills, interaction of alcohol and drugs on, as demonstrated by a driving stimulator, 671P

Pulmonary vascular tissue, human, the pharmacology of, 676P

R

Renin, changes in the plasma levels of, in response to haemorrhage in dogs, 315

Renin-like activity of the rat submaxillary gland: characterization and the effect of several drugs and stimuli, 59

Reserpine, effects of on neurotransmitter function in comparison with the central depressant effects of ouabain, 26

—, treatment of cat spleen slices with affecting rate of of ³-noradrenaline following sodium deprivation, 729

Ro 4-4602, effect of on pancreatic secretion induced by L-DOPA and by dopamine in dogs,

RX 67688, a new anticholinesterase drug, potency compared with edrophonium, neostigmine and eserine, on human tissues, 678P

5

Salicylates, effect of, on blood changes in mycoplasma arthritis in rats, 272

Sex hormones, effects of the acute and chronic administration of, on brain monoamine concentrations, 660P

SKF 525-A, effect of on sulphacetamide distribution and excretion in rats, 69

Sodium, in rat brain and bone, decrease of on substitution of lithium, 586

, release of noradrenaline by deprivation of, 729

Sodium diethyldithiocarbamate (DDC), pharmacological properties of and effects on neurotransmitter function in comparison with central depressant effects of ouabain, 26

Sodium ions, effect of ³H- GABA by the retina, 529

Sodium meclofenamate, suppression of anaphylaxis by, 504

Sotalol, action of in the pregnant sheep and foetus, 161

Spasmogenic substances, the release of from human chopped lung tissue and its inhibition, 291

Spectrometry, mass, for the identification of barbiturate metabolites, 665P

Stereotypy, amphetamine-induced, effects of 6hydroxydopamine in the rat, on, 683

Sulphacetamide distribution and excretion in rats, effects of SKF 525-A on, 69

Suxamethonium, interaction of, with intravenous induction agents, 679P

Sympathectomy, chemical, comparison of the effects of by 6-hydroxydopamine, in newborn and adult rats, 249

Synaptosomes, structure-activity relations for the inhibition of catecholomine uptake into, 332

T

Tetrabenazine, effects of on neurotransmitter function in comparison with the central depressant effects of ouabain, 26

Tetracaine, effect on release of noradrenaline by sodium deprivation, 729

sodium deprivation, 729 Δ^{1} -tetra-hydrocannabinol, (Δ^{1} -THC), cardiovascular and respiratory effects of, 627P

Δ°-tetrahydrocannabinol, tolerance to the hypothermic effects of, as a function of age in the chicken, 452

Tetrodotoxin, binding of labelled, by the rat diaphragm, 632P

—, effect on release of noradrenaline by sodium deprivation, 729

—, inhibition of acetycholine release in guinea pig ileum, by, 765

, prevention of release of acetycholine in the guinea-pig ileum by DMPP, 765

Tetrabenazine, prevention of histamine-induced antidiuresis, 700

Thebaine, effect of on the uptake of 5-HT and metaraminol, 808

Thermal injury, variation in the response of rats to, 625P

Thiopentone, and non-inhibition of chlorpromazine-induced increase of homovanillic acid, 408

Thiosemicarbazide, effect on retinal accumulation of ³H-GABA, 543

Thymoxamine, effect of on the uptake of GABA, 229

—, effect on tendon jerk reflexes in man, 595

Tiger snake venom, Australian, effects of on the
mammalian neuromuscular junction, 141

Tranquillizers, a modified motor activity test to discriminate major and minor, 659P

Transmitter release, inhibitory effect of manganese on, at the neuromuscular junction of the toad, 339

Transmitter substances, actions and interactions of microiontophoretically applied morphine with, on brain stem neurones, 642P

Tricyclic antidepressants, effect of on uptake of GABA in rat cortex slices, 229

Triglycerides of the fat tissue, and functional vasodilatation mediation by prostaglandin E₂, 305

Tryptamine, occurrence of, in rat brain and its pharmacological manipulation, 646P

Tubocurarine, effect on response of tissues to benzotriziniums, 819

, passage of intravenously administered, into the liquor space in man and dog, 787
 , prejunctional action of, 109

(+)-tubocurarine, effect of on the uptake of GABA. 229

effects of a-bungarotoxins, 147

GABA, 229
—, protecting against binding and blocking

H

Urethane, and non-inhibition of chlorpromazineinduced increase of homovanillic acid, 408

Ultraviolet reaction, delayed manifestation of, in the guinea-pig caused by anti-inflammatory drugs, 240

drugs, 240
USVP65-24, action of in the pregnant sheep and foetus, 161

Vas deferens, action of botulinum on transmission from sympathetic nerves to the vas deferens,

Vasodilatation, functional, inhibition of, in rabbit adipose tissue by indomethacin and aspirin, 305

Vasopressin, changes in plasma levels of, in response to haemorrhage in dogs, 315
Venom, Australian Tiger snake, effects of on the mammalian neuromuscular junction, 141
Ventricular pacemaker activity measured simultaneously with atrial, 843

Instructions to Authors

- 1. Manuscripts (2 copies) should be typed in double spacing on one side of paper not larger than foolscap $(33 \times 20.5 \text{ cm})$. There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.
- 2. A short summary of results and conclusions (arranged in numbered paragraphs), tables and legends to figures should be typed on separate sheets of paper.
- 3. References should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.
- 4. Figures should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymography tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.
- 5. Lettering on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:



- 6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.
- 7. Tables ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.
- 8. An abstract of about 100 words suitable for inclusion in *International Abstracts* of *Biological Sciences* should be typed on a separate sheet, giving the author's name and address and the title of the paper.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

BRITISH JOURNAL OF PHARMACOLOGY Number 4

Volume 47 **April** 1973

Systematic Pharmacology Page

- FIBIGER, H. C., FIBIGER, H. P. and ZIS, A. P. Attenuation of amphetamine-induced motor 683 stimulation and stereotypy by 6-hydroxydopamine in the rat.
- WEI, E. Morphine analgesia, tolerance and physical dependence in the adrenalectomized rat. 693 (SP2, PP, AP3)
- BHARGAVA, K. P., KULSHRESTHA, V. K., SANTHAKUMARI, G. and SRIVASTAVA, Y. P. Mechanism of histamine-induced antidiuretic response. (SP2, AP2, AP3) 700

Autopharmacology

- O'DONNELL, STELLA R. and SAAR, NILI. Histochemical localization of adrenergic nerves in 707 the guinea-pig trachea.
- FREDHOLM, B. B. and HEDQVIST, P. Role of pre- and postjunctional inhibition by prosta-711 glandin E2 of lipolysis induced by sympathetic nerve stimulation in dog subcutaneous adipose (AP1, AP2) tissue *in situ*.
- BLAKELEY, A. G. H., Powis, G. and Summers, R. J. The effects of pargyline on overflow of 719 transmitter and uptake of noradrenaline in the cat spleen.
- GARCIA, A. G. and KIRPEKAR, S. M. Release of noradrenaline from the cat spleen by sodium 729 deprivation. (AP1, PK1)
- HUGHES, I. E., KIRK, JENNIFER A., KNEEN, BARBARA and LARGE, B. J. An assessment of sym-748 pathetic function in isolated tissues from mice given nerve-growth-factor antiserum and (API, SP3, DM2) 6-hydroxydopamine.
- GALLACHER, MAUREEN, MACKENNA, B. R. and McKIRDY, H. C. Effects of drugs and of 760 electrical stimulation on the muscularis mucosae of rabbit large intestine. (AP1, SP3)
- VIZI, E. S. Acetylcholine release from guinea-pig ileum by parasympathetic ganglion stimulants 765 (AP1, AP3) and gastrin-like polypeptides.
- CUTHBERT, A. W. and Wong, P. Y. D. Effect of phospholipase C on calcium release from 778 epithelia treated with antidiuretic hormone. (AP3)

Pharmacokinetics

- KAMPMANN, J., LINDAHL, F., MØLHOLM HANSEN, J. and SIERSBAEK-NIELSEN, K. Effect of 782 probenecid on the excretion of ampicillin in human bile. (PK1, CT)
- DEVASANKARAIAH, G., HARANATH, P. S. R. K. and KRISHNAMURTY, A. Passage of intravenously 787 administered tubocurarine into the liquor space in man and dog. (PK1, SP2)
- ALABASTER, VALERIE A. and BAKHLE, Y. S. The bradykininase activities of extracts of dog lung. 799 (PK2, AP2)
- AHTEE, LIISA and SAARNIVAARA, LAILA. The effect of narcotic analgesics on the uptake of 808 5-hydroxytryptamine and (—)-metaraminol by blood platelets. (PK3)

Drug Mechanisms

- CULL, GERALDINE A. G. and Scott, N. C. Structure-activity relationships in some series of 819 2-alkyl-1,2,3,-benzotriazinium compounds.
- MACKENZIE, J. E. and PARRATT, J. R. Effects of oxyfedrine on isolated portal vein and other 827 (DM2, DM1, SP1) smooth muscles.
- LANCASTER, JULIE, SAWYER, P. R., SHEPHERD, D. M. and TURNBULL M. J. Effect of chronic 838 (DM2, SP2) L-DOPA administration on catecholamine metabolism in the rat.

SHORT COMMUNICATIONS

- CAVOTO, F., KELLIHER, G. and ROBERTS, J. Simultaneous measurement of atrial and ventricular 843 pacemaker activity.
- PERKINS, W. E. and VARS, L. Effects of carbenoxolone sodium on stress-induced gastric 847 damage in rats.
- ARMSTRONG, J. M. and BOURA, A. L. A. Effects of clonidine and guanethidine on peripheral 850 sympathetic nerve function in the pithed rat. (AP1, SP1)

Systematic Pharmacology

Cardiovascular system SP1 Central nervous system SP2 Other physiological systems SP3

Pharmacokinetics

Storage, distribution, fate PK1 Synthesis, metabolism PK2 Uptake, release PK3

Clinical Pharmacology, Experimental Therapy CP Chemotherapy Miscellaneous M

Autopharmacology

Adrenergic, cholinergic transmission AP1 Histamine, kinins, prostaglandins, etc. AP2 Hormones AP3

Drug Mechanisms

Molecular, cellular, biochemical, biophysical DM1 Receptors, antagonism, potentiation, tolerance DM2

Pharmacometrics PM Psychopharmacology PP Toxicology TX