

Edited for the British Pharmacological Society by

W. D. M. Paton (*Chairman*) H. M. Adam (*Secretary*)
Margaret Day (*Press Editor*)
J. D. Stephenson (*Assistant Press Editor*)

R. B. Barlow	J. Maddox (co-opted)
J. M. Barnes	J. F. Mitchell
J. W. Black	P. A. Nasmyth
W. C. Bowman	M. W. Parkes
P. B. Bradley	Mary Pickford
A. W. Cuthbert	H. P. Rang
C. T. Dollery	H. O. Schild
W. S. Feldberg	D. F. Sharman
D. F. Hawkins	A. P. Silverman
F. Hobbiger	M. A. Simmonds
Margarethe Holzbauer	A. D. Smith (co-opted)
D. B. Hope	F. M. Sullivan
H. W. Kosterlitz	A. Ungar
G. P. Lewis	J. R. Vane

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr. H. M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £26.50 in the United Kingdom and Republic of Ireland; \$77.00 U.S.A. and Canada (by air freight; second class postage paid at New York, N.Y.); £26.50 all other overseas countries. Subscriptions should be sent to: Subscriptions Department, Macmillan Journals Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: David Terry, Advertisement Manager, *British Journal of Pharmacology*, Macmillan Journals Ltd., 4 Little Essex Street, London, WC2R 3LF, England. Tel: 01-836 6633. Direct line: 01-405 3013.

Copyright © 1973 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

BRITISH JOURNAL OF PHARMACOLOGY

EDITED FOR
THE BRITISH PHARMACOLOGICAL SOCIETY
BY

W. D. M. Paton (*Chairman*) H. M. Adam (*Secretary*)
Margaret Day (*Press Editor*)
J. D. Stephenson (*Assistant Press Editor*)

R. B. Barlow	J. Maddox (co-opted)
J. M. Barnes	J. F. Mitchell
J. W. Black	P. A. Nasmyth
W. C. Bowman	M. W. Parkes
P. B. Bradley	Mary Pickford
A. W. Cuthbert	H. P. Rang
C. T. Dollery	H. O. Schild
W. S. Feldberg	D. F. Sharman
D. F. Hawkins	A. P. Silverman
F. Hobbiger	M. A. Simmonds
Margarethe Holzbauer	A. D. Smith (co-opted)
D. B. Hope	F. M. Sullivan
H. W. Kosterlitz	A. Ungar
G. P. Lewis	J. R. Vane

Editorial assistance is provided by the staff of Nature

VOLUME 48, 1973

LONDON
MACMILLAN JOURNALS LIMITED
4 LITTLE ESSEX STREET, WC2R 3LF

BRITISH JOURNAL OF PHARMACOLOGY

THE INTERNATIONAL SYSTEM OF UNITS (SI)

The British Journal of Pharmacology uses the **symbols** recommended in the SI (Système Internationale) (see *Symbols, Signs and Abbreviations Recommended for British Scientific Publications* (1969) (London: The Royal Society: price 35p.)). It is the policy of the Editorial Board to adopt SI **units**, although the use of certain non-SI units will for the time being be permitted. Full details of the changes involved will be published in a forthcoming "Instructions to Authors". The following is a list (a) of some of the commoner units with their recommended symbols, (b) of some non-SI units which may still be used, and (c) of units which will no longer be acceptable.

(a) SI units with recommended symbols

Unit	Correct symbol
kilogramme	kg
second, millisecond	s ms
mole, millimole, micromole, nanomole, picomole	mol mmol μ mol nmol pmol
metre, centimetre, millimetre, micrometre	m cm mm μ m
Hertz	Hz

(b) Some permitted non-SI units

ångström	Å($=10^{-10}$ m= 0.1 nm)
gramme	g
minute	min
hour	h
molarity (mol/litre)	M
calorie	cal (4.184 J) (Conversion factor to be given as a footnote at first citation or in Methods)
millimetres of mercury	mmHg (1.333 mbar) (Conversion factor to be given as a footnote at first citation or in Methods)
millibar	mbar
poise	P
curie	Ci
litre	l. (where there is danger of confusion between the numeral '1' and the letter 'l', 'litre' should be written in full, and always at the end of a sentence)
millilitre, microlitre	ml μ l
degree Celsius	°C

(c) Units no longer acceptable

inch, foot, pound, pound per square inch, °F.

Expressions such as cycles per second (c/s) will no longer be accepted. Frequencies should be expressed in the appropriate approved symbols: thus a stimulation frequency should be given in Hz (irregular or occasional events should be given per unit time, e.g. s⁻¹, h⁻¹). When there is more than one solidus in an expression, parentheses should be used to eliminate ambiguity, e.g. (mg/kg)/day).

BRITISH JOURNAL OF PHARMACOLOGY

THE INTERNATIONAL SYSTEM OF UNITS (SI)¹

The British Journal of Pharmacology uses the **symbols** recommended in the SI (Système Internationale) (see *Symbols, Signs and Abbreviations Recommended for British Scientific Publications* (1969) (London: The Royal Society: price 35p.)). It is the policy of the Editorial Board to adopt SI **units**, although the use of certain non-SI units will for the time being be permitted. Full details of the changes involved will be published in a forthcoming "Instructions to Authors". The following is a list (a) of some of the commoner units with their recommended symbols, (b) of some non-SI units which may still be used, and (c) of units which will no longer be acceptable.

(a) SI units with recommended symbols

Unit	Correct symbol
kilogramme	kg
second, millisecond	s ms
mole, millimole, micromole, nanomole, picomole	mol mmol μ mol nmol pmol
metre, centimetre, millimetre, micrometre	m cm mm μ m
Hertz	Hz

(b) Some permitted non-SI units

ångström	Å (= 10^{-10} m = 0.1 nm)
gramme	g
minute	min
hour	h
molarity (mol/litre)	M
calorie	cal (4.184 J) (Conversion factor to be given as a footnote at first citation or in Methods)
millimetres of mercury	mmHg (1.333 mbar) (Conversion factor to be given as a footnote at first citation or in Methods)
millibar	mbar
poise	P
curie	Ci
litre	l. (where there is danger of confusion between the numeral '1' and the letter 'l', 'litre' should be written in full, and always at the end of a sentence)
millilitre, microlitre	ml μ l
degree Celsius	°C

(c) Units no longer acceptable

inch, foot, pound, pound per square inch, °F.

Expressions such as cycles per second (c/s) will no longer be accepted. Frequencies should be expressed in the appropriate approved symbols: thus a stimulation frequency should be given in Hz (irregular or occasional events should be given per unit time, e.g. s⁻¹, h⁻¹). When there is more than one solidus in an expression, parentheses should be used to eliminate ambiguity, e.g. (mg/kg)/day.

Instructions to Authors

1. **Manuscripts** (2 copies) should be typed in double spacing on one side of paper not larger than foolscap (33×20.5 cm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.

2. A **short summary of results and conclusions** (arranged in numbered paragraphs), **tables and legends to figures** should be typed on separate sheets of paper.

3. **References** should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

4. **Figures** should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymography tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.

5. **Lettering** on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:

× ÷ ● ■ ○ □ △ ▲ ▽ ▼ ○ ● ◇

6. **Photographs and photomicrographs** should be printed on glossy paper and should be larger than the size required for reproduction.

7. **Tables** ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.

8. An **abstract** of about 100 words suitable for inclusion in *International Abstracts of Biological Sciences* should be typed on a separate sheet, giving the author's name and address and the title of the paper.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

Page

Systematic Pharmacology

- 1 HILL, R. G. and SIMMONDS, M. A. A method for comparing the potencies of γ -aminobutyric acid antagonists on single cortical neurones using micro-iontophoretic techniques. (SP2)
- 12 GONG, S. N. C. and ROGERS, K. J. Role of brain monoamines in the fatal hyperthermia induced by pethidine or imipramine in rabbits pretreated with a monoamine oxidase inhibitor. (SP2, DM2)
- 19 HUTCHINS, D. A. and ROGERS, K. J. Effect of depletion of cerebral monoamines on the concentration of glycogen and on amphetamine-induced glycogenolysis in the brain. (SP2, DM2)
- 30 HEPP, R. and KREYE, V. A. W. Effect of long-term treatment with high doses of guanethidine on sperm transport and fertility of rats. (SP3, AP1)
- 36 BARTLET, A. L. Myogenic peristalsis in isolated preparations of chicken oesophagus. (SP3)

Autopharmacology

- 48 THOMSON, T. D. and TURKANIS, S. A. Barbiturate-induced transmitter release at a frog neuromuscular junction. (AP1, DM1)
- 59 FINCH, L., HAEUSLER, G., KUHN, H. and THOENEN, H. Rapid recovery of vascular adrenergic nerves in the rat after chemical sympathectomy with 6-hydroxydopamine. (AP1, SP1)
- 73 EMMELIN, N. and THULIN, A. Action of drugs on denervated myoepithelial cells of salivary glands. (AP1, DM2)
- ▲ 80 HAUBRICH, D. R., PEREZ-CRUET, J. and REID, W. D. Prostaglandin E_1 causes sedation and increases 5-hydroxytryptamine turnover in rat brain. (AP2)
- 88 GARCIA LEME, J., HAMAMURA, L., LEITE, M. P. and ROCHA E SILVA, M. Pharmacological analysis of the acute inflammatory process induced in the rat's paw by local injection of carrageenin and by heating. (AP2)
- 97 LONG, JOAN S. and SEVERS, W. B. Renin release from the ischaemic kidney. (AP3)

Pharmacokinetics

- 106 HANBAUER, I., KOPIN, I. J., MAENGWYN-DAVIES, GERTRUDE D., THOA, N. B. and WEISE, VIRGINIA K. Effects of vinblastine on catecholamine-biosynthetic enzymes in heart, sympathetic ganglion and adrenal glands of rats. (PK2, AP1)
- 113 GRAHN, B., HENNINGSSON, S. S. G., KAHLSON, G. and ROSENGREN, ELSA. Alterations in the activities of ornithine and histidine decarboxylases provoked by testosterone in mice. (PK2, AP2, AP3)

Drug Mechanisms

- 121 TASHIRO, N. Effects of isoprenaline on contractions of directly stimulated fast and slow skeletal muscles of the guinea-pig. (DM1)
- 132 BENFEY, B. G. Characterization of α -adrenoceptors in the myocardium. (DM2, AP1, SP1)
- 139 INNES, I. R. and MAILHOT, R. Effect of cocaine on the affinity of α -adrenoceptors for nor-adrenaline. (DM2)
- 144 BRITTAIN, R. T., FARMER, J. B. and MARSHALL, R. J. Some observations on the β -adrenoceptor agonist properties of the isomers of salbutamol. (DM2)
- 148 REASBECK, P. G. and YOUNG, J. M. Interaction of benzilylcholine mustard, benzilylcholine and lachesine with the histamine receptor in the longitudinal muscle of guinea-pig ileum. (DM2, DM1, AP2)

Pharmacometrics

- 156 CLARKE, G., HILL, R. G. and SIMMONDS, M. A. Microiontophoretic release of drugs from micropipettes: use of ^{24}Na as a model. (DM, DM2)

Toxicology

- 162 CLARK, D. G. and LITCHFIELD, M. H. Role of inorganic nitrite in methaemoglobin formation after nitrate ester administration to the rat. (TX, PK2)

SHORT COMMUNICATIONS

- 169 BIRMINGHAM, M. K. Reduction by Δ^9 -tetrahydrocannabinol in the blood pressure of hypertensive rats bearing regenerated adrenal glands. (SP1, CP)
- 172 TSAI, T. H. Sensitivity of the nictitating membrane of the cat to succinylcholine after decentralization and denervation. (AP1)
- 175 AGID, Y., JAVOY, F. and YODIM, M. B. H. Monoamine oxidase and aldehyde dehydrogenase activity in the striatum of rats after 6-hydroxydopamine lesion of the nigrostriatal pathway. (PK2)
- 179 BERKOWITZ, B. A., HIDAKA, H. and SPECTOR, S. The effects of an anti-atherosclerotic drug, pyridinolcarbamate, on heart, vascular and brain biogenic amines. (DM1)