Edited for the British Pharmacological Society by

W. D. M. Paton (Chairman)

H. M. Adam (Secretary)

Margaret Day (Press Editor)

J. D. Stephenson (Assistant Press Editor)

R. B. Barlow
J. M. Barnes
J. W. Black
W. C. Bowman
P. B. Bradley
A. W. Cuthbert
C. T. Dollery
W. S. Feldberg
D. F. Hawkins
F. Hobbiger
Margarethe Holzbauer

J. Maddox (co-opted)

J. F. Mitchell
P. A. Nasmyth
M. W. Parkes
Mary Pickford
H. P. Rang
H. O. Schild
D. F. Sharman
A. P. Silverman
M. A. Simmonds
A. D. Smith (co-opted)

D. B. Hope F. M. Sullivan
H. W. Kosterlitz A. Ungar
G. P. Lewis J. R. Vane

Editorial assistance is provided by the staff of Nature

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr. H. M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the suggestions inside the back cover.

Subscriptions. Three volumes of the journal are published annually, each volume containing four numbers. The annual subscription rate is £26.50 in the United Kingdom and the rest of the world; £32.00 U.S.A. and Canada. Subscriptions should be sent to: Subscriptions Department, Macmillan Journals Ltd., Brunel Road, Basingstoke, Hampshire, England. Alternatively, the journal can be ordered through a subscription agent or bookseller.

Advertisements: Applications for advertising space and rates should be sent to: Advertisement Department, *British Journal of Pharmacology*, Macmillan Journals Ltd., 4 Little Essex Street, London, WC2R 3LF, England. Tel: 01-836 6633.

Copyright © 1973 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Pharmacologist

£4000-5000 per annum tax free

A leading Spanish Pharmaceutical Company, situated in the Mediterranean city of Barcelona, invites applications from pharmacologists for a post in the expanding Pharmacology Department of our Research Division. The man we appoint will have a good honours degree in an appropriate discipline, a Ph.D. in pharmacology and a few years post-doctoral experience, preferably in industry. Specialisation in one particular field is not essential, although experience in cardiovascular or central nervous system pharmacology would be an advantage. Our Pharmacology Department is moving into new laboratories before the end of the year and the facilities and working conditions are excellent.

Knowledge of Spanish is not initially essential but the successful candidate must be prepared to acquire adequate fluency in this language over a period of two years.

Applications in writing, with full curriculum vitae, should be addressed to:

Apartado de Correos 1583 BARCELONA Spain

BRITISH JOURNAL OF PHARMACOLOGY

Short Communications

Papers for consideration should be marked "Short Communication", and be submitted in duplicate to the Secretary of the Editorial Board. THEY MUST BE LESS THAN 1,200 WORDS IN LENGTH, including a short summary, AND MAY CONTAIN ONE FIGURE OR ONE TABLE. To reduce publication delay to a minimum (about 6 weeks), correspondence between author and editor must be avoided. Manuscripts should therefore be prepared with great care and the customary form used in the Journal strictly observed (see instructions on the inside covers of a recent issue of the Journal.) Short Communications will be accepted on the understanding that if authors' proofs are not returned before the Journal goes to press, the Communication will be published with the Press Editor's corrections only.

BRITISH JOURNAL OF PHARMACOLOGY

THE INTERNATIONAL SYSTEM OF UNITS (SI)

The British Journal of Pharmacology uses the **symbols** recommended in the SI (Système Internationale) (see *Symbols*, *Signs and Abbreviations Recommended for British Scientific Publications* (1969) (London: The Royal Society: price 35p.)). It is the policy of the Editorial Board to adopt SI **units**, although the use of certain non-SI units will for the time being be permitted. Full details of the changes involved will be published in a forthcoming "Instructions to Authors". The following is a list (a) of some of the commoner units with their recommended symbols, (b) of some non-SI units which may still be used, and (c) of units which will no longer be acceptable.

(a) SI units with recommended symbols

Unit Correct symbol kilogramme kg second, millisecond s mole, millimole, micromole, mol mmol μ mol manomole, picomole nanomole, centimetre, millimetre, m cm mm micrometre μ m

 $\begin{array}{ll} \text{micrometre} & \mu \text{m} \\ \text{Hertz} & \text{Hz} \end{array}$

(b) Some permitted non-SI units

molarity (mol/litre)

calorie cal (4·184 J) (Conversion factor to be given as a footnote at first

citation or in Methods)

millimetres of mercury mmHg (1.333 mbar) (Conversion

factor to be given as a footnote at

first citation or in Methods)

millibar mbar poise P Ci

litre

1. (where there is danger of confusion between the numeral '1' and the

letter 'l', 'litre' should be written in full, and always at the end of a

sentence)

millilitre, microlitre ml μ l degree Celsius °C

(c) Units no longer acceptable

inch, foot, pound, pound per square inch, °F.

Expressions such as cycles per second (c/s) will no longer be accepted. Frequencies should be expressed in the appropriate approved symbols: thus a stimulation frequency should be given in Hz (irregular or occasional events should be given per unit time, e.g. s⁻¹, h⁻¹). When there is more than one solidus in an expression, parentheses should be used to eliminate ambiguity, e.g. (mg/kg)/dav.

Instructions to Authors

- 1. Manuscripts (2 copies) should be typed in double spacing on one side of paper not larger than foolscap $(33 \times 20.5 \text{ cm})$. There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title containing not more than 40 letters should also be suggested.
- 2. A short summary of results and conclusions (arranged in numbered paragraphs), tables and legends to figures should be typed on separate sheets of paper.
- 3. References should be collected at the end of the paper. They should include the authors' names, year of publication, title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.
- 4. Figures should NOT BE LARGER THAN FOOLSCAP (33×20.5 cm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated.
- 5. Lettering on figures should be inserted in PENCIL. Symbols which are to appear in figures or legends should be chosen from the following:



- 6. Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction.
- 7. Tables ideally should not have more than 84 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 130 characters to a line, unless absolutely unavoidable.
- 8. An abstract of about 100 words suitable for inclusion in *International Abstracts* of *Biological Sciences* should be typed on a separate sheet, giving the author's name and address and the title of the paper.

General remarks. A recent issue of the journal is a good guide to style. Papers are accepted only if accompanied by a statement that they have not and will not be published in whole or in part in any other Journal.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

BRITISH JOURNAL OF PHARMACOLOGY

November 1973 Volume 49 Number 3

Page Systematic Pharmacology

- 377 LÜLLMANN, H. and RAVENS, URSULA. The time courses of the changes in contractile force and in transmembrane potentials induced by cardiac glycosides in guinea-pig papillary muscle.
- MARSHALL, R. J. and PARRATT, J. R. The effects of dipyridamole on blood flow and oxygen 391 handling in the acutely ischaemic and normal canine myocardium.
- CACCIA, S., CECCHETTI, G., GARATTINI, S. and JORI, A. Interaction of (+)-amphetamine with 400 cerebral dopaminergic neurones in two strains of mice, that show different temperature responses to this drug. (SP2)

Autopharmacology

- VARAGIĆ, V. M. and ŽUGIĆ, M. The effect of Nº-2'-0 dibutyryl 3', 5' cyclic adenosine monophosphate, imidazole and aminophylline on ganglionic transmission in the superior cervical ganglion of the cat.

 POSNER, J. Prostaglandin E_2 and the bovine sphincter pupillae. (AP1, DM1) (AP2)
- 415 MAIN, I. H. M. and WHITTLE, B. J. R. The effects of E and A prostaglandins on gastric mucosal
- blood flow and acid secretion in the rat. (AP2, SP1) Bertaccini, G., Erspamer, V. and Impicciatore, M. The actions of bombesin on gastric secretion of the dog and the rat. (AP2, SP3)
- BLYTH, D. I. Some effects of histamine in the depolarized rat uterus. 445 (AP2, DM1)

Pharmacokinetics

Mannaioni, P. F. and Moroni, F. Uptake, disposition and metabolism of histamine in isolated heart preparations. (PK2, PK3, AP2)

Drug Mechanisms

- Bose, D. and Innes, I. R. The role of sodium pump in the inhibition of smooth muscle responsiveness to agonists during potassium restoration.
- BARLOW, R. B. and FRANKS, FIONA M. A comparison of phenylalkyl- and phenoxyalkyltrimethylammonium and triethylammonium salts; their apparent molal volumes at infinite dilution and effects on the frog rectus and guinea-pig ileum preparations. (DM1, DM2)
- FASTIER, F. N., PURVES, R. D. and TAYLOR, K. M. Observations on 'fade': a complication of the contractile response of smooth muscle to a large dose of an agonist. (DM2) CUTHBERT, A. W. and YOUNG, J. M. The number of muscarinic receptors in chick amnion
- 498 muscle. (DM2)
- GIBSON, A. and POLLOCK, D. The effects of drugs on the sensitivity of the rat anococcygeus 506 (DM2)muscle to agonists.
- Levy, Bernard. The β-adrenoceptor blocking properties of the a-methyl analogues of propranolol and practolol in the anaesthetized dog. (DM2, AP1, SP1)
- ASTON, R. Mechanisms contributing to barbiturate intolerance in rats. (DM2, SP2, PK2) 527

Pharmacometrics

- MAIN, I. H. M. and WHITTLE, B. J. R. Gastric mucosal blood flow during pentagastrin and histamine-stimulated acid secretion in the rat. (PM, AP2, SP1)
- FERREIRA, S. H., NG, K. K. and VANE, J. R. The continuous bioassay of the release and disappearance of histamine in the circulation. (PM, AP2, PK3)

SHORT COMMUNICATIONS

- GHANI, M. F., HOPKINS, R. M., SMITH, J. R. and VANDERIPE, D. R. Effects of a new tetrahydroisoquinoline (NC-7197) in experimental cardiogenic shock.
- Brezenoff, H. E. The role of brain acetylcholine in the pressor response to centrally injected 557
- ADAM, K. R., PULLMAN, L. G. and SCHOLFIELD, P. C. Isoprenaline- and exercise-induced 560 tachycardia in the assessment of β-adrenoceptor blocking drugs; a comparison between tolamolol, practolol and propranolol. ---(DM2, SP1)

Systematic Pharmacology

Cardiovascular system SP1 Central nervous system SP2 Other physiological systems SP3

Pharmacokinetics

Storage, distribution, fate PK1 Synthesis, metabolism PK2 Uptake, release PK3

Clinical Pharmacology, Experimental Therapy CP Chemotherapy CT Miscellaneous M

Autopharmacology

Adrenergic, cholinergic transmission AP1 Histamine, kinins, prostaglandins, etc. AP2 Hormones AP3

Drug Mechanisms

Molecular, cellular, biochemical, biophysical DM1 Receptors, antagonism, potentiation, tolerance DM2

Pharmacometrics PM Psychopharmacology PP Toxicology