Edited for the British Pharmacological Society by

W.D.M. Paton (Chairman) H.M. Adam (Secretary)
Margaret Day (Press Editor)
J.D. Stephenson (Assistant Press Editor)

I.H.M. Main J.M. Barnes A.M. Barrett E.K. Matthews P.B. Bradley J.F. Mitchell D.A. Brown P.A. Nasmyth F. de Matteis M.W. Parkes C.T. Dollery Mary Pickford H.P. Rang V. Eisen W.S. Feldberg M. Sandler E.W. Gill A.P. Silverman A.F. Green M.A. Simmonds D.F. Hawkins A.D. Smith (co-opted) Margarethe Holzbauer F.M. Sullivan A. Ungar D.B. Hope R.A. Webster J.S. Kelly G.P. Lewis

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ, from whom copies of the instructions to authors, published in volume 50 (pages 3-23) of the journal, may also be obtained.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF.

Annual subscription £26.50 (£32.00 USA & Canada).

(Payment may be made in any currency at the current exchange rate. Orders must be accompanied by remittance. Prices applicable only to subscriptions started before 31st December 1974.)

Cheques should be made payable to Macmillan Journals Ltd, Subscription Department, Brunel Road, Basingstoke, Hampshire, RG21 2XS, England.

Enquiries concerning advertising space and rates should be addressed to the Advertisement Department, Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1974 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

INDEX TO VOLUME 50

AUTHOR INDEX

Δ

- ABBS, E. T. & PYCOCK, C. J. The effect of bretylium on endogenous and newly-synthesized noradrenaline in the microsomal fraction of rat heart, 606
- ANSTEY, MARY D., BIRMINGHAM, A. T. & TOMLINSON, D. R. The noradrenaline concentration and the cholinesterase activity of the separated longitudinal and circular layers of muscle of the guinea-pig vas deferens, 454P
- ASAAD, M. M., BARRY, III, H., CLARKE, D. E. & DIXIT, B. N. Effect of ethanol on the oxidative metabolism or tryptamine by rat liver homogenate, 277
- ASSEM, E. S. K. The effect of methyoxy-derivatives of catecholamines on histamine release from sensitized human leucocytes and its inhibition by the parent compounds, 478P
- ATTERWILL, C. K. & NEAL, M. J. Partial separation of retinal subcellular particles accumulating labelled γ-aminobutyric acid (GABA) at high and low concentrations, 449P
- AWAD, S. A., BRUCE, A. W., CARRO-CIAMPI, G., DOWNIE, J. W., LIN, M. & MARKS, G. S. Distribution of α and β adrenoceptors in human urinary bladder, 525

В

- BAKHLE, Y. S. & SMITH, T. W. The nature of the tryptamine receptor mediating spasmogen release from rat isolated lungs, 463P
- BAKHLE, Y. S., STRAUGHAN, D. W. & WEBSTER, R. A. Second report on the organization of pharmacology in Great Britain, 163
- BARASI, S. & ROBERTS, M. H. T. Motoneurone field potential responses to iontophoretically applied 5-hydroxytryptamine, 446P
- BARRY, III, H. see ASAAD, M. M. 277
- BASIL, B., JORDON, R., LOVELESS, A. H. & MAXWELL, D. R. A comparison of the experimental anti-arrhythmic properties of acebutolol (M&B 17,803), propranolol and practolol, 323
- BEDWANI, J. R. & MARLEY, P. B. Increased inactivation of prostaglandin E₂ by the rabbit lung during pregnancy, 459P
- BENFEY, B. G., COHEN, J., KUNOS, G. & VERMES-KUNOS, I. Dissociation of 5-hydroxytryptamine effects on myocardial contractility and cyclic AMP accumulation, 581
- BENNETT, A. & STOCKLEY, HELEN L. Effect of electrode positions on contractions of guinea-pig isolated ileum to electrical stimulation, 453P
- BENNETT, T. & KEMP, P. A. (introduced by BIRMINGHAM, A. T.). The in vitro effects of

- vinblastine on the nerve-mediated responses of the guinea-pig vas deferens, 455P
- BENTLEY, G. A. Studies on the tachyphylaxis to nicotinic stimulant drugs in the perfused hypogastric ganglion of the guinea-pig, 95
- BERDE, B. see LOEW, D. M., 456P
- BERRIDGE, T. L. & SHARMAN, D. F. The effect of tranquillizing drugs on the concentrate of the sulphate ester of 4-hydroxy-3-methoxy-phenylethane-1,2-diol in rat brain, 156
- BEVAN, P., BRADSHAW, C. M. & SZABADI, E. Potentiation and antagonism of neuronal responses to monoamines by methysergide and sotalol, 445P
- BHATTACHERJEE, P. & EAKINS, K. E. Inhibition of the prostaglandin synthetase systems in ocular tissues by indomethacin, 227
- BHOOLA, K. D. & COGDELL, R. Electrophoresis of isolated secretory granules from guinea-pig submaxillary gland, 419
- BHOOLA, K. D., DOREY, GUNDULA & JONES, C. W. Oestrogen dependence of enzyme activity and intracellular structure in the hamster submaxillary gland, 466P
- BIRMINGHAM, A. T. see ANSTEY, MARY D., 454P BIRMINGHAM, A. T. see BENNETT, T., 455P
- BLACKWELL, E. W., BRIANT, R. H., CONOLLY, M. E., DAVIES, D. S. & DOLLERY, C. T. Metabolism of isoprenaline after aerosol and direct intrabronchial administration in man and dog, 587
- BOND, P. A. & JENNER, F. A. The effect of lithium and related metal ions on the urinary excretion of 2-oxoglutarate and citrate in the rat, 283
- BOTTING, J. H. & SALZMANN, R. The effect of indomethacin on the release of prostaglandin E₂ and acetylcholine from guinea-pig isolated ileum at rest and during field stimulation, 119
- BOWERY, N. G. & BROWN, D. A. Depolarizing actions of γ -aminobutyric acid and related compounds on rat superior cervical ganglia *in vitro*, 205
- BRADLEY, P. B. & BRIGGS, I. Further studies on the mode of action of psychotomimetric drugs: antagonism of the excitatory actions of 5-hydroxytryptamine by methylated derivatives of tryptamine, 345
- BRADLEY, P. B. & DRAY, A. Morphine and neurotransmitter substances: microiontophoretic study in the rat brain stem, 47
- BRADSHAW, C. M. see BEVAN, P., 445P BRIANT, R. H. see BLACKWELL, E. W., 587 BRIGGS, I. see BRADLEY, P. B., 345 BROWN, D. A. see BOWERY, N. G., 205 BROWNLEE, G., see GRIFFITHS, P. J., 441P BROWNLEE, G. see LITTLETON, J. M., 441P BROWNLEE, G. see PRINCE, A. K., 447P

BROWNLEE, G. see PREMPEH, A. B. A., 447P BRUCE, A. W. see AWAD, S. A., 525

BURGEN, A. S. V., HILEY, C. R. & YOUNG, J. M. The binding of [3H]-propylbenzilylcholine mustard by longitudinal muscle strips from guinea-pig small intestine, 145

- CARLINI, E. A., KARNIOL, G., RENAULT, P. F. & SCHUSTER, C. R. Effects of marihuana in laboratory animals and in man, 299
- CARRO-CIAMPI, G. see AWAD, S. A., 525
- CASTANIA, A. & ROTHSCHILD, A. M. Lowering of kininogen in rat blood by adrenaline and its inhibition by sympatholytic agents, heparin and aspirin, 375
- CHESHER, G. B., JACKSON, D. M. & STARMER, G. A. Interaction of cannabis and general anaesthetic agents in mice, 593
- CLARKE, D. E. see ASAAD, M. M., 277
- CLINESCHMIDT, B. V. & LOTTI, V. J. Indoleamine antagonists: relative potencies as inhibitors of tryptamine- and 5-hydroxytryptophan-evoked responses, 311
- COBBIN, L. B., EINSTEIN, ROSEMARIE & MAGUIRE, HELEN M. Studies on the coronary dilator actions of some adenosine analogues, 25
- COGDELL, R. see BHOOLA, K. D., 419
- COHEN, G. M. & DAVIES, D. S. Uptake of propranolol by the isolated perfused rat liver, 472P
- COHEN, J. see BENFEY, B. G., 581
- COLLINS, G. C. S. & TOPIWALA, S. H. The release of [14C]-taurine from slices of rat cerebral cortex and spinal cord evoked by electrical stimulation and high potassium ion concentrations, 451P
- COMMISSIONG, J. W. & SEDGWICK, E. M. A pharmacological study of the mechanisms involved in the stretch reflex of the decerebrate rat, 365
- CONOLLY, M. E. see BLACKWELL, E. W., 587
- CORONEOS, N. J., KEANEY N. P., McDOWALL, D. G., PICKERODT, V. W. A., GLYNN, J. P. & ROBERTSON, A. Distribution of pentazocine in blood and brain of the baboon following intravenous injection, 393
- CURWAIN, B. P. & ENDERSBY, K. Enhancement of pentagastrin induced gastric acid secretion by clondine in the conscious dog, 431
- CURZON, G. & KNOTT, P. J. Effects on plasma and brain tryptophan in the rat of drugs and hormones that influence the concentration of unesterified fatty acid in the plasma, 197
- CUTHBERT, A. W. A two-state (allosteric) model for sodium channels in transporting epithelia, 465P
- CUTHBERT, A. W. see ROBINSON, D. A., 463P

DAVIES, D. S. see COHEN, G. M., 472P DAVIES, D. S. see BLACKWELL, E. W., 587 DE WAAL, M. J. ee VEENENDAAL, G. H., 433 DHUMAL, V. R., GULATI, A. D., RAGHUNATH, P. R., & SIVARAMAKRISHNA, N. Analysis of the effects

- on body temperature of intracerebroventricular injection of anaesthetized dogs of gamma-aminobutyric
- DIXIT, B. N. see ASAAD, M. M., 277
- DOGGETT, N. S., RENO, H. & SPENCER, P. S. J. The effects of RX 336M and RX 5050M on tests for antidepressant activity in mice, 440P
- DOLLERY, C. T., LEWIS, P. J., MYERS, M. G. & REID, J. L. Mechanism of the early pressor effect of centrally administered propranolol in the conscious rabbit,
- DOLLERY, C. T. see BLACKWELL, E. W., 587
- DOREY, GUNDULA see BHOOLA, K. D. 466P
- DOWNIE, J. W. see AWAD, S. A., 525
- DRAY, A. see BRADLEY, P. B., 47 DUPONT, J. & SASSARD, J. Vascular reactivity in spontaneously hypertensive normotensive and hypotensive rats, 185
- DYE, D. J. & TABERNER, P. V. Effects of some clinically used anaesthetics on the enzymes of γ-aminobutyric acid metabolism, 450P

- EAKINS, K. E. see BHATTACHERJEE, P., 227
- EDERY, H. & GUERTZENSTEIN, P. G. A central vasodepressor effect of dyflos, 481
- EINSTEIN, ROSEMARIE see COBBIN, L. B., 25
- ELLIOTT, P. N. C., FORD-HUTCHINSON, A. W. & SMITH, M. J. H. Anti-inflammatory and irritant effects of a fraction from normal human plasma, 253 ENDERSBY, K. see CURWAIN, B. P., 431
- ENNA, S. J., & SHORE, P. A. Differences in amine storage in rat heart and brain, 271

F

- FERREIRA, S. H., MONCADA, S. & VANE, J. R. Potentiation by prostaglandins of the nociceptive activity of bradykinin in the dog knee joint, 461P
- FERREIRA, S. H. & VARGAFTIG, B. B. Inhibition by non-steroid anti-inflammatory agents of rabbit aorta contracting activity generated in blood by slow reacting substance C, 453
- FORD-HUTCHINSON, A. W. see ELLIOTT, P. N. C., 253 FOZARD, J. R. & MUSCHOLL, E. Atropine-resistant effects of the muscarinic agonists McN-A-343 and AHR 602 on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart, 531
- FURMAN, B. L. The hypoglycaemic effect of 5-hydroxytryptophan, 575
- FURNESS, J. B. Transmission to the longitudinal muscle of the guinea-pig vas deferens: the effect of pretreatment with guathedine, 63

GAGNON, D. J., GAUTHEIR, R. & REGOLI, D. Release of prostaglandins from the rabbit perfused kidney: effects of vasoconstrictors, 553

- GARLAND, L. G. & MONGAR, J. L. Inhibition by cromoglycate of histamine release from rat peritoneal mast cells induced by mixtures of dextran, phosphatidyl serine and calcium ions, 137
- GAUTHIER, R. see GAGNON, D. J., 553
- GIBSON, A. & POLLOCK, D. The involvement of corticosteroids in the supersensitivity produced in the rat annococcygeus muscle by morphine withdrawal or reserpine, 474P
- GILBERT, J. C., SCOTT, A. K. & WYLLIE, M. G., Effects of ethosuximide on adenosine triphosphatase activities of some sub-cellular fractions prepared from rat cerebral cortex, 452P
- GILLESPIE, J. S. & McGRATH, J. C. The responses of the cat anococcygeus muscle to nerve or drug stimulation and a comparison with the rat anococcygeus, 109 GLYNN, J. P. see CORONEOS, N. J., 393
- GODWIN, S. & SNEDDON, J. M. Factors contributing to the binding of [3H]-5-hydroxytryptamine to butanol extracts of rat brain, 464P
- GORDON, J. L. & MACINTYRE, D. E. Inhibition of collagen-induced platelet aggregation by aspirin, 469P
- GOROG, P. & KOVACS, IREN B. Adenosine triphosphate-induced contractile process in rat lymphocytes and its inhibition by anti-inflammatory agents, 316
- GRAHAME-SMITH, D. G. & GREEN, A. R. The role of brain dopamine in the hyperactivity syndrome produced in rats after administration of L-tryptophan and a monoamine oxidase inhibitor, 442P
- GRAHAME-SMITH, D. G. & GREEN, A. R. The role of brain 5-hydroxytryptamine in the hyperactivity produced in rats after administration of L-tryptophan inhibition, 443P
- GREEN, A. R. see GRAHAME-SMITH, D. G., 442P
- GREEN, A. R. see GRAHAME-SMITH, D. G., 443P
- GREEN, K. L. Mechanism of the pro-inflammatory activity of sympathomimetic amines in the thermic oedema of the rat paw, 243
- GREY, D. & ULLMANN, ELIZABETH. The influence of anaesthetics on the increase in the water permeability of the toad bladder induced by vasopressin, 131
- GRIFFITHS, P. J., LITTLETON, J. M. & ORTIZ, A. (introduced by BROWNLEE, G.). Chronic administration of acetaldehyde to mice: behavioural and biochemical similarities with chronic ethanol administration, 441P
- GRIFFITHS, P. J., LITTLETON, J. M. & ORTIZ, A. Changes in monoamine concentrations in mouse brain associated with ethanol dependence and withdrawal, 489
- GRUNFELD, Y. & SPIEGELSTEIN, M. Y. Effects of Gymnodinium breve toxin on the smooth muscle preparation of guinea pig ileum, 399
- GUERTZENSTEIN, P. G. see EDERY, H., 481 GULATI, O. D. see DHUMAL, V. R., 513

Н

HANBAUER, I., JACOBOWITZ, D. M. & KOPIN, I. J. Effects of vinblastine on noradrenergic axons, 219 HANSON, JENNIFER, M., MORLEY, J. & SORIA-HERRERA, C. Anti-inflammatory property of 401

- (MCD-peptide), a peptide from the venom of the bee (apis Mellifera L.), 383
- HARRIS, M., JENKINS, M. V. & WILLS, M. R. Phenytoin inhibition of parathyroid hormone induced bone resorption in vitro, 405
- HARRY, J. D., KNAPP, M. F. & LINDEN, R. J. Antagonism by ICI 66082 of the effects of electrical stimulation on the right ansa subclavia of the dog, 457P
- HART, S. L. The actions of prostaglandins E, and F, α on human foetal intestine, 159
- HENSBY, C. N. (introduced by HORTON, E. W.). Reduction of prostaglandin E_2 to prostaglandin $F_{2\alpha}$ by an enzyme in sheep blood, 462P
- HERXHEIMER, H. Prostaglandins E₁ and E₂ prevent bronchoconstriction in the guinea-pig, 314
- HILEY, C. R. see BURGEN, A. S. V., 145
- HILL, R. G. & MILLER, A. A. Antagonism by folic acid of presynaptic inhibition in the rat cuneate nucleus, 425
- HODGES, J. R. & VELLUCCI, SANDRA. The effect of reserpine on pituitary-adrenocortical function in the rat, 466P
- HODGES, J. R. see LUSH, I. E., 439P
- HOELDTKE, R., ROGAWSKI, M. & WURTMAN, R. J. Effect of selective destruction of central and pericatecholamine-containing neurones pheral 6-hydroxydopamine on catecholamine excretion in the rat, 265
- HOLLINGSWORTH, M. (introduced by SCHNIEDEN, H.). The in vitro rat cervix, 470P
- HOOPER, M., SPEDDING, M., SWEETMAN, A. J. & WEETMAN, D. F. 2-2' Pyridylisatogen tosylate: an antagonist of the inhibitory effects of ATP on smooth muscle, 458P
- HORTON, E. W. see HENSBY, C. N., 462P
- HULME, MARILYN, E. & WESTON, A. H. The accumulation of adenosine in rabbit intestinal muscle, 569
- HUMLE, MARILYN, E. & WESTON, A. H. Some effects of dipyridamole, hexobendine and lidoflazine on inhibitory processes in rabbit duodenum, 609

J

JACKSON, D. M. see CHESHER, G. B., 593 JACOBOWITZ, D. M. see HANBAUER, I., 219

JASANI, M. K., LEWIS, G. P. & TWEED, M. F. A new approach for studying the anti-rheumatic activity of indomethacin using the homograft reaction as a model for chronic immunologically-mediated inflammation, 475P

JENKINS, M. V. see HARRIS, M., 405 JENNER, F. A. see BOND, P. A., 283

JHAMANDAS, K. & SUTAK, M. Modification of brain acetylcholine release by morphine and its antagonists in normal and morphine-dependant rats, 57

JONES, C. W. see BHOOLA, K. D., 466P JORDAN, R. see BASIL, B., 323

Κ

KARNIOL, G. see CARLINI, E. A., 299

KEANEY, N. P. see CORONEOS, N. J., 393

KEMP, P. A. see BENNETT, T., 455P

KIRBY, MARILYN J. & TURNER, P. Effect of fenfluramine and norfenfluramine on glucose uptake by the isolated rat diaphragm, 477P

KNAPP, M. F. see HARRY, J. D., 457P

KNOTT, P. J. see CURZON, G., 197

KOKETSU, K. & YAMAMOTO, K. Effects of lithium ions on electrical activity in sympathetic ganglia of the bullfrog, 69

KOPIN, I. J. see HANBAUER, I., 219 KOVACS, IREN B. see GOROG, P., 316

KUNOS, G. see BENFEY, B. G., 581

LABAL, S. E., POLA, J. L., MARTINEZ SEEBER, A. & TAQUINI, A. C. Jr. The mechanism of renin release from the ischaemic kidney, 601

LEES, G. M. & WALLIS, D. I. Hyperpolarization of rabbit superior cervical ganglion cells due to activity of an electrogenic sodium pump, 79

LEWIS, A. J., NELSON, D. J. & SUGRUE, M. F. Potentiation by prostaglandin E, and arachidonic acid of oedema in the rat paw induced by various phlogogenic agents, 468P

LEWIS, G. P. see JASANI, M. K., 475P

LEWIS, P. J. see DOLLERY, C. T., 444P

LIN, M. see AWAD, S. A., 525

LINDEN, R. J. see HARRY, J. D., 457P

LITTLETON, J. M. & RYAN, SUSAN M. (introduced by BROWNLEE G.). Hypothermia produced by inhibitors of catecholamine biosynthesis, 441P

LITTLETON, J. M. see GRIFFITHS, P. J., 441P

LITTLETON, J. M. see GRIFFITHS, P. J., 489

LOEW, D. M. & WAITE, R. (introduced by BERDE, B.). A quantitative assessment of the effects of clonding on pre-ganglionic sympathetic nerve activity in the cat, 456P

LOTTI, V. J. see CLINESCHMIDT, B. V., 311

LOVELESS, A. H. see BASIL, B., 323

LULLMANN, H. L. & LULLMANN-RAUCH, RENATE. Lipidosis-like ultrastructural alterations in rat tissues induced by an antidepressant drug (iprindole), 473P LULLMANN-RAUCH, RENATE see LULLMANN, H. L.,

LUSH, I. E. (introduced by HODGES, J. R.). The effects of mescaline on defecation in seven inbred strains of laboratory mice, 439P

MACINTYRE, D. E. see GORDON, J. L., 469P MAGUIRE, M. HELEN see COBBIN, L. B., 25 MARKS, G. S. see AWAD, S. A., 525 MARLEY, P. B. see BEDWANI, J. R., 459P MARSHALL, I. & SMITH, C. B. Acute and chronic morphine treatment and the hydroxylation of [1-14C]-L-tyrosine in the mouse brain, 428 MARTINEZ, A A. see LABAL, S. E., 601 MASON, D. F. J. see RICHARDSON, P. D. I., 475P

MAXWELL, D. R., READ, M. A. & SUMPTER, EILEEN A. Pharmacology of M&B 18,706, a drug which selectively reduces decerebrate rigidity, 35

MAXWELL, D. R. & SUMPTER, EILEEN A. A comparison of the actions of some drugs on decerebrate rigidity, muscle spindle activity and α-adrenoceptors, 355

MAXWELL, D. R. see BASIL, B., 323

McCORMICK, J. T. & SENIOR, JUDITH. Plasma kinin and kiningeen levels in the female rat during the oestrous cycle, pregnancy, parturition and the puerperium, 237

McDEVITT, D. G., SHANKS, R. G. & SWANTON, J. G. Further observations on the cardio-toxicity of isoprenaline during hypoxia, 335

McDOWALL, D. G. see CORONEOS, N. J., 393

McGRATH, J. C. see GILLESPIE, J. S., 109

McQUEEN, D. S. The effects of some prostaglandins on respiration in anaesthetized cats, 559

METCALF, G. The use of stereotactic dissection followed by flourimetric assay, to determine the distribution of noradrenaline, dopamine and 5-hydroxytryptamine in the preoptic hypothalamic area of rabbit brain: an alternative approach to histochemistry, 189

MILLER, A. A. see HILL, R. G., 425

MITCHELL, J. F., TABERNER, P. V. & YATES, R. A. Regional distribution of glutamate and γ -aminobutyric acid and their associated enzymes in the frog central nervous system, 448

MORLEY, J. see HANSON, JENNIFER M., 383

MORTON, I. K. M., SAVERYMUTTU, S. M. & WOOD, J. R. Inhibition by prostaglandins of fluid transport in the isolated gallbladder of the guinea-pig, 460P

MONCADA, S. see FERREIRA, S. H., 461P MONGAR, J. L. see GARLAND, L. G., 137

MUSHOLL, E. see FOZARD, J. R., 531

MYERS, M. G. see DOLLERY, C. T., 444P

N

NEAL, M. J. see ATTERWILL, C. K., 449P NELSON, D. J. see LEWIS, A. J., 468P NOTT, M. W. & WINSLOW, EILEEN. Effects of quazodine on cat fast- and slow-contracting skeletal muscles, 470P

O

ODUMOSU, A. & WILSON, C. W. M. The relationship of ascorbic acid to leptazol-induced convulsions in guinea-pigs, 471P

ORTIZ, A. see GRIFFITHS, P. J., 441P ORTIZ, A. see GRIFFITHS, P. J., 489

PAPADIMITRIOU, A. & WORCEL, M. Dose-response curves for angiotensin II and synthetic analogues in three types of smooth muscle: existence of different forms of receptor sites for angiotensin II, 291

PARRATT, J. R. & STURGESS, R. M. The effect of indomethacin on the cardiovascular and metabolic responses to E. coli endotoxin in the cat, 177
PEART, W. S. see VAN DONGEN, R., 125
PICKERODT, V. W. A. see CORONEOS, N. J., 393
POLA, J. L. see LABAL, S. E., 601
POLLOCK, D. see GIBSON, A., 474P
PREMPEH, A. B. A. & PRINCE, A. K. (introduced by BROWNLEE, G.). The effect of morphine on the choline acetyltransferase population of rat caudate nucleus, 447P
PRINCE, A. K. & TOATES, P. (introduced by BROWNLEE, G.). The heterogeneity of goldfish brain

BROWNLEE, G.). The heterogeneity of goldfish brain and muscle choline acetyltransferase, 447P PRINCE, A. K. see PREMPEH, A. B. A., 447P PYCOCK, C. J. see ABBS, E. T., 606

R

RAGHUNATH, P. R. see DHUMAL, V. R., 513 READ, M. A. see MAXWELL, D. R., 35 REGOLI, D. see GAGNON, D. J., 553 REID, J. L. see DOLLERY, C. T., 444P RENAULT, P. F. see CARLINI, E. A., 299 RENO, H. see DOGGETT, N. S., 440P RICHARDSON, P. D. I. (introduced by MASON, D. F. J.). Some observations upon the determination of capillary filtration coefficient in the innervated small intestine of the anaesthetized cat, 475P RIVERA-CALIMLIN, LEONOR. Absorption, metabolism and distribution of [14C]-O-methyldopa [14C]-L-dopa after oral administration to rats, 259 ROBERTS, M. H. T. see BARASI, S., 446P ROBERTSON, A. see CORONEOS, N. J., 393 ROBINSON, D. A., TAYLOR, J. G. & YOUNG, J. M. (introduced by CUTHBERT, A. W.). The binding affinity of an alkylating muscarinic agonist: acetylcholine mustard, 463P ROBINSON, I. C. A. F. & WALKER, J. M. Bioassay of oxytocin on the superfused mammary gland of the mouse using an automatic apparatus, 409 ROGAWSKI, M. see HOELDTKE, R., 265 ROTHSCHILD, A. M. see CASTANIA, A., 375 RYAN, SUSAN M. see LITTLETON, J. M., 441P

S

SALZMANN, R. see BOTTING, J. H., 119
SASSARD, J. see DUPONT, J., 185
SAVERYMUTTU, S. M. see MORTON, I. K. M., 460P
SCHNEIDEN, H. see HOLLINGSWORTH, M., 470P
SCHUSTER, C. R. see CARLINI, E. A., 299
SCOTT, A. K. see GILBERT, J. C., 452P
SEDGWICK, E. M. see COMMISSIONG, J. W., 365
SENIOR, JUDITH & WHALLEY, E. T. Effect of oestrogens and progesterone alone and in combination on the female rat plasma kininogen concentrations, 467P
SENIOR, JUDITH see MCCORMICK, J. T., 237
SHANKS, R. G. see MCDEVITT, D. G., 335
SHARMAN, D. F. see BERRIDGE, T. L., 156
SHAW, G. G. Some shortcomings of direct intravenous injection in mice, 603

SHORE, P. A. see ENNA, S. J., 271 SIVARAMAKRISHNA, N. see DHUMAL, V. R., 513 SMALL, R. C. Activation of intramural inhibitory neurones of the rabbit caecum by nicotine, 456P SMITH, C. B. see MARSHALL, I., 428 SMITH, M. J. H; see ELLIOTT, P. N. C., 253 SMITH, T. W. see BAKHLE, Y. S., 463P SNEDDON, J. M. see GODWIN, S., 464P SORIA-HERRERA, C. see HANSON, JENNIFER M., 383 SPEDDING, M. see HOOPER, M., 458P SPENCER, P. S. J. see DOGGETT, N. S., 440P SPIEGELSTEIN, M. Y. see GRUNFELD, Y., 399 STARMER, G. A. see CHESHER, G. B., 593 STEVENSON, I. H. & TURNBULL, M. J. A study of the factors affecting the sleeping time following intracerebroventricular administration of pentobarbitone sodium; effect of prior administration of centrally active drugs, 499 STOCKLEY, HELEN L. see BENNETT, A., 453P STRAUGHAN, D. W. see BAKHLE, Y. S., 163 STURGESS, R. M. see PARRATT, J. R., 177 STURMAN, GILLIAN. Interaction between piperazine and chlorpromazine, 153 SUGRUE, M. F. see LEWIS, A. J., 468P SUMPTER, EILEEN A. see MAXWELL, D. R., 35 SUMPTER, EILEEN A see MAXWELL, D. R., 355 SUTAK, M. see JHAMANDAS, K., 57 SWANTON, J. G., see McDEVITT, D. G., 335 SWEETMAN, A. J. see HOOPER, M., 458P SZABADI, E. see BEVAN, P., 445P

Т

TABERNER, P. V. see DYE, D. J., 450P
TABERNER, P. V. see MITCHELL, J. F., 448P
TAQUINI, A. C., Jr see LABAL, S. E., 601
TAYLOR, J. G. see ROBINSON, D. A., 463P
THOMAS, G. & WEST, G. B. Prostaglandins, Kinin and inflammation in the rat, 231
TOATES, P. see PRINCE, A. K., 447P
TOMLINSON, D. R. see ANSTEY, MARY D., 454P
TOPIWALA, S. H. see COLLINS, G. C. S., 451P
TURNBULL, M. J. see STEVENSON, I. H., 499
TURNER, P. see KIRBY, MARILYN J., 477P
TWEED, M. F. see JASANI, M. K., 475P

U

ULLMANN, ELISABETH see GREY, D., 131

V

VAN DONGEN, R. & PEART, W. S. Calcium dependence of the inhibitory effect of angiotensin on renin secretion in the isolated perfused kidney of the rat, 125

VANE, J. R. see FERREIRA, S. H., 461P

VARGAFTIG, B. B. see FERREIRA, S. H., 543

VEENENDAAL, G. H. & DE WAAL, M. J. Uncoupling activity of the anthelmintic oxyclozanide in rodents, 435

VELLUCCI, SANDRA see HODGES, J. R., 466P VERMES-KUNOS, I. see BENFEY, B. G., 581

WAITE, R. see LOEW, D. M., 456P WALKER, J. M. see ROBINSON, I. C. A. F., 409 WALLIS, D. I. see LEES, G. M., 79 WEBSTER, R. A., see BAKHLE, Y. S., 163 WEETMAN, D. F. see HOOPER, M., 458P WEST, G. B. see THOMAS, G., 231 WESTON, A. H. see HULME, MARILYN E., 569 WESTON, A. H. see HULME, MARILYN E., 609 WHALLEY, E. T. see SENIOR, JUDITH, 467P

WILLS, M. R. see HARRIS, M., 405 WILSON, C. W. M. see ODUMOSU, A., 471P WINSLOW, EILEEN see NOTT, M. W., 470P WOOD, J. R. see MORTON, I. K. M., 460P WORCEL, M. see PAPADIMITRIOU, A., 291 WURTMAN, R. J. see HOELDTKE, R., 265 WYLLIE, M. G. see GILBERT, J. C., 425P

Υ

YAMAMOTO, K. see KOKETSU, K., 69 YATES, R. A. see MITCHELL, J. F., 448P YOUNG, J. M. see BURGEN, A. S. V., 145 YOUNG, J. M. see ROBINSON, D. A., 463P

SUBJECT INDEX

Δ

- Acebutolol, comparison of the experimental antiarrhythmic properties of, propranolol and practolol, 323
- Acetaldehyde, chronic administration of, to mice: behavioural and biochemical similarities with chronic ethanol administration, 441P
- , no evidence obtained for inhibition of monoamine oxidase by, 277
- Acetylcholine, contractions produced by, in superfused mammary gland abolished by atropine without affecting sensitivity to oxytocin, 409
- , effect on cat anococcygeus, 109
- , effect of guanethidine pretreatment on response to, in longitudinal muscle of guinea-pig vas deferens, 63
- , effect of isoprenaline on release of prostaglandin E₂ and, from guinea-pig isolated ileum at rest and during field stimulation, 119
- , interaction of methylated derivatives of 5-hydroxytryptamine with, 345
- , mechanisms underlying hyperpolarization following depolarization by, compared with hyperpolarizations induced by orthodromic stimulation of the ganglion, 79
- , modification of brain, release by morphine and its antagonists in normal and morphine dependent rats, 57
- , morphine and its interaction with, in rat brain stem,
 47
- Acetylcholine mustard, the binding affinity of an alkylating muscarinic agonist:, 463P
- Acetylsalicylic acid, inhibition of adenosine triphosphateinduced contractile process in rat lymphocytes by, 316
- Adenosine, accumulation of, in rabbit intestinal muscle, 569
- Adenosine analogues, studies on the coronary dilator actions of some, 25
- Adenosine diphosphate, presence of, in rabbit intestinal muscle after exposure to adenosine, 569
- Adenosine monophosphate, presence of, in rabbit intestinal muscle after exposure to adenosine, 569
- Adenosine triphosphatase activities, effects of ethosuximide on, 452P
- Adenosine triphosphate, presence of, in rabbit intestinal muscle when exposed to adenosine, 569
- , -induced contractile process in rat lymphocytes and its inhibition by anti-inflammatory agents, 316
- Adrenaline, assay of oxytocin in superfused mammary gland relatively insensitive to, 409
- -, comparison of anti-arrhythmic drugs effect on, 323
- , effect of, on human urinary bladder, 525
- , lowering of kininogen in rat blood by, and its inhibition by sympatholytic agents, heparin and aspirin, 375

- , mechanism of pro-inflammatory activity of, in thermic oedema of the rat paw, 243
- α-adrenoceptors distribution of, in human urinary bladder, 525
- β-adrenoceptors, effects of, on human urinary bladder 525
- β-alanine, depolarizing effect of, on rat superior cervical ganglia *in vitro*, 205
- Aldehyde-dehydrogenase ethanol-induced inhibition of IAA formation only partially reversed by excess, 277
- Amine, differences in, storage in rat heart and brain, 271
 Amines, sympathomimetic, mechanism of the proinflammatory activity of, in thermic oedema of the rat
 paw, 243
- α-amino-iso-butyric acid, effect of, on rat superior cervical ganglia *in vitro*, 205
- γ-aminobutyric acid, effects of intracerebroventricular injection of, on body temperature, 513
- , effects of some clinically used anaesthetics of the enzymes of, metabolism, 450P
- , partial separation of retinal subcellular particles accumulating labelled, at high and low concentrations, 449P
- , depolarizing actions of, and related compounds on rat superior cervical ganglia in vitro, 205
- , regional distribution of, and its associated enzymes in the frog central nervous system, 448P
- α- and β-amino-n-butyric acids, effect of, on rat superior cervical ganglia in vitro, 205
- γ-amino-β-hydroxybutyric acid, depolarizing effect of, on rat superior cervical ganglia in vitro, 205
- Aminophylline, effect of on UFA, tryptophan, 5-HT and 5-HIAA, 197
- 3-aminopropane sulphonic acid, depolarizing effect of, on rat superior cervical ganglia in vitro, 205
- δ-aminovaleric acid, depolarizing effect of, on rat superior cervical ganglia in vitro, 205
- Amphetamine, effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499
- , effect on cat anococcygeus, 109
- (+)-amphetamine, nerve mediated response of guanethidine pretreated longitudinal muscle of guinea-pig vas deferens restored by, 63
- Anaesthetics, effect of some clinically used, on the enzymes of γ -aminobutyric acid metabolism, 450P
- Angiotensin, assay of oxytocin in superfused mammary gland relatively insensitive to, 409
- , calcium dependence of inhibitory effect of, on renin secretion in isolated perfused kidney of the rat, 125
- Angiotensin II, release of prostaglandins from rabbit perfused kidney caused by, 553
- , and synthetic analogues, dose response curve for, in three types of smooth muscle: existence of different forms of receptor sites for, 291

- , vascular reactivity of spontaneously hypertensive, normotensive and hypotensive rats to, 185
- Anococcygeus muscle, response of cat, to nerve or drug stimulation and a comparison with the rat, 109
- Anti-inflammatory, effects of a fraction from normal human plasma, 253
- 9-β-D-Arabinofuranosyladenine, no cardiovascular action
- Arachidonic acid, decreased resistance to perfusion of the dog hind paw, 543
- , potentiation by prostaglandin E, and, of pedema in the rat paw induced by various phlogogenic agents, 468P
- Ascorbic acid, relationship of, to leptazol-induced convulsions in guinea-pigs, 471P
- Aspirin, inhibition of collagen-induced platelet aggregation by, 469P
- , lowering of kininogen in rat blood by adrenaline and its inhibition, 375
- ATP, 2-2'Pyridylisatogen tosylate: an antagonist of the inhibitory effects of, on smooth muscle, 458P
- , cat anococcygeus relaxed by, 109
- Atropine, blocked contractile response elicited by GT, 399
- , contractions produced by acetylcholine in superfused mammary gland abolished by, without affecting sensitivity to oxytocin, 409
- , effect of acetylcholine and carbachol on cat anococcygeus blocked by, 109
- , hastens onset of tachyphylaxis but does not prevent its reversal, 95
- , sufficient, to block muscarinic receptors McN-A-343 and AHR 602 caused no cardiac stimulation, 531
- , uptake of of [3H]-propylbenzilycholine mustard inhibited by, 145
- Atropine methyl nitrate, reversal of vasodepressor effect of dyflos, 481
- Authors, instructions to, 3
- Azaperone, cerebral concentration of MHPG-SO₃H increased by, 156

В

Baclofen, compared with M&B 18,706 for potency in reducing decerebrate rigidity, 35

Bee venom, anti-inflammatory property of 401 (MCDpeptide) from, 383

Bemegride effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499

Benzodiazepine drugs, ability to increase cerebral concentration of MHPG-SO₃ H in rat brain examined, 156

N-benzyl-3-pyrrollidyl acetate methobromide (AHR 602), effect of, on cardiac performance and the release of noradrenaline, 531

Bicuculline, response to GABA and carbachol blocked by, in rat superior ganglia in vitro, 205

- Bradykinin, potentiation by prostaglandins of the nociceptive activity of, in the dog knee joint, 461P
- , subcutaneous space of heated rat paws assayed for, 243
- , effect on vascular permeability in rat skin and in rat
- , paws, 231

- , peptide 401 suppressed increased vascular permeability due to, 383
- , assay of oxytocin in superfused mammary gland relatively insensitive to, 409
- Bradykininogen, subcutaneous space of heated rat paws assayed for, 243
- Bretylium, effect of, on endogenous and newlysynthetized noradrenaline in the microsomal fraction of rat heart, 606
- 2-bromo-adenosine, cardiovascular effect of, 25
- 2-bromolysergic acid diethylamide (BOL), effect of, on body temperature after administration of γ -aminobutyric acid, 513
- Butanol, factors contributing to the binding of [3H]-5-hydroxytryptamine to, extracts of the brain, 464P
- Butyrophenone drugs, ability to increase cerebral concentration of MHPG-SO₃ H in rat brain examined, 156

C

- Caesium, effect of, on the urinary excretion of 2-oxoglutarate and citrate in the rat, 283
- Calcium, dependence of inhibitory effect of angiotensin on renin secretion in isolated perfused kidney of the rat. 125
- , neutralises net surface charge of secretory granules, 419
- Calcium ions, inhibition by cromoglycate of histamine release induced by mixture of dextran, phosphatidyl serine, 137
- Cannabinol, effect of, in various concentrations in different samples of marihuana in laboratory animals and in man, 299
- Cannabis, interaction of, and general anaesthetic agents in mice, 593
- Capillary filtration coefficient, some observations upon the determination of, in innervated small intestine of the anaesthetized cat, 475P
- Carbachol, effect on cat anococcygeus, 109
 - , effect of GABA on ganglia depolarized by, 205
- Carrageenan, -induced rat paw oedema, anti-inflammatory activity of a fraction isolated from normal human plasma measured by use of, 253
- Catecholamine, effect of vinblastine on turnover rate in the rat heart, 219
- Catecholamines, methoxy-derivatives of, effects of, on histamine release from sensitized human leucocytes and its inhibition by the parent compounds, 478P
- , effect on plasma UFA and free tryptophan, 197
- Catecholamine biosynthesis, hypothermia produced by inhibitors of, 441P
- Catecholamine metabolites, contribution of various tissues to, in urine, 265
- Catecholamine neurones, cannabis-induced prolongation of anaesthesia unrelated to effect on, 593
- Catecholamine- containing neurones, effect of selective destruction of central and peripheral, with 6-hydroxydopamine on catecholamine excretion in the rat, 265 Cervix, the rat, in vitro, 470P
- Chloralose, reduction of water permeability of bladder induced by vasopressin by, 131

- α-chloralose, effect of some prostaglandins on respiration in cats anaesthetized with, 559
- Chlordiazepoxide, effect of pretreatment with, on sleeping time produced by pentobarbitone administered i.c.v., 499
- 4-(m-chlorophenylcarbamoyloxy)-2-butynyltrimethylammonium chloride (McN-A-343), effect of, on cardiac performance and the release of noradrenaline, 531
- Chlorpromazine, effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499
- , compared with M&B 18,706 for potency in reducing decerebrate rigidity, 35
- , interaction between, and piperazine, 153
- p-chlorophenylalanine, 5-HT mimicking activities of 5-MeOT same in rats pretreated with, 345
- Choline acetyltransferase, effect of morphine on, population of rat caudate nucleus, 447P
- , heterogeneity of goldfish brain muscle, 447P
- Cholinesterase, noradrenaline and the, activity of the separated layers of the muscle of the guinea-pig vas deferens, 454P
- Cinanserin, relative potency as inhibitor of tryptamineand 5-hydroxytryptophan-evoked responses, 311
- Citrate, effect of lithium and related metal ions on the urinary excretion of, in the rat, 283
- Clonidine, quantitative assessment of the effects of, on pre-ganglionic sympathetic nerve activity in cat, 456P
- , enhancement of pentagastrin-induced gastric acid secretion by, in the conscious dog, 431
- Clozapine, cerebral concentration of MHPG-SO₃H increased by 156
- Cocaine, effect of, on cardiac noradrenaline uptake, 531 , effect on cat anococcygeus, 109
- Collagen, inhibition of, -induced platelet aggregation by aspirin, 469P
- Corticosteroids, involvement of, in super-sensitivity produced in rat anococcygeus muscle by morphine withdrawal or reserpine, 474P
- Cromoglycate, inhibition by, of histamine release from rat peritoneal mast cells induced by mixtures of Dextran, phosphatidyl serine and calcium ions, 137
- Cyclic 3'5'-adenosine monophosphate, rise in accumulation of, in rat heart caused by 5-hydroxytryptamine, 581
- Cyclic AMP, increase of water permeability of bladder induced by, depressed by pentobarbitone thiopentone and chloralose, 131
- Cyproheptadine, hypoglycaemic effect of 5-hydroxytryptophan prevented by, 575
- relative potency as inhibitor of tryptamine- and 5-hydroxytryptophan-evoked responses, 311
- 5'-deoxy-5'-chloro-adenosine, cardiovascular effect of, 25

D

- Desipramine, blocked net cardiac noradrenaline uptake, 531
- , cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593

- Dextran, induced rat-paw oedema, and systemic, anaphylactoid reaction, effect of fraction isolated from normal human plasma on, 253
- , inhibition by cromoglycate of histamine release induced by mixture of, phosphatidyl serine, calcium ions, and, 137
- -, prostaglandin $F_{2\alpha}$ reduces response of skin to, 231 2,4-diaminobutyric acid, depolarizing effect of, on rat
- superior cervical ganglia in vitro, 205
 Diazepam, compared with M&B 18,706 for potency in
- reducing decebrate rigidity, 35
- , effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499
- Diethyldithiocarbamate, L-Dopa preceded by, effect in adrenergic mechanism involved in stretch reflex of the decerebrate rat, 365
- Dihydroxyphenylacetic acid, no alteration in excretion of, by depletion of brain dopamine, nor by destruction of sympathetic neurones, 265
- DL-dihydroxyphenylserine, inhibitory effect of, in adrenergic mechanism involved in stretch reflex of the decerebrate rat, 365
- Dimercaprol, effect of administration of, on kinin levels in female rats, 237
- Dimethothiazine, compared with M&B 18,706 for potency in reducing decerebrate rigidity, 35
- (±)-10-(3-dimethylamino-2-methylpropyl)-2-valeroyl phenothiazine hydrochloride, (M&B 18,706) comparison of action of, on decerebrate rigidity, muscle spindle activity and α-adrenoceptors, 355
- 1,1-dimethyl-4-phenylpiperazinium, McN-A-343 and AHR 602 effect on heart in conjunction with, 531
- N,N-dimethyltryptamine, antagonism of the excitatory actions of 5-hydroxytryptamine, 345
- 2,4,dinitrophenol, accumulation of adenosine reduced by, in rabbit intestinal muscle, 569
- Dipyridamole, accumulation of adenosine in rabbit intestinal muscle reduced by, 569
- , some effects of, on inhibitory processes in rabbit duodenum, 609
- [14C]-L-DOPA, absorption, metabolism and distribution of, after oral administration to rats, 259
- L-DOPA, effect on adrenergic mechanism involved in stretch reflex of decerebrate rat, 365
- , effect of on UFA, free tryptophan, 5-HIAA and 5-HT, 197
- , major metabolite of [¹⁴C]-O-methyldopa in plasma 259
- Dopamine, changes in tyrosine hydroxylase activity in vitro account for changes in, synthesis produced by morphine, 428
- , increased stretch reflex in decerebrate rat associated with increased central levels of, 365
- , no alteration in excretion of, by depletion of brain dopamine, nor by destruction of sympathetic neurones, 265
- role of brain, in the hyperactivity syndrome produced in rats after administration of L-tryptophan and a monoamine oxidase inhibitor, 442P
- , use of stereotactic dissection followed by fluorimetric assay to determine the distribution of, in the preoptic hyperthalmic area of rabbit brain, 189
- Dyflos, central vasodepressor effects of, 481

E

E. coli endotoxin, effect of indomethacin on the cardiovascular and metabolic response to, in the cat, 177

Electrical stimulation, effect of electrode position on contractions of guinea-pig isolated ileum to, 453P

Epithelia, a two-state (allosteric) model for sodium channels in transporting, 465P

Ethanol, changes in monoamine concentrations associated with dependence and withdrawal, 489

- , effect of, on the oxidative metabolism of tryptamine by rat liver homogenate, 277
- , effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499
- , chronic, administration, similarities with chronic acetaldehyde administration, 441P

Ether, cannabis extract prolonged, anaesthesia, 593

Ethosuximide, effects of, on adenosine triphosphatase activities of some subcellular fractions prepared from rat cerebral cortex, 452P

2-Ethylamino-adenosine, cardiovascular effect of, 25

F

Fenfluramine, effect of, on glucose uptake by rat isolated diaphragm, 477P

FLA-63, L-DOPA preceded by, effect in adrenergic mechanism involved in stretch reflex of the decerebrate rat, 365

Fluorimetric assay, stereotactic dissection followed by, to determine the distribution of amines: an alternative approach to histochemistry, 189

2-Fluoro-adenosine, cardiovascular effect of, 25

Food deprivation, effect of on UFA concentrations and brain tryptophan, 197

Folic acid, antagonism by, of presynaptic inhibition in the rat cuneate nucleus, 425

G

Gastric acid, enhancement of pentagastrin-induced, secretion by clonidine in the conscious dog, 431

Glucose, 5-hydroxytryptophan does not increase uptake of, 575

- , accumulation of adenosine in rabbit intestinal muscle reduced by zero temperature, and N₂, 569
 , effect of fenfluramine and norfenfluramine on,
- uptake by rat isolated diaphragm, 477P
 Glucose-free solutions rate of onset and decay of

Glucose-free solutions, rate of onset and decay of after-hyperpolarization reduced in, 79

Glutamate, interaction of methylated derivatives of 5-hydroxytryptamine, 345

- , regional distribution of, and its associated enzymes in the frog central nervous system, 448P
- , neuronal activity of acetylcholine, noradrenaline and 5-hydroxytryptamine not modified by, 47

Glutamic acid, effect of, on rat superior cervical ganglia in vitro, 205

Glycine, effect of, on rat superior cervical ganglia in vitro, 205

β-guadino-proprionic acid, depolarizing effect of, on rat superior cervical ganglia *in vitro*, 205

Guanethidine, effect on cat anococcygeus, 109

 - , effect of pretreatment with, on transmission to the longitudinal muscle of the guinea-pig vas deferens, 63
 Guanidinoacetic acid, depolarizing effect of, on rat superior cervical ganglia in vitro, 205

y-guanidinoby tric acid, depolarizing effect of, on rat superior cervical ganglia in vitro, 205

Gymnodium breve toxin, effects of, on smooth muscle preparation of guinea-pig ileum, 399

н

Haloanisone, cerebral concentration of MHPG-SO₃ H increased by, 156

Haloperidol, cerebral concentration of MHPG-SO₃H increased by, 156

Heparin, lowering of kininogen in rat blood by adrenaline and its inhibition by, 375

 pre-treatment with, did not antagonize proinflammatory effect of adrenaline or thermic oedema, 243

Hexamethonium, failed to block contractile response elicited by GT, 399

- field stimulation of cat anococcygeus unaffected by, 109
- , in combination with hyoscine, effect of GABA on rat superior cervical ganglia not antagonized by, 205

Hexobenedine, accumulation of adenosine in rabbit intestinal muscle reduced by, 569

 , some effects of, on inhibitory processes in rabbit duodenum, 609

Histamine, assay of oxytocin in superfused mammary gland relatively insensitive to, 409

- , effect of indomethacin on release or vasconstrictor effect of, in modifying response to E. coli endotoxin, 177
- , effect of methoxy-derivatives of catecholamines on, -release from sensitized human leucocytes and its inhibition by the parent compounds, 478P
- , inhibition by cromoglycate of, release from rat periotoneal mast cells induced by mixtures of dextran, phosphatidyl serine and calcium ions, 137
- peptide 401 suppressed increased vascular permeability due to, 383
- -, Prostaglandin $F_{2\alpha}$ reduces response of skin to, 231
- -, tachyphylaxis reversed by, 95
- D,L-homocysteic acid, neuronal activity of acetylcholine, noradrenaline and 5-hydroxytryptamine not modified by, 47

Homovanillic acid, depletion of brain dopamine associated with decrease in excretion of, 265

5-Hydroxy-N,N-dimethyltryptamine bufotenine, antagonism of the excitatory actions of 5-hydroxy-tryptamine, 345

6-Hydroxydopamine, effects of, on various parameters of adrenergic neurone functions in the rat, 219

 , effect of selective destruction of central and peripheral catecholamine-containing neurones with, on catecholamine excretion in the rat, 265

- , effect of selective destruction of central and peripheral catecholamine containing neurones with, on catecholamine excretion in the rat, 265
- 5-Hydroxyindoleacetic acid, effect of L-dopa on levels of, in brain, 197
- 4-Hydroxy-3-methoxyphenylethane-1,2-diol, sulphate ester of, effect of tranquillizing drugs on concentration of, in rat brain, 156
- 4-Hydroxy-3-methoxyphenylglycol sulphate, effect of destruction of catecholamine-containing neurones by 6-hydroxydopamine on excretion of, 265
- 5-Hydroxytryptamine, antagonism of the excitatory actions of, by methylated derivatives of tryptamine, 345
- , assay of oxytocin in superfused mammary gland relatively insensitive to, 409
- , prostaglandin $F_{2\alpha}$ reduses response skin to, 231
- , morphine and its interaction with, in the rat brain stem, 47
- , effect on cat anococcygeus, 109
- , dissociation of, effects on myocardial contractility and cyclic AMP accumulation, 581
- , cannabis-induced prolongation of anaesthesia unrelated to effect on central, 593
- -, effect of L-dopa on levels of, in brain, 197
- , motorneurone field potential responses to ionophoretically applied, 446P
- , peptide 401 suppressed increased vascular permeability due to, 383
- , possibility that dopamine acts in stretch reflex of decerebrate rat by liberating, 364
- repeated response of active neurones to, after prolonged application of methysergide and sotalol, 445P
- role of brain, in the hyperactivity produced in rats by lithium and monoamine oxidase inhibition, 443P
- , use of stereotacti dissection followed by fluorimetric assay to determine the distribution of, in the preoptic hypothalmic area of rabbit brain, 189
- [3H]-5-hydroxytryptamine, factors contributing to the binding of, to butanol extracts of rat brain, 464P
- 5-Hydroxytryptophan, the hypoglycaemic effect of, 575 5-Hydroxytryptophan-evoked response, relative potencies of indoleamine antagonists as inhibitors of, 311
- Hyoscine, effect of, on body temperature after administration of γ -aminobutyric acid, 513
- , in combination with hexamethonium, effect of GABA on rat superior cervical ganglia not antagonized by, 205
- Hypertensive, spontaneously, rats, vascular reactivity in, 185
- Hypotensive, spontaneously, rats, vascular reactivity in, 185

ı

ICI 66082, antagonism by, of effects of electrical stimulation on the right ansa subclavia of the dog, 457P

Imidazoline drugs, ability to increase cerebral concentration of MHPG-SO₃ H in rat brain examined, 156

Indoleacetic acid, (IAA), effect of range of ethanol concentrations on, formation from oxidative deamination of tryptamine in rat whole liver homogenate, 277

- Indoleamine antagonists, relative potencies as inhibitors of tryptamine- and 5-hydroxytryptophan-evoked responses, 311
- Indoles, brain, effect of insulin on levels of in fed and unfed rats, 197
- Indomethacin, a new approach for studying antirheumatic activity of, 475P
- , blocked prostaglandin release from rabbit perfused kidney caused by noradrenaline and angiotensin II, 553
- , inhibition of the prostaglanidin synthetase systems in oculat tissues by, 227
- , inhibition of adenosine triphosphate-induced contractile process in rat lymphocytes by, 316
- , effect of, on the cardiovascular and metabolic responses to E. coli endotoxin in the cat, 177
- , effect of, on release of prostaglandin E_2 and acetylacholine from guinea-pig isolated ileum at rest and during field stimulation, 119
- Inosine, coronary dilator effect of adenosine potentiated by, 25

Intraventricular injection, direct, some shortcomings of, in mice, 603

Insulin, effect of on concentration of UFA, brain tryptophan and brain indoles, 197

Iprindole, lipidosis-like ultrastructural alterations in rat tissues induced by, 473P

Iproniazid, cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593

Irritant, effects of a fraction from normal human plasma, 253

2-Isobutylthio-adenosine, cardiovascular effect of, 25

(±)-Isoprenaline, inactive in lowering kiningen in rat blood, 375

Isoprenaline, effect of, on human urinary bladder, 525

- , pro-inflammatory effect of, in thermic oedema of the rat paw, 243
- , cat anococcygeus relaxed by, 109
- -, angiotensin II suppressed renin release caused by,
- further observations on the cardiotoxicity of, during hypoxia, 335
- , metabolism of, after aerosol and direct intrabronchial administration in man and dog, 587

Κ

Kallikrein, increased vascular permeability induced by, reduced by adrenaline or noradrenaline but isoprenaline no significant effect, 243

Kinin, prostaglandins, and inflammation in the rat, 231

 , plasma, levels in the female rat during the oestrous cycle, pregnancy, parturition and the puerperium, 237
 Kininase activity, subcutaneous space of heated rat paws assayed for, 243

Kinin-forming activity, subcutaneous space of heated rat paws assayed for, 243

- Kininogen, effect of oestrogens and progesterone alone and in combination on the female rat plasma, concentrations, 467P
- , levels in the female rat during the oestrous cycle, pregnancy, parturition and the puerperium, 237

INDEX

, lowering of, in rat blood by adrenaline and its inhibition by sympatholytic agents, heparin and aspirin, 375

L

- Leptazol, relationship of ascorbic acid to, -induced convulsions in guinea-pigs, 471P
- 8-Leu-angiotensin II, blocked action of angiotensin II in release of prostaglandins from rabbit perfused kidney, 553
- Lidoflazine, accumulation of adenosine in rabbit intestinal muscle reduced by, 569
- , some effects of, on inhibitory processes in rabbit duodenum, 609
- Lignocaine, comparison of the experimental antiarrhythmic properties of 323
- Linoleic acid, suitable substrates for soybean lipoxidase for generation of RCS, 543
- Lipidosis, iprindole inducing, -like ultrastructural alteration in rat tissues, 473P
- Lithium, effect of, ions on the urinary excretion of 2-oxoglutarate and citrate in the rat, 283
- , role of 5-hydroxytryptamine in the hyperactivity produced in rats by, and monoamine oxidase inhibition, 443P
- Lithium chloride, tachyphylaxis reversed by, 95
- Lithium ions, effect of, on electrical activity in sympathetic ganglia of the bullfrog, 69
- Lysergic acid diethylamide, effect on cat anococcygenus, 109
- D-lysergic acid diethylamide, compared with three psychomimetic derivatives, DMT, 5-HODMT, 5 MeODMT, 345

M

- Magnesium, neutralizes net surface charge of secretory granules, 419
- Mandrax, effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499
- Marihuana, effects of, in laboratory animals and in man,
- (+)-M&B 18,706, comparison of action of, on decerebrate rigidity, musclespindle activity and α-adrenoceptors,
- M&B 18,706, pharmacology of, drug which selectively reduces decerebrate rigidity, 35
- 401(MCD-peptide), anti-inflammatory properties of, 383 Mepyramine, anti-inflammatory effects of peptide 401 not abolished by pretreatment with, 383
- , failed to block contractile response elicited by GT, 399
- , hypoglycaemic effect of 5-hydroxytryptophan augmented by, 575
- Mescaline, effect of, on defaecation in seven inbred strains of laboratory mice, 439P
- , repeated responses of active neurones to, after prolonged application of methysergide and sotalol, 445P

- Metaraminol, labelled and unlabelled, characteristics of storage of amphetamine-releaseable amine in rat heart and brain studied in vitro with, 271
- Methacholine, tachyphylaxis reversed by, 95
- Methergoline, relative potency as inhibitor of tryptamineand 5-hydroxytryptophan-evoked responses, 311
- Methotrimeprazine, comparison of action of, on decerebrate rigidity, muscle spindle activity and α-adrenoceptors, 355
- (+)-Methotrimeprazine, comparison of action of, on decerebrate rigidity, muscle spindle activity and α -adrenoceptors, 355
- 5-Methoxy-N,N-dimethyltryptamine, antagonism of the excitatory actions of 5-hydroxytryptamine, 345
- 5-Methoxytryptamine, antagonism of the excitatory actions of 5-hydroxytryptamine by, 345
- N⁶-methyladenosine, coronary dilator action of adenosine potentiated by, 25
- Methylchloroform, comparison of anti-arrhythmic drugs effect on, 323
- [14 C]-O-methyldopa, absorption, metabolism and distribution of, after oral administration to rats, 259
- N-methyl-GABA, depolarizing effect of, on rat superior cervical ganglia in vitro, 205
- α-methyl-p-tyrosine, amphetamine [3 H]-MA release from rat heart slices unaffected by, release from brain slices inhibited, 271
- α-methyl tyrosine, cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593
- Methyprylon, effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499
- Methysergide, effect of 5-hydroxytryptamine on cat anococcygeus blocked by, 109
- , anti-inflammatory effects of peptide 401 not abolished by pretreatment with, 383
- , potentiation and antagonism of neuronal response to monoamines by, and sotalol, 445P
- , relative potency as inhibitor of tryptamine- and 5-hydroxytryptophan-evoked responses, 311
- , hypoglycaemic effect of 5-hydroxytryptophan prevented by, 575
- Monoamines, potentiation and antagonism of neuronal responses to, by methysergide and sotalol, 445P
- Monoamine oxidase, no evidence for inhibition of, by ethanol or its metabolite acetaldehyde in rat liver homogenate, 277
- Monoamine concentrations, changes in, associated with ethanol dependence and withdrawal, 489
- Morphine, acute and chronic, treatment and the hydroxylation of [1-14C]-L-tyrosine in the mouse brain, 428
- , effect of, on choline acetyltransferase population of rat caudate nucleus, 447P
- , modification of brain acetylcholine release by, and its antagonists in normal and morphine-dependent rats, 57
- , neurotransmitter substances and, microiontophoretic study in the rat brain stem, 47
- , withdrawal, involvement of corticosteroids in supersensitivity produced in rat anococcygeus muscle by, 474P
- Morphine sulphate, effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499

Muscarinic agonists, uptake of [3H]-propylbenzilycholine mustard inhibited by a number of, 145

N

Nalorphine, effect of administration of, to morphine dependent rats on release of cortical ACh, 57

Naloxene, effect of administration of, to morphine dependent rats on release of cortical ACh, 57

Nitrazipam, effect of pretreatment with, on sleeping time produced by pentobarbitone sodium administered i.c.v., 499

Noradrenaline, assay of oxytocin in superfused mammary gland relatively insensitive to, 409

- , uptake of, inhibited by vinblastine, 219
- , pro-inflammatory activity of, in thermic oedema of the rat paw, 243
- , effect of destruction of catecholamine-containing neurones by 6-hydroxydopamine on excretion of, 265
- , effect on cat anococcygeus, 109
- , guanethidine pretreatment enhances response to, in longitudinal muscle of guinea-pig vas deferens, 63
- tranquillizing drugs, effect of, on concentration of MHPG-SO₃ H, a metabolite of, in rat brain, 156
- , concentration and the cholinesterase activity of the separated longitudinal and circular layers of muscle of guinea-pig vas deferens, 454P
- repeated response of active neurones to, after prolonged application of methysergide and sotalol, 445P
- , relative potencies of several drugs in reducing pressor action of, 355
- , decreased stretch reflex in decerebrate rat associated with increased central levels of, 364
- , changes in tyrosine hydroxylase activity in vitro does not account for, synthesis produced by morphine in vivo, 428
- , endogenous and newly-synthetized, effect of bretylium on, in microsomal fraction of rat heart, 606
- , release of prostaglandins from rabbit perfused kidney caused by, 553
- -, effects of McN-A-343 and AHR 602 on, release, 531
- , use of stereotactic dissection followed by fluorimetric assay to determine the distribution of, in the preoptic hypothalamic area of rabbit brain, 189
- vascular reactivity of spontaneously hypertensive, normotensive and hypotensive rats to, 185
- (-)-noradrenaline, similar action to adrenaline in reducing kiningen in rat blood, 375
- interaction of methylated derivatives of 5-hydroxytryptamine, 345
- , morphine and its interaction with, in the rat brain stem, 47

Noradrenergic axons, effects of vinblastine on, 219

Norfenfluramine, effect of, on glucose uptake by isolated rat diaphragm, 477P

Normotensive, spontaneously, rats, vascular reactivity in, 185

Neostigmine, field stimulation of cat anococcygeus unaffected by, 109

Neurotransmitter substances, morphine and, microiontophoretic study in the rat brain stem, 47 Nicotine, activation of intramural inhibitory neurones of the rabbit caecum by, 456P

Nicotinamide adenine dinucleotide, excess, failed to alter inhibitory effect of ethanol on IAA formation, 277

Nicotinic acid, effect of on UFA levels and brain indoles in fed and unfed rats, 197

Nicotinic antagonists, uptake of [3H]-propylbenzilylcholine mustard not inhibited by, 145

Nicotinic stimulant drugs, studies on the tachyphylaxis to, in perfused hypogastric ganglion of the guinea-pig, 95

Nitrogen, accumulation of adenosine in rabbit intestinal muscle reduced by zero glucose and, 569

0

Obidoxime, reversal of vasodepressor effect of dyflos, 481
Oestrogen, dependence of enzyme activity and intracellular structure in the hamster submaxillary gland,
466P

 , effect of, and progesterone alone and in combination on the female rat plasma kininogen concentrations, 467P

2-Oxoglutarate, effect of lithium and related metal ions on the urinary excretion of, in the rat, 283

Ouabain, accumulation of adenosine not sensitive to, in rabbit intestinal muscle, 569

- , -induced arrhythmias, comparison of anti-arrhythmic drugs effect on, 323
- -, prevented or diminished after-hyperpolarization, 79

-, tachyphylaxis reversed by, 95

Oxyclozanide, uncoupling activity of the anthelmintic, in rodents, 433

Oxytocin, bioassay of, on superfused mammary gland of the mouse using an automatic apparatus, 409

Р

Pargyline, role of 5-hydroxytryptamine in hyperactivity produced in rats by lithium and, 443P

Parachlorophenylalanine, cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593

Parathyroid hormone, phenytoin inhibition of, induced bone resorption in vitro, 405

Pentagstrin, enhancement of, induced gastric secretion by clondine in the concious dog, 431

Pentazocine, distribution of, in blood and brain of baboon following intravenous injection, 393

Pentobarbitone, effects of some prostaglandins on respiration in cats anaesthetized with, 559

- , cannabis extract prolonged, anaesthesia, 593
- , reduction of water permeability of bladder induced by vasopressin by, 131

Pentobarbitone sodium, factors affecting sleeping time following intracerebroventricular administration of, 499

Pharmacology, second report on the organization of, in Great Britain, 163

Phenobarbitone, effect of, on bone calcium mobilization by parathyroid hormone in vitro, 405

- Phenoxybenzamine, effect of on human urinary bladder, 525
- , cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593
- , anti-inflammatory action of peptide 401 not affected by pretreatment with, 383
- reduction of rat blood kiningen by adrenaline blocked by, 375
- , pro-inflammatory effect of sympathomimetic amines antagonized by, 243
- Phentolamine, pro-inflammatory effect of sympathomimetic amines antagonized by, 243
- , cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593
- , field stimulation of cat anococcygeus blocked by, 109
- , effect of noradrenaline on cat anococcygeus blocked by, 109
- Phenylbutazone, inhibition of adenosine triphosphateinduced contractile process in rat lymphocytes by, 316
- Phenothiazine drugs, ability to increase cerebral concentration of MHPG-SO₃ H in rat brain examined, 156
- Phenylcarboxylic acids, major metabolite of L-DOPA, 259
- Phenylephrine, effect of, on human urinary bladder, 525
- Phenytoin, inhibition of parathyroid hormone induced bone resorption in vitro by, 405
- Phlogogenic agents, potentiation by prostaglandin E₁ and arachidonic acid of oedema in the rat paw induced by various, 468P
- Phosphatidyl serine, inhibition by cromoglycate of histamine release induced by mixture of dextran, calcium ions and, 137
- Psychotomimetic drugs, further studies on the mode of action of, 345
- 2-2', Pyridy lisatogen to sylate, an antagonist of the inhibitory effects of ATP on smooth muscle, 458P
- Pyrazole, reductions in IAA formation completely prevented by, 277
- Picrotoxin, action of folic acid resembles, 425
- response to GABA and carbachol blocked by, in rat superior ganglia in vitro, 205
- Piperazine, interaction between, and chlorpromazine, 153 Pituitary-adrenocortical function, effect of reserpine on, in the rat, 466P
- Plasma, effects of drugs that influence the concentration of unesterified fatty acid in the plasma, 197
- Potassium chloride, tachyphylaxis reversed by, 95

dyflos, 481

- Potassium, release of [14 C]-taurine from slices of rat cerebral cortex and spinal cord evoked by electrical stimulation and high ion concentrations, 451P
- Potassium ion-free solutions, amplitude of hyperpolarization diminished in, 79
- Polyphloretin phosphate, response of human foetal intestine to prostaglandins E_2 and $F_{2\alpha}$ antagonized by, 159 Pralidoxime mesylate, reversal of vasodepressor effect of
- Prostaglandin, effect of indomethacin on, release, in modifying response to E. coli endotoxin, 177
- release of, from rabbit perfused kidney: effects of vasoconstrictors, 553

- , and kinins and inflammation in the rat, 231
- , peptide 401 suppressed increased vascular permeability due to, 383
- potentiation by, of the nociceptive activity of bradykinin in the dog knee joint, 461P
- , inhibition by, of fluid transport in the isolated gall bladder of the guinea-pig, 460P
- Prostaglandin A₁, effect of, on respiration in anaesthetized cats, 559
- Prostaglandin A₂, effect of, on respiration in anaesthetized cats, 559
- Prostaglandin E₁, cat anococcygeus relaxed by, 109
- , potentiation by, and arachidonic acid of oedema in the rat paw induced by various phlogenic agents, 468P
- -, prevents bronchoconstriction in the guinea-pig, 314
- , effect of, on respiration in anaesthetized cats, 559
- , effect on vascular permeability in rat skin and rat paws, 231
- Prostaglandin E₂, inactive in bradykinin synergistic effect on vascular permeability in rat skin and in rat paws, 231
- prevents bronchoconstriction in the guinea-pig, 314
- , effect of, on respiration in anaesthetized cats, 559
- , reduction of, to prostaglandin $F_{2\,\alpha}$ by an enzyme in sheep blood, 462P
- , increased inactivation of, by rabbit lung during pregnancy, 459P
- , actions of, on human foetal intestine, 159
- , effect of isoprenaline on release of, and acetylcholine from guinea-pig isolated ileum at rest and during field stimulation, 119
- , cat anococcygeus relaxed by, 109
- Prostaglandin $F_{2\alpha}$, actions of, on human foetal intestine,
- , cat anococcygeus relaxed by, 109
- , reduction of prostaglandin E₂ to, by an enzyme in sheep blood, 462P
- reduces bradykinin response in rat skin but not rat paw, 231
- , effect of, on respiration in anaesthetized cats, 559
- , assay of oxytocin in superfused mammary gland relatively insensitive to, 409
- Prostaglandinsynthetase systems, inhibition of, in ocular tissues by indomethacin, 227
- Progesterone, effect of oestrogens and, alone and in combination on the female rat plasma kininogen concentrations, 467P
- Practolol, comparison of the experimental antiarrhythmic properties of, 323
- Propranolol, effect of isoprenaline on cat anococcygeus blocked by, 109
- , mechanism of the early pressor effect of centrally administered, in the conscious rabbit, 444P
- , uptake of, by the isolated perfused rat liver, 472P
- comparison of the experimental anti-arrhythmic properties of, 323
- reduction of rat blood kiningen by adrenaline blocked by, 375
- , cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593
- -, effect of, on human urinary bladder, 525
- , pro-inflammatory effect of sympathomimetic amines not antagonized by, 243

[3H]-propylbenzilycholine mustard, binding of, by longitudinal muscle strips from guinea-pig small intestine, 145

Protriptyline, cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593

Q

Quazodine, effects of, on fast- and slow-contracting cat skeletal muscle, 470P

Quinidine, comparison of the experimental antiarrhythmic properties of, 323

R

Rabbit aorta contracting substance, (RCS), inhibition by non-steroid anti-inflammatory agents of generation by slow reacting substance C, 543

Renin, mechanism of, release from ischaemic kidney, 601 Renin secretion, calcium dependence of inhibitory effect of angiotensin on, in isolated perfused kidney of the rat, 125

Reserpine, cannabis extract prolonged pentobarbitone anaesthesia not affected by, 593

- , effect of, on pituitary-adrenocortical function in the rat, 466P
- 5-HT mimicking activities of 5-MeOT same in rats pretreated with, 345
- , injection of, did not inhibit inotropic effect of 5-hydroxytryptamine but prevented rise in cyclic AMP accumulation, 581
- , involvement of corticosteroids in the supersensitivity produced in the rat anococygeus muscle by, 474P

Rubidium, effect of, on the urinary excretion of 2-oxoglutarate and citrate in the rat, 283

RX 336M, effect of, on tests for anti-depressant activity in mice, 440P

RX 5050M, effects of, on tests for anti-depressant activity in mice, 440P

S

Secretory granules, electrophoresis of isolated, from guinea-pig submaxillary gland, 419

Slow reacting substance C, inhibition by non-steroid anti-inflammatory agents of rabbit aorta contracting activity generated in blood by, 543

Sodium, accumulation of adenosine not dependent on, in rabbit intestinal muscle, 569

Sodium bicarbonate, control of pH by infusion of, did not protect dogs from combined effect of hypoxia and repeated isoprenaline challenge, 335

Sodium channels, a two-state (allosteric) model for, in transporting epithelia, 465P

Sodium ions, amplitude of drug-induced hyperpolarization diminished when, reduced, 79

 effect of replacement with lithium ions on electrical activity in sympathetic ganglia of the bullfrog, 69

Sodium pump, electrogenic hyperpolarization of rabbit superior cervical ganglion cells due to activity of, 79 Sotalol, potentiation and antagonism of neuronal response to monoamines by methysergide and, 445P

Soya bean trypsin inhibitor, pretreatment with, did not antagonize pro-inflammatory effect of adrenaline or thermic oedema, 243

Soybean lipoxidase, SRS-C, linoleic, linolenic and arachidonic acids are suitable substrates for, for generation of RCS, 543

Spasmogen, nature of the tryptamine receptor mediating, release from rat isolated lungs, 463P

Stereotactic dissection, followed by fluorimetric assay, to determine the distribution of amines: an alternative approach to histochemistry, 189

Strychnine, response to GABA and carbachol blocked by, in rat superior ganglia in vitro, 205

Sympatholytic agents, lowering of kininogen in rat blood by adrenaline and its inhibition by, 375

T

Taurine, depolarizing effect of, on rat superior cervical ganglia in vitro, 205

[14C]-taurine, release of, from rat cerebral cortex and spinal cord evoked by electrical stimulation and high potassium ion concentrations, 451P

Δa -tetrahydrocannabinol, effect of, in various concentrations in different samples of marihuana in laboratory animals and in man, 299

Tetrodoxin, effects of GT abolished in presence of, 399 Thiopentone, reduction of water permeability of bladder induced by vasopressin by, 131

Tranylcyprome, role of 5-hydroxytryptamine in hyperactivity produced in rats by lithium and, 443P

Tranylcypromine, role of brain dopamine in hyperactivity syndrome produced in rats after administration of L-tryptophan and, 442P

2-Trifluoromethyl-N⁶-methyladenosine, coronary dilator action of adenosine potentiated by, 25

Trifluperidol, increased cerebral concentration of MHPG-SO₃H, 156

Tryptamine, antagonism of the excitatory actions of 5-hydroxytryptamine by methylated derivatives of, 345

- , effect of ethanol on the oxidative metabolism of, by rat liver homogenate, 277
- nature of, receptor mediating spasmogen release from rat isolated lungs, 463P

Tryptamine-evoked responses, relative potencies of indoleamine antagonists as inhibitors of, 311

Tryptophan, effects of drugs that influence the concentration of unesterified fatty acid in the plasma, 197

L-tryptophan, role of brain dopamine in hyperactivity syndrome produced in rats after administration of, and a monoamine oxidase inhibitor, 442P

Tubercidin, coronary dilator action of adenosine potentiated by, 25

Tyramine, effect on cat anococcygeus, 109

, effect of 5-hydroxytryptamine similar to, 581

[1-14 C]-L-tyrosine, acute and chronic morphine treatment and the hydroxylation of, in the mouse brain, 428

U

Unesterified fatty acid, drugs and hormones that influence the concentration of, in the plasma, effects on plasma and brain tryptophan, 197

V

Vascular reactivity, in spontaneously hypertensive, normotensive and hypotensive rats, 185

Vasopressin cat anococcygeus relaxed by, 109

- , influence of anaesthetics on increase in water permeability of the toad bladder induced by, 131
- , potentiation of thermic oedema similar to that obtained by sympathometic amines obtained by, 243
- , variable affect on superfused mammary gland, 409
 Vinblastine, effects of, on noradrenergic axons, 219
- , in vitro effects of, on nerve-mediated responses of the guinea-pig vas deferens, 455P

British Journal of Pharmacology

EDITED FOR

THE BRITISH PHARMACOLOGICAL SOCIETY

BY

W. D. M. Paton (Chairman) H. M. Adam (Secretary)

Margaret Day (Press Editor)

J. D. Stephenson (Assistant Press Editor)

A. M. Barrett
P. B. Bradley
D. A. Brown
F. de Matteis
C. T. Dollery
V. Eisen
W. S. Feldberg
E. W. Gill
A. F. Green
D. F. Hawkins
Margarethe Holzbauer

J. M. Barnes

D. B. Hope J. S. Kelly G. P. Lewis I. H. M. Main
E. K. Matthews
J. F. Mitchell
P. A. Nasmyth
M. W. Parkes
Mary Pickford
H. P. Rang
M. Sandler
A. P. Silverman

M. A. Simmonds
A. D. Smith (co-opted)
F. M. Sullivan

A. Ungar R. A. Webster

VOLUME 50, 1974

LONDON

MACMILLAN JOURNALS LIMITED 4 LITTLE ESSEX STREET, WC2R 3LF

British Journal of Pharmacology

VOLUME 50 NUMBER 4 APRIL 1974

page

Systematic Pharmacology

481 EDERY, H. & GUERTZENSTEIN, P.G. A central vasodepressor effect of dyflos

489 GRIFFITHS, P.J., LITTLETON, J.M. & ORTIZ, A. Changes in monoamine concentrations in mouse brain associated with ethanol dependence and withdrawal

499 STEVENSON, I.H. & TURNBULL, M.J. A study of the factors affecting the sleeping time following intracerebroventricular administration of pentobarbitone sodium: effect of prior administration of centrally active drugs

513 DHUMAL, V.R., GULATI, O.D., RAGHUNATH, P.R. & SIVARAMAKRISHNA, N. Analysis of the effects of body temperature of intracerebroventricular injection in anaesthetized dogs of gamma-aminobutyric acid

Autopharmacology

- 525 AWAD, S.A., BRUCE, A.W., CARRO-CIAMPI, G., DOWNIE, J.W., LIN, M. & MARKS, G.S. Distribution of α and β -adrenoceptors in human urinary bladder
- FOZARD, J.R. & MUSCHOLL, E. Atropine-resistant effects of the muscarinic agonists McN-A-343 and AHR 602 on cardiac performance and the release of noradrenaline from sympathetic nerves of the perfused rabbit heart
- FERREIRA, S.H. & VARGAFTIG, B.B. Inhibition by non-steroid anti-inflammatory agents of rabbit aorta contracting activity generated in blood by slow reacting substance C
- 553 GAGNON, D.J., GAUTHIER, R. & REGOLI, D. Release of prostaglandins from the rabbit perfused kidney: effects of vasoconstrictors
- 559 McQUEEN, D.S. The effects of some prostaglandins on respiration in anaesthetized cats

Pharmacokinetics

569 HULME, MARILYN E. & WESTON, A.H. The accumulation of adenosine in rabbit intestinal muscle

Drug Mechanisms

- 575 FURMAN, B.L. The hypoglycaemic effect of 5-hydroxytryptophan
- 581 BENFEY, B.G., COHEN, J., KUNOS, G. & VERMES-KUNOS, I. Dissociation of 5-hydroxytryptamine effects on myocardial contractility and cyclic AMP accumulation

Clinical Pharmacology

587 BLACKWELL, E.W., BRIANT, R.H., CONOLLY, M.E., DAVIES, D.S. & DOLLERY, C.T. Metabolism of isoprenaline after aerosol and direct intrabronchial administration in man and dog

Psychopharmacology

- 593 CHESHER, G.B., JACKSON, D.M. & STARMER, G.A. Interaction of cannabis and general anaesthetic agents in mice
- 601 SHORT COMMUNICATIONS