Edited for the British Pharmacological Society by

W.D.M. Paton (Chairman) H.M. Adam (Secretary)

Margaret Day (Press Editor)

J.D. Stephenson (Assistant Press Editor)

J.M. Barnes I.H.M. Main A.M. Barrett E.K. Matthews P.B. Bradlev J.F. Mitchell D.A. Brown P.A. Nasmyth F. de Matteis M.W. Parkes C.T. Dollery Mary Pickford V. Eisen H.P. Rang W.S. Feldberg M. Sandler E.W. Gill A.P. Silverman A.F. Green M.A. Simmonds D.F. Hawkins A.D. Smith (co-opted) Margarethe Holzbauer F.M. Sullivan

Margarethe Holzbauer F.M. Sullivan D.B. Hope A. Ungar J.S. Kelly R.A. Webster

G.P. Lewis

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ, from whom copies of the instructions to authors, published in volume 50 (pages 3-23) of the journal, may also be obtained.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF.

Annual subscription £26.50 (£32.00 USA & Canada).

(Payment may be made in any currency at the current exchange rate. Orders must be accompanied by remittance. Prices applicable only to subscriptions started before 31st December 1974.)

Cheques should be made payable to Macmillan Journals Ltd, Subscription Department, Brunel Road, Basingstoke, Hampshire, RG21 2XS, England.

Enquiries concerning advertising space and rates should be addressed to the Advertisement Department, Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1974 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

INDEX TO VOLUME 51

AUTHOR INDEX

Α

- ABBS, E.T. & DODD, M.G. The relation between the adrenergic neurone-blocking and noradrenaline-depleting actions of some guanidine derivatives, 237
- ABRAMSON, F.B., BARLOW, R.B., FRANKS, FIONA M. & PEARSON, J.D.M. Relationships between chemical structure and affinity for postganglionic acetylcholine receptors of the guinea-pig ileum, 81
- ADAMS, P.R. & BROWN, D.A. Some observations on electrically-inexcitable cells (neuroglia?) in rat sympathetic ganglia, 131P
- ADAMS, P.R. (introduced by BROWN, D.A.). A comparison of the rate of onset of excitation and inhibition by decamethonium acting at frog endplate receptors, 132P
- ALKADHI, K.A. & McISAAC, R.J. Effect of preganglionic nerve stimulation on sensitivity of the superior cervical ganglion to nicotinic blocking agents, 533
- ALLEN, G.S., RAND, M.J. & STORY, D.F. Effects of the muscarinic agonist McN-A-343 on the release by sympathetic nerve stimulation of [3H]-noradrenaline from rabbit isolated ear arteries and guinea-pig atria, 29
- ALLEN, J.D. & SHANKS, R.G. Effects of tiprenolol, practolol and propranolol on experimental ventricular tachyarrhythmias, 179
- ANDERSON, CAROLINE & STONE, T.W. On the mechanism of action of clonidine: effects on single central neurones, 347

В

- BACH, CATHERINE S. & JASANI, M.K. A method for measuring changes in blood flow during healing and rejection of rabbit skin grafts, 153P
- BACK, D.J. & CALVEY, T.N. The pharmacokinetics of [14C]-edrophonium in normal Wistar rats and homozygous Gunn rats with ligated renal pedicles, 61
- BAKHLE, Y.S. & SMITH, T.W. Tryptamine receptors in rat pulmonary artery, 459
- BAKKE, O.M., DOLLERY, C.T., LEWIS, P.J., MYERS, M.G. & REID, J.L. Regional brain concentration of propranolol and its hypotensive effect in the conscious rabbit, 148P
- BALLANTYNE, B., GAZZARD, M.F., ROBSON, D.C. & SWANSTON, D.W. (introduced by BESWICK, F.W.). Lethal plasma concentrations of pralidoxime methane sulphonate (P2S) given parenterally, 119P
- BANNA, N.R., JABBUR, S.J. & SAADÉ, N.E. Antagonism of the spinal action of diazepam by semicarbazide, 101
- BARLEY, JACKIE, GINSBURG, M., GREENSTEIN, B.D., MACLUSKY, N.J. & THOMAS, P.J. Oestradiol binding in neonatal rat brain cytosol, 138P.

- BARLOW, R.B. Physicochemical properties and biological activity: thermodynamic properties of compounds related to acetylcholine assessed from depression of freezing-point and enthalpies of dilution, 413
- BARLOW, R.B., BOWMAN, FRANCES, ISON R.R. & McQUEEN, D.S. The specificity of some agonists and antagonists for nicotine-sensitive receptors in ganglia, 585
- BARLOW, R.B. & TUBBY, JULIA H. Actions of 3,3-dimethylbutan-1-ol (the carbon analogue of choline) on the guinea-pig ileum, 95
- BARLOW, R.B. see ABRAMSON, F.B., 81
- BARRETT, A.M. see NORMAN, J., 150P
- BARTLET, A.L. Actions of putative transmitters in the chicken vagus nerve/oesphagus and Remak nerve/rectum preparations, 549
- BAUDOUIN-LEGROS, M.Y., MEYER, P.H. & WORCEL, M. Influence of prostaglandins and oestrous cycle on the spasmodic action of angiotensin II and oxytocin on rat uterus, 121P
- BENFEY, B.G., KUNOS, G. & NICKERSON, M. Dissociation of cardiac inotropic and adenylate cyclase activating adrenoceptors, 253
- BERGMANN, F., CHAIMOVITZ, M., PASTERNAK (NA'OR), V. & RAMU, A. Compulsive gnawing in rats after implantation of drugs into the ventral thalamus. A contribution to the mechanism of morphine action, 197
- BERRIDGE, M.J. & PRINCE, W.T. The nature of the binding between LSD and a 5-HT receptor: a possible explanation for hallucinogenic activity, 269
- BESWICK, F.W. see BALLANTYNE, B., 119P.
- BEVAN, P., BRADSHAW, C.M., ROBERTS, M.H.T. & SZABADI, E. Comparison of the effects of mescaline, noradrenaline and 5-hydroxytryptamine on single cortical neurones, 142P
- BLACKHAM, A., FARMER, J.B., RADZIWONIK, H. & WESTWICK, J. The role of prostaglandins in rabbit monoarticular arthritis, 35
- BLOCK, A.J. & REIT, E. Effect of histamine on acetylcholine-evoked contractile responses of chronically denervated cat skeletal muscle, 122P
- BLUM, K. & WALLACE, J.E. Effects of catecholamine synthesis inhibition on ethanol-induced withdrawal symptoms in mice, 109
- BOLTON, T.B. Voltage clamp experiments on the potential-dependent behaviour of membrane ion channels operated by the muscarinic receptor of smooth muscle, 129P
- BOWMAN, FRANCES see BARLOW, R.B., 585
- BRADLEY, P.B. & DRAY, A. The effects of microiontophoretically applied morphine and transmitter substances in rats during chronic treatment and after withdrawal from morphine, 104

- BRADSHAW, C.M. see BEVAN, P., 142P
- BREZENOFF, H.E. & RUSIN, JUDITH. Strain differences in the inhibition by hemicholinium-3 of the pressor response to intraventricular injection of neostigmine in rats, 301
- BROWN, D.A. see ADAMS, P.R., 132P
- BROWN, G.R., TOWART, R. & WILSON, C.W.M. Computor analysis of multiple choice examinations, 154P
- BROWNLEE, G. see LITTLETON, J.M., 117P
- BRYSON, J.S. & HAMILTON, J.T. The effect of the dissociative anaesthetic, ketamine, on transmembrane potentials of Purkinje fibres of the pig heart, 130P
- BURGEN, A.S.V., DANN, J., FEENEY, J., ROBERTS, G.C.K. & YUFEROV, V. NMR studies of the binding of substrate analogues to L. casei dihydrofolate reductase, 126P
- BURGEN, A.S.V. & KING, R.W. Structure-activity relationships in the sulphonamide-carbonic anhydrase systems, 126P
- BURGEN, A.S.V. & HILEY, C.R. Two populations of acetylcholine receptors in guinea-pig ileum, 127P
- BURGEN, A.S.V., HILEY, C.R. & YOUNG, J.M. The properties of muscarinic receptors in mammalian cerebral cortex, 279
- BUTTERWORTH, K.R. & JARMAN, D.A. Effect of temperature on changes, induced by oestrus, in α and β -adrenoceptor activities of the rat uterus, 462

C

- CALLINGHAM, B.A. & LYLES, G.A. An effect of thyroid hormones upon monoamine oxidase activity, 113P
- CALVEY, T.N. see BACK, D.J., 61
- CARDINAL, D.C. & GARLAND, L.G. An improved apparatus for automatic sampling and the control of isolated preparations, 151P
- CARTER, JANINE K., MITCHELL, H.W. & POYSER, R.H. Comparison of some haemodynamic changes between central and intravenous administration of (±)-propranolol in anaesthetized dogs, 146P
- CAESAR, P.M., HAGUE, P., SHARMAN, D.F. & WERDINIUS, B. Studies on the metabolism of catecholamines in the central nervous system of the mouse, 187
- CHAIMOVITZ, M. see BERGMANN, F., 197
- CHAWLA, NARESH, JOHRI, M.B.L., SAXENA, P.N. & SINGHAL, K.C. Effects of catecholamines on the thermoregulation in pigeons, 497
- CLUBLEY, MARGARET & ELLIOTT, R.C. The action of tranquillizing drugs on the spontaneous discharge rate of the preganglionic superior cervical sympathetic nerve of the rabbit, 145P
- COLLIER, H.O.J., HAMMOND, M.D. & SCHNEIDRE, C. Biogenic amines and head twitches in mice during ethanol withdrawal, 310
- COLQUHOUN, D. & RANG, H.P. The inhibition of α-bungarotoxin binding to denervated rat muscle by tubocurarine and other drugs, 124P
- COLQUHOUN, D., RANG, H.P. & RITCHIE, J.M. Tetrodotoxin binding to innervated and denervated rat diaphragm homogenates, 125P

- COMMISSIONG, J.W. & SEDGWICK, E.M. On the presence of dopamine in the mammalian spinal cord, 118P
- CROCKER, ANN D. & WILSON, K.A. A study of the metabolic requirements for the contractile action of angiotensin upon guinea-pig ileum, 73
- CROSSMAN, A.R., WALKER, R.J. & WOODRUFF, G.N. Pharmacological studies on single neurones in the substantia nigra of the rat, 137P
- CURRY, S.H & WHELPTON, R. Hydrophobic character of 15 model chlorpromazine metabolites determined from partition ratios in mixed solvents, 143P
- CURWAIN, B.P., HOLTON, PAMELA, McISAAC, R.L. & SPENCER, JAN. Can the actions of adrenoceptor agonists and antagonists on pentagastrin-induced gastric secretion be due to their effects on histamine formation?, 217
- CUTHBERT, A.W., OKPAKO, D. & SHUM, W.K. Aldosterone, moulting and the number of sodium channels in frog skin, 128P

D

- DALY, M.J. Pulmonary mechanical effects of experimental lung embolism and their modification by bronchodilator drugs in the guinea-pig, 599
- DANN, J. see BURGEN, A.S.V., 126P
- DAVIES, D.S. & GEORGE, C.F. A method for studying drug metabolism in the canine intestine
- DAVIES, J.A., NAVARATNAM, V. & REDFERN, P.H.

 The effects of phase-shift on the passive avoidance response in rats and the modifying action of chlodiazepoxide, 447
- DAY, M.D. & ROACH, A.G. Central α and β -adrenoceptors modifying arterial blood pressure and heart rate in conscious cats, 325
- DEBNATH, P.K., GODE, K.D., GOVINDA DAS, D. & SANYAL, A.K. Effects of propranolol on gastric secretion in albino rats, 213
- DODD, M.G. see ABBS, E.T., 237
- DOLLERY, C.T. see BAKKE, O.M., 148P
- DRAY, A. & STRAUGHAN, D.W. Evaluation of iontophoretic N-methylbicuculline and other inhibitory amino-acid antagonists in rat brain stem, 133P
- DRAY, A. see BRADLEY, P.B., 104
- DRYDEN, W.F. & HARVEY, A.L. The effect of receptor desensitization on the action of α -bungarotoxin on cultured skeletal muscle, 456

Ε

- EDEN, E. & NASMYTH, P.A. The cardiovascular effects of L-DOPA in the pithed rat, 473
- ELLIOTT, R.C. see CLUBLEY, MARGARET, 145P
- EVANS, R.J. & GORDON, J.L. Refractoriness in blood platelets: effect of prior exposure to aggregation agents on subsequent aggregation responses, 123P

F

FARMER, J.B. see BLACKHAM, A., 35 FEENEY, J. see BURGEN, A.S.V., 126P

FELTZ, ANNE & JAOUL, ANNE. Direct estimates of chloride activity in muscle fibres depolarized by carbachol, 304

FIACCO, M. DEL, FRATTA, W., GESSA, G.L. & TAGLIAMONTE, A. Lack of copulatory behaviour in male castrated rats after p-chlorophenylalanine, 249

FRANKS, FIONA M. see ABRAMSON, F.B., 81

FRATTA, W. see FIACCO, M. DEL, 249

FRY, J.P., HOUSE, C.R. & SHARMAN, D.F. An analysis of the catecholamine content of the salivary gland of the cockroach, 116P

FURUTA, Y., HASHIMOTO, K., ISHII, Y. & IWATSUKI, K. Modification by drugs of the secretagogue effect of dopamine on the pancreas, 225

G

GARLAND, L.G. see CARDINAL, D.C., 151P GAZZARD, M.F. see BALLANTYNE, B., 119P

GEORGE, C.F. see DAVIES, D.S., 154P

GESSA, G.L. see FIACCO, M. DEL, 249

GHOSH, M.N. & SINGH, H. Inhibitory effect of a pyrrolizidine alkaloid, crotalaburnine, on rat paw oedema and cotton pellet granuloma, 503

GILLESPIE, J.S. & TILMISANY, A.K. The effect of tetraethylammonium (TEA) on the anococcygeus muscle and on its response to motor and to inhibitory nerve stimulation, 141P

GINSBORG, B.L. & STEPHENSON, R.P. On the simultaneous action of two competitive antagonists, 287

GINSBURG, M. see BARLEY, JACKIE, 138P

GLICK, S.D., MARSANICO, R.G. & SINGER, H.M. Apomorphine-induced and pilocarpine-induced hypothermia in mice: drug interactions and changes in drug sensitivity after caudate nucleus lesions, 355

GODE, K.D. see DEBNATH, P.K., 213

GORDON, J.L. see EVANS, R.J., 123P

GOVINDA DAS, D. see DEBNATH, P.K., 213

GRAHAM, J.D.P., LEWIS, M.J. & LI, D.M.F. The effect of Δ¹-tetrahydrocannabinol on the uptake of [³H]-(-)-noradrenaline by the isolated perfused heart of the rat, 465

GREEN, K.L. Role of endogenous catecholamines in the antiinflammatory activity of αadrenoceptor blocking agents, 45

GREENSTEIN, B.D. see BARLEY, JACKIE, 138P

GRIFFITHS, P.J., LITTLETON, J.M. & ORTIZ, A. Effect of p-chlorophenylalanine on brain monoamines and behaviour during ethanol withdrawal in mice, 307

GRUNFELD, Y. & SPIEGELSTEIN, M.Y. Effects of Gymnodinium breve toxin on the smooth muscle preparation of guinea-pig ileum, 67

Н

HAGUE, P. see CEASAR, P.M., 187 HAINSWORTH, R., KARIM, F. & STOKER, J.B. Blockade of peripheral vascular responses to isoprenaline by three β -adrenoceptor antagonists in the anaesthetized dog, 161 HAMAMURA, L. see LEME, J. GARCIA, 383 HAMILTON, J.T. see BRYSON, J.S., 130P HAMMOND, M.D. see COLLIER, H.O.J., 310

HARRY, J.D., KNAPP, M.F. & LINDEN, R.J. The actions of a new β -adrenoceptor blocking drug, ICI 66082, on the rabbit papillary muscle and on the dog heart, 169

HARVEY, A.L. see DRYDEN, W.F., 456 HASHIMOTO, K. see FURUTA, Y., 225

HILEY, C.R. see BURGEN, A.S.V., 127P

HILEY, C.R. see BURGEN, A.S.V., 279

HILLIS, W.S., HUTTON, I., LAWRIE, T.D.V., LORIMER, A.R. & REID, J.M. The effects of a new β-adrenoceptor blocking compound, tolamolol, on haemodynamics and myocardial function in man, 15 HOLTON, PAMELA see CURWAIN, B.P., 217

HORN, A.S. & TRACE, R.C.A.M. Structure-activity relations for the inhibition of 5-hydroxytryptamine uptake by tricyclic antidepressants into synaptosomes from serotoninergic neurones in rat brain homogenates, 399

HOUSE, C.R. see FRY, J.P., 116P

HUGHES, J., KOSTERLITZ, H.W. & LESLIE, FRANCES M. Assessment of the agonist and antagonist activities of narcotic analgesic drugs by means of the mouse vas deferens, 139P

HUGHES, J. & ROTH, R.H. Variation in noradrenaline output with changes in stimulus frequency and train length: role of different noradrenaline pools, 373

HUTCHINS, D.A., PEARSON, J.D.M. & SHARMAN, D.F. An altered metabolism of dopamine in the striatal tissue of mice made aggressive by isolation, 115P

HUTTON, I. see HILLIS, W.S., 15

ı

ISHII, Y. see FURUTA, Y., 255 ISON, R.R. see BARLOW, R.B., 585 IWATSUKI, K. see FURUTA, Y., 225

J

JABBUR, S.J. see BANNA, N.R., 101

JACOBS, A. & KEATINGE, W.R. Effects of procaine and lignocaine on electrical and mechanical activity of smooth muscle of sheep carotid arteries, 405

JAOUL, ANNE see FELTZ, ANNE, 304

JARMAN, D.A. see BUTTERWORTH, K.R., 462

JASANI, M.K., PARSONS, R.R., ROBERTS, JEAN M. & TWEED, M.F. The usefulness of homologous pairs of rabbit skin grafts for studying the pharmacology of anti-rheumatic agents, 152P

JASANI, M.K. see BACH, CATHERINE S., 153P

JOHNSON, JR, E.M., MARSHALL, G.R. & NEEDLE-MAN, P. Modification of responses to sympathetic nerve stimulation by the renin-angiotensin system in rats. 541

JOHRI, M.B.L. see CHAWLA, NARESH, 497

JONES, R.L., KANE, KATHLEEN, A. & UNGAR, A. Cardiovascular actions of prostaglandin C in the cat and dog, 157

K

- KADLEC, O., MASEK, K. & SEFERNA, I. A modulating role of prostaglandins in contractions of the guinea-pig ileum, 565
- KALSNER, S. A new approach to the measurement of classification of forms of supersensitivity of autonomic effector responses, 427
- KALSNER, S. Sensitization of noradrenaline responses by inhibitors of extraneuronal uptake in a coronary artery preparation, 453

KANE, KATHLEEN A. see JONES, R.L., 157

KARIM, F. see HAINSWORTH, R., 161

KEATINGE, W.R. see JACOBS, A., 405

- KEEN, P. & ROBERTS, P.J. Uptake and compartmentation of glutamic acid in sensory ganglia, 136P
- KERKUT, G.A., NICOLAIDIS, S., PIGGOTT, SUSAN M., RASOOL, C.G. & WALKER, R.J. The effect of analogues of glutamic acid on the glutamate receptors of *Helix* neurones, 134P
- KERKUT, G.A. & WHEAL, H.V. The excitatory effects of aspartate and glutamate on the crustacean neuromuscular junction, 136P

KING, R.W. see BURGEN, A.S.V., 126P

- KIRBY, MARILYN J. & TURNER, P. Effect of the (-)and (+)-isomers of fenfluramine and norfenfluramine on glucose uptake by the isolated rat hemidiaphragm, 120P
- KNAPP, M.F. see HARRY, J.D., 169

KOSTERLITZ, H.W. see HUGHES, J., 139P

- KOSTIAL, KRISTA, LANDEKA, M. & ŠLAT, B. Manganese ions and synaptic transmission in the superior cervical ganglion of the cat, 231
- KUCHII, M., MIYAHARA, J.T. & SHIBATA, S. Effect of 6-hydroxydopamine on [3H]-adenine nucleotide and [3H]-noradrenaline release from the guinea-pig taenia caecum evoked by electrical field stimulation, nicotine and preivascular nerve stimulation, 577

KUNOS, G. see BENFEY, B.G., 253.

L

LAWRIE, T.D.V. see HILLIS, W.S., 15

- LEDERIS, K. & MEDACOVIC, M. Pharmacological observations on the hyotensive action of extracts of teleost fish urophyses (urotensin I) in the rat, 315
- LEME, J. GARCIA & HAMAMURA, L. Formation of a factor increasing vascular permeability during electrical stimulation of the saphenous nerve in rats, 383
- LEME, J. GARCIA & LICO, MARIA. Cortical potentials evoked by nociceptive stimuli: their depression by a factor released during saphenous nerve stimulation in the rat, 491
- LESLIE, FRANCES M. see HUGHES, J., 139P LEWIS, M.J. see GRAHAM, J.D.P., 465
- LEWIS, P.J., RAWLINS, M.D. & REID, J.L. The effects of intraventricular 6-hydroxydopamine on body temperature and arterial blood pressure in cats and rabbits, 207

LEWIS, P.J. see BAKKE, O.M., 148P LI, D.M.F. see GRAHAM, J.D.P., 465 LICO, MARIA see LEME, J. GARCIA, 491 LINDEN, R.J. see HARRY, J.D., 169

LIPPMANN, W. & PUGSLEY, T.A. Effects of benzoctamine and chlordiazepoxide on turnover and uptake of 5-hydroxytryptamine in the brain, 571

LITTLETON, J.M. see GRIFFITHS, P.J., 307

- LITTLETON, J.M. & MACLEAN, K.I. (introduced by BROWNLEE, G.). The effect of Δ^8 -tetrahydrocannabinol (Δ^8 -THC) on dopamine metabolism in the rat corpus striatum: the influence of environment, 117P
- LIVINGSTON, A. & PHILLIPS, ELIZABETH (introduced by MITCHELL, J.F.). Some effects of chlorpromazine on oxidative phosphorylation in synaptosomes from rat brain, 144P

LORIMER, A.R. see HILLIS, W.S., 15

LYLES, G.A. see CALLINGHAM, B.A., 113P

М

MACKAY, A.V.P. The long-term regulation of tyrosine hydroxylase activity in cultured sympathetic ganglia: role of ganglionic noradrenaline content, 509

MACLEAN, K.I. see LITTLETON, J.M., 117P

MACLUSKY, N.J. see BARLEY, JACKIE, 138P

MARLEY, E. & SELLER, T.J. Effects of nicotine given into the brain of fowls, 335

MARLEY, E. & SELLER, T.J. Effects of cholinomimetic agents given into the brain of fowls, 361

MARSANICO, R.G see GLICK, S.D., 355

MARSHALL, G.R. see JOHNSON, JR., E.M., 541

MASEK, K. see KADLEC, O., 565

McISAAC, R.J. see ALKADHI, K.A., 533

McISAAC, R.L. see CURWAIN, B.P., 217

McQUEEN, D.S. see BARLOW, R.B., 585

MEDAKOVIC, M. see LEDERIS, K., 315 MEYER, P., PAPADIMITRIOU, A. & WORCEL, M.

Specific supersensitivity of smooth muscle to angiotensin II after nephrectomy, 435

MEYER, P.H. see BAUDOUIN-LEGROS, M.Y., 121P

MITCHELL, J.F. see LIVINGSTON, A., 144P MIYAHARA, J.T. see KUCHII, M., 577

MÜLLER-SCHWEINITZER, E. & STÜRNER, E.

Investigations on the mode of action of ergotamine in the isolated femoral vein of the dog, 441

MYERS, M.G. see BAKKE, O.M., 148P

N

NASMYTH, P.A. see EDEN, E., 473
NAVARATNAM, V. see DAVIES, J.A., 447
NEEDLEMAN, P. see JOHNSON, J.R., E.M., 541
NICKERSON, M. see BENFEY, B.G., 253
NICOLAIDIS, S. see KERKUT, G.A., 134P
NORMAN, J. & WHITWAM, J.G. (introduced by BARRETT, A.M.). Modification by atropine and practolol of changes in heart rate evoked by cutaneous nerve stimulation, 150P

0

OBIANWU, HOPE O. Effect of ether anaesthesia on pharmacokinetics of N-(2 hydroxy ethyl) 2-phenyl ethyl carbamate: inhibition of its enterohepatic circulation, 55
OKPAKO, D. see CUTHBERT, A.W., 128P

ORTIZ, A. see GRIFFITHS, P.J., 307

OWEN, D.A.A. & PARSONS, M.E. Histamine receptors in the cardiovascular system of the cat, 123P

PAPADIMITRIOU, A. see MEYER, P., 435

Р

PARRATT, J.R. The haemodynamic effects of prolonged oral administration of oxyfedrine, a partial agonist at β-adrenoceptors: comparison with propranolol, 5
PARSONS, M.E. see OWEN, D.A.A., 123P
PARSONS, R.R. see JASANI, M.K., 152P
PASTERNAK (NA'OR), V. see BERGMANN, F., 197
PEARSON, J.D.M. see ABRAMSON, F.B., 81
PEARSON, J.D.M. see HUTCHINS, D.A., 115P
PEARSON, J.D.M. & SHARMAN, D.F. A gas-liquid

chromatographic method for the estimation of the acidic metabolites of dopamine in cerebrospinal fluid and brain tissues, 114P

PERTWEE, R.G. Tolerance to the effect of Δ^1 -tetrahydrocannabinol on corticosterone levels in mouse plasma produced by repeated administration of cannabis extract or Δ^1 -tetrahydrocannabinol, 391

PERUMAL, T.A. & RAO, J. PRAKASA. Effect of pharmacological blockade on lithium-induced water drinking, 107

PHILLIPS, ELIZABETH see LIVINGSTON, A., 144P PIGGOTT, SUSAN M. see KERKUT, G.A., 134P POYSER, R.H., SHORTER, J.H. & WHITING, R.L. The production of hypertension and the effects of some antihypertensive agents in the conscious unrestrained cat, 149P

PRINCE, W.T. see BERRIDGE, M.J., 269 PUGSLEY, T.A. see LIPPMANN, W., 571

R

RADZIWONIK, H. see BLACKHAM, A., 35 RAMU, A. see BERGMANN, F., 197 RAND, M.J. see ALLEN, G.S., 29 RANG, H.P. see COLQUHOUN, D., 124P RANG, H.P. see COLQUHOUN, D., 125P RAO, J. PRAKASA see PERUMAL, T.A., 104 RASOOL, C.G. see KERKUT, G.A., 134P RAWLINS, M.D. see LEWIS, P.J., 207 REDFERN, P.H. see DAVIES, J.A., 447 REID, J.L. see BAKKE, O.M., 148P REID, J.M. see HILLIS, W.S., 15 REID, J.L. see LEWIS, P.J., 207 REIT, E. see BLOCK, A.J., 122P RITCHIE, J.M. see COLQUHOUN, D., 125P ROACH, A.G. see DAY, M.D., 325 ROBERTS, F. & STEPHENSON, R.P. The kinetics of action of acetylcholine antagonists on guinea-pig ileum, 128P

ROBERTS, G.C.K. see BURGEN, A.S.V., 126P ROBERTS, JEAN M. see JASANI, M.K., 152P ROBERTS, M.H.T. see BEVAN, P., 142P ROBERTS, P.J. see KEEN, P., 136P ROBSON, D.C. see BALLANTYNE, B., 119P ROTH, R.H. see HUGHES, J., 373 RUSIN, JUDITH see BREZENHOFF, H.E., 301

S

SAADE, N.E. see BANNA, N.R., 101 SANYAL, A.K. see DEBNATH, P.K., 213 SAXENA, P.N. see CHAWLA, NARESH, 497 SCHNEIDER, C. see COLLIER, H.O.J., 310 SEDGWICK, E.M. see COMMISSIONG, J.W., 118P SEFERNA, I. see KADLEC, O., 565 SEIFEN, E. Evidence for participation of catecholamines in cardiac action of ouabain: positive chronotropic effect, 481 SELLER, T.J. see MARLEY, E., 335 SELLER, T.J. see MARLEY, E., 361 SEWELL, R.D.E. & SPENCER, P.S.J. Modification of the antinociceptive activity of narcotic agonists and antagonists by intraventricular injection of biogenic amines in mice, 140P SHANKS, R.G. see ALLEN, J.D., 179 SHARMAN, D.F. see CEASAR, P.M., 187 SHARMAN, D.F. see FRY, J.P., 116P SHARMAN, D.F. see HUTCHINS, D.A., 115P SHARMAN, D.F. see PEARSON, J.D.M., 114P SHIBATA, S see KUCHII, M., 577 SHORTER, J.H. see POYSRE, R.H., 149P SHUM, W.K. see CUTHBERT, A.W., 128P SILINSKY, E.M. The effects of bretylium and guanethidine on catecholaminergic transmission in an invertebrate, 367 SIMPSON, L.L., The effect of prostaglandin E₂ on the arterial blood pressure of normotensive and spontaneously hypertensive rats, 559 SINGER, H.M. see GLICK, S.D., 355 SINGH, H. see GHOSH, M.N., 503 SINGHAL, K.C. see CHAWLA, NARESH, 497 SMITH, P.A. & WALKER, R.J. The action of 5-hydroxytryptamine and related compounds on the activity of Retzius cells of the leech Hirudo medicinalis, 21 SMITH, T.W. see BAKHLE, Y.S., 459 SPENCER, JAN see CURWAIN, B.P., 217 SPENCER, P.S.J. see SEWELL, R.D.E., 140P STEPHENSON, R.P. see ROBERTS, F., 128P

SPIEGELSTEIN, M.Y. see GRUNFELD, Y., 67

STEPHENSON, R.P. see GINSBORG, B.L., 287

SWANSTON, D.W. see BALLANTYNE, B., 119P

STÜRMER, E. see MÜLLER-SCHWEINITZER, E., 441

SUGDEN, R.F. The action of indoramin and other

compounds on the uptake of neurotransmitters into

STOKER, J.B. see HAINSWORTH, R., 161 STONE, T.W. see ANDERSON, CAROLINE, 347

STRAUGHAN, D.W. see DRAY, A., 133P

STORY, D.F. see ALLEN, G.S., 29

SZABADI, E. see BEVAN, P., 142P

rat cortical slices, 467

Т

TAGLIAMONTE, A. see FIACCO, M. DEL, 249
TERRAR, D.A. Influence of SKF-525A congeners, strophanthidin and tissue-culture media on desensitization in frog muscle, 259
THOMAS, P.J. see BARLEY, JACKIE, 138P
TILMISANY, A.K. see GILLESPIE, J.S., 141P
TOWART, R. see BROWN, G.R., 154P
TRACE, R.C.A.M. see HORN, A.S., 399
TUBBY, JULIA H. see BARLOW, R.B., 95
TURNER, P. see KIRBY, MARYLIN J., 120P
TWEED, M.F. see JASANI, M.K., 152P

U

UNGAR, A. see JONES, R.L., 157

W

WALKER, R.J. see CROSSMAN, A.R., 137P WALKER, R.J. see KERKUT, G.A., 134P

WALKER, R.J. see SMITH, P.A., 21 WALLACE, J.E. see BLUM, K., 109 WALLIS, D.I. & WOODWARD, B. The facilitatory actions of 5-hydroxytryptamine and bradykinin in the superior cervical ganglion of the rabbit, 521 WERDINIUS, B. see CEASAR, P.M., 187 WESTWICK, J. see BLACKHAM, A., 35 WHELPTON, R. see CURRY, S.H., 143P WHITING, R.L. see POYSRE, R.H., 149P WHITWAM, J.G. see NORMAN, J., 150P WILSON, C.W.M. see BROWN, G.R., 154P WILSON, K.A. see CROCKER, ANN D., 73 WOODRUFF, G.N. see CROSSMAN, A.R., 137P WOODWARD, B. see WALLIS, D.I., 521 WORCEL, M. see BAUDOUIN-LEGROS, M.Y., 121P WORCEL, M. see MEYER, P., 435

Υ

YOUNG, J.M. see BURGEN, A.S.V., 279 YUFEROV, V. see BURGEN, A.S.V., 126P

SUBJECT INDEX

Α

[14C]-acetate, uptake and compartmentation of, in sensory ganglia, 136P

- Acetylcholine, depolarization produced by, applied iontophoretically to frog endplate receptors, 132P
- , effect of, on single neurones in the rat substantia nigra, 137P
- , effect of, on hypotensive action of urotensin I in rat,
 315
- , effect of, on behaviour, respiratory rate and body temperature, given into the brain of fowls, 361
- , effect of, on perfusates from area of saphenous nerve after electrical stimulation of such in rats, 387
- , effect of, on uptake of tritiated propylbenzylcholine mustard in mammalian cerebral cortex, 282
- , effect of some esters of 3,3,-dimethylbutan-1-ol (the carbon analogue of choline) on, receptors in the guinea-pig ileum, 95
- , microiontophoretically applied, effects of, on single brain stem neurones of rats during chronic morphine pretreatment and after its withdrawal, 104
- , postganglionic, relationships between chemical structure and affinity for, of the guinea-pig ileum, 81
- , a study of the metabolic requirements for the contractile action of, on guinea-pig ileum, 73
- , the effect of, on the action of adenosine triphosphate in the chicken Remak nerve/rectum preparations, 549
- vasodepressor responses to, administered i.v. in normotensive and spontaneously hypertensive rats, 559
- , thermodynamic properties of compounds related to, assessed from depression of freezing-point and enthalpies of dilution, 413
- manganese ions reduce output of, in the superior cervical ganglion of the cat, 231, 233
- , contractions evoked directly by, the effects of prostaglandin E₂, indomethacin, and guanethidine on, in normal and α-methyl-p-tyrosine pretreated preparations of guinea-pig isolated ileum, 565
- , effect of histamine on the contractile responses of chronically denervated cat skeletal muscle evoked by, 122P
- , two populations of receptors to, in guinea-pig ileum, 127P
- , kinetics of action of antagonists of, on guinea-pig ileum, 128P
- Acetylcholine receptors, drugs stimulating, raise tyrosine hydroxylase activity in cultured ganglia, 513
- Acetylsalicylic acid, evoked cortical potentials reduced by, 491, 495
- , effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 383
- [3H]-adenine nucleotide, release of, effects of 6-hydroxydopamine on, from the guinea-pig taenia

- caecum evoked by electrical field stimulation, nicotine, and perivascular nerve stimulation, 577
- Adenosine, effects of, in the chicken vagus nerve/ oesophagus and Remak nerve/rectum preparations, 549
- Adenosine diphosphate, the effects of, in the chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549
- , refractoriness in blood platelets of the rabbit induced by, 123P
- 3',5'-Adenosine monophosphate, adrenoceptors for production of, in rat and frog isolated heart preparations, 253
- , effect of, LSD and 5-HT on, in isolated salivary glands of Calliphora, 269
- , the effects of, in the chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549
- Adenosine triphosphate, the effects of, in the chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549
- , effect of indomethacin and prostaglandin E₂ on mechanical responses to, in guinea-pig isolated ileum pretreated with atropine and guanethidine, 565
- , dependence upon a distinct source of, for the contractile action of angiotensin on guinea-pig ileum, 73
- Adenylate cyclase, and cardiac inotropic activating adrenoceptors, dissociation of, in rat and frog isolated heart preparations, 253
- Adiphenine hydrochloride, influence of, on frog skeletal muscle desensitized by carbachol, 259
- Adrenaline, administered i.c.v., production of cardiovascular responses by, in conscious cats, 325
- , adrenoceptors for inotropic responses to, characteristics of, in rat and frog isolated heart preparations, 253
- , effect of, on hypotensive action of urotensin I in rat,
 315
- , inotropic effect of, and effect on cyclic AMP production, in rat and frog isolated heart preparations, 253
- , hypothermic effect of, prevented by phenoxybenzamine in pigeons, 497, 500
- , cloacal temperature reduced by, in pigeons, 497, 499
- , α-adrenoceptor blocking agents increase excretion of, in the mouse, 45, 50
- , vascular permeability estimation procedure increases excretion of, in the mouse, 45, 50
- Adrenergic neurone blockade, dye extravasation reduction by α-adrenoceptor blocking agents antagonized by, in the mouse, 45, 49
- Adrenoceptor activities, effect of temperature on changes induced by oestrus in, using the rat uterus, 462
- α -adrenoceptor, and β -, blocking agents and stimulants, effects of, on blood pressure and heart rate in conscious cats, 325

- α -adrenoceptors, and β -, modifying arterial blood pressure and heart rate in conscious cats, 325
- α-adrenoceptor blocking agents, adrenaline excretion increased by, in the mouse, 45, 50
- , bilateral adrenalectomy does not prevent inhibition of dye extravasation by, 45
- , noradrenaline excretion increased by, in the mouse,
 45,50
- , ganglion blockade antagonizes reduction of dye extravasation by, 45, 49
- , adrenergic neurone blockade antagonizes reduction of dye extravasation by, 45, 49
- , effect of, on dye extravasation in mouse peritoneum, 45,46
- , inhibition of catecholamine biosynthesis antagonizes reduction of dye extravasation by, 45
- , vascular permeability reduced by, in the mouse peritoneum, 45, 50
- β -adrenoceptor blocking agents, effect of, on the inhibition of dye extravasation by α -adrenoceptor blocking agents in the mouse peritoneum, 45, 47
- Aldosterone, moulting and the number of sodium channels in frog skin, 128P
- (±)-Alprenolol, effect of, on blood pressure and heart rate responses to i.c.v. isoprenaline, salbutamol, dopamine or adrenaline in conscious cats, 325, 329
- (+)-Alprenolol, effect of, on cardiovascular responses to i.c.v. dopamine in conscious cats, 329
- Amiloride, blocking action of, on transepithelial transport of sodium in frog skin, 128P
- Amines, biogenic, intraventricular injection of, modification of the antinociceptive activity of narcotic agonists and antagonists by, in mice, 140P
- Amino acids, effect of, on frog skeletal muscle desensitized by carbachol, 259
- γ-aminobutyric acid, effect of, on single neurones in rat substantia nigra, 137P
- -, spinal, possible link between, and diazepam, 101
- , effect of various antagonists on depression produced by, in rat brain stem, 133P
- Amino groups, effect of position of, in phenylalkylonium salts, on ability to stimulate or block receptors in ganglia, 585
- Aminophylline, effect of, on pulmonary mechanical effects of experimental lung embolism in the guinea-pig, 599
- Amphetamine, effect of, on head twitches in rats during ethanol withdrawal, 310
- , potentiates effect of thalamic deposits of morphine, 197, 202
- Angiotensin, a study of the metabolic requirements for the contractile action of, on guinea-pig ileum, 73
- , effect of nephrectomy on the action of agonists of, 437
- , contractions by rat vas deferens potentiated by, 541
- , contractions evoked indirectly by, the effects of prostaglandin E₂, indomethacin and guanethidine on, in normal and α-methyl-p-tyrosine pretreated preparations of guinea-pig isolated ileum, 565
- Angiotensin II, effect of, on hypotensive action of urotensin I in rat, 315
- , influence of prostaglandins and oestrus cycle on the spasmodic action of, on rat uterus, 121P
- , specific supersensitivity of smooth muscle to, after nephrectomy, 435

- , vasoconstrictor response to periarterial stimulation of rat isolated perfused kidney potentiated by, 541
- Antihypertensive agents, effects of, and the production of hypertension in the conscious unrestrained cat, 149P
- Anti-rheumatic agents, the usefulness of homologous pairs of rabbit skin grafts for studying the pharmacology of, 152P
- Apomorphine, hypothermia induced by, in mice: drug interactions and changes in drug sensitivity after caudate nucleus lesions, 355
- , anti-dopamine effect of, in pancreatic secretion, 225, 226
- , implantation of, into rat ventral thalamus, 197, 199
 Aromatic ring structure, effect of, on ability of phenylalkylonium salts to stimulate or block receptors in ganglia, 585
- Arrhythmias, ventricular, and the effects of tiprenolol, practolol and propranolol on, 179
- L-aspartate, excitatory effects of, on the crustacean neuromuscular junction, 136P
- Atropine, effect of, on rate of ganglionic block with chlorisondamine, 536
- , guinea-pig isolated ileum pretreated with guanethidine and, effect of indomethacin and prostaglandin E₂ on mechanical responses to adenosine triphosphate and electrical nerve stimulation, 565
- actions of, on effects of muscarinic agonist McN-A-343 on segments of rabbit ear artery and guinea-pig atria, 29
- , effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve of rats, 383
- , effect of, on the action of nicotine given into the brain of fowls, 338
- , effect on contractile response elicited by Gymnodinium breve toxin in the smooth muscle preparation of guinea-pig ileum, 67
- , effect of, on hypotensive action of urotensin I in rat,
 315
- , effect of, on lithium-induced water drinking in rats, 107
- , effect of, on uptake of tritiated propylbenzylcholine mustard by mammalian cerebral cortex, 279
- Atropine methylnitrate, effect of, on cardiovascular changes produced by i.c.v. β -adrenoceptor agonists in conscious cats, 330
- Automatic sampling, an improved apparatus for, and the control of isolated preparations, 151P
- Automatic effectors, two types of sensitizations of, 427
 , measurement and classification of forms of supersensitivity of responses of, 427

В

- Benzoctamine, psychoactive drug, effects of, on i.v. administered [14C]-5-hydroxytryptamine and α-ethyl-3-hydroxy-4-methylphenylethylamine-induced depletion of 5-hydroxytryptamine in rat brain, 571
- Bethanidine, effect of, on cardiovascular changes produced by i.c.v. β-adrenoceptor agonists in conscious cats, 330

- Benzilyltropine methiodide, an antagonist, action of, with hexyltrimethyl ammonium as agonist and pentyltriethyl ammonium as antagonist, in guinea-pig ileum, 287
- Benzoylcholine, effect of, on behaviour, respiratory rate and body temperature, given into the brain of fowls, 361
- Bicuculline, evaluation of iontophoretic, as antagonist of inhibitory amino-acids in rat brain stem, 133P
- β -blocking agents, action of, on the uptake of neurotransmitters into rat cortical slices, 467
- , affinities of, at ganglionic receptors, measured on rat isolated ileum with m-hydroxyphenylpropyltrimethylammonium as agonist, 585
- Blood platelets, refractoriness in, and effect of prior exposure to aggregating agents on subsequent aggregation responses, 123P
- **Bradykinin**, facilitatory action of, in the superior cervical ganglion of the rabbit, 521
- , -like activity, appearance of, in perfusates from area of saphenous nerve after electrical stimulation of such in rats, 383, 388
- , oedema induced by, in rats, 503, 506
- , effect of, on response of rat saphenous nerve to histamine and 5-HT during electrical stimulation, 384
- , effect of, on hyotensive action of urotensin I in rat, 315
- Bradykininogen, assay of, in perfusates from electrically stimulated saphenous nerve of rat, 384
- Bretylium, effects of, and guanithidine on catecholaminergic transmission in salivary duct nerves of the cockroach, 367
- Bromo groups, effect of position of, in phenylalkylonium salts, on ability to stimulate or block receptors in ganglia, 585
- Bronchodilator drugs, pulmonary mechanical effects of experimental lung embolism and their modification by, in the guinea-pig, 599
- Bufotenine, action of, compared to 5-hydroxytryptamine on leech preparations, 24
- Bulbocapnine, microiontophoretically applied, effect of, on responses to noradrenaline, clonidine and 5-HT by single neurones in the cerebral cortex and medullary reticular formation of anaesthetized rats, 347
- α-bungarotoxin, effect of receptor desensitization on the action of, on cultured skeletal muscle, 456
- , inhibition of binding of, to denervated rat muscle by tubocurarine and other drugs, 124P
- Burimamide, effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 383

C

- Calcium, positive chronotropic effect of noradrenaline inhibited by increasing concentrations of, 481, 487
- , concentration of, affects cardiac action of ouabain, 481, 487
- Calcium ions, action of manganese ions antagonized by, in the superior cervical ganglion in the cat, 231
- Cannabis, tolerance to the effect of Δ^1 -tetrahydrocannabinol on corticosterone levels in mouse plasma produced by repeated administration of extract of, or Δ^1 -tetrahydrocannabinol, 391

- , thymus gland weight reduced by extract of, 391, 393
- , spleen and liver weights not affected by, 391, 393
- Carbachol, dose-response curve to, not affected by nephrectomy, 435
- , depolarization produced by, applied iontophoretically to frog endplate receptors, 132P
- direct estimates of chloride activity in frog muscle fibres depolarized by, 304
- , desensitization by, in frog skeletal muscle fibres, influence of SKF-525A congeners, strophanthidin and tissue-culture media on, 259
- , effect of, on behaviour, respiratory rate and body temperature, given into the brain of fowls, 361
- , effect of, on conductance in smooth muscle of guinea-pig, 129P
- , the affinities of certain phenylalkylonium salts for postganglionic receptors measured on guinea-pig isolated ileum in the prescece of hexamethonium and with, as agonist, 585
- , effect of, on uptake of tritiated propylbenzylcholine mustard in mammalian cerebral cortex, 282
- Carboxypeptidase B, effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 383
- Carrageenin, oedema induced by, in the rat paw, inhibited by crotalaburnine and phenylbutazone, 503, 506,
- Catecholamine, analysis of the content of, in the salivary gland of the cockroach, 116P
- , effects of drugs blocking receptors of, on gnawing evoked by thalamic implantations of drugs, 197, 201
- , contents of, in the pancreas, 229
- , synthesis, effects of inhibition of, on ethanolinduced withdrawal symptoms in mice, 109
- , effect of inhibitors of synthesis of, on gnawing evoked by thalamic implantations of drugs, 197, 202
 Catecholamines, studies on the metabolism of, in the central nervous system of the mouse, 187
- , role of endogenous, in the anti-inflammatory activity of α-adrenoceptor blocking agents, 45
- -, effects of, on thermoregulation in pigeons, 497
- , α-adrenoceptor blocking agents increase excretion of, in the mouse, 45, 50
- , inotropic effects of, and effect on cyclic AMP production, in rat and frog isolated heart preparations, 253
- , specific fluorescence for, pretreatment effect of 6-hydroxydopamine in the guinea-pig taenia caecum on, 581
- , evidence for participation of, in cardiac action of ouabain, 481
- Cellulose sulphate, a kiningen depleting agent, effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 383
- Chloralose, anaesthesia with, effect of, on reactions to nicotine given into the brain of fowls, 335
- , anaesthesia with, effect of, on cardiovascular changes induced by β-adrenoceptor blocking drugs and stimulants in conscious cats, 331
- α-chloralose, anaesthesia with, effect of, on hypotensive action of urotensin I in rat, 315
- , effect of phase-shift on the passive avoidance response in rats and the modifying action of, 447
- Chloride, activity of, direct estimates of, in frog muscle fibres depolarized by carbachol, 304

3-Chlorimipramine, potent inhibitor of 5-HT uptake into homogenates of rat hypothalamus, 399

Chlorisondamine, ganglionic block by, 534

- , effect of atropine on rate of ganglionic block by, 536
 , effect of physostigmine on rate of ganglionic block
- with, 536
- Chloro groups, effect of position of, in phenylalkylonium salts, on ability to stimulate or block ganglionic receptors, 585
- p-Chloroamphetamine, an inhibitor of 5-HT synthesis, effect of, on head twitches in rats during ethanol withdrawal, 310
- N-2'-chloroethyl-N-(2'',3''-3H₂)-propyl-2-aminoethylbenzilate, reaction of, with homogenates of mammalian brain, 279
- p-Chlorophenylalanine, effect of, on brain monoamines and behaviour during ethanol withdrawal in mice, 307
- , an inhibitor of 5-HT synthesis, effect of, on head-twitches in rats during ethanol withdrawal, 310
- , lack of copulatory behaviour in male castrated rats after, 249
- Chlorpromazine, gnawing response to apomorphine and morphine blocked by, in rats, 197
- , metabolites, hydrophobic character of, determined from partition ratios in mixed solvents, 143P
- , action of, on the spontaneous discharge rate of the preganglionic superior cervical sympathetic nerve of the rabbit, 145P
- , some effects of, on oxidative phosphorylation in synaptosomes from rat brain, 144P
- Choline, carbon analogue of (3,3,-dimethyl-butan-1-ol), action of some esters of, on the guinea-pig ileum, 95
- Cholinomimetic agents, effects of, on behaviour, respiratory rate and body temperature, given into the brain of fowls, 361
- α-chymotrypsin, effect of, on permeability increasing activity of perfusates from area of saphenous nerve after electrical stimulation of such in rats, 383
- Clonidine, effect of, on blood pressure and heart rate in conscious cats when infused i.c.v. into lateral cerebral ventricles, 325
- , microiontophoretically applied, mechanism of action of, on single neurones in the cerebral cortex and medullary reticular formation of anaesthetized rats, 347
- Coaxial stimulation, contractions evoked indirectly by, the effects of prostaglandin E_2 , indomethacin and guanethidine on, in normal and α -methyl-p-tyrosine pretreated preparations of guinea-pig isolated ileum, 565
- Cocaine, adrenergic neurone blockade antagonizes reduction of dye extravasation by, 45, 49
- ganglion blockade antagonizes reduction of dye extravasation by, 45, 49
- , effect of, on cumulative dose-response curve to noradrenaline, 453, 454
- , inhibition of catecholamine biosynthesis antagonizes reduction of dye extravasation by, 45
- Competitive antagonists, the simultaneous action of, in guinea-pig ileum, 287
- Corticosterone, tolerance to the effect of Δ^1 -tetrahydrocannabinol on the levels of, in mouse plasma produced by repeated administration of cannabis extract or Δ^1 -tetrahydrocannabinol, 391

- Coryneine, related to nicotine, effect of, on blood pressure of pithed rats, for neuromuscular activity on rat diaphragm and on isolated ileum, 585
- Crotalaburnine, inhibitory effect of, on rat paw oedema and cotton pellet granuloma, 503
- , possible role of, as an anti-oedema agent, 503
- , granuloma formation inhibited by, 503, 507
- , carrageenin-induced oedema inhibited by, in the rat, 503, 506
- Cyclic AMP, adrenoceptors for production of, in rat and heart isolated preparations, 253
- Cyclopropane ring, effect of, on ability of phenylalkylonium salts to stimulate or block receptors in ganglia, 585

D

- Debrisoquine, adrenergic neurone-blocking and noradrenaline-depleting actions of, 237
- Decamethonium, a comparison of the rate of onset of excitation and inhibition by, acting at frog endplate receptors, 132P
- Desipramine, β -adrenoceptor blocking agents antagonize inhibitory effect of, on dye extravasation in mouse peritoneum, 45, 47
- , inhibitory effect of, on the extravasation of dye in mouse peritoneum, 45, 47
- Dexamphetamine, effect of, on neurone blockade and noradrenaline depleting action of guanidine derivatives, 237
- Dextran, oedema induced by, in rats, 503, 506
- Diazepam, antagonism of the spinal action of, by semicarbazide, 101
- Diethylstilboestrol, binding of oestradiol in rat brain cytosol suppressed by, 138P
- Dihydrofolate reductase, binding of substrate analogues to, prepared from *L. casei*, studied by NMR spectroscopy, 126P
- 3,4-Dihydroxyphenethyltrimethylammonium, related to nicotine, effect of, on blood pressure of pithed rats and for neuromuscular blocking activity on rat diaphragm preparation, 585
- 5,6-Dihydroxytryptamine, effects of, on amphetamineinduced motor activity in rats, 599
- Diphenhydramine, effect of, on hypotensive action of urotensin I in rat, 315
- , effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 383
- L-DOPA, DOPA decarboxylase inhibitors reduce pressor response to, in the pithed rat, 473, 476
- , effect of, on pressor response to noradrenaline in the pithed rat, 473, 475
- , cardiovascular effects of, in the pithed rat, 473
- , α-methyldopa inhibits stimulating effect of, on pancreatic secretion, 225, 226
- DOPA decarboxylase inhibitors, effect of, on pressor response to L-DOPA in the pithed rat, 473, 476

DOPAC, comparison of formation of, with turnover of dopamine, in mouse striatum, 187

- Dopamine, metabolism of, altered in the striatal tissue of mice made aggressive by isolation, 115P
- , administered i.c.v., production of cardiovascular responses by, in conscious cats, 325
- , acidic metabolites of, estimated by gas-liquid chromatography in cerebrospinal fluid and brain tissues, 114P
- , metabolism of, affected by Δ^8 -tetrahydrocannabinol in the rat corpus striatum, 117P
- , presence of, in the mammalian spinal cord, 118P
- , modification by drugs of the secretagogue effect of, on the pancreas, 225
- , comparison of turnover of, with formation of DOPAC and HVA, 187
- , cloacal temperature reduced by, in pigeons, 497, 499
- , infusion of isolated organs with, 473, 476
- , effect of p-chlorophenylalanine on brain level of, and behaviour during ethanol withdrawal in mice, 307
- hypothermic effect of, prevented by phenoxybenzamine in pigeons, 497, 500
- , effect of, on actions of bretylium and guanethidine on catecholaminergic transmission in salivary duct nerves of the cockroach, 367
- , inhibition of synthesis of, effect of, on ethanol-induced withdrawal symptoms in mice, 109

DOPEG, low temperature increases concentration of, in mouse hypothalamus, 187, 191

- , tropolone increases concentration of, in mouse hypothalamus, 187
- , distribution of, in the mouse brain, 190
- , turnover of, compared to that of MOPEG in the mouse hypothalamus, 187

Drug metabolism, a method for studying, in the canine intestine, 154P

Ε

[14C]-edrophonium, pharmacokinetics of, in normal Wistar rats and homozygous Gunn rats with ligated renal pedicles, 61

Electrically-inexcitable cells, (neuroglia?), some observations on, in rat sympathetic ganglia, 131P

Enterohepatic circulation, effect of, on plasma levels of N-(2-hydroxy ethyl) 2-phenyl ethyl carbamate in the rat 55 56

Ether, anaesthesia, effect of, on pharmacokinetics of N-(2-hydroxy ethyl) 2-phenyl ethyl carbamate in the rat, 55, 56

 , anaesthesia with, effect of, on hypotensive action of urotensin I in rat, 315

Ergotamine, phentolamine blocks effects of, 441

- , pA₂ value of, compared to that of noradrenaline,
 441
- -, stimulatory action of, compared to that of noradrenaline, in isolated femoral vein of the dog, 441
- , investigations on the mode of action of, in the isolated femoral vein of the dog, 441

Ethanol, effect of e-methyl-p-tyrosine on withdrawal symptoms induced by, in mice, 109

 , withdrawal syndrome of, biogenic amines and head twitches in mice, 310 , withdrawal, effect of p-chlorophenylalanine on brain monoamines and behaviour during, in mice, 307

α-ethyl-3-hydroxy-4-methylphenylethylamine-, induced depletion of 5-hydroxytryptamine, effects of benzoctamine and chlordiazepoxide on, in rat brain, 571

F

Fenfluramine (-)- and (+)-isomers of, and their effect on glucose uptake by isolated rat hemidiaphragm, 120P Fluorimetric assay, use of, in estimating noradrenaline output from electrically stimulated rabbit vas deferens and portal vein, 374

Foetal calf serum, effect of, on frog skeletal muscle desensitized by carbachol, 259

Formalin, arthritis induced by, in rats, 503, 505

G

Ganglion blockade, dye extravasation reduction by α -adrenoceptor blocking agents antagonized by, in the mouse, 45, 49

Ganglionic receptors, affinities of blocking agents at, measured on rat isolated ileum with m-hydroxy-phenylpropyltrimethylammonium as agonist, 585

Gas-liquid chromatography, a method for estimation of the acidic metabolites of dopamine in cerebrospinal fluid and brain tissues, 114P

Glucose, uptake of, affected by (-)- and (+)-isomers of fenfluramine and norfenfluramine in isolated rat hemidiaphragm, 120P

 , dependence upon the presence of, for the angiotensin induced contractile response in guinea-pig ileum, 73

L-glutamate, excitatory effect of, on the crustacean neuromuscular junction, 136P

Glutamic acid, analogues of, effect of, on the glutamate receptors of *Helix* neurones, 134P

 , uptake and compartmentation of, in sensory ganglia, 136P

Glycine, effect of various antagonists on depression produced by, in rat brain stem, 133P

 , effect of, on single neurones in the rat substantia nigra, 137P

Gramine, effect of, on isolated salivary glands of Calliphora treated with LSD or 5-HT, 269

Guanethidine, effect of, in combination with hydralazine, on blood pressure and prostaglandin-induced depressor responses in spontaneously hypertensive rats, 559

- , the effect of, in contractions of guinea-pig isolated ileum in normal and α-methyl-p-tyrosine pretreated preparations, 565
- , effects of, and bretylium on catecholaminergic transmission in salivary duct nerves of the cockroach, 367
- , adrenergic neurone-blocking and noradrenalinedepleting actions of, 237

Guanidine, derivatives of, adrenergic neurone-blocking and noradrenaline-depleting actions of, 237

Gymnodinium breve toxin, effect of, on the smooth muscle preparation of guinea-pig ileum, 67

Н

- Haloperidol, antagonism of pilocarpine- and apomorphine-induced hypothermia in mice, 355
- , effect of, on lithium-induced water-drinking in rats, 107
- gnawing response to morphine and apomorphine blocked by, in rats, 197
- Harmaline, effect of, on isolated salivary glands of Calliphora treated with LSD or 5-HT, 269
- Hemicholinium-3, strain differences in the inhibition by, of the pressor response to intraventricular injection of neostigmine in rats, 301
- Hexadimethrine bromide, effect of, on perfusates from area of saphenous nerve after electrical stimulation of such in rats, 387
- Hexamethonium, effect of, on hypotensive action of urotensin I in rat, 315
- effect of, on cardiovascular changes produced by i.c.v. β-adrenoceptor agonists in conscious cats, 329
- , effect on contractile response elicited by Gymnodinium breve toxin in smooth muscle preparation of guinea-pig ileum, 67
- , ganglionic block by, 536
- the affinities of selected compounds for postganglionic receptors were measured on guinea-pig isolated ileum in the presence of, and with carbachol as agonist, 585
- , the effects of, tested on the blood-pressure of pithed rats and for neuromuscular blocking activity on the rat diaphragm preparation, 585
- Hexyltrimethylammonium, an agonist, action of, with benzilyltropine methiodide and pentyltriethyl ammonium as antagonists, in guinea-pig ileum, 287
- , effect of, on uptake of tritiated propylbenzylcholine mustard in mammalian cerebral cortex, 282
- Histamine, effect of, on hypotensive action of urotensin I in rat, 315
- , possible role played by, in pentagastrin-induced secretion in dogs, 217
- , effect of, on acetylcholine-evoked contractile responses of chronically denervated cat skeletal muscle, 122P
- , receptors in the cardiovascular system of the cat, 123P
- , effect of mepyramine and hyoscine on the contractions produced in chicken Remak nerve/ rectum preparation by the action of, 549
- HVA, comparison of formation of, with turnover of dopamine, in mouse striatum, 187
- Hyaluronidase, oedema induced by, in rats, 503, 506
- Hydralazine, effect of, in combination with guanethidine, on blood pressure and prostaglandin-induced depressor responses in spontaneously hypertensive rats, 559
- Hydrocortisone, granuloma formation inhibited by, 503, 507
- 6-Hydroxydopamine, effect of, on [3H]-adenine nucleotide and [3H]-noradrenaline release from the guinea-pig taenia caecum evoked by electrical field stimulation, nicotine and perivascular nerve stimulation, 577
- , endogenous brain content of noradrenaline in cats and rabbits pretreated with, 210

- , effects of, on body temperature and arterial blood pressure in cats and rabbits, 207, 209
- N-(2-hydroxy ethyl) 2-phenyl ethyl carbamate, ether anaesthesia and its effect on the plasma levels of, in the rat, 55, 56
- , bile duct ligation and its effect on the plasma levels of, in the rat, 55, 56
- , biliary excretion of, in the rat, 59
- , ampicillin reduces plasma levels of, in rats, 59
- , metabolism of, not affected by bile duct ligation in the rat. 58
- 5-Hydroxyindoleacetic acid, effect of p-chlorophenylalanine on brain levels of, 249
- Hydroxyl groups, effect of position of, in phenylalkylonium salts, on ability to stimulate or block receptors in ganglia, 585
- 3-Hydroxymethyl-N-methylpiperidine, affinity of, for postganglionic acetylcholine receptors of the guinea-pig ileum, 81
- 2-Hydroxymethylpyrrolidines, affinity of, for postganglionic acetylcholine receptors of the guinea-pig ileum, 81
- m-Hydroxyphenylpropyltrimethylammonium, related to nicotine, effect of, on blood pressure of pithed rats, for neuromuscular blocking activity on rat diaphragm preparation, and on isolated ileum, 585
- 5-Hydroxytryptamine, biosynthesis of, effect of drugs affecting, on head twitches in rats during ethanol withdrawal, 310
- , oedema induced by, in rats, 503, 506
- , two types of related compounds of, and their different effects on Retzius cell activity in the leech, 25
- , action of, on the activity of Retzius cells of the leech, 21
- , analogues of, and their action on the activity of Retzius cells of the leech, 21
- , structure-activity requirements for receptor of, in the leech Retzius cell, 21
- , structure-activity relations for the inhibition of uptake of, by tricyclic antidepressants into synaptosomes from serotoninergic neurones in rat brain homogenates, 399
- , a, receptor, nature of the binding between LSD and,:
 a possible explanation for hallucinogenic activity, 269
- , dose-response curve to, not affected by nephrectomy, 435
- facilitatory action of, in the superior cervical ganglion of the rabbit, 521
- , effect of p-chlorophenylalanine on brain level of, and behaviour during ethanol withdrawal in mice, 307
- , effect of p-chlorophenylalanine on brain levels of, 249
- , the effects of methysergide, tetrodotoxin, and a combination of propranolol and phentolamine on the responses produced in chicken Remak nerve/rectum preparation by, 549
- , comparison of the effects of mescaline, noradrenaline and, on single cortical neurones, 142P
- , effect of, on perfusates from area of saphenous nerve after electrical stimulation of such in rats, 387
- , microiontophoretically applied, effect of, on single neurones in the cerebral cortex and medullary reticular formation of anaesthetized rats, 347

- , microiontophoretically applied, effects of, on single brain stem neurones of rats during chronic morphine pretreatment and after its withdrawal, 104
- , effect of, on single neurones in the rat substantia nigra, 137P
- [14C]-5-hydroxytryptamine, effects of benzoctamine and chlordiazepoxide on turnover and uptake in rat brain on, 571
- 5-Hydroxytryptophan, effects of, on, amphetamineinduced motor activity in p-chlorophenylalaninetreated rats, 599
- Hyoscine, the effects of, on the action of adenosine triphosphate in the chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549
- , effect of contractions produced in chicken Remak nerve/rectum preparation by the action of histamine, 549
- , effect of, on action of carbachol, methacholine, acetylcholine, physostigmine and pilocarpine on behaviour, respiratory rate and body temperature when given into the brain of fowls, 361
- , effects of, on the action of nicotine given into the brain of fowls, 339
- Hypertension, production of, and the effects of some antihypertensive agents in the conscious unrestrained cat, 149P
- Hypertensive, spontaneously, rats, the effect of i.v. administered acetylcholine and isoprenaline on vasodepressor responses in, 559
- , spontaneously, rats, effect of, a combination of guanethidine plus hydralazine on blood pressure and prostaglandin-induced responses in, 559
- , spontaneously, rats, effect of prostaglandin E₂ on the arterial blood pressure in, 559

ı

- ICI 66082, effects of, of vascular responses to isoprenaline in the dog, 161, 164
- , isoprenaline actions antagonized by, in the rabbit papillary muscle and dog heart, 169, 172-4
- , actions of, on the rabbit papillary muscle and on the dog heart, 169
- , inotropic actions of, 169
- Imidazole acetic acid, effect of, on single neurones in the rat substantia nigra, 137P
- Imipramine, inhibitory effects of analogues of, on 5-HT uptake into homogenates of rat hypothalamus, 399, 400
- Indomethacin, the effect of, on the contractions produced by nerve stimulation in chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549
- , actions of, on effects of monoarticular arthritis in the rabbit, 35, 41
- , the effect of, on the contractions produced in the guinea-pig ileum either directly by acetycholine or indirectly by angiotensin and by coaxial stimulation, 565

- , the effect of, in contractions of guinea-pig isolated ileum in normal and α-methyl-p-tyrosine pretreated preparations, 565
- , effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 383

Indoramin, action of, on the uptake of neurotransmitters into rat cortical slices, 467

Isoprenaline, peripheral vascular responses to, 161, 165

- , actions of, antagonized by ICI 66082 in the rabbit papillary muscle and dog heart, 169, 172-4
- , effect of, on submaximal secretion induced by pentagastrin in dogs, 217, 220
- , hypothermic effect of, in pigeons, accentuated by propranolol, 497, 500
- administered i.c.v., production of pressor responses and tachycardias by, in conscious cats, 325
- -, cloacal temperature reduced by, in pigeons, 497, 499
- , effect of, on hypotensive action of urotensin I in rat, 315
- , blockade of peripheral responses to, by three β-adrenoceptor antagonists in the anaesthetized dog, 161
- , effect of, on pulmonary mechanical effects of experimental drug embolism in the guinea-pig, 599
- , hypothermic effect of, in pigeons, not affected by phenoxybenzamine, 497, 500

K

- Ketamine, the dissociative anaesthetic, effect of, on transmembrane potentials of Purkinje fibres of the pig heart, 130P
- Kinin, -like substances, as possible factors in increasing vascular permeability during electrical stimulation of the saphenous nerve in rats, 388

L

- Leptodactylene, related to nicotine, effect of, on blood pressure of pithed rats, for neuromuscular activity on rat diaphragm, and on isolated ileum, 585
- Lignocaine, effect of, on electrical and mechanical activity of sheep carotid arteries, 405
- , effect of, on blood pressure and heart rate increases induced by isoprenaline (i.c.v.) in conscious cats, 329
- , mechanical response to noradrenaline reduced by, in sheep carotid arteries, 405
- Lithium, effect of pharmacological blockade on water drinking induced by, in rats, 107
- (+)-Lysergic acid diethylamide, effect of, on perfusates from area of saphenous nerve after electrical stimulation of such in rats, 387
- (+)-Lysergic acid diethylamide, mimicking of 5-HT in ability to increase cyclic AMP in isolated salivary glands of Calliphora, 269
- , the nature of binding between, and a 5-HT receptor: a possible explanation for hallucinogenic activity, 269
- Lysosomal enzymes, role of, in rabbit monoarticular arthritis, 35, 42

М

- Manganese ions, acetylcholine output reduced by, in the superior cervical ganglion of the cat, 231, 233
- , synaptic transmission blocked by, in the superior cervical ganglion of the cat, 231
- , sensitivity of ganglion cells to injected acetylcholine reduced by, 231
- , effect of, on nictitating membrane contractions in the cat, 232
- Mecamylamine, ganglionic block by, 536
- , effect of, on hypotensive action of urotensin I in rat, 315
- Membrane ion potentials, voltage-clamp experiments on, operated by the muscarinic receptor of smooth muscle, in guinea-pig, 129P
- Mepyramine, effect on contractile response elicited by Gymnodinium breve toxin in the smooth muscle preparation of guinea-pig ileum, 67
- , the effect of, on the contractions produced by nerve stimulation in vagus nerve/oesophagus and Remak nerve/rectum preparations, in chicken, 549
- , antagonizing effect of, on the contractions produced in chicken Remak nerve/rectum preparation by the action of histamine, 549
- Mescaline, comparison of the effects of, noradrenaline, and 5-hydroxytryptamine on single cortical neurones, 142P
- Methacholine, effect of, on behaviour, respiratory rate and body temperature, given into the brain of fowls, 361
- Methadone, implantation of, into rat ventral thalamus, 197, 199
- Methergoline, an antagonist of 5-HT synthesis, effect of, on head twitches in rats during ethanol withdrawal, 310
- Methiazinic acid, effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 383
- N-methylbicuculline, evaluation of iontophoretic, and other inhibitory amino-acid antagonists in rat brain stem, 133P
- α-methyldopa, inhibits stimulating effect of L-DOPA on pancreatic secretion, 225, 226
- Methylfurmethide, effect of, on uptake of tritiated propylbenzylcholine mustard in mammalian cerebral cortex, 282
- œmethylnoradrenaline, effect of, on blood pressure and heart rate in conscious cats when infused i.c.v. into lateral cerebral ventricles, 325
- o-methyl-p-tyrosine, a catecholamine synthesis inhibitor, effect of, on ethanol-induced withdrawal symptoms in mice, 109
- , effect of, on head twitches in rats during ethanol withdrawal, 310
- N-methyltryptamine, action of, on Retzius cell membrane potential, in the leech, 24
- Methysergide, an antagonist of 5-HT synthesis, effect of, on head twitches in rats during ethanol withdrawal, 310
- , effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 383

- , the effect of, on the contractions produced by nerve stimulation in vagus nerve/oesophagus and Remak nerve/rectum preparations, in chicken, 549
- , the effect of, on responses produced by the action of 5-hydroxytryptamine in chicken Remak nerve/rectum preparation, 549
- Monoamine oxidase, activity of, and the effect of thyroid hormones on, in the rat, 113P
- , half-life of cardiac, in the rat related to age, 113P
 - -, (-)-thyroxine treatment and its effect on activity of cardiac, in the rat, 113P
- Monoarticular arthritis, temperature increase caused by, in the rabbit, 35, 40
- -, histopathological changes resulting from, in the rabbit, 35, 40
- , free acid phosphatase activity increased by, in rabbit synovial fluid, 35, 39
- total leucocyte counts increased by, in rabbit synovial fluid, 35, 39
- , E-type prostaglandins increased by, in the rabbit, 35, 38
- , actions of indomethacin on effects of, in the rabbit,
 35.41
- , joint swelling caused by, in rabbits, 35, 38
 - in different rabbit strains, 35, 37
- MOPEG, low temperature increases concentration of, in mouse hypothalamus, 187, 191
- , turnover of, compared to that of DOPEG in the mouse hypothalamus, 187
- -, distribution of, in the mouse brain, 190
- Morphine, gnawing responses evoked by implantation of, into rat corpus striatum, 197, 198
- , mechanism of gnawing effect of, 197, 200
- microiontophoretically applied, effects of, and transmitter substances in rats during chronic treatment and after withdrawal from morphine, 104
- systemic, suppresses the gnawing response to thalamic implants of morphine and apomorphine in rats, 197
- , implantation of, into rat ventral thalamus, 197, 199
 Multiple choice examinations, computor analysis of, 154P
 Muscarine, comparison of effects of, with cholinomimetic agents given into the brain of fowls, 361
- , effect of, in brain of fowls, compared with the effect of nicotine, 344
- Muscarinic agonist, McN-A-343, effects of, unmodified by atropine in guinea-pig atria, 29
- McN-A-343, prolonging effect of, on positive inotropic response of guinea-pig atria, 29
- , McN-A-343, enhancing effect of, on stimulationinduced efflux of radioactivity from guinea-pig atria pre-incubated with (-)-[3H]-noradrenaline, 29
- McN-A-343, action of atropine on effect of, on contractions of segments of rabbit ear artery, induced by low and high frequency stimulation, 29
- , McN-A-343, action of atropine on effect of, on stimulation-induced efflux of radioactivity from segments of rabbit ear artery, 29
- McN-A-343, inhibitory effect of, on contractile response of segments of rabbit ear artery, 29
- McN-A-343, inhibitory effect of, on stimulationinduced efflux of radioactivity from segments of rabbit ear artery pre-incubated with (-)-[³H]noradrenaline, 29

- , McN-A-343, effects of, on the release by sympathetic nerve stimulation of [³H]-noradrenaline from rabbit isolated ear arteries and guinea-pig atria, 29
- Muscarinic receptors, properties of, in mammalian cerebral cortex, 279
- voltage-clamp experiments on the potentialdependent behaviour of membrane ion channels operated by, of smooth muscle, 129P

N

- Nalorphine, systemic, suppresses gnawing response to thalamic implants of morphine and apomorphine in rats. 197
- Narcotic analgesic drugs, assessment of the agonist and antagonist activities of, by means of the mouse vas deferens, 139P
- Neostigmine, intraventricular injection of, strain differences in the inhibition of the pressor response to, in rats. 301
- Nerve growth factor (NGF), response of tyrosine hydroxylase activity to, 512
- Neurotransmitters, action of indoramin and other compounds on the uptake of, into rat cortical slices, 467
- Nicotine, ganglion-stimulating agent, effect of 6-hydroxy-dopamine on [3H]-adenine nucleotide and [3H]-noradrenaline release from the guinea-pig taenia caecum evoked by, 577
- , effect of, on hypotensive action of urotensin I in rat,
 315
- , effects of, given into the brain of fowls, 335
- , comparison of effects of, with cholinomimetic agents given into the brain of fowls, 361
- , the effect of phenylalkylonium salts related to, on ganglia receptors in guinea-pig isolated ileum preparations, 585
- receptors in ganglia sensitive to, the specificity of some agonists and antagonists for, 585
- Nicotinic blocking agents, effect of preganglionic nerve stimulation on sensitivity of the superior cervical ganglion to, 533
- Nociceptive stimuli, cortical potentials evoked by, in the rat, 491, 493
- Noradrenaline, vascular permeability estimation procedure increases excretion of, in the mouse, 45, 50
- stimulatory action of, compared to that of ergotamine, in the isolated femoral vein of the dog, 441
- , sensitization of responses to, by inhibitors of extraneuronal uptake in a coronary artery preparation, 453
- , role of ganglionic content of, in long-term regulation of hydroxylase activity in cultured sympathetic ganglia, 509
- , pressor response to, reduced by L-DOPA in the pithed rat, 473, 475
- , pA₂ value of, compared to that of ergotamine, 441

- , mechanical response of sheep carotid arteries to, reduced by lignocaine and procaine, 405, 410
- increasing calcium concentration inhibits positive chronotropic effect of, 481, 487
- , hypothermic effect of, prevented by phenoxybenzamine in pigeons, 497, 500
- , endogenous brain content of, in cats and rabbits pretreated with 6-hydroxydopamine, 210
- , electrical activity induced by, in sheep carotid arteries, increased by procaine, 405, 410
- , effect of Δ¹-tetrahydrocannabinol on the uptake of tritiated, by the isolated rat heart, 465
- , effects of, on body temperature and arterial blood pressure of cats and rabbits, 207, 209
- , effect of culture on content of, in ganglia, 511
- , effect of cocaine and 17β-oestradiol on cumulative dose-response curve to, 453, 454
- , cloacal temperature reduced by, in pigeons, 497, 499
- , α-adrenoceptor blocking agents increase excretion of, in the mouse, 45, 50
- perfusion of isolated organs with, 473, 476
- , adrenoceptors for inotropic responses to, characteristics of, in rat and frog isolated heart preparations, 253
- , comparison of the effects of mescaline, -, and 5-hydroxytryptamine on single cortical neurones, 142P
- , -depleting and adrenergic neurone-blocking actions of some guanidine derivatives, 237
- effect of, on hypotensive action of urotensin I in rat, 315
- , effect of, on blood pressure and heart rate in conscious cats when infused i.c.v. into lateral cerebral ventricles, 325
- , effect of, on single neurones in the rat substantia nigra, 137P
- , effect of, on head twitches in rats during ethanol withdrawal, 310
- , effect of p-chlorophenylalanine on brain level of, and behaviour during ethanol withdrawal in mice, 307
- inhibition of synthesis of, effect of, on ethanol-induced withdrawal symptoms in mice, 109
- , inotropic effect of, and effect on cyclic AMP production, in rat and frog isolated heart preparations, 253
- , microiontophoretically applied, effect of, on single neurones in the cerebral cortex and medullary reticular formation of anaesthetized rats, 347
- , microiontophoretically applied, effects of, on single brain stem neurones of rats during chronic morphine pretreatment and after its withdrawal, 104
- , output of labelled, variation in, with changes in stimulus frequency and train length: role of different noradrenaline pools in rabbit vas deferens and portal vein, 373
- [14C]-noradrenaline, efflux of, at different train lengths and stimulus frequencies in rabbit vas deferens and portal vein, 377
- (-)-[³H]-noradrenaline, labelling of endogenous stores of noradrenaline with, in rabbit vas deferens and portal vein, 373
- [3H]-noradrenaline, efflux of, at different train lengths and stimulus frequencies in rabbit vas deferens and portal vein, 377

 release of, effect of 6-hydroxydopamine on, from the guinea-pig taenia caecum evoked by electrical field stimulation, nicotine and perivascular nerve stimulation, 577

Norfenfluramine, (-)- and (+)-isomers of, and their effect on glucose uptake by isolated rat hemidiaphragm, 120P

Normorphine, effect of, on the response of mouse vas deferens to electrical stimulation, 139P

Normotensive, rats, the effect of i.v. administered acetylcholine and isoprenaline on vasodepressor responses in, 559

 rats, the effect of prostaglandin E₂ on the arterial blood pressure in, 559

0

Oestradiol, binding in neonatal rat brain cytosol, 138P 17-β-Oestradiol, effect of, on cumulative dose-response curve to noradrenaline, 453, 454

Oestrus cycle, influence of, on the spasmodic action of angiotensin II and oxytocin on rat uterus, 121P

Ouabain, cardiac action of, 481

- , positive chronotropic effect of, reduced by β-adrenoceptor blockade, 481, 486
- , cardiac action of, dependent on calcium concentration, 481, 487
- increases tyrosine hydroxylase activity in cultured ganglia, 515
- , evidence for participation of catecholamines in cardiac action of, 481

Oxprenolol, actions of, on dog heart, 175

Oxyfedrine, effect of prolonged treatment with, on metabolism, 7

- , prolonged effect of, on body and heart weights, 6
- , haemonynamic effects of prolonged administration of, 5
- , effect on pressor response to noradrenaline, 5
- , effect on isoprenaline dose-response curves, 5
- , comparison of, with propranolol, 5
- , effect on cardiac output, 5

Oxytocin, influence of prostaglandins and oestrus cycle on the spasmodic action of, on rat uterus, 121P

Ρ

Papaverine, effect of, on pulmonary mechanical effects of experimental drug embolism in the guinea-pig, 599

Pempidine, effect of, on cardiovascular changes produced by i.c.v. β-adrenoceptor agonists in conscious cats, 329

- , effect of, on reactions to nicotine given into brain of fowls by, 335, 338
- , effect of, on action of benzoylcholine, methacholine, acetylcholine and physostigmine on behaviour, respiratory rate and body temperature when given into the brain of fowls, 361

 - , ganglion-blocking, postganglionic blocking and neuromuscular blocking activity of, compared to phenylbutyldiethylamine, in isolated ileum, and in rat diaphragm, 585

Pentagastrin, practolol has no effect on submaximal secretion in response to in dogs, 217, 220

- , phentolamine and isoprenaline decrease submaximal secretion in response to in dogs, 217, 220
- -- , submaximal secretion in response to, enhanced by propranolol and phenylephrine in dogs, 217, 218

Pentobarbitone, anaesthesia with, effect of, on hypotensive action of urotensin I in rat, 315

Pentyltriethyl ammonium, an antagonist, action of, with hexyltrimethyl ammonium as agonist and benzyltropine methiodide as antagonist, in guinea-pig ileum, 287

Pethidine, systemic, suppresses the gnawing response to thalamic implants of morphine and apomorphine in rats, 197

Phase-shift, effect of, on the passive avoidance response in rats and the modifying action of chlordiazepoxide, 447

Phenoxybenzamine, effect of, on hypotensive action of urotensin I in rat, 315

- , effect of, on labelled noradrenaline output from electrically stimulated rabbit vas deferens and portal vein, 376
- , potentiation of accumulation of cyclic AMP in rat and frog isolated heart preparations, 253
- , potentiation of inotropic response by adrenoceptors to adrenaline and noradrenaline production in rat and frog isolated heart preparations, 253
- , cloacal temperature increased by, in pigeons, 497, 499
- , hypothermic effect of noradrenaline, adrenaline and dopamine prevented by, in pigeons, 497, 500
- , isoprenaline-induced hypothermia in pigeons not affected by, 497, 500

Phentolamine, effect of, on pentagastrin-induced submaximal secretion in dogs, 217, 220

- , the effect of, in combination with propranolol on the responses produced by 5-hydroxytryptamine in chicken Remak nerve/rectum preparation, 549
- , effects of ergotamine blocked by, 441
- , administered i.c.v., effect of, on blood pressure and heart rate in conscious cats, 325, 329

Phenylalkylonium salts, related to nicotine, the effect of, on receptors in ganglia in guinea-pig isolated ileum preparations, 585

Phenylbutazone, carrageenin-induced oedema of rat paw inhibited by, 503, 506

granuloma formation inhibited by, 503, 507

Phenylbutyldiethylamine, triethylammonium analogue of, ganglionic-blocking activity of, in guinea-pig ileum and neuromuscular blocking activity in rat diaphragm, 585

 - , ganglion-blocking, postganglionic-blocking and neuromuscular blocking activities in guinea-pig isolated ileum and rat diaphragm preparations, 585

Phenylephrine, effect of, on pentagastrin-induced submaximal secretion in dogs, 217, 218

Phenylethylamine, effect of derivatives of, on pancreatic secretion, 225, 226

Physostigmine, potentiation of effects of nicotine in brain of fowls, 337

- , effect of, on rate of ganglionic block with chlorisondamine, 536
- Picrotoxin, evaluation of iontophoretic, as antagonist of inhibitory amino-acids in rat brain stem, 133P
- , effect of, on GABA and glycine inhibition of single neurones in rat substantia nigra, 137P
- Pilocarpine, effect of, on uptake of tritiated propylbenzylcholine mustard in mammalian cerebral cortex. 282
- , hypothermia induced by, in mice: drug interactions and changes in drug sensitivity after caudate nucleus lesions, 355
- , effect of, on behaviour, respiratory rate and body temperature, given into the brain of fowls, 361
- Pimozide, gnawing response to morphine and apomorphine blocked by, in rats, 197
- Pipenzolate bromide, influence of, on frog skeletal muscle desensitized by carbachol, 259
- Piperidin-3-ols, affinity of, for postganglionic acetylcholine receptors of the guinea-pig ileum, 81
- Piperidin-4-ols, affinity of, for post-ganglionic acetylcholine receptors of the guinea-pig ileum, 81
- Polaramine, effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 387
- Polyphloretin phosphate, the effect of, on the actions of prostaglandin E₂ and nerve stimulation in chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549
- Postganglionic receptors, affinities of certain phenylalkylonium salts for, measured on rat isolated ileum in presence of hexamethonium and with carbachol as agonist, 585
- Potassium, raised extracellular, increases activity of tyrosine hydroxylase in cultured ganglia, 513
- Practolol, effects of, on vascular responses to isoprenaline in the dog, 161, 163
- , pentagastrin-induced submaximal secretion unaffected by, in dogs, 217, 220
- -, actions of, on dog heart, 175
- , effects of, on experimental ventricular tachyarrhythmias, 179, 182, 183
- Pralidoxime methane sulphonate, lethal plasma concentrations of, given parenterally, in rabbits, 119P
- Procaine, effect of, on electrical and mechanical activity of sheep carotid arteries, 405
- , mechanical response to noradrenaline reduced by, in sheep carotid arteries, 405, 410
- , electrical activity induced by noradrenaline increased by, in sheep carotid arteries, 405, 410
- Procaine hydrochloride, action of, on the spontaneous discharge rate of the preganglionic superior cervical sympathetic nerve of the rabbit, 145P
- Promethazine, effect of, on increased vascular permeability during electrical stimulation of the saphenous nerve in rats, 387
- Propranolol, regional brain concentration of, and its hypotensive effect in the conscious rabbit, 148P
- , comparison of some haemodynamic changes between central and intravenous administration of, in anaesthetized dogs, 146P
- , effect of, on lithium-induced water drinking in rats, 107

- , inhibition of cyclic AMP production in rat and frog isolated heart preparations, 253
- , inhibition of inotropic response to adrenaline and noradrenaline by adrenoceptors in rat and frog isolated heart preparations, 253
- , effect of, on hypotensive action of urotensin I in rat,
 315
- -, effects of, on vascular responses to isoprenaline in the dog, 161, 164, 166
- , effect of, on pentagastrin-induced submaximal secretion in dogs, 217, 218
- , effects of, on gastric secretion in albino rats, 213
- , effects of, on experimental ventricular tachyarrhythmias, 179, 181-3
- , the effect of, in combination with phentolamine on the responses produced by the action of 5-hydroxytryptamine in chicken Remak nerve/rectum preparation, 549
- positive chronotropic effect of ouabain reduced by, 481, 486
- -, cloacal temperature reduced by, in pigeons, 497,
- , isoprenaline-induced hypothermia in pigeons accentuated by, 497, 500
- -, comparison of, with oxyfedrine, 5
- , effect on isoprenaline dose-response curves, 5
- , effect on haemodynamic response to oxyfedrine after pretreatment with, 5
- , effect on cardiac output, 5
- prolonged effect of, on body and heart weights, 6
- -, effects of prolonged oral treatment with, 8
- (+)- and (-)-Propranolol, effects of, on blood pressure and heart rate responses to i.c.v. isoprenaline, salbutamol, or dopamine in conscious cats, 328, 329
- (±)-Propranolol, effect of, on blood pressure and heart rate responses to adrenaline in conscious cats, 329
- [3H]-propylbenzylcholine mustard, reaction of, with homogenates of mammalian brain, 279
- Prostaglandin, as a possible factor in increasing vascular permeability during electrical stimulation of the saphenous nerve in rats, 388
- , oedema induced by, in rats, 503, 506
- Prostaglandins, role of, in rabbit monoarticular arthritis, 35, 42
- , influence of, on the spasmodic action of angiotensin II and oxytocin on rat uterus, 121P
- Prostaglandin C, cardiovascular actions of, in the cat and dog, 157
- Prostaglandin E, cardiovascular actions of, in the cat and dog, 157
- Prostaglandin E₂, effect of, on the arterial blood pressure of normotensive and spontaneously hypertensive rats, 559
- , the actions of, in chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549
- , the effect of, on the contractions of the guinea-pig ileum evoked directly by acetylcholine and indirectly by angiotensin and by coaxial stimulation, in normal and -methyl-p-tyrosine pretreated preparations, 565
- Pseudotropine, affinity of, for postganglionic acetylcholine receptors of the guinea-pig ileum, 81
- Purkinje fibres, effect of the dissociative anaesthetic, ketamine, on transmembrane potentials of, in the pig heart, 130P

Putative transmitters, actions of, in the chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549

Pyridoxine hydrochloride, affect of, on the antagonism of the spinal action of diazepam by semicarbazide, 101 [14C]-pyruvate, uptake and compartmentation of, in sensory ganglia, 136P

Q

Quaternary dopamine, related to nicotine, effect of, on blood pressure of pithed rats, for neuromuscular activity on rat diaphragm, and on isolated ileum, 585 Quinuclidin-3-ol, affinity of, for postganglionic acetylcholine receptors of the guinea-pig ileum, 81

R

Renin, modification of responses to sympathetic nerve stimulation by, in rats, 541

 , blood pressure in the pithed rat primarily maintained by, 541

Reserpine, analysis of sensitization induced by 430

- , pretreatment with, and its effect on the concentration of hypothalamic MOPEG and DOPEG in the mouse, 187,191
- , acutely denervated heart in dogs treated with, 174 **Retzius cells**, action of 5-hydroxytryptamine and relate

Retzius cells, action of 5-hydroxytryptamine and related compounds on the activity of, in the leech, 21

S

Salbutamol, administered i.c.v., production of pressor responses and tachycardias by, in conscious cats, 325

 , effect of, on pulmonary mechanical effects of experimental drug embolism in guinea-pig, 599

Saphenous nerve, stimulation of, releases a factor which depresses evoked cortical potentials, 491, 494

 stimulation of, diminishes cortical potentials evoked by stimulation of dental pulp in the rat, 491, 493

Scopolamine, antagonism of pilocarpine and apomorphine-induced hypothermia in mice, 355

Semicarbazide, antagonism of the apinal action of diazepam by, 101

SKF-525A, congeners, influence of, strophanthidin and tissue-culture media on desensitization by carbachol in frog skeletal muscle, 259

Skin grafts, rabbit, a method for measuring changes in blood flow during healing and rejection of, 153P

Sodium, transepithelial transport of, effect of aldosterone on, in frog skin, 128P

Sotalol, effect of, on blood pressure and heart rate increases induced by isoprenaline (i.c.v.) in conscious cats. 329

Soya bean trypsin inhibitor, effect of, on perfusates from area of saphenous nerve after electrical stimulation of such in rats. 387

Stereotypies, amphetamine-induced, effect of depletion of brain 5-hydroxytryptamine on, 599

Stimulus frequency, effect of, and train length on variation in labelled noradrenaline output: role of different noradrenaline pools, 373

Strophanthidin, influence of, on desensitization by carbachol in frog skeletal muscle, 259

Strychnine, effect of, on GABA and glycine inhibition of single neurones in the rat substantia nigra, 137P

 - , evaluation of iontophoretic, as antagonist of inhibitory amino-acids in rat brain stem, 133P

Substance P, as a possible factor in increasing vascular permeability during electrical stimulation of the saphenous nerve in rats, 388

Sulphonamide-carbonic anhydrase systems, structureactivity relationships in, 126P

Strychnine, the effects of, on the action of adenosine triphosphate in the chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549

T

Testosterone, effect of, on copulatory behaviour in male castrated rats after *p*-clorophenylalanine, 249

Tetraethylammonium, (TEA), effect of, on the anococcygeus muscle and on its response to motor and to inhibitory nerve stimulation, 141P

 Δ^1 -Tetrahydrocannabinol, tolerance to the effect of, on corticosterone levels in mouse plasma produced by repeated administration of cannabis extract or Δ^1 -tetrahydrocannabinol, 391

 , effect of, on the uptake of [³H]-(-)-noradrenaline by the isolated rat heart, 465

 , effect of, on monoamines in the rat corpus striatum, 117P

-, effect of, on dopamine metabolism in the rat corpus striatum: the influence of environment, 117P

2,2,6,6,-Tetramethyl-N-methylpiperidin-4-ol, affinity of, for postganglionic acetylcholine receptors of the guinea-pig ileum, 81

Tetrodotoxin, effect on responses elicited by Gymnodinium breve toxin in the smooth muscle preparation of guinea-pig ileum, 67

Tetrodoxin, the effect of, on contractions produced by electrical stimulation in guinea-pig taenia coli preparation, 565

- , the effects of, on the actions of prostaglandin E₂ and adenosine triphosphate in the chicken vagus nerve/oesophagus and Remak nerve/rectum preparations, 549
- , the effect of, on the responses produced by the action of 5-hydroxytryptamine in chicken Remak nerve/rectum preparation, 549
- , binding of, to innervated and denervated rat diaphragm homogenates, 125P

Thiobarbitone, anaesthesia with, effect of, on hypotensive action of urotensin I in rat, 315

Thyroid hormones, monoamine oxidase activity affected by, in the rat, 113P

Tiprenolol, effects of, on experimental ventricular tachyarrhythmias, 179, 181-3

Tissue-culture media, effect of constituents of, on frog skeletal muscle desensitized by carbachol, 259

Tolamolol, effects on haemodynamics in man, 15

- , effects on myocardial function in man, 15
- depressant effect on myocardial contractility by, 18
- -, as a β -adrenoceptor blocking compound, 15, 18
- , negative chronotropic action of, 15, 18

Train length, effect of, and stimulus frequency on variation in labelled noradrenaline output: role of different noradrenaline pools, 373

Tricyclic antidepressants, structure-activity relations for the inhibition of 5-hydroxytryptamine uptake by, into synaptosomes from sertotoninergic neurones in rat brain homogenates, 399

 , action of, on the uptake of neurotransmitters into rat cortical slices, 467

Trihydroxyindole method, use of, in estimating noradrenaline output from electrically stimulated rabbit vas deferens and portal vein, 374

Tropine, affinity of, for the postganglionic acetylcholine receptors of the guinea-pig ileum, 81

Tropolone, increases DOPEG concentration in mouse hypothalamus, 187

Trypsin, effect of, on permeability increasing activity of perfusates from area of saphenous nerve after electrical stimulation of such in rats, 383

Tryptamine, inhibition of LSD by, in isolated salivary glands of *Calliphora*, 269

- , -like substances, potency of compared to 5-hydroxytryptamine on leech Retzius cell preparation 23
- , analogues, effect of 5-hydroxytryptamine pretreatment on responses to, in leech Retzius cells, 24
- , 5-methoxylation of, effect on action of, on activity of Retzius cells of the leech, 21
- , N-methylation of, effect on action of, on activity of Retzius cells of the leech, 21
- , 5-hydroxylated analogues of, effect of, on activity of Retzius cells of the leech, 24
- , receptors to, in rat pulmonary artery, 459

Tryptophan hydroxylase, effect of p-chlorophenylalanine on, in mouse brain, 307

[14C]-tyrosine, labelling of endogenous stores of noradrenaline with, in rabbit vas deferens and portal vein, 373 Tubocurarine, inhibition by, of α -bungarotoxin binding to denervated rat muscle, 124P

Tyrosine activity, raised extracellular potassium increases activity of, in cultured ganglia, 513

Tyrosine hydroxylase, long-term regulation of activity of, in cultured sympathetic ganglia: role of ganglionic noradrenaline content, 509

- , effect of culture on, in ganglia, 511
- -, effect of nerve growth factor on activity of, 512
- , activity raised by drugs which stimulate acetylcholine receptors, 513
- , ouabain increases activity of, in cultured ganglia, 515

U

Urotensin I, extracts of teleost fish urophyses, hypotensive action of, in the rat, 315, 320, 321

ν

Vascular permeability, factor increasing, formation of a, during electrical stimulation of the saphenous nerve in rats, 383

Vasodepressor, responses, produced by prostaglandin E₂, acetylcholine and isoprenaline when administered i.v. separately in normotensive and spontaneously hypertensive rats, 559

Vasopressin, effect of, on pressor responses in the nephrectomized pithed rat, 545

Vitamins, effect of, on frog skeletal muscle desensitized by carbachol, 259

British Journal of Pharmacology

VOLUME 51 NUMBER 4 AUGUST 1974

page

Systematic Pharmacology

- 473 EDEN, E. & NASMYTH, P.A. The cardiovascular effects of L-dopa in the pithed rat.
 - 481 SEIFEN, E. Evidence for participation of catecholamines in cardiac action of ouabain: positive chronotropic effect.
 - 491 GARCIA LEME, J. & LICO, MARIA. Cortical potentials evoked by nociceptive stimuli: their depression by a factor released during saphenous nerve stimulation in the rat.
 - 497 CHAWLA, NARESH, JOHRI, M.B.L., SAXENA, P.N. & SINGHAL, K.C. Effects of catecholamines on thermoregulation in pigeons.
 - 503 GHOSH, M.N. & SINGH, H. Inhibitory effect of a pyrrolizidine alkaloid, crotalaburnine, on rat paw oedema and cotton pellet granuloma.

Autopharmacology

- MACKAY, A.V.P. The long-term regulation of tyrosine hydroxylase activity in cultured sympathetic ganglia: role of ganglionic noradrenaline content.
 - 521 WALLIS, D.I. & WOODWARD, B. The facilitatory actions of 5-hydroxytryptamine and bradykinin in the superior cervical ganglion of the rabbit.
 - 533 ALKADHI, K.A. & McISAAC, R.J. Effect of preganglionic nerve stimulation on sensitivity of the superior cervical ganglion to nicotinic blocking agents.
 - 541 JOHNSON, E.M., JR, MARSHALL, G.R. & NEEDLEMAN, P. Modification of responses to sympathetic nerve stimulation by the renin-angiotensin system in rats.
 - 549 BARTLET, A.L. Actions of putative transmitters in the chicken vagus nerve/oesophagus and remak nerve/rectum preparations.
 - 559 SIMPSON, L.L. The effect of prostaglandin E₂ on the arterial blood pressure of normotensive and spontaneously hypertensive rats.
 - 565 KADLEC, O., MAŠEK, K. & ŠEFERNA, I. A modulating role of prostaglandins in contractions of the guinea-pig ileum.

Pharmacokinetics

- 571 LIPPMANN, W. & PUGSLEY, T.A. Effects of benzoctamine and chlordiazepoxide on turnover and uptake of 5-hydroxytryptamine in the brain.
- 577 KUCHII, M., MIYAHARA, J.T. & SHIBATA, S. Effect of 6-hydroxydopamine on [³H]-adenine nucleotide and [³H]-noradrenaline release from the guinea-pig taenia caecum evoked by electrical field stimulation, nicotine and perivascular nerve stimulation.

Drug Mechanisms

585 BARLOW, R.B., BOWMAN, FRANCES, ISON, R.R. & McQUEEN, D.S. The specificity of some agonists and antagonists for nicotine-sensitive receptors in ganglia.

SHORT COMMUNICATION

599 DALY, M.J. Pulmonary mechanical effects of experimental lung embolism and their modification by bronchodilator drugs in the guinea-pig.