Edited for the British Pharmacological Society by

A.W. Cuthbert (Chairman) H.M. Adam (Secretary)

Margaret Day (Press Editor)

J.D. Stephenson (Assistant Press Editor)

A.M. Barrett J.S. Kelly W.G. Bisset G.M. Lees G.P. Lewis T.B. Bolton P.B. Bradlev I.H.M. Main E.K. Matthews D.A. Brown B.A. Callingham J.F. Mitchell T.J. Crow P.A. Nasmyth F. de Matteis M.W. Parkes C.T. Dollery M. Sandler V. Eisen A.P. Silverman E.W. Gill M.A. Simmonds D.F. Hawkins F.M. Sullivan A. Ungar Margarethe Holzbauer R.A. Webster D.B. Hope

·

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the instructions inside the back cover.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Annual subscription £36.00 (\$90 USA and Canada). (Orders must be accompanied by remittance. Prices applicable only to orders received before 31st December 1975.)

Cheques should be made payable to Macmillan Journals Limited: Subscription Department, Brunel Road, Basingstoke, Hampshire RG21 2XS, England.

Enquiries concerning advertising space and rates should be addressed to: Advertisement Department, Macmillan Journals Limited, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1975 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Second class postage paid at New York, N.Y.
US Mailing Agent, Air and Sea Freight Inc., 527 Madison Avenue, New York, NY 10022.

INDEX TO VOLUME 54

AUTHOR INDEX

Δ

- ACARA, MARGARET, DOWALSKI, MARGARET, RENNICK, BARBARA & HEMSWORTH, B. Renal tubular excretion of triethylcholine (TEC) in the chicken: enhancement and inhibition of renal excretion of choline and acetylcholine by TEC, 41
- ADAMS, H.R. Cardiovascular depressant effects of neomycin and gentamycin in rhesus monkeys, 453
- ADLARD, B.P.F., DOBBING, J. & SANDS, JEAN. A comparison of the effects of cytosine arabinoside and adenine arabinoside on some aspects of brain growth and development in the rat, 33
- AHERNE, G.W., MARKS, V., MORRIS, B.A., PIALL, EVELYN, M., ROBINSON, J.D. & TWYCROSS, R.G. Measurement of serum morphine levels by radio-immunoassay following oral administration of diamorphine or morphine, 228P
- AITKEN, MAUREEN M. & SANFORD, J. Effects of prostaglandins in calves, 266P.
- ALLEN, G.S., GLOVER, A.B., McCULLOCH, M.W., RAND, M.J. & STORY, D.F. Modulation by acetylcholine of adrenergic transmission in the rabbit ear artery, 49
- ALTIER, H., MOLDES, M. & MONTI, J.M. The actions of dihydroxyphenylalanine and dihydroxyphenylserine on the sleep-wakefulness cycle of the rat after peripheral decarboxylase inhibition, 101
- AMBACHE, N., KILLICK, S.W. & ZAR, M. ABOO. Extraction from ox retractor penis of an inhibitory substance which mimics its atropine-resistant neurogenic relaxation, 409
- ANGLES D'AURIAC, G. & WORCEL, M. Variations in cGMP and cAMP levels in rat uterine smooth muscle induced by carbachol, PGF₂ and changes in ionic composition, 236P
- APPERLEY, G.H. & LEVY, G.P. Characterization of the β -adrenoceptors of guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P
- ARCHER, L.T., BLACK, M.R. & HINSHAW, L.B. Myocardial failure with altered response to adrenaline in endotoxin shock, 145
- ARTUNKAL, A., MARLEY, E. & STEPHENSON, J.D. Dissociation of bacterial pyrexia from prostaglandin E activity, 250P

В

BADAWY, A.A.B., BAILEY-WOOD, R., EVANS, M. & JACOBS, A. (introduced by GRAHAM, J.D.P.). Rat liver tryptophan pyrrolase activity in iron deficiency anaemia, 227P.

- BADCOCK, JEMIMA K., FORD-HITCHINSON, A.W., SMITH, M.J.H. & WALKJ R, J.R. Site of action of an anti-inflammatory fraction from normal human plasma, 220P
- BAILEY-WOOD, R. see BADAWY, A.A.B., 227P
- BAKER, S.P. & HEMSWORTH, B.A. Some studies on the purification of monoamine oxidase by affinity chromatography, 274P
- BALASHOV, N., EARL, JANET & LARGJ, W.A. Some characteristics of pre- and post-synaptic inhibitory receptors at hermit crab neuromuscular junction, 383
- BARASI, S. & ROBERTS, MH.T. Effects of cinanserin and phentolamine applied by microiontophoresis in spinal cord, 237P
- BARBER, H.E., CALVEY, T.N., MUIR, K.T. & TAYLOR, K. The relation between the plasma concentration of edrophonium, inhibition of erythrocyte acetylcholinesterase, and the facilitation of neuromuscular function in the rat, 263P
- BEARD, NICOL A., ROUSE, W. & SOMERVILLE, A.R. Cardiotonic steroids: correlation of sodium-potassium adenosine triphosphate inhibition and ion transport in vitro with inotropic activity and toxicity in dogs, 65
- BEDWANI, J.R. & MILLAR, J.R. Prostaglandin release from cat and dog spleen, 499
- BELLEMANN, P. & SCHOLZ, H. Dissociation of theophylline uptake and inotropic effect in myocardial tissue: influence of temperature, pH and calcium, 75
- BENNETT, A., ELEY, K.G. & STOCKLEY, HELEN L. The effects of prostaglandins on guinea-pig isolated intestine and their possible contribution to muscle activity and tone, 197
- BEVAN, P. The uptake of mescaline by rat brain synaptosomes, 257P
- BEVAN, P., BRADSHAW, C. M. & SZABADI, E. Effects of desipramine on neuronal responses to dopamine, noradrenaline, 5-hydroxytryptamine and acetylcholine in the caudate nucleus of the rat, 285
- BHATTACHERJEE, P. Release of prostaglandin-like substances by Shigella endotoxin and its inhibition by non-steroidal anti-inflammatory compounds, 489
- BISSET, G.W., FELDBERG, W., GUERTZENSTEIN, P.G. & SILVA, ROCHA E. Vasopressin release by nicotine: site of action, 463
- BLACK, J.W., OWEN, D.A.A. & PARSONS, M.E. An analysis of the depressor responses to histamine in the cat and dog: involvement of both H_1 and H_2 -receptors, 319
- BLACK, M.R. see ARCHER, L.T., 145
- BLACKMAN, J.G., GAULDIE, R.W. & MILNE, R.J. Interaction of competitive antagonists: the anti-curare

- action of hexamethonium and other antagonists at the skeletal neuromuscular junction, 91
- BLATCHFORD, D., HOLZBAUER, M. & YOUDIM, M.B.H. Substrate and strain-dependent differences in the development of monoamine oxidase in the rat brain, 251P
- BLOOM, D. McCALDEN, T.A. & ROSENDORFF, C. Effects of hypercholesterolaemic plasma on vascular sensitivity to noradrenaline, 421
- BLOOM, G.D., CARLSOO, B. & DANIELSSON, A. Dopamine-induced amylase secretion from guinea-pig submandibular gland, 523
- BRADLEY, P.B. see HALL, R.C., 247P
- BRADLEY, P.B. see STOREMAN, I.P., 235P
- BRADSHAW, C.M. see BEVAN, P., 285
- BRADSHAW, D. see HEMSWORTH, B.A. Acetylation of HC-3 by choline acetyltransferase, 230P
- BROADLEY, K.J. A procedure to demonstrate the release of vasoactive metabolite by catecholamines from perfused guinea-pig hearts, 223P
- BROADLEY, K.J. Role of H₁- and H₂-receptors in coronary vascular response to histamine of isolated perfused hearts of guinea-pigs and rabbits, 511
- BROWK, K. & COOPER, S.J. (introduced by D'ARCY, P.F.). Effects of lysergic acid diethylamide on auditory and visual discriminations in rat, 234P
- BUCKETT, W.R., MARWICK, FIONA A. & VARGAFTIG, B.B. Local anaesthetic and antiarrhythmic properties of an aminosteroid: 3α-dimethyl-amino-5α-androstan-2β-ol-17-one (Org. NA13), 3
- BUTTERWORTH, K.R., CARPANINI, F.M.B., GAUNT, I.F., GRASSO, P. & LLOYD, A.G. A new approach to the evaluation of the safety of flavouring esters, 268P

C

- CALDEWELL, J. & PUTMAN, J.L. Potentiation of certain effects of amphetamine by inhibitors of prostaglandin synthesis, 249P
- CALNE, D.B., CLAVERIA, L.E. & REID, J.L. Hypothermic action of bromocriptine, 123
- CALVEY, T.N. see BARBER, H.E., 263P
- CARLSOO, B. see BLOOM, G.D., 523
- CARPANINI, F.M.B. see BUTTERWORTH, K.R., 268P CHAI, CY. & LIN, M.T. Hypothermic effect of sodium acetylsalicylate on afebrile monkeys, 475
- CHAPPLE, D.J., HUGHES, R. & JOHNSON, B.F. Cardiotoxicity and the plasma digoxin concentration profile in conscious dogs, 269P
- CLAVERIA, L.E. see CALNE, D.B., 123
- CLOUET, DORIS H., GOLD, G.J. & IWATSUBO, K. Effects of narcotic analgesic drugs on the cyclic AMP-adenylate cyclase system in rat brain, 541
- COCHRANE, D.E. & DOUGLAS, W.W. Depolarising effects of ionophores X-537A and A23187 and their relevance to secretion, 400
- COLLINS, J.F., HILL, R.G. & ROBERTS, F. A study of tetramethylenedisulphitetramine and related compounds as antagonists of pre-synaptic inhibition and microiontophoretically applied γ-aminobutyric acid and glycine in rat cuneate nucleus, 239P
- COOPER, S.J. see BROWN, K., 234P

- CRITCHLEY, J.A.J.H., TIBENHAM, J. ISOBEL, UNGAR, A., WAITE, J. & WEST, CHRISTINE P. The effects of nicotinic and muscarinic agonist drugs on the release of catecholamines from the isolated perfused adrenal glands of the dog, 259P
- CROCKER, ANN D. & WILSON, K.A. (introduced by FERRY, C.B.). Sodium and the response of rat descending colon and rat uterus to angiotensin II, 238P
- CRUTCHLEY, D.J. & PIPER, PRISCILLA J. Comparative bioassay of prostaglandin E₂ and its three pulmonary metabolites, 397
- CRUTCHLEY, D.J. & PIPER, PRISCILLA J. Inhibition of the pulmonary inactivation of prostaglandins in vivo by di-4-phloretin phosphate, 301
- CURRY, S.H. & MOULD, G.P. A microsomal oxidase system in rat intestinal mucosa, 229P
- CURZON, G. & KNOTT, P.J. Plasma tryptophan changes on environmental disturbance and their prevention by propranolol and nicotinic acid, 273P
- CURZON, G. & KNOTT, J.P. Rapid effects of environmental disturbance on rat plasma unesterified fatty acid and tryptophan concentrations and their prevention by antilipolytic drugs, 389
- CURZON, G. & MARSDEN, C.A. Effect of L-tryptophan on changes in motor activity caused by p-chlorophenylalanine, 232P
- CUTTING, D.A. & JORDAN, C.C. Alternative approaches to analgesia: Baclofen as a model compound, 171

D

- DANIELSSON, A. see BLOOM, G.D., 523 D'ARCY, P.F. see STOREMAN, I.P., 235P
- DARWISH, SUZAN, A.E. & FURMAN, B.L. Hypoglycaemic action of L-DOPA in nialamide treated mice, 263P
- DASCOMBE, M.J. & MILTON, A.S. Cyclic adenosine-3',5'-monophosphate in cerebrospinal fluid, 254P
- DAVIES, B.N. & WITHRINGTON, P.G. The responses of the isolated blood-perfused spleen of the dog to angiotensin, oxytocin and vasopressin, 205
- DAY, M.D. & PETERS, A.S. Effects of propranolol treatment on the development of DOCA/saline hypertension in rats, 253P
- DEY, P.K. & FELDBERG, W. Hyperglycaemia produced by drugs with analgesic properties introduced into the cerebral ventricles of cats, 163
- DHAWAN, B.N., JOHRI, M.B., SINGH, G.B., SRIMAL, R.C. & VISWESARAM, D. Effect of clonidine on the excitability of vasomotor loci in the cat, 17
- DOBBING, J. see ADLARD, B.P.F., 33
- DOBRZANSKI, S. & DOGGETT, N.S. Effect of dopamine-β-hydroxylase inhibitors and centrally administered noradrenaline on (+)-amphetamine anorexia in mice, 245P
- DOGGETT, N.S. see DOBRZANSKI, S., 245P
- DOLPHIN, A., JENNER, P. & MARSDEN, C.D. Mechanism of effect of dopamine-β-hydroxylase inhibitor FLA-63 on L-DOPA reversal of reserpine akinesia, 246P
- DOUGLAS, W.W. see COBHRANE, D.E., 400
- DOWALSKI, MARGARET, see ACARA, MARGARET, 41

DUGGAN, A.W., HEADLEY, P.M. & LODGE, D. Acetylcholine-sensitive cells in the caudal medulla of the rat: distribution, pharmacology and effects of pentobarbitone, 23

DUGGIN, G.G. & MUDGE, G.H. Renal tubular transport of paracetamol and its conjugates in dog, 359

DUNLOP, LYN S. & SMITH, A.P. Reduction of antigen-induced contraction of sensitized human bronchus *in vitro* by indomethacin, 495

Ε

EARL, JANET see BALASHOV, N., 383

EDERY, H. & GOTTESFELD, ZEHAVA. GABA system in rat cerebellum during cannabinoid-induced cataleptoid state, 406

ELEY, K.G. see BENNETT, A., 197

ELKHAWAD, A.O. & WOODRUFF, G.N. Studies on the behavioural pharmacology of a cyclic analogue of dopamine following its injection into the brains of conscious rats, 107

EVANS, M. see BADAWY, A.A.B., 227P

EVANS, R.H. & WATKINS, J.C. Amino acid receptors on frog spinal motoneurones, 238P

F

FELDBERG, W. see BISSET, G.W., 463 FELDBERG, W. see DEY, P.K., 163

FERRY, C.B. see CROCKER, ANN D., 238P

FINCH, L. An increased reactivity in hypertensive rats unaffected by prolonged antihypertensive therapy, 437

FINCH, L., HERSOM, A. & HICKS, P. Hypotensive action of α-methyldopamine, 248P

FINCH, L., HERSOM, A. & HICKS, P. Studies on the hypotensive action of α-methyldopamine, 445

FORD-HUTCHINSON, A.W. see BADCOCK, JEMIMA K., 220P

FOY, J.M. & LUCAS, P.D. Cardiovascular sensitivity of experimentally diabetic and genetically obese pithed rats to autonomic agents, 226P

FRAME, MADELINE H. & HEDQVIST, P. Evidence for prostaglandin mediated prejunctional control of renal sympathetic transmitter release and vascular tone, 189

FREDHOLM, B.B. & HEDQVIST, P. Indomethacin induced increase in noradrenaline turnover in some rat organs, 295

FREEDMAN, R., HOFFER, B.J. & WOODWARD, D.J. Quantitative microiontophoretic analysis of responses of central neurones to noradrenaline: interactions with cobalt, manganese, verapamil and dichloroisoprenaline, 529

FRIEDMAN, E., GERSHON, S. & ROTROSEN, J. Effects of acute cocaine treatment on the turnover of 5-hydroxytryptamine in the rat brain, 61

FURMAN, B.L. see DARWISH, SUZAN, A.E., 263P

G

GAITONDE, B.B. & JOGLEKAR, S.N. Role of catecholamines in the central mechanism of emetic

response induced by peruvoside and ouabain in cats, 157

GASGOIGNE, J.E., WILLIAMS, D. & WILLIAMS, E.D. (introduced by GRAHAM, J.D.P.). Histochemical demonstration of an additional form of rat brain MAO, 274P

GAULDIE, R.W. see BLACKMAN, J.G., 91 GAUNT, I.F. see BUTTERWORTH, K.R., 268P GERSHON, S. see FRIEDMAN, E., 61

GILLESPIE, J.S. & McGRATH, J.C. Effects of lysergic acid diethylamide on response to field stimulation of rat vas deferens and rat and cat anococcygeus muscles, 481

GLOVER, A.B. see ALLEN, G.S., 49

GODWIN, S. & SNEDDON, J.M. The specificity of the binding of ³H-5-hydroxytryptamine (³H-5-HT) to butanol extracts of rat brain, 252P

GOLD, G.J. see CLOUET, DORIS H., 541 GOTTESFELD, ZEHAVA see EDERY, H., 406 GRAHAM, J.D.P. see BADAWY, A.A.B., 235P

GRAHAM, J.D.P. see GASGOIGNE, J.E., 274P

GRAHAM, J.D.P. see JAMES, W.R.L., 262P GRASSO, P. see BUTTERWORTH, K.R., 268P

GREENWOOD, R., LLOYD, H., MOTTRAM, R.F. & ROBERTS, G. (introduced by PICKLES, V.R.). Measurement of metabolism of resting and exercising human skeletal muscle in situ, 276P

GUERTZENSTEIN, P.G. see BISSET, G.W., 463

Н

HALL, R.C. & KEANE, P.E. (introduced by BRADLEY, P.B.). Dopaminergic and cholinergic interactions in caudate nucleus in relation to induction of sleep in cat, 247P

HAMILTON, T.C. Influence of anti-hypertensive drug treatment on vascular reactivity in spontaneously hypertensive rats, 429

HEDQVIST, P. see FRAME, MADELAINE H., 189 HEDQVIST, P. see FREDHOLM, B.B., 295 HEMSWORTH, B. see ACARA, MARGARET, 41 HEMSWORTH, B.A. see BAKER, S.P., 274P

HEMSWORTH, B.A. see BRADSHAW, D., 230P

HEADLEY, P.M. see DUGGAN, A.W., 23

HENDERSON, G. & NORTH, R.A. (introduced by KOSTERLITZ, H.W.). Pre-synaptic action of 5-hydroxytryptamine in the myenteric plexus of the guinea-pig ileum, 265P

HERSOM, A. see FINCH, L., 248P HERSOM, A. see FINCH, L., 445 HICKS, P. see FINCH, L., 248P HICKS, P. see FINCH, L., 445 HILL, R.G. see COLLINS, J.F., 239P

HILL, R.G. & TABERNER, P.V. Some neuropharmacological properties of the new non-barbiturate hypnotic etomidate (R(+)-ethyl-1-(α-methyl-benzyl) imidazole-5-carboxylate), 241P

HINSHAW, L.B. see ARCHER, L.T., 145 HOFFER, B.J. see FREEDMAN, R., 529 HOLZBAUER, M. see BLATCHFORD, D., 251P HUGHES, R. see CHAPPLE, D.J., 269P

HUMPHREY, P.P.A. Decamethonium in perfused and immersed rat diaphragm, 367

ı

ISHIZAWA, M. & PICKLES, V.R. A comparison of some smooth-muscle effects of GABA and of prostaglandin E_1 , 279P

IVERSEN, L.L. see IVERSEN, S.D., 244P IVERSEN, L.L. see KELLY, P.H., 271P

IVERSEN, S.D., KELLY, P.H., MILLER, R.J. & SEVIOUR, P. (introduced by IVERSEN, L.L.). Amphetamine and apomorphine responses in rat after lesion of mesolimbic or striatal dopamine neurones, 244P

IWATSUBO, K. see CLOUET, DORIS H., 541

J

JACOBS, A. see BADAWY, A.A.B., 227P.

JAMES, I.M. & MACDONNELL, LINDSAY. Factors affecting the cerebrovascular response to noradrenaline in the dog, 129

JAMES, W.R.L. & THOMAS, A.J. (introduced by GRAHAM, J.D.P.). Adrenergic blockade and the pulmonary pressor response to lactic acid, 262P

JENNER, F.A., JUDD, A. & PARKER, JUDITH. Effects of lithium, rubidium and caesium on response of rats to translcypromine and α-methyl-p-tyrosine given separately or in combination, 233P

JENNER, P., MARSDEN, C.D. & PERINGER, E. Behavioural and biochemical evidence for cerebral dopamine receptor blockade by metoclopramide in rodents, 275P

JENNER, P. see DOLPHIN, A., 246P

JOGLEKAR, S.N. see GAITONDE, B.B., 157

JOHNS, A. & PATON, D.M. Effect of rubidium on responses of rabbit vas deferens to transmural stimulation, 266P

JOHNSOK, B.F. see CHAPPLE, D.J., 269P

JOHNSTON, BARBARA M. & OWEN, D.A.A. Effect of histamine on tissue blood flow in cat, 222P

JOHRI, M.B. see DHAWAN, B.N., 17

JONES, MARGARET E.L. & SPRIGGS, T.L.B. An inhibitory effect of atropine on responses of the vas deferens of the mouse to field stimulation, 339

JORDAN, C.C. see CUTTING, D.A., 171 JUDD, A. see JENNER, F.A., 233P

K

KEANE, P.E. see HALL, R.C., 247P KELLY, P.H. see IVERSEN, S.D., 244P

KELLY, P.H. & MILLER, R.J. The interaction of neuroleptic and muscarinic agents with central dopaminergic systems, 115

KELLY, P.H., MILLER, R.J. & NEUMEYER, J.L. (introduced by IVERSEN, L.L.). Effect of aporphine alkaloids on central dopamine receptors, 271P

KENTERA, D. & VARAGIC, V.M. Effects of cyclic N-2-O-dibutyryl-adenosine 3',5'-monophospha, adrenaline and aminophylline on isometric contractility of isolated hemidiaphragm of rat, 375

KILLICK, S.W. see AMBACHE, N., 409

KIZER, J.S., KOPIN, I.J. & ZIVIN, J.A. (introduced by REID, J.L.). Estimates of catecholamine turnover rates in individual hypothalamic nuclei of rat by use of α -methyl-p-tyrosine, 243P

KNOTT, J.P. see CURZON, G., 273P

KNOTT, J.P. see CURZON, G., 389 KOPIN, I.J. see KIZER, I.J., 243P

KOSTERLITZ, H.W. see HENDERSON, G., 265P

1

LARGE, B.J. Innervation both of peri-orbital structures and of the heart by the cervical sympathetic nerves in mouse, rat, guinea-pig and cat, 351

LARGE, W.A. see BALSHOV, N., 383

LEDDA, F., MARCHETTI, P. & MUGELLI, A. Studies on the positive inotropic effect of phenylephrine: a comparison with isoprenaline, 83

LEWIS, M.J. Δ¹-Tetrahydrocannabinol and adrenergic mechanisms, 277P

LEVER, J.D., LU, K.-S., PRESLEY, R. & SANTER, R.M. Depleting effects of reserpine on intracellular catecholamines in rat coeliac-mesenteric ganglion, 258P

LEVY, G.P. see APPERLEY, G.H., 260P

LIN, M.T. see CHAI, C.Y., 475

LIVINGSTON, A. & PHILLIPS, ELIZABETH. Mechanism of accumulation of chloropromazine in subfractions of rat brain, 231P

LLOYD, A.G. see BUTTERWORTH, K.R., 268P

LLOYD, H. see GREENWOOD, R., 276P

LODGE, D. see DUGGAN, A.W., 23

LU, K.-S. see LEVER, J.D., 258P

LUCAS, P.D. see FOY, J.M., 226P LUNDELL, L. Displacement by metiamide of doseresponse curves to pentagastrin and methacholine in conscious rat, 507

M

McCALDEN, T.A. see BLOOM, D., 421

McCULLOUGH, D.A. & WALLACE, W.F.M. (introduced by RODDIE, I.C.). Inhibition of constrictor responses of the rabbit ear artery by a mixture of oxytetracycline and ascorbic acid, 261P

McCULLOCH, M.W. see ALLEN, G.S., 49

MACDONNELL, LINDSAY see JAMES, I.M., 129

McELHATTON, P.R. & SULLIVAN, F.M. Teratogenic effects of primidone in mice, 267P

McGRATH, J.C. see GILLESPIE, J.S., 481

MAIN, I.H.M. & WHITTLE, B.J.R. Potency and selectivity of methyl analogues of prostaglandin E_2 on rat gastrointestinal function, 309

MARCHETTI, P. see LEDDA, F., 83

MARKS, V. see AHERNE, G.W., 228P

MARSDEN, C.A. see CURZON, G., 232P

MARSDEN, C.D. see JENNER, P., 275P

MARSDEN, C.D. see JENNER, P., 246P

MARSHALL, I.G. & PARSONS, R.L. The effects of tetraphenylboron on neuromuscular transmission in the frog, 325

MARSHALL, I.G. & PARSONS, R.L. The effects of tetraphenylboron on spontaneous transmitter release at the frog neuromuscular junction, 333

MARWICK, FIONA A. see BUCKETT, W.R., 3

MICHAL, F. & MOTAMED, MINA. Time-dependent potentiation and inhibition by 5-hydroxytryptamine of platelet aggregation induced by ADP, 221P

MILLAR, J.R. see BEDWANI, J.R., 499 MILLER, R.J. see IVERSONS, D., 244P

MILLER, R.J. see KELLY, P.H., 115

MILLER, R.J. see KELLY, P.H., 271P

MILNE, R.J. see BLACKMAN, J.G., 91

MILTON, A.S. see DASCOMBE, M.J., 254P

MITCHELL, G., SCRIVEN, D.R.L. & ROSENDORFF, C.

Adrenoceptors in intracerebral resistance vessels, 11 MOLDES, M. see ALTIER, H., 101

MONTI, J.M. see ALTIER, H., 101

MORRIS, B.A. see AHERNE, G.W., 228P

MOTTRAM, R.F. see GREENWOOD, R., 276P

MOULD, G.P. see CURRY, S.H., 229P

MTAMED, MINA see MICHAL, F., 221P

MUDGE, G.H. see DUGGIN, G.G., 359

MUGELLI, A. see LEDDA, F., 83 MUIR, K.T. see BARBER, H.E., 263P

MURNAGHAN, M.F. Effect of anoxia on ventricular fibrillation threshold in rabbit isolated heart, 413

N

NAHORSKI, S.R., REES, WENDY & ROGERS, K.J. Cyclic AMP in developing chick brain: changes with ischaemia and catecholamine administration, 255P

NAHORSKI, S.R. & ROGERS, K.J. The effect of phosphodiesterase inhibitors on the stimulation of cerebral cyclic AMP formation by biogenic amines in vitro and in vivo, 272P

NEUMEYER, J.L. see KELLY, P.H., 271P

NICHOLLS, P.J. & SCOULAR, I.T. Preliminary pharmacological study of N, 2-dimethyl, 2-(p-aminophenyl) succinamide, 242P

NORTH, R.A. see HENDERSON, G., 265P

0

ODUMOSU, A. & WILSON, C.W.M. Inhibition of effects of weight-reducing drugs in guinea-pigs by vitamin C, 226P

OWEN, D.A.A. see BLACK, J.W., 319 OWEN, D.A.A. see JOHNSTON, BARBARA M., 222P

PAPADIMITRIOU, A. & WORCEL, M. Action of spasmogenic substances on Ca2+ movements of rat uterine smooth muscle, 278P

PARKER, JUDITH see JENNER, F.A., 233P

PARNHAM, M.J. & SNEDDON, J.M. Metyrapone inhibits prostaglandin synthesis and release from the pregnant rat uterus in vitro. 278P

PARSONS, M.E. see BLACK, J.W., 319

PARSONS, R.L. see MARSHALL, I.G., 325

PARSONS, R.L. see MARSHALL, I.G., 333 PATON, D.M. see JOHNS, A., 266P

PEART, W.S., QUESADA, T. & TENYI, I. The effects of cyclic adenosine 3',5'-monophosphate and guanosine 3',5'-monophosphate and theophylline on renin secretion in the isolated perfused kidney of the rat, 55

PERINGER, E. see JENNER, P., 275P PETERS, A.S. see DAY, M.D., 253P

PHILLIPS, ELIZABETH see LIVINGSTON, A., 231P

PHILLIPS, JEAN L., STURAMN, GILLIAN & WEST, G.B. A possible mode of action for piperazine, 219P PIALL, EVELYN M. see AHERNE, G.W., 228P

PICKLES, V.R. see GREENWOOD, R., 276P

PICKLES, V.R. see ISHIZAWA, M., 279P

PICKLES, V.R. see STEFANOU, J., 280P

PILCHER, C.W.T. & STOREMAN, I.P. (introduced by BRADLEY, P.B.). Aversive properties of naloxone in morphine-treated rats, 235P

PIPER, PRISCILLA J. see CRUTCHLEY, D.J., 397 PIPER, PRISCILLA J. see CRUTCHLEY, D.J., 301 PRESLEY, R. see LEVER, J.D., 258P PUTAMN, J.L. see CALDWELL, J., 249P

Q

QUESADA, T. see PEART, W.S., 55

R

RAND, M.J. see ALLEN, G.S., 49 REES, WENDY see NAHORSKI, S.R., 255P REID, J.L. see CALNE, D.B., 123 RENNICK, BARBARA see ACARA, MARGARET, 41 RIBEIRO, J.A. & WALKER, J. The effects of adenosine triphosphate and adenosine diphosphate on transmission at the rat and frog neuromuscular junctions, 213

RICHARDSON, P.D.I. The effects of glucagon and pentagastrin on capillary filtration coefficient in the innervated jejunum of anaesthetized cat, 225P

ROBERTS, F. see COLLINS, J.F., 239P ROBERTS, G. see GREENWOOD, R., 276P ROBERTS, M.H.T. see BARASI, S., 237P ROBINSON, J.D. see AHERNE, G.W., 228P RODDIE, I.C. see McCULLOUGH, D.A., 261P ROGERS, K.J. see NAHORSKI, S.R., 255P ROGERS, K.J. see NAHORSKI, S.R., 272P ROSENDORFF, C. see BLOOM, D., 421 ROSENDORFF, C. see MITCHELL, G., 11 ROTROSEN, J. see FRIEDMAN, E., 61 ROUSE, W. see BEARD, NICOL A., 65

S

SANDS, JEAN see ADLARD, B.P.F., 33 SANFORD, J. see AITKEN, MAUREEN M., 266P SANTER, R.M. see LEVER, J.D., 258P SCHOLZ, H. see BELLEMANN, P., 75 SCOULAR, I.T. see NICHOLLS, P.J., 242P SCRIVEN, D.R.L. see MITCHELL, G., 11

SEGAL, M., SIMS, K. & SMISSMAN, E. Characterization of an inhibitory receptor in rat hippocampus: a microiontophoretic study using conformationally restricted amino acid analogues, 181
SEVIOUR, P. see IVERSEN, S.D., 244P
SEWELL, R.D.E. & SPENCER, P.S.J. Antinociceptive activity in mice after central injections of α- and β-adrenoceptor antagonists, 256P
SILVA, ROCHA E., JR. see BISSET, G.W., 463

SIMS, K. see SEGAL, M., 181
SINGH, G.B. see DHAWAN, B.N., 17
SMISSMAN, E. see SEGAL, M., 181
SMITH, A.P. see DUNLOP, LYN S., 495
SMITH, M.J.H. see BADCOCK, JEMIMA, K., 220P

SNEDDON, J.M. see GODWIN, S., 252P SNEDDON, J.M. see PARNHAM, M.J., 278P SOMERVILLE, A.R. see BEARD, NICOL A., 65 SPENCER, P.S.J. see SEWELL, R.D.E., 256P SPRIGGS, T.L.B. see JONES, MARGARET E.L., 339

SPRIGGS, T.L.B. & WYNNE-EVANS, DAPHNE.
Ultracryotomy for high resolution drug-localization
studies, 277P

SRIMAL, R.C. see DHAWAN, B.N., 17
STEFANOU, J. & WOOSTER, M.J. (introduced by PICKLES, V.R.). A superfusion system used for loading and washing out ⁴⁵Ca from frog ventricular strips, 280P

STOCKLEY, HELEN L. see BENNETT, A., 197
STONE, T.W. Responses of cortical pyramidal tract cells
to amantadine and amphetamine after depletion of
central catecholamines, 244P

STOREMAN, I.P. see PILCHER, C.W.T., 235P STORY, D.F. see ALLEN, G.S., 49 STURMAN, GILLIAN see PHILLIPS, JEAN L., 219P SULLIVAN, F.M. see McELHATTON, P.R., 267P SZABADI, E. see BEVAN, P., 285

T

TABERNER, P.V. see HILL, R.G., 241P TAYLOR, K. see BARBER, H.E., 263P TENYI, I. see PEART, W.S., 55 THOMAS, A.J. see JAMES, W.R.L., 262P TIBENHAM, J. ISOBEL see CRITCHLEY, J.A.J.H., 259P TWYCROSS, R.G. see AHERNE, G.W., 228P U

UNGAR, A. see CRITCHLEY, J.A.J.H., 259P

ν

VARAGIC, V.M. see KENTERA, D., 375 VARGAFTIG, B.B. see BUCKETT, W.R., 3 VISWESARAM, D. see DHAWAN, B.N., 17

W

WAITE, J. see CRITCHLEY, J.A.J.H., 259P WALKER, J. see RIBEIRO, J.A., 213 WALKER, J.R. see BADCOCK, JEMIMA K., 220P WALLACE, W.F.M. see McCULLOUGH, D.A., 261P WATKINS, J.C. see EVANS, R.H., 238P WEST, CHRISTINE P. see CRITCHLEY, J.A.J.H., 259P WEST, G.B. see PHILLIPS, JEAN L., 219P WHITTLE, B.J.R. see MAIN, I.H.M., 309 WILLIAMS, D. see GASGOIGNE, J.E., 274P WILLIAMS, E.D. see GASGOIGNE, J.E., 274P WILSON, C.W.M. see ODUMOSU, A., 226P WILSON, K.A. see CROCKER, ANN D., 238P WITHRINGTON, P.G. see DAVIES, B.N., 205 WOODRUFF, G.N. see ELKHAWAD, A.O., 107 WOODWARD, D.J. see FREEDMAN, R., 529 WOOSTER, M.J. see STEFANOU, J., 280P WORCEL, M. see ANGELS D'AURIAC, G., 236P WORCEL, M. see PAPADIMITRIOU, A., 278P WYNNE-EVANS, DAPHNE see SPRIGGS, T.L.B., 277P

Υ

YOUDIM, M.B.H. see BLATCHFORD, D., 251P YOUDIM, M.B.H. In vitro inhibition of brain mitochondrial monoamine oxidase by 6-hydroxydopamine, 403

Z

ZAR, M. ABOO see AMBACHE, N., 409 ZININ, J.A. see KOPIN, I.J., 243P

SUBJECT INDEX

Α

A23187, depolarizing effects of, and relevance to secretion, 400

Acetylcholine, distribution, pharmacology and effects of pentobarbitone on cells in rat caudal medulla sensitive to, 23

- , does not mediate responses at paramedian reticular and periphypoglossal neurones, 23
- -, effect on renal excretion of, of triethylcholine, 41
- , effects of desipramine on neuronal responses to, in rat caudate nucleus, 285
- , modulation of adrenergic transmission in rabbit ear artery by, 49
- ¹⁴C-Acetylcholine, double labelling with, and ³H-5hydroxytryptamine, effect of, on elution profile of 5-HT in butanol extracts of rat brain, 252P
- , double labelling with, and ³ H-5-hydroxytryptamine, effect of, on elution profile from rat diaphragm, 252P
- Acetylcholinesterase, erythrocyte, relationship between plasma concentration of edrophonium, inhibition of, and facilitation of neuromuscular function in rat, 263P
- reaction product, associated with presumptive noradrenergic axons in mouse vas deferens, 339
- Acetylstrophanthidin, use of, in induction of cardiotoxic changes in digoxin treated conscious dogs, 269P
- Acetyl β methyl choline, as muscarinic agonist, effect of, on release of catecholamines from isolated perfused dog adrenal glands, 259P
- Adenine arabinoside, administration of, either pre- or postnatally has no significant effect on brain growth, 33
- , as an antiviral agent, 33
- , comparison of effects of cytosine arabinoside and, on brain growth and development in the rat, 33
- Adenosine, effect of, on ventricular fibrillation threshold,
- , effect of presence of, on action of ATP at rat and frog neuromuscular junctions, 213
- Adenosine triphosphate, inhibition of, and inotropic activity and toxicity of some cardiotonic steroids in dogs, 65
- Adenylate cyclase-cyclic AMP system, in rat brain, effects of narcotic analgesic drugs on, 541
- ADP, adenosine diphosphate, effect of, on transmission at rat and frog neuromuscular junctions, 213
- , decreases evoked and miniature end-plate potentials in rat diaphragm and frog sartorius muscle, 213
- , platelet aggregation induced by, effect of 5-hydroxytryptamine on, 221P
- Adrenaline, altered response to, in endotoxin shock, 145 , comparison of effects of, on isolated blood-perfused
- , comparison of effects of, on isolated blood-perfused dog spleen with those of angiotensin, oxytocin and vasopressin, 205

- , effect of, on isometric contractility of isolated rat hemidiaphragm, 375
- -, effect of, on dog and cat spleen, 499
- , release of, from isolated perfused dog adrenal glands in presence of nicotinic or muscarinic agonists, 259P
- Adrenergic blockade, effect of, on pulmonary pressor response to lactic acid, 262P
- β -Adrenergic neurones, central, involvement of, in hypotensive action of α -methyldopamine, 445
- Adrenoceptors, presence of, in intracerebral resistance vessels. 11
- α-Adrenoceptors, antagonists of, effects of, on antinociceptive activity in mice, 256P
- , possible presence of, in rabbit cerebral resistance vessels, 11
- -, role of, in pulmonary pressor responses, 262P
- β-Adrenoceptors, antagonists of, effects of, on antinociceptive activity in mice, 256P
- , characterization of, in guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P
- , possible presence of, in rabbit cerebral resistance vessels, 11
- -, role of, in pulmonary pressor responses, 262P
- ADTN, 2-Amino-6,7-dihydroxy-1,2,3,4-tetra-hydronaphthalene, a cyclic analogue of dopamine, 107
- , central stimulant action of, due to an effect on dopamine receptors in nucleus accumbens in conscious rats, 107
- , injected bilaterally into caudate nucleus has no effect on locomotor activity in conscious rat, 107
- , injected bilaterally into nucleus accumbens produces stimulation of locomotor activity in conscious rat, 107
- , injected unilaterally into nucleus accumbens causes locomotor stimulation without turning, 107
- , intraperitoneal injection of, produces no behavioural changes in conscious rats, 107
- intraventricularly produces stereotyped responses followed by stimulation of locomotor activity in conscious rats, 107
- Afebrile monkeys, effect of sodium acetylsalicylate on, 475
- Affinity chromatography, use of, in purification of monoamine oxidase, 274P
- β-Alanine, inhibitory potency of, in rat hippocampus, 181
 Albumen, bovine, effect of, on effect of hypercholestero-laemic plasma on vascular sensitivity to noradrenaline, 421
- Alloxan, effect of, on cardiovascular sensitivity in diabetic and obese rats, 226P
- Amantadine, response of cortical pyrimidal tract cells to, after depletion of central catecholamines, 244P
- Amino acid receptors, in frog spinal motoneurones, 238P

- γ-Amiobutyric acid, effect of, with TETS, in rat cuneate nucleus, 239P
- , effect of, on pre- and post-synaptic inhibitory receptors at hermit crab neuromuscular junction, 383
- , system, in rat cerebellum during cannabinoid-induced cataleptoid state, 406
- 2-Amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene, see ADTN, 107
- 2-Amino-6,7-dimethoxy-1,2,3,4-tetrahydronaphthalene, bilateral injection into nucleus accumbens of, had no effect on locomotor activity, 107
- Aminoglycoside antibiotics, cardiovascular depressant effects of, in rhesus monkeys, 453
- p-Aminohippuric acid, active transport of, by renal tubule of the chicken compared with that of triethylcholine, 41
- Aminophylline, effect of, on isometric contractility in rat isolated hemidiaphragm, 375
- (+)-Amphetamine, anorexia, effect of noradrenaline and dopamine-β-hydroxylase inhibitors on, in mice, 245P
- Amphetamine, effects of, with atropine on elution of ³ H-5-hydroxytryptamine from butanol extracts of rat brain, 252P
- , effects of, with tryptamine on elution of ³H-5-hydroxytryptamine from butanol extracts of rat brain, 252P
- , potentiation of certain effects of, by inhibitors of prostaglandin synthesis, 249P
- , response of cortical pyramidal tract cells after depletion of central catecholamines, 244P
- , response to, in rat after lesion of mesolimbic or striatal dopamine neurones, 244P
- Amylase, secretion of, from guinea-pig submandibular gland, 523
- Anaesthesia, comparison of effects of lignocaine and Org. NA13 in local, 3
- Analgesia, alternative approaches to, 171
- Analgesic drugs, effect of, on blood glucose level in cat, 163
- Anaphylaxis, bovine, role of prostaglandins in, 266P
- Angiotensin, responses of isolated blood-perfused dog spleen to, 205
- Angiotensin II, response of rat descending colon and rat uterus to, and effect of sodium, 238P
- Anoxia, effect of, on ventricular fibrillation threshold in rabbit isolated heart, 413
- Antigen, -induced contraction of sensitized human bronchus, reduction of, by indomethacin, 495
- Anti-hypertensive drug, treatment with, influence of, on vascular reactivity of spontaneously hypertensive rats, 429
- Anti-hypertensive therapy, increased reactivity in hypertensive rats unaffected by, 437
- Anti-inflammatory compounds, non-steroidal, inhibition by, of release of prostaglandin-like substances by Shigella endotoxin, 489
- Anti-inflammatory fraction, from normal human plasma, site of action of, 220P
- Anti-lipolytic drugs, prevention of effects of environmental disturbance on fatty acid and tryptophan concentrations by, 389
- Apomorphine, effect of, on amylase secretion from guinea-pig submandibular gland, 523
- -, effect of, on blood glucose level in cat, 163

- , produces turning away from site of 6-hydroxydopamine-induced lesion of substantia nigra, 115
- response to, in rat after lesion of mesolimbic or striatal dopamine neurones, 244P
- Aporphine alkaloids, effect of, on central dopamine receptors, 271P
- Aqueous humour, effect of Shigella endotoxin on inflammatory response in 489
- Arachidonic acid, precursor of prostaglandin, effect of, on rabbit renal adrenaline overflow, 189
- Ascorbic acid, inhibition of constrictor responses of rabbit ear artery by mixture of, and oxytetracycline, 261P
- ATP, adenosine triphosphate, effect of, on transmission at rat and frog neuromuscular junctions, 213
- , decreases evoked and miniature end-plate potentials in rat diaphragm and frog sartorius muscle, 213
- , increased reactivity to, in hypertensive rats unaffected by prolonged anti-hypertensive therapy, 437
- Atropine, comparison of effectiveness of, with dihydro-βerythroidine in antagonizing acetylcholine responses in rat caudal medulla, 23
- , effect of, and amphetamine on elution of ³ H-5-hydroxytryptamine from butanol extracts of rat brain, 252P
- , effect of, on acetylcholine induced changes in adrenergic transmission in rabbit ear artery, 49
- , effect of, on cardiac and eyelid responses to stimulation of cervical sympathetic nerves in rat, 351
- , effect of, on pulmonary pressor response to lactic acid, 262P
- , inhibitory effect of, on responses of mouse vas deferens to field stimulation, 339
- , -resistant neurogenic relaxation, extraction from ox retractor penis of an inhibitory substance mimicking, 409
- Auditory discrimination, effect of LSD on, in rat, 234P Autonomic agents, cardiovascular sensitivity to, in experimentally diabetic and genetically obese pithed rats to, 226P
- Aversive properties, of naloxone, in morphine-treated rats, 235P

В

Baclofen, as a model compound in alternative approaches to analgesia. 171

Bicuculline, antagonizes GABA-induced inhibition in rat hippocampus, 181

Blood, tissue, flow, in cat, effect of histamine on, 222P

Blood pressure, effect of anti-hypertensive drugs on, in spontaneously hypertensive rats, 429

- , effect of prolonged anti-hypertensive therapy in hypertensive rats, 437
- , effect of hypotensive action of α-methyldopamine on, 445
- , indirect system with digital readout for measuring, 282P
- BOL-148, effect of, on emetic response induced by peruvoside and ouabain in cat, 157
- 8 Br-cyclic GMP, effect of, on renin secretion in isolated perfused rat kidney, 55

Bromocriptine, a dopamine receptor agonist, 123

- , has dopamine-like action in temperature control areas of brain, 123
- , hypothermic action of, 123

Bronchoconstrictor response, of sensitized human brochus, effect of prostaglandin $F_{2\alpha}$ and antigenchallenge induced contraction on, 495

Bronchus, human, sensitized, reduction of antigeninduced contraction of, in vitro by indomethacin, 495

Burimamide, effect of, on coronary vascular response to histamine of isolated perfused hearts of guinea-pigs and rabbits, 511

C

- Ca²⁺, action of spasmogenic substances on movement of, in rat uterine smooth muscle, 278P
- ⁴⁵Ca, superfusion system used for loading and washing out, from frog ventricular strips, 280P
- Caesium, effect of, on response of rats to tranylcypromine and α-methyl-p-tyrosine, 233P
- Calcium, effect of, on depolarizing effects of X-537A and A23187, 400
- , effect of, on myocardial uptake and inotropic activity of theophylline, 75
- Capillary filtration coefficient, effects of glucagon and pentagastrin on, in innervated jejunum of anaesthetized cat, 225P
- Carbachol, variations in cyclic AMP and GMP in rat uterine smooth muscle induced by, 236P
- Carbon dioxide, effect of, on cerebrovascular response to noradrenaline, 129
- Cardiotoxicity, of digoxin and plasma concentration profile in conscious dogs, 269P
- Cardiovascular depression, produced by neomycin and gentamycin, in rhesus monkeys, 453
- Cardiovascular sensitivity, of experimentally diabetic and genetically obese pithed rats to autonomic agents, 226P
- Catecholamines, central, responses of cortical pyramidal tract cells to amantidine and amphetamine after depletion of, 244P
- , comparison of effects of, on isolated blood-perfused dog spleen with those of angiotensin, oxytocin and vasopressin, 205
- depleting effects of reserpine on intracellular, in rat coeliac-mesenteric ganglion, 258P
- , effects of nicotinic and muscarinic agonists on release of, from isolated perfused adrenal glands of the dog, 259P
- release of vasoactive metabolite by, from perfused guinea-pig hearts, 223P
- , role of, in central mechanism of emetic response induced by peruvoside and ouabain in cat, 157
- turnover rates, estimates of, in individual hypothalamic nuclei of rat, 242P
- Cataleptoid state, cannabinoid-induced GABA system in rat cerebellum during, 406
- Cells, cortical pyramidal tract, response of, to amphetamine and amantadine after depletion of central catecholamines, 244P
- Cerebellum, rat, GABA system in, during cannabinoidinduced cataleptoid state, 406

- Cerebral ventricle, cat, effect of analgesic drugs on hyperglycaemia in, 163
- Cerebrovascular response, effect of noradrenaline on, in dog, 129
- p-Chlorophenylalanine, changes in motor activity caused by, effect of L-tryptophan on, 232P
- Chloropromazine, effect of, on emetic response induced by peruvoside in cat, 157
- , effect of, on methamphetamine induced turning to unilateral lesion of substantia nigra, 115
- , mechanism of accumulation of, in subfractions of rat brain, 231P
- Cholesterol, effect of, on vascular sensitivity to noradrenaline, 421
- Choline, effect on renal excretion of, of triethylcholine,
- Choline acetyltransferase, acetylation of HC-3 by, 230P Cholinergic interactions, in caudate nucleus in relation to induction of sleep in cat, 247P
- Chromaffin, -positive and -negative cell percentages following administration of reserpine in rat coeliacmesenteric ganglion, 258P
- Cinanserin, effects of, applied by microiontophoresis in the spinal cord, 237P
- Clonidine, antinociceptive activity of subcutaneous doses of, not potentiated by concurrent intracerebroventricular administration of propranolol, 256P
- , antinociceptive activity of subcutaneous injection of, antagonized by phentolamine in mice, 256P
- , attenuates antinociceptive effects of morphine in mice administered concurrently, 256P
- , effect of, on excitability of vasomotor loci in the cat,
 17
- hypotension and bradycardia associated with, induced inhibition of pressor responses of vasomotor loci, 17
- , inhibits excitability of vasomotor loci in cat when administered in low doses intracerebroventricularly, intravertebral arterially or intrathecally, 17
- , injected intracerebroventricularly, marginally antinociceptive in mice, 256P
- , topical application of, inhibits pressor responses of vasomotor loci, 17
- α-Clopenthixol, effect of, on methamphetamine induced turning to unilateral lesion of substantia nigra, 115
- Clorgyline, as an inhibitor of monoamine oxidase activity, used to demonstrate two types, 274P
- possible third type of monoamine oxidase activity insensitive to, 274P
- Clozapine, effect of, on apomorphine-induced turning away from site of lesion of substantia nigra, 115
- , effect of, on methamphetamine induced turning to unilateral lesion of substantia nigra, 115
- Cobalt, effect of, on response of central neurones to noradrenaline, 529
- Cocaine, effects of acute treatment with, on rat brain 5-hydroxytryptamine turnover, 61
- Codeine, effect of, on blood glucose level, in cat, 163
- Contractility, isometric, effect of cyclic N-2-O-dibutyryladenosine 3',5'-monophosphate, adrenaline and aminophylline on, in rat isolated hemidiaphragm, 375
- Corticosterone, effects of environmental disturbance on,

- Cyclic adenosine 3',5'-monophosphate, effect of, on renin secretion in isolated perfused rat kidney, 55
- , in cerebrospinal fluid, 254P
- Cyclic AMP, effects of heat and cold stress on cerebrospinal fluid levels of, 254P
- , effects of intravenous, on body temperature, 254P
- , effect of phosphodiesterase inhibitors on stimulation of cerebral, formation by biogenic amines in vitro and in vivo, 272P
- , levels of, in developing chick brain, changes with ischaemia and catecholamine administration, 255P
- , levels of in neonatal chick brain change depending on method of killing, 255P
- passage of intravenous, across the blood-cerebrospinal fluid barrier, 254P
- raised, in cerebrospinal fluid may result from increased blood levels of, 254P
- , variations in level of, in rat uterine smooth muscle induced by carbachol, PGF_{2α} and changes in ionic composition, 236P
- Cyclic AMP-adenylate cyclase system, in rat brain, effects of narcotic analgesic drugs on, 541
- Cyclic guanosine 3',5'-monophosphate, effect of, on renin secretion in isolated perfused rat kidney, 55
- Cyclic GMP, variations in level of, in rat uterine smooth muscle induced by carbachol, $PGF_{2\alpha}$ and changes in ionic composition, 236P
- Cyclic N-2-O-dibutyryl-adenosine 3',5'-monophosphate, effect of, on isometric contractility of isolated hemidiaphragm of rat, 375
- Cytomegalovirus, use of cytosine arabinoside or adenine arabinoside in treatment of intrauterine infection with, 33
- Cytosine arabinoside, administered prenatally impairs prenatal and postnatal whole brain growth, 33
- , administered to young rats impairs cerebellar growth,
 33
- , as an antiviral agent, 33
- , comparison of effects of, and adenine arabinoside on brain growth and development in the rat, 33
- , previous treatment with, in pregnant adult rats impairs discrimination learning, 33
- Cymarol, inotropic activity and toxicity in dogs of steroids based on, 65
- Cyproheptadine, blocks hypoglycaemic effect of L-DOPA in nialamide treated mice, 263P

D

- D_{600} , δ [N-(3,4-dimethoxyphenethyl)-N-methyl-amino] - α -(3,45-trimethoxyphenyl) α -iso-propylvaleronitrile hydrochloride, 83
- Decamethonium, in perfused and immersed rat diaphragm, 367
- Deoxycorticosterone, hypertension produced by, in rats, 437
- Desipramine, effect of, on uptake of mescaline by rat brain synaptosomes, 257P
- , effect of, on uptake of noradrenaline by rat brain synaptosomes, 257P
- , effects of, on neuronal responses to dopamine, noradrenaline, 5-hydroxytryptamine and acetylcholine in caudate nucleus of the rat, 285

- , efficacy of, in Parkinson's disease may be attributable to potentiation of neuronal responses to dopamine by, 285
- , potentiates responses to dopamine and noradrenaline of rat caudate nucleus, 285
- Desmethylimipramine, effect of, on hypotensive action of α -methyldopamine, 445
- , prevents inhibitory effect of atropine on response of mouse vas deferens to field stimulation, 339
- Dexamphetamine, reverses inhibitory effect of atropine on response of mouse vas deferens to field stimulation, 339
- Dextrorphan, effect of, on cyclic AMP-adenylate cyclase system in rat brain, 541
- Diabetes, cardiovascular sensitivity in, 226P
- Diamorphine, measurement of serum morphine levels after oral administration of, and morphine, by radioimmunoassay, 228P
- Diaphragm, perfused and immersed, rat, decamethonium in, 367
- Dibutyryl cyclic AMP, effect of, on renin secretion in isolated perfused rat kidney, 55
- Dichloroisoprenaline, effect of, on response of central neurones to noradrenaline, 529
- Diethylpropion, inhibition of effect of, in guinea-pigs, by vitamin C, 226P
- Digitoxigenin, inotropic activity and toxicity in dogs of steroids based on, 65
- Digoxigenin, inotropic activity and toxicity in dogs of steroids based on, 65
- Digoxin, cardiotoxicity and plasma concentration profile of, in conscious dogs, 269P
- Dihydro-β-erythroidine, antagonizes acetylcholine responses in rat caudal medulla. 23
- Dihydroxyphenylalanine, action of, on rat sleep-wakefulness cycle following peripheral decarboxylase inhibition, 101
- , modifies spontaneous behaviour of rats without previous inhibition of peripheral decarboxylase, 101
- Dihydroxyphenylserine, action of, on rat sleep-wakefulness cycle following peripheral decarboxylase inhibition, 101
- 3α-Dimethyl-amino-5α-androstan-2β-ol-17-one, see Org. NA13, 3
- δ [N-(3,4-dimethoxyphenethyl)-N-methylamino]-(3,4,5-trimethoxyphenyl)α-isopropylvaleronitrile hydrochloride, see D₆₀₀, 83
- 16,16-Dimethyl prostaglandin E₂, effect of, on subcutaneous injection to chronic fistula rat, 309
- , intravenously, much more active than PGE₂ in inhibiting pentagastrin-stimulated acid secretion in anaesthetized rat, 309
- Diphloretin phosphate, directly antagonizes some of actions of prostaglandin $F_2 \alpha$, 301
- , effect of presence of, during prostaglandin E_2 treatment on blood coagulability, 301
- intravenously, does not potentiate depressor and intestinal stimulant actions of prostaglandins E₂ and F_{2α}, 301
- , only has marked prostaglandin-inactivation inhibitory properties if infused continuously, 301
- Di-4-phloretin phosphate, inhibition of pulmonary inactivation of prostaglandins in vivo by, 301
- Dipyridamole, effect of, on ventricular fibrillation threshold, 413

Discrimination, auditory and visual, effect of LSD on, in rat, 234P

DOPA, Dihydroxyphenylalanine, 101

- L-DOPA, hypoglycaemic action of, in nialamide treated mice, 263P
- , reversal by, of reserpine akinesia, effect of FLA-63 on, 246P
- Dopamine, behavioural and biochemical evidence for blockade of cerebral receptors for, by metoclopramide in rodents, 275P
- , effect of aporphine alkaloids on central receptors for, 271P
- , effect of, on amylase secretion from guinea-pig submandibular gland, 523
- , effect of, on rate of age dependent changes in brain monoamine oxidase activity in rat, 251P
- , effects of desipramine on neuronal responses to, in rat caudate nucleus, 285
- , hypoglycaemic effects of, in nialamide treated mice, 263P
- , neurones, mesolimbic or striatal lesion of, amphetamine and apomorphine response to, after, 244P
- , response of rat caudate nucleus to, potentiated by desipramine, 285
- , use of, as substrate in inhibition of brain mitochondrial monoamine oxidase by 6-hydroxydopamine. 403
- Dopamine-β-hydroxylase, inhibitors of, and centrally administered noradrenaline; effect of, on (+)-amphetamine anorexia in mice, 245P
- , blockade of, effect of, on amylase secretion from submandibular gland, 523
- Dopamine- β -hydroxylase inhibition, effect of, on hypotensive action of α -methyl dopamine, 445
- Dopamine-β-hydroxylase inhibitor, FLA-63, effect of, on L-DOPA reversal of reserpine akinesia, 246P
- Dopaminergic interactions, in caudate nucleus in relation to induction of sleep in cat, 247P

DOPS, Dihydroxyphenylserine, 101

F

Edrophonium, decreases acetylcholinesterase inhibition in rat as function of plasma concentrations, 263P

 , relationship between plasma concentration of, inhibition of erythrocyte acetylcholinesterase and the facilitation of neuromuscular function in rat, 263P

Emetic response, in cat, role of catecholamines in central mechanism of, induced by peruvoside and ouabain, in cat, 157

Endotoxin shock, myocardial failure with altered response to adrenaline in, 145

dl-Erythro-4'-methyl-α(1-isopropyl-aminoethyl)-benzylalcohol hydrochloride, see H35/25, 260P

Esters, flavouring, new approach to evaluation of safety of, 268P

Etomidate, pharmacological properties of, 241P

Etorphine, effect of, on blood glucose level in cat, 163

Excitatory junction potential, effect of GABA, γ-guanidinopropionic acid and picrotoxin on, in hermit crab neuromuscular junction, 383 F

Fatty acid, rat plasma unesterified, rapid effects of environmental disturbance on, and prevention by antilipolytic drugs, 389

Fenfluramine, inhibition of effect of, in guinea-pigs, by vitamin C, 226P

Fenoterol, comparison of effects of, on guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P

FLA-63, a dopamine-β-hydroxylase inhibitor, effect of, in L-DOPA reversal of reserpine akinesia, 246P

α-Flupenthixol, effect of, on methamphetamine induced turning to unilateral lesion of substantia nigra, 115

Fluspirilene, effect of, on amylase secretion from guinea-pig submandibular gland, 523

Folic acid, combined with primidone, increased teratogenic effects of, in mice, 267P

Folinic acid, combined with primidone, teratogenic effects of, in mice, 267P

G

GABA, γ-aminobutyric acid, inhibitory potency of, in rat hippocampus, 181

-, a potent inhibitor of hippocampal function, 181

 , comparison of some smooth-muscle effects of, and of prostaglandin E₁, 279P

Gallamine, effect of, at skeletal neuromuscular junction,

Gentamycin, cardiovascular depressant effects of, in rhesus monkeys, 453

Glycine, effect of, with TETS, in rat cuneate nucleus, 239P

- , inhibitory potency of, in rat hippocampus, 181

Glucagon, effects of, on capillary filtration coefficient in the innervated jejunum of anaesthetized cat, 225P

Guanethidine, adrenergic-neurone blockade of, similar to inhibitory effect of atropine on mouse vas deferens response to field stimulation, 339

 , effect of, on response of rat vas deferens and rat and cat anococcygeus muscles to field stimulation, 481

 , inhibits both cardiac and eyelid responses to stimulation of cervical sympathetic nerves in rat, 351

γ-Guanidinopropionic acid, effect of, in pre- and post-synaptic inhibitory receptor at hermit crab neuromuscular junction, 383

н

- H35/25, dl-erythro-4'-methyl-α(1-isopropyl-aminoethyl)-benzylalcohol hydrochloride, blocking effect of, on isoprenaline induced effects on guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P
- H₁ and H₂-receptors, role of, in coronary vascular response to histamine of isolated perfused hearts of guinea-pigs and rabbits, 511

Haloperidol, abolishes locomotor stimulation induced by intraventricular injection of ADTN, 107

- , blocks hypoglycaemic effect of L-DOPA in nialamide treated mice, 263P
- , effect of, on amylase secretion from guinea-pig submandibular gland, 523

- , effect of, on hypotensive action of α-methyldopamine, 445
- , effect of, on emetic response induced by peruvoside and ouabain in cat, 157

HC-3, acetylation of, by choline acetyltransferase, 230P Heart, innervation of, by cervical sympathetic nerves in mouse, rat, guinea-pig, rabbit and cat, 351

 , isolated perfused, rabbit and guinea-pig, role of H₁ and H₂-receptors in coronary vascular response to histamine of, 511

Hemidiaphragm, rat isolated, isometric contractility of, effects of cyclic N-2-O-dibutyryl-adenosine 3',5'-monophosphate, adrenaline and aminophylline on, 375

Hermit crab, neuromuscular junction of, some characteristics of pre- and post-synaptic inhibitory receptors at, 383

Hexamethonium, anti-curare action of, at skeletal neuromuscular junction, 91

- , anti-curare effect of, in rat, guinea-pig and mouse diaphragm abolished by acetylcholinesterase inhibitors, 91
- , anti-curare effect of, in toad sartorius muscle unaffected by acetylcholesterase inhibitors, 91
- , effect of, on acetylcholine induced changes in adrenergic transmission in rabbit ear artery, 49
- , effect of, on response to acetylcholine, 91
- , increases amplitude of end-plate potential in presence of tubocurarine, 91
- , inhibits only partially cardiac and eyelid responses to stimulation of cervical sympathetic nerves in rat, 351

Histamine, analysis of depressor responses to, in cat and dog, 319

- , bronchoconstriction induced by, in guinea-pigs reduced by cervical sympathetic nerve stimulation, 351
- , causes fall in blood pressure at both H₁ and H₂-receptors in cat and dog, 319
- , content in worms, effect of piperazine, on, 219P
- , coronary vascular response to, of guinea-pigs and rabbits, role of H₁ and H₂-receptors in, 511
- , effect of mixture of oxytetracycline and ascorbic acid on constrictor responses of, in rabbit ear artery, 261P
- , effect of, on tissue blood flow in cat, 222P

Histamine H₁, presence of, receptors in cat and dog cardiovascular system, 319

Histamine H₂, presence of receptors in cat and dog cardiovascular system, 319

Hydrallazine, effect of, on reactivity in hypertensive rats, 437

 , effect of, on vascular reactivity in spontaneously hypertensive rats, 429

Hydrochlorothiazide, effect of, on vascular reactivity in spontaneously hypertensive rats, 429

- , effect of, on reactivity in hypertensive rats, 437

5-Hydroxydopamine, effect of, on amylase secretion from guinea-pig submandibular gland, 523

- , effect of, on hypotensive action of α-methyldopamine, 445
- , inhibition by, of brain mitochondrial monoamine oxidase, 403
- 5-Hydroxyindoleacetic acid, concentration of brain, following administration of cocaine hydrochloride, 61

- m-Hydroxyphenylpropyl trimethyl ammonium iodide, as nicotinic agonist, effect of, on release of catecholamines from isolated perfused dog adrenal glands, 259P
- 5-Hydroxytryptamine, cerebral systems, apparently unaffected by treatment with metoclopramide, 275P
- , cocaine inhibits turnover of, in rat brain, 61
- , effects of desipramine on neuronal responses to, in rat caudate nucleus, 285
- , effect of, on rate of age dependent changes in brain monoamine oxidase activity in rat, 251P
- , presynaptic action of, in myenteric plexus of guinea-pig ileum, 265P
- , presynaptic effect of, prevented by methysergide, 265P
- , increased reactivity to, in hypertensive rats unaffected by prolonged anti-hypertensive therapy, 437
- specificity of binding of, to butanol extracts of rat brain, 252P
- , use of, as substrate to demonstrate additional form of rat brain monoamine oxidase activity, 274P
- , vascular reactivity to, effect of anti-hypertensive drug on, in spontaneously hypertensive rats, 429
- , time-dependent potentiation and inhibition by, of platelet aggregation induced by ADP, 221P

Hyoscine butylbromide, effect of, at skeletal neuromuscular junction, 91

Hyperglycaemia, produced by drugs with analgesic properties introduced into the cerebral ventricles of cats, 163

Hypertension, in rats, effect of α -methyldopamine on, 445

- , in rats, increased reactivity in, inaffected by prolonged anti-hypertensive therapy, 437
- , in rats, influence of anti-hypertensive drug on vascular reactivity in spontaneously hypertensive rats, 429

ı

Indomethacin, blocks feedback inhibition of transmitter release by prostaglandins, 295

- , effect of, on effect of arachidonic acid in renal noradrenaline release, 189
- , effect of, on inflammatory response in rabbit eye, 489
- , increases noradrenaline overflow following nerve stimulation in rabbit kidney, 189
- , increases noradrenaline turnover in some rat organs, 295
- , presence of, enhances effect of exogenous prostaglandin E_2 in rabbit kidney, 189
- reduction of antigen-induced contraction of sensitized human bronchus in vitro by, 495
- , treatment with, has no effect on monoamine oxidase and catechol O-methyl-transferase activities in certain rat organs, 295

Inflammation, ocular, endotoxin-induced, involvement of prostaglandin, 489

Inhibitory receptors, pre- and post-synaptic, at hermit crab neuromuscular junction, some characteristics of, 383

- Inhibitory substance, unidentified, from ox retractor penis, which mimics its atropine-resistant neurogenic relaxation, 409
- Ionic composition, changes in, variations in cyclic AMP and GMP induced by, in rat uterine smooth muscle, 236P

Iron deficiency anaemia, rat liver tryptophan pyrrolase activity in, 227P

Isoprenaline, abolishes pulmonary pressor response to lactic acid, 262P

- , effect of, on ventricular fibrillation threshold, 413
- , increases cyclic AMP levels in neonate chick brain, 255P
- , increases hypothalamic blood flow in conscious rabbits, 11
- , positive inotropic effect of, compared with that of phenylephrine, 83
- -, reverses negative inotropic effect of D_{600} , 83
- (-)-Isoprenaline, has similar effects in guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P

J

Jejunum, innervated, effects of glucagon and pentagastrin on capillary filtration coefficient in anaesthetized cat, 225P

K

Kynuramine, effect of, on rate of age dependent changes in brain monoamine oxidase activity in rat, 251P

 , use of, as substrate in inhibition of brain mitochondrial monoamine oxidase by 6-hydroxydopamine, 403

ı

Lactic acid, adrenergic blockade and the pulmonary pressor response to, 262P

Levorphanol, effect of, on cyclic AMP-adenylate cyclase system in rat brain, 541

β-Lipoprotein, effect of, on effect of hypercholesterolaemic plasma on vascular sensitivity to noradrenaline, 421

Lithium, effect of, on response of rats to tranylcypromine and α -methyl-p-tyrosine given separately or in combination, 233P

Lysergic acid diethylamide, effect of, on auditory and visual discrimination in rat, 234P

 , effect of, on response to field stimulation of rat vas deferens and rat and cat anococcygeus muscles, 481

M

Macaca cyclopis, hypothermic effect of sodium acetyl salicylate on, 475

Manganese, effect of, on response of central neurones to noradrenaline, 529

- Mazindol, inhibition of effect of, in guinea-pigs, by vitamin C, 226P
- McEwen's solution, effect of, on ventricular fibrillation threshold, 413

Mecamylamine, effect of, on reactivity, in hypertensive rats, 437

Meclofenamic acid, increases noradrenaline overflow following nerve stimulation in rabbit kidney, 189

Mepyramine, effect of, on coronary vascular response to histamine of isolated perfused hearts of guinea-pigs and rabbits, 511

- , effect of, on emetic response induced by peruvoside and ouabain in cat, 157
- , effect of, on response to histamine of cat and dog cardiovascular systems, 319

Mescaline, effect of, on uptake of noradrenaline by rat brain synaptosomes, 257P

, uptake of, by rat brain synaptosomes, 257P

Methacholine, dose-response curves of, displacement of, by metiamide, 507

Methadone, effect of, on cyclic AMP-adenylate cyclase system in rat brain, 541

- (+)-Methamphetamine, turning towards unilateral lesion of substantia nigra induced by 6-hydroxydopamine induced by, inhibited by α-clopenthixol, 115
- turning towards unilateral lesion of substantia nigra induced by 6-hydroxydopamine induced by, inhibited by α-flupenthixol, 115

α-Methyldopa, reduces development of hypertension in DOCA/saline treated rats, 253P

α-Methyldopamine, hypotensive action of, 445

- , hypotensive action of, 248P

c-Methylnoradrenaline, action as a pressor agent in pithed rat, 445

(15R)-15 methyl prostaglandin E₂, effect of, on gastrointestinal function, 309

- , intravenously, much more active than PGE₂ in inhibiting pentagastrin-stimulated acid secretion in anaesthetized rat, 309
- -, effect of, on subcutaneous injection to chronic fistula rat, 309
- α-Methyl-p-tyrosine, response of rats to, effects of rubidium, lithium and caesium on, 233P
- , use of, in estimating catecholamine turnover rates in individual hypothalamic nuclei of rat, 242P

Methysergide, blocks hypoglycaemic effect of L-DOPA in nialamide treated mice, 263P

- , effect of, on response of rat and vas deferens and rat and cat anococcygeus muscles to field stimulation, 481
- , prevents pre-synaptic action of 5-HT in guinea-pig ileum myenteric plexus, 265P

Metiamide, effect of, in presence of mepyramine on response of cat and dog cardiovascular systems greater than that of mepyramine alone, 319

- displacement by, of dose-response curves to pentagastrin and methacholine in conscious rat, 507
- , effect of, alone, on response to histamine of cat and dog cardiovascular systems, 319

Metoclopramide, behavioural and biochemical evidence for cerebral dopamine receptor blockade by, in rodents, 275P

Metyrapone, inhibits prostaglandin synthesis and release from pregnant rat uterus in vitro, 278P

Microiontophoretic analysis, quantitative, of responses of central neurones to noradrenaline, and interactions with metal ions, 529

Microsomal oxidase system, in rat intestinal mucosa, 229P Monoamine oxidase, substrate and strain-dependent differences in the development of, in rat brain, 251P

- , studies on purification of, by affinity chromatography, 274P
- , brain mitochondrial, in vitro inhibition of, by 6-hydroxydopamine, 403

Monoamine oxidase activity, histochemical demonstration of an addition form of, in rat brain, 274P

Morphine, antinociceptive effects of, attenuated by concurrent administration of clonidine in mice, 256P

- , antinociceptive activity of subcutaneous doses of, not potentiated by concurrent intracerebroventricular administration of propranolol, 256P
- , antinociceptive activity of subcutaneous injection of, concurrently with central administration of phentolamine in mice potentiated, 256P
- , effect of, on cyclic AMP-adenylate cyclase system in rat brain. 541
- , effect of, on baclofen-induced analgesia, 171
- , serum levels, measurement of, by radioimmunoassay after oral administration of diamorphine and morphine, 228P
- , -treated rats, aversive properties of naloxone in, 235P
 Motoneurones, frog spinal, amino acid receptors in, 238P
 Mucosa, rat intestinal, a microsomal oxidase system in, 229P

Muscarinic agents, interaction of, with central dopaminergic systems, 115

Muscle, rat and cat anococcygeus, effects of LSD on response of, to field stimulation, 481

 rat uterine smooth, variations of cyclic AMP and GMP in, induced by carbachol, PGF_{2α} and changes in ionic composition, 236P

Myocardial failure, with altered response to adrenaline in endotoxin shock, 145

N

N,2-dimethyl,2-(paminophenyl) succinimide, pharmacological properties of, 242P

Naloxone, effect of, on cyclic AMP-adenylate system in rat brain, 541

, aversive properties of, in morphine-treated rats, 235P
 Narcotic analgesic drugs, effects of, on cyclic AMP-adeny-late cyclase system in rat brain, 541

Neomycin, cardiovascular depressant effects of, in rhesus monkeys, 453

Neurogenic relaxation, atropine-resistant, extraction from ox retractor penis of an inhibitory substance mimicking, 409

Neurohypophysial hormones, release of, by nicotine, site of action of, 463

Neuroleptic agents, interaction of, with central dopaminergic systems, 115

Neuromuscular function, relationship between plasma edrophonium concentration, inhibition of erythrocyte acetylcholinesterase and facilitation of, in rat, 263P

Neuromuscular junction, hermit crab, some characteristics of pre- and post-synaptic inhibitory receptors at, 383

Neurones, central, quantitative microiontophoretic analysis of responses of, to noradrenaline, 529

Nialamide, a monoamine oxidase inhibitor, hypoglycaemic action of L-DOPA in mice treated with, 263P

Nicotine, vasopressin release by, site of action of, 463

Nicotinic acid, effect of, on rapid effects of environmental disturbance on rat plasma unesterified fatty acid and tryptophan concentrations, 389

 , plasma tryptophan changes on environmental disturbance and their prevention by propranolol and, 273P

Noradrenaline, activation of adrenoceptors in cerebral resistance vessels by release of endogenous, 11

- , cerebral systems, apparently unaffected by treatment with metoclopramide, 275P
- , comparison of effects of, on isolated blood-perfused dog spleen with those of angiotensin, oxytocin and vasopressin, 205
- , effects of desipramine on neuronal responses to, in rat caudate nucleus, 285
- , effect of mescaline of uptake of, by rat brain synaptosomes, 257P
- -, action as a pressor agent in pithed rat, 445
- , effect of prostaglandin E₂ on overflow of, following nerve stimulation in rabbit kidney, 189
- , increased turnover of, induced by indomethacin in some rat organs, 295
- , injected intracerebroventricularly, is antinociceptive in mice, 256P
- release of, from isolated perfused dog adrenal glands in presence of nicotinic or muscarinic agonists, 259P
- , responses of rabbit ear artery to, reduced by mixture of oxytetracycline and ascorbic acid, 261P
- , response of rat caudate nucleus to, potentiated by desipramine, 285
- uptake of, by rat brain synaptosomes compared with that of mescaline, 257P
- , increased reactivity to, in hypertensive rats unaffected by prolonged antihypertensive therapy, 437
- -, vascular reactivity to, effect of antihypertensive drug, on, in spontaneously hypertensive rats, 429
- response of central neurones to, quantitative microiontophoretic analysis of, 529
- , vascular sensitivity to, effects of hypercholesterolaemic plasma on, 421
- factors affecting cerebrovascular response to, in dog, 129
- , centrally administered, effect of, on (+)-amphetamine anorexia in mice, 245P
- , effect of, on amylase secretion from guinea-pig submandibular gland, 523
- , effect of, on dog and cat spleen, 499

³ H-Noradrenaline, effect of, on neonate chick brain, 255P

0

Obesity, effect of, on cardiovascular sensitivity, 226P Org. Na13, 3α -dimethyl-amino- 5α -androstan- 2β -ol-17-one an aminosteroid with local anaesthetic and antiarrhythmic properties, 3

- , experimental arrhythmias in mice, rats and dogs corrected by, administered intravenously, 3
- , more potent local anaesthetic in rats and guinea-pigs than lignocaine, 3
- , has no effect on ouabain-induced arrhythmias in dogs, 3

Ouabain, role of catecholamines in central mechanism of emetic response induced by, in cat, 157

Oxotremorine, inhibits apomorphine-induced turning away from site of lesion of substantia nigra, 115

 , inhibits turning towards site of lesion of substantia nigra induced by methamphetamine, 115

Oxytetracycline, inhibition of constrictor responses of rabbit ear artery by mixture of, and ascorbic acid, 261P

Oxytocin, responses of isolated blood-perfused dog spleen to, 205

- , release of, effect of nicotine on, 463

Ρ

Paracetamol, and its conjugates, renal tubular transport of, in dog, 359

Parachlorophenylalanine, prevents hypoglycaemic response to L-DOPA in nialamide treated mice, 263P Pargyline, reduces elution of ³H-5-hydroxytryptamine from butanol extracts of rat brain, 252P

 - , reduces development of hypertension in DOCA/ saline treated rats, 253P

Parkinson's disease, therapeutic efficacy of desipramine in, 285

Pentagastrin, dose-response curves of, displacement of, by metiamide, 507

 , effect of, on capillary filtration coefficient in innervated jejunum of anaesthetized cat, 225P

Pentazocine, antinociceptive activity of subcutaneous injection of, concurrently with central administration of phentolamine in mice potentiated, 256P

 , antinociceptive activity of subcutaneous doses of, not potentiated by concurrent intracerebroventricular administration of propranolol, 256P

Peri-orbital structures, innervation of, by cervical sympathetic nerves in mouse, rat, guinea-pig rabbit and cat, 351

Periplogenin, inotropic activity and toxicity in dogs of steroids based on, 65

Peruvoside, role of catecholamines in central mechanism of emetic response induced by, in cat, 157

Pethidine, effect of, on blood glucose level in cat, 163

Phenobarbitone, effect of, on emetic response induced by peruvoside and ouabain in cat, 157

Phenoxybenzamine, effect of, on emetic response induced by peruvoside and ouabain in cat, 157

- , abolishes pulmonary pressor response to lactic acid, 262P
- , abolishes vasoconstriction in hypothalamus induced by tyramine, 11
- , effect of, on response of isolated blood-perfused dog spleen to angiotensin, oxytocin and vasopressin, 205

Phentolamine, antagonizes antinociceptive activity of subcutaneously administered clonidine in mice, 256P

 , effect of, on response of isolated blood-perfused dog spleen to angiotensin, oxytocin and vasopressin, 205

- , inhibits eyelid response to stimulation of cervical sympathetic nerves in rat, 351
- , is antinociceptive in mice if injected intracerebroventricularly, 256P
- , potentiates antinociceptive activity of subcutaneous injection of morphine in mice, 256P
- , potentiates antinociceptive activity of subcutaneous injection of pentazocine, in mice, 256P
- , reduces or abolishes pulmonary response to lactic acid, 262P
- , effect of, on response of rat vas deferens and rat and cat anococcygeus muscles to field stimulation, 481
- , effect of, on hypotensive action of -methyldopamine, 445
- , effects of, applied by microiontophoresis in the spinal cord, 237P

Phenylephrine, correlation between mechanical and electrophysiological effects of, on cardiac muscle, 83

- , has little effect on negative inotropic effect induced by $D_{600},\,83$
- , positive inotropic effect of, compared with that of isoprenaline, 83
- promotes transmembrane influx of calcium, 83

Phosphodiesterase inhibitors, effect of, on stimulation of cerebral cyclic AMP formation by biogenic amines in vitro and in vivo, 272P

Picrotoxin, antagonizes GABA-induced inhibition in rat hippocampus, 181

 , effect of, on pre- and post-synaptic inhibitory receptors at hermit crab neuromuscular junction, 383
 Pimozide, abolishes locomotor stimulation induced by

intraventricular injection of ADTN, 107
, effect of, on methamphetamine induced turning to unilateral lesion of substantia nigra, 115

- , inhibits hypothermic action of bromocriptine, 123

- , pretreatment intraperitoneally with, blocks locomotor stimulation induced by ADTN injected bilaterally into nucleus accumbens, 107
- , effect of, on amylase secretion from guinea-pig submandibular gland, 523

Pindolol, effect of, on ventricular fibrillation threshold, 413

Piperazine, possible mode of action of, 219P

Platelet aggregation, induced by ADP, effect of 5-hydroxytryptamine on, 221P

Plasma, hypercholesterolaemic, effect of, on vascular sensitivity to noradrenaline, 421

Polypeptides, possible role of, angiotensin, oxytocin and vasopressin in haemorrhage, 205

Practolol, blocks effects of (-)-isoprenaline on guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P

Presynaptic inhibition, antagonists of, in rat cuneate nucleus, 239P

Primidone, teratogenic effects of, in mice, 267P

Propranolol, alone shows some antinociceptive activity when administered intracerebroventricularly, 256P

- , blocks effects of (-)-isoprenaline on guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P
- , blocks vasodilation in hypothalamus induced by tyramine and isoprenaline, 11
- , effect of treatment with, on development of DOCA/saline hypertension in rats, 253P
- , inhibits cardiac response to stimulation of cervical sympathetic nerves in rat, 351

- , intracerebroventricularly, does not potentiate antinociceptive activity of concurrent subcutaneously administered morphine, pentazocine or clonidine, 256P
- , plasma tryptophan changes on environmental disturbance and their prevention by, and nicotinic acid, 273P
- reduces development of hypertension in DOCA/ saline treated rats, 253P
- , effect of, on ventricular fibrillation threshold, 413
- , effect of, on isometric contractility of isolated rat hemidiaphragm, 375
- , effect of, on rapid effects of environmental disturbance on rat plasma unesterified fatty acid and tryptophan concentrations, 389
- (+)-Propranolol, does not block rise in renin secretion from isolated perfused rat kidney caused by theophylline, 55
- (±)-Propranolol, effect of, on cerebrovascular response to noradrenaline, 129

Prostaglandin, controls renal noradrenaline release from inner cortex, 189

- , metyrapone inhibits synthesis and release of, from pregnant rat uterus in vitro, 278P
- release of, in vitro maintains tone of longitudinal muscle of guinea-pig colon, 197
- , release of, from cat and dog spleen, 499
- , effects of, in calves, 266P
- , effects of, on guinea-pig isolated intestine and possible contribution to muscle activity and tone, 197
- ,-like substances, release of, by Shigella endotoxin and its inhibition by non-steroidal anti-inflammatory compounds, 489
- , synthesis of, inhibitors of, potentiation of certain effects of amphetamine by, 249P

Prostaglandin E, release of, inhibits circular muscle tone in guinea-pig isolated colon, 197

 activity of, dissociation of bacterial pyrexia from, 250P

Prostaglandin E₁, causes contraction of longitudinal muscle of guinea-pig isolated colon, 197

- -, effect of, on blood glucose level in cat, 163
- , comparison of some smooth-muscle effects of GABA and, 279P
- , effects of, on cardiovascular and respiratory systems of anaesthetized calves, 266P
- , more effective than prostaglandin E₂ in guinea-pig isolated colonic longitudinal muscle, 197

Prostaglandin E₂, causes contraction of longitudinal muscle of guinea-pig isolated colon, 197

- , effects of, on cardiovascular and respiratory systems of anaesthetized calves, 266P
- , inhibits noradrenaline overflow in rabbit kidney, 189
- , potency and selectivity of methyl analogues of, on rat gastrointestinal function, 309
- , comparative bioassay of, and its three pulmonary metabolites, 397

Prostaglandins E₂ and F_{2α}, inhibition of pulmonary inactivation of, caused marked potentiation of gastrointestinal effects of, 301

Prostaglandin $F_{1\alpha}$, causes contraction of longitudinal muscle of guinea-pig isolated ileum and colon, 197 •

 , effects of, on cardiovascular and respiratory systems of anaesthetized calves, 266P , has little effect on guinea-pig isolated ileal circular muscle, 197

Prostaglandin $F_{2\alpha}$, effect of, on release of, by antigen-induced contraction of sensitized human bronchus by indomethacin, 495

- variations in cyclic GMP and AMP in rat uterine smooth muscle induced by, 236P
- , causes contraction of longitudinal muscle of guinea-pig isolated ileum and colon, 197
- , has little effect on guinea-pig isolated ileal circular muscle, 197
- , effect of, on cardiovascular and respiratory systems of anaesthetized calves, 266P

Pyrexia, bacterial, dissociation of, from prostaglandin E activity, 250P

R

R(+)-ethyl-1-(α-methyl-benzyl) imidazole-5-carboxylate, pharmacological properties of, 241P

RO 4-4602, serine-trihydroxybenzylhydrazide, extracerebral decarboxylase inhibitor, 101

Rat hippocampus, characterization of inhibitory receptor in, 181

Renal tubules, transport of paracetamol and its conjugates in, in dog, 359

Reserpine, effect of, on emetic response induced by peruvoside and ouabain in cat, 157

- , effect of, on reactivity, in hypertensive rats, 437
- , effect of, on vascular reactivity in spontaneously hypertensive rats, 429
- -, effect of, on ventricular fibrillation threshold, 413
- , effect of, on amylase secretion from guinea-pig submandibular gland, 523
- , depleting effects of, on intracellular catecholamines in rat coeliac-mesenteric ganglion, 258P
- , prevents pulmonary pressor response to lactic acid, 262P
- , reduces elution of ³H-5-hydroxytryptamine from butanol extracts of rat brain, 252P

Reserpine akinesia, reversal of, by L-DOPA, effect of FLA-63 on, 246P

Retractor penis, ox, extraction from, of an inhibitory substance which mimics its atropine-resistant neurogenic relaxation, 409

Rhesus monkeys, cardiovascular depression produced by neomycin and gentamycin in, 453

Rubidium, effect of, on response of rats to tranylcypromine and α -methyl-p-tyrosine, 233P

- , effect of, on responses of rabbit vas deferens to transmural stimulation, 266P
- , inhibition of uptake in red blood cells of, and inotropic activity and toxicity of some cardiotonic steroids in dogs, 65

S

Salbutamol, comparison of effects of, on guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P

Scopalamine, turning towards site of lesion of substantia nigra induced by, inhibited by pimozide, 115

- , turning towards site of lesion of substantia nigra induced by, inhibited by α -flupenthixol, 115

Secretion, relevance to, of depolarizing effects of X-537A and A23187, 400

Serine-trihydroxybenzylhydrazide, see RO 4-4602, 101 Shigella endotoxin, release of prostaglandin-like substances by, and its inhibition by non-steroidal

anti-inflammatory compounds, 489

Skeletal muscle, measurement of metabolism in resting and exercising human, in situ, 276P

SKF-525-A, effect of, on emetic response induced by peruvoside and ouabain in cat, 157

Sleep, induction of, in cat, dopaminergic and cholinergic interactions in relation to, 247P

Smooth muscle, action of spasmogenic substances on Ca²⁺ movements of, in rat uterus, 278P

Sodium, and response of rat descending colon and rat uterus to angiotensin II, 238P

Sodium acetylsalicylate, effect of, on afebrile monkeys, 475

Sodium chloride, bilateral injection into nucleus accumbens of, had no effect on locomotor activity, 107

Spinal cord, effects of cinanserin and phentolamine applied by microiontophoresis in, 237P

Spleen, cat and dog, release of prostaglandin from, 499

Streptozotocin, effect of, on cardiovascular sensitivity in diabetic and obese rats, 226P

Strophanthidiol, inotropic activity and toxicity in dogs of steroids based on, 65

Strychnine, effect of, on GABA-induced inhibition in rat hippocampus, 181

Submandibular gland, guinea-pig, effect of dopamine on amylase secretion from, 523

Syrosingopine, effect of, on emetic response induced by peruvoside and ouabain in cat, 157

Т

Tetrabenazine, effect of, on emetic response induced by peruvoside and ouabain in cat, 157

Tachyphylaxis, occurrence of, in response to prostaglandins in calves, 266P

Terbutaline, comparison of effects of, on guinea-pig tracheobronchial, skeletal and cardiac muscle, 260P

 Δ^1 -Tetrahydrocannabinol, and adrenergic mechanisms, 277P

 , cataleptoid state induced by, GABA system in rat cerebellum during, 406

Tetramethylenedisulphotetramine, and related compounds as antagonists of pre-synaptic inhibition and microiontophoretically applied GABA and glycine in rat cuneate nucleus, 239P

Tetraphenylboron, acts prejunctionally at frog neuromuscular junction, 325

Tetraphenylboron, effects of, are slowly reversible by washing, 333

- , effects of, on neuromuscular transmission in frog, 325
- , effects of, on spontaneous transmitter release at frog neuromuscular junction, 333
- , increases spontaneous transmitter release at frog neuromuscular junction, 325
- , reduces nerve terminal stores of acetylcholine, 333

TETS, see tetramethylenedisulphotetramine, 239P

Theophylline, effect of temperature, pH and calcium on myocardial uptake of, 75

- , increases renin secretion in isolated perfused rat kidney, 55
- , myocardial uptake and inotropic activity of, are not associated, 75
- , myocardial uptake and inotropic effect of, 75

Thioridazine, effect of, on apomorphine-induced turning away from site of lesion of substantia nigra, 115

-, effect of, on methamphetamine induced turning to unilateral lesion of substantia nigra, 115

Tranylcypromine, response of rats to, effect of lithium, rubidium and caesium on, 233P

Triethylcholine, enhances renal excretion of choline and acetylcholine up to certain load level, then inhibits excretion, 41

- , renal tubular excretion of, in the chicken, 41
- , transported through renal tubule by organic cation transport system, 41

Tryptamine, effect of, on rate of age dependent changes in brain monoamine oxidase activity in rat, 251P

 , effects of, with amphetamine on elution of ³H-5-hydroxytryptamine from butanol extracts of rat brain, 252P

Tryptophan, rat plasma, rapid effects of environmental disturbance on, and prevention by antilipolytic drugs, 389

- , brain levels of, following administration of cocaine hydrochloride, 61
- , changes in plasma, following environmental disturbance and their prevention by propranolol and nicotinic acid, 273P

L-Tryptophan, effect of, on changes in motor activity caused by p-chlorophenylalanine, 232P

Tryptophan pyrrolase activity, rat liver, in iron deficiency anaemia, 227P

Tubocurarine, does not act competitively with acetylcholine at synapses, 91

- , effect of preincubation with, on elution profile of ³H-5-HT and ¹⁴CACh from butanol extracts of rat brain, 252P
- , in presence of, hexamethonium increases amplitude of end-plate potential, 91

Tyramine, effect of, on response of rat vas deferens and rat and cat anococcygeus muscles to field stimulation, 481

- , effect of, on rate of age dependent changes in brain monoamine oxidase activity in rat, 251P
- , effects of, in hypothalamic blood flow in conscious rabbits, 11
- , large doses of, decrease hypothalamic blood flow in conscious rabbits, 11
- , small doses of, increase hypothalamic blood flow in conscious rabbits, 11
- , use of, as substrate to demonstrate additional form of rat brain monoamine oxidase activity, 274P

u

U-14,624, effect of, on hypotensive action of α -methyl-dopamine, 445

Ultracryotomy, use of, in high resolution druglocalization studies, 277P

V

Vas deferens, rat, effects of LSD on response of, to field stimulation, 481

- , mouse, association of acetylcholinesterase reaction product with presumptive noradrenergic axons in, 339
- rabbit, effect of rubidium on responses of, to transmural stimulation, 266P

Vascular reactivity, influence of antihypertensive drug on, in spontaneously hypertensive rats, 429

Vascular response, coronary, role of H₁ and H₂-receptors in, to histamine in rabbits and guinea-pigs, 511

Vasopressin, release of, by nicotine, site of action of, 463
responses of isolated blood-perfused dog spleen to, 205

Vasoactive metabolite, release of, by catecholamines from perfused guinea-pig hearts, 223P

Ventricular fibrillation threshold, effect of anoxia on, in rabbit isolated heart, 413

Verapamil, effect of, on response of central neurones to noradrenaline, 529

Visual discrimination, effect of LSD on, in rat, 234P Vitamin C, inhibition of effects of weight-reducing drugs in guinea-pigs by, 226P

W

Weight-reducing drugs, inhibition of effects of, in guinea-pigs, by vitamin C, 226P

X

X-537A, depolarizing effects of, and their relevance to secretion, 400

INSTRUCTIONS TO AUTHORS

Papers will be considered for publication on all aspects of drug action, including chemotherapy. A recent issue of the Journal is a good guide to style.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh, EH8 9JZ, from whom copies of the full Instructions to Authors, published in *Br. J. Pharmac*, 50, 3-23, may also be obtained. Specific points to note are:

- 1. Manuscript should be typed in double spacing on one side of paper not larger than A4 (206 x 294 mm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title of not more than 50 letters should also be suggested.
- 2. Statement Papers are accepted only if accompanied by a statement that they have not been and will not be published in whole or in part in any other Journal.
- 3. Summary (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.
- 4. Abstract (2 copies) An abstract of about 100 words suitable for inclusion in an abstracting journal should be typed on a separate sheet, giving the author's name and address and the title of the paper.
- 5. Figures These should not be larger than A4 (206 x 294 mm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided, and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:

$O \bullet \Box \blacksquare \Delta \blacktriangle \nabla \nabla$

Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction.

- 6. Tables These should not have more than 85 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 110 characters to a line, unless absolutely unavoidable. Figure legends and tables should be typed on separate sheets of paper.
- 7. References These should be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

Short Communications These may be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text and only one figure or table. The summary should be a single paragraph. An abstract and statement should be included.

British Journal of Pharmacology

VOLUME 54 NUMBER 4 AUGUST 1975

page

Systematic Pharmacology

- 413 MURNAGHAN, M.F. The effect of anoxia on the ventricular fibrillation threshold in the rabbit isolated heart
- 421 BLOOM, D., McCALDEN, T.A. & ROSENDORFF, C. The effects of hypercholesterolaemic plasma on vascular sensitivity to noradrenaline
- 429 HAMILTON, T.C. Influence of anti-hypertensive drug treatment on vascular reactivity in spontaneously hypertensive rats
- 437 FINCH, L. An increased reactivity in hypertensive rats unaffected by prolonged antihypertensive therapy
- 445 FINCH, L., HERSOM, A. & HICKS, P. Studies on the hypotensive action of a-methyldopamine
- 453 ADAMS, H.R. Cardiovascular depressant effects of neomycin and gentamicin in rhesus monkeys
- 463 BISSET, G.W., FELDBERG, W., GUERTZENSTEIN, P.G. & ROCHA E. SILVA, Jr., M. Vasopressin release by nicotine: the site of action
- 475 CHAI, C.Y. & LIN, M.T. Hypothermic effect of sodium acetylsalicylate on afebrile monkeys

Autopharmacology

- 481 GILLESPIE, J.S. & McGRATH, J.C. The effects of lysergic acid diethylamide on the response to field stimulation of the rat vas deferens and the rat and cat anococcygeus muscles
- 489 BHATTACHERJEE, P. Release of prostaglandin-like substances by Shigella endotoxin and its inhibition by non-steroidal anti-inflammatory compounds
- 495 DUNLOP, LYN S. & SMITH, A.P. Reduction of antigen-induced contraction of sensitized human bronchus *in vitro* by indomethacin
- 499 BEDWANI, J.R. & MILLAR, G.C. Prostaglandin release from cat and dog spleen
- 507 LUNDELL, L. Displacement by metiamide of the dose-response curves to pentagastrin and methacholine in the conscious rat
- 511 BROADLEY, K.J. The role of H₁ and H₂-receptors in the coronary vascular response to histamine of isolated perfused hearts of guinea-pigs and rabbits

Drug Mechanisms

- 523 BLOOM, G.D., CARLSÖÖ, B. & DANIELSSON, Å. Dopamine-induced amylase secretion from guinea-pig submandibular gland
- 529 FREEDMAN, R., HOFFER, B.J. & WOODWARD, D.J. A quantitative microiontophoretic analysis of the responses of central neurones to noradrenaline: interactions with cobalt, manganese, verapamil and dichloroisoprenaline
- 541 CLOUET, DORIS H., GOLD, G.J. & IWATSUBO, K. Effects of narcotic analgesic drugs on the cyclic adenosine 3',5'-monophosphate-adenylate cyclase system in rat brain