Edited for the British Pharmacological Society by

A.W. Cuthbert (Chairman) H.M. Adam (Secretary)

Margaret Day (Press Editor)

J.D. Stephenson (Assistant Press Editor)

A.M. Barrett J.S. Kelly W.G. Bisset G.M. Lees

W.G. Bisset G.M. Lees T.B. Bolton G.P. Lewis I.H.M. Main P.B. Bradlev E.K. Matthews D.A. Brown B.A. Callingham J.F. Mitchell P.A. Nasmyth T.J. Crow M.W. Parkes F. de Matteis C.T. Dollery M. Sandler A.P. Silverman V. Eisen E.W. Gill M.A. Simmonds A.F. Green F.M. Sullivan D.F. Hawkins A. Ungar Margarethe Holzbauer R.A. Webster D.B. Hope

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the instructions inside the back cover.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633. ISSN 0007-1188.

Annual subscription £36.00 (\$90 USA and Canada). (Orders must be accompanied by remittance. Prices applicable only to orders received before 31st December 1975.)

Cheques should be made payable to Macmillan Journals Limited: Subscription Department, Brunel Road, Basingstoke, Hampshire RG21 2XS, England.

Enquiries concerning advertising space and rates should be addressed to: Advertisement Department, Macmillan Journals Limited, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1975 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Second class postage paid at New York, N.Y.
US Mailing Agent, Air and Sea Freight Inc., 527 Madison Avenue, New York, NY 10022.

INDEX TO VOLUME 55

AUTHOR INDEX

Α

- AHTEE, LIISA, Inhibition by apomorphine of the metoclopramide-induced catalepsy and increase in striatal homovanillic acid content, 381
- ALLEN, B.W., ELLARD, G.A., GAMMON, PATRICIA T., KING, R.C., McDOUGALL, A.C., REES, R.J.W. & WEDDELL, A.G.M. The penetration of dapsone, rifampicin, isoniazid and pyrazinamide into peripheral nerves, 151
- ANGLEO, M., DRING, L.G., LANCASTER, R., LATHAM, A. & SMITH, R.L. A correlation between the response to debrisoquine and the amount of unchanged drug excreted in the urine, 264P
- ARMSTRONG, J.M., BLACKWELL, G.J., FLOWER, R.J., McGIFF, J.C. & MULLANE, K. Possible contribution of prostaglandins to genetic hypertension in rats: identification of a biochemical lesion, 244P
- AYLMER, C.G.G., STEINBERG, HANNAH & WEBSTER, R.A. Dopamine and drug-induced hyperactivity in rats, 293P

В

- BANERJEE, A.K. see HEAZELL, M.A., 285P
- BARBER, H.E., BOURNE, G.R., CALVEY, T.N. & MUIR, K.T. The pharmacokinetics of pyridostigmine and 3-hydroxy-N-methylpyridinium in the rat: dose-dependent effects after portal vein administration, 335
- BARRAND, M.A., CALLINGHAM, B.A., FRY, J.P., MITCHINSON, M.J. & SHARMAN, D.F. Radio-chemical assay of catecholamines in blood plasma, 306P
- BARTH, H., LORENZ, W. & TROIDL, H. Effect of amodiaquine on gastric histamine methyltransferase and on histamine-stimulated gastric secretion, 321
- BELL, C., CONWAY, E.L., LANG, W.J. and PADANYI, R. Vascular dopamine receptors in the canine hindlimb, 167
- BENNETT, M.R., & FLORIN, T. An electrophysiological analysis of the effect of Ca ions on neuromuscular transmission in the mouse vas deferens, 97
- BENNETT, M.R. & MIDDLETON, J. An electrophysiological analysis of the effects of reserpine on adrenergic neuromuscular transmission, 79
- BENNETT, M.R. & MIDDLETON, J. An electrophysiological analysis of the effects of amine-uptake blockers and α-adrenoceptor blockers on adrenergic neuromuscular transmission, 87
- BENOY, CHRISTINE J., EL-FELLAH, M.S. SCHNEIDER, R. & WADE, O.L. Tolerance to sympathomimetic bronchodilators in guinea-pig isolated lungs following chronic administration in vivo, 547

- BEVAN, P., BRADSHAW, C.M. & SZABADI, E. Comparison of effects of DOPA and noradrenaline on single cortical neurones, 301P
- BEVAN, P., BRADSHAW, P.M. & SZABADI, E. Effects of iprindole on responses of single cortical and caudate neurones to monoamines and acetylcholine, 17
- BIRMINGHAM, A.T., FENTEM, P.H., YATES, D. & YATES, JANET, M. Cardiovascular responses of the anaesthetized cat to lower body negative pressure, 246P
- BLACKWELL, G.J., FLOWER, R.J. & VANE, J.R. Rapid reduction of prostaglandin 15-hydroxy-dehydrogenase activity in rat tissues after treatment with protein synthesis inhibitors, 233
- BLACKWELL, G.J. see ARMSTRONG, J.M., 244P
- BLUNDELL, J.E. & CAMPBELL, D.B. The relationship between fenfluramine and norfenfluramine blood levels and anorectic activity in the rat, 261P
- BOADLE-BIBER, MARGARET C. & ROTH, R.H. Formation of dopamine and noradrenaline in rat vas deferens: comparison with guinea-pig vas deferens, 73
- BOLTON, T.B. Is the latency of parasympathetic nerve effects due to a slow activation of muscarinic receptors? An iontophoretic study, 304P
- BOSE, D. Mechanism of mechanical inhibition of smooth muscle by ouabain, 111
- BOULLIN, D.J., GRIMES, R.P.J. & ORR, M.W. Actions of flupenthixol on 5-HT induced aggregation and uptake of 5-HT and dopamine by human blood platelets, 555
- BOULTON, A.A., JUORIO, A.V., PHILIPS, S.R. & WU, P.H. Tyraminergic mechanisms in rat striatum, 296P
- BOURNE, R., LAI, J.C.K. & OWEN, F. (introduced by CROW, T.J.). Monoamine oxidase activity in distinct populations of rat brain mitochondria, 298P
- BOURNE, G.R. see BARBER, H.E., 335
- BOWERY, N.G. & NEAL, M.J. Failure of denervation to influence the high affinity uptake of choline by sympathetic ganglia, 278P
- BRADSHAW, C.M. see BEVAN, P., 17 BRADSHAW, C.M. see BEVAN, P., 301P
- BRANCH, R.A., HALLIWELL, M., JACKSON, L. & ROBERTS, C.J.C. The relationships between liver volume and the disposition of antipyrine and indocyanine green before and after phenobarbitone treatment, 263P
- BROADLEY, K.J. & LUMLEY, P. Reserpine-induced supersensitivity to rate and tension responses to isoprenaline and salbutamol of guinea-pig atria, 284P
- BROCCARDO, M., ERSPAMER, G. FALCONIERI, MELCHIORRI, P., NEGRI. L. & DE CASTIGLIONE, R. Relative potency of bombesin-like peptides, 221
- BROOKS, S & HALLIDAY, J. (introduced by PATERSON, G.). Responses of the isolated sphincter of Oddi from the guinea-pig to field stimulation, 270P

- BUCKINGHAM, JULIA C. & HODGES, J.R. Corticotrophin production by rat adenohypophysial segments in vitro, 272P
- BUTLER, K.D. & WHITE, A.M. The effect of sulphinpyrazone on the thrombocytopenia occurring in the Arthus reaction, 256P
- BUTTERWORTH, K.R., LAKE, B.G., MASON, P.L. & ROWLAND, I.R. Enlargement of the caecum in the rat, 260P

C

- CALLINGHAM, B.A. see BARRAND, M.A., 306P
- CALLINGHAM, B.A. & LYLES, G.A. Changes in MAO activity with age in rat vas deferens, 305P
- CALVEY, T.N. see BARBER, H.E., 335
- CAMPBELL, D.B. see BLUNDELL, J.E., 261P
- CHAPMAN, D. & DICK, FABIENNE (introduced by KELLY, J.S.). Selective autoradiographic markers for GABA-releasing interneurones and nerve terminals, 308P
- CHURCH, M.K. Response of rat lung to humoral mediators of anaphylaxis and its modification by drugs and sensitization, 423
- CHURCH, M.K. & MILLER, P. Simple models of anaphylaxis and of histamine and 5-hydroxy-tryptamine-induced inflammation using the mouse pinna, 315P
- CLANACHAN, A.S. & McGRATH, J.C. Effects of ketamine on the peripheral sympathetic nervous system of the rat, 245P
- CLARKE, CORAL H., FERRES, HELEN M., NICHOLSON, A.N. & STONE, BARBARA M. Effect of diazepam and a soluble salt of diazepam (fosazepam) on sleep in man, 262P
- CLEMENTE, F. & MELDOLESI, J. Calcium and pancreatic secretion-dynamics of subcellular calcium pools in resting and stimulated acinar cells, 369
- COLLARD, K.J. & ROBERTS, M.H.T. The effects of chronic lithium administration on the metabolism of L-tryptophan in the rat forebrain, 268P
- COLLIER, B. & KATZ, H.S. Studies upon the mechanism by which acetylcholine releases surplus acetylcholine in a sympathetic ganglion, 189
- COLLINS, G.G.S. Spontaneous and electrically evoked release of endogenous amino acids from rat visual cortex, 279P
- CONWAY, E.L. see BELL, C., 167
- COSTALL, B., MARSDEN, C.D., NAYLOR, R.J. & PYCOCK, C.J. Differences in circling behaviour following electrolytic and 6-hydroxydopamine lesions of nigrostriatal pathway, 289P
- COWAN, A., DETTMAR, P.W. & WALTER, D.S. Analgesics and rotational behaviour in rats with unilateral substantia nigra lesions. Effects in the presence and absence of (+)-amphetamine, 316P
- CROW, T.J., DEAKIN, J.F.W. & LONGDEN, A. Do anti-psychotic drugs act by dopamine receptor blockade in nucleus accumbens?, 295P
- CROW, T.J. see BOURNE, R., 298P
- CUTHBERT, A.W. & SHUM, W.K. An attempt to measure the lifetime of sodium channels in transporting epithelia. 250P

D

- DAVIS, A.J., HOLZBAUER, MARGARETHE, SHARMAN, D.F. & YOUDIM, M.B.H. Postnatal development of dopamine deamination in striatum of rat. 55
- DE CASTIGLIONE, R. see BROCCARDO, M., 221
- DEAKIN, J.F.W. see CROW, T.J., 295P
- DEKANSKI, J.B., MACDONALD, A., SACRA, P. & PARKE, D.V. Effects of fasting, stress and drugs on gastric glycoprotein synthesis in rat, 387
- DELLOW, P.G. & MILES, T.S. Meiosis: a prostaglandin response that is not inhibited by aspirin, 157
- Desantis, V.P., Längsfeld, W., Lindmar, R. & Löffelholz, K. Evidence for noradrenaline and adrenaline as sympathetic transmitters in the chicken, 343
- DETTMAR, P.W. see COWAN, A., 316P
- DICK, FABIENNE see CHAPMAN, D., 308P
- DIGHE, K.K., SIMON, L., EMSLIE, H.A., HENDERSON, L.K. & RUTHERFORD, F. Development of antisera to prostaglandins B₂ and F₂ and their analysis using solid-phase and double antibody radioimmunoassay methods, 503
- DOLPHIN, ANNETTE, JENNER, P. & MARSDEN, C.D. Biochemical evidence for involvement of noradrenaline in motor activity produced by L-DOPA in rodents, 292P
- DOLPHIN, ANNETTE see DONALDSON, I., 290P
- DONALDSON, I., DOLPHIN, ANNETTE, JENNER, P., MARSDEN, C.D. & PYCOCK, C. Role of dopamine in rotational behaviour produced by unilateral lesions of locus coeruleus, 290P
- DRAY, A., FOWLER, L.J., OAKLEY, N.R., SIMMONDS, M.A. & TANNER, T. Comparison of circling behaviour following unilateral inhibition of GABA-transaminase or discrete electrolytic lesioning in rat substantia nigra, 288P
- DRING, L.G. see ANGELO, M., 264P
- DRUMMOND, A.H. & GORDON, J.L. Inhibition of 5-hydroxy-[³H]-tryptamine binding to rat blood platelets by 5-HT antagonists and uptake inhibitors, 257P
- DUCE, I.R. & KEEN, P. A light and electron microscopic study of the accumulation of material in sectioned rat dorsal roots and the effect of demecolcine, 265P

Ε

- EL-FELLAH, M.S. see BENOY, CHRISTINE J., 547
- ELLARD, G.A. see ALLEN, B.W., 151
- ELTAYEB, I.B. & OSMAN, O.H. Furazolidone-pethidine interaction in rabbits, 497
- EMSLIE, H.A. see DIGHE, K.K., 503
- ENDEAN, R., ERSPAMER, V., ERSPAMER, G. FALCONIERI, IMPROTA, G., MELCHIORRI, P., NEGRI, L. & SOPRANZI, N. Parallel bioassay of bombesin and litorin, a bombesin-like peptide, from skin of *Litoria aurea*, 213
- ENDOH, M. Effects of dopamine on sinus rate and ventricular contractile force of the dog heart in vitro and in vivo, 475

- ENGBERG, I., FLATMAN, J.A. & LAMBERT, J.D.C. (introduced by WOODRUFF, G.N.). DL-Homocysteate-induced motoneurone depolarization with membrane conductance decrease, 250P
- ENGBERG, I., FLATMAN, J.A. & LAMBERT, J.D.C. (introduced by WOODRUFF, G.N.). A simple and cheap method of screening glass electrodes, 312P
- ERSPAMER, G. FALCONIERI see BROCCARDO, M., 221
- ERSPAMER, G. FALCONIERI, see ENDEAN, R., 213 ERSPAMER, V. see ENDEAN, R., 213
- EVANS, R.H. & WATKINS, J.C. Bimodal effect of glycine on frog spinal motor neurones, 281P
- EVANS, R.H. & WATKINS, J.C. Ventral root responses of the hemisected amphibian spinal cord to perfused amino acids in presence of procaine, 519
- EYRE, P. Atypical tryptamine receptors in sheep pulmonary vein, 329

F

- FARMER, J.B., RICHARDS, I.M., SHEARD, P. & WOODS, AUBREY M. Mediators of passive lung anaphylaxis in rat, 57
- FARROW, J.W. & WILLIS, A.L. Thrombolytic and antithrombotic properties of dihomo-γ-linolenate in vitro, 316P
- FENIUK, W. & LARGE, B.J. Effects of prostaglandins E_1 , E_2 and $F_{2\alpha}$ on vagal bradycardia in anaesthetized mouse, 47
- FENTEM, P.H. see BIRMINGHAM, A.T., 246P
- FERRES, HELEN M. see CLARKE, CORAL H., 262P
- FINCH, L. Centrally-acting antihypertensive agent, R28935, a pimozide analogue, not acting via adrenergic neurones, 313P
- FINCH, L. & HICKS, P.E. Central hypertensive action of histamine in rats, 274P
- FLATMAN, J.A. see ENGBERG, I., 250P
- FLATMAN, J.A. see ENGBERG, I., 312P
- FLORIN, T. see BENNETT, M.R., 97
- FLOWER, R.J. see ARMSTRONG, J.M., 244P
- FLOWER, R.J. see BLACKWELL, G.J., 233
- FLOWER, R.J. & KINGSTON, W.P. Prostaglandin D_1 inhibits the increase in vascular permeability in rat skin produced by prostaglandin E_1 , E_2 and D_2 , 239P
- FLYNN, SHEILA B. & OWEN, D.A.A. Histamine receptors in peripheral vascular beds in the cat, 181
- FOREMAN, J.C., HALLETT, M.B. & MONGAR, J.L. 45-Calcium uptake in rat peritoneal mast cells, 283P
- FORRESTER, P.A. (introduced by STRAUGHAN, D.W.). An anticholinergic effect of general anaesthetics on cerebrocortical neurones, 275P
- FOWLER, L.J. see DRAY, A., 288P FRY, J.P. see BARRAND, M.A., 306P
- FUJIWARA, M., MURAMATSU, I. & SHIBATA, S. γ-Aminobutyric acid receptor on vascular smooth muscle of dog cerebral arteries, 561

G

GAMMON, PATRICIA T. see ALLEN, B.W., 151
GAUCHY, C.M., IVERSEN, L.L. & JESSELL, T.M.
Spontaneous and evoked release of newly synthesized
[14C]-GABA from rat brain slices, 310P

- GEORGE, A.J. The effect of prostaglandin E₁ and E₂ on drug-induced release of [⁵H]-noradrenaline from rat mesenteric arteries, 243P
- GHYSEL-BURTON, J. & GODFRAIND, T. Stimulation and inhibition by ouabain of the sodium pump in guinea-pig atria, 249P
- GIBSON, A. & POLLOCK, D. Reduction in cholinesterase activity of rat anococcygeus muscle produced by corticosterone, 69
- GILBERT, D., GOODFORD, P.J., NORRINGTON, F.E., WEATHERLEY, B.C. & WILLIAMS, S.G. Forecasting the antimalarial activities of arylamidinoureas from the measured physicochemical properties, 117
- GILBERT, J.C. & WYLLIE, M.G. Synaptic vesicle magnesium-adenosine triphosphatase as a possible site of action of anticonvulsant drugs, 252P
- GODFRAIND, T. see GHYSEL-BURTON, J., 249P
- GOFF, D., MILLER, A.A., SMITH, R.E., SMITH, S.J. & WHEATLEY, P.L. Combined EEG recording and intraventricular administration of drugs in conscious rat. 312P
- GOODFORD, P.J. see GILBERT, D., 117
- GORDON, J.L. see DRUMMOND, A.H., 257P
- GORDON, J.L. & MacINTYRE, D.E. Effects of prostaglandins E₁, E₂ and D₂ on platelet aggregation: variation with animal species and ionized calcium concentration, 259P
- GOTTFRIED, S., PARKE, D.V., SACRA, P.J. & THORNTON, P.C. Interaction of carbenoxolone sodium with other drugs bound to plasma proteins, 252P
- GREEN, A.R., JOSEPH, M.H. & WOODS, H.F. Tryptophan metabolism by the isolated perfused rat liver, 253P
- GREEN, A.R. & YOUDIM, M.B.H. Effects of MAO inhibition by clorgyline, deprenil or tranylcypromine on 5-HT concentrations in rat brain and hyperactivity following subsequent tryptophan administration, 415
- GRIMES, R.P.J. see BOULLIN, D.J., 555
 GRUNDY, H.C. & GRUNDY, H.F. Mechanism of
- GRUNDY, H.C. & GRUNDY, H.F. Mechanism of adrenaline reversal in anaesthetized cat and rabbit, 282P
- GRUNDY, H.F. see GRUNDY, H.C., 282P

Н

- HAIGH, ELAINE & YOUNG, J.M. Effect of chlorpromazine on carbachol binding to muscarinic receptors in intestinal smooth muscle, 303P
- HALL, MOIRA T., MALEQUE, M.A. & WADSWORTH, R.M. Desensitization in the innervated and in the chronically denervated soleus muscle of the mouse, 125
- HALLETT, M.B. see FOREMAN, J.C., 283P
- HALLIDAY, J. see BROOKS, S., 270P
- HALLIWELL, M. see BRANCH, R.A., 263P
- HARANATH, P.S.R.K., INDIRA-NARAYAN, G. & VENKATAKRISHNA-BHATT, H. Pressor response induced by local anaesthetics perfused through the cerebral ventricles of dogs, 3
- HARRIS, J.B. & RIBCHESTER, R.R. Extracellular and intracellular effects of Procion Brilliant Red H3BN on mammalian fibres, 281P

HARRIS, J.B. & RIBCHESTER, R.R. Method for microinjection into mammalian muscle fibres of Procion Brilliant Red H3BN, 306P

HEAP, R.B. & POYSER, N.L. Prostaglandins in pyometrial fluid from cow, bitch and ferret, 515

HEAZELL, M.A. (introduced by BANERJEE, A.K.). Is ATP an inhibitory neurotransmitter in rat stomach?, 285P

HENDERSON, L.K. see DIGHE, K.K., 503

HERMAN, A.G. Release of prostaglandins in the knee joint of the dog during local Shwartzman-like reaction, 241P

HERMAN, Z.S. Behavioural changes induced in conscious mice by intracerebroventricular injection of cate-cholamines, acetylcholine and 5-hydroxytryptamine, 351

HICKS, P.E. see FINCH, L., 274P

HICKS, R. see SACKEYFIO, A.C., 240P

HILL, R.G., HORNBY, J. & ROBERTS, F. Actions of GABA on d.c. and field potential recordings from rat cuneate nucleus, 280P

HILLIDGE, C.J. & LEES, P. Influence of etorphine acepromazine and diprenorphine on respiratory function in ponies, 269P

HODGES, J.R. see BUCKINGHAM, JULIA C., 272P

HOLLINGSWORTH, M. Mechanical responses of rat isolated uterine horns to transmural stimulation, 41

HOLZBAUER, MARGARETHE see DAVIS, A.J., 558

HORN, A.S. & PHILLIPSON, O.T. Noradrenalinesensitive adenylate cyclase in rat limbic homogenates: effects of agonists and antagonists, 299P

HORNBY, J. see HILL, R.G., 280P

HUTCHINSON, M., KOSTERLITZ, H.W., LESLIE, FRANCES M., WATERFIELD, ANGELA A. & TERENIUS, L. Assessment in guinea-pig ileum and mouse vas deferens of benzomorphans which have strong antinociceptive activity but do not substitute for morphine in dependent monkey, 541

ı

IMPROTA, G. see ENDEAN, R., 213
INDIRA-NARAYAN, G. see HARANATH, P.S.R.K., 3
IVERSON, L.L., MILLER, R.J. & ROGAWSKI, M. Preand post-synaptic actions of neuroleptic drugs, 297P
IVERSON, L.L. see GAUCHY, C.N., 310P

IVERSON, SUSAN D. & MASON, S.T. Impaired response control in rat after 6-hydroxydopamine lesions to dorsal noradrenaline bundles, 293P

J

JACKSON, L. see BRANCH, R.A., 263P

JENKINS, D.A., MARSHALL, I. & NASMYTH, P.A. Is morphine inhibition of the twitch response of the mouse vas deferens mediated via noradrenaline?, 267P JENKINSON, D.H. see OSBORN, D., 286P

JENNER, F.A. & MACNEIL, SHEILA. Effects of lithium ions on antidiuretic action of vasopressin in rat, 527

JENNER, P. see DOLPHIN, ANNETTE, 292P JENNER, P. see DONALDSON, I., 290P

JESSELL, T.M. see GAUCHY, C.M., 310P

JOHNSTON, BARBARA M. Use of radioactive microspheres to compare effects of hydralazine, guanethidine and SK&F 24260 on redistribution of cardiac output in anaesthetized rabbits, 393

JOSEPH, M.H. see GREEN, A.R., 253P JUORIO, A.V. see BOULTON, A.A., 296P

Κ

KALSNER, S. Adenosine and dipyridamole actions and interactions on isolated coronary artery strips of cattle, 431

KANAZAWA, I. (introduced by KELLY, J.S.). Topographical study of distribution of GABA in human substantia nigra 309P

KATZ, H.S. see COLLIER, B., 189

KEEN, P. see DUCE, I.R., 265P

KELLY, J.S. see RENAUD, L.P., 277P

KELLY, J.S. see CHAPMAN, D., 308P

KELLY, J.S. see KANAZAWA, I., 309P

KELLY, P.H. Action of LSD on supersensitive mesolimbic dopamine receptors, 291P

KING, J.J. & MAUDSLEY, D.V. Cyclic AMP in HeLa cells stimulated with cholera enterotoxin and methylxanthines, 287P

KING, R.C. see ALLEN, B.W., 151

KINGSTON, W.P. see FLOWER, R.J., 239P

KOSTERLITZ, H.W. see HUTCHINSON, M., 541

KREGS, P. & SCHROR, K. Actions of prostaglandin E₂ on myocardial mechanics, coronary vascular resistance and O₂ consumption in guinea-pig isolated heart, 403

KRŠIAK, M. Timid singly-housed mice: their value in prediction of psychotropic activity of drugs, 141

L

LAI, J.C.K. see R., 298P

LAKE, B.G. see BUTTERWORTH, K.R., 260P

LAMBERT, J.D.C. see ENGBERG, I., 312P

LAMBERT, J.D.C. see ENGBERG, I., 250P

LANCASTER, R. see ANGELO, M., 264P

LANG, W.J. see BELL, C., 167

LANGHAM, R.J., SYMEG, J. & SYME, L.A. Voluntary lithium intake, antidotal thirst and concurrent behaviour of rats, 409

LÄNGSFELD, W. see DeSANTIS, V.P., 343

LARGE, B.J. see FENIUK, W., 47

LATHAM, A. see ANGELO, M., 264P

LEES P. see HILLIGE, C.J., 269P

LEFORT, J. & VARGAFTIG, B.B. Role of platelet aggregation in bronchoconstriction in guinea-pigs, 254P

LEME, J. GARCIA, MORATO, M. & SOUZA, MARIA ZENILDE A. Anti-inflammatory action of glucagon,

LEONARD, B.E. see RIGTER, H., 270P

LESLIE, FRANCES M. see HUTCHINSON, M., 541

LEWIS, A.J., NELSON, D.J. & SUGRUE, M.F. On the ability of prostaglandin E₁ and arachidonic acid to modulate experimentally induced oedema in rat paw, 51

LEWIS, G.P. & WESTWICK, J. The effect of sulphinpyrazone, sodium aspirin and oxprenolol on the formation of arterial platelet thrombi, 255P

LINDMAR, R. see DeSANTIS, V.P., 343

LIVSEY, C.J. & SMITH, G.M. A study of the binding of drugs of blood constituents, 258P

LÖFFELHOLZ, K. see DeSANTIS, V.P., 343

LONGDEN, A. see CROW, T.J., 295P

LORENZ, W. see BARTH, H., 321

LUMLEY, P. see BROADLEY, K.J., 284P

LUSH, I.E. A comparison of the effect of mescaline on activity and emotional defaecation in seven strains of mice, 133

LYLES, G.A. see CALLINGHAM, B.A., 305P

M

MACDONALD, A. see DEKANSKI, J.B., 387
MacINTYRE, D.E. see GORDON, J.L., 259P
MACNEIL, SHEILA see JENNER, P.A., 529
McDOUGALL, A.C. see ALLEN, B.W., 151
McGIFF, J.C. see ARMSTRONG, J.M., 244P
McGRATH, J.C. see CLANACHAN, A.S., 245P
MALEQUE, M.A. see HALL, MOIRA T., 125
MARLEY, E. & NISTICÒ, G. Central effects of clonidine
2 - (2,6 - dichloro - phenylamino) - 2 - imidazoline

2 - (2,6 - dichloro - phenylamino) - 2 - imidazoline hydrochloride in fowls, 459 MARRIOTT, A.S., SKINGLE, M. & TYERS, M.B.

Evaluation of narcotic and narcotic analgesic drugs in dog dental pulp stimulation test, 314P

MARSDEN, C.D. see COSTALL, B., 289P

MARSDEN, C.D. see DOLPHIN, ANNETTE, 292P

MARSDEN, C.D. see DONALDSON, I., 290P

MARSHALL, I. see JENKINS, D.A., 267P

MARSHALL, R.J. & PARRATT, J.R. Antiarrhythmic, haemodynamic and metabolic effects of 3α-amino-5α-androstan-2β-ol-17-one hydrochloride in greyhounds following acute coronary artery ligation, 359

MASON, P.L. see BUTTERWORTH, K.R., 260P

MASON, S.T. see IVERSON, SUSAN D., 293P

MAUDSLEY, D.V. see KING, J.J., 287P

MELCHIORRI, P. see BROCCARDO, M., 221

MELCHIORRI, P. see ENDEAN, R., 213

MELDOLESI, J. see CLEMENTE, F., 369

METCALF, G. & MYERS, R.D. Investigations concerning TRH-induced hypothermia in cats, 237P

METCALF, G., MYERS, R.D. & REDGRAVE, P.C. Temperature and behavioural responses induced in the unanaesthetized cat by central administration of RX72601, a new anticholinesterase, 9

MIDDLETON, J. see BENNETT, M.R., 79

MIDDLETON, J. see BENNETT, M.R., 87

MILES, T.S. see DELLOW, P.G., 157

MILLER, A.A. & WEBSTER, R.A. Proconvulsant action of folic acid, 265P

MILLER, A.A. see GOFF, D., 312P

MILLER, P. see CHURCH, M.K., 315P

MILLER, R.J. see IVERSON, L.L., 297P

MITCHINSON, M.J. see BARRAND, M.A., 306P

MONGAR, L.L. see FOREMAN, J.C., 283P MORATO, M. see LEME, J. GARCIA, 65

MUIR, K.T. see BARBER, H.E., 335

MULLANE, K. see ARMSTRONG, J.M., 244P

MURAMATSU, I. see FUJIWARA, M. 561

MUSCHOLL, E., RITZEL, H. & RÖSSLER, K. The time course of noradrenaline release caused by high potassium-low sodium solution. Effects of methacholine or decrease of the calcium ion concentration, 248P

MYERS, R.D. see METCALF, G., 9 MYERS, R.D. see METCALF, G., 273P

Ν

NAHORSKI, S.R. & ROGERS, K.J. Altered sensitivity of β -adrenoceptor mediated cyclic AMP formation in brain, 300P

NASMYTH, P.A. see JENKINS, D.A., 267P

NAYLOR, B. & POYSER, N.L. Effects of oestradiol and progesterone on *in vitro* production of prostaglandin $F_{1\alpha}$ by guinea-pig uterus, 229

NAYLOR, R.J. see COSTALL, B., 289P

NEAL, M.J. see BOWERY, N.G., 278P

NEGRI, L. see BROCCARDO, M., 221

NEGRI, L. see ENDEAN, R., 213

NELSON, D.J. see LEWIS, A.J., 51

NICHOLSON, A.N. see CLARKE, CORAL H., 262P

NICOLL, R.A. The action of acetylcholine antagonists on amino acid responses in the frog spinal cord in vitro, 449

NINOMIYA, J.G. Some pharmacological properties of the cremaster muscle of the guinea-pig, 487

NISHI, K. Action of 5-hydroxytryptamine on chemoreceptor discharges of the cat carotid body, 27

NISTICO, G. see MARLEY, E., 459

NORRINGTON, F.E. see GILBERT, D., 117

NORTHOVER, B.J. Interaction of mono-and divalent metallic cations and of indomethacin on the membrane potential of vascular endothelial cells in vitro 105

0

OAKLEY, N.R. see DRAY, A., 288P

ORR, M.W. see BOULLIN, D.J., 555

OSBORN, D. (introduced by JENKINSON, D.H.). Comparison of effects of selective α - and β -receptor agonists on intracellular cyclic AMP levels and glycogen phosphorylase activity in guinea-pig liver, 286P

OSMAN, O.H. see ELTAYEB, I.B., 497

OWEN, D.A.A. The effects of histamine and some histamine-like agonists on blood pressure in the cat, 173

OWEN, D.A.A. see FLYNN, SHEILA B., 181 OWEN, F. see BOURNE, R., 298P

P

PADANYI, R. see BELL, C., 167 PARKE, D.V. see GOTTFRIED, S., 252P PARKE, D.V. see DEKANSKI, J.B., 387

PARNHAM, M.J. & SNEDDON, J.M. Influence of metyrapone on synthesis and release of prostaglandins from pregnant rat uterus in vitro, 535

PARRATT, J.R. see MARSHALL, R.J., 359

PATERSON, G. see BROOKS, S., 270P

PATON, D.M. Mechanism of K+-induced release of cytoplasmic noradrenaline from adrenergic nerves, 247P

PHILIPS, S.R. see BOULTON, A.A., 296P PHILLIPSON, O.T. see HORN, A.S., 299P POLLOCK, D. see GIBSON, A., 69 POYSER, N.L. see HEAP, R.B., 515 POYSER, N.L. see NAYLOR, B., 229 PYCOCK, C.J. see COSTALL, B., 289P PYCOCK, C.J. see DONALDSON, I., 290P

REDGRAVE, P.C. see METCALF, G., 9 REES, R.J.W. see ALLEN, B.W., 151

REIFFENSTEIN, R.J. & WOYTIUK, E. Induced receptors for noradrenaline and 5-hydroxytryptamine in guinea-pig vas deferens, 302P

RENAUD, L.P. (introduced by KELLY, J.S.). Response of identified ventromedial hypothalamic nucleus neurones to putative neurotransmitters applied by microiontophoresis, 277P

RIBCHESTER, R.R. see HARRIS, J.B., 281P RIBCHESTER, R.R. see HARRIS, J.B., 306P RICHARDS, I.M. see FARMER, J.B., 57

RICHARDSON, P.D.I. & WITHRINGTON, P.G. The effects of glucagon on the hepatic arterial vasculature of the dog: an inhibition of the effects of vasoconstrictor agents, 272P

RIGTER, H. (introduced by LEONARD, B.E.). Peptide hormones and the extinction of conditioned taste aversion, 270P

RITZEL, H. see MUSCHOLL, E., 248P ROBERTS, C.J.C. see BRANCH, R.A., 263P ROBERTS, F. see HILL, R.G., 280P ROBERTS, M.H.T. see COLLARD, K.J., 268P ROGAWSKI, M. see IVERSON, L.L., 297P ROGERS, K.J. see NAHORSKI, S.R., 300P

ROSS, D.H. Tolerance to morphine-induced calcium depletion in regional brain areas: characterization with reserpine and protein synthesis inhibitors, 431

RÖSSLER, K. see MUSCHOLL, E., 248P ROTH, R.H. see BOADLE-BIBER, MARGARET C., 73 ROWLAND, I.R. see BUTTERWORTH, K.R., 260P RUTHERFORD, F. see DIGHE, K.K., 503

S

SACRA, P.J. see GOTTFRIED, S., 252P SACRA, P. see DEKANSKI, J.B., 387 SACKEYFIO, A.C. (introduced by HICKS, R.). A comparison of the histopathological effects of anaphylatoxin (AT) and prostaglandins E2 (PGE2) and $F_{2\alpha}$ (PGF_{2\alpha}) in guinea-pig lungs, 240P SCHNEIDER, R. see BENOY, CHRISTINE J., 547 SCHROR, K. see KREBS, R., 403 SHARMAN, D.F. see BARRAND, M.A., 306P SHARMAN, D.F. see DAVIS, A.J., 558 SHEARD, P. see FARMER, J.B., 57 SHIBATA, S., see FUJIWARA, M., 561

SIMMONDS, M.A. see DRAY, A., 288P SIMON, L. see DIGHE, K.K., 503 SKINGLE, M. see MARRIOTT, A.S., 341P SMITH, G.M. see LIVSEY, C.J., 258P SMITH, R.E. see GOFF, D., 12P SMITH, R.L, see ANGELO, M., 264P SMITH, S.J. see GOFF, D., 312P SNEDDON, J.M. see PARNHAM, M.J., 535 SOPRANZI, N. see ENDEAN, R., 213 SOUZA, MARIA ZENILDE A. see LEME, J. GARCIA, STEINBERG, HANNAH, see AYLMER, C.G.G., 293P STONE, BARBARA M. see CLARKE, CORAL H., 262P STRAUGHAN, D.W. see FORRESTER, P.A., 275P SUGRUE, M.F. see LEWIS, A.J., 51 SYME, G.J. see LANGHAM, R.J., 409 SYME, L.A. see LANGHAM, R.J., 409 SZABADI, E. Theoretical model of two functionally opposite receptor populations, 311P SZABADI, E. see BEVAN, P., 17 SZABADI, E. see BEVAN, P., 301P

SHUM, W.K. see CUTHBERT, A.W., 250P

T

TABERNER, P.V. The anticonvulsant activity of ketamine in mice following the inhibition of GABA synthesis by mercaptopropionic acid, 276P TANNER, T. see DRAY, A., 288P

TERENIUS, L. see HUTCHINSON, M., 541 THORNTON, P.C. see GOTTFRIED, S., 252P

TROIDL, H. see BARTH, H., 321

TURNBULL, M.J. & WATKINS, J.W. Further observations on the change in sensitivity to halothane induced by acute administration of central nervous system depressant drugs in the rat, 266P

TURNBULL, M.J. & WATKINS, J.W. Use of halothaneinduced sleeping time as an index of CNS excitability, 307P

TYERS, M.B. see MARRIOTT, A.S., 314P

VANE, J.R. see BLACKWELL, G.J., 233 VARGAFTIG, B.B. see LEFORT, J., 254P VENKATAKRISHNA-BHATT, H. see HARANATH, P.S.R.K., 3

W

WADE, O.L. see BENOY, CHRISTINE J., 547 WADSWORTH, R.M. see HALL, MOIRA T., 125 WALLIS, D.I. & WOODWARD, B. Membrane potential changes induced by 5-HT in rabbit superior cervical ganglion, 199 WALTER, D.S. see COWAN, A., 316P WATERFIELD, ANGELA A. see HUTCHINSON, M., 541 WATKINS, J.C. see EVANS, R.H., 281P WATKINS, J.C. see EVANS, R.H., 519 WATKINS, J.W. see TURNBULL, M.J., 266P

WEATHERLEY, B.C. see GILBERT, D., 117
WEBSTER, R.A. see MILLER, A.A., 265P
WEBSTER, R.A. see AYLMER, C.G.G., 293P
WEDDELL, A.G.M. see ALLEN, B.W., 151
WESTWICK, J. see LEWIS, G.P., 255P
WHEATLEY, P.L. see GOFF, D., 312P
WHITE, A.M. see BUTLER, K.D., 256P
WHITTLE, B.J.R. Gastric acidity and the mechanisms by which prostaglandins prevent indomethacin-induced gastric erosions, 242P
WILLIAMS, S.G. see GILBERT, D., 117
WILLIS, J.W. see FARROW, J.W., 316P

WILLIAMS, S.G. see GILBERT, D., 117 WILLIS, J.W. see FARROW, J.W., 316P WITHRINGTON, P.G. see RICHARDSON, P.D., 272P WOODRUFF, G.N. see ENGBERG, I., 250P WOODRUFF, G.N. see ENGBERG, I., 312P WOODS, AUBREY M. see FARMER, J.B., 57 WOODS, H.F. see GREEN, A.R., 253P WOODWARD, B. see WALLIS, D.I., 199 WOYTIUK, E. see REIFFENSTEIN, R.J., 302P WU, P.H. see BOULTON, A.A., 296P WYLLIE, M.G. see GILBERT, J.C., 252P

Υ

YATES, D. see BIRMINGHAM, A.T., 246P YATES, JANET M. see BIRMINGHAM, A.T., 246P YOUNG, J.M. see HAIGH, ELAINE, 303P YOUDIM, M.B.H. see DAVIS, A.J., 558 YOUDIM, M.B.H. seeGREEN, A.R., 415

SUBJECT INDEX

Δ

- Acepromazine, in combination with etorphine, intravenously, effect of, on respiratory function in ponies, 269P
- Acetycholine, action of agonists of, on amino acid responses of frog spinal cord in vitro, 449
- , at high concentrations, cause small contractions of innervated mouse soleus muscle, 125
- , behavioural changes induced in conscious mice by intracerebroventricular injection of, 351
- , effect of ergometrine on vasodilator responses to, in canine hindlimb, 167
- , effect of, in chronically denervated mouse soleus muscle, 125
- , effect of, on cerebrocortical neurones during general anaesthesia, 275P
- , induces contractions in guinea-pig cremaster muscle, 487
- , studies on mechanism by which surplus, released by, in a sympathetic ganglion, 189
- , vasodilator response to, unaffected by mepyramine and metiamide, 181
- , effect of, on membrane potential changes in rabbit superior cervical ganglion, 199
- , bradycardia induced by, effect of prostaglandins on, in anaesthetized mouse, 47
- , chemoreceptor discharges induced by, in cat carotid body, effect of 5-HT on, 27
- , response of single cortical and caudate neurones to, effect of iprindole on, 17
- -, effect of, on bronchial function in pithed rat, 423
- Actinomycin D, effect of, on capacity of rat kidneys to metabolize prostaglandins, 233
- Adenohypophysis, production of corticotrophin by segments of, in vitro, 272P
- Adenosine, action of, and interaction with dipyridamole, on isolated coronary strips of cattle, 431
- 3',5'-Adenosine cyclic monophosphate, antidiuretic response to, in rat, effect of lithium ions on, 527
- Adenosine diphosphate, effect of, on circulating platelets, 254P
- Adenosine triphosphate, antidiuretic responses to, in rat, effect of lithium ions on, 527
- , effect of, on circulating platelets, 254P
- , a possible inhibitory neurotransmitter in rat stomach, 285P
- Adenosine triphosphatase, synpatic vesicle magnesium, as possible site of action of anticonvulsant drugs, 252P
- Adenylate cyclase, sensitive to noradrenaline, in rat limbic forebrain homogenates, effects of agonists and antagonists on, 299P
- Adrenal corticosteroids, release of, possible mode of anti-inflammatory action of glucagon in rats, 65
- Adrenal glands, removal of, effect of, on pressor response to procaine in dog cerebral ventricles, 3

- Adrenal medulla, removal of, effect of, on anti-inflammatory action of glucagon, 65
- Adrenalectomy, effect of, on effect of reserpine on cholinesterase activity in rat anococcygeus muscle, 69
- , effect of, on anti-inflammatory action of glucagon,
 65
- Adrenaline, effect of, on bronchodilation in guinea-pig isolated lungs, 547
- , effect of, on gastric glycoprotein synthesis in rat, 387
- , cardiovascular potency of, in chicken similar to that of noradrenaline, 343
- , evidence for noradrenaline and, as sympathetic transmitters in the chicken, 343
- produces contractions in guinea-pig cremaster muscle, 487
- Adrenaline reversal, mechanism of, in anaesthetized cat and rabbit, 282P
- β -Adrenoceptors, cyclic AMP formation in brain mediated by, 300P
- β-Adrenoceptor blockade, effect of, on response of rat lung to humoral mediators of anaphylaxis, 423
- , effects of, on adrenergic neuromuscular transmission,
 87
- β -Adrenoceptors, mediate inotropic and chronotropic effects of dopamine on dog heart, 475
- Adrenocorticotrophic hormones, analogues of, effects of, on extinction of conditioned taste aversion, 270P
- AG19417, NMR spectroscopy of, 258P
- AH21132, NMR spectroscopy of, 258P
- β -Alanine, effects of, on frog spinal cord, 449
- , effect of, on ventral root responses of hemisected amphibian spinal cord in presence of procaine, 519
- Albumin, bovine serum, conjugates with prostaglandins, production of, 503
- Aldosterone, effect of, on sodium channels
- Allopurinol, injection of, together with hydrocortisone, effect of, on tryptophan metabolism in rat liver, 253P
- Alytesin, pharmacological activity of, 221
- Amidephrine, effect of, on intracellular cyclic AMP levels and glycogen phosphorylase activity in guinea-pig liver, 286P
- Amiloride, binding of, as a label for sodium channels in transporting epithelia, 250P
- Amino acid decarboxylase inhibitor, effect of, on formation of DOPA in rat compared with guinea-pig vas deferens, 73
- Amino acids, perfused, ventral root responses of hemisected amphibian spinal cord perfused with, in presence of procaine, 519
- , endogenous, spontaneous and electrically evoked release of, from rat visual cortex, 279P
- 3α-Amino-5α-adrostand-2β-ol-17-one hydrochloride, see ORG6001, 359

- , antiarrhythmic, haemodynamic and metabolic effects of, in greyhounds following acute coronary artery ligation, 359
- γ-Aminobutyric acid, action of, on d.c. and field potential recordings from rat cuneate nucleus, 280P
- , effect of, on identified ventromedial hypothalamic nucleus neurones, 277P `
- ,effect of, on ventral root responses of hemisected amphibian spinal cord in presence of procaine, 519
- neurones releasing, selective autoradiographic markers for, 308P
- -, effects of, on frog spinal cord, 449
- , topographical study of distribution of, in human substantia nigra, 309P
- , receptor, on vascular smooth muscle of dog cerebral arteries, 561
- , synthesis, anticonvulsant activity of ketamine in mice following inhibition of, 276P
- [14C]-\(\gamma\)-aminobutyric acid, spontaneous and evoked release of, from rat brain slices, 310P
- γ-Aminobutyric acid transaminase, unilateral inhibition of, circling behaviour resulting from, 288P
- 2-(2-Aminoethyl)pyridine, lowers blood pressure in cat, 173
- , vasodilator response to in peripheral vascular beds in the cat, 181
- 2-(2-Aminoethyl)thiazole, lowers blood pressure in cat,
- , vasodilator response to, in peripheral vascular beds in the cat, 181
- Aminooxyacetic acid, potentiates metoclopramideinduced catalepsy, 381
- Aminophylline, effect of, on brochodilation in guinea-pig isolated lungs, 547
- Amitriptyline, effect of, on [3H]-5-HT binding to rat blood platelets, 375P
- Amodiaquine, effect of, on gastric histamine methyltransferase and on histamine-stimulated gastric secretion, 321
- (+)-Amphetamine, effect of, on timid singly-housed mice, 141
- (+)-Amphetamine, effect of, on analgesics and rotational behaviour after lesions of rat substantia nigra, 316P
- Anaesthetics, local, pressor response induced by, perfused through cerebral ventricles of dog, 3
- , anticholinergic effects of general, on cerebrocortical neurones, 275P
- Analgesics, and rotational behaviour, in rats with substantia nigra lesions, 316P
- Anaphylatoxin, comparison of histopathological effects of, and PGE_2 and $PGF_{2\alpha}$ in guinea-pig lungs, 240P
- , histopathological effects of, mimicked by PGF₂₀₀
 240P
- Anaphylaxis, passive lung, mediators of, in rat, 57
- , humoral mediators of, response of rat lung to, and its modification by drugs and sensitization, 423
- , simple model of, using mouse pinna, 315P
- Angiotensin, increases hepatic arterial vascular resistance, 272P
- Anticholinesterase, new, RX72601, effect of central administration of, on behavioural and temperature responses in unanaesthetized cat, 9
- Antidiuretic action, of vasopressin, effect of lithium ions on, in rat, 527

- Antidotal thirst, voluntary lithium intake and concurrent behaviour in rats, 409
- Antidepressants, tricyclic, possible pharmacological action of, 17
- Anti-inflammatory action, of glucagon in rats, 65
- Anti-inflammatory analgesic drugs, effect of, on response of rat lung to humoral mediators of anaphylaxis, 423
- Anti-inflammatory drugs, non-steroidal, effect of, on ability of prostaglandins, arachidonic acid and linolenic acid to modulate experimentally induced oedema in rat paw, 51
- Anti-inflammatory steroids, effect of, on ability of arachidonic acid, linolenic acid and prostaglandins to modulate experimentally induced oedema in rat paw, 51
- Antinociceptive activity, of benzomorphans, assessment of, in guinea-pig ileum and mouse vas deferens, 541
- Antipsychotic drugs, do they act by dopamine receptor blockade in nucleus accumbens, 295P
- Antipyrine, relationship between clearance of, and indocyanine green before and after phenobarbitone treatment, 263P
- Antisera, to prostaglandins B₂ and F₂₀₀ development of, and their analysis using solid-phase and double antibody radioimmunoassay methods, 503
- Antithrombotic properties, of dihomo-γ-linolenate in vitro, 316P
- Apomorphine, inhibition of metoclopramide-induced catalepsy and increase in striatal homovanillic acid content, 381
- Aprotinin, effect of, on passive lung anaphylaxis in rat, 57 Arachidonic acid, ability of, to modulate experimentally induced oedema in rat paw, 51
- [14C]-arachidonic acid, conversion of, to prostaglandin, by homogenates of pregnant rat uterus, 535
- Artery, coronary, isolated, strips of cattle, actions and interactions of adenosine and dipyridamole on, 431
- Arylamidinoureas, forecasting antimalarial properties of, from their physicochemical properties, 117

 Aspirin, effect of, on gastric glycoprotein synthesis in rat.
- 387
- , effect of, on passive lung anaphylaxis in rat, 57
- -, does not inhibit pupillary meiosis, 157
- , effect of, on bronchoconstriction and level of circulating platelets, 254P
- , interaction of carbenoxolone sodium with, bound to plasma proteins, 252P
- Asthmatic patients, using bronchodilators, tolerance gained after prolonged use in excess, 547
- Atria, guinea-pig, rate and tension responses to isoprenaline and salbutamol of, reserpine-induced supersensitivity to, 284P
- Atropine, effect of, on response of rat lung to humoral mediators of anaphylaxis, 423
- , effect of, on chemoreceptor response to 5-HT in cat carotid body, 27
- , abolishes contractions induced by acetycholine and carbachol in guinea-pig cremaster muscle, 487
- , antagonizes methacholine effects on time course of noradrenaline release, 248P
- , blocks acetylcholine-induced but not nicotineinduced release of surplus acetylcholine at sympathetic ganglia, 189
- , blocks behavioural changes in conscious mice induced by acetylcholine, 351

- , effect of, on GABA response of dog cerebral arteries, 561
- , effect of, on histamine-induced tachycardia in the rat, 274P
- , effect of, on responses of frog spinal cord to GABA and β -alanine, 449
- , has no effect on metoclopramide-induced increase in striatal homovanillic acid concentration, 381
- , intraventricularly, effects of, on central effects of clonidine, 459

Autoradiographic markers, selective, for GABA-releasing interneurones and nerve terminals, 308P

В

Barbitone, effect of, on timid singly-housed mice, 141 Behavioural responses, in unanaesthetized cat, induced by RX72601, 9

Benzene sulphonate, effect of, on membrane potential changes in rabbit superior cervical ganglion, 199

Benzomorphans, assessement of, which have strong antinociceptive activity but do not substitute for morphine in dependent monkey, 541

Betazole, maximum secretory response of Heidenhain pouch dogs to, enhanced by amodiaquine, 321

Bethanidine, causes fall in resting arterial pressure in anaesthetized cat, 246P

Bicuculline, effect of, on ventral root responses of hemisected amphibian spinal cord to perfused amino acids, 519

Bioassay, parallel, of bombesin and litorin, 213

Bitch, prostaglandins in pyometrial fluid from, 515

Blood platelets, human, action of flupenthixol on 5-HT induced aggregation and uptake of 5-HT and dopamine by, 555

Blood pressure, arterial, effect of local anaesthetics on, in dog cerebral ventricles, 3

- effect of guanethidine, SK&F 24260 and hydralazine on, in anaesthetized rabbits, 393
- histamine causes dose-related increase in, in rats,

Bombesin, -like, peptides, relative potency of, 221

, parallel bioassay of, with litorin, 213

Bordetella pertussis vaccine, sensitization with, effect of, on passive lung anaphylaxis in rat, 57

Bovine serum albumin, conjugates with prostaglandins, production of, 503

Bradycardia, vagal, effects of prostaglandins E1, E2 and $F_{2\alpha}$ on, in anaesthetized mouse, 47

Bradykinin, ability of, to induce oedema in rat paw, 51

- , effect of, on passive lung anaphylaxis in rat, 57
- , effect of, on bronchial function in pithed rat, 423
- , effect of, on mechanical responses of rat isolated uterine horns to transmural stimulation, 41
- , dose-dependent contraction of sheep pulmonary artery and vein induced by, 329
- , effect of ergometrine on vasodilator responses to, in canine hindlimb, 167
- increased vascular permeability induced by, unaffected by PGD₁, 239P
- , vasodilator response to, unaffected by mepyramine and metiamide, 181

- Brain, regional areas, tolerance to morphine-induced calcium depletion in, characterization with reserpine and protein synthesis inhibitors, 431
- AMP formation mediated cyclic β -adrenoceptors, 300P
- Brocresine (3-hydroxy-4-bromobenzyloxyamine dihydrogen sulphate), effect of, on formation of DOPA in rat compared with guinea-pig vas deferens, 73
- Bronchodilators, sympathomimetic, tolerance to, in guinea-pig isolated lungs following chronic administration in vivo, 547

C

Caecum, rat, enlargement of, 260P

Caffeine, effects of, in chronically denervated mouse soleus muscle, 125

45-Calcium, uptake of, in rat peritoneal mast cells, 283P Calcium, dynamics of subcellular pools of, in resting and stimulated acinar cells, 369

- depletion, morphine-induced, tolerance to, in regional brain areas, characterization with reserpine and protein synthesis, 431
- , effects of, ion concentration of, on time course of noradrenaline release caused by high potassium-low sodium solution, 248P
- , electrophysiological analysis of the effect of, ions on neuromuscular transmission in mouse vas deferens, 97
- , endothelial cells depolarized when heated in the presence of, ions, 105
- , ions, comparison of hypothermic effects of, with those of TRH in the cat, 273P
- , ions, effect of, on membrane changes in rabbit superior cervical ganglion, 199
- , not required for potassium-induced efflux of noradrenaline, 247P
- , secretion-dynamics of subcellular, pools in resting and stimulated acinar cells, 369

Carbachol, induces contractions in guinea-pig cremaster muscle, 487

Carbachol binding, to muscarinic receptors in intestinal smooth muscle, effect of chlorpromazine on, 303P

Carbamylcholine, dose-dependent contraction of sheep pulmonary artery and vein induced by, 329

Carbenoxolone sodium, interaction of, with other drugs bound to plasma proteins, 252P

Cardiac output, use of radioactive microspheres to compare effect of drugs on, in rabbit, 393

Carotid body, cat, chemoreceptor discharges of, action of 5-HT on, 27

Carrageenin, ability of, to induce oedema in rat paw, 51 , effect of, on anti-inflammatory action of glucagon in rats, 65

Catecholamines, accumulation of, in rat vas deferens, after removal of amino acid decarboxylase inhibitor,

- behavioural changes induced in conscious mice by intracerebroventricular injection of, 351
- , effect of, on action of prostaglandin E₂ on myocardial mechanics, coronary vascular resistance and oxygen consumption in guinea-pig isolated heart,
- , radiochemical assay of, in blood plasma, 306P

Cells, HeLa, cyclic AMP in, stimulated with cholera enterotoxin and methylxanthines, 287P

, rat peritoneal mast, 45-calcium uptake in, 283P

Chemoreceptor, discharges from, of cat carotid body, action of 5-hydroxytryptamine on, 27

Chloramphenicol, characterization with, of tolerance to morphine-induced calcium depletion in regional brain areas, 431

Chlordiazepoxide, effect of, on timid singly-housed mice, 141

- , hypersensitivity induced by, in rats, 293P

Chlorimipramine, effect of, on [3H]-5-HT binding to rat blood platelets, 257P

7-Chloro -1- (dimethyl-phosphinylmethyl) -5- phenyl-1, 3-dihydro-2H-1,4-benzodiazepin-2-on), see fosazepam 262P

3-Chloro,4,nitrophenylamidinourea, antimalarial properties of, 117

†-(o-Chlorophenyl) 2-methylamino cyclohexanone, see ketamine, 245P

p-Chlorophenylalanine, protects against effects of interaction of furazolidone and pethidine in rabbits, 497

Chlorpromazine, action of, in nucleus accumbens, 295P

 , effect of, on carbachol binding to muscarinic receptors in intestinal smooth muscle, 303P

 effect of, on [3H]-5-HT binding to rat blood platelets, 257P

- , effect of, on timid singly-housed mice, 141

protects against effects of furazolidone-pethidine interaction in rabbits, 497

Cholera enterotoxin, cyclic AMP in HeLa cells stimulated by, 287P

Choline, effect of, on membrane potential changes in rabbit superior cervical ganglion, 199

 , failure of denervation to influence the high affinity uptake of, by sympathetic ganglia, 278P

Cholinesterase activity, reduction in, or rat anococcygeus muscle produced by corticosterone, 69

Cicloxolone, interaction of carbenoxolone sodium with, bound to plasma proteins, 252P

Circling behaviour, comparison of, following unilateral inhibition of GABA transaminase or discrete electrolytic lesion of rat substantia nigra, 288P

Circling responses, differences in, following electrolytic and 6-hydroxydopamine lesions of nigro-striatal pathway, 289P

Cinanserin, effect of, on [3H]-5-HT binding to rat blood platelets, 257P

Clonidine, intravenously, elicits longer-lasting sleep than intraventricularly, 459

Clonidine 2-(2, 6-dichlorophenylamino) -2- imidazoline hydrochloride, central effects of, in fowls, 459

Clorgyline, inhibition of MAO by, effect of on 5-HT in rat brain, and hyperactivity after tryptophan administration, 415

CNS excitability, halothane-induced sleeping time as index of, 307P

Cocaine, effect of, on chronotropic and inotropic effects of dopamine on dog heart, 475

- , effect of, on potassium-induced efflux of noradrenaline, 247P

 , enhances inotropic and chronotropic effects of noradrenaline on dog heart, 475 , increases duration of excitatory junction potential to single impulse, 87

Compound 48/80, ability of, to induce oedema in rat paw, 51

Conalbumin, sensitization with, of effect of, on mediators of passive lung anaphylaxis, 57

Concurrent behaviour, antidotal thirst, and voluntary lithium intake in rats, 409

Conditioned taste aversion, peptide hormones and extinction of, 270P

Coronary vascular resistance, action of prostaglandin E₂ on, in guinea-pig isolated heart, 403

Corticosterone, reduction in cholinesterase activity of rat anococcygeus muscle produced by, 69

Corticotrophin, production of, by rat adenohypophysial segments in vitro, 272P

Cortisol, inhibits release but not synthesis of ACTH in rat adenohypophysial segments in vitro, 272P

Cow, prostaglandins in pyometrial fluid from, 515

Cremaster muscle, guinea-pig, consists of a mixture of striated and smooth muscles, 487

 , some pharmacological properties of, in guinea-pig, 487

Cupric, ions, endothelial cells depolarized when heated in the presence of, 105

Cuprous, ions, depolarize endothelial cells at normal body temperature, 105

Curare, effect of, on response of frog spinal cord to GABA and β -alanine, 449

Cyclic AMP, in HeLa cells stimulated with cholera enterotoxin and methylxanthimes, 287P

- , formation of, mediated by β-adrenoceptors in brain, 300P

- , intracellular levels, effects of selective α - and β -receptor agonists on, in guinea-pig liver, 286P

Cyproheptadine, effect of, on ability or arachidonic acid, linolenic acid and prostaglandins to modulate experimentally induced oedema in rat paw, 51

 , effect of, on [³H]-5-HT binding to rat blood platelets, 257P

 , protects against effects of interaction between furazolidone and pethidine in rabbits, 497

Cycloheximide, effect of, on capacity of rat kidneys to metabolize prostaglandins, 233

 , characterization with, of tolerance to morphineinduced calcium depletion in regional brain areas, 431

D

Dapsone, penetration of, into peripheral nerves, 151

d.c. and field potentials, action of GABA on, in rat cuneate nucleus, 280P

DDT, accelerates the interaction between furazolidone and pethidine in rabbits, 497

Debrisoquine, correlation between response to, and amount of unchanged, excreted in the urine, 264P

Demecolcine, effect of, on accumulation of vesicular material in sectioned rat dorsal roots, 265P

Dental pulp, dog, stimulation test, 314P

Deprenil, inhibition of MAO by, effect of, on 5-HT in rat brain, and hyperactivity after tryptophan administration, 415 Desipramine, effect of, on potassium-induced efflux of noradrenaline, 247P

 , increases duration of excitatory junction potential to single impulse, 87

Desmethylimipramine, reduces inotropic and chronotropic effects of dopamine on dog heart and enhances effects of noradrenaline and nerve stimulation, 475

Dexamethasone, effect of, on response of rat lung to humoral mediators of anaphylaxis, 423

Dexamphetamine, hyperactivity induced by, in rats, 293P – , interaction between, and clonidine in fowls, 459

Dextran, effect of, on anti-inflammatory action of glucagon in rats, 65

Dextran B, ability of, to induce oedema in rat paw, 51
Diazepam, effect of anaesthesia with, on responsiveness of
cerebrocortical neurones to L-glutamate and acetylcholine, 275P

- , effect of, on Mg-ATPase in synaptic vesicles, 252P

- , effect of, on sleep in man, 262P

-, effect of, on timid singly-housed mice, 141

Dibenamine hydrochloride, effect of, on adrenergic neuromuscular transmission, 87

 6-bis (Diethanolamino) -4- piperidinopyrimido-[5,4-d] pyrimidine, see RA 233

Dihomo-γ linolenate, thrombolytic and antithrombotic properties of, in vitro, 316P

1,4 - Dihydro - 2,6 - dimethyl - 4 - (2 - trifluoromethyl - phenyl)-3, 5-pyridinedicarboxylic acid diethyl ester, see SK&F 24260, 393

Dihydroergocornine, effect of, on adrenergic neuromuscular transmission, 87

Dihydro-β-erythroidine, effects of, on amino acid responses of frog spinal cord, 449

Dihydroxyphenylacetic acid, hyperactivity produced by, in rats, 293P

, tissue levels, postnatal development of, in rat striatum, 558

Diprenorphine, effect of, on depressed respiratory function in ponies induced by etorphine and acepromazine, 269P

Dipyridamole, action of, and interaction with adenosine, on isolated coronary artery strips of cattle, 431

- , n.m.r. spectroscopy of, 258P

Disodium cromoglycate, effect of, on passive lung anaphylaxis in rat, 57

DOPA, formation of, in rat compared with guinea-pig vas deferens, 73

, effects of on single cortical neurones, 301P

L-DOPA, motor activity produced by, in rodents, involvement of noradrenaline in, 292P

Dopamine, behavioural changes induced in conscious mice by intracerebroventricular injection of, 351

 - , effect of, on identified ventromedial hypothalamic nucleus neurones, 277P

 , effects of, on sinus rate and ventricular contractile force of the dog heart in vitro and in vivo, 475

, formation of, in rat compared with guinea-pig vas deferens, 73

- , hyperactivity induced by, in rats, 293P

 , in rat brain, effect of MAO inhibition by clorgyline, deprenil and tranylcypromine on, 415

 , intra-arterially, following phentolamine, caused increased femoral blood flow in some anaesthetized dogs, 167

- , levels, in rat striatum, effect of reserpine on, 296P
- , potentiation of response of neurones to, by iprindole, 17
- , role of, in rotational behaviour produced by unilateral lesions of locus coeruleus, 290P
- , uptake of, by human blood platelets, effect of flupenthixol, 555

, vascular, receptors in canine hindlimb, 167

Dopamine deamination, postnatal development of, in rat striatum, 558

Dopamine receptor blockade, possible mode of action for antipsychotic drugs, in nucleus accumbens, 295P

Dopamine receptors, supersensitive mesolimbic, action of LSD on, 291P

Dorsal roots, rat, light and electron microscopic study of accumulation of vesicular material in sectioned, 265P Double antibody radioimmunoassay method use of to

Double antibody radioimmunoassay method, use of, to analyze antisera to prostaglandins B_2 and F_{2Q} , 503

Drugs, change in sensitivity to halothane induced by acute administration of CNS depressant, in the rat, 266P

- , study of binding of, of blood constituents, 258P

 - , value of timid singly-housed mice in prediction of psychotropic activity of, 141

Ε

EEG recording, combined with intraventricular administration of drugs in conscious rat, 312P

Electrolytic lesion, circling responses following, of nigro-striatal pathway, 289P

 , discrete, in rat substantia nigra, circling behaviour resulting from, 288P

Endothelial cells, binding of divalent metallic ions to, 105 Enoxolone, interaction of carbenoxolone sodium with, bound to plasma proteins, 252P

Ergometrine, depressed dilator effects of dopamine on canine hindlimb, 167

 , effect of, on femoral dilator responses to acetylcholine, histamine, isoprenaline, bradykinin and 5-hydroxytryptamine, 167

Erythrosine, mechanism of effect of, in caecal enlargement in the rat, 260P

Etorphine, in combination with acepromazine, intravenously, effect of, on respiratory function in ponies, 269P

F

Fasting, effect of, on gastric glycoprotein synthesis in rat, 387

Fenfluramine, relationship between, and norfenfluramine blood levels and anorectic activity in the rat, 261P

Ferret, prostaglandins in pyometrial fluid from, 515

Ferrous, ions, endothelial cells depolarized when heated in the presence of, 105

Flufenamic acid, interaction of carbenoxolone sodium with, bound to plasma proteins, 252P

Fluocinolone, effect of, on ability of arachidonic and linolenic acids to modulate experimentally induced oedema in rat paw, 51

Flupenthixol, actions of, on 5-HT-induced aggregation and uptake of 5-HT and dopamine by human blood platelets, 555

Fluphenazine, action of, in nucleus accumbens, 295P

Folic acid, proconvulsant action of, 265P

raised concentration of, increases cortical activity, 266P

Forebrain, rat limbic, homogenates, noradrenalinesensitive adenylate cyclase in, effects of agonists and antagonists on, 299P

Fosazepam, effect of, on sleep in man, 262P

, soluble salt of diazepam, 262P

FPL 55712, effect of, on passive lung anaphylaxis in rats,

Freund's adjuvant, effect of, on anti-inflammatory action of glucagon in rats, 65

Furazolidone, interaction with pethidine in rabbits, 497

Gallamine, effects of, on amino acid responses of frog spinal cord, 449

Ganglion, rabbit superior cervical, membrane potential changes induced by 5-HT in, 199

Glucagon, anti-inflammatory action in rats, 65

, effects of, on hepatic arterial vasculature of the dog, 272P

Glutamate, neuronal response to, effect of iprindole on,

- , convulsant action of, 265P
- , effect of, on identified ventromedial hypothalamic nucleus neurones, 277P
- , effect of, on membrane conductance, 250P

L-glutamate, effect of, on ventral root responses of hemisected amphibian spinal cord in presence of procaine, 519

, effect of, on cerebrocortical neurones during general anaesthesia, 275P

Glycine, bimodal effect of, on frog spinal motoneurones,

- , effect of, on identified ventromedial hypothalamic nucleus neurones, 277P
- , anomalous effect of, on ventral root responses of hemisected amphibian spinal cord to perfused amino acids in presence of procaine, 519

Glycogen phosphorylase, activity of, effects of selective α and β -receptor agonists on, in guinea-pig liver, 286P

Glycoprotein, gastric, synthesis, effects of fasting, stress and drugs on, in rat, 387

Gramine, effect of, on chemoreceptor response to 5-HT in cat carotid body, 27

Guanethidine, effect of, on mechanical responses of rat isolated uterine horns to transmural stimulation, 41

, effect of, on redistribution of cardiac output in anaesthetized rabbits, use of radioactive microspheres to measure, 393

Н

H₁-receptors, involvement of, in blood pressure response to histamine in the cat, 173

involvement of, in vasodilator responses to histamine, 181

- H₂-receptors, involvement of, in blood pressure response to histamine in cat, 173
- involvement of, in vasodilator responses to histamine, 181

Haloperidol, effects of, on central effects of clonidine, 459

Halopyramine, pressor response induced by, perfused through cerebral ventricles of dog, 3

Halothane, induced sleeping time, use of, as index of CNS excitability, 307P

- change in sensitivity to, induced by actue administration of CNS depressant drugs in the rat,
- , effect of anaesthesia with, on responsiveness of cerebrocortical neurones to L-glutamate and acetylcholine, 275P

Heart, guinea-pig isolated, action of prostaglandin E, on myocardial mechanics, coronary vascular resistance and oxygen consumption in, 403

Heart rate, histamine causes dose-related increase in, in rats, 274P

cis1,2,3,4,4a,10b - Hexahydro - 8,9 -dimethoxy - 2-methyl-6-phenylbenzo[c] [1,6]-naphthyridine bis hydrogen maleate, see AG19417

Hexamethonium, effect of, on pressor response to procaine in dog cerebral ventricles, 3

- , effect of, on chemoreceptor response to 5-HT in cat carotid body, 27
- , effect of, on mechanical responses of rat isolated uterine horns to transmural stimulation, 41
- , blocks nicotine- and acetylcholine-induced release of surplus acetylcholine from sympathetic ganglia, 189

Histamine, -induced inflammation, simple model of, using mouse pinna, 315P

- , effect of, on function in pithed rat, 423
- , effect of, on passive lung anaphylaxis in rat, 57
- , release of, from isolated perfused lungs after challenge with antigen, 57
- , ability of, to induce oedema in rat paw, 51
- , effect of, on bronchodilation in guinea-pig isolated lungs, 547
- , central hypertensive action of, in rats, 274P
- , comparison of effects of, with anaphylatoxin in guinea-pig lungs, 240P
- , dose-dependent contraction of sheep pulmonary artery and vein induced by, 329
- , effects of, agonists on blood pressure in cat, 173
- , effect of ergometrine on vasodilator responses to, in canine hindlimb, 167
- , effect of, on identified ventromedial hypothalmic nucleus neurones, 277P
- , effect of, on quiescent preparations of guinea-pig cremaster muscle, 487
- increased vascular permeability induced by, unaffected by PGD, , 239P
- , receptors in peripheral vascular beds in the cat, 181

, -stimulated gastric secretion, enhanced by amodiaquine, 321

Histamine methyltransferase, effect of amodiaquine on gastric, and on histamine-stimulated gastric secretion,

DL-homocysteate, motoneurone depolarization with membrane conductance decrease induced by, 250P Homocysteic acid, convulsant action of, 265P

- Homovanillic acid, tissue levels, postnatal development of, in rat striatum, 558
- Humoral mediators, response of rat lung to, of anaphylaxis and its modification by drugs and sensitization, 423
- Hydralazine, effect of, on redistribution of cardiac output in anaesthetized rabbits, use of radioactive microspheres to measure, 393
- Hydrocortisone, effect of, on ability of prostaglandins, arachidonic acid and linolenic acid to modulate experimentally-induced oedema in rat paw, 51
- , effect of, on potassium-induced efflux of noradrenaline, 247P
- , effect of, on tryptophan concentration in rat liver, 253P
- Hydrogen peroxide, depolarizes endothelial cells, 105
 6-Hydroxdopamine, lesions by, impaired response control after, to dorsal noradrenaline bundles, 293P
- , effects of, on histamine-induced pressor responses in the rat, 274P
- , lesion by, circling responses following, of nigro-striatal pathway, 289P
- , pretreatment with, decreases noradrenaline and adrenaline concentrations in certain chicken organs, 343
- 5-Hydroxyindoles, concentrations of, as measure of effect of lithium on metabolism of L-tryptophan in rat forebrain, 268P
- 3-Hydroxy-N-methylpyridinium, pharmacokinetics of, in the rat, 335
- , urinary excretion of, dose-dependent, 335
- 5-Hydroxytryptamine, behavioural changes induced in conscious mice by intracerebroventricular injection of, 351
- , concentration of, as measure of effect of lithium on metabolism of L-tryptophan in rat forebrain, 268P
- , dose-dependent contraction of sheep pulmonary artery induced by, without tachyphylaxis, 329
- , effect of ergometrine on vasodilator responses to, in canine hindlimb, 167
- , induced receptor for, in guinea-pig vas deferens, 302P
- -, effects of, on sheep pulmonary vein, 329
- , membrane potential changes induced by, in rabbit superior cervical ganglion, 199
- , action of, on chemoreceptor discharges of cat carotid body, 27
- , potentiation of neuronal response to, by iprindole, 17
- , effect of, on bronchial function of pithed rat, 423
- concentrations in rat brain, effects of MAO inhibition by clorgyline, deprenil and tranylcypromine on, and hyperactivity after tryptophan administration, 415
- release of, from isolated perfused lungs after challenge with antigen, 57
- , ability of, to induce oedema in rat paw, 51
- , aggregation induced by, action of flupenthixol on, in human blood platelets, 555
- induced inflammation, simple model of, using mouse pinna, 315P
- 5-Hydroxy-[3H]-tryptamine, inhibition of binding of, to rat blood platelets by 5-HT antagonists and uptake inhibitors, 257P

- 5-Hydroxytryptophan, effect of, in rabbits pretreated with furazolidone, 497
- Hyoscine, antagonism by, of mechanical responses of rat isolated uterine horns to transmural stimulation, 41
- Hypertension, possible contribution of prostaglandins to genetic, in rats: identification of a biochemical lesion, 244P
- Hyperthermia, in unanaesthetized cat, induced by RX72601, 9
- Hypothalamus, ventromedial, response of identified neurones of, to putative neurotransmitters applied by microiontophoresis, 277P

ı

- Ileum, guinea-pig, assessment in, of benzomorphans which have strong antinociceptive activity but do not substitute for morphine in dependent monkeys, 541
- Imipramine, effect of, on [3H]-5-HT binding to rat blood platelets, 257P
- , effect of, on timid singly-housed mice, 141
- , interaction of carbenoxolone sodium with, bound to plasma proteins, 252P
- Indocyanine green, relationship between clearance of, and antipyrine before and after phenobarbitone treatment, 263P
- Indomethacin, does not inhibit pupillary meiosis, 157
- , effect of, on depolarization of endothelial cells induced by mono- and divalent cations, 105
- , effect of, on potassium-induced efflux of noradrenaline, 247P
- , interaction of mono- and divalent metallic cations and of, on membrane potential of vascular endothelial cells in vitro, 105
- , local treatment with, prevents development of Shwartzman-like reaction in dog knee joint, 241P
- , effect of, on ability of prostaglandins, arachidonic acid and linolenic acid to modulate experimentally induced oedema in rat paw, 31
- , effect of, on synthesis and release of prostaglandins from pregnant rat uterus, 535
- Inflammatory fluid, presence of prostaglandins in, 515 Iprindole, effects of, on responses of single cortical and caudate neurones to monoamines and acetylcholine, 17
- Iproniazid, effect of pretreatment with, on effect of reserpine on adrenergic neuromuscular transmission, 79
- Isoniazid, penetration of, into peripheral nerves, 151
 Isoprenaline, pretreatment with reduced blood for
- Isoprenaline, pretreatment with, reduced blood flow increase caused by dopamine in canine hindlimb, 167
- , dose-dependent relaxation of sheep pulmonary artery and vein induced by, 329
- , effect of ergometrine on vasodilatory responses to, in canine hindlimb, 167
- , vasodilator response to, unaffected by mepyramine and metiamide, 181
- , effect of, on intracellular cyclic AMP levels and glycogen phosphorylase activity in guinea-pig liver, 286P
- , rate and tension responses to, of guinea-pig atria, reserpine-induced supersensitivity to, 284P
- , effect of, on bronchodilation in guinea-pig isolated lungs, 547

Κ

Kaolin, ability of, to induce oedema in rat paw, 51

- Ketamine, anticonvulsant activity of, in mice, following inhibition of GABA synthesis by mercaptopropionic acid, 276P
- , can prevent convulsive effects of mercaptopropionate in mice, 276P
- , effects of, on peripheral sympathetic nervous system of the rat, 245P
- , potentiates smooth muscle sensitivity to noradrenaline, 245P

Kinin mediation, ability of arachidonic and linolenic acids and prostaglandins to modulate experimentally induced oedema in rat paw discussed in terms of, 51

Kynurenine, concentration of, in medium as a measure of tryptophan pyrrolase activity, 253P

L

Leprosy, penetration of drugs used in treatment of, 151 Leptazol, convulsant action of, 265P

Lesions, unilateral, role of dopamine in rotational behaviour produced by, in locus coeruleus, 290P

- , 6-hydroxydopamine, impaired response control in rat after, to dorsal noradrenaline bundles, 293P
- , rat substantia nigra, effect of (+)-amphetamine on analgesics and rotational behaviour after, 316P

Lidocaine, effect of, on potassium-induced efflux of noradrenaline, 247P

Lilly 103947, effect of, on [3H]-5-HT binding to rat blood platelets, 257P

Lilly 110140, effect of, on [3H]-5-HT binding to rat blood platelets, 257P

Linolenic acid, ability of, to modulate experimentally induced oedema in rat paw, 51

Lithium, voluntary intake of, antidotal thirst and concurrent behaviour in rats, 409

, effects of chronic administration of, on metabolism of L-tryptophan in rat forebrain, 268P

Lithium ions, effect of, on antidiuretic action of vasopressin in rat, 527

Litoria aurea, parallel bioassay of bombesin and litorin, a bombesin-like peptide from skin of, 213

Litorin, parallel bioassay of, with bombesin, 213

, pharmacological activity of, 221

Liver, guinea-pig, effects of selective α - and β -receptor agonists on intracellular cyclic AMP levels and glycogen phosphorylase activity in, 286P

Locus coeruleus, unilateral lesions of, rotational behaviour produced by, role of dopamine in, 290P

Lower body negative pressure, cardiovascular responses of anaesthetized cat exposed to, 246P

Lung, rat, response of, to humoral mediators of anaphylaxis and its modification by drugs and sensitization, 423

- , rat, mediators of passive anaphylaxis in, 57
- , guinea-pig isolated, tolerance to sympathomimetic bronchodilators in, following chronic administration in vivo, 547

Lysergic acid diethylamide, action of, on supersensitive mesolimbic dopamine receptors, 291P

, effect of, on timid singly-housed mice, 141

- (+)-Lysergic acid diethylamide, effect of, on chemoreceptor response to 5-HT in cat carotid body, 27
- effect of, on [3H]-5-HT binding to rat blood platelets, 257P

M

Magnesium, adenosine triphosphatase, synaptic vesicle as a possible site of action of anticonvulsant drugs, 252P

- , effect of external concentration of, on synaptic potential due to noradrenaline release, 97
- ions, abolish responses of frog spinal cord to acetylcholine and carbachol, 449

Malaria, forecasting anti-, properties of arylamidinoureas, 117

Mecamylamine, effects of, on histamine-induced cardiovascular effects in the rat, 274P

Meclofenamate, effect of, on response of rat lung to humoral mediators of anaphylaxis, 423

Meiosis, pupillary, not inhibited by aspirin, 157

Membrane, potential changes, induced by 5-HT in rabbit superior cervical ganglion, 199

Meprobamate, pretreatment with, effect of, on halothane sleeping time, 266P

Mepyramine, pressor response induced by, perfused through cerebral ventricles of dog, 3

- effect of, on response of rat lung to humoral mediators of anaphylaxis, 423
- , effect of, on passive lung anaphylaxis in rat, 57
- , effect of, on histamine- and anaphylatoxin-induced changes in guinea-pig lungs, 240P
- -, effect of, on vasodilator response to histamine, 181
- , pretreatment with, effects of, on histamine-induced cardiovascular effects in rat, 274P

Mercaptopropionic acid, anticonvulsant activity of ketamine in mice following inhibition of GABA synthesis by, 276P

Mescaline, comparison of effect of, on activity and emotional defaecation in seven mouse strains, 133

- , inhibits emotional defaecation in certain mouse strains, 133
- , stimulated activity in certain mouse strains, 133

Metaraminol, effect of PGE, and PGE, on release of [3H]-noradrenaline from rat mesenteric arteries induced by, 243P

Methacholine, effects of, on time course of noradrenaline release caused by high potassium-low sodium solutions, 248P

Methergoline, effect of, on [3H]-5-HT binding to rat blood platelets, 257P

2-Methylhistamine, lowers blood pressure in cat, 173

- , vasodilator responses to, in peripheral vascular beds of the cat, 181
- 4-Methylhistamine, vasodilator response to, in peripheral vascular beds of the cat, 181
- lowers blood pressure in cat, γ -Methyl-p-tyrosine, effect of, on interaction between

furazolidone and pethidine in rabbits, 497 Methylxanthines, cyclic AMP in HeLa cells stimulated with, 287P

Methysergide, effect of, on chemoreceptor response to 5-HT in cat carotid body, 27

, effect of, on passive lung anaphylaxis in rat, 57

- , effect of, on response of rat lung to humoral mediators of anaphylaxis, 423
- , has no effect on behavioural changes in conscious mice induced by 5-hydroxytryptamine, 351
- , blocks contractile response of sheep pulmonary artery to 5-HT, 329
- , effect of, on [³H]-5-HT binding to rat blood platelets, 257P
- -, effects of, on central effects of clonidine, 459

Metiamide, effect of, alone and with mepyramine, on vasodilator response to histamine, 181

- , inhibits formation of indomethacin-induced gastric erosions, 242P
- , pretreatment with, effects of, on histamine-induced cardiovascular effects in rat, 274P

Metoclopramide, induces increase in striatal homovanillic acid concentration, 381

Metyrapone, effect of, on cholinesterase activity in rat anococcygeus muscle, 69

 , effect of, on synthesis and release of prostaglandins from pregnant rat uterus, 535

Mice, timid and singly-housed, value of, in prediction of psychotropic activity of drugs, 141

Microelectrodes, glass, screening of, simple method for, 312P

Microiontophoresis, response of identified ventromedial hypothalamic nucleus neurones to putative neurotransmitters applied by, 277P

Microspheres, radioactive, use of, to compare effects of hydralazine, guanethidine and SK&F 24260 on redistribution of cardiac output in anaesthetized rabbits, 393

Mitochondria, rat brain, distinct populations of, monoamine oxidase activity in, 298P

Monoamines, response of single cortical and caudate neurones to, effects of iprindole on, 17

Monoamine oxidase activity, towards dopamine, postnatal development of, in rat striatum, 558

- , changes of, with age, in rat vas deferens, 305P
- , inhibition by clorgyline, deprenil or tranylcypromine on 5-HT in rat brain, and hyperactivity following subsequent tryptophan administration, 415
- , in distinct populations of rat brain mitochondria, 298P

Monoamine oxidase inhibitors, effect of, on membrane potential changes in rabbit superior cervical ganglion, 199

Morphine, inhibition of twitch response of mouse vas deferens induced by, unlikely to be mediated by noradrenaline, 267P

- , -induced calcium depletion in regional brain areas, tolerance to, characterization with reserpine and protein synthesis inhibitors, 431
- , effect of, on cholinesterase activity of rat anococcygeus muscle, 69
- , assessment of benzomorphans which have strong antinociceptive activity but do not substitute for, in dependent monkey, 541

4-Morpholino-2-piperazine-thiopheno[3,2-b] pyrimidine, see VK 774

Motoneurones, frog spinal, bimodal effect of glycine on, 281P

Motor activity, produced by L-DOPA in rodents, involvement of noradrenaline in, 292P

 γ -MSH, melanocyte stimulating hormone, effect of, on extinction of conditioned taste aversion, 270P

Mucosa, gastric, glycoprotein synthesis in, effect of stress, fasting and drugs on, in rat, 387

Muscarinic receptors, carbachol binding to, in intestinal smooth muscle, effect of chlorpromazine on, 303P

 , slow activation of, as possible explanation of latency of parasympathetic nerve effects, 304P

Muscle, intestinal smooth, carbachol binding to muscarinic receptors in, effect of chlorpromazine on, 303P

- , anococcygeus, rat, reduction in cholinesterase activity of, produced by corticosterone, 69
- , mammalian, fibres, effects of Procion Brilliant Red H3BN on, 281P

Myocardial infarction, ORG6001 may be more useful than currently-used drugs in treatment of early arrhythmias following, 359

Myocardial mechanics, action of prostaglandin E₂ on, in guinea-pig isolated heart, 403

Myocardium, dog, effects of dopamine and noradrenaline on, 475

N

N-acetyl[3H]-glucosamine, rate of incorporation of, effect of stress, fasting and drugs on, in rat, 387

N-cyclopropylmethyl-5,9-dialkyl-2'hydroxy-6,7,-benzomorphans, assessment of, in guinea-pig ileum and mouse vas deferens, 541

N-dimethyl-furyl 5,9-dimethyl-2'-hydroxy-6,7-benzomorphans, assessment of, in guinea-pig ileum and mouse vas deferens, 541

Naloxone, effect of, on effect of benzomorphans on guinea-pig ileum and mouse vas deferens, 541, effect of, on inhibition of twitch response of mouse vas deferens induced by noradrenaline, 267P

Naproxen, effect of, on ability of prostaglandins, arachidonic and linoleic acids to modulate experimentally induced oedema in rat paw, 51

Narcotic analgesic drugs, evaluation of, in dog dental pulp stimulation test, 314P

Negative pressure, cardiovascular responses of anaesthetized cat exposed to lower body, 246P

Nerve, parasympathetic, latency of, effects, may be due to slow activation of muscarinic receptors, 304P

- parasympathetic, activity of, modification of, by prostaglandins, 47
- , sectioned peripheral vagus, bradycardia in, effect of prostaglandins on, in anaesthetized mouse, 47

Neuroleptic drugs, pre- and post-synaptic actions of, 297P - , see anti-psychotic drugs, 295P

Neuromuscular transmission, effect of Ca ions on, in mouse vas deferens, 97

 - , effects of amine-uptake blockers and α-adrenoceptor blockers on adrenergic, 87

, effects of reserpine on adrenergic, 79

Neurones, cholinergic motor and noradrenergic inhibitory postganglionic, transmural stimulation as a method of exciting, 41

 single cortical and caudate, responses of, to monoamines and acetylcholine, effects of iprindole on, 17

- , single cortical, effects of DOPA and noradrenaline on, 301P
- GABA-releasing, selective autoradiographic markers for, 308P
- , adrenergic, centrally-acting antihypertensive agent (R28935) not acting via, 313P

Nicotine, effect of, on membrane potential changes in rabbit superior cervical ganglion, 199

- , effect of, on response of frog spinal cord to GABA and β-alanine, 449
- , releases surplus acetylcholine from sympathetic ganglia, 189

Nigro-striatal pathway, differences in circling responses following electrolytic and 6-hydroxydopamine lesions of, 289P

Nippostrongylus brasiliensis, potentiation with, of production of antibodies to conalbumin, 57

 , sensitization with, effect of, on response of rat lung to humoral mediators of anaphylaxis, 423

Noradrenaline, formation of, in rat compared with guinea-pig vas deferens, 73

- , potentiation of response of neurones to, by iprindole, 17
- , involvement of, in motor activity produced by L-DOPA in rodents, 292P
- , dorsal, bundles, 6-hydroxydopamine lesions to, impaired response control after, 293P
- , adenylate cyclase sensitive to, in rat limbic forebrain homogenates, effects of agonists and antagonists on, 299P
- , effects of, on single cortical neurones, 301P
- -- , induced receptor for, in guinea-pig vas deferens, 302P
- , behavioural changes induced in conscious mice by intracerebroventricular injection of, 351
- , cardiovascular potency of, in chicken similar to that of adrenaline, 343
- , comparison of effects of, on dog heart with those of dopamine, 475
- , comparison of hypothermic effects of, with those of TRH in the cat, 273P
- , dose-dependent contraction of sheep pulmonary artery and vein induced by, 329
- , evidence for, and adrenaline as sympathetic transmitters in the chicken, 343
- , increases hepatic arterial vasculature resistance, 272P
- , inhibits twitch response of mouse vas deferens, 267P
- , mechanism of K*-induced release of cytoplasmic, from adrenergic nerves, 247P
- , output of, from mouse vas deferens, 267P
- , produces contractions in guinea-pig cremaster muscle, 487
- , released by single impulses, effect of, or post-synaptic α-adrenoceptors terminated by diffusion, 87
- release of, and relationship to calcium ion concentration, 97
- , release of, reduced by pretreatment of adrenergic nerve terminals with reserpine, 79
 , stored in synaptic vesicles, 79
- , stored in synaptic vesicles, 79
- time course of release of, caused by high potassium-low sodium solution, 248P
- , unlikely to mediate the twitch response inhibition by morphine in mouse vas deferens, 267P
- uptake and release of, 87

[3H]-Noradrenaline, effect of PGE₁ and PGE₂ on druginduced release of, from rat mesenteric arteries, 243P

Noradrenergic blocker, modifies reflex cardiovascular changes induced by lower body negative pressure, 246P

Norfenfluramine, relationship between fenfluramine and, blood levels and anorectic activity in the rat, 261P

Nuclear magnetic resonance, use of, in study of binding of drugs to inhibit platelet aggregation, 258P

Nucleus, rat cuneate, action of GABA on d.c. and field potential recordings from, 280P

Nucleus accumbens, dopamine receptor blockade in, possible mode of action for anti-psychotic drugs, 295P

0

Octopamine, effect of PGE₁ and PGE₂ on release of [³H]-noradrenaline induced by, from rat mesenteric arteries, 243P

Oedema, experimentally induced, ability of prostaglandin E₁ and arachidonic acid to modulate, in rat paw, 51

Oestradiol, effect of, on in vitro production of prostaglandin F₂ by guinea-pig uterus, 229

- ORG6001, antiarrhythmic, haemodynamic and metabolic effects of, in greyhounds following acute coronary artery ligation, 359
- , a new amino steroid, 359
- , pretreatment with, reduces metabolic changes indicative of myocardial ischaemia in greyhounds following acute coronary artery ligation, 359

Ouabain, effect of, on GABA response of dog cerebral arteries, 561

- , mechanism of mechanical inhibition of smooth muscle by, 111
- proconvulsant action of, 265P
- , stimulation and inhibition by, of the sodium pump in guinea-pig atria, 249P
- , effect of, on membrane potential changes in rabbit superior cervical ganglion, 199

Oxprenolol, effect of, on formation of arterial platelet thrombi, 255P

Oxygen consumption, action of prostaglandin E_2 on, in guinea-pig isolated heart, 403

Oxymetazoline, effect of, on potassium-induced efflux of noradrenaline, 247P

Oxytetracycline, effect of, on potassium-induced efflux of noradrenaline, 247P

 , pretreatment with, prevents interaction between furazolidone and pethidine in rabbits, 497

Ρ

Pancreas, studies on functional significance of calcium pools associated with, acinar cells, 369

Paracetamol, effect of, on ability of arachidonic and linoleic acids and prostaglandins to modulate experimentally induced oedema in rat paw, 51

Parturition, in rat, effect of metyrapone on, 535

Paw, rat, oedema reduced by anti-inflammatory action of glucagon. 65

8992

 , rat, experimentally induced oedema in, ability of prostaglandin E₁ and arachidonic acid to modulate, 51

Pempidine, effect of, on mechanical responses of rat isolated uterine horns to transmural stimulation, 41

Pethidine, interaction with furazolidone in rabbits, 497
Phenobarbitone, effect of, on Mg-ATPase in synaptic vesicles, 252P

- , increases drug metabolizing capacity of liver, 263P
- relationship between clearance of antipyrine and indocyanine green before and after treatment with, 263P

Phenoxybenzamine, effects of, on inotropic and chronotropic effects of dopamine, noradrenaline and nerve stimulation in dog heart, 475

- , effects of, on locomotor activities in conscious mice induced by i.c.v. injection of noradrenaline, 351
- , prevents hypothermic effects of clonidine in fowls, 459
- , prevents increase in locomotor activity in conscious mice induced by i.c.v. injection of noradrenaline, 351

Phentolamine, abolishes contractions caused by adrenaline and noradrenaline in guinea-pig cremaster muscle, 487

- , effect of, on adrenergic neuromuscular transmission, 87
- , effect of, on histamine-induced pressor responses in the rat, 274P
- , effect of, on hypothermia in cats induced by TRH, noradrenaline or calcium ions, 273P
- , effect of, on hypothermic effects of clonidine, 459
- , effect of, on inhibition of twitch response of mouse vas deferens induced by noradrenaline, 267P
- , effect of, on potassium-induced efflux of noradrenaline, 247P
- , intraventricularly, attenuates soporific effects of clonidine in fowls, 459
- , pretreatment with, followed by intra-arterial injections of dopamine caused increased blood flow in some anaesthetized dogs, 167
- , effect of, on pressor response to procaine in dog cerebral ventricles, 3

Phenylbutazone, interaction of carbenoxolone sodium with, bound to plasma proteins, 252P

- , effect of, on gastric glycoprotein synthesis in rat, 387
- , effect of, on ability of arachidonic and linoleic acids and prostagandins to modulate experimentally induced oedema in rat paw, 51

Phenylethylamine, effect of MAO inhibition by clorgyline, and deprenil and tranyleypromine on, 415 Phenytoin, effect of, on Mg-ATPase in synaptic vesicles,

252P, interaction of carbenoxolone sodium with, bound to

plasma proteins, 252P

Picrotoxin, blocks relaxant effect of GABA on dog cerebral arteries, 561

- , effect of, on identified ventromedial hypothalamic nucleus neurones, 277P
- , proconvulsant action of, 265P
- , effect of, on ventral root responses of hemisected spinal cord amphibian, to perfused amino acids in presence of procaine, 519

Pilocarpine, releases surplus acetylcholine from sympathetic ganglia, 189

Pimozide, blocks behavioural changes in conscious mice induced by dopamine, 351

Pinna, mouse, simple models of anaphylaxis and histamine and 5-HT-induced inflammation using, 315P

Physostigmine, potentiation by, of mechanical responses of rat isolated uterine horns to transmural stimulation, 41

Pizotifen, effect of, on [3H]-5-HT binding to rat blood platelets, 257P

Platelets, role of aggregation of, in bronchoconstriction in guinea-pigs, 254P

 , study of nuclear magnetic resonance spectroscopy of compounds inhibiting aggregation of, 258P

Potassium, effect of ouabain on smooth muscle preparation in presence of extracellular, 111

- , ions, depolarized endothelial cells at normal body temperature, 105
- , mechanism of release of cytoplasmic noradrenaline from adrenergic nerves induced by, 247P
- , time course of noradrenaline release from low sodium-high potassium solution, 248P
- , ions, effect of, on membrane potential changes in rabbit superior cervical ganglion, 199

Potassium chloride, effects of, in chronically denervated mouse soleus muscle, 125

Prednisolone, interaction of carbenoxolone sodium with, bound to plasma proteins, 252P

 , effect of, on gastric glycoprotein synthesis in rat, 387

Procaine, effect of, on potassium-induced efflux of noradrenaline, 247P

- , pressor response induced by, perfused through cerebral ventricles of dog, 3
- , effect of, on ventral root responses of hemisected amphibian spinal cord to perfused amino acids, 519

Proceedings of the British Pharmacological Society, Cambridge, 15-17 September, 1975, 239P

Procion Brilliant Red H3BN, effects of, on mammalian muscle fibres, 281P

, a method for microinjection into mammalian muscle fibres, 306P

Progesterone, effect of, on in vitro production of prostaglandin $F_{2\alpha}$ by guinea-pig uterus, 229

Propranolol, effect of, on response of rat lung to humoral mediators of anaphylaxis, 423

- , effect of, on bronchoconstriction, 254P
- , effects of, on central effects of clonidine, 459
- , effects of, on histamine-induced tachycardia in rats, 274P
- , effects of, on locomotor activities in conscious mice induced by i.c.v. injection of noradrenaline, 351
- , pretreatment with, reduced blood flow increase caused by dopamine in canine hindlimb, 167

Prostaglandin \vec{D}_1 , effect of, on increased vascular permeability induced by histamine or bradykinin, 239P

- , inhibits increase in vascular permeability in rat skin produced by prostaglandins E₁, E₂ and D₂, 239P
- , possible role for, in modulation of skin inflammation, 239P

Prostaglandin D₂, effect of, on platelet aggregation: variation with animal species and calcium ion concentration, 259P

, increase in vascular permeability induced by, inhibited by PGD₁, 239P

- Prostaglandin E, dose-dependent relaxation of sheep pulmonary artery and vein induced by, 329
- , effect of, on drug-induced release of [3H]-noradrenaline from rat mesenteric arteries, 243P
- , effect of, on platelet aggregation: variation with animal species and calcium ion concentration, 259P
- increase in vascular permeability induced by, inhibited by PGD₁, 239P
- , ability of, to modulate experimentally induced oedema in rat paw, 51

Prostaglandin E₂, comparison of histopathological effects of, and anaphylatoxin in guinea-pig lungs, 240P

- , effect of, on drug-induced release of [3H]-noradrenaline from rat mesenteric arteries, 243P
- , effect of, on platelet aggregation: variation with animal species and calcium ion concentration, 259P
- , increase in vascular permeability induced by, inhibited by PGD₁, 239P
- , action of, on myocardial mechanics, coronary vascular resistance and oxygen consumption in guinea-pig isolated heart, 403
- , ability of, to modulate experimentally induced oedema in rat paw, 51

Prostaglandin $F_{2\alpha}$, comparison of histopathological effects of, and anaphylatoxin in guinea-pig lungs, 240P

- , dose-dependent contraction of sheep pulmonary artery and vein induced by, 329
- effect of, on effects of histamine, bradykinin and PGE_1 , PGE_2 and PGD_2 , 239P
- possible role for, in modulation of inflammation, 239P
- , in vitro production of, effect of oestradiol and progesterone on, in guinea-pig uterus, 229
- , effect of, on bronchial function in pithed rat, 423
- , ability of, to modulate experimentally induced oedema in rat paw, 51

Prostaglandin 15-hydroxydehydrogenase, activity of, rapid reduction in, in rat tissues after treatment with protein synthesis inhibitors, 233

Prostaglandins B₂ and F₂₀₀ antisera to, development of, and their analysis using solid phase and double antibody radioimmunoassay methods, 503

Prostaglandins E_1 , E_2 and F_{200} effects of, on vagal brady cardia in anaesthetized mouse, 47

Prostaglandins, effect of, on passive lung anaphylaxis in rat. 57

- , release of, from isolated perfused lungs after challenge with antigen, 57
- , synthesis and release of, from pregnant rat uterus, effect of metyrapone on, 535
- , in pyometrial fluid from cow, bitch and ferret,
- , gastric acidity and mechanisms by which indomethacin-induced gastric erosions are prevented by,
- , possible contribution of, to genetic hypertension in rats: identification of a biochemical lesion, 244P
- release of, in knee joint of the dog during local Shwartzman-like reaction, 241P
- , release of, into aqueous humour apparently not inhibited by aspirin, 157

Protein synthesis, inhibitors of, characterization with, of tolerance to morphine-induced calcium depletion in regional brain areas, 431

- Protein synthesis inhibitors, effect of, on prostaglandin 15-hydroxydehydrogenase activity in rat tissues, 233
- Puromycin, effect of, on capacity of rat kidneys to metabolize prostaglandins, 233
- Pyometrial fluid, from bitch and prostaglandins in, 515

Pyrazinamide, penetration of, into peripheral nerves, 151 Pyridostigmine, metabolized during first passage through liver, 335

, pharmacokinetics of, in the rat, 335

R

RA 233, n.m.r. spectroscopy of, 258P

R28935, a centrally-acting antihypertensive agent and a pimozide analogue, not acting via β -adrenergic neurones, 313P

Radioimmunoassay methods, solid-phase and double antibody, use of, to analyse antisera to prostaglandins B_{20} , and F_{20} , 503

Reaginic antiserum, high titre of, effect of, on passive lung anaphylaxis in rat, 57

- α-Receptor blocker, modifies reflex cardiovascular changes induced by lower body negative pressure, 246P
- α- and β-Receptor agonists, effects of, on intracellular cyclic AMP levels and glycogen phosphorylase activity in guinea-pig liver, 286P

Receptor populations, two functionally opposite, a theoretical model of, 311P

Reserpine, an electrophysiological analysis of effects of, on adrenergic neuromuscular transmission, 79

- effect of, on cholinesterase activity in rat anococcygeus muscle, 69
- , effect of, on GABA response of dog cerebral arteries,
- , effect of, on action of prostaglandin E, on myocardial mechanics, coronary vascular resistance and oxygen consumption in guinea-pig isolated heart, 403
- , characterization with, of tolerance to morphineinduced calcium depletion in regional brain areas, 432
- effect of, on chemoreceptor response to acetylcholine and sodium cyanide in cat carotid body, 27
- , effect of, on tyramine and dopamine concentrations in rat striatum, 296P
- , pretreatment with, reduces effects of intra-arterial dopamine, in dog heart, 475
- , supersensitivity induced by, to rate and tension responses to isoprenaline and salbutamol of guinea-pig ileum, 284P

Response control, impaired, in rat, after 6-hydroxydopamine lesions to dorsal noradrenaline bundles,

Rifampicin, penetration of, into peripheral nerves, 151 Rotational behaviour, produced by unilateral lesions of locus coeruleus, role of dopamine in, 290P

, and analgesics, in rats with substantia nigra lesions, effect of, (+)-amphetamine on, 316P

RX72601, a new anticholinesterase, central administration of, temperature and behavioural responses induced in unanaesthetized cat by, 9

Salbutamol, rate and tension responses to, of guinea-pig atria, reserpine-induced supersensitivity to, 284P

Shwartzman reaction, release of prostaglandins in dog knee joint during local reaction similar to, 241P

SK&F 24260, effect of, on redistribution of cardiac output in anaesthetized rabbits, use of radioactive microspheres to measure, 393

Sleep, effects of diazepam and fosazepam on, in man, 262P

Sleeping time, halothane-induced, use of, as index of CNS excitability, 307P

Slow reacting substance of anaphylaxis, release of, from isolated perfused lungs after challenge with antigen, 57

- , effect of, on bronchial function in pithed rat, 423

Sodium, attempt to measure lifetime of channels for, in transporting epithelia, 250P

 , effect of lithium on, in rat, during effect of lithium on antidiuretic action of vasopressin, 527

 , effect of ouabain on smooth muscle preparation in presence of extracellular, 111

, pump in guinea-pig atria, stimulation and inhibition of, by ouabain, 249P

time course of noradrenaline release from high potassium-low sodium solution, 248P

 , voluntary intake of, antidotal thirst and concurrent behaviour in rats, 409

Sodium aspirin, effect of, on formation of arterial platelet thrombi, 255P

Sodium cyanide, chemoreceptor discharges induced by, in cat carotid body, effect of 5-HT on, 27

Sodium ions, effect of, on membrane potential changes in rabbit superior cervical ganglion, 199

Sodium pentobarbitone, pretreatment with, effect of, on halothane sleeping time, 266P

Soleus muscle, desensitization in the innervated and chronically denervated mouse, 125

Solid phase radioimmunoassay method, use of, to analyse antisera to prostaglandins B₂ and F₂₀₀ 503

Spinal cord, hemisected amphibian, ventral root responses of, to perfused amino acids in presence of procaine, 519

Sphincter of Oddi, responses of the isolated, from the guinea-pig to field stimulation, 270P

Stomach, rat, ATP as a possible inhibitory neurotransmitter in, 285P

Stress, effect of, on gastric glycoprotein synthesis in rat, 387

Striatum, rat, tyraminergic mechanisms in, 296P

rat, development of dopamine deamination in, 558
 Strychnine, convulsant action of, 265P

 , effect of, on identified ventromedial hypothalamic nucleus neurones, 277P

 , effect of, on ventral root responses of hemisected amphibian spinal cord to perfused amino acids, 519

Substantia nigra, rat, circling behaviour produced by discrete electrolytic lesion of, 288P

, human, topographical study of distribution of GABA in, 309P

 rat, lesions of, effect of (+)-amphetamine on rotational behaviour and analgesics in, 316P

Sulphinpyrazone, effect of, on formation of arterial platelet thrombi, 255P

 , effect of, on thrombocytopenia occurring in the Arthus reaction, 256P

Sympathomimetic bronchodilators, tolerance to, in guinea-pig isolated lungs following chronic administration in vivo, 547

Т

Tachyphylaxis, induced by 5-HT in rabbit superior cervical ganglion, 199

Taurine, effect of, on ventral root responses of hemisected amphibian spinal cord in presence of procaine, 519

Tetraethylammonium, effects of, on amino acid responses of frog spinal cord, 449

Tetrodotoxin, abolishes responses of frog spinal cord to acetylcholine and carbachol, 449

 , abolishes twitches of guinea-pig cremaster muscle induced by electrical stimulation, 487

 - , antagonism by, of mechanical responses of rat isolated uterine horns to transmural stimulation, 41

, effect of, on GABA response of dog cerebral arteries,
 561

Theophylline, antidiuretic response to, in rat, effect of lithium ions on, 527

Thiopentone, effect of anaesthesia with, on responsiveness of cerebrocortical neurones to L-glutamate and acetylcholine, 275P

Thioridazine, action of, in nucleus accumbens, 295P

Thrombolytic properties, of dihomo-γ-linolenate in vitro, 316P

Thymoxamine, causes fall in resting arterial blood pressure in anaesthetized cat, 246P

Thyrotrophin releasing hormone, hypothermia in cats induced by, 273P

Tolbutamide, interaction of carbenoxolone sodium with, bound to plasma proteins, 252P

Transmural stimulation, mechanical responses of rat isolated uterine horns to, 41

Tranylcypromine, inhibition of MAO by, effect of, on 5-HT in rat brain, and hyperactivity after tryptophan administration, 415

 , pretreatment with, has no effect on emotional defaecation or inhibition of produced by mescaline, 133

1,1,1-Trichloro-2,2-bis(p-chlorophenyl)ethane, DDT, effect of, on interaction between furazolidone and pethidine in rabbits, 497

3-(p-Trifluoromethylphenoxyl)-N-methyl-3-phenyl-propylamine, see Lilly 110140

3-(p-Trifluoromethylphenoxy)-3-phenylpropylamine, see Lilly 103947

TRH, comparison of hypothermic effects of, with noradrenaline and with calcium in the cat, 273P

 , effect of, on identified ventromedial hypothalamic nucleus neurones, 277P

Trypsin, ability of, to induce oedema in rat paw, 51

Tryptamine, atypical receptors for, in sheep pulmonary vein, 329

Tryptophan, administration of, hyperactivity after, and effects of MAO inhibition by clorgyline, deprenil and tranylcypromine on 5-HT in rat brain, 415

-, metabolism of, by the isolated perfused rat liver, 253P

- L-Tryptophan, effects of chronic administration of lithium on metabolism of, in rat forebrain, 268P
- (+)-Tubocurarine, reduces twitches of guinea-pig cremaster muscle induced by electrical stimulation, 487
- Tyramine, effect of PGE, and PGE, on release of [3]-noradrenaline from rat mesenteric arteries induced by, 243P
- , infusion of, into chicken heart, increases output of noradrenaline and adrenaline, 343
- , levels, in rat striatum, effect of reserpine on, 296P Tyraminergic mechanisms, in rat striatum, 296P
- [14C]-Tyrosine, formation of DOPA from, in rat compared with guinea-pig vas deferens, 73

U

Uterine horns, rat isolated, mechanical responses of, to transmural stimulation, 41

Uterus, pregnant rat, effect of metyrapone on synthesis and release of prostaglandins from, 535

 , guinea-pig, effects of oestradiol and progesterone on in vitro production of prostaglandin F_{2α} by, 229

V

Vagal reflex pathways, role of, in passive lung anaphylaxis in rat, 57

Vas deferens, mouse, assessment in, of benzomorphans which have strong antinociceptive activity but do not substitute for morphine in dependent monkey, 541

- guinea-pig compared with rat, formation of dopamine and noradrenaline in, 73
- , guinea-pig, induced receptors to noradrenaline and 5-hydroxytryptamine in, 302P
- , changes in MAO activity with age in, 305P
- Vasopressin, antidiuretic action of, effect of lithium ions on, in rat, 527
- , increases hepatic arterial vasculature resistance, 272P
 Ventral root response, of hemisected amphibian spinal cord to perfused amino acids in presence of procaine, 519
- Ventricles, cerebral, dog, pressor response induced by local anaesthetics perfused through, 3
- , cerebral, temperature and behavioural responses induced in cat by central administration of RX72601 to. 9
- Verapamil, effect of, on slow contractions of guinea-pig cremaster muscle, 487
- Visual cortex, spontaneous and electrically evoked release of endogenous amino acids from, 279P
- VK 744, NMR spectroscopy of, 258P

W

Warfarin, interaction of carbenoxolone sodium with, bound to plasma proteins, 252P

X

Xylamidine, effect of, on [³H]-5-HT binding to rat blood platelets, 257P

INSTRUCTIONS TO AUTHORS

Papers will be considered for publication on all aspects of drug action, including chemotherapy. A recent issue of the Journal is a good guide to style.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh, EH8 9JZ, from whom copies of the full Instructions to Authors, published in *Br. J. Pharmac*, 50, 3-23, may also be obtained. Specific points to note are:

- 1. Manuscript should be typed in double spacing on one side of paper not larger than A4 (206 x 294 mm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title of not more than 50 letters should also be suggested.
- 2. Statement Papers are accepted only if accompanied by a statement that they have not been and will not be published in whole or in part in any other Journal.
- 3. Summary (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.
- 4. Abstract (2 copies) An abstract of about 100 words suitable for inclusion in an abstracting journal should be typed on a separate sheet, giving the author's name and address and the title of the paper.
- 5. Figures These should not be larger than A4 (206 x 294 mm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided, and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:

$\circ \bullet \Box \blacksquare \triangle \blacktriangle \nabla \nabla$

Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction.

- 6. Tables These should not have more than 85 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 110 characters to a line, unless absolutely unavoidable. Figure legends and tables should be typed on separate sheets of paper.
- 7. References These should be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

Short Communications These may be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text and only one figure or table. The summary should be a single paragraph. An abstract and statement should be included.

British Journal of Pharmacology

VOLUME 55 NUMBER 4 DECEMBER 1975

page

- 449 NICOLL, R.A. The action of acetylcholine antagonists on amino acid responses in the frog spinal cord *in vitro*.
- 459 MARLEY, E. & NISTICO, G. Central effects of clonidine 2-(2,6-dichlorophenylamino)-2-imidazoline hydrochloride in fowls.
- 475 ENDOH, M. Effects of dopamine on sinus rate and ventricular contractile force of the dog heart in vitro and in vivo.
- 487 NINOMIYA, J.G. Some pharmacological properties of the cremaster muscle of the guinea-pig.
- 497 ELTAYEB, I.B. & OSMAN, O.H. Furazolidone-pethidine interaction in rabbits.
- 503 DIGHE, K.K., EMSLIE, H.A., HENDERSON, L.K., RUTHERFORD, F. & SIMON, L. The development of antisera to prostaglandins B_2 and $F_{2\alpha}$ and their analysis using solid-phase and double antibody radioimmunoassay methods.
- 515 HEAP, R.B. & POYSER, N.L. Prostaglandins in pyometrial fluid from the cow, bitch and ferret.
- 519 EVANS, R.H. & WATKINS, J.C. Ventral root responses of the hemisected amphibian spinal cord to perfused amino acids in the presence of procaine.
- 527 JENNER, F.A. & MACNEIL, SHEILA. The effects of lithium ions on the antidiuretic action of vasopressin in the rat.
- 535 PARNHAM, M.J. & SNEDDON, J.M. The influence of metyrapone on the synthesis and release of prostaglandins from the pregnant rat uterus *in vitro*.
- 541 HUTCHINSON, M., KOSTERLITZ, H.W., LESLIE, FRANCES M., TERENIUS, L. & WATERFIELD, ANGELA A. Assessment in the guinea-pig ileum and mouse vas deferens of benzomorphans which have strong antinociceptive activity but do not substitute for morphine in the dependent monkey.
- 547 BENOY, CHRISTINE J., EL-FELLAH, M.S., SCHNEIDER, R. & WADE, O.L. Tolerance to sympathomimetic bronchodilators in guinea-pig isolated lungs following chronic administration in vivo.
- 555 SHORT COMMUNICATIONS