

Edited for the British Pharmacological Society by

A.W. Cuthbert (*Chairman*) H.M. Adam (*Secretary*)
Margaret Day (*Press Editor*)
J.D. Stephenson (*Assistant Press Editor*)

A.M. Barrett	J.S. Kelly
W.G. Bisset	G.M. Lees
T.B. Bolton	G.P. Lewis
D.A. Brown	I.H.M. Main
B.A. Callingham	E.K. Matthews
T.J. Crow	J.F. Mitchell
F. de Matteis	P.A. Nasmyth
C.T. Dollery	M.W. Parkes
V. Eisen	M. Sandler
E.W. Gill	A.P. Silverman
A.F. Green	M.A. Simmonds
D.F. Hawkins	F.M. Sullivan
Margarethe Holzbauer	A. Ungar
D.B. Hope	R.A. Webster

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the instructions inside the back cover.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633. ISSN 0007-1188.

Annual subscription £36.00 (\$90 USA and Canada). (Orders must be accompanied by remittance. Prices applicable only to orders received before 31st December 1976.)

Cheques should be made payable to Macmillan Journals Limited: Subscription Department, Brunel Road, Basingstoke, Hampshire RG21 2XS, England.

Enquiries concerning advertising space and rates should be addressed to: Advertisement Department, Macmillan Journals Limited, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1976 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Second class postage paid at New York, N.Y.
US Mailing Agent, Expeditors of the Printed Word, Ltd,
527 Madison Avenue, New York, NY 10022.

British Journal of Pharmacology

EDITED FOR

THE BRITISH PHARMACOLOGICAL SOCIETY

BY

A. W. Cuthbert (*Chairman*)

H. M. Adam (*Secretary*)

Margaret Day (*Press Editor*)

J. D. Stephenson (*Assistant Press Editor*)

A. M. Barrett

W. G. Bisset

T. B. Bolton

P. B. Bradley

D. A. Brown

D. A. Callingham

T. J. Crow

F. de Matteis

C. T. Dollery

V. Eisen

E. W. Gill

A. F. Green

D. F. Hawkins

Margarethe Holzbauer

D. B. Hope

J. S. Kelly

G. M. Lees

G. P. Lewis

I. H. M. Main

E. K. Matthews

J. F. Mitchell

P. A. Nasmyth

M. W. Parkes

M. Sandler

A. P. Silverman

M. A. Simmonds

F. M. Sullivan

A. Ungar

R. A. Webster

VOLUME 57, 1976

LONDON

MACMILLAN JOURNALS LIMITED

4 LITTLE ESSEX STREET, WC2R 3LF

INSTRUCTIONS TO AUTHORS

Papers will be considered for publication on all aspects of drug action, including chemotherapy. A recent issue of the Journal is a good guide to style.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh, EH8 9JZ, from whom copies of the full Instructions to Authors, published in *Br. J. Pharmac.* **50**, 3-23, may also be obtained. Specific points to note are:

1. **Manuscript** should be typed in double spacing on one side of paper not larger than A4 (206 x 294 mm). There should be a separate title page giving the names and addresses of the authors in **alphabetical order**. A short title of not more than 50 letters should also be suggested.

2. **Statement** Papers are accepted only if accompanied by a statement that they have not been and will not be published in whole or in part in any other Journal.

3. **Summary** (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.

4. **Abstract** (2 copies) An abstract of about 100 words suitable for inclusion in an abstracting journal should be typed on a separate sheet, giving the author's name and address and the title of the paper.

5. **Figures** These should not be larger than A4 (206 x 294 mm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided, and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:

○ ● □ ■ △ ▲ ▽ ▼

Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction.

6. **Tables** These should not have more than 85 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 110 characters to a line, unless absolutely unavoidable. **Figure legends** and **tables** should be typed on separate sheets of paper.

7. **References** These should be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

Short Communications These may be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text and only one figure or table. The summary should be a single paragraph. An abstract and statement should be included.

British Journal of Pharmacology

VOLUME 57 NUMBER 1 MAY 1976

- 3 OKAMOTO, K. & QUASTEL, J.H. Effects of amino acids and convulsants on spontaneous action potentials in cerebellar cortex slices
- 17 BERTI, F., CLEMENTI, F., CONTI-TRONCONI, B. & FOLCO, G.C. A cholinceptor antiserum: its pharmacological properties
- 23 CHAPPLE, D.J., HUGHES, R. & JOHNSON, B.F. The relationship between cardiotoxicity and plasma digoxin concentration in conscious dogs
- 29 BRADLEY, W.G., FEWINGS, J.D., HARRIS, J.B. & JOHNSON, MARGARET A. Emetine myopathy in the rat
- 43 CHAI, C.Y., FANN, Y.D. & LIN, M.T. Hypothermic action of chlorpromazine in monkeys
- 51 COLEMAN, R.A. Effects of some purine derivatives on the guinea-pig trachea and their interaction with drugs that block adenosine uptake
- 59 ADAMS, P.R. A comparison of the time course of excitation and inhibition by iontophoretic decamethonium in frog endplate
- 67 DOLLERY, C.T. & JUNOD, A.F. Concentration of (\pm)-propranolol in isolated, perfused lungs of rat
- 73 BOWERY, N.G., BROWN, D.A., COLLINS, G.G.S., GALVAN, M., MARSH, S. & YAMINI, G. (with an Appendix by Brown, D.A. & Saunders, L.). Indirect effects of amino-acids on sympathetic ganglion cells mediated through the release of γ -aminobutyric acid from glial cells
- 93 RICHARDSON, P.D.I. & WITHERINGTON, P.G. The inhibition by glucagon of the vasoconstrictor actions of noradrenaline, angiotensin and vasopressin on the hepatic arterial vascular bed of the dog
- 103 GREEN, A.R., JOSEPH, M.H. & WOODS, H.F. Tryptophan metabolism in the isolated perfused liver of the rat: effects of tryptophan concentration, hydrocortisone and allopurinol on tryptophan pyrrolase activity and kynurenine formation
- 115 FOZARD, J.R. & MWALUKO, G.M.P. Mechanism of the indirect sympathomimetic effect of 5-hydroxytryptamine on the isolated heart of the rabbit
- 127 PINTO, J.E.B. & TRIFARÓ, J.M. The different effects of D-600 (methoxyverapamil) on the release of adrenal catecholamines induced by acetylcholine, high potassium or sodium deprivation
- 133 GINSBORG, B.L., HOUSE, C.R. & TURNBULL, K.W. On the actions of compounds related to dopamine at a neurosecretory synapse
- 141 GREEN, A.R. & KELLY, P.H. Evidence concerning the involvement of 5-hydroxytryptamine in the locomotor activity produced by amphetamine or tranlylcypromine plus L-DOPA
- SHORT COMMUNICATIONS**
- 149 RENDU, F. The effect of aspirin on 5-hydroxytryptamine uptake and release by human platelets
- 152 BEVAN, P., BRADSHAW, C.M. & SZABADI, E. Potentiation by desipramine of neuronal responses to mescaline
- 155 DREYFUS, CHERYL F., GERSHON, M.D., HAYMOVITS, A. & NUNEZ, E. Calcitonin: antagonism at intestinal muscarinic receptors
- 158 HAYLETT, D.G. Effects of sympathomimetic amines on ^{45}Ca efflux from liver slices