Edited for the British Pharmacological Society by

A.W. Cuthbert (Chairman)

H.M. Adam (Secretary)

Margaret Day (Press Editor)

J.D. Stephenson (Assistant Press Editor)

A.M. Barrett J.S. Kellv W.G. Bisset G.M. Lees T.B. Bolton G.P. Lewis D.A. Brown I.H.M. Main B.A. Callingham E.K. Matthews T.J. Crow J.F. Mitchell F. de Matteis P.A. Nasmyth C.T. Dollery M.W. Parkes V. Eisen M. Sandler E.W. Gill A.P. Silverman A.F. Green M.A. Simmonds D.F. Hawkins F.M. Sullivan Margarethe Holzbauer A. Ungar D.B. Hope R.A. Webster

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the instructions inside the back cover.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF, Telephone; 01-836 6633, ISSN 0007-1188.

Annual subscription £45.00 (USA & Canada \$99. Rest of world \$92). (Orders must be accompanied by remittance. Prices correct at time of publication.)

Cheques should be made payable to Macmillan Journals Limited: Subscription Department, Brunel Road, Basingstoke, Hampshire RG21 2XS, England.

Enquiries concerning advertising space and rates should be addressed to: Advertisement Department, Macmillan Journals Limited, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1976 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Second class postage paid at New York, N.Y.
US Mailing Agent, Expeditors of the Printed Word, Ltd,
527 Madison Avenue, New York, NY 10022.

Merrell International Research Center Strasbourg, France

Pharmacologist

Applications are invited for the position of a senior pharmacologist to assume responsibility for continued preclinical development of new pharmacologic agents. The position involves further evaluation of compounds with already demonstrated biochemical or biologic activities in close cooperation with multidisciplinary groups engaged in basic research.

The candidate should have a Ph.D. or equivalent and extensive experience in laboratory evaluation of drug actions. Innovative ability in the design or adaptation of experimental methods is highly desirable. Knowledge of French would be helpful but is not mandatory.

Applications including a curriculum vitae should be directed to:

J. Koch-Weser, M.D.

Centre de Recherche Merrell International
16, rue d'Ankara
67000 Strasbourg, France

INSTRUCTIONS TO AUTHORS

Papers will be considered for publication on all aspects of drug action, including chemotherapy. A recent issue of the Journal is a good guide to style.

Manuscripts (two copies) should be sent to Dr H.M. Adam, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh, EH8 9JZ, from whom copies of the full Instructions to Authors, published in *Br. J. Pharmac*, 50, 3-23, may also be obtained. Specific points to note are:

- 1. Manuscript should be typed in double spacing on one side of paper not larger than A4 (206 x 294 mm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. A short title of not more than 50 letters should also be suggested.
- 2. Statement Papers are accepted only if accompanied by a statement that they have not been and will not be published in whole or in part in any other Journal.
- 3. Summary (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.
- 4. Abstract (2 copies) An abstract of about 100 words suitable for inclusion in an abstracting journal should be typed on a separate sheet, giving the author's name and address and the title of the paper.
- 5. Figures These should not be larger than A4 (206 x 294 mm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided, and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:

$O \bullet \Box \bullet \Delta \bullet \nabla \nabla$

Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction.

- 6. Tables These should not have more than 85 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 110 characters to a line, unless absolutely unavoidable. Figure legends and tables should be typed on separate sheets of paper.
- 7. References These should be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

Short Communications These may be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text and only one figure or table. The summary should be a single paragraph. An abstract and statement should be included.

British Journal of Pharmacology

WOLUME 58 NUMBER 2 OCTOBER 1976

- MILLA COLOR DURIO, J., McGIFF, J.C., MILLA DE LA POSSIBLE DEL POSSIBLE DE LA POSSIBLE DEL POSSIBLE DE LA POSSIB
- 173 BRIATICO, G., GUISO, G., JORI, A. & RAVAZZANI, C. Effects of contraceptive agents on drug metabolism in various animal species
- 183 STEINESS, EVA & VALENTIN, N. Myocardial digoxin uptake: dissociation between digitalisinduced inotropism and myocardial loss of potassium
- 189 KISIN, I.E. On the decrease of myocardial oxygen consumption induced by chloracyzine
- 193 COLLIER, H.O.J., McDONALD-GIBSON, WENDY J. & SAEED, S.A. Stimulation of prostaglandin biosynthesis by drugs: effects in vitro of some drugs affecting gut function
- 201 FERREIRA, S.H. & SMAJE, L.H. Bradykinin and functional vasodilatation in the salivary gland
- 211 APPERLEY, EIRA, HUMPHREY, P.P.A. & LEVY, G.P. Receptors for 5-hydroxytryptamine and noradrenaline in rabbit isolated ear artery and aorta

- 223 ABOULAFIA, JEANNINE, MENDES, GUN B., MIYAMOTO, MARIA E., PAIVA, A.C.M. & PAIVA, THEREZINHA B. Effect of indomethacin and prostaglandin on the smooth muscle contracting activity of angiotensin and other agonists
- 229 DALE, M. MAUREEN, EVINÇ, AKGÜN & VINE, PAULINE. The denervated cremaster muscle of the guinea-pig as a pharmacological preparation
- 239 BEVAN, P., BRADSHAW, C.M. & SZABADI, E. The action of micro-electrophoretically applied L-3,4-dihydroxyphenylalanine (DOPA) on single cortical neurones
- 247 CLANACHAN, A.S. & McGRATH, J.C. Effects of ketamine on the peripheral autonomic nervous system of the rat
- 253 SMITH, G.W. & SOMOVA, LILIANA I. Renal function and renal venous prostaglandin concentrations during different stages of experimental renal hypertension in the rat
- 261 KALSNER, S. The lack of effect of oxytetracycline on responses to sympathetic nervestimulation and catecholamines in vascular tissue
- 267P PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, Dundee 15-16 July, 1976