VOLUME 62 (4)

APRIL 1978

British Pharmacological Society

- 475 BANERJEE, SHAILESH P. & SHARMA, VIR-ENDRA K. [3H]-ouabain binding to peripheral organs of cats: effect of ethanol
- 481 CHURCH, M.K. & MILLER, P. Time courses of the anti-anaphylactic and anti-inflammatory effects of dexamethasone in the rat and mouse
- 487 KURL, R.N. & MORRIS, I.D. Differential depletion of cytoplasmic high affinity oestrogen receptors after the *in vivo* administration of the antioestrogens, clomiphene, MER-25 and tamoxifen
- 495 CONSTANTI, A. & NISTRI, A. A study of the interactions between glutamate and aspartate at the lobster neuromuscular junction
- 507 GOLDSTEIN, S. & ZSOTÉR, T.T. The effect of magnesium on the response of smooth muscle to 5-hydroxytryptamine
- 515 MIRANDA, H. Effects of oxypertine on the isolated vas deferens of the rat
- 519 KRELL, ROBERT D. Investigation of the role of histamine in antigen-induced bronchoconstriction in the ascaris-hypersensitive dog
- 529 GOLDBERG, A., MEREDITH, P.A., MILLER, S., MOORE, M.R. & THOMPSON, G.G. Hepatic drug metabolism and haem biosynthesis in leadpoisoned rats
- 537 BOULLIN, D.J. & GLENTON, PATRICIA A.M. Characterization of receptors mediating 5-hydroxytryptamine- and catecholamine-induced

- platelet aggregation, assessed by the actions of α -and β -blockers, butyrophenones, 5-HT antagonists and chlorpromazine
- 543 AGGERBECK, MARTINE, GUELLAEN, GEORGES & HANOUNE, JACQUES Biochemical evidence for the dual action of labetalol on α- and β-adrenoceptors
- 549 KIRPEKAR, S.M. & PRAT, J.C. Blockade of desensitization of nicotinic receptors of the cat adrenal medulla by concanavalin A
- 553 WAKADE, ARUN R. Time course of degeneration of short and long postganglionic sympathetic nerve fibres and effect of pentobarbitone and colchicine on degeneration
- 563 ECCLES, R. & MACLEAN, A.G. The influence of an extraneuronal compartment on the relaxation of the cat nictitating membrane *in vivo*
- 567 KIN SHEIN & SMITH, S.E. Structure-activity relationships for the anticholinoceptor action of tricyclic antidepressants
- 573 BLEEHEN, TIRZA The effects of adenine nucleotides on cutaneous afferent nerve activity
- 579 CLINESCHMIDT, BRADLEY V., McGUFFIN, JODIE C., PFLEUGER, A. BARBARA & TOTARO, JAMES A. A 5-hydroxytryptamine-like mode of anorectic action for 6-chloro-2-[1-piperaziny1]-pyrazine (MK-212)
- 591 RINK, RICHARD D. The acute effects of nicotine, tobacco smoke and carbon monoxide on myocardial oxygen tension in the anaesthetized cat

British Journal of Pharmacology

CONTENTS

VOLUME 62 NUMBER 1 JANUARY 1978

- 3 The late GUPTA, R.S. & KELKAR, V.V. Characterization of the adrenoceptor in the isolated cremaster muscle of the guinea-pig
- 7 ANGUS, J.A., BOBIK, A., KORNER, P.I. & STONEHAM, M.T. Guanethidine-induced vasodilactation in the rabbit, mediated by endogenous histamine
- 19 FILE, SANDRA E. & HYDE, J.R.G. Can social interation be used to measure anxiety?
- 25 FURUTA, Y., HASHIMOTO, K. & WASHI-ZAKI, M. β-Adrenoceptor stimulation of exocrine secretion from the rat pancreas
- 31 CERLETTI, CHIARA, COCCIA, P., MANARA, L., MENNINI, TIZIANA & RECCHIA, M. Subcellular distribution of etorphine in rat brain and evidence for *in vivo* stereospecific binding
- 39 BARLOW, R.B., BREMNER, J.B. & SOH, K.S. The effects of replacing ester by amide on the biological properties of compounds related to acetylcholine
- 51 COUPAR, K.M. & MCLENNAN, P.L. The influence of prostaglandins on noradrenaline-induced vasoconstriction in isolated perfused mesenteric blood vessels of the rat
- 61 ENGINEER, DINAZ M., NIEDERHAUSER, U., PIPER, PRISCILLA J. & SIROIS, P. Release of mediators of anaphylaxis: inhibition of prostaglandin synthesis and the modification of release of slow reacting substance of anaphylaxis and histamine
- 67 HUGHES R.L. & MACKENZIE, J.E. The cardiovascular effects of cyclopropane in the intact, decerebrate and pithed rabbit preparations
- 75 KIRPEKAR, MADHURI, KIRPEKAR, S.M. & PRAT, J.C. Reversal of guanethidine blockade of sympathetic nerve terminals by tetraethylammonium and 4-aminopyridine
- 79 BLACKWELL, G.J., FLOWER, R.J., NIJKAMP, F.P. & VANE, J.R. Phospholipase A₂ activity of guinea-pig isolated perfused lungs: stimulation and inhibition by anti-inflammatory steroids

- 91 ITO, S., NAKAZATO, Y. & OHGA, A. The effect of the ionophores X-537A and A23187 on the noradrenaline output from peripheral adrenergic neurones in the presence of various divalent cations
- 99 FELDBERG, W. & ROCHA E SILVA JR M. Vasopressin release produced in anaesthetized cats by antagonists of γ-aminobutyric acid and glycine
- 107 HALL, MOIRA T., MALEQUE, M.A. & WADS-WORTH, R.M. The effects of glycerol detubulation, of manganese ions, of dantrolene and of nitrate ions on the responses of isolated chronically denervated soleus muscles of the mouse to acetylcholine
- 115 CHADWICK, D., GORROD, J.W., JENNER, P., MARSDEN, C.D. & REYNOLDS, E.H. Functional changes in cerebral 5-hydroxytryptamine metabolism in the mouse induced by anticonvulsant drugs
- 125 ARMSTRONG, J.M., LATTIMER, N., MON-CADA, S. & VANE, J.R. Comparison of the vaso-depressor effects of prostacyclin and 6-oxo-prostaglandin F_{1z} with those of prostaglandin E_2 in rats and rabbits
- 131 RASTOGI, R.B. & SINGHAL, R.L. Evidence for the role of adrenocortical hormones in the regulation of noradrenaline and dopamine metabolism in certain brain areas
- 137 COLLARD, K.J. The effect of lithium on the increase in forebrain 5-hydroxyindoleacetic acid produced by raphe stimulation
- 143 ROBIE, N.W. Effects of minoxidil and nitroprusside on reflex increases in myocardial contractility
- 147 MARSHALL, I., NASMYTH, P.A., NICHOLL, CLAIRE G. & SHEPPERSON, N.B. α-Adrenoceptors in the mouse vas deferens and their effects on its response to electrical stimulation
- 153 GRAHAM, J.D.P., GREY, A.C., HENDERSON, A.H. & LEWIS, M.J. Effects of Δ¹-trans-tetrahy-drocannabinol on mechanical performance of isolated heart muscle preparations

VOLUME 62 NUMBER 2 FEBRUARY 1978

- 159 FIELD, ROGER C., GIBSON, BETSY R., HOL-BROOK, DAVID J. JR. & MCCALL BARBARA M. Inhibition of precursor incorporation into nucleic acids of mammalian tissues by antimalarial aminoquinolines
- 165 COOK, D.A. & MACLEOD, K.M. Responses of rabbit portal vein to histamine
- 171 EVANS, R.H. The effects of amino acids and antagonists on the isolated hemisected spinal cord of the immature rat
- 177 MAULE WALKER, FELICITY M. & POYSER, N.L. The metabolism of prostaglandins by the guinea-pig uterus with particular reference to corpus luteal maintenance in early pregnancy
- 185 WALKER, M.J.A. Initial investigations into adrenaline accumulation and adrenergic responsiveness in cultured neonatal rat heart cells
- 195 DAS, M., GANGULY, D.K. & VEDASIRO-MONI, J.R. Enhancement by oxotremorine of acetylcholine release from the rat phrenic nerve
- 199 BERTHELOT, A. & GAIRARD, A. Effect of parathyroidectomy on cardiovascular reactivity in rats with mineralocorticoid-induced hypertension
- 207 GARCÍA, A.G., KIRPEKAR, S.M. & PASCUAL, R. Release of noradrenaline from cat spleen slices by potassium
- 213 AHTEE, LIISA & KAAKKOLA, SEPPO Effect of mecamylamine on the fate of dopamine in striatal and mesolimbic areas of rat brain; interaction with morphine and haloperidol
- 219 GORDON, J.L. & OLVERMAN, H.J.5-Hydroxytryptamine and dopamine transport by rat and human blood platelets
- O'DONNELL, STELLA R., PERSSON, C.G.A. & WANSTALL, JANET C. An in vitro comparison of β-adrenoceptor stimulants on potassium-depolarized uterine preparations from guinea-pigs

- 235 O'DONNELL, STELLA R. & SAAR, NILI The uptake kinetics and metabolism of extraneuronal noradrenaline in guinea-pig trachea as studied with quantitative fluorescence microphotometry
- 241 BLATCHFORD, D., HOLZBAUER, MARGAR-ETHE, INGRAM, D.L. & SHARMAN, D.F. Responses of the pituitary-adrenal system of the pig to environmental changes and drugs
- 255 FRICKE, U. & KLAUS, W. Sodium-dependent cardiac glycoside binding: experimental evidence and hypothesis
- 259 CLANACHAN, A.S. & MUIR, T.C. Effects of end-tidal concentrations of cyclopropane, halothane and diethyl ether on peripheral autonomic neuroeffector systems in the rat
- 267 GILLESPIE, J.S. & McKNIGHT, A.T. The actions of some vasoactive polypeptides and their antagonists on the anococcygeus muscle
- 275 BAHKLE, Y.S., JANCAR, SONIA & WHITTLE, B.J.R. Uptake and inactivation of prostaglandin E₂ methyl analogues in the rat pulmonary circulation
- 281 CLARK, WESLEY G. & ROBINS, JEAN A. The antipyretic effect of tilorone hydrochloride in the cat
- 289 GARTSIDE, I.B. The actions of diazepam and phenytoin on a low dose penicillin epileptiform focus in the anaesthetised rat
- 293 BURNSTOCK, G. & WONG, H. Comparison of the effects of ultraviolet light and purinergic nerve stimulation on the guinea-pig taenia coli
- 303 DAVIES, J.A. & WILLIAMS, J. The effect of baclofen on α-flupenthixol-induced catalepsy in the
- 307 FOSTER, R.W., SHAH D.S. & SMALL, R.C. A study of the sympathomimetic action of guanethidine on the isolated anococcygeus muscle of the rat

VOLUME 62 NUMBER 3 MARCH 1978 PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY

University of London, 4th-6th January 1978

- 321 O'DONNELL, STELLA R. & PERSSON, C.G.A. β-Adrenoceptor mediated inhibition by terbutaline of histamine effects on vascular permeability
- 325 GREEN, A.R. Repeated exposure of rats to the convulsant agent flurothyl enhances 5-hydroxy-tryptamine- and dopamine-mediated behavioural responses
- 333 OHGA, A. & TANEIKE, T. H₁- and H₂-receptors in the smooth muscle of the ruminant stomach
- 339 COX, B. & LEE, T.F. Is acetylcholine involved in a dopamine receptor mediated hypothermia in mice and rats?

349 HARRIS, J.B. & ZAR, M.A. The effects of a toxin isolated from Australian tiger snake (*Notechis scutatus scutatus*) venom on autonomic neuromuscular transmission

SHORT COMMUNICATIONS

- 359 ITO, S., NAKAZATO, Y. & OHGA A. Pharmacological evidence for the involvement of Na⁺ channels in the release of catecholamines from perfused adrenal glands
- 362 BUCKINGHAM, R.E., HAMILTON, T.C. & ROBSON, D. Diminishing hypotensive effect of increasing doses of pindolol in DOCA/saline hypertensive rats
- 364 CARLSÖÖ, BENGT, DANIELSSON, ÅKE & HENRIKSSON, ROGER Effects of a new selective β_1 -adrenoceptor agonist on amylase secretion from the rat parotid gland
- 367 FRANDSEN E.K., KRISHNA G.A. & SAID S.I. Vasoactive intestinal polypeptide promotes cyclic adenosine 3',5'-monophosphate accumulation in guinea-pig trachea
- 370 BISSET, G.W., CHOWDREY, H.S. & FELD-BERG, W. Release of vasopressin by enkaphalin
- 373P PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, London, 4-6 January 1978
- 373P AL-JEBOORY, A. & MARSHALL, R.J. Relaxant effects of dopamine and isoprenaline on canine isolated coronary arteries—relationship to cyclic AMP production
- 374P BLACK, JUDITH L. (introduced by EINSTEIN, ROSEMARIE) The actions of indoramin on isolated artery preparations
- 375P WORCEL, M. Mechanism of action of hydralazine and ISF 2123 on arterial smooth muscle
- 376P GODFRAIND, T. The action of cinnarizine on noradrenaline-sensitive calcium influx and efflux in vascular smooth muscle
- 376P RICHARDSON, P.D.I. & WITHRINGTON, P.G. α- and β-adrenoceptors in the hepatic portal venous vascular bed of the dog
- 377P CAULFIELD, M.P. (introduced by BROWN, D.A.) Receptors mediating hyperpolarizing responses to catecholamines in rat superior cervical ganglia
- 378P BUSIS, N.A., SCHULMAN, J.A., SMITH, P.A. & WEIGHT, F.F. (introduced by WALKER, R.J.)

 Do cyclic nucleotides mediate slow postsynaptic potentials in sympathetic ganglia?

- 379P SCHOLTYSIK, G. (introduced by BERDE, B.)
 Dopamine receptor mediated inhibition by bromocriptine of accelerator nerve stimulation effects
 in the pithed cat
- 380P DOGGRELL, S.A. & PATON, D.M. Effect of labetalol on adrenergic transmission in the rat anococcygeus muscle
- 380P IDOWU, O.A. & ZAR, M.A. Factors influencing the inhibitory effectiveness of clonidine on adrenergic transmission: the relationship between clonidine-induced inhibition and the duration of interval between stimuli
- 381P DREW, G.M. Modulation of noradrenergic transmission by the presynaptic α-inhibitory feedback process in the rat heart
- 382P MARSHALL, I., NASMYTH, P.A. & SHEPPER-SON, N.B. Presynaptic α-adrenoceptors and [³H]noradrenaline overflow from the mouse vas deferens
- 383P DUBOCOVICH, MARGARITA L., LANGER, S.Z. & PELAYO, F. Effect of cyclic nucleotides on ³H-neurotransmitter release induced by potassium stimulation in the rat pineal gland
- 384P CAMBRIDGE, D., DAVEY, M.J. & MASSING-HAM, R. The effect of sympathetic nerve stimulation on [3H]-prazosin release in rabbit pulmonary arteries
- 385P CLOUGH, D.P., HATTON, R., PETTINGER, S.J., SAMUELS, GILLIAN M.R., & SHAW, A. Substituted aryl-tetrahydro-pyrrolo imidazoles: a. new class of centrally acting antihypertensives
- 386P PETTY, M.A. & REID J.L. Changes in tyrosine hydroxylase and phenylethanolamine N-methyl transferase activity in individual brain nuclei during the development of renovascular hypertension in the rat
- 387P COX B.M. Stimulus-response relationships in ileum preparations from normal and morphine treated guinea-pigs
- 388P HUGHES, J., KOSTERLITZ, H.W., ROBSON, LINDA E. & WATERFIELD, ANGELA A. The inhibitory effects of clonidine on the contractions of the guinea-pig ileum in the morphine-dependent and withdrawn states
- 389P KUMAR, R., MUMFORD, L. & TEIXEIRA, A.R. Sexual behaviour in morphine-dependent rats
- 390P IVERSEN, S.D. & JOYCE, E.M. Effect in the rat of chronic morphine treatment on the behavioural response to apomorphine
- 391P MORICHI, R. & PEPEU, G. A study of the potentiation of morphine antinociception by hydroxyzine in the rat

- 392P ELY, N., RUMBLE, I.R. & SHARMAN, D.F. Some observations on the behavioural responses to metoclopramide in the pig and the guinea-pig
- 393P RIDLEY, R.M. (introduced by CROW, T.J.) The behavioural effects of (+)-amphetamine and apomorphine in the marmoset
- 394P COSTAIN, D.W., GRAHAME-SMITH, D.G. & GREEN, A.R. Relevance of the enhanced 5-hydroxytryptamine behavioural responses in rats to electroconvulsive therapy
- 395P JATON, A.L., LOEW, D.M. & VIGOURET, J.M. A comparison of apomorphine, bromocriptine and Sandoz CM29-712 (6-methyl-8a-cyanomethylergoline-l) in four different turning models in the rat
- 396P HOWLETT, D.R. & NAHORSKI, S.R. Binding of ³H-neuroleptics to dopamine receptors on rat cerebral membranes
- 396P CHIU, A., ECCLESTON, D. & PALOMO, T. Drug induced supersensitivity and choline acetyltransferase (ChA) activity in the rat striatum
- 398P ATTERWILL, C.G. & PRINCE, A.K. (introduced by BROWNLEE, G.) Choline uptake, choline acetyltransferase and the acetylation of choline in chick and rat brain
- 399P BELL, R. & COOPER, S.J. Exploratory locomotor response habituation: dissociable effects of (+)-amphetamine and (-)-amphetamine
- 400P LIVINGSTON, A. & WATERMAN, A.E. Effects of bile duct ligation on ketamine anaesthesia in the rat
- 400P CAIRNCROSS, K.D., COX, B., KERWIN, R., FORSTER, CHRISTINE & WREN, ALLISON F. Behavioural changes induced by olfactory bulb ablation and intrabulbar injection of 5,6-DHT: susceptibility to psychotropic drugs
- 402P CARTER, C.J. & PYCOCK, C.J. Studies on the role of catecholamines in the frontal cortex
- 402P BEVAN, P., BRADSHAW, C.M., PUN, R.Y.K., SLATER, N.T. & SZABADI, E. The effect of desipramine on neuronal responses to tyramine and noradrenaline in the cerebral cortex
- 403P JONES, R.S.G. & ROBERTS, M.H.T. Potentiation of monoamine responses of denervated cells by a noradrenaline uptake inhibitor (viloxazine)
- 404P MIREYLEES, S.E. & SUGRUE, M.F. Effects of mazindol on the *in vitro* uptake of monoamines by the rat brain

- 405P CONWAY, ELIZABETH L., JARROT, B. & LOUIS, W.J. (introduced by BEART, P.M.) Effect of acute α-methyldopa administration on catecholamine levels in anterior hypothalamic-preoptic and medullary nuclei in rat brain
- 406P MANN, S.P. (introduced by SHARMAN, D.F)

 Measurement of tyrosine hydroxylase in the
 guinea-pig brain
- 407P FUENMAYOR-T, L. (introduced by VOGT, MARTHE) The effect of fasting on the formation of 4-hydroxy-3-methoxyphenyl-acetic acid (homovanillic acid) and 5-hydroxyindolylacetic acid in the brain of the mouse
- 408P CROSS, A.J., GLOVER, VIVETTE, LOFT-HOUSE, R. & OWEN, F. (introduced by CROW, T.J.) Some observations on human brain monoamine oxidase
- 409P ASSUMPÇÄO, J.A., DACKE, C.G. & DAVID-SON, N. Calcium-dependent release of isotopically labelled γ-aminobutyric acid (GABA) from rat dorsal medulla *in vivo*
- 410P GALVAN, M. & SCHOLFIELD, C.N. (introduced by BROWN, D.A.) Depolarizing actions of γ-aminobutyric acid (GABA) on mammalian brain slices
- 411P BOURA, A.L.A. & MURPHY, R.D. Some factors affecting inactivation of prostaglandin E₂ (PGE₂) by the rat isolated perfused lung
- 412P ELLENDORFF, F., FORSLING, MARY L., PARVIZI, NAHID, SMIDT, D., TAVERNE, M. & WILLIAMS, H. Prostaglandin $F_{2\alpha}$ administration and oxytocin release in the pig and miniature pig
- 413P BOUGHTON-SMITH, N.K., VANE, J.R. & WHITTLE, B.J.R. Effects of prostacyclin (PGI₂), PGI₁ and 6-oxo-PGF₁₂ on the rat gastric mucosa
- 413P HILL, T.W.K. & MONCADA, S. The renal haemodynamic and excretory actions of prostacyclin (PGI₂) PGI₁ in anaesthetized dogs
- 414P DUSTING, G.J., MONCADA, S. & VANE, J.R. Disappearance of prostacyclin (PGI₂) in the circulation of the dog
- 415P HOULT, J.R.S. & MOORE, P.K. Enzyme in rabbit kidney converts prostaglandin $F_{2\alpha}$ directly to prostaglandin E_2 in vitro
- 416P HOULT, J.R.S. & MOORE, P.K. Thyroxineinduced hyperthyroid state in rats suppresses renal prostaglandin metabolism

- 417P BONTA, I.L. & PARNHAM, M.J. Time-dependent pro- and anti-inflammatory effects of prostaglandin (PG) E₁ on the experimental granulomata in rats
- 418P MacINTYRE, D.E., WESTWICK, J. & WIL-LIAMS, T.J. Comparison of the effects of prostaglandin analogues on rabbit platelets, rabbit isolated vascular tissues and rabbit skin microvasculature
- 420P LEWIS, G.P. & MANGHAM, BEVERLEY A. Changes in blood flow, histamine and prostaglandin E₂ in rabbit skin grafts
- 421P PALMER, R.M.J. & WEATHERALL, M. Lysosomal enzyme release from leucocytes by N-formyl-L-methionyl-L-le cyl-L-phenylalanine *in vitro*: effect of some anti-inflammatory drugs
- 422P LEFORT, J. & VARGAFTIG, B.B. Mechanisms of collagen-induced bronchoconstriction and thrombocytopenia in the guinea-pig
- 423P BEETS, J.L., MEADE, H. & MORLEY, J. Antiallergy properties of PRD-92-Ea
- 423P CUNNINGHAM, F.M., FORD-HUTCHINSON, A.W., SMITH, M.J.H. & WALKER, J.R. Effects of D-penicillamine and levamisole on delayed hypersensitivity reactions in the rat and mouse
- 424P CLARKE, G., LINCOLN, D.W. & SCHOOT, P.v.d. Neuropharmacological studies on the central inhibition of oxytocin release
- 425P FILE, SANDRA E. & HYDE, J.R.G. Piracetam—a non-sedative anxiolytic drug?
- 426P BEATTY, R.C. & MARTIN, K.J. Antagonistic effects of two anaesthetics on hypotonic haemolysis
- 427P HEWICK, D.S. & SHAW, V. The importance of the intestinal microflora in nitrazepam metabolism in the rat
- 428P GOODFORD, P.J. The interaction of some bisaryl compounds with sites of known structure on human and horse haemoglobin
- 430P DAVIES, J. & TONGROACH, P. Microelectrophoretic effects of *cis*-1,3-aminocyclohexane carboxylic acid on nigral neurones in control and tetanus toxin treated rats
- 431P BOWERY, N.G. & NEAL, M.J. Release of [³H]cis-3-aminocyclohexanecarboxylic acid ([³H]ACHC) from central neurones

- 431P EVANS, R.H. Measurement of the antagonism of glycine by strychnine in the immature rat spinal cord *in vitro*
- 432P JAMES, VICTORIA A. & WALKER, R.J. Structure-activity studies on an excitatory glutamate receptor of leech neurones
- 433P DAVIES, J. & WATKINS, J.C. Specific antagonism of amino acid-induced and dorsal root evoked synaptic excitation of Renshaw cells
- 434P SCHOLFIELD, C.N. (introduced by BROWN, D.A) A potentiation of inhibition by various anaesthetics in the isolated olfactory cortex
- 435P BLOOM, S., IVERSEN, L.L. & QUIK, M. Effect of vasoactive intestinal peptide (VIP) and other neuropeptides on cAMP accumulation in brain slices
- 436P MASSEY, S. & NEAL, M.J. Dependence of potassium stimulated release of [³H]-acetylcholine from the retina on high affinity choline uptake
- 437P TERRAR, D.A. The influence of caffeine on the rate of decay of end-plate currents in frog skeletal muscle
- 438P CALDWELL, J. CROFT, JANE E. & SMITH, R.L. On the mechanism of tolerance to phenobarbitone: evidence against a role for enzyme induction
- 439P BARLOW, R.B. Limits to equipotent molar ratios
- 440P HARRIS, A.L. (introduced by GRAHAME-SMITH, D.G) A study in the guinea-pig of the pharmacokinetics and pharmacodynamics of cytosine arabinoside
- 441P BACK, D.J. BRECKENRIDGE, A.M., CHAL-LINER, M., CRAWFORD, FRANCESCA E., ORME, M.L'E, ROWE, P.H. & SMITH, EILEEN. The interaction of antibiotics with synthetic steroids in the rat
- 442P CLARK, E.R., DIX, C.J., JORDAN, V.C., PREST-WICH, G. & SEXTON, S. A comparison, at the cellular and sub-cellular levels, of the effect of tamoxifen and oestradiol benzoate on the immature rat uterus
- 443P NGAI, H.K., WONG, P.Y.D. & YEUNG, C.H. Action of α-chlorhydrin on transporting functions of the rat cauda epididymis
- 444P GOTTRUP, F. & ØRNSHOLE, J. (introduced by DALY, M.J.) The effect of a new β_2 -adrenoceptor agonist, salmefamol, on pentagastrin-induced gastric acid secretion in conscious dogs

- 445P CANFIELD, S.P., CURWAIN, B.P., KING, J.A. & PRICE, CAROLYN. Salmefamol: inhibitor or stimulant of gastric acid secretion?
- 445P ANGUS, J.A., BLACK, J.W. & STONE, M. Comparative assay of histamine H₂-receptor antagonists using the isolated mouse stomach
- 447P MARSHALL, I. An inhibitory histamine H₂-receptor in the mouse vas deferens
- 448P CONWAY, J., HATTON, R. & KEDDIE, J. Haemodynamic response to converting enzyme inhibitor and Saralasin in salt-depleted dogs; relation to plasma renin activity
- 449P NAYLER, WINIFRED, G. The pharmacological protection of mitochondrial function in hypoxic heart
- 450P BERESFORD, ROSEMARY A. (introduced by McQUEEN, E.G.) Lack of correlation between strength of contractions and oxygen consumption of drug-treated, directly-stimulated rat diaphragm
- 451P DAVIES, J.A. (introduced by NICHOLSON, A.N.) Studies in the monkey (*Macaca mulatta*) on the effect of (\pm) -6-fluorotryptophan and (\pm) -p-chlorophenylalanine of plasma tryptophan
- 453P HOUSE, F.R. (introduced by ROGERS, H.J.)
 Confidence intervals for pharmacokinetic parameters
- 453P TAIT, J.F. & TAIT, S.A.S. (introduced by HOB-BIGER, F.) An *in vitro* bioassay for aldosterone (and corticosterone) output stimulating substances
- 454P BENDER, D.A. & SMITH, W.R.D. (introduced by HOBBIGER, F.) Benserazide effects on tryptophan metabolism in mice
- 455P COBON, A.M., LILLY, L.J. & NEWTON, M.F. (introduced by HOBBIGER, F.) Development of a technique for the rapid screening of chemicals for carcinogenicity
- 456P GINSBERG, L. (introduced by HOBBIGER, F.) Effects of general anaesthetic agents on membrane conductance and surface potential
- 458P HUTCHINGS, R.T., LIEBERMAN, GRETA E. & SABIKOWSKI, Z.T. (introduced by LEWIS, G.P) Measurement of cell aggregation and shape change by transmitted and scattered light through a cell suspension (Dual Channel Cell Monitor)
- 460P ANGUS, J.A. & BLACK, J.W. Production of acid secretion in the mouse isolated stomach by electrical field stimulation

- 461P DUTRA, A.A.N., EISEN, V. & GINGELL, D. Effects of bradykinin on uptake and release of substances by mouse peritoneal macrophages
- 461P EISEN, V. & WALKER, D.I. Effect of ionizing radiation on prostaglandin 15-OH-dehydrogenase (PGDH)
- 462P BANNS, HEATHER, BLATCHFORD, D., GODDEN, URMA, HOLZBAUER, MARGAR-ETHA, MANN, S.P. & SHARMAN, D.F. Pituitary dopamine in rats after decreased water intake
- 462P WILCOX, C.S. A denervated dog's kidney preparation for studying renin release into blood and lymph
- 463P HARDCASTLE, J., HARDCASTLE, P.T. & SANDFORD, P.A. (introduced by HOBBIGER, F.) Modification of transport processes across rat intestine
- 464P PECK, M.J. & WILLIAMS, T.J. (introduced by LEWIS, G.P.) Prostacyclin (PGI₂) potentiates bradykinin-induced plasma exudation in rabbit skin
- 465P MARSHALL, I., NASMYTH, P.A. & SHEPPER-SON, N.B. A comparison of 3 methods used for measuring the overflow of noradrenaline in the mouse isolated stimulated vas deferens
- 466P FOSBRAEY, P. & JOHNSON, E.S. Presynaptic inhibition of acetylcholine release from cholinergic neurones in the myenteric plexus of the guinea-pig ileum
- 467P ALABASTER, V.A. & HAWKESWOOD, E. PGI₂ release from guinea-pig lungs: detection and bioassay
- 468P CAVERO, I, GOMENI, R., LEFÈURE, F. & ROACH, A.G. Time-course analysis of the cardio-vascular effects of clonidine resulting from the activation of cardiac pre- and vascular postsynaptic α-adrenoceptors in the pithed rat
- 468P CAVERO, I. & ROACH, A.G. The effects of prazosin on the clonidine induced hypotension and bradycardia in rats and sedation in chicks
- 469P KRUK, Z.L. & SMITH, L.A. A simple and cheap vacuum filtration
- 470P NEDERGAARD, O.A. & SCHROLD, J. Effect of atropine on prejunctional muscarinic and α-adrenoceptors on postganglionic sympathetic neurones in an isolated blood vessel

- 471P JOHANSEN, T. (introduced by GARLAND, L.G.) Mechanism of A23187-induced histamine release
- 472P ANNING, ELIZABETH N., O'DONNELL, STELLA R. & WANSTALL, JANET C. Extraneuronal accumulation of isoprenaline in guinea-pig trachea, atria and uterus: a histochemical and pharmacological study

VOLUME 62 NUMBER 4 APRIL 1978

- 475 BANERJEE, SHAILESH P. & SHARMA, VIR-ENDRA K. [3H]-ouabain binding to peripheral organs of cats: effect of ethanol
- 481 CHURCH, M.K. & MILLER, P. Time courses of the anti-anaphylactic and anti-inflammatory effects of dexamethasone in the rat and mouse
- 487 KURL, R.N. & MORRIS, I.D. Differential depletion of cytoplasmic high affinity oestrogen receptors after the *in vivo* administration of the antioestrogens, clomiphene, MER-25 and tamoxifen
- 495 CONSTANTI, A. & NISTRI, A. A study of the interactions between glutamate and aspartate at the lobster neuromuscular junction
- 507 GOLDSTEIN, S. & ZSOTÉR, T.T. The effect of magnesium on the response of smooth muscle to 5-hydroxytryptamine
- 515 MIRANDA, H. Effects of oxypertine on the isolated vas deferens of the rat
- 519 KRELL, ROBERT D. Investigation of the role of histamine in antigen-induced bronchoconstriction in the ascaris-hypersensitive dog
- 529 GOLDBERG, A., MEREDITH, P.A., MILLER, S., MOORE, M.R. & THOMPSON, G.G. Hepatic drug metabolism and haem biosynthesis in leadpoisoned rats
- 537 BOULLIN, D.J. & GLENTON, PATRICIA A.M. Characterization of receptors mediating 5-hydroxytryptamine- and catecholamine-induced

- platelet aggregation, assessed by the actions of α -and β -blockers, butyrophenones, 5-HT antagonists and chlorpromazine
- 543 AGGERBECK, MARTINE, GUELLAEN, GEORGES & HANOUNE, JACQUES Biochemical evidence for the dual action of labetalol on α- and β-adrenoceptors
- 549 KIRPEKAR, S.M. & PRAT, J.C. Blockade of desensitization of nicotinic receptors of the cat adrenal medulla by concanavalin A
- 553 WAKADE, ARUN R. Time course of degeneration of short and long postganglionic sympathetic nerve fibres and effect of pentobarbitone and colchicine on degeneration
- 563 ECCLES, R. & MACLEAN, A.G. The influence of an extraneuronal compartment on the relaxation of the cat nictitating membrane *in vivo*
- 567 KIN SHEIN & SMITH, S.E. Structure-activity relationships for the anticholinoceptor action of tricyclic antidepressants
- 573 BLEEHEN, TIRZA The effects of adenine nucleotides on cutaneous afferent nerve activity
- 579 CLINESCHMIDT, BRADLEY V., McGUFFIN, JODIE C., PFLEUGER, A. BARBARA & TOTARO, JAMES A. A 5-hydroxytryptamine-like mode of anorectic action for 6-chloro-2-[1-piperazinyl]-pyrazine (MK-212)
- 591 RINK, RICHARD D. The acute effects of nicotine, tobacco smoke and carbon monoxide on myocardial oxygen tension in the anaesthetized cat