Edited for the British Pharmacological Society by

A.W. Cuthbert (Chairman)

Margaret Day (Press Editor)

J. D. Stephenson (Assistant Press Editor)

G.W. Bisset G.P. Lewis T.B. Bolton I.H.M. Main D.A. Brown I. Marshall Julia Buckingham K. Martin B.A. Callingham D.F.J. Mason T.J. Crow E.K. Matthews T.C. Muir F. de Matteis V. Eisen P.A. Nasmyth E.W. Gill Winifred Nayler A.F. Green J.R. Parratt C.D. Richards A.R. Green M. Sandler J. Hughes R. Jones A.P. Silverman M.A. Simmonds J.S. Kelly R.A. Webster B.J. Large G.M. Lees P. Withrington

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr A. Ungar, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the instructions inside the back cover.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633, ISSN 0007-1188.

Annual subscription UK £52.50; USA & Canada, US \$115; Rest of world, US \$105; Airmail, US \$140 (or equivalent in any other currency). (Orders must be accompanied by remittance. Prices correct at time of publication.)

Cheques should be made payable to Macmillan Journals Limited: Subscription Department, Brunel Road, Basingstoke, Hampshire RG21 2XS, England. Where appropriate, overseas subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment.

Enquiries concerning advertising space and rates should be addressed to: Advertisement Department, Macmillan Journals Limited, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1978 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Second class postage paid at New York, N.Y. US Mailing Agent: Expeditors of the Printed Word, Inc., Suite 1217, 527 Madison Avenue, New York, NY 10022.

NOTICE OF 1978 ANNUAL MEETING

The TERATOLOGY SOCIETY will hold its Eighteenth Annual Meeting, JUNE 8–11, 1978 at the GRAND HOTEL, MACKINAC ISLAND, MICHIGAN.

For further information, contact:

Eugene V. Perrin, M.D.
Director, Anatomic Pathology
Children's Hospital of Michigan
3901 Beaubien Boulevard
Detroit, Michigan 48201

CENTRALLY ACTING PEPTIDES Edited by J. Hughes

A Biological Council Symposium on Drug Action

The 1977 symposium, on which this book is based, was stimulated by the dramatic increase in research into functionally active peptides in the central nervous system. These peptides are a major group of neurotransmitter agents, and their discovery has given added impetus to brain research. Electrophysiological, biochemical and behavioural techniques have all helped to further our knowledge, with radio-immunoassay and radiofluorescence contributing to major advances in the field.

The papers here deal with all these approaches, and also point out the many gaps remaining in our understanding of peptides. The book thus gives a timely review of the current state of research, and will be invaluable to anyone already involved in the area.

Available June 1978, UK price £12.95, 0 333 23476 6

For further information please contact Rosemary David (BJP), The Macmillan Press, Little Essex Street, London WC2R 3LF



British Journal of Pharmacology British Journal of Pharmacology provides up-to-date research on all aspects of drug action essential to those involved in pharmacology. Ensure you receive this information each month by taking a subscription. Subscription Dept, Macmillan Journals Ltd, Brunel Road, Basingstoke, Hants RG212XS, England. Please enter me for a year's subscription to the BRITISH JOURNAL OF I enclose payment of £52.50; USA & Canada, US \$115; Rest of world, US \$105; Airmail, US \$140 (or equivalent in any other currency). Prices correct at time of publication. Payment may be made in any currency at the current exchange rates. Orders can only be processed if accompanied by the correct remittance. Cheques should be made payable to Macmillan Journals Ltd. Name **Address** Registered No: 785998 England Regis

INSTRUCTIONS TO AUTHORS

Papers will be considered for publication on all aspects of drug action, including chemotherapy. A recent issue of the Journal is a good guide to style.

Manuscripts (two copies) should be sent to Dr A. Ungar, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh, EH8 9JZ, from whom copies of the full Instructions to Authors, published in *Br. J. Pharmac.* 50, 3–23, may also be obtained. Specific points to note are:

- 1. Manuscript should be typed in double spacing on one side of paper not larger than A4 (206×294 mm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. One first name of each author may be included. A short title of not more than 50 letters should also be suggested.
- 2. Statement Papers are accepted only if accompanied by a statement that they have not been and will not be published in whole or in part in any other Journal.
- 3. Summary (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.
- 4. Abstract (2 copies) An abstract of about 100 words suitable for inclusion in an abstracting journal should be typed on a separate sheet, giving the author's name and address and the title of the paper.
- 5. Figures These should not be larger than A4 $(206 \times 294 \text{ mm})$ and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided, and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:



Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction.

- 6. Tables These should not have more than 85 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 110 characters to a line, unless absolutely unavoidable. Figure legends and tables should be typed on separate sheets of paper.
- 7. References These should be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the fourth edition of the World List of Scientific Periodicals), volume number and first and last page numbers. References to books should in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

Short Communications These may be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text and only one figure or table. The summary should be a single paragraph. An abstract and statement should be included.

British Journal of Pharmacology

VOLUME 63 NUMBER 1 MAY 1978

SHORT COMMUNICATION

3 BERGMANN, F. & FELDBERG, W. Effects of propylbenzilycholine mustard on injection into the liquor space of cats

PAPERS

- 7 BHARGAVA, K.P., JAIN, I.P., SAXENA, A.K., SINHA, J.N. & TANGRI, K.K. Central adrenoceptors and cholinoceptors in cardiovascular control
- 17 MISU, Y. & NISHIO, H. Action of guanethidine on rabbit atrial membranes
- 25 AMBACHE, N. & KILLICK, S.W. Species differences in postganglionic motor transmission to the retractor penis muscle
- 35 LEFORT, JEAN & VARGAFTIG, BER-NARDO B. Role of platelets in aspirin-sensitive bronchoconstriction in the guinea-pig; interactions with salicylic acid
- 43 FRANCIS, N., MARLEY, E. & STEPHENSON, J.D. Effects of spiperone on self-stimulation and other activities of the mongolian gerbil
- 51 FUJIWARA, MOTOHATSU, KITAGAWA, HISATO & KURAHASHI, KAZUYOSHI Effects of magnesium on contractile responses induced by electrical transmural stimulation and noradrenaline in rabbit thoracic aorta
- 57 COUPAR, I.M. Inhibition by morphine of prostaglandin-stimulated fluid secretion in rat jejunum
- 65 CLARK, WESLEY G. & CUMBY, H. RICK Hyperthermic responses to central and peripheral injections of morphine sulphate in the cat
- 73 BOUNOUS, H., CAGIN, N., LEVITT, B. & SOMBERG, J. The effect of diphenidol on ouabain cardiotoxicity in the cat
- 79 GREENBERG, R. The neuronal origin of prostaglandin released from the rabbit portal vein in response to electrical stimulation
- 87 DAVIES, J. & DRAY, A. Pharmacologicaal and electrophysiological studies of morphine and enkephalin on rat supraspinal neurones and cat spinal neurones

- 97 CELUCH, STELLA M., DUBOCOVICH, MARGARITA L. & LANGER, S.Z. Stimulation of presynaptic β-adrenoceptors enhances [³H]noradrenaline release during nerve stimulation in the perfused cat spleen
- 111 DOXEY, J.C. Tolmesoxide, a drug that lowers blood pressure by a direct relaxant effect on vascular smooth muscle
- 119 CUNNINGHAM, F.M., FORD-HUTCHIN-SON, A.W., OLIVER, A.M., SMITH, M.J.H. & WALKER J.R. The effects of D-penicillamine and levamisole on leucocyte chemotaxis in the rat
- 125 BURNSTOCK, G., COCKS, T., CROWE, R. & KASAKOV, L. Purinergic innervation of the guinea-pig urinary bladder
- 139 CUTHBERT, A.W. & FANELLI, G.M. Effects of some pyrazinecarboxamides on sodium transport in frog skin
- 151 FRIEDLE, N.M., KELLY, P.H. & MOORE, K.E. Regional brain atrophy and reductions in glutamate release and uptake after intrastriatal kainic acid
- 159 DEAKIN, J.F.W. & DOSTROVSKY, J.O. Involvement of the periaqueductal grey matter and spinal 5-hydroxytyptaminergic pathways in morphine analgesia: effects of lesions and 5-hydroxytryptamine depletion
- 167 AL TIMIMI, KHAWLA S., BEDWANI, J.R. & STANTON, A.W.B. Effects of prostaglandin E₂ and a prostaglandin endoperoxide analogue on neuroeffector transmission in the rat anococcygeus muscle
- 177 CHENIEUX-GUICHENEY, P., DAUSSE, J.P., MEYER, P. & SCHMITT, H. Inhibition of [³H]dihydroalprenolol binding to rat cardiac membranes by various β-blocking agents
- 183 DAVIS, A., ROBERTS, P.J. & WOODRUFF, G.N. The uptake and release of [3H]-2-amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene (ADTN) by striatal nerve terminals
- 191 KHOYI, M.A., POUSTI, A., POWIS, G. & ZAR-RINDAST, M.R. Tachyphylaxis to ethacrynic acid in the isolated atrium of guinea-pig and its relation to noradrenaline stores
- 197 BOWERY, N.G. & DRAY, A. Reversal of the action of amino acid antagonists by barbiturates and other hypnotic drugs
- 217 BROWN, D.A. & CONSTANTI, A. Interaction of pentobarbitone and γ-aminobutyric acid on mammalian sympathetic ganglion cells