

Edited for the British Pharmacological Society by

A.W. Cuthbert (*Chairman*) A. Ungar (*Secretary*)
Margaret Day (*Press Editor*)
J. D. Stephenson (*Assistant Press Editor*)

G.W. Bisset	G.P. Lewis
T.B. Bolton	I.H.M. Main
D.A. Brown	I. Marshall
Julia Buckingham	K. Martin
B.A. Callingham	D.F.J. Mason
T.J. Crow	E.K. Matthews
F. de Matteis	T.C. Muir
V. Eisen	P.A. Nasmyth
E.W. Gill	Winifred Nayler
A.F. Green	J.R. Parratt
A.R. Green	C.D. Richards
J. Hughes	M. Sandler
R. Jones	A.P. Silverman
J.S. Kelly	M.A. Simmonds
B.J. Large	R.A. Webster
G.M. Lees	P. Withrington

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr A. Ungar, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the instructions inside the back cover.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633, ISSN 0007-1188.

Annual subscription UK £52.50; USA & Canada, US \$115; Rest of world, US \$105; Airmail, US \$140 (or equivalent in any other currency). (Orders must be accompanied by remittance. Prices correct at time of publication.)

Cheques should be made payable to Macmillan Journals Limited: Subscription Department, Brunel Road, Basingstoke, Hampshire RG21 2XS, England. Where appropriate, overseas subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment.

Enquiries concerning advertising space and rates should be addressed to: Advertisement Department, Macmillan Journals Limited, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1978 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Second class postage paid at New York, N.Y.
US Mailing Agent: Expeditors of the Printed Word, Inc.,
Suite 1217, 527 Madison Avenue, New York, NY 10022.

INSTRUCTIONS TO AUTHORS

Papers will be considered for publication on all aspects of drug action, including chemotherapy. A recent issue of the Journal is a good guide to style.

Manuscripts (two copies) should be sent to Dr A. Ungar, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh, EH8 9JZ, from whom copies of the full Instructions to Authors, published in *Br. J. Pharmac.* **50**, 3–23, may also be obtained. Specific points to note are:

1. **Manuscript** should be typed in double spacing on one side of paper not larger than A4 (206 × 294 mm). There should be a separate title page giving the names and addresses of the authors in alphabetical order. One first name of each author may be included. A short title of not more than 50 letters should also be suggested.

2. **Statement** Papers are accepted only if accompanied by a statement that they have not been and will not be published in whole or in part in any other Journal.

3. **Summary** (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.

4. **Abstract** (2 copies) An abstract of about 100 words suitable for inclusion in an abstracting journal should be typed on a separate sheet, giving the author's name and address and the title of the paper.

5. **Figures** These should not be larger than A4 (206 × 294 mm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided, and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:



Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction.

6. **Tables** These should not have more than 85 characters to a line (counting spaces between columns as 4 characters) and certainly not more than 110 characters to a line, unless absolutely unavoidable. **Figure legends** and **tables** should be typed on separate sheets of paper.

7. **References** These should be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the fourth edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should in addition, include the names of editors, the edition number, where appropriate, and the town of origin and name of publisher.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. No reprints of abstracts are supplied.

Short Communications These may be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text and only one figure or table. The summary should be a single paragraph. An abstract and statement should be included.

British Journal of Pharmacology

VOLUME 63 NUMBER 3 JULY 1978

SHORT COMMUNICATION

- 417 DREW, G.M. The effect of different calcium concentrations on the inhibitory effect of presynaptic α -adrenoceptors in the rat vas deferens
- ## PAPERS
- 421 DESAULLES, E., MIESCH, F. & SCHWARTZ, J. Evidence for the participation of β_1 -adrenoceptors in isoprenaline-induced renin release from rat kidney slices *in vitro*
- 427 GRABOWSKI, W., LÜTTGAU, H.Ch. & SCHULZE, J.J. The effects of isoprenaline and a new β -sympathomimetic amine upon spontaneous activity, diastolic depolarization and plateau height in cardiac Purkinje fibres
- 435 GILLIS, C.N., HUXTABLE, RYAN J. & ROTH, ROBERT A. Effects of monocrotaline pretreatment of rats on removal of 5-hydroxytryptamine and noradrenaline by perfused lung
- 445 CORNISH, E.J., GOLDIE, R.G. & MILLER, R.C. Catecholamine uptake by isolated coronary arteries and atria of the kitten
- 457 HAYASHI, E., KUNITOMO, M., MORI, M., SHINOZUKA, K. & YAMADA, S. The development of tachyphylaxis to electrical stimulation in guinea-pig ileal longitudinal muscles and the possible participation of adenosine and adenine nucleotides
- 465 DOGGRELL, S.A. & WOODRUFF, G.N. Effects of drugs on the accumulation and spontaneous release of noradrenaline in the rat anococcygeus muscle
- 471 DREW, G.M., HILDITCH, A. & LEVY, G.P. Effect of labetalol on the uptake of [3 H]-(-)-noradrenaline into the isolated vas deferens of the rat
- 475 FRENCH, A.M., KHAN, M.T. & SCOTT, N.C. The local anaesthetic activity of a benzotriazinium salt
- 481 BOGAERT, M.G., BUYLAERT, W.A. & WILLEMS, J.L. Hypotension produced by intravenous apomorphine in the anaesthetized dog is not centrally mediated
- 485 SILINSKY, E.M. Enhancement by an antagonist of transmitter release from frog motor nerve terminals
- 495 SIMMONDS, M.A. Presynaptic actions of γ -aminobutyric acid and some antagonists in a slice preparation of cuneate nucleus
- 503 HAYES, ANN G. & SIMMONDS, M.A. Effects of γ -aminobutyric acid on nerve terminal excitability in a slice preparation of cuneate nucleus
- 509 BAKER, P.R., CALVEY, T.N., CHAN, K., MACNEE, C.M. & TAYLOR, K. Plasma clearance of neostigmine and pyridostigmine in the dog
- 513 HOLLINGSWORTH, M. & ISHERWOOD, CATHERINE N.M. Mechanical responses of the isolated cervix and uterine horn of pregnant rats near term to drugs
- 519 CLARKE, G., FALL, CAROLINE H.D., LINCOLN, D.W. & MERRICK, LYNDA P. Effects of cholinergic antagonists on the suckling-induced and experimentally evoked release of oxytocin
- 529 JOSEPH, MICHAEL H. Brain tryptophan metabolism on the 5-hydroxytryptamine and kynurenine pathways in a strain of rats with a deficiency in platelet 5-HT
- 535 HIGGS, E.A., HIGGS, G.A., MONCADA, S. & VANE, J.R. Prostacyclin (PGI₂) inhibits the formation of platelet thrombi in arterioles and venules of the hamster cheek pouch
- 541 JOHNSTON, BARBARA M. & SAXENA, P. R. The effect of ergotamine on tissue blood flow and the arteriovenous shunting of radioactive microspheres in the head
- 551 CHIUNG CHANG, C. & HONG TSENG, K. Effect of crotamine, a toxin of South American rattlesnake venom, on the sodium channel of murine skeletal muscle
- 561 BOULLIN, D.J., MOLYNEUX, D. & ROACH, B. The binding of haloperidol to human blood platelets and interactions with 5-hydroxytryptamine and dopamine
- 567 SHIMIZU, T. & TAIRA, N. Vasodilatation by prostaglandin F_{2 α} in the canine tongue through a parasympathetic mechanism