

Edited for the British Pharmacological Society by

A.W. Cuthbert (*Chairman*) A. Ungar (*Secretary*)
Margaret Day (*Press Editor*)
J.D. Stephenson (*Assistant Press Editor*)

A.M. Barrett	J.S. Kelly
G.W. Bisset	B.J. Large
A.G.H. Blakeley	G.M. Lees
T.B. Bolton	G.P. Lewis
N.G. Bowery	I.H.M. Main
D.A. Brown	I. Marshall
Julia Buckingham	K. Martin
B.A. Callingham	D.F.J. Mason
T.J. Crow	E.K. Matthews
F. de Matteis	T.C. Muir
V. Eisen	Winifred G. Nayler
E.W. Gill	J.R. Parratt
A.F. Green	C.D. Richards
A.R. Green	M. Sandler
E.W. Horton	A.P. Silverman
J. Hughes	M.A. Simmonds
R. Jones	R.A. Webster
P. Withrington	

Papers will be considered for publication on all aspects of drug action, including chemotherapy.

Manuscripts (two copies) should be sent to Dr A. Ungar, Department of Pharmacology, University of Edinburgh Medical School, 1 George Square, Edinburgh EH8 9JZ. Authors should consult the instructions inside the back cover.

The British Journal of Pharmacology is published monthly by Macmillan Journals Ltd, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633, ISSN 0007-1188.

Annual subscription UK £57.50; USA & Canada, US \$130; Rest of world, US \$120; Airmail, US \$165 (or equivalent in any other currency). (Orders must be accompanied by remittance. Prices correct at time of publication.)

Cheques should be made payable to Macmillan Journals Limited: Subscription Department, Brunel Road, Basingstoke, Hampshire RG21 2XS, England. Where appropriate, overseas subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment.

Enquiries concerning advertising space and rates should be addressed to: Advertisement Department, Macmillan Journals Limited, 4 Little Essex Street, London WC2R 3LF. Telephone: 01-836 6633.

Copyright © 1979 by the *British Journal of Pharmacology*. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Second class postage paid at New York, N.Y.
US Mailing Agent: Expeditors of the Printed Word, Inc.,
Suite 1217, 527 Madison Avenue, New York, NY 10022.

British Journal of Pharmacology

CONTENTS

VOLUME 66 NUMBER 1 MAY 1979

SHORT COMMUNICATIONS

- 5 ANDERSON, J., SHARMAN, D.F., STEPHENS, D.B. An effect of haloperidol on the increased food and water intake induced in rabbits by 2-deoxy-D-glucose
- 7 GERSHON, M.D. & MILLER JONAKAIT, G. Uptake and release of 5-hydroxytryptamine by enteric 5-hydroxytryptaminergic neurones: effects of fluoxetine (Lilly 110140) and chlorimipramine
- 10 BAYER, B.-L., BLASS, K.-E. & FÖRSTER, W. Anti-aggregatory effect of prostacyclin (PGI₂) *in vitro*

PAPERS

- 13 BERTACCINI, G., MOLINA, E., VITALI, T. & ZAPPALÀ, L. Action of histamine receptor agonists and antagonists on the rat uterus
- 19 FRENCH, A.M. & SCOTT, N.C. Comparison of the effects of a benzotriazinium iodide and quinidine on guinea-pig heart
- 25 PARSONS, J.A., RAFFERTY, B., STEVENSON, R.W. & ZANELLI, JOAN M. Evidence that protease inhibitors reduce the degradation of parathyroid hormone and calcitonin injected subcutaneously
- 33 CONTI-TRONCONI, B., GOTTI, C., PAGGI, P. & ROSSI, A. Acetylcholine receptors in the ciliary ganglion and in the iris muscle of the chick: specific binding and effect on the synaptic transmission of the neurotoxin from *Naja naja siamensis*
- 39 PERTWEE, R.G. & TAVENDALE, R. Effects of Δ^9 -tetrahydrocannabinol, 2,4-dinitrophenol and pentolinium tartrate on behavioural thermoregulation in mice
- 51 FELDBERG, W. & WEI, E. Cardiovascular effects of hypertonic sodium chloride solutions when injected into the liquor space of anaesthetized cats
- 55 DOCHERTY, J.R. & McGRATH, J.C. An analysis of some factors influencing α -adrenoceptor feed-back at the sympathetic junction in the rat heart
- 65P PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, Guy's Hospital, London, 3rd-5th January, 1979
- 65P ROBERTS, C.J.C., MARSHALL, A.J., HEATON, S. & BARITT, D.W. The antihypertensive properties and effects on urate and electrolyte excretion of tienilic acid, bendroflumazide and spironolactone

- 65P DAVIS, M.A., MACLEAN, D. & MAVOKO, P.R. (introduced by STEVENSON, I.H.) Influence of coronary artery occlusion on the myocardial distribution of digoxin
- 66P DIX, C.J. & JORDON, V.C. Control of experimental breast cancer by antioestrogenic therapies
- 66P BOREL, J.F. & WIESINGER, DOROTHEE (introduced by BERDE, B.) Studies on the mechanism of action of cyclosporin A
- 67P BRUIN, J., COTTNEY, J., GEMMEL, D.K. & LEWIS, A.J. The effect of several immunomodulating agents on a model of humoral and cell mediated immunity in the mouse
- 68P CHURCH, M.K. & GRADIDGE, CAROLYN F. Histamine H₁ antagonists and histamine release from human lung *in vitro*
- 69P FOREMAN, J.C. & LICHTENSTEIN, L.M. Alkaline earth ions and the secretion of enzymes from human neutrophil leucocytes
- 70P BEDDELL, C.R., KNEEN, G. & WHITE, R.D. The anti-sickling activity of a series of aromatic aldehydes
- 70P BIRCH, N.J., HULLIN, R.P., KAJDA, P. & O'BRIEN, M.J. Lithium effects on purified rat brain pyruvate kinase
- 71P SPECTOR, R.G. The effect of light on the enhancement of bacterial respiration by formyl tetrahydrofolic acid
- 72P CHARINGTON, C.B. & TABERNER, P.V. Penicillin-induced convulsions and inhibition of glutamate decarboxylase
- 72P ENNIN, M.A. & FRANKLIN, C.S. Some sub-cellular effects of an organophosphorus insecticide, Abate
- 73P IMRIE, P.R., MARLEY, E. & THOMAS, D.V. Metabolites of intraduodenally instilled histamine after pre-treatment with monoamine oxidase inhibitors (MAOI)
- 74P HOGAN, E.M., NICHOLLS, P.J. & YOOSUF, A. Hepatic microsomal oxidative N-demethylation in rats with renal failure
- 76P BLEEHEN, TIRZA (introduced by F. HOBBIGER) The effect of plasticizers on responses mediated by cholinergic receptors at the neuromuscular junction

- 76P CLARK, AMANDA L. & HOBIGER, F. The effect of dithiothreitol on the action of anticholinesterases on the neuromuscular junction
- 77P MARSHALL, R.J. & OJEWOLE, J.A.O. Comparison of the autonomic effects of some currently-used neuromuscular blocking agents
- 78P COLQUHOUN, D. & SHERIDAN, R.E. Modes of action of gallamine at the neuromuscular junction
- 79P ASCHER, P., LARGE, W.A. & RANG, H.P. Two modes of action of ganglionic blocking drugs
- 80P CHRUSCIEL, P. & GOODFORD, P.J. Symmetry in drug molecules
- 80P LANSDOWN, M.R.J., NASH, H.L., PRESTON, P.R. & WALLIS, D.I. Blockade of 5-hydroxytryptamine (5-HT) receptors by quipazine
- 81P FENIUK, W. & HUMPHREY, P.P.A. The mechanism of 5-hydroxytryptamine-induced pressor responses in ganglion-blocked anaesthetized dogs
- 82P RICHARDSON, P.D.I. & WITHERINGTON, P.G. Responses of the hepatic arterial and portal venous vascular beds of the dog to intra-arterial infusions of noradrenaline and adrenaline: inhibition of the hepatic arterial vasoconstrictor responses by intraportal infusions of glucagon
- 83P COLEMAN, R.A., KENNEDY, I. & WHELAN, C.J. The contractile action of slow reacting substance of anaphylaxis (SRS-A) on guinea-pig isolated lung strip
- 84P SMALL, R.C. & WESTON, A.H. Theophylline is not an antagonist of intramural inhibitory nerve activity in rabbit and guinea-pig intestine
- 85P HALLIDAY, J. & HARDING, S.E. (introduced by MORTON, I.K.M.) Modification of the negative inotropic effect of lanthanum by ouabain and some other positive inotropic agents
- 86P GREENSTEIN, B.D. Assay of liver membrane insulin receptors in obese, hyperglycaemic (ob/ob) mice: stimulant effect of an oral antidiabetic sulphonylurea drug
- 86P GILLAN, MAUREEN G.C., KOSTERLITZ, H.W. & PATERSON, S.J. Comparison of the binding characteristics of tritiated opiates and opioid peptides
- 87P CROSS, A.J., CROW, T.J. & OWEN, F. The use of ADTN (2-amino-6, 7-dihydroxy-1,2,3,4-tetrahydronaphthalene) as a ligand for brain dopamine receptors
- 88P LEAVENS, W.J. & RIDDALL, D.R. Characterization of calf brain dopamine receptors
- 89P BOULLIN, D.J. & ELLIOTT, J.M. Binding of [³H]-dihydroergocryptine to α -adrenoceptors on intact human platelets
- 90P BRILEY, M.S., LANGER, S.Z. & STORY, D.F. Binding studies on α -adrenoceptors and muscarinic cholinergic receptors in rat heart ventricle: effect of chemical sympathectomy
- 91P MAUGER, J.P. & WORCEL, M. Characterization of β -adrenoceptors of the BC₃H1 nonfusing muscle cell line
- 91P BARNETT, D.B., NAHORSKI, S.R. & RUGG, ELIZABETH L. β -Adrenoceptor binding sites in rat spleen: pharmacological characteristics and effects of chemical sympathectomy
- 92P BALL, H.A., DAVIES, J.A. & NICHOLSON, A.N. Effect of diazepam and its metabolites on the binding of L-tryptophan to human serum albumen
- 93P HILL, S.J. & YOUNG, J.M. The binding properties of [³H]-mepyramine in the brain of the guinea-pig and the rat
- 94P OPPENHEIM, B. & YODIM, M.B.H. A nucleotide with characteristic platelet aggregation and inhibition properties similar to 5-hydroxytryptamine
- 94P CARDINAL, D.C. & FLOWER, R.J. The study of platelet aggregation in whole blood
- 95P CHAPLIN, D.J. & HILLIER, K. A prostacyclin-like substance in rat brain
- 96P MONCADA, S., MULLANE, K.M. & VANE, J.R. Prostacyclin-release by bradykinin *in vivo*
- 97P SOLL, A.H. & WHITTLE, B.J.R. Activity of prostacyclin, a stable analogue, 6 β -PGI₁ and 6-oxo-PGF_{1 α} , on canine isolated parietal cells
- 98P CONNOR, N.S., DAVIDSON, E.M., DOIG, M.V. & FORD-HUTCHINSON, A.W. Prostaglandin and thromboxane production by rat macrophages
- 99P LEWIS, G.P., PIPER, PRISCILLA J. & VIGO, CARMEN The distribution and mobilisation of arachidonic acid in fat cell ghosts and its modification by glucocorticoids
- 99P DE LEVE, LAURIE, D., PARNHAM, M.J. & SAXENA, P.R. Alterations in prostaglandin E₁-induced blood flow changes in granulation tissue
- 101P BERRY, C.N., HOULT, J.R.S., LITTLETON, J.M., MOORE, P.K. & UMNEY, N.D. Nicotine causes prostaglandin efflux from isolated perfused rat lung
- 101P HOULT, J.R.S., MOORE, P.K. & RAMCHARAN, E. Sulphasalazine inhibits the pulmonary inactivation of prostaglandins in the rat *in vivo*
- 102P HILLIER, K., ROBERTS, P.J. & TEMPLETON, WILMA W. Prostaglandin and noradrenaline interactions in rat brain synaptosomes
- 103P JENNER, P., MARSDEN, C.D. & REAVILL, C. Evidence for metabolite involvement in bromocryptine-induced circling behaviour
- 104P CANNING, H., GOFF, D., LEACH, M.J., MILLER, A.A., TATESON, J.E. & WHEATLEY, P.L. The involvement of dopamine in the central actions of bupropion, a new antidepressant

- 105P COSTALL, B. & NAYLOR, R.J. Changes in mesolimbic homovanillic acid content following discrete modulation of striatal dopamine systems
- 106P KERWIN, R.W. & PYCOCK, C.J. A comparison of the effects of GABA and glycine on the release of [^3H]-dopamine from rat striatal slices
- 107P MARTIN, I.L. & MITCHELL, P.R. (introduced by BRADLEY, P.B.) Diazepam facilitates the potassium-stimulated release of [^3H]-dopamine from rat striatal tissue
- 108P BOWERY, N.G. & HUDSON, A.L. γ -Aminobutyric acid reduces the evoked release of [^3H]-noradrenaline from sympathetic nerve terminals
- 108P BROWN, D.A. & HIGGINS, A.J. Presynaptic effects of γ -aminobutyric acid in isolated rat superior cervical ganglia
- 109P COLLINS, G.G.S. Amino acid transmitter candidates of the rat olfactory cortex
- 110P COLLINS, G.G.S., MASSAY, S.C. & NEAL, M.J. The release of amino acids and [^3H]-ACh from the rabbit retina *in vivo*
- 111P CROSS, A.J., DEAKIN, J.F.W., LOFTHOUSE, R., LONGDEN, A., OWEN, F. & POULTER, M. On the mechanism of action of electroconvulsive therapy: some behavioural and biochemical consequences of repeated electrically induced seizures in rats
- 111P BRADLEY, P.B. & LUCY, A.P. An iontophoretic study of the cholinceptive properties of respiratory neurones in the rat medulla
- 112P BJÖRKLUND, A.J., EMSON, P.C., GILBERT, R.F.T. & SKAGERBERG, G. (introduced by IVERSEN, L.L.) Further evidence for the possible coexistence of 5-hydroxytryptamine and substance P in medullary raphe neurones of rat brain
- 113P IVERSEN, SUSAN D., KELLEY, ANN E. & STINUS, L. Dose dependent behavioural stimulation after local infusion of substance P into the ventral tegmental area in the rat
- 114P COLLINS, G.G.S., FILE, SANDRA E., HYDE, J.R.G. & MACLEOD, N.K. The effects of 5,7-dihydroxytryptamine lesions of the median and of the dorsal raphe nuclei on social interaction in the rat
- 115P JAMES, T.A., MACLEOD, N.K. & MAYER, M.L. (introduced by FILE, SANDRA E.) A functional antagonism between benzodiazepines and ACTH?
- 116P VANHOUTTE, P.M. & WEBB, CLINTON. Inactivation of released noradrenaline in rat tail artery by neuronal uptake
- 116P HEADLEY, P.M. & LODGE, D. (introduced by WEBB, S.N.) Could harmaline generate tremor by affecting 5-HT release?
- 117P FOSTER, A.C. & ROBERTS, P.J. Biochemical and morphological aspects of kainic acid injection into rat cerebellum
- 118P ATTERWILL, C.K., COSTAIN, D.W. & GREEN, A.R. Some observations on the behavioural and biochemical effects of L-tryptophan plus a monoamine oxidase inhibitor in immature rats
- 119P CURZON, G., FERNANDO, J.C.R. & LEES, A.J. Backward walking and circling: a behavioural response to concurrent catecholamine and 5-hydroxytryptamine release
- 120P MARSDEN, C.A. Long term effects of *p*-chloroamphetamine on hippocampal 5-hydroxytryptamine release
- 121P COSTALL, B., NAYLOR, R.J. & NOHRIA, V. Use of the mouse circling model to demonstrate enhanced striatal actions for oxipermide and tiapride following denervation
- 121P COSTALL, B., HUI, S.-C.G. & NAYLOR R.J. The relationship between cholinergic and dopaminergic mechanisms in the nucleus accumbens for the control of locomotor activity
- 122P HAMON, G., KITABGI, P. & WORCEL, M. Neurotensin: electrophysiological studies of its action on the guinea-pig taenia coli
- 123P MELVILLE, E.M., TURNBULL, M.J. & WHEELER, H. Determination of *in vivo* activity of putative GABA-like compounds
- 124P CROSS, A.J., OWEN, F. & WADDINGTON, J.L. The effect of neurotoxic lesions on neuronal systems in rat striatum
- 125P DODD, J., KELLY, J.S. & SAID, S.I. Excitation of CA1 neurones of the rat hippocampus by the octacosapeptide, vasoactive intestinal polypeptide (VIP)
- 126P BEVAN, P., BRADSHAW, C.M., PUN, R.Y.K., SLATER, N.T. & SZABADI, E. Does DPI [(3,4-dihydroxyphenylamino)-2-imidazoline] act at dopamine receptors on cortical neurones?
- 127P BATTÀ, S., WALKER, R.J. & WOODRUFF, G.N. Further studies on dopamine receptors in the brain of *Helix aspersa*
- 127P CURZON, G., HUTSON, P.H. & KNOTT, P.J. Voltammetry *in vivo*: effect of stressful manipulations and drugs on the caudate nucleus of the rat
- 129P GROWCOTT, J.W. & SHAW, J.S. (introduced by TURNBULL, M.J.) Failure of substance P to produce analgesia in the mouse
- 130P GIBSON, A., GINSBURG, M., HURT, S.L. & KITCHEN, I. Enkephalin content in rat hypothalamus—effect of adrenalectomy, laparotomy and corticosteroid treatment

- 131P HURST, M.J., MARSHALL, I. & NASMYTH, P.A. Dopamine inhibition of the twitch response of the mouse isolated vas deferens
- 131P MARSHALL, I., NASMYTH, P.A. & PHILLIPS, D.G.L. Opiate tolerance and cross-tolerance in the mouse vas deferens
- 132P CAVERO, I., GOMENI, R., LEFÈVRE-BORG, F. & ROACH, A.G. Effects of mianserin on noradrenaline uptake, cardiac presynaptic and vascular postsynaptic α -adrenoceptors in rats
- 133P DOXEY, J.C. & EVERITT, J. Metiamide—absence of presynaptic α -adrenoceptor antagonist properties in the pithed rat
- 133P GREEN, G.J., WILSON, H. & YATES, M.S. Effects of α -adrenoceptor agonists on peripherally evoked parasympathetic submaxillary salivation in the cat
- 135P BLEEHEN, TIRZA, CLARK, AMANDA L. & HOB-BIGER, F. The effect of disulphide bond reduction on agonist activity on the frog rectus abdominus muscle
- 136P HOWLETT, D.R., MORRIS, HELEN & NAHORSKI, S.R. Agonist interactions with [3 H]-spiperone binding sites on rat corpus striatum membranes
- 136P HUNT, S.P. & SCHMIDT, J. (introduced by IVERSEN, L.L.) The relationship between cholinergic axon terminals and α -bungarotoxin binding sites in the rat hippocampus
- 137P WONG, P.T.-H. & PRINCE, A.K. The binding of choline acetyltransferase to membrane; metabolism of choline in rabbit cortical slices
- 138P CARDINAL, D.C. & FLOWER, R.J. The 'Electronic platelet aggregometer'
- 138P FURMAN, B.L. & WARDLAW, A.C. Influence of mode of blood sampling on the immunoreactive insulin concentration in serum of *Bordetella pertussis*-treated mice
- 139P DE BRITO, F.B., GEMMELL, D.K. & LEWIS, A.J. An evaluation of hind paw oedemas in the guinea-pig
- 140P McLEOD, D.W., REVELL, P. & ROBINSON, B.V. Investigations of *Harpagophytum procumbens* (Devil's Claw) in the treatment of experimental inflammation and arthritis in the rat
- 141P FOX, P.K., LEWIS, A.J., McKEOWN, P. & WHITE, D.D. Inhibitory effects of gold salts in adjuvant arthritis and on lysosomal enzyme activity
- 142P ABDELLATIF, M.M. & HOLLINGSWORTH, M. Mediation by adrenaline of lung surfactant secretion induced by oxotremorine in neonatal rabbits
- 143P BIGGS, D.F. & PETERSON, M.A. Effects of diazoxide on total lung resistance
- 143P KENAWY, SANAA A. & LEWIS, G.P. A pharmacological study of the mediators released following anaphylaxis of the sensitised hind quarters of the guinea-pig
- 144P HARRISON-READ, P.E. (introduced by STEINBERG, HANNAH) Evidence from behavioural reactions to fenfluramine, 5-hydroxytryptophan, and 5-methoxy-N,N-dimethyltryptamine for differential effects of short-term and long-term lithium on indoleaminergic mechanisms in rats
- 145P FILE, SANDRA E. & RODGERS, R.J. Exploratory behaviour and aversive thresholds in rats following microinjection of morphine into central and medial nuclei of the amygdala
- 146P BAKER, H.F. & RIDLEY, R.M. (introduced by CROW, T.J.) Behavioural effects of chronic amphetamine and their reversal by haloperidol in the marmoset
- 147P COOPER, S.J. & SWEENEY, K.F. Effects of spiperone on feeding parameters in the rat and interactions with (+)-amphetamine, mazindol or (\pm)-fenfluramine
- 148P JANSSENS, W.J. & VANHOUTTE, P.M. Effect of cooling on efflux of [3 H]-noradrenaline in canine cutaneous veins
- 149P VANHOUTTE, P.M. & VERBEUREN, T.J. Role of neuronal uptake in the disposition of released [3 H]-noradrenaline in the dog's saphenous vein
- 149P RUSCH, N.J., SHEPHERD, J.T. & VANHOUTTE, P.M. Effect of profound cooling on adrenergic neuroeffector interaction in the blood vessel wall
- 150P DE MEY, J.G. & VANHOUTTE, P.M. Is the direct relaxing effect of acetylcholine on vascular smooth muscle due to activation of Na^+/K^+ ATP-ase?
- 151P DREW, G.M., LEVY, G.P. & SULLIVAN, A.T. The effect of labetalol on the release of [3 H]-labelled noradrenaline and its metabolites from dog isolated saphenous vein
- 151P ANDERSON, M.J., CAMBRIDGE, D., DAVEY, M.J. & MASSINGHAM, R. The effect of a high dose of prazosin, and transmural stimulation, on the disposition of transmitter noradrenaline in the rabbit pulmonary artery and the dog saphenous vein
- 153P BREMNER, R.M. & GREENGRASS, P.M. (introduced by DAVEY, M.J.) Regional variations in [3 H]-prazosin and [3 H]-noradrenaline binding in the rat brain
- 153P BROUGHTON-SMITH, N.K. & WHITTLE, B.J.R. Some characteristics of the gastric antisecretory actions of prostaglandins in mammalian perfused whole-stomachs *in vitro*
- 154P BATES, R.F.L., BUCKLEY, G.A. & STRETTLE, R.J. The action of salmon calcitonin on indomethacin-induced gastric ulceration in the mouse
- 156P CALDWELL, J., O'GORMAN, J., SMITH, R.L., BASSIR, O., FAFUNSO, M.A. & FRENCH, M.R. Monkeys as metabolic models for man—the fate of amphetamine in the vervet and patas monkey

SHORT COMMUNICATIONS

- 161 DI ROSA, M. & PERSICO, P. Mechanism of inhibition of prostaglandin biosynthesis by hydrocortisone in rat leucocytes
- 164 GIBSON, A., GINSBURG, M., HALL, M. & HART, S.L. The effect of intracerebroventricular administration of methionine-enkephalin on the stress-induced secretion of corticosterone in mice

PAPERS

- 167 BIGON, E., BOARATO, E., BRUNI, A., LEON, A. & TOFFANO, G. Pharmacological effects of phosphatidylserine liposomes: regulation of glycolysis and energy level in brain
- 175 GHYSEL-BURTON, JOSIANE & GOD-FRAIND, T. Stimulation and inhibition of the sodium pump by cardioactive steroids in relation to their binding sites and their inotropic effect on guinea-pig isolated atria
- 185 TSENG, LIANG-FU 5-Hydroxytryptamine uptake inhibitors block *para*-methoxyamphetamine-induced 5-HT release
- 191 BAYER, B.-L. & FÖRSTER, W. Actions of prostaglandin precursors and other unsaturated fatty acids on conduction time and refractory period in the cat heart *in situ*
- 197 DAVE, K.C., JINDAL, M.N., KELKAR, V.V. & TRIVEDI, H.D. Characterization of ultraviolet light-induced relaxation of the isolated duodenum of the rat
- 203 DIXON, M., JACKSON, D.M. & RICHARDS, I.M. The effects of H₁- and H₂-receptor agonists and antagonists on total lung resistance, dynamic lung compliance and irritant receptor discharge in the anaesthetized dog
- 211 MAJUMDAR, ADHIP P. NANDI & NAKHLA, ATIF M. Effect of 5-hydroxytryptamine on protein synthesis in gastrointestinal and other tissues and on serum gastrin concentrations in rats
- 217 KLUGMAN, K., MITCHELL, G. & ROSEN-DORFF, C. Evidence for an indirect cholinergic regulation of blood flow in the hypothalamus of conscious rabbits
- 223 KHAN, MOHAMMAD T. & WAKADE, ARUN R. Relationship between accumulation, storage and overflow of noradrenaline in the rat salivary gland after chronic treatment with guanethidine
- 229 SHANAHAN, E. ANNE, WAHLQVIST, MARK L. & WILMSHURST, ERROL G. Effects of β_2 -adrenoceptor stimulation on cardiac metabolism in the conscious dog
- 235 LANG, W.J. & WOODMAN, O.L. Cardiovascular responses produced by the injection of dopamine into the cerebral ventricles of the unanaesthetized dog
- 241 MARSHALL, R.J. & PARRATT, J.R. The effects of disopyramide phosphate on early post-coronary artery ligation dysrhythmias and on epicardial ST-segment elevation in anaesthetized dogs
- 251 QUIRION, R., REGOLI, D., RIOUX, F. & ST-PIERRE, S. An analysis of the negative inotropic action of somatostatin
- 259 BANGHAM, A.D. & MASON, W. The effect of some general anaesthetics on the surface potential of lipid monolayers
- 267 CLARK, R.B., GRATION, K.A.F. & USHER-WOOD, P.N.R. Responses to DL-ibotenic acid at locust glutamatergic neuromuscular junctions
- 275 BOWMER, C.J. & LINDUP, W.E. Decreased binding of drugs and dyes to plasma proteins from rats with acute renal failure: effects of ureter ligation and intramuscular injection of glycerol
- 283 BRIDGES, J.W., SARGENT, N.S.E. & UPSHALL, D.G. Rapid absorption from the urinary bladder of a series of *n*-alkyl carbomates: a route for the recirculation of drugs
- 291 STONE, TREVOR W. Glutamate as the neurotransmitter of cerebellar granule cells in the rat: electrophysiological evidence
- 297 DI GIULIO, A.M., MAJANE, E.A. & YANG, H.-Y.T. On the distribution of [met⁵]- and [leu⁵]-enkephalins in the brain of the rat, guinea-pig and calf
- 303 BAYSAL, F., ÖNDER, S., ÖZGÜL, M. & TOYGAR, A. The effect of potassium on frog stomach muscle
- 307 POOLE, S. & STEPHENSON, J.D. Effects of noradrenaline and carbachol on temperature regulation of cold-stressed and cold-acclimated rats
- 317 GREENSTEIN, B.D. Improved insulin receptor assay: effects of an antidiabetic sulphonylurea on liver membrane insulin receptors from obese hyperglycaemic mice
- 323 HEFFRON, P.F. & HOBBIER, F. Relationship between inhibition of acetylcholinesterase and response of the rat phrenic nerve-diaphragm preparation to indirect stimulation at higher frequencies
- 331 CHAND, N., DeROTH, L. & EYRE, P. Relaxant response of goat trachea to 5-hydroxytryptamine mediated by D-tryptamine receptors

- 337 BIRDSALL, N.J.M., BURGEN, A.S.V. & HULME, E.C. A study of the muscarinic receptor by gel electrophoresis

- 343 KALSNER, STANLEY. Single pulse stimulation of guinea-pig vas deferens and the presynaptic receptor hypothesis

VOLUME 66 NUMBER 3 JULY 1979

SHORT COMMUNICATIONS

- 355 LANG, RICHARD J. Temperature and inhibitory junctional transmission in guinea-pig ileum
358 CHADWICK, D., JENNER, P. & MARSDEN, C.D. 5-Hydroxytryptamine and myoclonus induced by 1,2-dihydroxybenzene (catechol) in the guinea-pig
361 HART, S.L., KITCHEN, I. & WADDELL, P.R. Different effects of current strength on inhibitory responses of the mouse vas deferens to methionine- and leucine-enkephaline

PAPERS

- 365 BEETS, J.L. & DALE, M. MAUREEN. Inhibition of guinea-pig lymphocyte activation by histamine and histamine analogues
373 PIERCEY, M.F. & RUWARD, M.J. Naloxone inhibits the anti-diarrhoeal activity of loperamide
377 JUORIO, A.V. Drug-induced changes in the formation, storage and metabolism of tyramine in the mouse
385 HERMAN, A.G., LAEKEMAN, G.M. & VAN BEEK, H.A. Involvement of SRS-A in the Schultz-Dale response of the guinea-pig small intestine
391 ELLIOTT, R.C. Contractures elicited by tetraethylammonium in avian muscle treated with methohexitone
397 BROADLEY, K.J. & NICHOLSON, C.D. Functional antagonism as a means of determining dissociation constants and relative efficacies of sympathomimetic amines in guinea-pig isolated atria
405 SAKAI, K., SHIRAKI, Y., TATSUMI, T. & TSUJI, K. The actions of 5-hydroxytryptamine and histamine on the isolated ileum of the tree shrew (*Tupaia glis*)
409 MACLAGAN, JENNIFER & NEY, URSULA M. Investigation of the mechanism of propranolol-induced bronchoconstriction
419P PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, University of Aston, 4th-6th April, 1979
419P HALL, B.E. & JAMES, S.P. (introduced by CALDWELL, J.) Aromatic amino acetylation in the adult and neonatal marmoset
421P CALDWELL, J., EMUDIANUGHE, T.S. & SMITH, R.L. Species variation in the taurine conjugation of clofibril acid

- 422P SMITH, D.A. (introduced by CALDWELL, J.) Differences in toxicity due to species variation in the metabolism of an oral anti-allergy agent
423P BURKE, M.D. & TWEEDIE, D.J. (introduced by BARBER, H.E.) Induction by phenobarbitone or 3-methylcholanthrene of the hepatic microsomal metabolism of harmine
423P BOOBIS, SUSAN & PERSAUD, NIRMALA. The relative inducing potency of antiepileptic drugs in mice
424P GOLDBERG, A., MCCOLL, K.E.L., MOORE, M.R. & THOMPSON, G.G. Activity of leucocyte delta-aminolaevulinic acid synthase during diphenylhydantoin anti-convulsant therapy
425P DAVIES, D.S. & HUGHES, H. The metabolism of *N,N'*-dimethylclonidine by rat liver microsomes
425P DAVIES, D.S. & McMANUS, M.E. The effect of paraquat on the covalent binding of radio-labelled DOPA to liver and lung microsomal protein
426P BOOBIS, A.R., BRODIE, M.J., BULPITT, C.J. & DAVIES, D.S. Environmental factors affecting monooxygenase activity of microsomal fractions of human liver biopsies
427P BOOBIS, A.R., DAVIES, D.S. & LEWIS, K.M. Resolution and reconstitution of two forms of hepatic cytochrome P-450 from rabbits
428P BOOBIS, A.R., BRODIE, M.J., DAVIES, D.S., KAHN, G.C. & WHYTE, C. Biophasic Michaelis-Menten kinetics for ethoxycoumarin and phenacetin metabolism by human and rat hepatic monooxygenases
429P HOUSTON, J.B. & LOCKWOOD, G.F. (introduced by ROWLAND, M.) Aminopyrine demethylation kinetics: comparison of plasma and exhaled metabolites
430P IDLE, J.R., SLOAN, T.P., SMITH, R.L. & WAKILE, L.A. Application of the phenotyped panel approach to the detection of polymorphism of drug oxidation in man
431P ANDOH, B., IDLE, J.R., MAHGOUB, A., SLOAN, T.P., SMITH, R.L. & WOOLHOUSE, N. Polymorphic hydroxylation of debrisoquine in Ghanaians
432P IDLE, J.R., RITCHIE, J.C. & SMITH, R.L. Oxidation phenotype and metiamide metabolism
433P BELL, J.A., MARTIN, L.E. (introduced by BRITTAIN, R.T.) The metabolism of fazadinium bromide

- 433P GESCHER, A. & GREEN, ANN E. (introduced by HARPUR, E.S.) Drug metabolism interactions with cytotoxic agents in mice
- 434P GESCHER, A., HICKMAN, J.A. & STEVENS, M.F.G. (introduced by HARPUR, E.S.) *In vitro* biotransformation of carbinolamine metabolites of cytotoxic dimethyltriazenes
- 435P CLARKE, D.E., MILLER, H.H. & SHORE, P.A. Monoamine oxidase inhibition by (+)-amphetamine *in vivo*
- 436P FOZARD, J.R., GROVE, J., PART, M.L. & PRAKASH, N.J. Inhibition of early embryogenic development in mice by α -difluoromethyl ornithine, an enzyme-activated irreversible inhibitor of L-ornithine decarboxylase
- 437P MAGOS, L. & TANDON, S.K. Decreased nephrotoxic effect of mercuric chloride on the regenerating kidneys
- 438P LITTLE, R.A. & RAY, D.E. (introduced by MAGOS, L.) Tributyl S,S,S-phosphotriithiolate (DEF), a potential tool in thermoregulation research
- 439P HEMSWORTH, B.A. & STREET, J.A. *In vitro* accumulation of (\pm)-oxprenolol by rat lung
- 440P ANDERSSON, R.G.G., LEWIS, D.H., POST, C. & RYRFELDT, Å. Interaction between nortriptyline and lignocaine for uptake by lung in isolated lungs and *in vivo*
- 441P RAWLINS, M.D., SHAW, VALERIE & SHUSTER, S. The *in vitro* metabolism of betamethasone-17-valerate by human skin
- 441P BACK, D.J., BOLT, H.M., BRECKENRIDGE, A.M., CRAWFORD, F.E., MACIVER, M., ORME, M.L'E., ROWE, P.H., SCHINDLER, A.E. & SMITH, E. The pharmacokinetics of ethinyloestradiol in women
- 442P ASHFORD, J.J., CARMICHAEL, D. & KIDNER, P.H. Pharmacokinetics of disopyramide administered by intramuscular, intravenous and oral routes to normal volunteers
- 443P BLACKBURN, K.J., BURGESS, R.A., GARDINER, D.G., HIGGINS, A.J., MORVILLE, M. & PAGE, M.G. (introduced by DAVEY, M.J.) Protection against experimental myocardial ischaemia by L-4-hydroxy-phenylglycine, a new agent which alters myocardial metabolic balance in favour of carbohydrate utilisation
- 444P ATKINSON, L., BERGMAN, G., JACKSON, N., JEWITT, D.E. & METCALFE, J.M. (introduced by BARRETT, A.M.) Potential protective value of enhanced myocardial carbohydrate utilisation with reduced free fatty acid uptake after UK 25842 in patients with coronary artery disease
- 445P BOUDOT, J.P., CAVERO, I., FÉNARD, S., LEFÈVRE-BORG, F., MANOURY, P. & ROACH, A.G. Preliminary studies on SL 75212, a new potent cardioselective β -adrenoceptor antagonist
- 446P STOCKLEY, HELEN L. The role of prostaglandins in cholinergic transmission in guinea-pig ileum
- 447P WALKER, R. & WILSON, K.A. Prostaglandins and the response of rat isolated ileum and duodenum to bradykinin
- 448P HENMAN, M.C., LEACH, G.D.H., & NAYLOR, I.L. Production of prostaglandin-like materials by rat tail skin in response to injury
- 449P BENNETT, A., CARROLL, MAIREAD, A. & SANGER, G.J. Sodium flufenamate antagonises the potentiation by prostaglandins of noradrenaline-induced vasoconstriction in rat mesentery
- 450P BENNETT, A. & SANGER, G.J. Trimethoquinol selectively antagonises longitudinal muscle contractions of rat isolated gastric fundus to thromboxane B₂ and epoxymethano analogues of PGH₂
- 451P BENNETT, A., BERSTOCK, D.A., RAJA, B. & STAMFORD, I.F. Survival time after surgery is inversely related to the amounts of prostaglandins extracted from human breast cancers
- 452P MORRIS, H.R., PIPER, PRISCILLA, J., TAYLOR, G.W. & TIPPINS, J.R. The effect of arachidonate lipoxygenase substrates and inhibitors on SRS-A release in the guinea-pig lung
- 453P LEWIS, G.P., PIPER, PRISCILLA, J. & VIGO, CARMEN. Mechanism of action of anti-inflammatory steroids on membrane fluidity and phospholipase activity
- 454P PITT, EVA & LEWIS, D.A. Stimulatory action of steroidal anti-inflammatory drugs on plasma α_1 -antitrypsin levels in the rat
- 455P BIRD, J. & LEWIS, D.A. Some possible mechanisms of action of an endogenous anti-inflammatory protein
- 456P BLACK, J.W., BRADBURY, JEAN, E. & WYLLIE, J.H. Stimulation of colonic mucus output in the rat
- 457P DOWNING, O.A. & MORRIS, J.S. A hyoscine sensitive component of vagal gastric relaxation
- 458P KNIGHT, S.E., McISAAC, R.L. & RENNIE, C.D. Sensitivity of the parietal cell and gastric microvasculature to histamine and histamine antagonists in the dog
- 459P FRENCH, A.M. & SCOTT, N.C. Interactions between adenosine and a benzotriazinium salt on guinea-pig atria
- 460P HAJDU, ELEONORA, JÁRÁNYA, BEATA & MATOS, L. (introduced by TURNER, P.) The effect of large oral doses of vitamin C on the chronotropic action of isoprenaline in man
- 460P DUBOCOVICH, MARGARITA L., LANGER, S.Z. & MORET, CHANTAL. Antagonism by

- (+)-amphetamine of the inhibition of [^3H]-nor-adrenaline overflow obtained by α -adrenoceptor agonists of bretylium in the perfused cat spleen
- 462P PIPILI, EVA & WILSON, K.A. The influence of the oestrous cycle and of acute 17β oestradiol upon pressor responses in the pithed rat to nor-adrenaline, angiotensin and stimulation of spinal sympathetic outflow
- 463P KANE, KATHLEEN, McDONALD, FIONA & PARRATT, J.R. Coronary artery ligation in anaesthetized rats as a model for the assessment of antidysrhythmic activity; the effects of lignocaine, propranolol and ORG 6001
- 464P BRADSHAW, J., BRITTAIN, R.T., CLITHEROW, J.W., DALY, M.J., JACK, D., PRICE, B.J. & STABLES, R. Ranitidine (AH 19065): a new potent, selective histamine H_2 -receptor antagonist
- 465P HEMSWORTH, B.A., SHREEVE, S.M. & VEITCH, G.B.A. 1,1-Dimethyl-3-acetoxypiperidine, a new cholinergic false transmitter
- 466P FERRY, C.B. The origin of the repetitive firing of mammalian skeletal muscle after anticholinesterase drugs
- 466P BOWMAN, W.C., RODGER, I.W. & SAVAGE, A.O. Effect of 4-aminopyridine on muscle contractility in the cat
- 467P CALDER, I., HUGHES, R. & PAYNE, J.P. Tachyphylaxis after repeated dosage of decamethonium in anaesthetized man
- 468P HOWLETT, D.R. & NAHORSKI, S.R. Analysis of dopamine interactions with [^3H]-spiperone binding sites on rat corpus striatum membranes
- 469P NAHORSKI, S.R. & RICHARDSON, A. Pitfalls in the assessment of the specific binding of ($-$)[^3H]-dihydroalprenolol to β -adrenoceptors
- 470P BERRIE, C.P., BIRDSALL, N.J.M., BURGEN, A.S.V. & HULME, E.C. Ionic perturbation of agonist binding to brain muscarinic receptors
- 471P DE POVER, A. & GODFRAIND, T. Parameters of [^3H]-ouabain binding to human heart ($\text{Na}^+ + \text{K}^+$)-ATPase
- 472P BRYANT, ROSAMUNDE M. & TYERS, M.B. Antinociceptive actions of morphine and buprenorphine given intrathecally in conscious rats
- 473P METCALF, G., REES, J.M.H. & WARD, SUSAN J. *In vivo* antagonism of analgesia and respiratory depression induced by proposed μ and κ opiate agonists
- 474P BROWN, JANET & HANDLEY, SHEILA L. The effects of agents acting at pre- and post-synaptic α -adrenoceptors on haloperidol catalepsy
- 475P BATEMAN, D.N., DUTTA, D.K., McCLELLAND, H.A. & RAWLINS, M.D. The effect of metoclopramide and haloperidol on tardive dyskinesia
- 476P NICHOLSON, A.N. & STONE, BARBARA M. Effect of some stimulants on sleep in man
- 477P KERWIN, R.W. & PYCOCK, C.J. Interactions of putative neurotransmitters in the region of the raphe nuclei of the rat
- 477P CROSS, A.J. & WADDINGTON, J.L. (introduced by CROW, T.J.) Behavioural and neurochemical studies on the striatonigral GABA pathway
- 478P CLOW, A., JENNER, P., MARSDEN, C.D., PRATT, J., REAVILL, C., THANKI, C. & THEODOROU, A. Central properties of α -allophanyl- α -allyl- γ -valerolactone (valofan)
- 479P JENNER, P., LEIGH, N., MARSDEN, C.D. & REAVILL, C. Superior colliculus lesions do not alter dopamine mediated circling behaviour
- 480P AHTEE, LIISA, HALMEKOSKI, J., HEINONEN, HELINÄ & KOSKIMIES, ANNA. Comparison of the central nervous system actions of taurine and N-pivaloyltaurine
- 481P COOPER, S.J. & DOURISH, C.T. Sedation, stereotypy and the inhibition of drinking after administration of ET 495 in the rat
- 482P BLUNDELL, J.E. & LATHAM, C.J. Sensitivity of the behavioural assay for measuring the action of drugs on feeding: effects of tryptophan and 5-hydroxy-tryptophan
- 483P JOSEPH, M.H. & KADAM, B.V. Kynurenine: penetration to the brain, effect on brain tryptophan and 5-hydroxytryptamine metabolism and binding to plasma albumin
- 484P GOULD, SUSAN E. (introduced by HANDLEY, SHEILA L.) The uptake of kynurenine, a tryptophan metabolite, into mouse brain
- 487P ALI, M. & LINDUP, W.E. Disposition and pharmacokinetics of phenytoin in rats with acute renal failure
- 488P HAYES, ANN G. & TYERS, M.B. Effects of intrathecal and intracerebroventricular injections of substance P on nociception in the rat and mouse
- 489P BEARD, A.J., HEMSWORTH, B.A. & WRIGHT, N. Non-fatal drug overdoses in a region of Birmingham
- 489P BOGAERT, M.G., BUYLAERT, W.A., DE SCHAEPPDRYVER, A.F., MOERMAN, E.J. & WILLEMS, J.L. Dopaminergic inhibition of transmitter release as a mechanism of vasodilatation in the dog hindlimb
- 491P ALI, B.H. & BARTLET, A.L. Inhibition of monoamine oxidase by furazolidone in the chicken: influence of the alimentary flora
- 492P BARNFIELD, D.J., BOURNE, G.R., LOWERY, C. & MOSS, S.R. Dose dependent disposition of [^{14}C]-ICI 89,406 in the male rat: is this due to

- a capacity limited excretory pathway for the drug into bile?
- 492P COSTALL, B. & NAYLOR, R.J. Changes in dopamine receptor status after denervation or chronic receptor stimulation
- 493P CROSSMAN, A.R., LEE, L.A., LONGMAN, D.A. & SLATER, P. Effects of benzodiazepines and barbiturates in a GABA-dependent animal model: interactions with muscimol in the globus pallidus
- 495P FADLOUN, Z. & LEACH, G.D.H. The effects of Cd^{2+} on the responsiveness of the rat anococcygeus muscle and vas deferens to electrical stimulation, noradrenaline, tyramine and K^+
- 496P AUTHI, K.S. & TRAYNOR, J.R. Effects of anti-malarial drugs on phospholipase A_2
- 496P BARBER, H.E., HAWKSWORTH, G.M. & TURNER, S.J. The transport of cimetidine across the rat small intestine *in vitro*
- 497P ANWAR, N. & MASON, D.F.J. The action of dopamine on constrictor responses in the perfused rat mesenteric artery
- 498P ALI, M., NICHOLLS, P.J. & YOOSUF, A. The influence of old age and of renal failure on hepatic glucuronidation in the rat
- 499P LEWIS, A. J., NORRIS, A.A. & ZEITLIN, I.J. Studies on a cell-mediated immune response in the guinea-pig colon
- 500P LEWIS, G.P., PIPER, PRISCILLA J. & VIGO, CARMEN. A simple method for the measurement of phospholipase activity
- 501P HINDE, J., MILLSON, D.S. & RAWLINS, M.D. A comparison of linear and nonlinear parameter estimates in drug receptor quantitation
- 502P MULLEN, P.W. The inhibitory effect of ionophore A23187 on the hydrolysis of fluorescein diacetate by human lymphocytes
- 503P SCHWALBE, C.H. & SCOTT, D.K. (introduced by LEWIS, D.A.) Geometry of quinidine-like antiarrhythmic drugs
- 504P LINDUP, W.E., LONGSHAW, S., ORTON, T.C. & WHITTAKER, S.E. The distribution and irreversible tissue binding of practolol and its metabolites in the hamster
- 505P HEDBERG, A., MINNEMAN, K.P. & MOLINOFF, P.B. (introduced by ÅBLAD, B.) Regional distribution of β_1 - and β_2 -adrenoceptors in the right atrium and left ventricle of the cat and guinea-pig heart
- 506P ANDRÉ, JOËLLE N., DRING, L.G., GILLET, G. & MAS-CHAMBERLIN, CLAIRE. The metabolism in rat of tiflorex, a *m*-trifluoromethylthio-substituted phenylisopropylamine
- 507P HARPUR, E.S., JABEEN, FARZANA & KINGSTON, ROSETTA. Methods for the histopathological study of the drug-damaged guinea-pig organ of Corti
- 507P BOAKES, R.J. & WESTON, S.B. Use of an *in vitro* hippocampal slice preparation in studies of the actions of the benzodiazepines

VOLUME 66 NUMBER 4 AUGUST 1979

- 511 CHAND, N., DEROTH, L. & EYRE, P. Pharmacology of Schultz-Dale reaction in canine lung strip *in vitro*: possible model for allergic asthma
- 517 POWELL, JAMES R. & SHAMEL, L. BLAIR. Characterization of vascular histamine receptors in the rat
- 521 BENEDICT, C.R., FILLENZ, MARIANNE & STANFORD, CLARE. Noradrenaline release in rats during prolonged cold-stress and repeated swim-stress
- 525 BARBER, H.E., CALVEY, T.N. & MUIR, K.T. The relationship between the pharmacokinetics, cholinesterase inhibition and facilitation of twitch tension of the quaternary ammonium anticholinesterase drugs, neostigmine, pyridostigmine, edrophonium and 3-hydroxyphenyltrimethylammonium
- 531 NOMURA, Y. & SEGAWA, T. The effect of α -adrenoceptor antagonists and metiamide on clonidine-induced locomotor stimulation in the infant rat
- 537 HIRSCH, J., KIRPEKAR, S.M. & PRAT, J.C. Effect of guanidine on release of noradrenaline from the perfused spleen of the cat
- 547 ANDERSON, A.A., FLETCHER, THELMA C. & SMITH G.M. The release of prostaglandin E_2 from the skin of the plaice, *Pleuronectes platessa* L.
- 553 BROWN, CHRISTINE M., McGRATH, J.C. & SUMMERS, R.J. The effects of α -adrenoceptor agonists and antagonists on responses of transversally stimulated prostatic and epididymal portions of the isolated vas deferens of the rat
- 565 DASCOMBE, M.J. & MILTON, A.S. Study on the possible entry of bacterial endotoxin and prostaglandin E_2 into the central nervous system from the blood.
- 573 CURZON, G., FERNANDO, J.C.R. & LEES, A.J. Backward walking and circling: behavioural responses induced by drug treatments which cause simultaneous release of catecholamines and 5-hydroxytryptamine

- 581 BARLOW, R.B. & BURSTON, K.N. Temperature coefficients of affinity and entropies of adsorption for enantiomeric pairs of compounds acting at muscarinic receptors in the guinea-pig ileum
- 587 BARLOW, R.B., BIRDSALL, N.J.M., & HULME, E.C. Temperature coefficients of affinity constants for the binding of antagonists to muscarinic receptors in the rat cerebral cortex
- 591 AGUIRRE, J., FALUTZ, J., PINTO, J.E.B. & TRIFARO, J.M. Effects of methoxyverapamil on the stimulation by Ca^{2+} , Sr^{2+} and Ba^{2+} and on the inhibition by Mg^{2+} of catecholamine release from the adrenal medulla
- 601 GILLAN, MAUREEN G.C., KOSTERLITZ, H.W., ROBSON, LINDA E. & WATERFIELD, ANGELA A. The inhibitory effects of presynaptic α -adrenoceptor agonists on contractions of guinea-pig ileum and mouse vas deferens in the morphine-dependent and withdrawn states produced *in vitro*
- 609 KANE, KATHLEEN A., McDONALD, FIONA M. & PARRATT, J.R. The effect of the aminosteroid, ORG 6001, on hypothermia-induced ventricular fibrillation in the cat