

British Journal of Pharmacology

SHORT COMMUNICATIONS

- 355 LANG, RICHARD J. Temperature and inhibitory junctional transmission in guinea-pig ileum
 358 CHADWICK, D., JENNER, P. & MARSDEN, C.D. 5-Hydroxytryptamine and myoclonus induced by 1,2-dihydroxybenzene (catechol) in the guinea-pig
 361 HART, S.L., KITCHEN, I. & WADDELL, P.R. Different effects of current strength on inhibitory responses of the mouse vas deferens to methionine- and leucine-enkephaline

PAPERS

- 365 BEETS, J.L. & DALE, M. MAUREEN. Inhibition of guinea-pig lymphocyte activation by histamine and histamine analogues
 373 PIERCEY, M.F. & RUWARD, M.J. Naloxone inhibits the anti-diarrhoeal activity of loperamide
 377 JUORIO, A.V. Drug-induced changes in the formation, storage and metabolism of tyramine in the mouse
 385 HERMAN, A.G., LAEKEMAN, G.M. & VAN BEEK, H.A. Involvement of SRS-A in the Schultz-Dale response of the guinea-pig small intestine
 393 ELLIOTT, R.C. Contractures elicited by tetraethylammonium in avian muscle treated with methohexitone
 401 BROADLEY, K.J. & NICHOLSON, C.D. Functional antagonism as a means of determining dissociation constants and relative efficacies of sympathomimetic amines in guinea-pig isolated atria
 409 SAKAI, K., SHIRAKI, Y., TATSUMI, T. & TSUJI, K. The actions of 5-hydroxytryptamine and histamine on the isolated ileum of the tree shrew (*Tupaia glis*)

- 409 MACLAGAN, JENNIFER & NEY, URSULA M. Investigation of the mechanism of propranolol-induced bronchoconstriction
 419P PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, University of Aston, 4th-6th April, 1979
 419P HALL, B.E. & JAMES, S.P. (introduced by CALDWELL, J.) Aromatic amino acetylation in the adult and neonatal marmoset
 421P CALDWELL, J., EMUDIANUGHE, T.S. & SMITH, R.L. Species variation in the taurine conjugation of clofibrate acid
 422P SMITH, D.A. (introduced by CALDWELL, J.) Differences in toxicity due to species variation in the metabolism of an oral anti-allergy agent
 423P BURKE, M.D. & TWEEDIE, D.J. (introduced by BARBER, H.E.) Induction by phenobarbitone or 3-methylcholanthrene of the hepatic microsomal metabolism of harmine
 423P BOOBIS, SUSAN & PERSAUD, NIRMALA. The relative inducing potency of antiepileptic drugs in mice
 424P GOLDBERG, A., MCCOLL, K.E.L., MOORE, M.R. & THOMPSON, G.G. Activity of leucocyte delta-aminolaevulinic acid synthase during diphenylhydantoin anti-convulsant therapy
 425P DAVIES, D.S. & HUGHES, H. The metabolism of *N,N'*-dimethylclonidine by rat liver microsomes
 425P DAVIES, D.S. & McMANUS, M.E. The effect of paraquat on the covalent binding of radio-labelled DOPA to liver and lung microsomal protein
 426P BOOBIS, A.R., BRODIE, M.J., BULPITT, C.J. & DAVIES, D.S. Environmental factors affecting monooxygenase activity of microsomal fractions of human liver biopsies
 427P BOOBIS, A.R., DAVIES, D.S. & LEWIS, K.M. Resolution and reconstitution of two forms of hepatic cytochrome P-450 from rabbits
 428P BOOBIS, A.R., BRODIE, M.J., DAVIES, D.S., KAHN, G.C. & WHYTE, C. Biophasic Michaelis-Menten kinetics for ethoxycoumarin and phenace-

- tin metabolism by human and rat hepatic monooxygenases
- 429P HOUSTON, J.B. & LOCKWOOD, G.F. (introduced by ROWLAND, M.) Aminopyrine demethylation kinetics: comparison of plasma and exhaled metabolites
- 430P IDLE, J.R., SLOAN, T.P., SMITH, R.L. & WAKILE, L.A. Application of the phenotyped panel approach to the detection of polymorphism of drug oxidation in man
- 431P ANDOH, B., IDLE, J.R., MAHGOUB, A., SLOAN, T.P., SMITH, R.L. & WOOLHOUSE, N. Polymorphic hydroxylation of debrisoquine in Ghanaians
- 432P IDLE, J.R., RITCHIE, J.C. & SMITH, R.L. Oxidation phenotype and metiamide metabolism
- 433P BELL, J.A., MARTIN, L.E. (introduced by BRITAIN, R.T.) The metabolism of fazadinium bromide
- 433P GESCHER, A. & GREEN, ANN E. (introduced by HARPUR, E.S.) Drug metabolism interactions with cytotoxic agents in mice
- 434P GESCHER, A., HICKMAN, J.A. & STEVENS, M.F.G. (introduced by HARPUR, E.S.) *In vitro* biotransformation of carbinolamine metabolites of cytotoxic dimethyltriazenes
- 435P CLARKE, D.E., MILLER, H.H. & SHORE, P.A. Monoamine oxidase inhibition by (+)-amphetamine *in vivo*
- 436P FOZARD, J.R., GROVE, J., PART, M.L. & PRAKASH, N.J. Inhibition of early embryogenic development in mice by α -difluoromethyl ornithine, an enzyme-activated irreversible inhibitor of L-ornithine decarboxylase
- 437P MAGOS, L. & TANDON, S.K. Decreased nephrotoxic effect of mercuric chloride on the regenerating kidneys
- 438P LITTLE, R.A. & RAY, D.E. (introduced by MAGOS, L.) Tributyl S,S,S-phosphotriethylate (DEF), a potential tool in thermoregulation research
- 439P HEMSWORTH, B.A. & STREET, J.A. *In vitro* accumulation of (\pm)-oxprenolol by rat lung
- 440P ANDERSSON, R.G.G., LEWIS, D.H., POST, C. & RYRFELDT, Å. Interaction between nortriptyline and lignocaine for uptake by lung in isolated lungs and *in vivo*
- 441P RAWLINS, M.D., SHAW, VALERIE & SHUSTER, S. The *in vitro* metabolism of betamethasone-17-valerate by human skin
- 441P BACK, D.J., BOLT, H.M., BRECKENRIDGE, A.M., CRAWFORD, F.E., MACIVER, M., ORME, M.L.E., ROWE, P.H., SCHINDLER, A.E. & SMITH, E. The pharmacokinetics of ethinyloestradiol in women
- 442P ASHFORD, J.J., CARMICHAEL, D. & KIDNER, P.H. Pharmacokinetics of disopyramide administered by intramuscular, intravenous and oral routes to normal volunteers
- 443P BLACKBURN, K.J., BURGESS, R.A., GARDINER, D.G., HIGGINS, A.J., MORVILLE & PAGE, M.G. (introduced by DAVEY, I.) Protection against experimental myocardial ischaemia by L-4-hydroxy-phenylglycine, an agent which alters myocardial metabolic balance in favour of carbohydrate utilisation
- 444P ATKINSON, L., BERGMAN, G., JACKSON, JEWITT, D.E. & METCALFE, J.M. (introduced by BARRETT, A.M.) Potential protective value of enhanced myocardial carbohydrate utilisation with reduced free fatty acid uptake after UK 253,003 in patients with coronary artery disease
- 445P BOUDOT, J.P., CAVERO, I., FÉNARD, LÉFÈVRE-BORG, F., MANOURY, P., ROACH, A.G. Preliminary studies on SL 75,000, a new potent cardioselective β -adrenoceptor antagonist
- 446P STOCKLEY, HELEN L. The role of prostaglandins in cholinergic transmission in guinea pig ileum
- 447P WALKER, R. & WILSON, K.A. Prostaglandin synthesis and the response of rat isolated ileum and duodenum to bradykinin
- 448P HENMAN, M.C., LEACH, G.D.H., & NAYLOR, I.L. Production of prostaglandin-like material in rat tail skin in response to injury
- 449P BENNETT, A., CARROLL, MAIREAD, A., SANGER, G.J. Sodium flufenamate antagonises the potentiation by prostaglandins of adrenaline-induced vasoconstriction in mesentery
- 450P BENNETT, A. & SANGER, G.J. Trimethoprim selectively antagonises longitudinal muscle contractions of rat isolated gastric fundus by inhibiting thromboxane B₂ and epoxymethano analogues of PGH₂
- 451P BENNETT, A., BERSTOCK, D.A., RAJA, B. & STAMFORD, I.F. Survival time after surgery is inversely related to the amounts of prostaglandins extracted from human breast cancers
- 452P MORRIS, H.R., PIPER, PRISCILLA, J., THORP, G.W. & TIPPINS, J.R. The effect of arachidonic acid on lipoxygenase substrates and inhibitors on SRS-A release in the guinea-pig lung
- 453P LEWIS, G.P., PIPER, PRISCILLA, J. & VICKERS, CARMEN. Mechanism of action of anti-inflammatory steroids on membrane fluidity and phospholipase activity
- 454P PITT, EVA & LEWIS, D.A. Stimulatory action of steroidal anti-inflammatory drugs on plasma α_1 -antitrypsin levels in the rat
- 455P BIRD, J. & LEWIS, D.A. Some possible mechanisms of action of an endogenous anti-inflammatory protein

- 467P BLACK, J.W., BRADBURY, JEAN, E. & WYLIE, J.H. Stimulation of colonic mucus output in the rat
- 47P DOWNING, O.A. & MORRIS, J.S. A hyoscine sensitive component of vagal gastric relaxation
- 468P KNIGHT, S.E., McISAAC, R.L. & RENNIE, C.D. Sensitivity of the parietal cell and gastric microvasculature to histamine and histamine antagonists in the dog
- 469P FRENCH, A.M. & SCOTT, N.C. Interactions between adenosine and a benzotriazinium salt on guinea-pig atria
- 470P HAJDU, ELEONORA, JÁRÁNYA, BEATA & MATOS, L. (introduced by TURNER, P.) The effect of large oral doses of vitamin C on the chronotropic action of isoprenaline in man
- 471P DUBOCOVICH, MARGARITA L., LANGER, S.Z. & MORET, CHANTAL. Antagonism by (+)-amphetamine of the inhibition of [3 H]-nor-adrenaline overflow obtained by α -adrenoceptor agonists of bretylium in the perfused cat spleen
- 472P PIPILI, EVA & WILSON, K.A. The influence of the oestrous cycle and of acute 17β oestradiol upon pressor responses in the pithed rat to nor-adrenaline, angiotensin and stimulation of spinal sympathetic outflow
- 473P KANE, KATHLEEN, McDONALD, FIONA & PARRATT, J.R. Coronary artery ligation in anaesthetized rats as a model for the assessment of antidysrhythmic activity; the effects of lignocaine, propranolol and ORG 6001
- 474P BRADSHAW, J., BRITTAI, R.T., CLITHEROW, J.W., DALY, M.J., JACK, D., PRICE, B.J. & STABLES, R. Ranitidine (AH 19065): a new potent, selective histamine H_2 -receptor antagonist
- 475P HEMSWORTH, B.A., SHREEVE, S.M. & VEITCH, G.B.A. 1,1-Dimethyl-3-acetoxypiperidine, a new cholinergic false transmitter
- 476P FERRY, C.B. The origin of the repetitive firing of mammalian skeletal muscle after anticholinesterase drugs
- 477P BOWMAN, W.C., RODGER, I.W. & SAVAGE, A.O. Effect of 4-aminopyridine on muscle contractility in the cat
- 478P CALDER, I., HUGHES, R. & PAYNE, J.P. Tachyphylaxis after repeated dosage of decamethonium in anaesthetized man
- 479P HOWLETT, D.R. & NAHORSKI, S.R. Analysis of dopamine interactions with [3 H]-spiperone binding sites on rat corpus striatum membranes
- 480P NAHORSKI, S.R. & RICHARDSON, A. Pitfalls in the assessment of the specific binding of (-)-[3 H]-dihydroalprenolol to β -adrenoceptors
- 481P BERRIE, C.P., BIRDSALL, N.J.M., BURGEN, A.S.V. & HULME, E.C. Ionic perturbation of agonist binding to brain muscarinic receptors
- 482P DE POVER, A. & GODFRAIND, T. Parameters of [3 H]-ouabain binding to human heart ($Na^+ + K^+$)-ATPase
- 483P BRYANT, ROSAMUNDE M. & TYERS, M.B. Antinociceptive actions of morphine and buprenorphine given intrathecally in conscious rats
- 484P METCALF, G., REES, J.M.H. & WARD, SUSAN J. *In vivo* antagonism of analgesia and respiratory depression induced by proposed μ and κ opiate agonists
- 485P BROWN, JANET & HANDLEY, SHEILA L. The effects of agents acting at pre- and post-synaptic α -adrenoceptors on haloperidol catalepsy
- 486P BATEMAN, D.N., DUTTA, D.K., McCLELLAND, H.A. & RAWLINS, M.D. The effect of metoclopramide and haloperidol on tardive dyskinesia
- 487P NICHOLSON, A.N. & STONE, BARBARA M. Effect of some stimulants on sleep in man
- 488P KERWIN, R.W. & PYCOCK, C.J. Interactions of putative neurotransmitters in the region of the raphe nuclei of the rat
- 489P CROSS, A.J. & WADDINGTON, J.L. (introduced by CROW, T.J.) Behavioural and neurochemical studies on the striatonigral GABA pathway
- 490P CLOW, A., JENNER, P., MARSDEN, C.D., PRATT, J., REAVILL, C., THANKI, C. & THEODOROU, A. Central properties of α -allophanyl- α -allyl- γ -valerolactone (valofan)
- 491P JENNER, P., LEIGH, N., MARSDEN, C.D. & REAVILL, C. Superior colliculus lesions do not alter dopamine mediated circling behaviour
- 492P AHTEE, LIISA, HALMEKOSKI, J., HEINONEN, HELINÄ & KOSKIMIES, ANNA. Comparison of the central nervous system actions of taurine and N-pivaloyltaurine
- 493P COOPER, S.J. & DOURISH, C.T. Sedation, stereotypy and the inhibition of drinking after administration of ET 495 in the rat
- 494P BLUNDELL, J.E. & LATHAM, C.J. Sensitivity of the behavioural assay for measuring the action of drugs on feeding: effects of tryptophan and 5-hydroxy-tryptophan
- 495P JOSEPH, M.H. & KADAM, B.V. Kynurenine: penetration to the brain, effect on brain tryptophan and 5-hydroxytryptamine metabolism and binding to plasma albumin
- 496P GOULD, SUSAN E. (introduced by HANDLEY, SHEILA L.) The uptake of kynurenine, a tryptophan metabolite, into mouse brain
- 497P ALI, M. & LINDUP, W.E. Disposition and pharmacokinetics of phenytoin in rats with acute renal failure

- 488P HAYES, ANN G. & TYERS, M.B. Effects of intrathecal and intracerebroventricular injections of substance P on nociception in the rat and mouse
- 489P BEARD, A.J., HEMSWORTH, B.A. & WRIGHT, N. Non-fatal drug overdoses in a region of Birmingham
- 489P BOGAERT, M.G., BUYLAERT, W.A., DE SCHAEPPDRYVER, A.F., MOERMAN, E.J. & WILLEMS, J.L. Dopaminergic inhibition of transmitter release as a mechanism of vasodilatation in the dog hindlimb
- 491P ALI, B.H. & BARTLET, A.L. Inhibition of monoamine oxidase by furazolidone in the chicken: influence of the alimentary flora
- 492P BARNFIELD, D.J., BOURNE, G.R., LOWERY, C. & MOSS, S.R. Dose dependent disposition of [^{14}C]-ICI 89,406 in the male rat: is this due to a capacity limited excretory pathway for the drug into bile?
- 492P COSTALL, B. & NAYLOR, R.J. Changes in dopamine receptor status after denervation or chronic receptor stimulation
- 493P CROSSMAN, A.R., LEE, L.A., LONGMAN, D.A. & SLATER, P. Effects of benzodiazepines and barbiturates in a GABA-dependent animal model: interactions with muscimol in the globus pallidus
- 495P FADLOUN, Z. & LEACH, G.D.H. The effects of Cd^{2+} on the responsiveness of the rat anococcygeus muscle and vas deferens to electrical stimulation, noradrenaline, tyramine and K^{+}
- 496P AUTHI, K.S. & TRAYNOR, J.R. Effects of anti-malarial drugs on phospholipase A_2
- 496P BARBER, H.E., HAWKSWORTH, G.M. & TURNER, S.J. The transport of cimetidine across the rat small intestine *in vitro*
- 497P ANWAR, N. & MASON, D.F.J. The action of dopamine on constrictor responses in the perfused rat mesenteric artery
- 498P ALI, M., NICHOLLS, P.J. & YOOSUF, A. Influence of old age and of renal failure on hepatic glucuronidation in the rat
- 499P LEWIS, A. J., NORRIS, A.A. & ZEITLIN, J. Studies on a cell-mediated immune response in guinea-pig colon
- 500P LEWIS, G.P., PIPER, PRISCILLA J. & VILLAR, CARMEN. A simple method for the measurement of phospholipase activity
- 501P HINDE, J., MILLSON, D.S. & RAWLINS, J. A comparison of linear and nonlinear parameter estimates in drug receptor quantitation
- 502P MULLEN, P.W. The inhibitory effect of inositol phosphate A23187 on the hydrolysis of fluorescein acetate by human lymphocytes
- 503P SCHWALBE, C.H. & SCOTT, D.K. (introduced by LEWIS, D.A.) Geometry of quinidine antiarrhythmic drugs
- 504P LINDUP, W.E., LONGSHAW, S., ORTON, J. & WHITTAKER, S.E. The distribution and reversible tissue binding of practolol and its metabolites in the hamster
- 505P HEDBERG, A., MINNEMAN, K.P. & MOLINOFF, P.B. (introduced by ÅBLAD, B.) Regional distribution of β_1 - and β_2 -adrenoceptors in the right atrium and left ventricle of the rat and guinea-pig heart
- 506P ANDRÉ, JOËLLE N., DRING, L.G., GILLI, G. & MAS-CHAMBERLIN, CLAIRE. Metabolism in rat of tiflorex, a *m*-trifluoromethylthio-substituted phenylisopropylamine
- 507P HARPUR, E.S., JABEEN, FARZANA & KIRSTON, ROSETTA. Methods for the histopathological study of the drug-damaged guinea pig organ of Corti
- 507P BOAKES, R.J. & WESTON, S.B. Use of an *in vitro* hippocampal slice preparation in studying the actions of the benzodiazepines