British Journal of Pharmacology

SHORT COMMUNICATIONS

- 5 HALLIDAY, J. & HARDING, S.E. Enhancement of the toxic effects of veratrine on guinea-pig. atrium by threshold inotropic doses of ouabain
- 8 BAKER, STEPHEN P. & POTTER, LINCOLN T. Effect of propranolol on β-adrenoceptors in rat hearts
- 11 KALIX, PETER Hypermotility of the amphetamine type induced by a constituent of khat leaves
- 14 CARNUCCIO, ROSA, DI ROSA, M. & PER-SICO, PAOLA Hydrocortisone-induced inhibitor of prostaglandin biosynthesis in rat leucocytes
- 17 WANG FU, L.H., HAYASHI, SHIGEHIRO & TODA, NOBORU Effects of 5-hydroxytryptophol, a 5-hydroxytryptamine metabolite, on isolated cerebral arteries of the dog
- 19 ALTURA, BURTON M. & GEBREWOLD, ASEFA Prophylactic administration of antibiotics compromises reticuloendothelial system function and exacerbates shock mortality in rats
- 22 BADAWY, A.A.-B., EVANS, M. & PUNJANI, N.F. Enhancement of rat brain metabolism of a tryptophan load by chronic ethanol administration

PAPERS

- 25 KANE, KATHLEEN, A. Comparative electrophysiological effects of Org 6001, a new orally active antidysrhythmic agent, and lignocaine on human ventricular muscle
- 33 BLACKWELL, G.J., BURKA, J.F., FLOWER, R.J. & TORKINGTON, P. On the preparation of highly purified slow reacting substance of anaphylaxis (SRS-A) from biological extracts
- 47 DOWN, JAMES, A. & SZERB, JOHN, C. Kinetics of morphine-sensitive [3H]-acetylcholine release from the guinea-pig myenteric plexus
- 57 BAKER, STEPHEN, P., BOYD, HELEN, M. & POTTER, LINCOLN, T. Distribution and func-

- tion of β -adrenoceptors in different chambers of the canine heart
- 65 BAKER, STEPHEN, P. & POTTER, LINCOLN, T. Cardiac β-adrenoceptors during normal growth of male and female rats
- 71 BLASS, K.-E., BLOCK, H.-U., FÖRSTER, W. & PÖNICKE, K. Dipyridamole: a potent stimulator of prostacyclin (PGI₂) biosynthesis
- 75 NICHOLSON, A.N. & WRIGHT, CATHERINE, M. β-Adrenoceptor antagonists: studies on behaviour (delayed differentiation) in the monkey (Macaca mulatta)
- 83 QUIRION, R., REGOLI, D., RIOUX, F. & ST-PIERRE, S. The stimulatory effects of neurotensin and related peptides in rat stomach strips and guinea-pig atria
- 93 WAKADE, ARUN, R. A comparison of rates of depletion and recovery of noradrenaline stores of peripheral and central noradrenergic neurones after reserpine administration: importance of neuronal activity
- 99 HARA, YUSUKE, KITAMURA, KENJI, & KURIYAMA, HIROSI Actions of 4-aminopyridine on vascular smooth muscle tissues of the guinea-pig
- 107P PROCEEDINGS OF THE BRITISH PHARMA-COLOGICAL SOCIETY, University of Leeds, 12th-14th September, 1979
- 107P BIRCH, PENNY, CLOUGH, D.P., HATTON, R. & WHEATLEY, DEBORAH, J. Hypotensive and sedative properties of α-adrenoceptor agonists: relation to pre- and post-synaptic stimulation
- 109P SMITS, J.F.M., STRUYKER-BOUDIER, H.A.J. & VAN ESSEN, HELMA Effects of propranolol on baroreceptor reflex sensitivity in the conscious spontaneously hypertensive rat (SHR)
- 110P COLEMAN, T.G., SMITH, T.L., SMITS, J.F.M. & STRUYKER-BOUDIER, H.A.J. Acute haemodynamic effects of propranolol in the conscious spontaneously hypertensive rat (SHR)

- 112P DUBOCOVICH, MARGARITA, L., GARCIA-SEVILLA, J.A., LANGER, S.Z. & MASSING-HAM, R. Experimental renal hypertension and [³H]-noradrenaline release from the rabbit hypothalamus: enhanced K⁺-evoked overflow of tritium and lack of facilitation through presynaptic angiotensin II receptors
- 113P KARAMAT ALI, F., KOSSEN, S.P., TIMMER-MANS, P.B.M.W.M. & VAN ZWITEN, P.A. Effects of prazosin and two of its derivatives (UK 18.596 and UK 33.274) on α-adrenoceptors
- 113P FENIUK, W. & HUMPHREY, P.P.A. The effect of sympathetic activity on vasomotor responses to methysergide in the femoral arterial bed of the anaesthetized dog
- 114P COLEMAN, R.A., HUMPHREY, P.P.A., KEN-NEDY, I., LEVY, G.P. & LUMLEY, P. Are there two types of prostaglandin receptor mediating vasodilatation in the dog?
- 115P FRASER, B., HAMILTON, C.A., REID, J.L. & ZAMBOULIS, C. Cardiovascular effects of α-adrenoceptor antagonists in the conscious rabbit
- 116P VAN BOOM, M.P. & SAXENA, P.R. Regional haemodynamic changes evoked by isoprenaline in conscious normotensive and renal hypertensive rabbits
- 117P DOLLERY, C.T. & MIYAMORI, I. Indomethacin and the hypotensive action of captopril in DOCA salt hypertensive rats
- 118P BACK, D.J., BRECJENRIDGE, A.M., CRAW-FORD, FRANCESCA, E., CROSS, KAREN, J., ORME, M. L'E. & ROWE, P.H. The interaction of antibiotics with ethinyloestradiol in the rat and rabbit
- 119P CALDWELL, J., D'SOUZA, J. & SMITH, R.L. Species variations in the N-methylation and quaternization of [14C]-pyridine in vivo
- 120P KROOS-DE HAAN, M.A. & NOORDHOEK, J. Enhancement of antipyrine clearance and induction of antipyrine 4-hydroxylation by 3-methylcholanthrene in rats
- 121P VAN BOXTEL, C.J., BREIMER, D.D. & DAN-HOF, M. Studies on the different metabolic pathways of antipyrine as a tool in the assessment of the activity of different drug metabolizing enzyme systems in man
- 121P BAST, A. & NOORDHOEK, J. Inhibition of aminopyrine demethylation and binding to cytochrome P-450 by its main metabolites in rat liver microsomes
- 123P ADOLGS, M.J.P., BONTA, I.L. & BRAGT, P.G. Increased lipid peroxidation and decreased hepatic aminopyrine metabolism during carrageenininduced granulomatous inflammation in the rat

- 124P DUMONDE, D.C., JASANI, M.K., SJOGREN, H.K. & WOLSTENCROFT, R.A. Determination of lymphokine induced histamine release *in vitro*
- 125P AUTHI, K.S. & TRAYNOR, J.R. Release of a lysosomal phospholipase A from rabbit neutrophil leucocytes
- 126P VINCENT, J.E. & ZIJLSTRA, F.J. (introduced by BONTA, I.L.) Metabolism and incorporation in the tissues of arachidonic acid in normal and essential fatty acid deficient rats
- 126P Hicks, J., HILLIER, M., SIBLEY, P., SKID-MORE, I.F. & WHITE, B. (introduced by BRIT-TAIN, R.T.) Effects of exogenous arachidonic acid on the anti-inflammatory actions of dexamethasone in the rat
- 127P COLEMAN, R.A., HUMPHREY, P.P.A., KENNEDY, I., LEVY, G.P. & LUMLEY, P. U-46619, a selective thromboxane A₂-like agonist?
- 128P MARTIN, R.J. (introduced by ALEXANDER, F.)
 The effect of GABA on the conductance of Ascarid
 muscle
- 129P BUCKETT, W.R. Induction of analgesia and morphine potentiation by irreversible inhibitors of GABA-transaminase
- 130P FLETCHER, A. & FOWLER, L.J. (introduced by SIMMONDS, M.A.) Some neurochemical effects of chronic oral administration of ethanolamine *O*-sulphate to rats
- 131P MINCHIN, M.C.W. (introduced by ANGEL, A.)

 The effect of some anaesthetic agents on

 [³H]-GABA release from rat brain slices
- 132P DAO, W.P.C. & WALKER, R.J. Octopamine responses of neurones in the rat thalamus
- 133P BLACKWOOD, D.H.R. & KAPOOR, V. (introduced by McQUEEN, J.K.) Regional changes in cerebral glucose utilization in kindles rats during convulsions
- 134P SALT, T.E., TULLOCH, I.F. & WALTER, D.S. (introduced by METCALF, G.) Anti-epileptic properties of sodium valproate in rat amygdaloid kindling
- 134P HILLIER, K., ROBERTS, P.J. & TEMPLETON, WILMA, W. PGE₂ mediated negative feedback of noradrenaline overflow in the central nervous system
- 135P DEHPOUR, A.R., KHOYI, M.A., POUSTI, A., SEIFY, A. & ZARRINDAST, M.R. Release of [3H]-noradrenaline from the guinea-pig vas deferens by ethacrynic acid
- 136P NEDERGAARD, O.A. Modulation by the muscarinic agonist McN-A-343 of release of noradrenaline from sympathetic neurones in the rabbit pulmonary artery

- 136P COOTE, J.H., FLEETWOOD-WALKER, S.M. & MITCHELL, P.R. Catecholamine receptors in thoracic spinal cord
- 138P BARNES, P.J., DOLLERY, C.T., HAMILTON, C.A. & KARLINER, J.S. α-Adrenoceptor binding in guinea-pig lung using [³H]-prazosin
- 138P KWA, H.Y., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Interaction between prazosin and benzodioxan antihypertensives (R 28935 and R 29814); a competition for central α₁-adrenoceptors
- 139P DREW, G.M. & SULLIVAN, A.T. Effects of α-adrenoceptor agonists and antagonists on adrenergic neurotransmitter overflow from dog isolated saphenous veins
- 140P DOCHERTY, J.R. & McGRATH, J.C. A comparison of the relaxant and autonomic effects of pancuronium and its monoquaternary derivative Organon NC 45 in the pithed rat
- 141P BARLOW, R.B., BURSTON, K.N. & VIS, ANNE Three types of muscarinic receptors?
- 142P BIRDSALL, N.J.M., BURGEN, A.S.V., HULME, E.C. & WONG, E.H.F. Effects of p-chloromercuribenzoate on muscarinic receptor binding in rat brain
- 143P COLQUHOUN, D. & SHERIDAN, R.E. Kinetic effects of tubocurarine on skeletal muscle at high agonist concentrations
- 144P VAN WILGENBURG, H. Effects of glucocorticoids on acetylcholine release at the neuromuscular junction
- 144P LEEUWN, R.S. & VELDSEMA-CURRIE, R.D. Direct effects of glucocorticoids at the neuromuscular junction
- 145P BEDFORD, C.D., BERTRAM, J.A. & MORRIS, I.D. (introduced by COX, B.) Effect of histamine upon core and tail skin temperature of the conscious restrained rat
- 146P NIJKAMP, F.P., RAAIJMAKERS, J.A.M., SCHREURS, A.J.M. & TERPSTRA, G.K. Inhibition of effects of isoprenaline and adrenaline by *Haemophilus influenzae* vaccination
- 147P NIJKAMP, F.P., RAAIJMAKERS, J.A.M., SCHREURS, A.J.M. & TERPSTRA, G.K. Facilitation of histamine release in the *Haemophilus influenzae* vaccinated experimental animal
- 148P CLANACHAN, A.S. & MARSHALL, R.J. Therapeutic concentrations of diazepam potentiate the effects of adenosine on isolated cardiac and smooth muscle
- 149P BHALLA, P. & MARSHALL, I. Histamine H₂-receptor antagonists in the mouse isolated vas deferens

- 150P WHALLEY, E.T. & WHITE, SUSAN, K. Comparison of various prostaglandins (PG's) on the *in vivo* longitudinal uterine smooth muscle of the rat and guinea-pig
- 151P FORSTER, C., MOHAN, J. & WHALLEY, E.T. Dose-dependent nature of the interaction of fibrinogen-degradation products and 5-hydroxytryptamine on various vascular smooth muscle preparations
- 152P VAN DER HEIJDEN, P.J.C.M. & ZAAGSMA, J. Characterization of the β-adrenoceptors in guineapig lung mast cells
- 153P DE VENTE, J. & ZAAGSMA, J. Interaction of adenosine with adenylate cyclase in rat fat cell membranes
- 153P BARRIGÓN, S., DEMIGUEL, B., GARCIA DE JALON, P. & TAMARGO, J. Effect of oxytocin on ⁴⁵Ca movements and contractile responses in the rat isolated aorta
- 154P BALMENT, R.J., BRIMBLE, M.J., JONES, L. & RODGERS, E.M. Diuretic and antidiuretic responses to oxytocin administration in the rat
- 155P MUSTAFA, A.A. & WOODRUFF, G.N. Inhibition of angiotensin-induced drinking by ergot alkaloids
- 156P HEUVER, G., VAN DER MEER, C., UFKES, J.G.R. & VISSER, B.J. Structure-activity relationships of bradykinin potentiating peptides
- 156P ALLEN, KAREN, E. & JORDAN, V.C. Antioestrogenic derivatives of nafoxidine stimulate progesterone receptor synthesis in vivo
- 157P BURTON, M.J., COOPER, S.J. & POSADAS-ANDREWS, ASTRID Interactions between chlordiazepoxide and food deprivation determining choice in a food-preference test
- 158P BURTON, M.J., COOPER, S.J. & POLLE-WELL, D.A. Fenfluramine; continuous monitoring of its effects on feeding and drinking in rats
- 159P MILLER, A.A., SAUNDERS, I.A. & WHEAT-LEY, P.L. Behavioural and EEG studies on an anaesthetic enkephalin peptide
- 160P BEART, P.M., KUPPERS, D. & LOUIS, W.J. Evidence for dopamine receptors on GABAreleasing nerve terminals in rat nucleus accumbens
- 161P BORNSTEIN, J.C., CURTIS, D.R., JOHNSTON, G.A.R. & LODGE, D. Neurotoxicity of kainate and the inactivation of L-glutamate in vivo
- 162P COX, B., KERWIN, R.W., LEE, T.F., PAY, SARAH & PYCOCK, C.J. Evidence in vitro for a 5-HT link in dopaminergic neurotransmission in the anterior hypothalamic region of the rat: demonstration of a 5-HT link in dopaminergic thermoregulation?

- 162P MARTIN, I.L. & MITCHELL, P.R. Effects of some amino acids on K⁺-induced release of [³H]-DA from rat striatal tissue
- 163P CLOW, A., JENNER, P., MARSDEN, C.D. & THEODOROU, A. Regional changes in brain dopamine receptor function during six months trifluoperazine administration to rats
- 165P VERE, D.W. The information content of pharmacological experiments
- 165P DELBRESSINE, L.P.C., KLIPPERT, P.J.M., REUVERS, J.T.S. & SEUTTER-BERLAGE, F. Identification of two sulphur containing urinary metabolites of cinnamic aldehyde in the rat
- 165P DELBRESSINE, L.P.C., SEUTTER, E. & SEUTTER-BERLAGE, F. Metabolism and toxicity of acrylates and methacrylates
- 166P BARNES, P., DOLLERY, C.T. & HENSBY, C.N. The quantitative analysis of 6-keto PGF_{1α} in biological fluids by stable isotope dilution utilizing gas chromatography-mass spectrometry (GC-MS)
- 167P CUNNINGHAM, F.M. & SMITH, M.J.H. A model of transient neutropenia in the rat
- 168P CHADWICK, M.A. & GOADBY, P. The effect of metiamide on protracted anaphylaxis in the guinea-pig
- 168P COX, B., KERWIN, R.W., LEE, T.F. & PYCOCK, C.J. Evidence in vivo for a 5-hydroxy-tryptamine link in dopamine-receptor-mediated hypothermia in the rat
- 169P BICHI, L.A., FRANKLIN, C.S. & TURNER, P. Does 5-hydroxytryptamine influence the facilitating effect of fenfluramine on glucose uptake into rat isolated hemidiaphragm?
- 170P DIX, C.J. & JORDAN, V.C. Modulation of nuclear oestrogen receptor levels by oestrogen and antioestrogen
- 171P ALLEN, K.E., CLARK, E.R. & JORDAN, V.C. Reduced antioestrogenic activity in derivatives of tamoxifen unable to undergo metabolic p-hydrox-ylation
- 172P COX, B., ENNIS, C. & FOOTE, G. Relative potency of some neuroleptics as antagonist at dopamine-receptors in vivo compared with their reported ability to displace haloperidol binding in vitro
- 173P CONNELL, D.J., MIDDLEMISS, D.N. & STONE, M.A. (introduced by BUXTON, D.A.) Further evidence for an interaction of propranolol with the central 5-hydroxytryptamine (5-HT) receptor
- 174P KERWIN, R.W., LUSCOMBE, G.P., PYCOCK, C.J. & SVERAKOVA KATYA Behavioural and biochemical studies in rats with N-methyl-paspartic acid and kainic acid

- 175P COSTALL, B., NAYLOR, R.J. & NOHRIA, V. On the importance of mesolimbic mechanisms for the control of apomorphine induced climbing behaviour in the mouse
- 176P BUXTON, D.A., FRIEND, J. & KENT, A.P. β-Adrenoceptor antagonists in L-tryptophan and L-DOPA induced behavioural syndromes
- 177P BUCKETT, W.R. Intravenous bicuculline in mice facilitates in vivo evaluation of drugs affecting GABA like mechanisms
- 178P GIBSON, A. & WEDMORE, C.V. The isolated anococcygeus muscle of the mouse
- 179P MacDONALD, A., McGRATH, J.C. & MUR-DOCH, R. A comparison of the effects of agonist drugs on nerve-induced contractions of the rat bisected vas deferens
- 180P COX, B. & ENNIS, C. Mechanism of action of dopamine on the guinea-pig isolated gastroesophageal junction
- 181P FADLOUN, Z. & LEACH, G.D.H. The effects of Cd²⁺ on the myogenic activity and the responsiveness of the rat portal vein to perimural stimulation, noradrenaline and potassium ions
- 182P HAY, D.W.P. & WADSWORTH, R.M. Effect of verapamil on rhythmic contractions in isolated rat vasa deferentia
- 183P CLOUGH, D.P., KEDDIE, J. & PETTINGER, S.J. Withdrawal of centrally acting antihypertensives in conscious dogs
- 184P GARDNER, C.R. & WILFORD, A.E. The effects of mianserine, amitriptyline, ciclazindol and viloxazine on presynaptic α-receptors in isolated rat atria
- 185P FINCH, L., HICKS, P.E. & PALEY, HELEN, E. Investigation into the role of spinal α-adrenoceptors in cardiovascular modulation in rats
- 186P SAXENA, P.R. & SPIERINGS, E.L.H. Effect of dihydroergotamine on the arteriovenous oxygen content difference and shunting of 15 μm microspheres over the cranial circulation of the cat
- 187P HARVEY, CAROL, A. & OWEN, D.A.A. Time dependence of the interaction between histamine and histamine receptor antagonists in the cardiovascular system
- 188P CANNON, J.G. & HICKS, P.E. The cardiovascular effects of some N,N-dialkylated derivatives of 2-amino-5-6-dihydroxy-1,2,3,4-tetrahydronaphthalene after central or peripheral administration in rats
- 189P NYEMITEI-ADDO, I., PERTWEE, R.G. & TAVENDALE, R. Stereotaxic implantation of cannulae for subsequent drug administration into the third ventricles of conscious mice