

British Journal of Pharmacology

CONTENTS

VOLUME 68 NUMBER 1 JANUARY 1980

SHORT COMMUNICATIONS

- 5 HALLIDAY, J. & HARDING, S.E. Enhancement of the toxic effects of veratrine on guinea-pig atrium by threshold inotropic doses of ouabain
- 8 BAKER, STEPHEN P. & POTTER, LINCOLN T. Effect of propranolol on β -adrenoceptors in rat hearts
- 11 KALIX, PETER Hypermotility of the amphetamine type induced by a constituent of khat leaves
- 14 CARNUCCIO, ROSA, DI ROSA, M. & PER-SICO, PAOLA Hydrocortisone-induced inhibitor of prostaglandin biosynthesis in rat leucocytes
- 17 WANG FU, L.H., HAYASHI, SHIGEHIRO & TODA, NOBORU Effects of 5-hydroxytryptophol, a 5-hydroxytryptamine metabolite, on isolated cerebral arteries of the dog
- 19 ALTURA, BURTON M. & GEBREWOLD, ASEFA Prophylactic administration of antibiotics compromises reticuloendothelial system function and exacerbates shock mortality in rats
- 22 BADAWY, A.A.-B., EVANS, M. & PUNJANI, N.F. Enhancement of rat brain metabolism of a tryptophan load by chronic ethanol administration of β -adrenoceptors in different chambers of the canine heart
- 65 BAKER, STEPHEN, P. & POTTER, LINCOLN, T. Cardiac β -adrenoceptors during normal growth of male and female rats
- 71 BLASS, K.-E., BLOCK, H.-U., FÖRSTER, W. & PÖNICKE, K. Dipyridamole: a potent stimulator of prostacyclin (PGI₂) biosynthesis
- 75 NICHOLSON, A.N. & WRIGHT, CATHERINE, M. β -Adrenoceptor antagonists: studies on behaviour (delayed differentiation) in the monkey (*Macaca mulatta*)
- 83 QUIRION, R., REGOLI, D., RIOUX, F. & ST-PIERRE, S. The stimulatory effects of neurotensin and related peptides in rat stomach strips and guinea-pig atria
- 93 WAKADE, ARUN, R. A comparison of rates of depletion and recovery of noradrenaline stores of peripheral and central noradrenergic neurones after reserpine administration: importance of neuronal activity
- 99 HARA, YUSUKE, KITAMURA, KENJI, & KURIYAMA, HIROSI Actions of 4-aminopyridine on vascular smooth muscle tissues of the guinea-pig

PAPERS

- 25 KANE, KATHLEEN, A. Comparative electrophysiological effects of Org 6001, a new orally active antidysrhythmic agent, and lignocaine on human ventricular muscle
- 33 BLACKWELL, G.J., BURKA, J.F., FLOWER, R.J. & TORKINGTON, P. On the preparation of highly purified slow reacting substance of anaphylaxis (SRS-A) from biological extracts
- 47 DOWN, JAMES, A. & SZERB, JOHN, C. Kinetics of morphine-sensitive [³H]-acetylcholine release from the guinea-pig myenteric plexus
- 57 BAKER, STEPHEN, P., BOYD, HELEN, M. & POTTER, LINCOLN, T. Distribution and function of β -adrenoceptors in different chambers of the canine heart
- 107P PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, University of Leeds, 12th–14th September, 1979
- 107P BIRCH, PENNY, CLOUGH, D.P., HATTON, R. & WHEATLEY, DEBORAH, J. Hypotensive and sedative properties of α -adrenoceptor agonists: relation to pre- and post-synaptic stimulation
- 109P SMITS, J.F.M., STRUYKER-BOUDIER, H.A.J. & VAN ESSEN, HELMA Effects of propranolol on baroreceptor reflex sensitivity in the conscious spontaneously hypertensive rat (SHR)
- 110P COLEMAN, T.G., SMITH, T.L., SMITS, J.F.M. & STRUYKER-BOUDIER, H.A.J. Acute haemodynamic effects of propranolol in the conscious spontaneously hypertensive rat (SHR)

- 112P DUBOCOVICH, MARGARITA, L., GARCIA-SEVILLA, J.A., LANGER, S.Z. & MASSINGHAM, R. Experimental renal hypertension and [^3H]-noradrenaline release from the rabbit hypothalamus: enhanced K^+ -evoked overflow of tritium and lack of facilitation through presynaptic angiotensin II receptors
- 113P KARAMAT ALI, F., KOSSEN, S.P., TIMMERMANS, P.B.M.W.M. & VAN ZWITEN, P.A. Effects of prazosin and two of its derivatives (UK 18.596 and UK 33.274) on α -adrenoceptors
- 113P FENIUK, W. & HUMPHREY, P.P.A. The effect of sympathetic activity on vasomotor responses to methysergide in the femoral arterial bed of the anaesthetized dog
- 114P COLEMAN, R.A., HUMPHREY, P.P.A., KENNEDY, I., LEVY, G.P. & LUMLEY, P. Are there two types of prostaglandin receptor mediating vasodilatation in the dog?
- 115P FRASER, B., HAMILTON, C.A., REID, J.L. & ZAMBOULIS, C. Cardiovascular effects of α -adrenoceptor antagonists in the conscious rabbit
- 116P VAN BOOM, M.P. & SAXENA, P.R. Regional haemodynamic changes evoked by isoprenaline in conscious normotensive and renal hypertensive rabbits
- 117P DOLLERY, C.T. & MIYAMORI, I. Indomethacin and the hypotensive action of captopril in DOCA salt hypertensive rats
- 118P BACK, D.J., BRECHENRIDGE, A.M., CRAWFORD, FRANCESCA, E., CROSS, KAREN, J., ORME, M. L'E. & ROWE, P.H. The interaction of antibiotics with ethinyloestradiol in the rat and rabbit
- 119P CALDWELL, J., D'SOUZA, J. & SMITH, R.L. Species variations in the *N*-methylation and quaternization of [^{14}C]-pyridine *in vivo*
- 120P KROOS-DE HAAN, M.A. & NOORDHOEK, J. Enhancement of antipyrine clearance and induction of antipyrine 4-hydroxylation by 3-methylcholanthrene in rats
- 121P VAN BOXTEL, C.J., BREIMER, D.D. & DANHOF, M. Studies on the different metabolic pathways of antipyrine as a tool in the assessment of the activity of different drug metabolizing enzyme systems in man
- 121P BAST, A. & NOORDHOEK, J. Inhibition of aminopyrine demethylation and binding to cytochrome P-450 by its main metabolites in rat liver microsomes
- 123P ADOLGS, M.J.P., BONTA, I.L. & BRAGT, P.G. Increased lipid peroxidation and decreased hepatic aminopyrine metabolism during carrageenin-induced granulomatous inflammation in the rat
- 124P DUMONDE, D.C., JASANI, M.K., SJOGREN, H.K. & WOLSTENCROFT, R.A. Determination of lymphokine induced histamine release *in vitro*
- 125P AUTHI, K.S. & TRAYNOR, J.R. Release of a lysosomal phospholipase A from rabbit neutrophil leucocytes
- 126P VINCENT, J.E. & ZIJLSTRA, F.J. (introduced by BONTA, I.L.) Metabolism and incorporation in the tissues of arachidonic acid in normal and essential fatty acid deficient rats
- 126P HICKS, J., HILLIER, M., SIBLEY, P., SKIDMORE, I.F. & WHITE, B. (introduced by BRITTAIN, R.T.) Effects of exogenous arachidonic acid on the anti-inflammatory actions of dexamethasone in the rat
- 127P COLEMAN, R.A., HUMPHREY, P.P.A., KENNEDY, I., LEVY, G.P. & LUMLEY, P. U-46619, a selective thromboxane A_2 -like agonist?
- 128P MARTIN, R.J. (introduced by ALEXANDER, F.) The effect of GABA on the conductance of Ascarid muscle
- 129P BUCKETT, W.R. Induction of analgesia and morphine potentiation by irreversible inhibitors of GABA-transaminase
- 130P FLETCHER, A. & FOWLER, L.J. (introduced by SIMMONDS, M.A.) Some neurochemical effects of chronic oral administration of ethanolamine *O*-sulphate to rats
- 131P MINCHIN, M.C.W. (introduced by ANGEL, A.) The effect of some anaesthetic agents on [^3H]-GABA release from rat brain slices
- 132P DAO, W.P.C. & WALKER, R.J. Octopamine responses of neurones in the rat thalamus
- 133P BLACKWOOD, D.H.R. & KAPOOR, V. (introduced by McQUEEN, J.K.) Regional changes in cerebral glucose utilization in kindled rats during convulsions
- 134P SALT, T.E., TULLOCH, I.F. & WALTER, D.S. (introduced by METCALF, G.) Anti-epileptic properties of sodium valproate in rat amygdaloid kindling
- 134P HILLIER, K., ROBERTS, P.J. & TEMPLETON, WILMA, W. PGE_2 mediated negative feedback of noradrenaline overflow in the central nervous system
- 135P DEHPOUR, A.R., KHOYI, M.A., POUSTI, A., SEIFY, A. & ZARRINDAST, M.R. Release of [^3H]-noradrenaline from the guinea-pig vas deferens by ethacrynic acid
- 136P NEDERGAARD, O.A. Modulation by the muscarinic agonist McN-A-343 of release of noradrenaline from sympathetic neurones in the rabbit pulmonary artery

- 136P COOTE, J.H., FLEETWOOD-WALKER, S.M. & MITCHELL, P.R. Catecholamine receptors in thoracic spinal cord
- 138P BARNES, P.J., DOLLERY, C.T., HAMILTON, C.A. & KARLINER, J.S. α -Adrenoceptor binding in guinea-pig lung using [3 H]-prazosin
- 138P KWA, H.Y., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Interaction between prazosin and benzodioxan antihypertensives (R 28935 and R 29814); a competition for central α_1 -adrenoceptors
- 139P DREW, G.M. & SULLIVAN, A.T. Effects of α -adrenoceptor agonists and antagonists on adrenergic neurotransmitter overflow from dog isolated saphenous veins
- 140P DOCHERTY, J.R. & McGRATH, J.C. A comparison of the relaxant and autonomic effects of pancuronium and its monoquaternary derivative Organon NC 45 in the pithed rat
- 141P BARLOW, R.B., BURSTON, K.N. & VIS, ANNE Three types of muscarinic receptors?
- 142P BIRDSALL, N.J.M., BURGEN, A.S.V., HULME, E.C. & WONG, E.H.F. Effects of *p*-chloromercuribenzoate on muscarinic receptor binding in rat brain
- 143P COLQUHOUN, D. & SHERIDAN, R.E. Kinetic effects of tubocurarine on skeletal muscle at high agonist concentrations
- 144P VAN WILGENBURG, H. Effects of glucocorticoids on acetylcholine release at the neuromuscular junction
- 144P LEEUWN, R.S. & VELDSEMA-CURRIE, R.D. Direct effects of glucocorticoids at the neuromuscular junction
- 145P BEDFORD, C.D., BERTRAM, J.A. & MORRIS, I.D. (introduced by COX, B.) Effect of histamine upon core and tail skin temperature of the conscious restrained rat
- 146P NIJKAMP, F.P., RAAIJMAKERS, J.A.M., SCHREURS, A.J.M. & TERPSTRA, G.K. Inhibition of effects of isoprenaline and adrenaline by *Haemophilus influenzae* vaccination
- 147P NIJKAMP, F.P., RAAIJMAKERS, J.A.M., SCHREURS, A.J.M. & TERPSTRA, G.K. Facilitation of histamine release in the *Haemophilus influenzae* vaccinated experimental animal
- 148P CLANACHAN, A.S. & MARSHALL, R.J. Therapeutic concentrations of diazepam potentiate the effects of adenosine on isolated cardiac and smooth muscle
- 149P BHALLA, P. & MARSHALL, I. Histamine H_2 -receptor antagonists in the mouse isolated vas deferens
- 150P WHALLEY, E.T. & WHITE, SUSAN, K. Comparison of various prostaglandins (PG's) on the *in vivo* longitudinal uterine smooth muscle of the rat and guinea-pig
- 151P FORSTER, C., MOHAN, J. & WHALLEY, E.T. Dose-dependent nature of the interaction of fibrinogen-degradation products and 5-hydroxytryptamine on various vascular smooth muscle preparations
- 152P VAN DER HEIJDEN, P.J.C.M. & ZAAGSMA, J. Characterization of the β -adrenoceptors in guinea-pig lung mast cells
- 153P DE VENTE, J. & ZAAGSMA, J. Interaction of adenosine with adenylate cyclase in rat fat cell membranes
- 153P BARRIGÓN, S., DEMIGUEL, B., GARCIA DE JALON, P. & TAMARGO, J. Effect of oxytocin on 45 Ca movements and contractile responses in the rat isolated aorta
- 154P BALMENT, R.J., BRIMBLE, M.J., JONES, L. & RODGERS, E.M. Diuretic and antidiuretic responses to oxytocin administration in the rat
- 155P MUSTAFA, A.A. & WOODRUFF, G.N. Inhibition of angiotensin-induced drinking by ergot alkaloids
- 156P HEUVER, G., VAN DER MEER, C., UFKES, J.G.R. & VISSER, B.J. Structure-activity relationships of bradykinin potentiating peptides
- 156P ALLEN, KAREN, E. & JORDAN, V.C. Anti-oestrogenic derivatives of nafoxidine stimulate progesterone receptor synthesis *in vivo*
- 157P BURTON, M.J., COOPER, S.J. & POSADAS-ANDREWS, ASTRID Interactions between chlor-diazepoxide and food deprivation determining choice in a food-preference test
- 158P BURTON, M.J., COOPER, S.J. & POLLEWELL, D.A. Fenfluramine; continuous monitoring of its effects on feeding and drinking in rats
- 159P MILLER, A.A., SAUNDERS, I.A. & WHEATLEY, P.L. Behavioural and EEG studies on an anaesthetic enkephalin peptide
- 160P BEART, P.M., KUPPERS, D. & LOUIS, W.J. Evidence for dopamine receptors on GABA-releasing nerve terminals in rat nucleus accumbens
- 161P BORNSTEIN, J.C., CURTIS, D.R., JOHNSTON, G.A.R. & LODGE, D. Neurotoxicity of kainate and the inactivation of L-glutamate *in vivo*
- 162P COX, B., KERWIN, R.W., LEE, T.F., PAY, SARAH & PYCOCK, C.J. Evidence *in vitro* for a 5-HT link in dopaminergic neurotransmission in the anterior hypothalamic region of the rat: demonstration of a 5-HT link in dopaminergic thermoregulation?

- 162P MARTIN, I.L. & MITCHELL, P.R. Effects of some amino acids on K^+ -induced release of [3H]-DA from rat striatal tissue
- 163P CLOW, A., JENNER, P., MARSDEN, C.D. & THEODOROU, A. Regional changes in brain dopamine receptor function during six months trifluoperazine administration to rats
- 165P VERE, D.W. The information content of pharmacological experiments
- 165P DELBRESSINE, L.P.C., KLIPPERT, P.J.M., REUVERS, J.T.S. & SEUTTER-BERLAGE, F. Identification of two sulphur containing urinary metabolites of cinnamic aldehyde in the rat
- 165P DELBRESSINE, L.P.C., SEUTTER, E. & SEUTTER-BERLAGE, F. Metabolism and toxicity of acrylates and methacrylates
- 166P BARNES, P., DOLLERY, C.T. & HENSBY, C.N. The quantitative analysis of 6-keto $PGF_{1\alpha}$ in biological fluids by stable isotope dilution utilizing gas chromatography-mass spectrometry (GC-MS)
- 167P CUNNINGHAM, F.M. & SMITH, M.J.H. A model of transient neutropenia in the rat
- 168P CHADWICK, M.A. & GOADBY, P. The effect of metiamide on protracted anaphylaxis in the guinea-pig
- 168P COX, B., KERWIN, R.W., LEE, T.F. & PYCOCK, C.J. Evidence *in vivo* for a 5-hydroxytryptamine link in dopamine-receptor-mediated hypothermia in the rat
- 169P BICHI, L.A., FRANKLIN, C.S. & TURNER, P. Does 5-hydroxytryptamine influence the facilitating effect of fenfluramine on glucose uptake into rat isolated hemidiaphragm?
- 170P DIX, C.J. & JORDAN, V.C. Modulation of nuclear oestrogen receptor levels by oestrogen and antioestrogen
- 171P ALLEN, K.E., CLARK, E.R. & JORDAN, V.C. Reduced antioestrogenic activity in derivatives of tamoxifen unable to undergo metabolic *p*-hydroxylation
- 172P COX, B., ENNIS, C. & FOOTE, G. Relative potency of some neuroleptics as antagonist at dopamine-receptors *in vivo* compared with their reported ability to displace haloperidol binding *in vitro*
- 173P CONNELL, D.J., MIDDLEMISS, D.N. & STONE, M.A. (introduced by BUXTON, D.A.) Further evidence for an interaction of propranolol with the central 5-hydroxytryptamine (5-HT) receptor
- 174P KERWIN, R.W., LUSCOMBE, G.P., PYCOCK, C.J. & SVERAKOVA KATYA Behavioural and biochemical studies in rats with N-methyl-D-aspartic acid and kainic acid
- 175P COSTALL, B., NAYLOR, R.J. & NOHRIA, V. On the importance of mesolimbic mechanisms for the control of apomorphine induced climbing behaviour in the mouse
- 176P BUXTON, D.A., FRIEND, J. & KENT, A.P. β -Adrenoceptor antagonists in L-tryptophan and L-DOPA induced behavioural syndromes
- 177P BUCKETT, W.R. Intravenous bicuculline in mice facilitates *in vivo* evaluation of drugs affecting GABA like mechanisms
- 178P GIBSON, A. & WEDMORE, C.V. The isolated anococcygeus muscle of the mouse
- 179P MACDONALD, A., McGRATH, J.C. & MURDOCH, R. A comparison of the effects of agonist drugs on nerve-induced contractions of the rat bisected vas deferens
- 180P COX, B. & ENNIS, C. Mechanism of action of dopamine on the guinea-pig isolated gastro-esophageal junction
- 181P FADLOUN, Z. & LEACH, G.D.H. The effects of Cd^{2+} on the myogenic activity and the responsiveness of the rat portal vein to perimural stimulation, noradrenaline and potassium ions
- 182P HAY, D.W.P. & WADSWORTH, R.M. Effect of verapamil on rhythmic contractions in isolated rat vasa deferentia
- 183P CLOUGH, D.P., KEDDIE, J. & PETTINGER, S.J. Withdrawal of centrally acting antihypertensives in conscious dogs
- 184P GARDNER, C.R. & WILFORD, A.E. The effects of mianserin, amitriptyline, ciclazindol and viloxazine on presynaptic α -receptors in isolated rat atria
- 185P FINCH, L., HICKS, P.E. & PALEY, HELEN, E. Investigation into the role of spinal α -adrenoceptors in cardiovascular modulation in rats
- 186P SAXENA, P.R. & SPIERINGS, E.L.H. Effect of dihydroergotamine on the arteriovenous oxygen content difference and shunting of 15 μm microspheres over the cranial circulation of the cat
- 187P HARVEY, CAROL, A. & OWEN, D.A.A. Time dependence of the interaction between histamine and histamine receptor antagonists in the cardiovascular system
- 188P CANNON, J.G. & HICKS, P.E. The cardiovascular effects of some N,N-dialkylated derivatives of 2-amino-5-6-dihydroxy-1,2,3,4-tetrahydronaphthalene after central or peripheral administration in rats
- 189P NYEMITEI-ADDU, I., PERTWEE, R.G. & TAVENDALE, R. Stereotaxic implantation of cannulae for subsequent drug administration into the third ventricles of conscious mice

SHORT COMMUNICATIONS

- 193 OKA, TETSUO Enkephalin receptor in the rabbit ileum
- 196 MACLAGAN, JENNIFER & NEY, URSULA M. A comparison of the bronchoconstrictor and β -adrenoceptor blocking activity of propranolol and acebutolol

PAPERS

- 199 DRAY, F., MCCALL, ELAINE & YOULTEN, L.J.F. Failure of anti-inflammatory steroids to inhibit prostaglandin production by rat polymorphonuclear leucocytes
- 207 GAMSE, R., HOLZER, P. & LEMBECK, F. Decrease of substance P in primary afferent neurones and impairment of neurogenic plasma extravasation by capsaicin
- 215 APPERLEY, EIRA, FENUK, W., HUMPHREY, P.P.A. & LEVY, G.P. Evidence for two types of excitatory receptor for 5-hydroxytryptamine in dog isolated vasculature
- 225 DOCHERTY, J.R. & McGRATH, J.C. The factors influencing the time course of drug action at α -adrenoceptors: an investigation of the effects of clonidine in the pithed rat
- 235 ISRAEL, JEAN-MARC & MEUNIER, JEAN-MARIE A calcium-dependent acetylcholine depolarization blocked by methoxyverapamil (D600) and procaine in snail neurones
- 241 DOGGRELL, SHEILA A. Effect of mianserin on noradrenergic transmission in the rat anococcygeus muscle
- 251 BROWN, D.A., COLLINS, G.G.S. & GALVAN, M. Influence of cellular transport on the interaction of amino acids with γ -aminobutyric acid (GABA)-receptors in the isolated olfactory cortex of the guinea-pig

- 263 GOODEN, B.A. A comparison *in vitro* of the vasoconstrictor responses of the mesenteric arterial vasculature from the chicken and the duckling to nervous stimulation and to noradrenaline
- 275 DIAMOND, JACK & JANIS, RONALD, A. Effects of hydralazine and verapamil on phosphor-ylase activity and guanosine cyclic 3',5'-monophosphate levels in guinea-pig taenia coli
- 283 AROWOLO, R.O.A. & EYRE, P. Preliminary pharmacological characterization of the bovine isolated bronchial artery strip: a new preparation
- 289 FOSBRAEY, P. & JOHNSON, E.S. Release-modulating acetylcholine receptors on cholinergic neurones of the guinea-pig ileum
- 301 BORISON, H.L., CULP, W.J., GONSALVES, S.F. & MCCARTHY, L.E. Central respiratory and circulatory depression caused by intravascular saxitoxin
- 311 JETLEY, MRIDULA & WESTON, A.H. Some effects of sodium nitroprusside, methoxyverapamil (D600) and nifedipine on rat portal vein
- 321 CAVERO, I., GOMENI, R., LEFÈVRE-BORG, FRANÇOISE & ROACH, A.G. Comparison of mianserin with desipramine, maprotiline and phentolamine on cardiac presynaptic and vascular postsynaptic α -adrenoceptors and noradrenaline reuptake in pithed normotensive rats
- 333 KOSTERLITZ, H.W., LORD, J.A.H., PATERSON, S.J. & WATERFIELD, ANGELA A. Effects of changes in the structure of enkephalins and of narcotic analgesic drugs on their interactions with μ and δ -receptors
- 343 FUJITA, SHINJI, ISHIDA, YUKIO, IZUMI, KYOKO, MORITOKI, HIDEKI, OHARA, MASAYUKI & TAKEI, MASAO Potentiation by dilazep of the negative inotropic effect of adenosine on guinea-pig atria

SHORT COMMUNICATION

- 353 ADAMS, P.R. & BROWN, D.A. Luteinizing hormone-releasing factor and muscarinic agonists act on the same voltage-sensitive K^+ -current in bullfrog sympathetic neurones

PAPERS

- 357 BENNETT, A., PRATT, D. & SANGER, G.J. Antagonism by fenamates of prostaglandin action in guinea-pig and human alimentary muscle

- 363 NAYLER, WINIFRED G., SLADE, A., VAUGHAN WILLIAMS, E.M. & YEPEZ, CARMEN E. Effect of prolonged β -adrenoceptor blockade on heart weight and ultrastructure in young rabbits
- 373 HILLIS, W.S., HUTTON, I. & LAWRIE, T.D.V. The effects of propranolol and acebutolol on left ventricular function and coronary haemodynamics in the conscious dog with myocardial ischaemia
- 381 GILLAN, MAUREEN G.C. & POLLOCK, DAVID Acute effects of morphine and opioid peptides on the motility and responses of rat colon to electrical stimulation

- 393 NAKAHATA, N., NAKANISHI, H. & SUZUKI, T. A possible negative feedback control of excitatory transmission via prostaglandins in canine small intestine
- 399 NORTH, R.A. & VITEK, L.V. The effect of chronic morphine treatment on excitatory junction potentials in the mouse vas deferens
- 407 PICKARD, J.D., ROSE, J.E., SHAW, M.D.M. & STRATHDEE, ANN The effect of sodium salicylate on cerebral blood flow and metabolism
- 413 ANGUS, J.A., BLACK, J.W. & STONE, M. Estimation of pK_B values for histamine H_2 -receptor antagonists using an *in vitro* acid secretion assay
- 425 WAKADE, ARUN R. A maximum contraction and substantial quantities of tritium can be obtained from tetraethylammonium-treated [3H]-noradrenaline preloaded, rat vas deferens in response to a single electrical shock
- 437 CHAPPLE, D.J., DUSTING, G.J., HUGHES, R. & VANE, J.R. Some direct and reflex cardiovascular actions of prostacyclin (PGI_2) and prostaglandin E_2 in anaesthetized dogs
- 449 AUBINEAU, PIERRE, SERCOMBE, RICHARD & SEYLAZ, JACQUES Parasympathomimetic influence of carbachol on local cerebral blood flow in the rabbit by a direct vasodilator action and an inhibition of the sympathetic-mediated vasoconstriction
- 461 AL-JIBOURI, LAYLA M., FURMAN, B.L. & PARRATT, J.R. Blockade of adrenaline-induced hyperglycaemia in the anaesthetized cat by continuous infusion of phentolamine and propranolol
- 467 BERTI, F., FOLCO, G.C., GIACHETTI, A. MALANDRINO, S., OMINI, C. & VIGANO, T. Atropine inhibits thromboxane A_2 generation in isolated lungs of the guinea-pig
- 473 HAYASHI, SHIGEHIO, MIYAZAKI, MIZUO & TODA, NOBORU Responsiveness to vasoactive agents of cerebral and mesenteric arteries isolated from control and reserpine-treated dogs
- 479 KARLER, RALPH & TURKANIS, STUART A. Subacute cannabinoid treatment: anticonvulsant activity and withdrawal excitability in mice
- 485 JONES, CHRISTOPHER J., MANN, G.E. & SMAJE, L.H. The role of cyclic nucleotides and related compounds in nerve-mediated vasodilatation in the cat submandibular gland
- 499 CORNISH, E.J. & GOLDIE, R.G. Metabolism of [3H]-(\pm)-isoprenaline by isolated atria and coronary arteries of the kitten
- 505 BELL, C. Effects of dopamine on adrenergic neuromuscular transmission in the guinea-pig vas deferens
- 513 BEUBLER, E. & LEMBECK, F. Inhibition by morphine of prostaglandin E_1 -stimulated secretion and cyclic adenosine 3',5'-monophosphate formation in the rat jejunum *in vivo*
- 519 TEN BERG, R.G.M., DE JONG, W. & NIJKAMP, F.P. Attenuated depressor response to arachidonic acid and prostaglandins in unclipped renal hypertensive rats
- 525 LANSDOWN, M.J.R., NASH, H.L., PRESTON, P.R., WALLIS, D.I. & WILLIAMS, R.G. Antagonism of 5-hydroxytryptamine receptors by quipazine
- 533 COLEMAN, R.A. & KENNEDY, I. Contractile and relaxant actions of prostaglandins on guinea-pig isolated trachea
- 541 GOLDS, P.R., PRZYSLO, F.R. & STRANGE, P.G. The binding of some antidepressant drugs to brain muscarinic acetylcholine receptors
- 551 KHAN, MOHAMMAD T. & MALIK, KAFAT U. Inhibitory effect of adenosine and adenine nucleotides on potassium-evoked efflux of [3H]-noradrenaline from the rat isolated heart: lack of relationship to prostaglandins
- 563 BIETH, NICOLE, ROUOT, BRUNO, SCHWARTZ, JEAN & VELLY, JEANNE Comparison of pharmacological and binding assays for ten β -adrenoceptor blocking agents and two β -adrenoceptor agonists
- 571 GARCIA, A.G., HERNANDEZ, M. HORGA, J.F. & SANCHEZ-GARCIA, P. On the release of catecholamines and dopamine- β -hydroxylase evoked by ouabain in the perfused cat adrenal gland
- 585 FRY, J.P., HERZ, A. & ZIEGLGÄNSBERGER, W. A demonstration of naloxone-precipitated opiate withdrawal on single neurones in the morphine-tolerant/dependent rat brain

VOLUME 68 NUMBER 4 APRIL 1980

SHORT COMMUNICATION

- 595 HIMORI, N. & TAIRA, N. Differential effects of the calcium-antagonistic vasodilators, nifedipine and verapamil, on the tracheal musculature and vasculature of the dog

PAPERS

- 599 NIJKAMP, F.P. & VAN REE, J.M. Effects of endorphins on different parts of the gastrointestinal tract of rat and guinea-pig *in vitro*

- 607 GABARD, B. Removal of internally deposited gold by 2,3-dimercaptopropane sodium sulphate (Dimaval)
- 611 ANWYL, ROGER & NARAHASHI, TOSHIO Inhibition of the acetylcholine receptor by histri-nicotxin
- 617 MAILMAN, DAVID Effects of morphine on canine intestinal absorption and blood flow
- 625 SAKAI, K. Coronary vasoconstriction by locally administered acetylcholine, carbachol and be-thanechol in isolated, donor-perfused, rat hearts
- 633 LULICH, K.M. & PATERSON, J.W. An *in vitro* study of various drugs on central and peripheral airways of the rat: a comparison with human airways
- 637 AGOSTON, S., HOUWERTJES, M.C. & SALT, P.J. A new method for studying the relationship between hepatic uptake of drugs and their pharmacodynamic effects in anaesthetized cats
- 645 KINDNESS, G., LONG, W.F. & WILLIAMSON, F.B. Evidence for antithrombin III involvement in the anticoagulant activity of cellulose sulphate
- 651 SHIMIZU, T. & TAIRA, N. Pharmacological analysis of salivary and blood flow responses to histamine of the submandibular gland of the dog
- 663 BRADSHAW, D., GIROUD, J.P. & ROCH-ARVEILLER, M. Chemokinesis of rat polymorphonuclear leucocytes and the effect of cyclic adenosine 3',5'-monophosphate
- 667 BUCKINGHAM, R.E. & HAMILTON, T.C. Comparison of the anti-hypertensive response to β -adrenoceptor blocking drugs in intact and adrenal-demedullated spontaneously hypertensive rats
- 677 IAKOVIDIS, D., MALTA, E., McPHERSON, G.A. & RAPER, C. *In vitro* activity of RO363, a β_1 -adrenoceptor selective agonist
- 687 HILL, S.J. & YOUNG, J.M. Histamine H_1 -receptors in the brain of the guinea-pig and the rat: differences in ligand binding properties and regional distribution
- 697 DASHWOOD, M.R. & FELDBERG, W. Release of opioid peptides in anaesthetized cats?
- 705 O'DONNELL, STELLA R., WALDUCK, KARIN & WANSTALL, JANET C. A study of some propranolol analogues for selective β -adrenoceptor antagonism using pA_2 values on isolated trachea and atria from guinea-pig
- 711 JAMES, VICTORIA A., WALKER, R.J. & WHEAL, H.V. Structure-activity studies on an excitatory receptor for glutamate on leech Retzius neurones
- 719 HOULT, J.R.S. & MOORE, P.K. Effects of sulphasalazine and its metabolites on prostaglandin synthesis, inactivation and actions on smooth muscle
- 731 MAUGER, JEAN-PIERRE & WORCEL, MANUEL Relationship between the $(-)[^3H]$ -dihydroalprenolol binding to β -adrenoceptors and transmembrane ^{86}Rb efflux of the BC_3H_1 nonfusing muscle cell line
- 741 GOODFORD, P.J., ST-LOUIS, J. & WOOTTON, R. The interaction of human haemoglobin with allosteric effectors as a model for drug-receptor interactions
- 749 CLAUSEN, T. & FLATMAN, J.A. β_2 -Adrenoceptors mediate the stimulating effect of adrenaline on active electrogenic Na-K-transport in rat soleus muscle
- 757 COUPAR, I.M. Prostaglandin action, release and inactivation by rat isolated perfused mesenteric blood vessels
- 765 BHARGAVA, K.P., DAAS, M., GUPTA, G.P. & GUPTA, M.B. Study of central neurotransmitters in stress-induced gastric ulceration in albino rats
- 773 LINDSTRÖM, PER, SEHLIN, JANOVE & TÄLJEDAL, INGE-BERT Characteristics of 5-hydroxytryptamine transport in pancreatic islets
- 779 McCLEARY, M. & TUTTLE, R.S. Inferior cardiac nerve activity in the cat during superfusion of the vascularly isolated carotid sinus with propranolol