

British Journal of Pharmacology

SHORT COMMUNICATIONS

- 5 BESSER, G.M., GROSSMAN, DELITALA, A. & YEO, T. Metergoline and cyproheptadine suppress prolactin release by a non-5-hydroxytryptaminergic, non-dopaminergic mechanism
- 8 GUNDERSEN, CAMERON B. & JENDEN, DONALD J. Oxotremorine does not enhance acetylcholine release from rat diaphragm preparations
- 11 DIXON, M., JACKSON, D.M. & RICHARDS, I.M. The action of sodium cromoglycate on 'C' fibre endings in the dog lung

PAPERS

- 15 RODRIGUEZ, SERGIA & TAMARGO, JUAN Electrophysiological effects of imipramine on bovine ventricular muscle and Purkinje fibres
- 25 FOX, K.R., OLSEN, R.K. & WARING, M.J., With an appendix by CHAKRAVARTY P.K. & OLSEN, R.K. Interaction between synthetic analogues of quinoxaline antibiotics and nucleic acids: role of the disulphide cross-bridge and D-amino acid centres in des-N-tetramethyl-triostin A
- 41P PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, University of Bristol, 9th-11th April, 1980
- 41P JENNER, P., LUSCOMBE, G. & MARSDEN, C.D. 5-hydroxytryptamine (5-HT) dependent myoclonus in the guinea-pig may provide evidence for multiple cerebral 5-HT receptors
- 42P DICKISON, SARA E., DIGGORY, G.L., WOOD, M.D. & WYLLIE, M.G. The effects of a selective uptake blocker on 5-HT turnover in the CNS
- 43P CURZON, G., FERNANDO, J.C.R. & LEES, A.J. Use of amphetamine at high dosage in the study of DA-5HT interactions: effects of neuroleptics
- 44P CURZON, G., HUTSON, P.H. & TRICKLEBANK, M.D. Role of 5-HT in shock-induced analgesia

- 45P ARBILLA, SONIA, KAMAL, LINDA A. & LANGER, S.Z. Presynaptic dopamine receptors modulate electrical stimulation but not amphetamine-evoked release of ^3H -dopamine from the rabbit caudate nucleus
- 46P MITCHELL, I. & REDGRAVE, P. Effects of partial, unilateral nigro-striatal lesions on striatal histofluorescence and behavioural indices of dopamine transmission
- 47P WATLING, K.J. [^3H]-Spiperone labels dopamine receptors in homogenates of bovine retina
- 48P MITCHELL, P.R. (introduced by DOGETT, N.S.) Dopaminergic modulation of striatal [^3H]-glutamic acid release
- 49P COSTALL, B., NAYLOR, R.J. & NOHRIA, V. Dopamine agonist and antagonist action after mesolimbic denervation
- 50P CARTER, C.J. (introduced by JENNER, P.) Glutamatergic pathways from the medial prefrontal cortex to the anterior striatum, nucleus accumbens and substantia nigra
- 51P JENNER, P., MARSDEN, C.D., REAVILL, C. & TAYLOR, R.J. Kainate-induced circling behaviour in rats
- 52P DAVIES, J., FRANCIS, A.A., JONES, A.W. & WATKINS, J.C. 2-Amino-5-phosphonovalerate (2APV), a highly potent and specific antagonist at spinal NMDA receptors
- 53P EVANS, R.H. Amino acid sensitivity of isolated spinal root fibres from the rat
- 54P DAWBARN, D. & PYCOCK, C.J. Motor responses evoked by N-methyl-D-aspartic acid and kainic acid from substantia nigra and ventral tegmental area in the rat
- 55P PYCOCK, C.J. & SMITH, L.F.P. Effect of dopamine on the release of [^3H]-glycine and [^3H]-taurine from the rat isolated retina
- 56P HARMAR, A., SCHOFIELD, J.G. & KEEN, P. Biosynthesis of substance P from [^{35}S]-methionine in isolated sensory ganglia

- 57P DICKINSON, K.E.J. & NAHORSKI, S.R. Atypical β -adrenoceptors on frog and chick erythrocytes
- 58P JOHNS, E.J. An attempt to characterise the β -adrenoceptor mediating renin release in the cat
- 59P ELLIOTT, J.M. & GRAHAME-SMITH, D.G. Evidence for a single type of α -adrenoceptor on human platelets
- 60P LANGER, S.Z., MASSINGHAM, R. & SHEPPERSON, N.B. *In vivo* α -adrenoceptor selectivity of WB 4101: a widely used α_1 -adrenoceptor ligand
- 61P DOCHERTY, J.R. & MCGRATH, J.C. An analysis of the effects of mianserin on adrenergic mechanisms
- 62P BOWMAN, ANNE, GILLESPIE, J.S. & MARTIN, W. Cardiovascular actions of the inhibitory material extracted from the bovine retractor penis
- 63P RAMAGE, A.G. A comparison of the effect of (\pm)-propranolol, hexamethonium and sodium nitroprusside on the preganglionic sympathetic activity of the cat
- 63P HAMILTON, C.A. & REID, J.L. Postsynaptic location of α_2 adrenoceptors in vascular smooth muscle
- 64P PETTY, M.A. & REID, J.L. The effect of opiates on baroreceptor reflex sensitivity in the normotensive rabbit
- 65P PARRATT, J.R. & UDVARY, EVA The effect of exaprolol (MG 8823) a new β -adrenoceptor blocking agent, on epicardial ST-segment changes in a feline model of acute myocardial ischaemia
- 66P CLANACHAN A.S. & MARSHALL, R.J. Diazepam potentiates the coronary vasodilator actions of adenosine in anaesthetized dogs
- 67P GRUNDY, H.F. Differentiation of the multiple effects of papaverine on the right and left auricles of guinea-pigs
- 68P BROADLEY, K.J. & McNEILL, J.H. Differences between the functional antagonism of the positive inotropic and chronotropic responses to sympathomimetic amines by carbachol
- 69P DAUGHERTY A. & WOODWARD, B. The effect of calcium on cyclic nucleotide levels in the rat isolated heart
- 70P FOSTER, R.W. & JONES, D.W. The effect of sodium thiosulphate upon some of the *in vitro* pharmacological properties of phenoxybenzamine
- 71P ACHOLEM, M.M. & TAYO, F.M. The rat isolated caecum
- 72P GREEN, A.R. & NUTT, D.J. Altered monoamine-mediated behaviours following bicuculline-induced convulsions
- 73P COWEN, P.J., GREEN, A.R. & NUTT, D.J. Effect of anaesthetic administration on the appearance of enhanced monoamine-mediated behaviours following electroconvulsive shock
- 74P MAYER, M.L. & STRAUGHAN D.W. Bicuculline blocks 5-HT and GABA effects on rat hypothalamic neurones
- 75P SIMMONDS, M.A. Leptazol as a γ -aminobutyric acid antagonist
- 76P KERWIN, R.W. & OLPE, H.-R. (Introduced by PYCOCK, C.J.) The effect of sodium valproate on single unit activity in the rat brain
- 77P BOWERY, N.G., DOBLE, A., HILL, D.R., HUDSON, A.L. & TURNBULL, M.J. GABA facilitates or inhibits the evoked release of [3 H]-noradrenaline from rat cerebellar cortex slices by an action at separate receptors
- 78P BISSET, G.W. & CHOWDREY, H.S. Central inhibition by GABA of the release of vasopressin by carbachol in the rat
- 79P BUCKINGHAM, JULIA C. & HODGES, J.R. The effects of opioid substances on the secretion of corticotrophin releasing factor in the rat
- 79P HART, S.L. & KITCHEN, I. Potassium stimulated depletion of enkephalin in rat hypothalamus and its alteration by adrenocorticotrophin and corticosterone
- 80P GENT, J.P. & NORMANTON, J.R. Antagonism of the excitatory action of ACTH (1-24) by D-phenylalanine-¹-ACTH (4-10) on single neurones in the rat medulla
- 81P GREEN, A.R., HEAL, D.J., SABBAGH, AMAL & YODIM, M.B.H. Behavioural effects of central and peripheral injection of two synthetic analogues of TRH
- 82P EAKINS, K.E., HIGGS, G.A. & WHITTLE, B.J.R. Differential effects of sodium salicylate and BW755C on prostaglandin formation in inflammatory exudates and the gastro-intestinal tract
- 83P BAKHLE Y.S. & ZAKRZEWSKI, J.T. The influence of the oestrous cycle on the metabolism of exogenous arachidonate in rat isolated lung
- 84P BRAY, M.A., FORD-HUTCHINSON, A.W. & SMITH, M.J.H. Generation of chemokinetic activity from rat polymorphonuclear leucocytes treated with calcium ionophore A23187
- 85P EL TAHIR, K.E.H. & WILLIAMS, K.I. Studies on prostacyclin formation by the rat pregnant myometrium
- 86P EL TAHIR, K.E.H. & WILLIAMS, K.I. Oxytocic drugs stimulate prostacyclin release from the rat pregnant myometrium

- 86P COKER, SUSAN J. & PARRATT, J.R. The effects of prostacyclin on infarct flow and epicardial ST-segment elevation in anaesthetized dogs
- 87P HORTON, E.W., PIPILI, E. & POYSER, N.L. The effect of nerve stimulation on release of prostacyclin (PGI₂) from the rat and rabbit mesenteric arteries
- 88P LACEY, SARAH M. & SANGER, G.J. Antagonism of prostanoid-induced contractions of rat stomach muscle by trimethoquinol or isoxsuprine
- 89P COLEMAN, R.A., KENNEDY, I., LEVY, G.P. & PENNING, CAROL An analysis of the prostanoid receptors mediating contraction of chick isolated ileum
- 90P SOKUNBI, YETUNDE O.O. (Introduced by OKPAKO, D.T.) Effect of prostaglandin synthetase inhibitors on indirectly evoked contractions of whole preparation and longitudinal muscle strips of guinea-pig ileum
- 91P ADEAGBO, A.S.O. (Introduced by OKPAKO, D.T.) Reversal of α -adrenoceptor blockade by PGE₂ in rat isolated mesenteric artery
- 91P HARMAN, R.J. & SHAW, G.G. Spontaneous and evoked release of [³H]-spermine from rat cerebral cortex slices
- 92P PACIOREK, P.M. & WYLLIE, M.G. The effects of drugs on cerebral cortex ATP levels in normal and hypoxic rats
- 94P FOSTER, G.A. & ROBERTS, P.J. Stimulation of rat cerebellar cyclic GMP concentrations *in vitro* by glutamate-receptor agonists
- 95P KIDD, S.B. & GARDNER, C.R. Effect of anti-anxiety drugs, amphetamine and chloral hydrate on social interaction and locomotion in rats
- 95P AULT, B. (introduced by EVANS, R.H.) The effects of capsaicin on the isolated spinal cord of the immature rat
- 96P HAYES, A.G., SKINGLE, M. & TYERS, M.B. The antinociceptive effects of single doses of capsaicin in the rodent
- 97P MILTON, A.S. & SAWHNEY, VINITI K. Dissimilar effects of cycloheximide on the febrile responses to the intravenous and intracerebroventricular administration of various pyrogens
- 98P FOSTER, R.W., WESTON, A.H. & WESTON, K.M. Membrane effects of some chemical irritants on the giant amoeba (*Chaos carolinense*)
- 99P WRIGHT, D.J.M. & WELLER, M.P.I. (introduced by BAKER, J.B.E.) Inhibition by naloxone of endotoxin-induced reactions in mice
- 100P HUGHES, BERNADETTE, MADAN B.R. & PARRATT, J.R. Polymyxin B sulphate markedly reduces the effects of *E. coli* endotoxin in anaesthetized cats
- 101P COOTE, J., HUMPHRAY, H.P., SKIDMORE, I.F., SIBLEY, P., STEWART, P.B. & WHITE, B. (Introduced by BRITTAIN, R.T.) Are inhibitory effects of anti-inflammatory steroids on chronic inflammation, acute oedema and cell accumulation in the rat mediated through a specific receptor?
- 102P GEORGE, A.J., COPELAND, J.R.M. & WILSON, K.C.M. Prolactin secretion and the postpartum blues syndrome
- 103P FOZARD, J.R., GROVE, J. & PRAKASH, N.J. Ovarian function in the rat following irreversible inhibition of ornithine decarboxylase with α -difluoromethylornithine
- 104P COX, BARRY & ENNIS, CHRISTINE Apomorphine and gastric emptying in the guinea-pig
- 105P BLAKEMORE, R.C., BROWN, T.H., DURANT, G.J., EMMETT, J.C., GANELLIN, C.R., PARSONS, M.E. & RASMUSSEN, A.C. SK&F 92994: a new histamine H₂-receptor antagonist
- 105P GRISTWOOD, R.W., OWEN, D.A.A. & SMITH, I.R. Inhibition by cimetidine of cardiac stimulation due to mast cell degranulation
- 106P SILAS, J.H., SMITH, B.M. & YATES, R.O. Unaltered lymphocyte β -adrenoceptor response in hypo- and hyperthyroidism
- 107P McINNES, G.T., SHELTON, J.R., ASBURY, M.J., HARRISON, I.R., RAMSAY, L.E., CLARKE, J.M. & VENNING, G.R. The activity in man of a new aldosterone antagonist (SC27169)
- 109P SANDLE, G.I., KEIR, M.J. & RECORD, C.O. (introduced by RAWLINS, M.D.) Enhancement of hydrocortisone absorption by actively transported solutes in the jejunum in man
- 110P BOYCE, M.J., OWEN, D.A.A. & WAREHAM, K. Modification of cardiovascular effects of histamine infusions in man by chloropheniramine and cimetidine
- 111P FARROW, P., THOM, S.A. McG., RAWLINS, M.D. & JAMES, OLIVER Chenodeoxycholic acid: Effects on the clearance of antipyrine and isoniazid in man
- 111P CALDWELL, J., LAWRIE, C.A. & MONKS, T.J. The effect of increased caffeine intake on the metabolism and pharmacokinetics of theophylline in man
- 112P CALDWELL, J., DAVIES, S. & SMITH, R.L. Inter-individual differences in the conjugation of paracetamol with glucuronic acid and sulphate

- 113P BADAWY, A.A.-B. Haem utilization by rat liver tryptophan pyrrolase as a screening test for drug exacerbation of hepatic porphyrias
- 114P PANG, J.A., BLACKBURN, J.P., BUTLAND, R.J.A. & GEDDES, D.M. (introduced by LANT, A.F.) First-pass propranolol uptake by dog lungs *in vivo*
- 116P BARBER, H.E., KITTINGHAM, N.R. & PETRIE, J.C. Reduction of the first pass elimination of propranolol by the co-administration of chlorpromazine
- 116P BENNETT, P.N., NOTARIANNI, LIDIA J. & SUPRADIST, S. Effect of enzyme induction on the pharmacokinetics of lignocaine and tocainide in rat
- 117P LEWIS, D.A. & RAYMONT, C.M. Effects of oxidative N-demethylation on mouse liver lysosomes and liver function
- 118P MORRIS, H.R., PIPER, PRISCILLA J., SAMHOUN, MARWA N., TAYLOR, G.W. & TIPPINS, J.R. Structure of slow-reacting substances
- 119P LEWIS, A. & WILSON, C.W.M. A protective factor in guinea-pig urine against anaphylaxis
- 120P BOARDMAN, LESLEY E. (Introduced by MORLEY, J.) Interactions between theophylline and theophylline derivatives in producing relaxation of guinea-pig isolated tracheal chains
- 122P ANDERSON, A.A., ASHRAF, A.J., FLETCHER, THELMA C. & SMITH, G.M. Biologically active peptides in the skin of the plaice (*Pleuronectes platessa* L.)
- 122P YOUNG, KEVIN D. & CHURCH, MARTIN K. Tolerances to sodium chromoglycate in human lung fragments *in vitro*
- 123P VERGARA, G.A. & LIVINGSTON, A. Effect of halothane on colchicine binding by tubulin
- 124P BHATTACHERJEE, P. & WILLIAMS, R.N. Intraocular pressure and microtubule inhibitors: The iris-ciliary processes as a possible site of action
- 125P HUMPHREY, P.P.A. & LUMLEY, P. A method for the analysis of drug-receptor interactions on platelets in human whole blood *in vitro*
- 126P McELNAY, J.C. (introduced by D'ARCY, P.F.) Interaction of phenytoin with antacid constituents and kaolin
- 127P CHAHWALA, S.B. & HARPUR, E.S. Use of rat isolated renal tubules for evaluation of the mechanisms of aminoglycoside nephrotoxicity
- 128P ANWAR, N. & MASON, D.F.J. Responses of rabbit isolated basilar artery to transmural nerve stimulation, noradrenaline and 5-hydroxytryptamine
- 129P BELD, A.J. & RODRIGUES DE MIRANDA, J.F. Inhibition of [3 H]-dextimide binding by a homologous series of methylfurthrethonium analogues at the peripheral muscarinic receptor
- 130P BROXTERMAN, H.J., VAN VALKENBURG, C.F.M. & NOACH, E.L. (introduced by SCHÖNBAUM, E.) Different changes in dopamine metabolism in the striatum and olfactory tubercle of the rat after HA-966
- 131P BENNETT, G.W., MARSDEN, C.A., SHARP, T. & STOLZ, J.F. Simultaneous measurement of endogenous release of dopamine, noradrenaline, 5-hydroxytryptamine and thyrotrophin releasing hormone (TRH) from rat brain slices *in vitro*
- 132P CURZON, G. & TRICKLEBANK, M.D. Prevention of L-tryptophan induced hypoactivity by 5-HT antagonists and by the peripheral aromatic amino acid decarboxylase inhibitor RO4-4602
- 132P CURZON, G., HUTSON, P.H. & KNOTT, P.J. Behavioural and voltammetric evidence for involvement of 5-hydroxytryptamine in tail pinch induced gnawing
- 133P BAKER, H.F., JOSEPH, M.H. & RIDLEY, ROSALIND M. HPLC analysis of tryptophan, 5HIAA and HVA using fluorescence and electrochemical detection; the effect of probenecid studied in primate ventricular CSF
- 134P KENDALL, T.J.G. & MINCHIN, M.C.W. (Introduced by ANGEL, A.) The effect of thiopentone and methohexitone on [14 C]-GABA and [3 H]-D-aspartate release from rat thalamic slices
- 135P PYCOCK, C.J. & TABERNER, P.V. The effects of the stereoisomers of the GABA uptake inhibitor 2,4-diaminobutyric acid on GABA metabolism *in vivo*
- 136P KERWIN, R.W. & PYCOCK, C.J. The action of adenosine on [3 H]-neurotransmitter release from rat striatal slices *in vivo*
- 137P ROBERTS, P.J. & ROWLANDS, GETHIN J. Release of glutamate from cortico-striatal terminals is regulated by activation of dopamine receptors
- 138P LEAKE, LUCY D., SUNDERLAND, A.J. & WALKER, R.J. Is there a common receptor mediating the inhibitory actions of 5-hydroxytryptamine (5-HT) and dopamine on leech Retzius cells?
- 139P MARTIN, R.J. (introduced by ALEXANDER, F.) The voltage sensitivity of GABA antagonists at the bag region of *Ascaris* muscle
- 140P DREW, G.M. & HILDITCH, A. Effects of fluphenazine and sulpiride at peripheral pre- and postsynaptic dopamine receptors

- 141P NICHOLSON, A.N. & WRIGHT, CATHERINE M. Spatial delayed alteration behaviour in the monkey (*Macaca mulatta*): Comparative effects of thieno- and benzo-diazepines
- 141P BRADSHAW, C.M., PUN, R.Y.K., SLATER, N.T. & SZABADI, E. A novel procedure for comparing the transport numbers of unlabelled drugs released from micropipettes by microelectrophoresis
- 142P PEACOCK, R., SKINGLE, M. & TYERS, M.B. Evaluation of antinociceptive activity in the conscious marmoset (*Callithrix jacchus*) by using stimulation of the tooth pulp
- 143P FOZARD, J.R. Differences between receptors for 5-hydroxytryptamine on autonomic neurones
- 144P ANDREWS, P.R., EVANS, R.H., JOHNSTON, G.A.R. & WILLOW, M. Direct excitant action of convulsant barbiturates
- 145P DEAN, P., REDGRAVE, P., SOUKI, W. & LEWIS, G. Behavioural effects of microinjections of picrotoxin into rat superior colliculus, and their modulation by intranigral 6-OHDA
- 146P ROBERTS, P.J., SHARIF, N.A. & SWAIT, J.C. Characteristics of L-[³H]-aspartate binding to cerebellar synaptic membranes
- 147P HILL, R.G. & MORRIS, R. Responses of neurones in medial caudal medulla to iontophoretically applied opioids
- 148P COSTALL, B., DE SOUZA, C.X. & NAYLOR, R.J. Dopamine receptors mediating different motor responses may have differential topography in the guinea-pig striatum
- 149P COX, B. & LEE, T.F. Comparison of core temperature changes induced by intrahypothalamic injection of 5-hydroxytryptamine and tryptamine in the rat
- 150P WHEELER, H. (introduced by COX, B.) Effect of intrapallidal injection of GABA drugs on head-turn induced by electrical stimulation of the striatum in rats—*in vivo* evidence for different GABA receptors in the CNS?
- 151P POAT, JUDITH A., SUMNERS, C. & WOODRUFF, G.N. The effects of centrally administered dopamine and 2-amino-6,7-dihydroxy-1,2,3,4-tetra-hydronaphthalene (ADTN) on water and food intake in the rat
- 152P HALL, M.D., JENNER, P., MARSDEN, C.D. & THEODOROU, A. [³H]-(\pm)-Sulpiride specific binding to rat striatal preparations is sodium dependent
- 153P KELLY, P.D., LANE, A.C., RANCE, M.J. & TRAYNOR, J.R. Opiate receptors in rat spinal cord
- 154P DASCOMBE M.J. & MILTON, A.S. Thermo-regulatory effects of guanosine 3',5'-monophosphate in the cat
- 155P CUNNINGHAM, JO & NEAL, MICHAEL The mechanism of veratridine evoked GABA release from brain slices
- 156P CUNNINGHAM, JO R., MARSHALL, JOHN & NEAL, MICHAEL J. The radioautographical localization in the vertebrate retina of [³H]-(\pm)-cis-aminocyclohexane carboxylic acid (ACHC) a selective inhibitor of neuronal GABA transport
- 157P NICHOLSON, A.N., STONE, BARBARA M. & PASCOE, PETA A. Effect of a triazolo-thienodiazepine (brotizolam) on sleep and on performance in man
- 157P BOYCE, M.J., BALASUBRAMANIAN, V. & WAREHAM, K. (introduced by OWEN, D.A.A.) Cardiovascular effects in man of impromidine, a novel and specific histamine H₂-receptor agonist
- 158P HENRY, J.A. (introduced by TURNER, P.) Salicylate frusemide interactions
- 159P FLETCHER, J.E., HILL, R.G. & THOMAS, T.A. β -Endorphin and parturition
- 160P BUTCHERS, JANET, HUMPHREY, P.P.A., HYDE, J.J., LUMLEY, P. & SPURLING, N.W. The evaluation of a new electronic counting technique for measurement of platelet aggregation in human whole blood *in vitro*
- 161P MARTIN, M.A., SILAS, J.H. & SMITH, B.M. Effects of β -adrenoceptor blockers on platelet function and serotonin concentrations
- 163P NUNN, BARBARA & WHITE, J.P.N. Inhibitors of platelet aggregation have different activity in blood than in platelet-rich plasma
- 164P ASMAWI, M.Z., IRVING, G. & MCCURRIE, J.R. (introduced by LEACH, G.D.H.) The effect of magnesium ions on the responses of arterial smooth muscle to noradrenaline, histamine and adenosine 5' triphosphate (ATP)
- 165P FORSTER, CHRISTINE & WHALLEY, E.T. Comparison of the 5-hydroxytryptamine-induced contraction of human basilar arterial and rat aortic strips *in vitro*
- 166P ABDULLAH, F.M., FRENCH, A.M. & SCOTT, N.C. Effects of a benzotriazinium salt on guinea-pig atria and in the pithed rat
- 167P FADLOUN, Z. & LEACH, G.D.H. '*In vivo*' and '*in vitro*' measurement of changes in sympathetic nervous control of vascular and non-vascular tissues in rats chronically treated with Cd²⁺
- 168P HICKS, R. & SAHYOUN, H.A. Abnormal electrocardiographic activity revealed by rat isolated heart preparations at various times after experimental myocardial infarction

- 169P ARMSTRONG, J.M., CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE Some agents that stimulate presynaptic α_2 -adrenoceptors produce bradycardia in pentobarbitone anaesthetised rats by an action on peripheral cardiac sympathetic nerves
- 170P BARNETT, P., DOCHERTY, J.R., FLAVAHAN, N.A., HART, J.K. & MCGRATH, J.C. An analysis of 'adrenaline reversal' and of other depressor responses in the pithed rat
- 171P ANDERSON, A.A., GOADBY, P., HOOPER, M. & THONOOR, M. Are the cardiac and smooth muscle activities of papaverine-like compounds due to inhibition of phosphodiesterase?
- 171P DOXEY, J.C. & HERSOM, A.S. The relationship between the selectivity of agonists for presynaptic α_2 -adrenoceptors and their cardiovascular responses in the anaesthetised rat
- 173P PANG, J.A., BLACKBURN, J.P., BUTLAND, R.J.A., WILLIAMS, T.R. & GEDDES, D.M. (introduced by LANT, A.F.) The effect of general anaesthesia on first-pass propranolol uptake in dog lungs *in vivo*
- 173P GRIFFITHS, K.F. & McLEAN, W.G. A pharmacological comparison of rapid and slow axonal transport in rabbit vagus nerve
- 174P FLYNN, SHEILA B. & OWEN, D.A.A. Histamine and cardiac function in anaesthetised guinea-pigs
- 175P COLLIER, H.O.J., CUTHBERT, N.J. & FRANCIS, D.L. Induction of responsiveness to phentolamine by incubation of guinea-pig ileum with clonidine *in vitro*
- 176P AZMATULLAH, S. & MORRIS, I.D. The effect of environmental temperature on the thermoregulatory response to peripheral histamine administration in the rat
- 177P EVANS, J., FORD, R.E., LESWELL, P.F., MARSHALL, S.M. & WALKER, J.L. M & B 22,948—A novel anti-allergic drug
- 178P BUNCE, K.T., CLAYTON, N.M., DALY, M.J., HUMPHRAY, J.M. & STABLES, R. Protection against aspirin-induced gastric lesions in the rat by the H_2 -receptor antagonists ranitidine and cimetidine
- 178P CANFIELD, S.P., PRICE, C.A. & SPENCER, J.E. Noradrenaline and gastric acid secretion by the rat isolated stomach
- 179P DACKE, C.G., ABEL DE LA CRUZ, L., POLLARD, S. & KENNY, A.D. Modification of radioreceptor assay for 1,25-dihydroxyvitamin D using gut cytosolic receptor from adult male or immature Japanese quail
- 180P KINGSTON, W.P. Inhibition of phospholipase A activity in the perfused rat kidney by steroid anti-inflammatory drugs
- 181P BISHOP, H., SCHNEIDER, R.E. & WELLING, P.G. Plasma propranolol concentrations in rats with adjuvant induced arthritis
- 182P EAKINS, K.E., HIGGS, G.A., MONCADA, S. & MUGRIDGE, K.G. Non-steroid anti-inflammatory drugs which potentiate leukocyte migration in carrageenin-induced inflammation
- 183P FORD-HUTCHINSON, A.W., SHIPLEY, M.E. & SMITH, M.J.H. Polymorphonuclear leucocyte aggregation: a possible bioassay for lipoxygenase products
- 183P BEETS, J.L. & PAUL, W. (Introduced by MORLEY, J.) Effects of partially-purified guinea-pig SRS-A on plasma protein extravasation in guinea-pig skin
- 184P BATES, R.F.L., BUCKLEY, G.A. & STRETTLE, R.J. Inhibition of histamine-induced mouse pinnal oedema by reserpine
- 185P BUTCHER, M.J., CLAY, T.P. & THOMPSON, M.A. (Introduced by MILLER, P) Inhibition of histamine induced bronchoconstriction by prostaglandin $F_{2\alpha}$ —a sympathetic mechanism
- 186P HAMBLETON, P., MILLER, P., ROBSON, E. & SMITH, S. Differential modulation of delayed hypersensitivity
- 187P ALBUTT, M.G.V., BROWN, R.A., PUGH, I. & RICE, P.D. A digital computer system for the on-line analysis of cardiovascular data
- 188P BATEMAN, D.N. & WHITTINGHAM, T.A. The measurement of gastric motor function by real-time ultrasound
- 188P HILL, R.G., MORRIS, R. & SALT, T.E. Nociceptive responses of neurones in trigeminal nucleus caudalis of the rat
- 189P LAWRENCE, D. & LIVINGSTON, A. A comparison of the analgesic activity of ketamine using two different methods of assessment
- 189P MORRIS, R.G. & TABERNER, P.V. A cheap and simple ultrasonic device for quantifying animal activity
- 190P ASHWOOD, T. & MICHELL, J.F. The release of met-enkephalin from the intact brain
- 190P BARLOW, R.B., HARMAR, A.J. & JONES, P. Some uses of PET computers in pharmacology
- 190P EVANS, R.H. & TABERNER, P.V. Maximizing the positive: techniques for the presentation and publication of pharmacological data