

INDEX TO VOLUME 70

AUTHOR INDEX

A

- ABDULLAH, F.M., FRENCH, A.M. & SCOTT, N.C. Effects of a benzotriazinium salt on guinea-pig atria and in the pithed rat, 166P
- ACHOLEM, M.M. & TAYO, F.M. The rat isolated caecum, 71P
- ADEAGBO, A.S.O. (introduced by OKPAKO, D.T.) Reversal of α -adrenoceptor blockade by PGE₂ in rat isolated mesenteric artery, 91P
- ALBUTT, M.G.V., BROWN, R.A., PUGH, I. & RICE, P.D. A digital computer system for the on-line analysis of cardiovascular data, 187P
- ALEXANDER, F. *see* MARTIN, R.J., 139P
- ALLAN, R.D., EVANS, R.H. & JOHNSTON, G.A.R. γ -Aminobutyric acid agonists: an *in vitro* comparison between depression of spinal synaptic activity and depolarization of spinal root fibres in the rat, 609
- ALLOTT, C.P., EVANS, D.P., LOVEDAY, B.E. & MARSHALL, P.W. A model of reflex tracheal constriction in the dog, 419
- ALTURA, BELLA T. *see* ALTURA, BURTON M., 351
—*see* ALTURA, BURTON M., 257
- ALTURA, BURTON M., ALTURA, BELLA T. & GEBREWOLD, ASEFA. Differential effects of the calcium antagonist, verapamil on lumen sizes of terminal arterioles and muscular venules in the rat mesenteric, pial and skeletal muscle microvasculatures, 351
- ALTURA, BURTON M., ALTURA, B.T. & CARELLA, ANTHONY Effects of ketamine on vascular smooth muscle function, 257
- ANDERSON, A.A., ASHRAF, A.J., FLETCHER, THELMA C. & SMITH, G.M. Biologically active peptides in the skin of the plaice (*Pleuronectes platessa* L.), 122P
- ANDERSON, A.A., GOADBY, P., HOOPER, M. & THONOR, M. Are the cardiac and smooth muscle activities of papaverine-like compounds due to inhibition of phosphodiesterase? 171P
- ANDERSSON, K.-E., HUSTED, S. & SJOGREN, C. Contribution of prostaglandins to the adenosine triphosphate-induced contraction of rabbit urinary bladder, 443
- ANDREWS, P.R., EVANS, R.H., JOHNSTON, G.A.R. & WILLOW, M. Direct excitant action of convulsant barbiturates, 144P
- ANGEL, A. *see* KENDALL, T.J.G., 134P
- ANGEL, A., GRATTON, DENISE A., HALSEY, M.J. & WARDLEY-SMITH, BRIDGET. Pressure reversal of the effect of urethane on the evoked somatosensory cortical response in the rat, 241
- ANWAR, N. & MASON, D.F.J. Responses of rabbit isolated basilar artery to transmural nerve stimulation, noradrenaline and 5-hydroxytryptamine, 128P
- ARBILLA, SONIA, KAMAL, LINDA A. & LANGER, S.Z. Presynaptic dopamine receptors modulate electrical stimulation but not amphetamine-evoked release of [³H]-dopamine from the rabbit caudate nucleus, 45P

- ARMSTRONG, J.M., CAVERO, I. & LEFEVRE-BORG, FRANCOISE. Some agents that stimulate presynaptic α_2 -adrenoceptors produce bradycardia in pentobarbitone anaesthetized rats by an action on peripheral cardiac sympathetic nerves, 169P
- ASBURY, M.J. *see* MCINNES, G.T., 107P
- ASHRAF, A.J. *see* ANDERSON, A.A., 122P
- ASHWOOD, T. & MITCHELL, J.F. The release of met-enkephalin from the intact brain, 190P
- ASMAWI, M.Z., IRVING, G. & MCCURRIE, J.R. (introduced by LEACH, G.D.H.) The effect of magnesium ions on the responses of arterial smooth muscle to noradrenaline, histamine and adenosine 5'-triphosphate, 164P
- AULT, B. (introduced by EVANS, R.H.) The effects of capsaicin on the isolated spinal cord of the immature rat, 95P
- AZMATULLAH, S. & MORRIS, I.D. The effect of environmental temperature on the thermoregulatory response to peripheral histamine administration in the rat, 176P

B

- BADAWY, A.A.-B. Haem utilization by rat liver tryptophan pyrrolase as a screening test for drug exacerbation of hepatic porphyrias, 113P
- BAKER, H.F., JOSEPH, M.H. & RIDLEY, ROSALIND M. HPLC analysis of tryptophan, 5-HIAA and HVA using fluorescence and electrochemical detection: the effect of probenecid studied in primate ventricular CSF, 133P
- BAKER, J.B.E. *see* WRIGHT, D.J.M., 99P
- BAKHLE, Y.S. & ZAKRZEWSKI, J.T. The influence of the oestrous cycle on the metabolism of exogenous arachidonate in rat isolated lung, 83P
- BALASUBRAMANIAN, V. *see* BOYCE, M.J., 157P
- BARBER, H.E., KITTERINGHAM, N.R. & PETRIE, J.C. Reduction of the first-pass elimination of propranolol by the co-administration of chlorpromazine, 116P
- BARLOW, R.B., HARMAR, A.J. & JONES, P. Some uses of PET computers in pharmacology, 190P
- BARNETT, P., DOCHERTY, J.R., FLAVAHAN, N.A., HART, J.K. & MCGRATH, J.C. An analysis of adrenaline reversal and of other depressor responses in the pithed rat, 170P
- BARTHO, L. & SZOLCSANYI, J. The mechanism of the motor response to periarterial nerve stimulation in the small intestine of the rabbit, 193
- BATEMAN, D.N. & WHITTINGHAM, T.A. The measurement of gastric motor function by real-time ultrasound, 188P
- BATES, R.F.L., BUCKLEY, G.A. & STRETTLE, R.J. Inhibition of histamine-induced mouse pinnal oedema by reserpine, 184P
- BEETS, J.L. & PAUL, W. Actions of locally administered adrenoceptor agonists on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- BEETS, J.L. & PAUL W. (introduced by MORLEY, J.) Effects of partially-purified guinea-pig SRS-A on plasma protein extravasation in guinea-pig skin, 183P

- BELD, A.J. & DE MIRANDA, J.F. RODRIGUES. Inhibition of [3 H]-dextetide binding by a homologous series of methylfurthrethonium analogues at the peripheral muscarinic receptor, 129P
- BENNETT, G.W., MARSDEN, C.A., SHARP, T. & STOLZ, J.F. Simultaneous measurement of endogenous release of dopamine, noradrenaline, 5-hydroxytryptamine and thyrotrophin releasing hormone from rat brain slices *in vitro*, 131P
- BENNETT, P.N., NOTARIANNI, LIDIA J. & SUPRADIST, S. Effect of enzyme induction on the pharmacokinetics of lignocaine and tocainide in the rat, 116P
- BERTHELOT, A., GAIRARD, A., GOYAULT, M. & PERNOT, F. Relation between calcium and cardiovascular reactivity in mineralocorticoid-induced hypertension in the rat, 301
- BESSER, G.M., DELITALA, G., GROSSMAN, A. & YEO, T. Metergoline and cyproheptadine suppress prolactin release by a non-5-hydroxytryptaminergic, non-dopaminergic mechanism, 5
- BEY, PHILIPPE, JUNG, MICHEL J., KOCH-WESER, JAN, PALFREYMAN, MICHAEL G., SJOERDSMA, ALBERT, WAGNER, JOSEPH & ZRAIKA, MONIQUE. Further studies on the inhibition of monoamine synthesis by monofluoromethyl dopa, 571
- BHATTACHERJEE, P. & WILLIAMS, R.N. Intraocular pressure and microtubule inhibitors: the iris-ciliary processes as a possible site of action, 124P
- BIGGS, MARILYN J. & JOHNSON, E.S. Electrically-evoked release of [3 H]-histamine from the guinea-pig hypothalamus, 555
- BIRMINGHAM, A.T. & HUSSAIN, S.Z. A comparison of the skeletal neuro-muscular and autonomic ganglion-blocking potencies of five non-depolarizing relaxants, 501
- BISHOP, H., SCHNEIDER, R.E. & WELLING, P.G. Plasma propranolol concentrations in rats with adjuvant induced arthritis, 181P
- BISSET, G.W. & CHOWDREY, H.S. Central inhibition by GABA of the release of vasopressin by carbachol in the rat, 78P
- BLACKBURN, J.P. *see* PANG, J.A., 114P
—*see* PANG, J.A., 173P
- BLAKEMORE, R.C., BROWN, T.H., DURANT, G.J., EMMETT, J.C., GANELLIN, C.R., PARSONS, M.E. & RASMUSSEN, A.C. SK&F 92994, a new histamine H₂-receptor antagonist, 105P
- BOARDMAN, LESLEY E. (introduced by MORLEY, J.) Interactions between theophylline and theophylline derivatives in producing relaxation of guinea-pig isolated tracheal chains, 120P
- BORISON, HERBERT L., ELLIS, SYDNEY & MCCARTHY, LAWRENCE E. Central respiratory and circulatory effects of *Gymnodinium breve* toxin in anaesthetized cats, 249
- BOUCHER, M. & DUCHENE-MARULLAZ, P. Acebutalol, metoprolol and propranolol in conscious dogs with chronic heart-block: chronotropic effects and relation between depression of ventricular activity and β -adrenoceptor-blocking potency, 335
- BOWERY, N.G., DOBLE, A., HILL, D.R., HUDSON, A.L. & TURNBULL, M.J. GABA facilitates or inhibits the evoked release of [3 H]-noradrenaline from rat cerebellar cortex slices by an action at separate receptors, 77P
- BOWMAN, ANNE, GILLESPIE, J.S. & MARTIN, W. Cardiovascular actions of the inhibitory material extracted from the bovine retractor penis, 62P
- BOYCE, M.J., BALASUBRAMANIAN, V. & WAREHAM, K. (introduced by OWEN, D.A.A.) Cardiovascular effects in man of impromidine, a novel and specific histamine H₂-receptor agonist, 157P
- BOYCE, M.J., OWEN, D.A.A. & WAREHAM, K. Modification of cardiovascular effects of histamine infusions in man by chlorpheniramine and cimetidine, 110P
- BRADING, ALISON F. & SNEDDON, P. Evidence for multiple sources of calcium for activation of the contractile mechanism of guinea-pig taenia coli on stimulation with carbachol, 229
- BRADSHAW, C.M., PUN, R.Y.K., SLATER, N.T. & SZABADI, E. A novel procedure for comparing the transport numbers of unlabelled drugs released from micro-pipettes by microelectrophoresis, 141P
- BRAY, M.A., FORD-HUTCHINSON, A.W. & SMITH, M.J.H. Generation of chemokinetic activity from rat polymorphonuclear leucocytes treated with calcium ionophore A23187, 84P
- BRITAIN, R.T. *see* COOTE, J., 101P
- BROADLEY, K.J. & MCNEILL, J.H. Differences between the functional antagonism of the positive inotropic and chronotropic responses to sympathomimetic amines by carbachol, 68P
- BROWN, D.A. & CONSTANTIN, A. Intracellular observations on the effects of muscarinic agonists on rat sympathetic neurones, 593
- BROWN, D.A., FATHERAZI, S., GARTHWAITE, J. & WHITE, R.D. Muscarinic receptors in rat sympathetic ganglia, 577
- BROWN, R.A. *see* ALBUTT, M.G.V., 187P
- BROWN, T.H. *see* BLAKEMORE, R.C., 105P
- BROXTERMAN, H.J., VAN VALKENBURG, C.F.M. & NOACH, E.L. (introduced by SCHONBAUM, E.) Different changes in dopamine metabolism in the striatum olfactory tubercle of the rat after HA-966, 130P
- BUCKINGHAM, JULIA C. & HODGES, J.R. The effects of opioid substances on the secretion of corticotrophin releasing factor in the rat, 79P
- BUCKLEY, G.A. *see* BATES, R.F.L., 184P
- BUNCE, K.T., CLAYTON, N.M., DALY, M.J., HUMPHRAY, J.M. & STABLES, R. Protection against aspirin-induced gastric lesions in the rat by the H₂-receptor antagonists ranitidine and cimetidine, 178P
- BUTCHER, M.J., CLAY, T.P. & THOMPSON, M.A. Inhibition of histamine-induced broncho-constriction by prostaglandin F_{2x}—a sympathetic mechanism, 185P
- BUTCHERS, JANET, HUMPHREY, P.P.A., HYDE, J.J., LUMLEY, P. & SPURLING, N.W. The evaluation of a new electronic counting technique for measurement of platelet aggregation in human whole blood *in vitro*, 160P
- BUTLAND, R.J.A. *see* PANG, J.A., 114P
—*see* PANG, J.A., 173P

C

- CALDWELL, J., DAVIES, S. & SMITH, R.L. Inter-individual differences in the conjugation of paracetamol with glucuronic acid and sulphate, 112P

- CALDWELL, J., LAWRIE, C.A. & MONKS, T.J. The effect of increased caffeine intake on the metabolism and pharmacokinetics of theophylline in man, 111P
- CANFIELD, S.P., PRICE, C.A. & SPENCER, J.E. Noradrenaline and gastric acid secretion by the rat isolated stomach, 178P
- CARELLA, ANTHONY *see* ALTURA, B.M., 257
- CARTER, C.J. (introduced by JENNER, P.) Glutamatergic pathways from the medial prefrontal cortex to the anterior striatum, nucleus accumbens and substantia nigra, 50P
- CAVERO, I. & ROACH, A.G. Effects of clonidine on canine cardiac neuroeffector structures controlling heart rate, 269
- CAVERO, I. *see* ARMSTRONG, J.M., 169P
- CHAHWALA, S.B. & HARPUR, E.S. Use of rat isolated renal tubules for evaluation of the mechanisms of aminoglycoside nephrotoxicity, 127P
- CHAKRAVARTY, P.K. *see* FOX, K.R., 25
- CHENG, JOHN B., CORNETT, LAWRENCE E., GODLFEN, ALAN & ROBERTS, JAMES M. Decreased concentration of myocardial α -adrenoceptors with increasing age in foetal lambs, 515
- CHOWDREY, H.S. *see* BISSET, G.W., 78P
- CHRISTIE, J. & SATCHELL, D.G. Purine receptors in the trachea: is there a receptor for ATP? 512
- CHURCH, MARTIN K. & GRADIDGE, CARYLYN F. The activity of sodium cromoglycate analogues in human lung *in vitro*: a comparison with rat passive cutaneous anaphylaxis and clinical efficacy, 307
- CHURCH, MARTIN K. *see* YOUNG, KEVIN D., 122P
- CLANACHAN, A.S. & MARSHALL, R.J. Diazepam potentiates the coronary vasodilator actions of adenosine in anaesthetized dogs, 66P
- CLARKE, J.M. *see* MCINNES, G.T., 107P
- CLAY, T.P. *see* BUTCHER, M.J., 185P
- CLAYTON, N.M. *see* BUNCE, K.T., 178P
- COKER, SUSAN J. & PARRATT, J.R. The effects of prostacyclin on infarct flow and epicardial ST-segment elevation in anaesthetized dogs, 86P
- COLEMAN, R.A., KENNEDY, I., LEVY, G.P. & PENNING, CAROL. An analysis of the prostanoid receptors mediating contraction of chick isolated ileum, 89P
- COLLIER, H.O.J., CUTHBERT, N.J. & FRANCIS, D.L. Induction of responsiveness to phentolamine by incubation of guinea-pig ileum with clonidine *in vitro*, 175P
- CONSTANTI, A. *see* BROWN, D.A., 593
- COOTE, J., HUMPHRAY, H.P., SKIDMORE, I.F., SIBLEY, P., STEWART, P.B. & WHITE, B. (introduced by BRITAIN, R.T.) Are inhibitory effects of anti-inflammatory steroids on chronic inflammation, acute oedema and cell accumulation in the rat mediated through a specific receptor?, 101P
- COPELAND, J.R.M. *see* GEORGE, A.J., 102P
- CORNETT, LAWRENCE E. *see* CHENG, JOHN B., 515
- COSTALL, B., DE SOUZA, C.X. & NAYLOR, R.J. Dopamine receptors mediating different motor responses may have differential topography in the guinea-pig striatum, 148P
- COSTALL, B., NAYLOR, R.J. & NOHRIA, V. Dopamine agonist and antagonist action after mesolimbic denervation, 49P
- COWEN, P.J., GREEN, A.R. & NUTT, D.J. Effect of anaesthetic administration on the appearance of enhanced monoamine-mediated behaviours following electroconvulsive shock, 73P
- COX, B. & LEE, T.F. Comparison of core temperature changes induced by intrahypothalamic injection of 5-hydroxytryptamine and tryptamine in the rat, 149P
- COX, BARRY & ENNIS, CHRISTINE. Apomorphine and gastric emptying in the guinea-pig, 104P
- COX, B. *see* WHEELER, H., 150P
- CUNNINGHAM, JO R., MARSHALL, JOHN & NEAL, MICHAEL J. The radioautographical localization in the vertebrate retina of [3 H]-(+)-*cis*-aminocyclohexane carboxylic acid, a selective inhibitor of neuronal GABA transport, 156P
- CUNNINGHAM, JO & NEAL, MICHAEL. The mechanism of veratridine evoked GABA release from brain slices, 155P
- CURZON, G., FERNANDO, J.C.R. & LEES, A.J. Use of amphetamine at high dosage in the study of DA-5-HT interactions: effects of neuroleptics, 43P
- CURZON, G., HUTSON, P.H. & KNOTT, P.J. Behavioural and voltammetric evidence for involvement of 5-hydroxytryptamine in tail pinch induced gnawing, 132P
- CURZON, G., HUTSON, P.H. & TRICKLEBANK, M.D. Role of 5-HT in shock-induced analgesia, 44P
- CURZON, G. & TRICKLEBANK, M.D. Prevention of L-tryptophan induced hypoactivity by 5-hydroxytryptamine antagonists and by the peripheral aromatic amino acid decarboxylase inhibitor RO4-4602, 132P
- CUTHBERT, N.J. *see* COLLIER, H.O.J., 175P

D

- DACKE, C.G., DE LA CRUZ, ABEL, POLLARD S. & KENNY, A.D. Modification of radio-receptor assay for 1,25-dihydroxyvitamin D using gut cytosolic receptor from adult male or immature Japanese quail, 179P
- DAGE, RICHARD C. & PENG HSIEH, CHIH. Direct vasodilatation by labetalol in anaesthetized dogs, 287
- DALY, M.J. *see* BUNCE, K.T., 178P
- D'ARCY, P.F. *see* MCELNAY, J.C., 126P
- DASCOMBE, M.J., MILTON, A.S., NYEMITEI-ADDU, I. & PERTWEE, R.G. Thermoregulatory effects of N⁶-2'-*O*-dibutyladenosine 3',5'-monophosphate in the restrained mouse, 453
- DASCOMBE, M.J. & MILTON, A.S. Thermoregulatory effects of guanosine 3',5'-monophosphate in the cat, 154P
- DAUGHERTY, A. & WOODWARD, B. The effect of calcium on cyclic nucleotide levels in the rat isolated heart, 69P
- DAVIES, J., FRANCIS, A.A., JONES, A.W. & WATKINS, J.C. 2-Amino-5-phosphonovalerate (2APV), a highly potent and specific antagonist at spinal NMDA receptors, 52P
- DAVIES, S. *see* CALDWELL, J., 112P
- DAWBARN, D. & PYCOCK, C.J. Motor responses evoked by N-methyl-D-aspartic acid and kainic acid from substantia nigra and ventral tegmental area in the rat, 54P
- DE LA CRUZ, ABEL *see* DACKE, C.G., 179P
- DE MIRANDA, J.F. RODRIGUES *see* BELD, A.J., 129P
- DE SOUZA, C.X. *see* COSTALL, B., 148P
- DEAN, P., REDGRAVE, P., SOUKI, W. & LEWIS, G. Behavioural effects of microinjections of picrotoxin into rat

- superior colliculus, and their modulation by intranigral 6-OHDA, 145P
- DELITALA, G. *see* BESSER, G.M., 5
- DICKINSON, K.E.J. & NAHORSKI, S.R. Atypical β -adrenoceptors on frog and chick erythrocytes, 57P
- DICKINSON, SARA E., DIGGORY, G.L., WOOD, M.D. & WYLIE, M.G. The effects of a selective uptake blocker on 5-HT turnover in the CNS, 42P
- DIGGORY, G.L. *see* DICKINSON, SARA E., 42P
- DIXON, M., JACKSON, D.M. & RICHARDS, I.M. The action of sodium cromoglycate on 'C' fibre endings in the dog lung, 11
- DOCHERTY, J.R. & McGRATH, J.C. An analysis of the effects of mianserin on adrenergic mechanisms, 61P
- DOCHERTY, J.R. *see* BARNETT, P., 170P
- DOBLE, A. *see* BOWERY, N.G., 77P
- DOGGETT, N.S. *see* MITCHELL, P.R., 48P
- DONATSCH, P., LOWE, D.A., RICHARDSON, B.P. & TAYLOR, PAMELA. Mechanism by which cyproheptadine inhibits insulin secretion, 355
- DOXEY, J.C. & HERSOM, A.S. The relationship between the selectivity of agonists for presynaptic α_2 -adrenoceptors and their cardiovascular responses in the anaesthetized rat, 171P
- DREW, G.M. & HILDRITCH, A. Effects of fluphenazine and sulpiride at peripheral pre- and postsynaptic dopamine receptors, 140P
- DUBOCOVICH, MARGARITA L. & LANGER, S.Z. Pharmacological differentiation of presynaptic inhibitory α -adrenoceptors and opiate receptors in the cat nictitating membrane, 383
- DUCHENE, MARULLAZ, P. *see* BOUCHER, M., 335
- DURANT, G.J. *see* BLAKEMORE, R.C., 105P
- E**
- EAKINS, K.E., HIGGS, G.A., MONCADA, S. & MUGRIDGE, K.G. Non-steroid anti-inflammatory drugs which potentiate leukocyte migration in carrageenin-induced inflammation, 182P
- EAKINS, K.E., HIGGS, G.A. & WHITTLE, B.J.R. Differential effects of sodium salicylate and BW755C on prostaglandin formation in inflammatory exudates and the gastro-intestinal tract, 82P
- EL TAHIR, K.E.H. & WILLIAMS, K.I. Studies on prostacyclin formation by the rat pregnant myometrium, 85P
- EL TAHIR, K.E.H. & WILLIAMS, K.I. Oxytocic drugs stimulate prostacyclin release from the rat pregnant myometrium, 86P
- ELLIOTT, J.M. & GRAHAME-SMITH, D.G. Evidence for a single type of α -adrenoceptor on human platelets, 59P
- ELLIS, SYDNEY *see* BORISON, HERBERT L., 249
- EMMETT, J.C. *see* BLAKEMORE, R.C., 105P
- ENNIS, CHRISTINE *see* COX, BARRY, 104P
- ENNIS, MADELEINE, PEARCE, FREDERICK L. & WESTON, PETER M. Some studies on the release of histamine from mast cells stimulated with polylysine, 329
- ESQUERRO, E., GARCIA, A.G. & SANCHEZ-GARCIA, P. The effects of the calcium ionophore, A23187, on the axoplasmic transport of dopamine β -hydroxylase, 375
- EVANS, D.P. *see* ALLOTT, C.P., 419
- EVANS, J., FORD, R.E., LESWELL, P.F., MARSHALL, S.M. & WALKER, J.L. M&B 22,948—A novel anti-allergic drug, 177P
- EVANS, R.H. Amino acid sensitivity of isolated spinal root fibres from the rat, 53P
- *see* ALLAN, R.D., 609
- *see* ANDREWS, P.R., 144P
- *see* AULT, B., 95P
- EVANS, R.H. & TABERNER, P.V. Maximizing the positive: techniques for the presentation and publication of pharmacological data, 190P
- F**
- FADIOUN, Z. & LEACH, G.D.H. *In vivo* and *in vitro* measurements of changes in sympathetic nervous control of vascular and non-vascular tissues in rats chronically treated with Cd^{2+} , 167P
- FAGBEMI, S.O. & SALAKO, L.A. The effect of prazosin on the guinea-pig ileum, 395
- FARROW, P., THOM, S.A.MCG., RAWLINS, M.D. & JAMES, OLIVER. Chenodeoxycholic acid: effects on the clearance of antipyrine and isoniazid in man, 111P
- FATHERAZI, S. *see* BROWN, D.A., 577
- FERNANDO, J.C.R. *see* CURZON, G., 43P
- FITZPATRICK, THOMAS M., FRIEDMAN, LAWRENCE S., KOT, PETER A. & RAMWELL, PETER W. Thromboxane B_2 inhibits the pulmonary inactivation of prostaglandin E_2 in the dog, 295
- FLAVAHAN, N.A. *see* BARNETT, P., 170P
- FLETCHER, J.E., HILL, R.G. & THOMAS, T.A. β -Endorphin and parturition, 159P
- FLETCHER, THELMA C. *see* ANDERSON, A.A., 122P
- FLYNN, SHEILA B. & OWEN, D.A.A. Histamine and cardiac function in anaesthetized guinea-pigs, 174P
- FORD, R.E. *see* EVANS, J., 177P
- FORD-HUTCHINSON, A.W., SHIPLEY, M.E. & SMITH, M.J.H. Polymorphonuclear leukocyte aggregation: A possible bioassay for lipoxygenase products, 183P
- FORD-HUTCHINSON, A.W. *see* BRAY, M.A., 84P
- FORSTER, CHRISTINE & WHALLEY, E.T. Comparison of the 5-hydroxytryptamine-induced contraction of human basilar arterial and rat aortic strips *in vitro*, 165P
- FOSTER, G.A. & ROBERTS, P.J. Stimulation of rat cerebellar cyclic GMP concentrations *in vitro* by glutamate receptor agonists, 94P
- FOSTER, R.W. & JONES, D.W. The effect of sodium thiosulphate upon some of the *in vitro* pharmacological properties of phenoxybenzamine, 70P
- FOSTER, R.W., WESTON, A.H. & WESTON, K.M. Membrane effects of some chemical irritants on the giant amoeba (*Chaos carolinense*), 98P
- FOX, K.R., OLSEN, R.K. & WARING, M.J. with an appendix by CHAKRAVARTY, P.K. & OLSEN, R.K. Interaction between synthetic analogues of quinoxaline antibiotics and nucleic acids: role of the disulphide cross-bridge and D-amino acid centres in des-N-tetramethyltriostin A, 25
- FOZARD, J.R. Differences between receptors for 5-hydroxytryptamine on autonomic neurones, 143P
- FOZARD, J.R., GROVE, J. & PRAKASH, N.J. Ovarian function in the rat following irreversible inhibition of ornithine decarboxylase with α -difluoromethylornithine, 103P

- FRANCIS, A.A. *see* DAVIES, J., 52P
 FRANCIS, D.L. *see* COLLIER, N.O.J., 175P
 FRENCH, A.M. *see* ABDULLAH, F.M., 166P
 FRIEDMAN, LAWRENCE S. *see* FITZPATRICK, THOMAS M., 295
 FUJIMOTO, SEIGO. The effect of prostaglandin E₂ microinjected into the rat hypothalamus on urinary excretion of water and sodium, 415

G

- GAGNON, G., REGOLI, D. & RIOUX, F. Studies on the mechanism of action of various vasodilators, 219
 GAIRARD, A. *see* BERTHELOT, A., 301
 GANELLIN, C.R. *see* BLAKEMORE, R.C., 105P
 GARCIA, A.G. *see* ESQUERRO, E., 375
 GARDNER, C.R. *see* KIDD, S.B., 95P
 GARTHWAITE, J. *see* BROWN, D.A., 577
 GEBHART, G.F. & LORENS, STANLEY A. Attenuation of pethidine-induced antinociception by zimelidine, an inhibitor of 5-hydroxytryptamine reuptake, 411
 GEBREWOLD, ASEFA *see* ALTURA, BURTON M., 351
 GEDDES, D.M. *see* PANG, J.A., 114P
 —*see* PANG, J.A., 173P
 GENT, J.P. & NORMANTON, J.R. Antagonism of the excitatory action of ACTH (1–24) by D-phe⁷-ACTH (4–10) on single neurones in the rat medulla, 80P
 GEORGE, A.J., COPELAND, J.R.M. & WILSON, K.C.M. Prolactin secretion and the post-partum blues syndrome, 102P
 GIBSON, A., GINSBURG, M., HART, S.L. & KITCHEN, I. Effects of adrenalectomy and hypophysectomy on enkephalin content of the rat hypothalamus, 561
 GIBSON, ALAN, HART, STEPHEN L. & SHABIB, AMEL. Leucine-enkephalin and methionine-enkephalin produce opposing effects of plasma corticosterone levels in ether-stressed mice, 509
 GILLAN, MAUREEN G.C., KOSTERLITZ, H.W. & PATERSON, S.J. Comparison of the binding characteristics of triitated opiates and opioid peptides, 481
 GILLESPIE, J.S. *see* BOWMAN, ANNE, 62P
 GINSBURG, M. *see* GIBSON, A., 561
 GOADBY, P. *see* ANDERSON, A.A., 171P
 GOLDFIEN, ALAN *see* CHENG, JOHN B., 515
 GOYAUULT, M. *see* BERTHELOT, A., 301
 GRADIDGE, CAROLYN F. *see* CHURCH, MARTIN K., 307
 GRAHAME-SMITH, D.G. *see* ELLIOTT, J.M., 59P
 GRATTON, DENISE A. *see* ANGEL, A., 241
 GREEN, A.R. *see* COWEN, P.J., 73P
 GREEN, A.R., HEAL, D.J., SABBAGH, AMAL & YODIN, M.B.H. Behavioural effects of central and peripheral injection of two synthetic analogues of TRH, 81P
 GREEN, A.R. & NUTT, D.J. Altered monoamine-mediated behaviours following bicuculline-induced convulsions, 72P
 GRIFFITHS, K.F. & MCLEAN, W.G. A pharmacological comparison of rapid and slow axonal transport in rabbit vagus nerve, 173P
 GRISTWOOD, R.W., OWEN, D.A.A. & SMITH, I.R. Inhibition by cimetidine of cardiac stimulation due to mast cell degranulation, 105P
 GROSSMAN, A. *see* BESSER, G.M., 5
 GROVE, J. *see* FOZARD, J.R., 103P

- GRUNDY, H.F. Differentiation of the multiple effects of papaverine on the right and left auricles of guinea-pigs, 67P
 GRUPP, G., GRUPP, I.L., JOHNSON, C.L., MATLIB, M.A., ROUSLIN, W., SCHWARTZ, A., WALLICK, E.T., WANG, T. & WISLER, P.: Effects of RMI 12330A, a new inhibitor of adenylate cyclase on myocardial function and sub-cellular activity, 429
 GRUPP, I.L. *see* GRUPP, G., 429
 GUNDERSEN, CAMERON B. & JENDEN, DONALD J. Oxotremorine does not enhance acetylcholine release from rat diaphragm preparations, 8

H

- HALL, M.D., JENNER, P., MARSDEN, C.D. & THEODOROU, A. [³H]-(±)-sulpiride specific binding to rat striatal preparations is sodium dependent, 152P
 HALLIWELL, J.V. & KUMAR, R. Morphine dependence and dopaminergic activity: tests of circling responses in rats with unilateral nigral lesions, 545
 HALSEY, M.J. *see* ANGEL, A., 241
 HAMBLETON, P., MILLER, P., ROBSON, E. & SMITH, S. Differential modulation of delayed hypersensitivity, 186P
 HAMILTON, C.A. & REID, J.L. Postsynaptic location of α₂-adrenoceptors in vascular smooth muscle, 63P
 HARMAN, R.J. & SHAW, G.G. Spontaneous and evoked release of [³H]-spermine from rat cerebral cortex slices, 91P
 HARMAR, A., SCHOFIELD, J.G. & KEEN, P. Biosynthesis of substance P from [³⁵S]-methionine in isolated sensory ganglia, 56P
 HARMAR, A.J. *see* BARLOW, R.B., 190P
 HARPUR, E.S. *see* CHAHWALA, S.B., 127P
 HARRISON, I.R. *see* MCINNES, G.T., 107P
 HARRISON-READ, P.E. & STEINBERG, HANNAH. Imipramine normalizes naturally-occurring and drug-induced differences in the exploratory activity of rats, 277
 HART, J.K. *see* BARNETT, P., 170P
 HART, S.L. & KITCHEN, I. Potassium stimulated depletion of enkephalin in rat hypothalamus and its alteration by adrenocorticotrophin and corticosterone, 79P
 HART, S.L. *see* GIBSON, A., 561
 HART, STEPHEN L. *see* GIBSON, ALAN, 509
 HAYES, A.G., SKINGLE, M. & TYERS, M.B. The antinociceptive effects of single doses of capsaicin in the rodent, 96P
 HEAL, D.J. *see* GREEN, A.R., 81P
 HENRY, J.A. (introduced by TURNER, P.) Salicylate frusemide interactions, 158P
 HERSOM, A.S. *see* DOXEY, J.C., 171P
 HICKS, R. & SAHYOUN, H.A. Abnormal electrocardiographic activity revealed by rat isolated heart preparations at various times after experimental myocardial infarction, 168P
 HIGGS, G.A. *see* EAKINS, K.E., 82P
 —*see* EAKINS, K.E., 182P
 HILDITCH, A. *see* DREW, G.M., 140P
 HILL, D.R. *see* BOWERY, N.G., 77P
 HILL, R.G. *see* FLETCHER, J.E., 159P
 HILL, R.G., MORRIS, R. & SALT, T.E. Nociceptive responses of neurones in trigeminal nucleus caudalis of the rat, 188P

- HILL, R.G. & MORRIS, R. Responses of neurones in medial caudal medulla to ionophoretically applied opioids, 147P
- HILLIER, KEITH & TEMPLETON, WILMA W. Regulation of noradrenaline overflow in rat cerebral cortex by prostaglandin E₂, 469
- HIRAI, K. & KOKETSU, K. Presynaptic regulation of the release of acetylcholine by 5-hydroxytryptamine, 499
- HODGES, J.R. *see* BUCKINGHAM, JULIA C., 79P
- HOOPER, M. *see* ANDERSON, A.A., 171P
- HORTON, E.W., PIPILI, E. & POYSER, N.L. The effect of nerve stimulation on release of prostacyclin (PGI₂) from the rat and rabbit mesenteric arteries, 87P
- HUDSON, A.L. *see* BOWERY, N.G., 77P
- HUGHES, BERNADETTE, MADAN, B.R. & PARRATT, J.R. Polymyxin B sulphate markedly reduces the effects of *E. coli* endotoxin in anaesthetized cats, 100P
- HUIDOBRO, F., HUIDOBRO-TORO, J. PABLO & MIRANDA, H. Interactions between morphine and the opioid-like peptides in the rat vas deferens, 519
- HUMPHRAY, H.P. *see* COOTE, J., 101P
- HUMPHRAY, J.M. *see* BUNCE, K.T., 178P
- HUMPHREY, P.P.A. *see* BUTCHERS, JANET, 160P
- HUMPHREY, P.P.A. & LUMLEY, P. A method for the analysis of drug-receptor interactions on platelets in human whole blood *in vitro*, 125P
- HUSSAIN, S.Z. *see* BIRMINGHAM, A.T., 501
- HUSTED, S. *see* ANDERSSON, K.-E., 443
- HUTSON, P.H. *see* CURZON, G., 44P
- *see* CURZON, G., 132P
- HYDE, J.J. *see* BUTCHERS, JANET, 160P

I

- IRVING, G. *see* ASMAWI, M.Z., 164P
- ITO, S., NAKAZATO, Y. & OHGA, A. Exocytotic release of catecholamine from perfused adrenal gland of guinea-pig induced by veratridine, 527
- ITO, YUSHI, KITAMURA, KENJI & KUIYAMA, HIROSI. Actions of nitroglycerine on the membrane and mechanical properties of smooth muscles of the coronary artery of the pig, 197

J

- JACKSON, D.M. *see* DIXON, M., 11
- JAMES, OLIVER *see* FARROW, P., 111P
- JENNER, P. *see* CARTER, C.J., 50P
- *see* HALL, M.D., 152P
- JENNER, P., LUSCOMBE, G. & MARSDEN, C.D. 5-Hydroxytryptamine (5-HT)-dependent myoclonus in the guinea-pig may provide evidence for multiple cerebral 5-HT receptors, 41P
- JENNER, P., MARSDEN, C.D., REAVILL, C. & TAYLOR, R.J. Kainate-induced circling behaviour in rats, 51P
- JENSEN, DONALD J. *see* GUNDERSEN, CAMERON B., 8
- JOHNS, E.J. An attempt to characterize the β -adrenoceptor mediating renin release in the cat, 57P
- JOHNSON, C.L. *see* GRUPP, G., 429
- JOHNSON, E.S. *see* BIGGS, MARILYN J., 555

- JOHNSTON, G.A.R. *see* ALLAN, R.D., 609
- *see* ANDREWS, P.R., 144P
- JONES, A.W. *see* DAVIES, J., 52P
- JONES, D.W. *see* FOSTER, R.W., 70P
- JONES, P. *see* BARLOW, R.B., 190P
- JOSEPH, M.H. *see* BAKER, H.F., 133P
- JUNG, MICHEL J. *see* BEY, PHILIPPE, 571
- JUORIO, A.V. Effects of molindone and fluphenazine on the brain concentration of some phenolic and catecholic amines in the mouse and rat, 475

K

- KALSNER, STANLEY. The effects of (+)- and (-)-propranolol on [³H]-transmitter efflux in guinea-pig atria and the presynaptic β -adrenoceptor hypothesis, 491
- KAMAL, LINDA A. *see* ARBILLA, SONIA, 45P
- KEEN, P. *see* HARMAR, A., 56P
- KEIR, M.J. *see* SANDLE, G.I., 109P
- KELLY, P.D., LANE, A.C., RANCE, M.J. & TRAYNOR, J.R. Opiate receptors in rat spinal cord, 153P
- KENDALL, T.J.G. & MINCHIN, M.C.W. (introduced by ANGEL, A.) The effect of thiopentone and methohexitone on [¹⁴C]-GABA and [³H]-D-aspartate release from rat thalamic slices, 134P
- KENNEDY, I. *see* COLEMAN, R.A., 89P
- KENNY, A.D. *see* DACK, C.G., 179P
- KERWIN, R.W. & OLPE, H.-R. (introduced by PYCOCK, C.J.) The effect of sodium valproate on single unit activity in the rat brain, 76P
- KERWIN, R.W. & PYCOCK, C.J. The action of adenosine on [³H]-neurotransmitter release from rat striatal slices *in vitro*, 136P
- KIDD, S.B. & GARDNER, C.R. Effect of anti-anxiety drugs, amphetamine and chloral hydrate on social interaction and locomotion in rats, 95P
- KINGSTON, W.P. Inhibition of phospholipase A activity in the perfused rat kidney by steroid anti-inflammatory drugs, 180P
- KITAMURA, KENJI *see* ITO, YUSHI, 197
- KITCHEN, I. *see* GIBSON, A., 561
- *see* HART, S.L., 79P
- KITTERINGHAM, N.R. *see* BARBER, H.E., 116P
- KNOTT, P.J. *see* CURZON, G., 132P
- KOCH-WESER, JAN *see* BEY, PHILIPPE, 571
- KOKETSU, K. *see* HIRAI, K., 499
- KOSTERLITZ, H.W. *see* GILLAN, MAUREEN G.C., 481
- KOT, PETER A. *see* FITZPATRICK, THOMAS M., 295
- KREYE, VOLKER A.W. & SCHLICKER, EBERHARD Effects of vasodilator drugs, alkaline phosphatase, and cyclic AMP-dependent protein kinase on the ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- KUMAR, R. *see* HALLIWELL, J.V., 545
- KURIYAMA, HIROSI *see* ITO, YUSHI, 197

L

- LACEY, SARAH M. & SANGER, G.J. Antagonism of prostanoind-induced contractions of rat stomach muscle by trimethoquinol or isoxsuprine, 88P

- LANE, A.C. *see* KELLY, P.D., 153P
 LANGER, S.Z. *see* ARBILLA, SONIA, 45P
 — *see* DUBOCOVICH, MARGARITA L., 383
 LANGER, S.Z., MASSINGHAM, R. & SHEPPERSON, N.B. *In vivo* α -adrenoceptor selectivity of WB 4101: a widely used α_1 -adrenoceptor ligand, 60P
 LANT, A.F. *see* PANG, J.A., 114P
 — *see* PANG, J.A., 173P
 LAWRIE, C.A. *see* CALDWELL, J., 111P
 LAWRENCE, D. & LIVINGSTON, A. A comparison of the analgesic activity of ketamine using two different methods of assessment, 189P
 LEACH, G.D.H. *see* FADLOUN, Z., 167P
 — *see* MCCURRIE, J.R., 164P
 LEAKE, LUCY D., SUNDERLAND, A.J. & WALKER, R.J. Is there a common receptor mediating the inhibitory actions of 5-hydroxytryptamine and dopamine on leech Retzius cells? 138P
 LEE, T.F. *see* COX, B., 149P
 LEES, A.J. *see* CURZON, G., 43P
 LEFEVRE-BORG, FRANCOISE *see* ARMSTRONG, J.M., 169P
 LESWELL, P.F. *see* EVANS, J., 177P
 LEVY, G.P. *see* COLEMAN, R.A., 89P
 LEWIS, A. & WILSON, C.W.M. A protective factor in guinea-pig urine against anaphylaxis, 119P
 LEWIS, D.A. & RAYMONT, C.M. Effects of oxidative N-demethylation on mouse liver lysosomes and liver function, 117P
 LEWIS, G. *see* DEAN, P., 145P
 LI, C.K. & MITCHELSON, F. The selective antimuscarinic action of stercuronium, 313
 LIVINGSTON, A. *see* LAWRENCE, D., 189P
 — *see* VERGARA, G.A., 123P
 LORENS, STANLEY A. *see* GEBHART, G.F., 411
 LOVEDAY, B.E. *see* ALLOTT, C.P., 419
 LOWE, D.A. *see* DONATSCH, P., 355
 LUMLEY, P. *see* BUTCHERS, JANET, 160P
 — *see* HUMPHREY, P.P.A., 125P
 LUSCOMBE, G. *see* JENNER, P., 41P

M

- MCCARTHY, LAWRENCE E. *see* BORISON, HERBERT L., 249
 MCCURRIE, J.R. *see* ASMAWI, M.Z., 164P
 MCELNAY, J.C. & D'ARCY, P.F. Interaction of phenytoin with antacid constituents and kaolin, 126P
 McGRATH, J.C. *see* BARNETT, P., 170P
 — *see* DOCHERTY, J.R., 61P
 MCINNES, G.T., SHELTON, J.R., ASBURY, M.J., HARRISON, I.R., RAMSAY, L.E., CLARKE, J.M. & VENNING, G.R. The activity in man of a new aldosterone antagonist, SC 27169, 107P
 McLEAN, W.G. *see* GRIFFITHS, K.F., 173P
 McNEILL, J.H. *see* BROADLEY, K.J., 68P
 MADAN, B.R. *see* HUGHES, BERNADETTE, 100P
 MARSDEN, C.A. *see* BENNETT, G.W., 131P
 MARSDEN, C.D. *see* HALL, M.D., 152P
 — *see* JENNER, P., 41P
 — *see* JENNER, P., 51P
 MARSHALL, JOHN *see* CUNNINGHAM, JO R., 156P
 MARSHALL, P.W. *see* ALLOTT, C.P., 419
 MARSHALL, R.J. *see* CLANACHAN, A.S., 66P

- MARSHALL, S.M. *see* EVANS, J., 177P
 MARTIN, R.J. (introduced by ALEXANDER, F.) The voltage sensitivity of GABA antagonists at the bag region of *Ascaris* muscle, 139F
 MASON, D.F.J. *see* ANWAR, N., 128P
 MARTIN, M.A., SILAS, J.H. & SMITH, B.M. Effects of β -adrenoceptor blockers on platelet function and 5-hydroxytryptamine concentrations, 161P
 MARTIN, W. *see* BOWMAN, ANNE, 62P
 MAS-OLIVA, JAIME & NAYLER, WINIFRED G. The effect of verapamil on the Ca^{2+} -transporting and Ca^{2+} -ATPase activity of isolated cardiac sarcolemmal preparations, 617
 MASSINGHAM, R. *see* LANGER, S.Z., 60P
 MATLIB, M.A. *see* GRUPP, G., 429
 MAYER, M.L. & STRAUGHAN, D.W. Bicuculline blocks 5-HT and GABA effects on rat hypothalamic neurones, 74P
 MILLER, P. *see* HAMBLETON, P., 186P
 MILTON, A.S. *see* DASCOMBE, M.J., 154P
 — *see* DASCOMBE, M.J., 453
 MILTON, A.S. & SAWHNEY, VINITI K., Dissimilar effects of cycloheximide on the febrile responses to the intravenous and intracerebroventricular administration of various pyrogens, 97P
 MINCHIN, M.C.W. *see* KENDALL, T.J.G., 134P
 MITCHELL, I. & REDGRAVE, P. Effects of partial, unilateral nigro-striatal lesions on striatal histofluorescence and behavioural indices of dopamine transmission, 46P
 MITCHELL, J.F. *see* ASHWOOD, T., 190P
 MITCHELL, P.R. (introduced by DOGGETT, N.S.) Dopaminergic modulation of striatal [^3H]-glutamic acid release, 48P
 MITCHELSON, F. *see* LI, C.K., 313
 MONCADA, S. *see* EAKINS, K.E., 182P
 MONKS, T.J. *see* CALDWELL, J., 111P
 MORLEY, J. *see* BEETS, J.L., 183P
 — *see* BOARDMAN, LESLEY E., 120P
 MORRIS, H.R., PIPER, PRISCILLA J., SAMHOUN, MARWA N., TAYLOR, G.W. & TIPPINS, J.R. Structure of slow-reacting substances, 118P
 MORRIS, I.D. *see* AZMATULLAH, S., 176P
 MORRIS, R. *see* HILL, R.G., 147P
 — *see* HILL, R.G., 188P
 MORRIS, R.G. & TABERNER, P.V. A cheap and simple ultrasonic device for quantifying animal activity, 189P
 MUGRIDGE, K.G. *see* EAKINS, K.E., 182P

N

- NAHORSKI, S.R. *see* DICKINSON, K.E.J., 57P
 NAKAZATO, Y. *see* ITO, S., 527
 NAYLER, WINIFRED G. *see* MAS-OLIVA, JAIME, 617
 NAYLOR, R.J. *see* COSTALL, B., 49P
 — *see* COSTALL, B., 148P
 NEAL, MICHAEL *see* CUNNINGHAM, JO, 155P
 NEAL, MICHAEL J. *see* CUNNINGHAM, JO R., 156P
 NICHOLSON, A.A. & WRIGHT, CATHERINE M. Spatial delayed alteration behaviour in the monkey (*Macaca mulatta*): comparative effects of thieno- and benzodiazepines, 141P
 NICHOLSON, A.N., STONE, BARBARA M. & PASCOE, PETA A.

- Effect of a triazolothienodiazepine (brotizolam) on sleep and on performance in man, 157P
 NOACH, E.L. *see* BROXTERMAN, H.J., 130P
 NOHRIA, V. *see* COSTALL, B., 49P
 NORMANTON, J.R. *see* GENT, J.P., 80P
 NOTARIANNI, LIDIA J. *see* BENNETT, P.N., 116P
 NUNN, BARBARA & WHITE, J.P.N. Inhibitors of platelet aggregation have different activity in blood than in platelet-rich plasma, 163P
 NUTT, D.I. *see* COWEN, P.J., 73P
 — *see* GREEN, A.R., 72P
 NYEMITEI-ADDO, I. *see* DASCOMBE, M.J., 453

O

- OHGA, A. *see* ITO, S., 527
 OKPAKO, D.T. *see* ADEAGBO, A.S.O., 91P
 — *see* SOKUNBI, YETUNDE O.O., 90P
 OLPE, H.-R. *see* KERWIN, R.W., 76P
 OLSEN, R.K. *see* FOX, K.R., 25
 OWEN, D.A.A. *see* BOYCE, M.J., 157P
 — *see* BOYCE, M.J., 110P
 — *see* FLYNN, SHEILA B., 174P
 — *see* GRISTWOOD, R.W., 105P

P

- PACIOREK, P.M. & WYLLIE, M.G. The effects of drugs on cerebral cortex ATP levels in normal and hypoxic rats, 92P
 PALFREYMAN, MICHAEL G. *see* BEY, PHILIPPE, 571
 PANG, J.A., BLACKBURN, J.P., BUTLAND, R.J.A. & GEDDES, D.M. (introduced by LANT, A.F.) First-pass propranolol uptake by dog lungs *in vivo*, 114P
 PANG, J.A., BLACKBURN, J.P., BUTLAND, R.J.A., WILLIAMS, T.R. & GEDDES, D.M. (introduced by LANT, A.F.) The effect of general anaesthesia on first-pass propranolol uptake in dog lungs *in vivo*, 173P
 PARRATT, J.R. *see* COKER, SUSAN J., 86P
 — *see* HUGHES, BERNADETTE, 100P
 PARRATT, J.R. & UDVARY, EVA. The effect of exaprolol (MG 8823), a new β -adrenoceptor blocking agent, on epicardial ST-segment changes in a feline model of acute myocardial ischaemia, 65P
 PARSONS, M.E. *see* BLAKEMORE, R.C., 105P
 PASCOE, PETA A. *see* NICHOLSON, A.N., 157P
 PATERSON, S.J. *see* GILLIAN, MAUREEN G.C., 481
 PAUL, W. *see* BEETS, J.L., 183P
 — *see* BEETS, J.L., 461
 PEACOCK, R., SKINGLE, M. & TYERS, M.B. Evaluation of antinociceptive activity in the conscious marmoset (*Callithrix jacchus*) by using stimulation of the tooth pulp, 142P
 PEARCE, FREDERICK L. *see* ENNIS, MADELEINE, 329
 PENG HSIEH, CHIH *see* DAGE, RICHARD C., 287
 PENNING, CAROL *see* COLEMAN, R.A., 89P
 PERKINS, M.N. & STONE, T.W. 4-Aminopyridine blockade of neuronal depressant responses to adenosine triphosphate, 425
 PERNOT, F. *see* BERTHELOT, A., 301
 PERTWEE, R.G. *see* DASCOMBE, M.J., 453

- PETRIE, J.C. *see* BARBER, N.E., 116P
 PETTY, M.A. & REID, J.L. The effect of opiates on the baroreceptor reflex sensitivity in the normotensive rabbit, 64P
 PHILLIS, J.W., SIEMENS, R.K. & WU, P.H. Effects of diazepam on adenosine and acetylcholine release from rat cerebral cortex: further evidence for a purinergic mechanism in action of diazepam, 341
 PIPER, PRISCILLA J. *see* MORRIS, H.R., 118P
 PIPILLI, E. *see* HORTON, E.W., 87P
 POAT, JUDITH A., SUMNERS, C. & WOODRUFF, G.N. The effects of centrally administered dopamine and 2-amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene on water and food intake in the rat, 151P
 POLLARD, S. *see* DACKE, C.G., 179P
 POSHIVALOV, VLADIMIR P. The integrity of the social hierarchy in mice following administration of psychotropic drugs, 367
 POYSER, N.L. *see* HORTON, E.W., 87P
 PRAKASH, N.J. *see* FOZARD, J.R., 103P
 PRICE, C.A. *see* CANFIELD, S.P., 178P
 PUGH, I. *see* ALBUTT, M.G.V., 187P
 PUN, R.Y.K. *see* BRADSHAW, C.M., 141P
 PYCOCK, C.J. *see* DAWBARN, D., 54P
 — *see* KERWIN, R.W., 76P
 PYCOCK, C.J. & SMITH, L.F.P. Effect of dopamine on the release of [3 H]-glycine and [3 H]-taurine from the rat isolated retina, 55P
 PYCOCK, C.J. & TABERNER, P.V. The effects of the stereoisomers of the GABA uptake inhibitor 2,4-diaminobutyric acid on GABA metabolism *in vivo*, 135P

R

- RAINE, A.E.G. & VAUGHAN WILLIAMS, E.M. Adaptational responses to prolonged β -adrenoceptor blockade in adult rabbits, 205
 RAMAGE, A.G. A comparison of the effect of (\pm)-propranolol, hexamethonium and sodium nitroprusside on the preganglionic sympathetic activity of the cat, 63P
 RAMSAY, L.E. *see* MCINNES, G.T., 107P
 RAMWELL, PETER W. *see* FITZPATRICK, THOMAS M., 295
 RANCE, M.J. *see* KELLY, P.D., 153P
 RASMUSSEN, A.C. *see* BLAKEMORE, R.C., 105P
 RAWLINS, M.D. *see* FARROW, P., 111P
 — *see* SANDLE, G.I., 109P
 RAYMONT, C.M. *see* LEWIS, D.A., 117P
 REAVILL, C. *see* JENNER, P., 51P
 RECORD, C.O. *see* SANDLE, G.I., 109P
 REDGRAVE, P. *see* DEAN, P., 145P
 — *see* MITCHELL, I., 46P
 REID, J.L. *see* HAMILTON, C.A., 63P
 — *see* PETTY, M.A., 64P
 REGOLI, D. *see* GAGNON, G., 219
 RICE, P.D. *see* ALBUTT, M.G.V., 187P
 RICHARDS, I.M. *see* DIXON, M., 11
 RICHARDSON, B.P. *see* DONATSCH, P., 355
 RIDLEY, ROSALIND M. *see* BAKER, H.F., 133P
 RIOUX, F. *see* GAGNON, G., 219
 ROACH, A.G. *see* CAVERO, I., 269
 ROBERTS, JAMES M. *see* CHENG, JOHN B., 515
 ROBERTS, P.J. *see* FOSTER, G.A., 94P

- ROBERTS, P.J. & ROWLANDS, GETHIN J. Release of glutamate from corticostriatal terminals is regulated by activation of dopamine receptors, 137P
- ROBERTS, P.J., SHARIF, N.A. & SWAIT, J.C. Characteristics of L-[³H]-aspartate binding to cerebellar synaptic membranes, 146P
- ROBSON, E. *see* HAMBLETON, P., 186P
- RODRIGUEZ, SERGIA & TAMARGO, JUAN. Electrophysiological effects of imipramine on bovine ventricular muscle and Purkinje fibres, 15
- ROUSLIN, W. *see* GRUPP, G., 429
- ROWLANDS, GETHIN J. *see* ROBERTS, P.J., 137P

S

- SABBAGH, AMAL *see* GREEN, A.R., 81P
- SAHYOUN, H.A. *see* HICKS, R., 168P
- SALAKO, L.A. *see* FAGBEMI, S.O., 395
- SALT, T.E. *see* HILL, R.G., 188P
- SAMHOUN, MARWA N. *see* MORRIS, H.R., 118P
- SANCHEZ-GARCIA, P. *see* ESQUERRO, E., 375
- SANDLE, G.I., KEIR, M.J. & RECORD, C.O. (introduced by RAWLINS, M.D.) Enhancement of hydrocortisone absorption by actively transported solutes in the jejunum in man, 109P
- SANGER, G.J. *see* LACEY, SARAH M., 88P
- SATCHELL, D.G. *see* CHRISTIE, J., 512
- SAWHNEY, VINITI K. *see* MILTON, A.S., 97P
- SCHLICKER, EBERHARD *see* KREYE, VOLKER A.W., 537
- SCHNEIDER, R.E. *see* BISHOP, H., 181P
- SCHOFIELD, J.G. *see* HARMAR, A., 56P
- SCHONBAUM, E. *see* BROXTERMAN, H.J., 130P
- SCHWARTZ, A. *see* GRUPP, G., 429
- SCOTT, N.C. *see* ABDULLAH, F.M., 166P
- SHABIB, AMEL *see* GIBSON, ALAN, 509
- SHARIF, N.A. *see* ROBERTS, P.J., 146P
- SHARP, T. *see* BENNETT, G.W., 131P
- SHAW, G.G. *see* HARMAN, R.J., 91P
- SHELTON, J.R. *see* MCINNES, G.T., 107P
- SHEPPERSON, N.B. *see* LANGER, S.Z., 60P
- SHIPLEY, M.E. *see* FORD-HUTCHINSON, A.W., 183P
- SIBLEY, P. *see* COOTE, J., 101P
- SIEMENS, R.K. *see* PHILLIS, J.W., 341
- SILAS, J.H. *see* MARTIN, M.A., 161P
- SILAS, J.H., SMITH, B.M. & YATES, R.O. Unaltered lymphocyte β -adrenoceptor response in hypo- and hyperthyroidism, 106P
- SIMMONDS, M.A. Leptazol as a γ -aminobutyric acid antagonist, 75P
- SJOERDSMA, ALBERT *see* BEY, PHILIPPE, 571
- SJOGREN, C. *see* ANDERSSON, K.-E., 443
- SKIDMORE, I.F. *see* COOTE, J., 101P
- SKINGLE, M. *see* HAYES, A.G., 96P
- *see* PEACOCK, R., 142P
- SKINGLE, M. & TYERS, M.B. Further studies on opiate receptors that mediate antinociception: tooth pulp stimulation in the dog, 323
- SLATER, N.T. *see* BRADSHAW, C.M., 141P
- SMITH, B.M. *see* MARTIN, M.A., 161P
- *see* SILAS, J.H., 106P
- SMITH, G.M. *see* ANDERSON, A.A., 122P
- SMITH, I.R. *see* GRISTWOOD, R.W., 105P

- SMITH, L.F.P. *see* PYCOCK, C.J., 55P
- SMITH, M.J.H. *see* BRAY, M.A., 84P
- *see* FORD-HUTCHINSON, A.W., 183P
- SMITH, R.L. *see* CALDWELL, J., 122P
- SMITH, S. *see* HAMBLETON, P., 186P
- SNEDDON, P. *see* BRADING, ALISON F., 229
- SOKUNBI, YETUNDE O.O. (introduced by OKPAKO, D.T.) Effect of prostaglandin synthetase inhibitors on indirectly evoked contractions of whole preparation and longitudinal muscle strips of guinea-pig ileum, 90P
- SOUKI, W. *see* DEAN, P., 145P
- SPENCER, J.E. *see* CANFIELD, S.P., 178P
- SPURLING, N.W. *see* BUTCHERS, JANET, 160P
- STABLES, R. *see* BUNCE, K.T., 178P
- STEINBERG, HANNAH *see* HARRISON-READ, P.E., 277
- STEWART, P.B. *see* COOTE, J., 101P
- STOLZ, J.F. *see* BENNETT, G.W., 131P
- STONE, BARBARA M. *see* NICHOLSON, A.N., 157P
- STONE, T.W. *see* PERKINS, M.N., 425
- STRAUGHAN, D.W. *see* MAYER, M.L., 74P
- STRETTLE, R.J. *see* BATES, R.F.L., 184P
- SUMNERS, C. *see* POAT, JUDITH A., 151P
- SUNDERLAND, A.J. *see* LEAKE, LUCY D., 138P
- SUPRADIST, S. *see* BENNETT, P.N., 116P
- SWAIT, J.C. *see* ROBERTS, P.J., 146P
- SZABADI, E. *see* BRADSHAW, C.M., 141P
- SZOLCSANYI, J. *see* BARTHO, L., 193

T

- TABERNER, P.V. *see* EVANS, R.H., 190P
- *see* MORRIS, R.G., 189P
- *see* PYCOCK, C.J., 135P
- TAMARGO, JUAN *see* RODRIGUEZ, SERGIA, 15
- TAYLOR, G.W. *see* MORRIS, H.R., 118P
- TAYLOR, PAMELA *see* DONATSCH, P., 355
- TAYLOR, R.J. *see* JENNER, P., 51P
- TAYO, F.M. *see* ACHOLEM, M.M., 71P
- TEMPLETON, WILMA W. *see* HILLIER, KEITH, 469
- THEODOROU, A. *see* HALL, M.D., 152P
- THOM, S.A.McG. *see* FARROW, P., 111P
- THOMAS, T.A. *see* FLETCHER, J.E., 159P
- THOMPSON, M.A. *see* BUTCHER, M.J., 185P
- THONOOR, M. *see* ANDERSON, A.A., 171P
- TICKU, MAHARAJ K. The effects of acute and chronic ethanol administration and its withdrawal on γ -aminobutyric acid receptor binding in rat brain, 403
- TIPPINS, J.R. *see* MORRIS, H.R., 118P
- TRAN, MARIE-ANTIONETTE. The effect of lumbar sympathetic stimulation on the vasculature of bone, 363
- TRAYNOR, J.R. *see* KELLY, P.D., 153P
- TRICKLEBANK, M.D. *see* CURZON, G., 44P
- *see* CURZON, G., 132P
- TURNBULL, M.J. *see* BOWERY, N.G., 77P
- TURNER, P. *see* HENRY, J.A., 158P
- TYERS, M.B. *see* HAYES, A.G., 96P
- *see* PEACOCK, R., 142P
- *see* SKINGLE, M., 323

U

- UDVARY, EVA *see* PARRATT, J.R., 65P

V

- VAN VALKENBURG, C.F.M. *see* BROXTERMAN, H.J., 130P
 VAUGHAN WILLIAMS, E.M. *see* RAINE, A.E.G., 205
 VENNING, G.R. *see* MCINNES, G.T., 107P
 VERGARA, G.A. & LIVINGSTON, A. Effect of halothane on colchicine binding by tubulin, 123P

W

- WAGNER, JOSEPH *see* BEY, PHILIPPE, 571
 WALKER, J.L. *see* EVANS, J., 177P
 WALKER, R.J. *see* LEAKE, LUCY D., 138P
 WALICK, E.T. *see* GRUPP, G., 429
 WANG, T. *see* GRUPP, G., 429
 WARDLEY-SMITH, BRIDGET *see* ANGEL, A., 241
 WAREHAM, K. *see* BOYCE, M.J., 110P
 — *see* BOYCE, M.J., 157P
 WARING, M.J. *see* FOX, K.R., 25
 WATKINS, J.C. *see* DAVIES, J., 52P
 WATLING, K.J. [³H]-spiperone labels dopamine receptors in homogenates of bovine retina, 47P
 WELLER, M.P.I. *see* WRIGHT, D.J.M., 99P
 WELLING, P.G. *see* BISHOP, H., 181P
 WESTON, A.H. *see* FOSTER, R.W., 98P
 WESTON, K.M. *see* FOSTER, R.W., 98P
 WESTON, PETER M. *see* ENNIS, MADELEINE, 329
 WHALLEY, E.T. *see* FORSTER, CHRISTINE, 165P
 WHEELER, H. (introduced by Cox, B.) Effect of intrapallidal injection of GABA drugs on head-turn induced by electrical stimulation of the striatum in rats—*in vivo* evidence for different GABA receptors in the CNS? 150P
 WHITE, B. *see* COOTE, J., 101P
 WHITE, J.P.N. *see* NUNN, BARBARA, 163P
 WHITE, R.D. *see* BROWN, D.A., 577

- WHITTINGHAM, T.A. *see* BATEMAN, D.N., 188P
 WHITTLE, B.J.R. *see* EAKINS, K.E., 82P
 WILLIAMS, K.I. *see* EL TAHIR, K.E.H., 85P
 — *see* EL TAHIR, K.E.H., 86P
 WILLIAMS, R.N. *see* BHATTACHERJEE, P., 124P
 WILLIAMS, T.R. *see* PANG, J.A., 173P
 WILLOW, M. *see* ANDREWS, P.R., 144P
 WILSON, C.W.M. *see* LEWIS, A., 119P
 WILSON, K.C.M. *see* GEORGE, A.J., 102P
 WISLER, P. *see* GRUPP, G., 429
 WOOD, M.D. *see* DICKINSON, SARA E., 42P
 WOODRUFF, G.N. *see* POAT, JUDITH A., 151P
 WOODWARD, B. *see* DAUGHERTY, A., 69P
 WRIGHT, CATHERINE M. *see* NICHOLSON, A.A., 141P
 WRIGHT, D.J.M. & WELLER, M.P.I. (introduced by BAKER, J.B.E.) Inhibition by naloxone of endotoxin-induced reactions in mice, 99P
 WU, P.H. *see* PHILLIS, J.W., 341
 WYLLIE, M.G. *see* DICKINSON, SARA E., 42P
 — *see* PACIOREK, P.M., 92P

Y

- YATES, R.O. *see* SILAS, J.H., 106P
 YEO, T. *see* BESSER, G.M., 5
 YODIM, M.B.H. *see* GREEN, A.R., 81P
 YOUNG, KEVIN D. & CHURCH, MARTIN K. Tolerance to sodium cromoglycate in human lung fragments *in vitro*, 122P

Z

- ZAKRZEWSKI, J.T. *see* BAKHLE, Y.S., 83P
 ZRAIKA, MONIQUE *see* BEY, PHILIPPE, 571

SUBJECT INDEX

A

- A23187**, calcium ionophore, effect of, on 45 calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- , production of chemokinetic substances from rat polymorphonuclear leukocytes exposed to, 183P
 - , generation of chemokinetic activity from rat polymorphonuclear leukocytes treated with, 84P
 - , effects of, on the axoplasmic transport of dopamine β -hydroxylase in the cat hypogastric nerve-inferior mesenteric ganglion preparation, 375
 - , effect of, on effect of cyproheptadine on insulin secretion in rat isolated islets of Langerhans, 355
 - , effect of, on action of adenosine on release of [3 H]-neurotransmitter from rat striatal slices *in vitro*, 136P
- Acebutolol**, effect of, on platelet aggregation and 5-hydroxytryptamine concentrations in hypertensive patients, 161P
- , chronotropic effect of, in conscious dogs with chronic heart-block, and relation between depression of ventricular activity and β -adrenoceptor-blocking potency, 335
- Acetylcholine**, effect of, on rat isolated caecum, 71P
- , release of, from rat cerebral cortex, effects of diazepam on, as further evidence for a purinergic mechanism in action of diazepam, 341
 - , effect of, on actions of nitroglycerine on membrane and mechanical properties of smooth muscles of coronary artery of the pig, 197
 - , release of, presynaptic regulation of, by 5-hydroxytryptamine, in bullfrog sympathetic preganglionic nerve terminals and frog sciatic nerve terminals, 499
 - , release of, from rat diaphragm preparations, effect of oxotremorine on, 8
 - , effect of, compared with veratridine, on exocytotic release of catecholamine from perfused adrenal gland of guinea-pig, 527
 - , effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
 - , contractions of rat stomach muscle induced by, antagonism of, by trimethoquinol or isoxsuprine, 88P
 - , contractions induced by, in whole preparation and longitudinal muscle strips of guinea-pig ileum, effects of prostaglandin synthetase inhibitors on, 90P
- N-acetylglucosamine**, removal of, effect of, on binding of verapamil in isolated cardiac sarcolemmal preparations, 617
- N-acetyl- β -glucosaminidase**, effect of gentamycin on release of, from rat isolated renal tubules, 127P
- N-acetylneuraminic acid**, enzymatic removal of, effect of, on binding of verapamil in isolated cardiac sarcolemmal preparations, 617
- Acid phosphatase**, effect of gentamycin on release of, from rat isolated renal tubules, 127P
- Actinomycin D**, effect of, on inhibitory effect of dexamethasone on carrageenin-induced oedema and neutrophil accumulation in the rat, 101P
- Adenine**, effect of, on relaxation of smooth muscle of guinea-pig trachea and gut, 512
- Adenine nucleotides**, release of, from perfused adrenal gland of guinea-pig, effect of veratridine on, 527
- Adenosine**, effect of, on relaxation of smooth muscle of guinea-pig trachea and gut, 512
- , action of, on [3 H]-neurotransmitter release from rat striatal slices *in vitro*, 136P
 - , release of, from rat cerebral cortex, effects of diazepam on, as further evidence for a purinergic mechanism in action of diazepam, 341
 - , studies on the mechanism of action of, in strips of rabbit renal artery moderately contracted with nor-adrenaline in the absence or presence of phosphodiesterase inhibitors or verapamil, 219
 - , neuronal depressant responses to, in the rat cerebral cortex, blockade of, by 4-aminopyridine, 425
 - , coronary vasodilator actions of, in anaesthetized dogs, potentiation of, by diazepam, 66P
- Adenosine monophosphate**, dibutyryl cyclic, effect of, on potassium-induced glutamate release from striatum, 48P
- , neuronal depressant responses to, in rat cerebral cortex, blockade of, by 4-aminopyridine, 425
 - , cyclic, level of, in rat isolated heart, effect of calcium on, 69P
 - , cyclic, protein kinase dependent on, effect of, on the 45 calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Adenosine 3',5'-monophosphate**, N 6 -2'-O-dibutyryl, thermoregulatory effects of, in the restrained mouse, 453
- Adenosine 5'-monophosphate**, effect of, on relaxation of smooth muscle of guinea-pig trachea and gut, 512
- Adenosine 5'-phosphate**, release of, from perfused adrenal gland of guinea-pig, effect of veratridine on, 527
- Adenosine 5'-pyrophosphate**, effect of, on relaxation of smooth muscle of guinea-pig trachea and gut, 512
- Adenosine triphosphatase**, calcium ion-dependent activity of, in isolated cardiac sarcolemmal preparations, effect of verapamil on, 617
- Adenosine triphosphatase**, Na $^+$, K $^+$ -, effects of RMI 12330A, a new inhibitor of adenylate cyclase, on, in guinea-pig heart homogenates, 429
- Adenosine triphosphate**, effects of calcium ionophore, A23187, on levels of, in the cat hypogastric nerve-inferior mesenteric ganglion preparation, 375
- , neuronal depressant responses to, in the rat cerebral cortex, blockade of, by 4-aminopyridine, 425
 - , levels of, in cerebral cortex, effects of drugs on, in normal and hypoxic rats, 92P
 - , contraction of rabbit and guinea-pig isolated urinary bladder induced by, contribution of prostaglandins to, 443
- Adenosine 5'-triphosphate**, the α,β -methylene isostere of, effect of, on relaxation of smooth muscle of guinea-pig trachea and gut, 512
- , effect of magnesium ion on responses of rabbit ear arterial smooth muscle to, 164P
- Adenylate cyclase**, effects of RMI 12330A, a new inhibitor of, on myocardial function and subcellular activity in guinea-pig heart homogenates, 429
- Adjuvant arthritis**, plasma propranolol concentrations in rats with, 181P
- , inhibitory effects of anti-inflammatory steroids on, in the rat, 101P

- Adrenal gland**, guinea-pig perfused, exocytotic release of catecholamine from, induced by veratridine, 527
- Adrenalectomy**, effects of, on enkephalin content of the rat hypothalamus, 561
- , in spinal dogs, effects of labetalol or hydralazine on heart rate and blood pressure after, 287
- Adrenaline**, effects of ketamine on contractions induced by, in vascular smooth muscle of rat aortic strips and portal vein segments, 257
- , pressor response induced by, effect of phentolamine and prazosin on, in the pithed rat, 170P
 - , effect of, on rat isolated caecum, 71P
 - , differences between the functional antagonism of the positive inotropic and chronotropic responses to, by carbachol, 68P
- (-)-**Adrenaline**, locally administered, effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- Adrenaline reversal**, an analysis of, in the pithed rat, 170P
- Adrenergic mechanisms**, an analysis of the effects of mianserin on, in the pithed rat, 61P
- α -Adrenoceptor**, evidence for a single type of, on human platelets, 59P
- β -Adrenoceptor**, mediating renin release in the cat, an attempt to characterize, 58P
- Adrenoceptor agonists**, locally administered, actions of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- α -Adrenoceptor agonists**, effects of α -adrenoceptor antagonists on effects of, on mean arterial pressure in the rabbit, 63P
- Adrenoceptor antagonists**, affinities of, for β -adrenoceptors on frog and chick erythrocytes, 57P
- α -Adrenoceptor antagonists**, effects of, on effects of α -adrenoceptor agonists on mean arterial pressure in the rabbit, 63P
- β -Adrenoceptor antagonists**, ability of, to block isoprenaline-induced increases in heart rate, isoprenaline-induced falls in blood pressure and renal nerve mediated renin release in the cat, 58P
- α -Adrenoceptor blockade**, reversal of, by prostaglandin E₂ in rat isolated mesenteric artery, 91P
- β -adrenoceptor blockade**, prolonged, adaptational responses to, in adult rabbits, 205
- α - And β -adrenoceptor blockade**, effects of labetalol or diazoxide administered intra-arterially on dog isolated perfused gracilis muscle after, 287
- β -Adrenoceptor blockers**, effects of, on platelet function and 5-hydroxytryptamine concentrations in hypertensive patients, 161P
- α -Adrenoceptor-blocking activity**, of prazosin, phentolamine, yohimbine and phenoxybenzamine in the guinea-pig isolated ileum, 395
- β -Adrenoceptor blocking agent**, new, exaprolol, effect of, on epicardial ST-segment changes in a feline model of acute myocardial ischaemia, 65P
- , effect of, on effect of lumbar sympathetic stimulation on vasculature of tibia of anaesthetized dogs, 363
- α -Adrenoceptor-blocking agents**, effects of, on effect of lumbar sympathetic stimulation on vasculature of tibia of anaesthetized dogs, 363
- β -Adrenoceptor-blocking potency**, and depression of ventricular activity, relationship between, and the chronotropic effects of acebutalol, metoprolol and propranolol in conscious dogs with chronic heart-block, 335
- α_1 -Adrenoceptor ligand**, a widely used, WB 4101, *in vivo* α -adrenoceptor selectivity of, in anaesthetized dogs, 60P
- β -Adrenoceptor hypothesis**, presynaptic, and the effects of (+) and (-)-propranolol on [³H]-transmitter efflux in guinea-pig atria, 491
- β -Adrenoceptor responsiveness**, of peripheral blood lymphocytes, in relation to thyroid dysfunction, 106P
- α -Adrenoceptor selectivity**, *in vivo*, of WB4101, a widely used α_1 -adrenoceptor ligand, in anaesthetized dogs, 60P
- β -Adrenoceptor stimulants**, effects of, on prostanoid-induced contractions of rat stomach muscle, 88P
- Adrenoceptors**, role of, in depressor responses and adrenaline reversal in the pithed rat, 170P
- α -Adrenoceptors**, antagonism of, at both pre- and post-junctional, by mianserin in the pithed rat, 61P
- , role of, in effect of prostaglandin E₂ microinjected into the supraoptic nuclei of the rat hypothalamus on urinary excretion of water and sodium, 415
 - , presynaptic inhibitory, and opiate receptors in the cat nicitating membrane, pharmacological differentiation of, 383
 - , myocardial, decreased concentration of, with increasing age in foetal lambs, 515
- α_2 -Adrenoceptors**, postsynaptic, in rabbit vascular smooth muscle, 63P
- , presynaptic, some agents that stimulate, produce bradycardia in pentobarbitone anaesthetized rats by an action on peripheral cardiac sympathetic nerves, 169P
 - , presynaptic, relationship between the selectivity of agonists for, and their cardiovascular responses in the anaesthetized rat, 171P
- β -Adrenoceptors**, role of, in effect of prostaglandin E₂ microinjected into the ventromedial nuclei of the rat hypothalamus on urinary excretion of water and sodium, 415
- , atypical, on frog and chick erythrocytes, 57P
- Adrenocorticotrophic hormone**, antagonism of the excitatory action of, by D-phe⁷-ACTH on single neurones in the rat medulla, 80P
- D-Phe⁷-adrenocorticotrophic hormone**, antagonism of the excitatory action of ACTH by, on single neurones in the rat medulla, 80P
- Adrenocorticotrophin**, effect of, on potassium stimulated depletion of enkephalin in rat hypothalamus, 79P
- Age**, effect of, on concentration of myocardial α -adrenoceptors in foetal lambs, 515
- Agonist-antagonist interactions**, a method for the analysis of, on platelets in human whole blood *in vitro*, 125P
- AH 8165**, comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of, in guinea-pig isolated preparations, 501
- AHR-602**, effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Alanine**, actively transported, enhancement of hydrocortisone absorption by, in the jejunum in man, 109P

- Alcuronium**, comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of, in guinea-pig isolated preparations, 501
- Aldosterone antagonist**, new, SC27169, activity of, in man, 107P
- Alkaline phosphatase**, effect of, on the 45 calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Allergic asthma**, three experimental models of, activity of M&B 22,948, a novel anti-allergic drug, in, 177P
- Amidephrine**, locally administered, effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- Amines**, phenolic and catecholic, brain concentration of, effects of molindone and fluphenazine on, in the mouse and rat, 475
- , sympathomimetic, differences between the functional antagonism of the positive inotropic and chronotropic responses to, by carbachol, 68P
- L-Amino acid decarboxylase**, aromatic, inhibitor of, mono-fluoromethyl-dopa, effects of, on monoamine synthesis, 571
- Amino acid decarboxylase inhibitor**, aromatic, R04-4602, prevention of L-tryptophan-induced hypoactivity by, in the rat, 132P
- Amino acid receptors**, excitatory, in neurones in the spinal cord of frog, effect of 2-amino-5-phosphonovalerate on, 52P
- Amino acid sensitivity**, of isolated spinal root fibres from the rat, 53P
- D- α -Aminoadipate**, effect of, on rat cerebellar cyclic guanosine monophosphate concentrations *in vitro*, 94P
- γ -Aminobutyric acid**, uptake of, in a P_2 synaptosomal preparation of tissue from the rat nucleus accumbens, anterior and posterior striatum, amygdaloid complex, and the substantia nigra, 50P
- , binding of, in rat brain, effects of acute and chronic ethanol administration and its withdrawal on, 403
 - , neuronal responses to, in rat cerebral cortex, effect of 4-aminopyridine on, 425
 - , mechanisms dependent on, in single unit activity in rat substantia nigra and neocortex, effect of sodium valproate on, 76P
 - , central inhibition by, of the release of vasopressin by carbachol in the rat, 78P
 - , facilitates or inhibits the evoked release of [3 H]-nor-adrenaline from rat cerebellar cortex slices by an action at separate receptors, 77P
 - , release of, from rat brain slices evoked by veratridine, mechanism of, 155P
 - , metabolism of, *in vivo*, effects of the stereoisomers of the γ -aminobutyric acid uptake inhibitor 2,4-diaminobutyric acid on, 135P
 - , effect of, on rat isolated spinal root fibres, 53P
 - , effect of, on rat hypothalamic neurones, bicuculline blocks, 74P
- [14 C]- **γ -aminobutyric acid**, release of, from rat thalamic slices, effects of thiopentone and methohexitone on, 134P
- [3 H]- **γ -aminobutyric acid**, action of adenosine on calcium-induced release of, from rat striatal slices *in vitro*, 136P
- γ -Aminobutyric acid agonists**, an *in vitro* comparison between depression of spinal synaptic activity and depolarization of spinal root fibres in the rat, 609
- , effect of intrapallidal injection of, on head-turn induced by electrical stimulation of the striatum in rats, as *in vivo* evidence for different GABA receptors in the CNS, 150P
- γ -Aminobutyric acid antagonist**, leptazol as, in slice preparations of rat cuneate nucleus, 75P
- γ -Aminobutyric acid antagonists**, voltage sensitivity of, at the bag region of *Ascaris* muscle, 139P
- γ -Aminobutyric acid receptor binding**, in rat brain, effects of acute and chronic ethanol administration and its withdrawal on, 403
- γ -Aminobutyric acid receptors**, *in vivo* evidence for different, in the CNS, 150P
- γ -Aminobutyric acid uptake inhibitor**, 2,4-diaminobutyric acid, effects of the stereoisomers of, on γ -aminobutyric acid metabolism *in vivo*, 135P
- para-Aminoclonidine**, effect of, on bradycardia in pento-barbitone anaesthetized rats, 169P
- [3 H]-(\pm)-**cis-aminocyclohexane carboxylic acid**, a selective inhibitor of neuronal GABA transport, radio-autographical localization in the vertebrate retina of, 156P
- (+)-**cis-3-Aminocyclopentane-carboxylic acid**, an *in vitro* comparison between depression of spinal synaptic activity and depolarization of spinal root fibres by γ -aminobutyric acid agonists in the rat, 609
- 2-Amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene**, effect of, on binding of [3 H]-spiperone to homogenates of bovine retina, 47P
- , centrally administered, effect of, on water and food intake in the rat, 151P
 - , effect of, on potassium-induced glutamate release from striatum, 48P
 - , dopamine agonist, effect of, on release of glutamate from rat cortico-striatal terminals, 137P
- Aminoglycoside nephrotoxicity**, use of rat isolated renal tubules for evaluation of the mechanisms of, 127P
- 2-Amino-4-phosphonobutyric acid**, effect of, on kainate-induced circling behaviour in rats, 51P
- 2-Amino-5-phosphonovalerate**, highly potent and specific antagonist at spinal N-methyl-D-aspartate receptors in neurones in the spinal cord of the frog, 52P
- 3-Amino-propane sulphonic acid**, effect of intrapallidal injection of, on head-turn induced by electrical stimulation of the striatum in rats, as *in vivo* evidence for different GABA receptors in the CNS, 150P
- 2-Amino-2',6'-propionoxylidide**, effect of enzyme induction on the pharmacokinetics of, in the rat, 116P
- 4-Aminopyridine**, blockade by, of neuronal depressant responses to adenosine triphosphate in the rat cerebral cortex, 425
- DL- α -Aminosuberate**, effect of, on rat cerebellar cyclic guanosine monophosphate concentrations *in vitro*, 94P
- Amoeba**, giant, *Chaos carolinense*, membrane effects of some chemical irritants on, 98P
- Amphetamine**, changes in locomotor activity and rotational behaviour induced by, effects of partial unilateral nigro-striatal lesions induced by 6-hydroxy-dopamine on, 46P

- , release of [^3H]-dopamine from the rabbit caudate nucleus induced by, effect of, by presynaptic dopamine receptors, 45P
- , use of, at high dosage, in the study of DA-5HT interactions, effects of neuroleptics on, in the rat, 43P
- , effect of, compared with anti-anxiety drugs and chloral hydrate on social interaction and locomotion in rats, 95P
- Anaesthesia**, general, effect of, on first-pass propranolol uptake in dog lungs *in vivo*, 173P
- Anaesthetic**, amine-type, effects of, on vascular smooth muscle function in rat aortic strips and portal vein segments, 257
- , effect of, on somatosensory cortical response in the rat, 241
- Anaesthetics**, effects of administration of, on the appearance of enhanced monoamine-mediated behaviours following electroconvulsive shock, in the rat, 73P
- Analgesia**, shock-induced, in the rat, role of 5-hydroxytryptamine in, 44P
- Analgesic activity**, of ketamine, an analysis of, using two different methods of assessment, 189P
- Analgesic drugs**, antinociceptive activities of, determined against nociceptive responses to electrical stimulation of the tooth pulp in the conscious dog, 323
- Anaphylaxis**, slow-reacting substance of, partially purified, effect of, on plasma protein extravasation in guinea-pig skin, 183P
- , rat passive cutaneous, compared with activity of sodium cromoglycate analogues in human lung *in vitro*, 307
- , a protective factor in guinea-pig urine against, 119P
- Angiotensin II**, effects of ketamine on contractions induced by, in vascular smooth muscle of rat aortic strips and portal vein segments, 257
- α -Anilino-N-2-m-methoxyphenoxy-propyl-acetamidine**, effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- Animal activity**, cheap and simple ultrasonic device for quantifying, 189P
- Anococcygeus muscle**, cat, affinity of gallamine for muscarinic receptors mediating relaxation of, similar to that for prejunctional muscarinic receptors in rabbit ear artery, 313
- Antacid constituents**, and kaolin, interaction of phenytoin with, in a rat intestinal model, 126P
- Anterior pituitary cell system**, dispersed rat, effects of dopamine antagonists and 5-hydroxytryptamine antagonists on effects of metergoline and cyproheptadine on prolactin release in, 5
- Anterior tibialis muscle**, contraction of, effect of *Gymnodinium breve* toxin on, in anaesthetized cats, 249
- Anti-allergic drug**, novel, M&B 22,948, activity of, in three experimental models of allergic asthma, 177P
- , doxantrazole, effect of, on release of histamine from rat peritoneal and mesenteric and guinea-pig mesenteric mast cells stimulated with polylysine, 329
- Anti-anxiety drugs**, effects of, compared with amphetamine and chloral hydrate on social interaction and locomotion in rats, 95P
- Anti-asthmatic activity**, of sodium cromoglycate analogues in human lung fragments *in vitro*, 307
- Anti-IgE**, histamine release from passively sensitized human lung fragments *in vitro* induced by, effects of sodium cromoglycate analogues on, 307
- Anti-inflammatory agents**, modulation of delayed hypersensitivity by, in mice, 186P
- Anti-inflammatory drugs**, steroidal, inhibition of phospholipase A activity in the perfused rat kidney by, 180P
- , non-steroidal, which potentiate leukocyte migration in carrageenin-induced inflammation in the rat, 182P
- , non-steroidal, development of, which do not prevent prostaglandin production by the gastro-intestinal tract, 82P
- Anti-inflammatory steroids**, are inhibitory effects of, on chronic inflammation, acute oedema and cell accumulation in the rat mediated through a specific receptor?, 101P
- Antimineralocorticoid activity**, of SC27169 in man, 107P
- Antimuscarinic action**, selective, of stercuronium and gallamine, neuromuscular blocking drugs, in the anaesthetized guinea-pig, guinea-pig atria, bladder and ileum, and rabbit atria and the sympathetically innervated rabbit ear artery preparations, 313
- Antineoplastic triazenes**, effects of, on mouse lysosomal stability, 117P
- Antinociception**, pethidine- and morphine-induced, attenuation of, by zimelidine, an inhibitor of 5-hydroxytryptamine reuptake, and fluoxetine, in rats, 411
- Antinociceptive activity**, evaluation of, in the conscious marmoset (*Callithrix jacchus*) by using stimulation of the tooth pulp, 142P
- Antinociceptive effects**, of single doses of capsaicin in the rodent, 96P
- Antipyrine**, clearance of, in man, effects of chenodeoxycholic acid on, 111P
- Antirheumatoid agents**, differential modulation of delayed hypersensitivity by, in mice, 186P
- Aortic strips**, rat, vascular smooth muscle function in, effects of ketamine on, 257
- , rat, comparison of 5-hydroxytryptamine-induced contractions of, with human basilar arterial strips *in vitro*, 165P
- Apneustic breathing**, induced by *Gymnodinium breve* toxin in anaesthetized cats after vagotomy, 249
- Apnoea**, induced by *Gymnodinium breve* toxin in anaesthetized cats, 249
- Apomorphine**, changes in locomotor activity and rotational behaviour induced by, effects of partial unilateral nigro-striatal lesions induced by 6-hydroxydopamine on, 46P
- , effect of, after mesolimbic denervation induced by 6-hydroxydopamine in the mouse, 49P
- , ipsilateral circling responses to, and morphine in rats with unilateral electrolytic lesions involving both parts of the substantia nigra, 545
- , dopamine agonist, effect of, on release of glutamate from rat cortico-striatal terminals, 137P
- , effect of, on effects of fluphenazine and sulpiride at peripheral pre- and postsynaptic dopamine receptors in hindlimb and mesentery of anaesthetized dogs, 140P
- , effect of, on potassium-induced glutamate release from striatum, 48P

- , effect of, on binding of [3 H]-spiperone to homogenates of bovine retina, 47P
- , and gastric emptying in the guinea-pig, 104P
- Apronalide**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- Arachidonate**, exogenous, influence of the oestrous cycle of the metabolism of, in rat isolated lung, 83P
- Arachidonic acid**, metabolites of, haemodynamic responses induced by, in anaesthetized dog, 295
- , dissimilar effects of cycloheximide on the febrile responses to the intravenous and cerebroventricular administration of, 97P
- Aromatic L-amino acid decarboxylase**, inhibitor of, monofluoromethyl-dopa, effects of, on monoamine synthesis, 571
- Aromatic amino acid decarboxylase inhibitor**, RO4-4602, prevention of L-tryptophan-induced hypoactivity by, in the rat, 132P
- Arterial pressure**, mean, effects of α -adrenoceptor antagonists on effects of α -adrenoceptor agonists on, in the rabbit, 63P
- , mean, measurement of, to assess effect of enkephalin analogue on baroreceptor sensitivity in the normotensive rabbit, 64P
- Arterioles**, terminal, lumen sizes of, in rat mesenteric, pial and skeletal muscle vasculatures, differential effects of calcium antagonist, verapamil on, 351
- Arthritis**, adjuvant induced, plasma propranolol concentrations in rats with, 181P
- , adjuvant induced, inhibitory effects of anti-inflammatory steroids on, in the rat, 101P
- Ascaris muscle**, bag region of, voltage sensitivity of γ -aminobutyric acid antagonists at, 139P
- [3 H]-D-aspartate, release of, from rat thalamic slices, effects of thiopentone and methohexitone on, 134P
- L-Aspartate**, effect of, on rat cerebellar cyclic guanosine monophosphate concentrations *in vitro*, 94P
- [3 H]-L-aspartate, characteristics of binding of, to cerebellar synaptic membranes, 146P
- Aspartate receptors**, in rat substantia nigra and ventral tegmental area, effects of N-methyl-D-aspartate and kainate on, 54P
- Aspirin**, effect of, on prostaglandin formation in rat inflammatory exudates and gastro-intestinal tract, 82P
- , interaction of, with frusemide in man, 158P
- , differing effects of, on platelet aggregation in blood or platelet-rich plasma, 163P
- , effect of, on leukocyte migration in carrageenin-induced inflammation in the rat, 182P
- , protection against gastric lesions induced by, by the H_2 -receptor antagonists ranitidine and cimetidine in the rat, 178P
- Asthma**, pathogenesis of, relative importance of mast cell degranulation in, 307
- , allergic, three experimental models of, activity of M&B 22,948, a novel anti-allergic drug, in, 177P
- Atenolol**, effect of, on isoprenaline-induced increases in heart rate, isoprenaline-induced falls in blood pressure and renal nerve mediated renin release in the cat, 58P
- , effect of, on rat isolated caecum, 71P
- (\pm)-Atenolol, binding of, to β -adrenoceptors on frog and chick erythrocytes, 57P
- Atria**, guinea-pig, effects of benzotriazinium salt on, 166P
- , guinea-pig and rabbit isolated, selective antimuscarinic action of the neuromuscular blocking drugs stercuronium and gallamine on, 313
- , guinea-pig, effects of (+) and (–)-propranolol on [3 H]-transmitter efflux in, and the presynaptic β -adrenoceptor hypothesis, 491
- Atrial activity**, depression of, and β -adrenoceptor-blocking potency, relationship between, and chronotropic effects of acebutalol, metoprolol and propranolol in conscious dogs with chronic heart-block, 335
- Atrium**, guinea-pig isolated, effect of SK&F 92994 on effect of histamine on, 105P
- Atropine**, effect of, on effect of mechanical stimulation of the upper airways in dogs anaesthetized with chloralose on tracheal pouch pressure, 419
- , effect of, on effect of noradrenaline on gastric acid secretion by the rat isolated stomach, 178P
- , effect of, on rat isolated caecum, 71P
- , effect of, on adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443
- , effect of, on effect of veratridine on exocytotic release of catecholamine from perfused adrenal gland of guinea-pig, 527
- , effect of, on effect of muscarine on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Atropine sulphate**, ganglionic blockade with, effect of, on effect of parathyroidectomy on cardiovascular reactivity to noradrenaline in anaesthetized rats with mineralocorticoid-induced hypertension, 301
- Auricles**, guinea-pig right and left, differentiation of the multiple effects of papaverine on, 67P
- Aurothiomalate monohydrate**, modulation of delayed hypersensitivity by, in mice, 186P
- Autonomic ganglion-blocking potencies**, skeletal, a comparison of, with neuromuscular blocking potencies of five non-depolarizing relaxants in guinea-pig isolated preparations, 501
- Autonomic neurones**, in rabbit heart and ileum, differences between receptors for 5-hydroxytryptamine on, 143P
- Axonal transport**, rapid and slow, a pharmacological comparison of, in rabbit vagus nerve, 173P
- Axoplasmic transport**, of dopamine β -hydroxylase, effects of the calcium ionophore, A23187, on, in the cat hypogastric nerve-inferior mesenteric ganglion preparation, 375
- Azathioprine**, modulation of delayed hypersensitivity by, in mice, 186P

B

- Baclofen**, effects of, on dopamine metabolism in the striatum and olfactory tubercle in the rat, 130P
- , effect of, on effects of capsaicin on rat isolated spinal cord, 95P
- DL-Baclofen**, effect of intrapallidal injection of, on head-turn induced by electrical stimulation of the striatum in rats, as *in vivo* evidence for different GABA receptors in the CNS, 150P
- Bacterial pyrogen**, dissimilar effects of cycloheximide on the febrile responses to the intravenous and cerebroventricular administration of, 97P

- B. pertussis*, delayed hypersensitivity to, differential modulation of, in mice, 186P
- Barbiturates**, convulsant, direct excitant action of, in rat isolated dorsal root fibres, vagus nerve and superior cervical ganglion, 144P
- Baroreceptor reflex sensitivity**, effects of opiates on, in the normotensive rabbit, 64P
- Basilar arterial strips**, human, comparison of 5-hydroxytryptamine-induced contractions of, with rat aortic strips *in vitro*, 165P
- Basilar artery**, rabbit isolated, responses of, to transmural nerve stimulation, noradrenaline and 5-hydroxytryptamine, 128P
- Basophil leukaemia slow reacting substance**, rat, structure of, 118P
- Behaviour**, spatial delayed alteration, in the monkey (*Macaca mulatta*), comparative effects of thieno- and benzodiazepines on, 141P
- , in rat, use of amphetamine at high dosage in the study of, effects of neuroleptics on, 43P
- , kainate-induced circling, in rats, 51P
- , social, effects of psychotropic drugs on, in mice, 367
- Behavioural effects**, of central and peripheral injection of two synthetic analogues of TRH in the rat, 81P
- , of microinjections of picrotoxin into rat superior colliculus, and their modulation by intranigral 6-hydroxydopamine, 145P
- Behavioural evidence**, for involvement of 5-hydroxytryptamine in tail pinch induced gnawing in the rat, 132P
- Behavioural indices**, of dopamine transmission, effects of partial unilateral nigro-striatal lesions induced by 6-hydroxydopamine on striatal histofluorescence and, in the rat, 46P
- Behaviours**, altered monoamine-mediated, following bicuculline-induced convulsions in the rat, 72P
- , enhanced monoamine-mediated, effect of anaesthetic administration on the appearance of, following electroconvulsive shock in the rat, 73P
- Bencyclane**, effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Benzodiazepines**, comparative effects of, and thienodiazepines on spatial delayed alteration behaviour in the monkey (*Macaca mulatta*), 141P
- , may exert their pharmacological actions by preventing adenosine uptake, thus enhancing the levels of extracellular adenosine, 341
- Benzotriazinium salt**, effects of, on guinea-pig atria and in the pithed rat, 166P
- Benztropine**, dopamine uptake inhibitor, effect of, on release of glutamate from rat cortico-striatal terminals, 137P
- Benzylpenicillin**, γ -aminobutyric acid antagonist, voltage sensitivity of, at the bag region of *Ascaris* muscle, 139P
- N*-benzylpyrrolidylacetate methobromide, (AHR-602), effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- 3,4-Benzpyrene**, hepatic enzyme induction caused by, effect of, on the pharmacokinetics of lignocaine and tocainide in the rat, 116P
- Betamethasone**, effect of, on phospholipase A activity and prostaglandin production in perfused rat kidney, 180P
- Bethanecol**, effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Bicuculline**, convulsions induced by, altered monoamine-mediated behaviours following, in the rat, 72P
- , blocks 5-hydroxytryptamine and γ -aminobutyric acid effects on rat hypothalamic neurones, 74P
- , effect of intrapallidal injection of, on head-turn induced by electrical stimulation of the striatum in rats, as *in vivo* evidence for different GABA receptors in the CNS, 150P
- , γ -aminobutyric acid antagonist, voltage sensitivity of, at the bag region of *Ascaris* muscle, 139P
- (\pm)-**Bicuculline**, effect of, on effect of leptazol on GABA receptors in slice preparations of rat cuneate nucleus, 75P
- Bismuth carbonate**, interaction of, with phenytoin in a rat intestinal model, 126P
- Bladder**, guinea-pig, selective antimuscarinic action of the neuromuscular blocking drugs stercuronium and gallamine on, 313
- , rabbit and guinea-pig isolated urinary, contribution of prostaglandins to the adenosine triphosphate-induced contraction of, 443
- Blood**, inhibitors of platelet aggregation have different activity in, than in platelet-rich plasma, 163P
- , human whole, *in vitro*, evaluation of a new electronic counting technique for measurement of platelet aggregation in, 160P
- , human whole, *in vitro*, a method for the analysis of drug-receptor interactions on platelets in, 125P
- Blood flow**, increased, actions of locally administered adrenoceptor agonists on, in guinea-pig skin, 461
- Blood pressure**, effect of *Gymnodinium breve* toxin on, in anaesthetized cats, 249
- , effect of labetalol administered systemically or intravenously on, in anaesthetized dogs, 287
- , in nutrient vein of tibia of anaesthetized dogs, effect of lumbar sympathetic stimulation on, 363
- , relationship between the selectivity of agonists for presynaptic α_2 -adrenoceptors and their effects of, in the anaesthetized rat, 171P
- , falls in, induced by isoprenaline, effects of atenolol and ICI 118,551 on, in the cat, 58P
- , effect of the inhibitory material extracted from the bovine retractor penis on, 62P
- , effect of impromidine, a novel and specific histamine H₂-receptor agonist, on, in man, 157P
- , effect of histamine on, in anaesthetized guinea-pigs, 174P
- Blood pressure**, modification of effect of histamine infusions in man by chlorpheniramine and cimetidine, 110P
- , of rats treated chronically with cadmium ion, 167P
- Body temperature**, effect of N⁶-2'-*O*-dibutyladenosine 3',5'-monophosphate on, in the restrained mouse, 453
- Bone**, vasculature of, in anaesthetized dogs, effect of lumbar sympathetic stimulation on, 363
- Bovine serum albumin**, methylated, delayed hypersensitivity to, differential modulation of, in mice, 186P
- Bradycardia**, induced by some agents that stimulate presynaptic α_2 -adrenoceptors, in pentobarbitone anaesthetized rats by an action on peripheral cardiac sympathetic nerves, 169P

- , induced by *Gymnodinium breve* toxin in anaesthetized cats, 249
- , induced by clonidine in anaesthetized dogs, causes of, 269
- Bradykinin**, increased plasma protein extravasation and blood flow induced by, in guinea-pig skin, actions of locally administered adrenoceptor agonists on, 461
- Bradykinin-like component**, from skin of the plaice (*Pleuronectes platessa* L.), 122P
- Brain**, guinea-pig, homogenates of, use of, to compare binding characteristics of tritiated opiates and opioid peptides, 481
- , concentration of some phenolic and catecholic amines in, effects of molindone and fluphenazine on, in the mouse and rat, 475
- , rat, effect of sodium valproate on single unit activity in, 76P
- , rat, effects of acute and chronic administration and its withdrawal on γ -aminobutyric acid receptor binding in, 403
- , rat and monkey, levels of 5-hydroxytryptamine and 5-hydroxyindole-3-acetic acid in, effects of Wy 25093, a selective uptake blocker, on, 42P
- , mouse, catecholamine content of, effects of monofluoromethyl dopa, an inhibitor of aromatic L-amino acid decarboxylase, on, 571
- , rabbit intact, release of met-enkephalin from, 190P
- Brain slices**, rat, *in vitro*, simultaneous measurement of endogenous release of dopamine, noradrenaline, 5-hydroxytryptamine and thyrotrophin, releasing hormone from, 131P
- , rat, mechanism of veratridine evoked γ -aminobutyric acid release from, 155P
- Brainstem**, rat, antagonism of the excitatory action of adrenocorticotrophic hormone by D-phe⁷-ACTH on single neurones in, 80P
- British Pharmacological Society**, Proceedings of, University of Bristol, 9–11 April, 1980, 41–190P
- Bromocriptine**, effect of, on potassium-induced glutamate release from striatum, 48P
- Bromoperidol**, effect of, on use of amphetamine at high dosage in the study of DA-5HT interactions in the rat, 43P
- Bronchoconstriction**, ability of sodium cromoglycate to suppress, in man, 11
- , effect of histamine on, in anaesthetized guinea-pigs, 174P
- , histamine-induced, inhibition of, by prostaglandin F₂, a sympathetic mechanism for, in the guinea-pig, 185P
- Brotizolam**, effect of, on spatial delayed alteration behaviour in the monkey (*Macaca mulatta*), 141P
- , a triazolo-thienodiazepine, effect of, on sleep and performance in man, 157P
- Buprenorphine**, antinociceptive activity of, determined against nociceptive responses to electrical stimulation of the tooth pulp in the conscious dog, 323
- (+)-**Butaclamol**, specific binding of [³H]-spiperone defined by, in homogenates of bovine retina, in identification of dopamine receptors, 47P
- γ -Butyrolactone**, effects of, on dopamine metabolism in the striatum and olfactory tubercle in the rat, 130P
- BW180C**, opiate pentapeptide, effect of, on [³H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
- , binding of, to homogenates of rat spinal cord, 153P
- BW755C**, differential effects of, and sodium salicylate on prostaglandin formation in inflammatory exudates and the gastro-intestinal tract, 82P
- , effect of, on leukocyte migration in carrageenin-induced inflammation in the rat, 182P
- BW834C**, opiate pentapeptide, effect of, on [³H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
- BW-501C67**, effect of, on 5-hydroxytryptamine-induced contractions of human basilar arterial and rat aortic strips *in vitro*, 165P
- , effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P

C

- 'C' **fibre endings**, of sensory nerves, in the dog lung, action of sodium cromoglycate on, 11
- Cadmium ion**, *in vivo* and *in vitro* measurement of changes in sympathetic nervous control of vascular and non-vascular tissues in rats chronically treated with, 167P
- Caecum**, rat isolated, characterization of pharmacological receptors in, 71P
- Caffeine**, effect of increased intake of, on the metabolism and pharmacokinetics of theophylline in man, 111P
- Calcium**, action of adenosine on [³H]-neurotransmitter release induced by, from rat striatal slices *in vitro*, 136P
- , relation between, and cardiovascular reactivity in mineralocorticoid-induced hypertension in the rat, 301
- , evidence for multiple sources of, for activation of the contractile mechanism of guinea-pig taenia coli on stimulation with carbachol, 229
- , effect of, on release of [³H]-spermine from rat cerebral cortex slices evoked by potassium, 92P
- , effect of, on veratridine evoked γ -aminobutyric acid release from rat brain slices, 155P
- , perfusate concentration of, effect of, on effects of RMI 12330A, a new inhibitor of adenylate cyclase, on myocardial function and subcellular activity in guinea-pig heart homogenates, 429
- , the effect of, on cyclic nucleotide levels in the rat isolated heart, 69P
- ⁴⁵**Calcium**, uptake of, by sarcolemmal microsomes from human umbilical arteries, effects of vasodilator drugs, alkaline phosphatase, and cyclic AMP-dependent protein kinase on, 537
- Calcium antagonist**, verapamil, differential effects of, on lumen sizes of terminal arterioles and muscular venules in the rat mesenteric, pial and skeletal muscle microvasculatures, 351
- Calcium antagonists**, effects of, on adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443
- Calcium ion**, effect of, on electrically-evoked release of [³H]-histamine from the guinea-pig hypothalamus, 555

- , effects of ketamine on contractions induced by, in vascular smooth muscle of rat aortic strips and portal vein segments, 257
- , extracellular, effect of, on release of histamine from rat peritoneal and mesenteric and guinea-pig mesenteric mast cells stimulated with polylysine, 329
- , extracellular, effect of, on effect of cyproheptadine on insulin secretion in rat isolated islets of Langerhans, 355
- , extracellular, effect of, on effects of the calcium ionophore, A23187, on the axoplasmic transport of dopamine β -hydroxylase in the cat hypogastric nerve-inferior mesenteric ganglion preparation, 375
- , effect of, on presynaptic regulation of the release of acetylcholine by 5-hydroxytryptamine in bullfrog sympathetic preganglionic nerve terminals and frog sciatic nerve terminals, 499
- , effect of, on actions of nitroglycerine on membrane and mechanical properties of the smooth muscles of the coronary artery of the pig, 197
- , effect of, on effects of muscarinic agonists on single neurones in rat isolated superior cervical ganglia, 593
- , transport of, dependent or adenosine triphosphate in isolated cardiac sarcolemmal preparations, effect of verapamil on, 617
- , effect of, on effects of muscarinic agonists on rat isolated superior cervical ganglia, 577
- Ca²⁺-ATPase**, activity of, in isolated cardiac sarcolemmal preparations, effect of verapamil on, 617
- Calcium ionophore**, A23187, effect of, on action of adenosine on release of [³H]-neurotransmitter from rat striatal slices *in vitro*, 136P
- , effect of, on effect of cyproheptadine on insulin secretion in rat isolated islets of Langerhans, 355
- , effects of, on the axoplasmic transport of dopamine β -hydroxylase in the cat hypogastric nerve-inferior mesenteric ganglion preparation, 375
- , generation of chemokinetic activity from rat polymorphonuclear leucocytes treated with, 84P
- , production of chemokinetic substances from rat polymorphonuclear leucocytes exposed to, 183P
- , effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Calcium transport**, postulated effects of doxantrazole, theophylline and disodium cromoglycate on, 329
- Callithrix jacchus**, marmoset, conscious, evaluation of antinociceptive activity in, by using stimulation of the tooth pulp, 142P
- Capsaicin**, membrane effect of, on the giant amoeba, 98P
- , antinociceptive effects of single doses of, in the rodent, 96P
- , effects of, on the isolated spinal cord of the immature rat, 95P
- , tachyphylaxis to, effect of, on mechanism of motor response to periaxillary nerve stimulation in the small intestine of the rabbit, 193
- Carbachol**, responses to, in the anaesthetized guinea-pig, guinea-pig atria, bladder and ileum, rabbit atria and the sympathetically innervated rabbit ear artery preparations, effects of stercuronium and gallamine on, 313
- , guinea-pig taenia coli stimulated by, evidence for multiple sources of calcium for activation of contractile mechanism of, 229
- , central inhibition by γ -aminobutyric acid of the release of vasopressin by, in the rat, 78P
- , effect of, on rat isolated caecum, 71P
- , effect of indomethacin on contractile response of rabbit and guinea-pig isolated urinary bladder to, 443
- , differences between the functional antagonism of the positive inotropic and chronotropic responses to sympathomimetic amines by, 68P
- Carbidopa**, effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- Carbocromen**, effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Carboxymethylcellulose**, neutrophil accumulation induced by, inhibitory effects of anti-inflammatory steroids on, in the rat, 101P
- p-Carboxymethylphenyldimethyltriazen**, effect of, on mouse lysosomal stability, 117P
- Carrageenin**, inflammation induced by, non-steroidal anti-inflammatory drugs which potentiate leukocyte migration in rats with, 182P
- Carrageenin oedema**, inhibitory effects of anti-inflammatory steroids on, in the rat, 101P
- Cardiac effect**, of imipramine, mechanisms responsible for, 15
- Cardiac functions**, effects of RMI 12330A, a new inhibitor of adenylate cyclase, on, in the guinea-pig, 429
- , effect of histamine on, in anaesthetized guinea-pigs, 174P
- Cardiac muscle**, rat isolated preparation, effect of calcium on cyclic nucleotide levels in, 69P
- , guinea-pig atrial, activities of papaverine-like compounds in, are these due to inhibition of phosphodiesterase?, 171P
- Cardiac neuroeffector structures**, canine, controlling heart rate, effects of clonidine on, 269
- Cardiac receptors**, greater affinity of stercuronium and gallamine for, and inhibitory muscarinic receptors on sympathetic nerve endings than for muscarinic receptors mediating contraction of bladder and ileum, 313
- Cardiac sarcolemmal preparations**, isolated, effect of verapamil on calcium ion-transporting and Ca²⁺-ATPase activity of, 617
- Cardiac stimulation**, inhibition by cimetidine of, due to mast cell degranulation in guinea-pig heart *in vitro*, 105P
- Cardiovascular actions**, of the inhibitory material extracted from the bovine retractor penis, 62P
- Cardiovascular data**, a digital computer system for the on-line analysis of, 187P
- Cardiovascular effects**, in man of impromidine, a novel and specific histamine H₂-receptor agonist, 157P
- , of opiates in the normotensive rabbit, 64P
- , modification of, of histamine infusions in man by chlorpheniramine and cimetidine, 110P
- , of *Gymmodinium breve* toxin in anaesthetized cats, 249
- Cardiovascular reactivity**, relation between calcium and, in mineralocorticoid-induced hypertension in the rat, 301
- Cardiovascular responses**, relationship between the selectivity of agonists for presynaptic α_2 -adrenoceptors and, in the anaesthetized rat, 171P
- Cardiovascular system**, of the pithed rat, an analysis of the effects of mianserin on, 61P

- Catecholamines**, content of, in mouse brain, heart and kidney, effects of monofluoromethyldopa, an inhibitor of aromatic L-amino acid decarboxylase, on, 571
- , potentiation of, by phenoxybenzamine in guinea-pig isolated tracheal segments and rat isolated anococcygeus muscles, effect of sodium thiosulphate on, 70P
 - , exocytotic release of, from perfused adrenal gland of guinea-pig induced by veratridine, 527
 - , brain concentration of, effects of molindone and fluphenazine on, in the mouse and rat, 475
- Caudate nucleus**, rabbit, presynaptic dopamine receptors modulate electrical stimulation but not amphetamine-evoked release of [3 H]-dopamine from, 45P
- Cell accumulation**, are inhibitory effects of anti-inflammatory steroids on, in the rat mediated through a specific receptor?, 101P
- Cerebellar cortex**, rat, slices of, γ -aminobutyric acid facilitates or inhibits the evoked release of [3 H]-noradrenaline from, by an action at separate receptors, 77P
- Cerebellar synaptic membranes**, characteristics of L-[3 H]-aspartate binding to, 146P
- Cerebellum**, rat, stimulation of cyclic guanosine monophosphate concentrations *in vitro* by glutamate receptor agonists, 94P
- Cerebral cortex**, rat, slices of, spontaneous and evoked release of [3 H]-spermine from, 91P
- , rat, effects of diazepam on adenosine and acetylcholine release from, as further evidence for a purinergic mechanism in action of diazepam, 341
 - , multiple 5-HT receptors in, 5-hydroxytryptamine dependent myoclonus may provide evidence for, 41P
 - , levels of adenosine triphosphate in, effects of drugs on, in normal and hypoxic rats, 92P
 - , rat, regulation of noradrenaline overflow in, by prostaglandin E_2 , 469
- Cerebrospinal fluid**, primate ventricular, effect of probenecid in high performance liquid chromatography analysis of tryptophan, 5-hydroxyindoleacetic acid and homovanillic acid using fluorescence and electrochemical detection in, 133P
- CG 3509**, behavioural effects of central and peripheral injection of, in the rat, 81P
- CG 3703**, behavioural effects of central and peripheral injection of, in the rat, 81P
- Chaos carolinense**, giant amoeba, membrane effects of some chemical irritants on, 98P
- Chemical irritants**, membrane effects of, on the giant amoeba (*Chaos carolinense*), 98P
- Chemokinetic activity**, generation of, from rat polymorphonuclear leucocytes treated with calcium ionophore A23187, 84P
- Chemokinetic substances**, production of, from rat polymorphonuclear leucocytes exposed to calcium ionophore, A23187, 183P
- Chenodeoxycholic acid**, effects of, on the clearance of antipyrine and isoniazid in man, 111P
- Chloral hydrate**, effect of, compared with anti-anxiety drugs and amphetamine on social interaction and locomotion in rats, 95P
- Chlordiazepoxide**, effect of, compared with amphetamine and chloral hydrate on social interaction and locomotion in rats, 95P
- , effect of, on hepatic porphyria induced by 3,5-diethoxycarbonyl-1,4-dihydrocollidine, 113P
- Chlorimipramine**, effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- p-Chloroamphetamine**, effect of, on shock-induced analgesia in the rat, 44P
- o-Chloro-benzylidenemalononitrile**, membrane effect of, on the giant amoeba, 98P
- 2-Chloro-dibenzoxazepine**, membrane effect of, on the giant amoeba, 98P
- 3-Chloro-dibenzoxazepine**, membrane effect of, on the giant amoeba, 98P
- p-Chlorophenylalanine**, effect of, on effect of imipramine on exploratory activity in rats, 277
- , effect of, on shock-induced analgesia in the rat, 44P
- 6-Chloro-2-(1-piperazinyl)pyrazine**, ability of, to induce myoclonus in the guinea-pig, 41P
- Chloroquine**, effect of, on hepatic porphyria induced by 3,5-diethoxycarbonyl-1,4-dihydrocollidine, 113P
- Chloroquine diphosphate**, modulation of delayed hypersensitivity by, in mice, 186P
- Chlorpheniramine**, modification of cardiovascular effects of histamine infusions in man by, 110P
- Chlorpromazine**, reduction of the first-pass elimination of propranolol by the co-administration of, in the rat, 116P
- Chlorpropamide**, effect of, on hepatic porphyria induced by 3,5-diethoxycarbonyl-1,4-dihydrocollidine, 113P
- Choline**, release of, from rat diaphragm preparations, effect of oxotremorine on, 8
- Cholinergic transmission**, role of 5-hydroxytryptamine in, in bullfrog sympathetic preganglionic nerve terminals and frog sciatic nerve terminals, 499
- Chronotropic effects**, of acebutalol, metoprolol and propranolol in conscious dogs with chronic heart-block, and relation between depression of ventricular activity and β -adrenoceptor-blocking potency, 335
- Chronotropic responses**, positive, differences between the functional antagonism of, and inotropic responses to sympathomimetic amines by carbachol, 68P
- Cimetidine**, an H_2 -receptor antagonist, protection against aspirin-induced gastric lesions in the rat by, 178P
- , effect of, on cardiovascular effects of imipramine, a novel and specific histamine H_2 -receptor agonist, in man, 157P
 - , inhibition by, of cardiac stimulation due to mast cell degranulation in guinea-pig heart *in vitro*, 105P
 - , effects of, on guinea-pig isolated atrium and ileum, rat isolated uterus and gastric acid secretion, compared with SK&F 92994, 105P
 - , modification of cardiovascular effects of histamine infusions in man by, 110P
 - , effect of, on tachycardia induced by histamine in anaesthetized guinea-pigs, 174P
- Cinanserin**, effect of, on binding of [3 H]-spiperone to homogenates of bovine retina, 47P
- , effect of, on core temperature changes induced by intrahypothalamic injections of 5-hydroxytryptamine and tryptamine in the rat, 149P
- Circling behaviour**, kainate-induced, in rats, 51P
- Circling responses**, ipsilateral, to morphine and apomorphine, in rats with unilateral electrolytic lesions involving both parts of the substantia nigra, 545

- Circulatory effects**, central, of *Gymnodinium breve* toxin in anaesthetized cats, 249
- Clobazam**, effect of, on spatial delayed alteration behaviour in the monkey (*Macaca mulatta*), 141P
- Clonidine**, effects of, on canine cardiac neuroeffector structures controlling heart rate, 269
- , effects of, on heart rate and blood pressure in anaesthetized dogs, compared with labetalol, 287
 - , selectivity of, for α - and α_2 -adrenoceptors related to cardiovascular profile in the anaesthetized rat, 171P
 - , effect of α -adrenoceptor antagonists on effect of, on mean arterial pressure in the rabbit, 63P
 - , induction of responsiveness to phenolamine by incubation of guinea-pig ileum with, *in vitro*, 175P
- Clozapine**, effect of, on use of amphetamine at high dosage in the study of DA-5HT interactions in the rat, 43P
- Codeine**, antinociceptive activity of, determined against nociceptive responses to electrical stimulation of the tooth pulp in the conscious dog, 323
- , antinociceptive activity of, in the conscious marmoset (*Callithrix jacchus*) using stimulation of the tooth pulp, 142P
- Colchicine**, binding of, effect of halothane on, by tubulin from rat brain, 123P
- , effect of, on intraocular pressure in the rabbit, the iris-ciliary processes as a possible site of action for, 124P
 - , effect of, on rapid and slow transport in rabbit vagus nerve, 173P
- Computer system**, digital, for on-line analysis of cardiovascular data, 187P
- Computers**, PET, some uses of, in pharmacology, 190P
- Contractile properties**, of the smooth muscles of the coronary artery of the pig, actions of nitroglycerine on, 197
- Coronary artery**, pig, smooth muscles of, actions of nitroglycerine on the membrane and mechanical properties of, 197
- Core temperature**, changes in, comparison of, induced by intrahypothalamic injection of 5-hydroxytryptamine and tryptamine in the rat, 149P
- Convulsant barbiturates**, direct excitant action of, in rat isolated dorsal root fibres, vagus nerve and superior cervical ganglion, 144P
- Convulsions**, bicuculline-induced, altered monoamine-mediated behaviours following, in the rat, 72P
- Coronary sinus plasma**, increased overflow of noradrenaline into, induced by electrical stimulation of cardio-accelerator nerve in dogs with denervated hearts, effects of clonidine on, 269
- Coronary vasodilator actions**, of adenosine in anaesthetized dogs, potentiation of, by diazepam, 66P
- Cortex**, rat medial prefrontal, glutamatergic pathways from, to the anterior striatum, nucleus accumbens and substantia nigra, 50P
- Cortical cells**, rat, effect of sodium valproate on activity of, 76P
- Corticosteroids**, effects of, on enkephalin content of the rat hypothalamus, 561
- Corticosterone**, plasma levels of, leucine-enkephalin and methionine-enkephalin produce opposing effects on, in ether-stressed mice, 509
- , effect of, on potassium stimulated depletion of enkephalin in rat hypothalamus, 79P
- Cortico-striatal terminals**, rat, release of glutamate from, is regulated by activation of dopamine receptors, 137P
- Corticotrophin**, effect of, on enkephalin content of the rat hypothalamus, 561
- Corticotrophin releasing factor**, effects of opioid substances on the secretion of, by the rat hypothalamus, 79P
- Corticotrophin releasing hormone**, effect of, on enkephalin content of the rat hypothalamus, 561
- Counting technique**, electronic, new, for measurement of platelet aggregation in human whole blood *in vitro*, evaluation of, 160P
- Cremaster muscle**, rat, microvasculature of, differential effects of calcium antagonist, verapamil on lumen sizes of terminal arterioles and muscular venules in, 351
- Cromoglycate**, sodium, tolerance to, in human lung fragments *in vitro*, 122P
- Cuneate nucleus**, rat slice preparations of, leptazol as a γ -aminobutyric acid antagonist in, 75P
- Cyanide**, sodium, effect of, on rapid and slow axonal transport in rabbit vagus nerve, 173P
- Cyclic nucleotides**, levels of, in the rat isolated heart, effect of calcium on, 69P
- Cycloheximide**, dissimilar effects of, on the febrile responses to the intravenous and intracerebroventricular administration of various pyrogens, 97P
- 5-(2-Cyclohexylidene-ethyl)-5-ethyl barbituric acid**, direct excitant action of, in rat isolated dorsal root fibres, vagus nerve and superior cervical ganglion, 144P
- Cyclo-oxygenase**, differential inhibition of, by sodium salicylate and BW755C in rat inflammatory exudates and gastro-intestinal tract, 82P
- Cyclophosphamide monohydrate**, modulation of delayed hypersensitivity by, in mice, 186P
- Cyproheptadine**, effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- , mechanism by which it inhibits insulin secretion in the rat isolated islets of Langerhans, 355
 - , effect of, on shock-induced analgesia in the rat, 44P
 - , effect of, on 5-hydroxytryptamine-induced contractions of human basilar arterial and rat aortic strips *in vitro*, 165P
 - , effect of, on L-tryptophan-induced hypoactivity in the rat, 132P
 - , effect of, on core temperature changes induced by intrahypothalamic injections of 5-hydroxytryptamine and tryptamine in the rat, 149P
 - , and metergoline suppress prolactin release by a non-5-hydroxytryptaminergic, non-dopaminergic mechanism in a dispersed rat anterior pituitary cell system, 5
- Cysteine**, effect of, on actions of nitroglycerine on membrane and mechanical properties of the coronary artery of the pig, 197
- Cytosolic receptor**, gut, modification of radioreceptor assay for 1,25-dihydroxyvitamin D using, from adult male or immature Japanese quail, 179P

D

- Desipramine**, effect of, on pressor responses to benzotriazinium salt in the pithed rat, 166P
- N-demethylation**, oxidative, effects of, on mouse liver lysosomes and liver function, 117P

- Degranulation**, of mast cells, inhibition by cimetidine of cardiac stimulation due to, in guinea-pig heart *in vitro*, 105P
- Depressive disorders**, human, normalizing effects of imipramine on rat exploratory behaviour may be analogous to its therapeutic effects in, 277
- Depressor responses**, in the pithed rat, an analysis of, 170P
- Dexamethasone**, inhibitory effect of, on chronic inflammation, acute oedema and cell accumulation in the rat, 101P
- Dexamethasone**, modulation of delayed hypersensitivity by, in mice, 186P
- Dexamethasone**, effect of, on phospholipase A activity and prostaglandin production in perfused rat kidney, 180P
- [³H]-dextimide**, binding of, inhibition of, by a homologous series of methylfurthrethonium analogues at the peripheral muscarinic receptors in bovine isolated tracheal smooth muscle, 129P
- Dextropropoxyphene**, antinociceptive activity of, determined against nociceptive responses to electrical stimulation of the tooth pulp in the conscious dog, 323
- Dextrophan**, iontophoretically applied, response of neurones in medial caudal medulla to, in the anaesthetized rat, 147P
- 2,4-Diaminobutyric acid**, γ -aminobutyric acid uptake inhibitor, effects of the stereoisomers of, on γ -aminobutyric metabolism *in vivo*, 135P
- Diaminopimelic acid**, effect of, on kainate-induced circling behaviour in rats, 51P
- α,ϵ -Diaminopimelic acid**, effect of, on effects of capsaicin on rat isolated cord, 95P
- Diaphragm preparations**, rat, effect of oxotremorine on acetylcholine release from, 8
- Diaphragmatic electromyograms**, effect of *Gymnodinium breve* toxin on, in anaesthetized cats, 249
- Diazepam**, effects of, on adenosine and acetylcholine release from rat cerebral cortex: further evidence for a purinergic mechanism in action of diazepam, 341
- , effect of, on social hierarchy in mice, 367
- , potentiates the coronary vasodilator actions of adenosine in anaesthetized dogs, 66P
- Diazoxide**, effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Dibenzoxazepine**, membrane effect of, on the giant amoeba, 98P
- N⁶-2'-O-dibutyl adenosine 3',5'-monophosphate**, thermoregulatory effects of, in the restrained mouse, 453
- Dichlorophenazone**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- 3,5-Diethoxy-carbonyl-1,4-dihydrocollidine**, hepatic porphyria induced by, effects of exacerbators on, 113P
- Diflunisal**, interaction of, with frusemide in man, 158P
- DL- α -Difluoromethylornithine**, ovarian function in the rat following irreversible inhibition of ornithine decarboxylase with, 103P
- Digital computer system**, for the on-line analysis of cardiovascular data, 187P
- [³H]-dihydroalprenolol**, binding of, to β -adrenoceptors on frog and chick erythrocytes, 57P
- , binding of, to myocardial α -adrenoceptors, effect of increasing age on, in foetal lambs, 515
- [³H]-dihydroergocryptine**, use of, to differentiate α -adrenoceptor subtypes of intact human platelets, 59P
- , binding of, to myocardial α -adrenoceptors, effect of increasing age on, in foetal lambs, 515
- Dihydroergotamine**, effect of, on effect of lumbar sympathetic stimulation on vasculature of tibia of anaesthetized dogs, 363
- Dihydrokainate**, effect of, on rat cerebellar cyclic guanosine monophosphate concentrations *in vitro*, 94P
- Dihydromorphine**, binding characteristics of, in homogenates of guinea-pig brain, 481
- [³H]-dihydromorphine**, binding of, to homogenates of rat spinal cord, 153P
- 3,4-Dihydroxyphenylacetic acid**, brain concentration of, effects of molindone and fluphenazine on, in the mouse and rat, 475
- 3,4-Dihydroxyphenyl-aminoimidazoline**, effect of, on bradycardia in pentobarbitone anaesthetized rats, 169P
- Dihydroxypropyltheophylline**, interaction between, and theophylline in producing relaxation of guinea-pig isolated tracheal chains, 120P
- 1,25-Dihydroxyvitamin D**, modification of radioreceptor assay for, using gut cytosolic receptor from adult male or immature Japanese quail, 179P
- Dilazep**, effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Dimethicone**, interaction of, with phenytoin in a rat intestinal model, 126P
- Dimethylnitrosoamine**, effect of, on mouse lysosomal stability, 117P
- (-)-5,9-Dimethyl-2-(tetrahydrofurfuryl)-2'-hydroxy-6,7-benzomorphan**, antinociceptive activity of, determined against nociceptive responses to electrical stimulation of the tooth pulp in the conscious dog, 323
- 5-(3,3-Dimethyl-triazeno)imidazole-4-carboxamide**, effect of, on mouse lysosomal stability, 117P
- Dinitrophenol**, a classic uncoupler of mitochondrial oxidative phosphorylation, effect of, on cardiac functions in the guinea-pig, 429
- Diphenylhydantoin**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- 2-(N,4-dipropyl)amino-5,6-dihydroxytetralin**, effect of, after mesolimbic denervation in the mouse, 49P
- N,N-di-n-propyldopamine**, effect of, on effects of fluphenazine and sulpiride at peripheral pre- and postsynaptic dopamine receptors in hindlimb and mesentery of anaesthetized dogs, 140P
- Dipyridamole**, differing effects of, on platelet aggregation in blood or platelet-rich plasma, 163P
- Disodium cromoglycate**, effect of, on release of histamine from rat peritoneal and mesenteric and guinea-pig mast cells stimulated with polylysine, 329
- Disulphide cross-bridge**, role of, and the D-amino acid centres in des-N-tetramethyl-triostin A, in interaction between synthetic analogues of quinoxaline antibiotics and nucleic acids, 25
- Domperidone**, effect of, on gastric emptying induced by apomorphine in the guinea-pig, 104P
- L-DOPA**, and tranlylcypromine, effect of anaesthetic administration on the appearance of enhanced behaviours mediated by, following electroconvulsive shock in the rat, 73P

—, and tranlylcypromine, altered behaviour mediated by, following bicuculline-induced convulsions in the rat, 72P

Dopamine, effect of, on release of [^3H]-glycine and [^3H]-taurine from the rat isolated retina, 55P

—, effect of, on peripheral and brain noradrenaline content in mice treated with monofluoromethyl dopa, an inhibitor of aromatic L-amino acid decarboxylase, 571

—, sensitivity to exogenously administered, effect of morphine on, in rat *vas deferens*, 519

—, mechanism not involving, metergoline and cyproheptadine suppress prolactin release by, in a dispersed rat anterior pituitary cell system, 5

—, brain concentration of, effects of molindone and fluphenazine on, in the mouse and rat, 475

—, centrally administered, effect of, on water and food intake in the rat, 151P

—, mesolimbic, effect of denervation induced by 6-hydroxydopamine on, in the mouse, 49P

—, subcortical function of, role of medial prefrontal cortex in, in the rat, 50P

—, effect of, on potassium-induced glutamate release from striatum, 48P

—, effect of, on binding of [^3H]-spiperone to homogenates of bovine retina, 47P

—, interaction between, and 5-hydroxytryptamine, use of amphetamine at high dosage in the study of, effects of neuroleptics on, in the rat, 43P

—, effect of, on release of glutamate from rat cortico-striatal terminals, 137P

—, is there a common receptor mediating the inhibitory action of, and 5-hydroxytryptamine, on leech Retzius cells?, 138P

—, simultaneous measurement of endogenous release of, noradrenaline, 5-hydroxytryptamine and thyrotrophin releasing hormone from rat brain slices *in vitro*, 131P

—, metabolism of, different changes in, in the striatum and olfactory tubercle of the rat after HA-966, 130P

[^3H]-dopamine, presynaptic dopamine receptors modulate electrical stimulation but not amphetamine-evoked release of, from the rabbit caudate nucleus, 45P

—, action of adenosine on calcium-induced release of, from rat striatal slices, 136P

Dopamine agonists and antagonists, actions of, after mesolimbic denervation in the mouse, 49P

Dopamine antagonists, effects of, on effects of metergoline and cyproheptadine on prolactin release in a dispersed rat anterior pituitary cell system, 5

Dopamine β -hydroxylase, activity of, effect of veratridine on, in perfused adrenal gland of guinea-pig, 527

—, axoplasmic transport of, in the cat hypogastric nerve-inferior mesenteric ganglion preparation, effect of calcium ionophore, A23187, on, 375

Dopamine receptors, striatal, sensitivity of, to morphine and apomorphine in rats with unilateral electrolytic lesions involving both parts of the substantia nigra, 545

—, peripheral pre- and postsynaptic, effects of fluphenazine and sulphuric acid, in hindlimb and mesentery of anaesthetized dogs, 140P

—, regulation of release of glutamate from rat cortico-striatal terminals by, 137P

—, [^3H]-spiperone labels, in homogenates of bovine retina, 47P

—, presynaptic, modulate electrical stimulation but not amphetamine-evoked release of [^3H]-dopamine from the rat caudate nucleus, 45P

—, mediating different motor responses may have differential topography in the guinea-pig striatum, 148P

Dopamine transmission, effects of partial unilateral nigro-striatal lesions induced by 6-hydroxydopamine on striatal histofluorescence and behavioural indices of, in the rat, 46P

Dopaminergic activity, and morphine dependence, tests of circling responses in rats with unilateral electrolytic lesions involving both parts of the substantia nigra, 545

Dopaminergic modulation, of striatal [^3H]-glutamic acid release, 48P

Dorsal root fibres, rat isolated, direct excitant action of convulsant barbiturates on, 144P

Dorsal root ganglia, rat lumbar isolated, biosynthesis of substance P from [^{35}S]-methionine in, 56P

Doxantrazole, anti-allergic drug, effect of, on release of histamine from rat peritoneal and mesenteric and guinea-pig mesenteric mast cells stimulated with polylysine, 329

Droperidol, effect of, on social hierarchy in mice, 367

Drug-receptor interactions, a method for the analysis of, on platelets in human whole blood *in vitro*, 125P

E

Ear artery, rabbit, smooth muscle of, effect of magnesium ion on responses of, to noradrenaline, histamine and adenosine 5'-triphosphate, 164P

—, sympathetically innervated rabbit isolated, selective antimuscarinic action of the neuromuscular blocking drugs stercuronium and gallamine on, 313

Electrical field stimulation, release of [^3H]-histamine induced by, from the guinea-pig hypothalamus, 555

—, effects of, on contraction of rabbit and guinea-pig isolated urinary bladder, 443

Electrical stimulation, of the tooth pulp, evaluation of antinociceptive activity in the conscious marmoset (*Callothrix jacchus*) using, 142P

—, of cardiovascular nerve in dogs with denervated hearts, tachycardia produced by, effect of clonidine on, 269

—, of the tooth pulp in the conscious dog, antinociceptive activities of morphine, codeine, dextropropoxyphene and Mr 2034 determined against nociceptive responses to, 323

—, low frequency, of lumbar sympathetic chain in anaesthetized dogs, effect of, on vasculature of bone, 363

—, release of [^3H]-dopamine from the rabbit caudate nucleus, induced by, modulation of, by presynaptic dopamine receptors, 45P

—, of the striatum in rats, effect of intrapallidal injection of γ -aminobutyric acid agonists on head-turn induced by, as *in vivo* evidence for different GABA receptors in the CNS, 150P

—, effect of imipramine on effect of, on bovine ventricular muscle and Purkinje fibres, 15

- Electrocardiographic activity**, abnormal, revealed by rat isolated heart preparations at various times after experimental myocardial infarction, 168P
- Electrochemical detection**, high performance liquid chromatography analysis of tryptophan, 5-hydroxyindoleacetic acid and homovanillic acid using, effect of probenecid studied in primate ventricular cerebrospinal fluid, 133P
- Electroconvulsive shock**, effect of anaesthetic administration on the appearance of enhanced monoamine-mediated behaviours following, in the rat, 73P
- Electrolytic lesions**, unilateral, involving both parts of the substantia nigra, ipsilateral circling responses to apomorphine and morphine in rats with, 545
- Electronic counting technique**, new, for measurement of platelet aggregation in human whole blood *in vitro*, evaluation of, 160P
- , in the analysis of drug-receptor interactions on platelets in human whole blood *in vitro*, 125P
- Electrophysiological effects**, of imipramine on bovine ventricular muscle and Purkinje fibres, 15
- β -Endorphin**, effects of, on contractions of the rat vas deferens, effect of morphine on, 519
- , effect of, on [3 H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
- , and parturition in woman, 159P
- , effect of, on secretion of corticotrophin releasing factor from rat hypothalamus, 79P
- Endotoxin**, *E. coli*, polymyxin B sulphate markedly reduces the effects of, in anaesthetized cats, 100P
- , reactions induced by, in mice, inhibition of, by naloxone, 99P
- Enkephalin**, content of, in rat hypothalamus, effects of adrenalectomy and hypophysectomy on, 561
- , potassium stimulated depletion of, in rat hypothalamus, and its alteration by adrenocorticotrophin and corticosterone, 79P
- , analogue of, use of, to study role of endogenous opiates in cardiovascular regulation and baroreceptor reflexes in the normotensive rabbit, 64P
- Leu-enkephalin**, and methionine-enkephalin produce opposing effects on plasma corticosterone levels in ether-stressed mice, 509
- [Leu 5]-enkephalin**, effect of, on [3 H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
- Met-enkephalin**, and leucine-enkephalin produce opposing effects on plasma corticosterone levels in ether-stressed mice, 509
- , release of, from rabbit intact brain, 190P
- [Met 5]-enkephalin**, effect of, on [3 H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
- Enkephalin amides**, binding characteristics of, in homogenates of guinea-pig brain, 491
- Enkephalins**, leucine- and methionine-, produce opposing effects on plasma corticosterone levels in ether-stressed mice, 509
- , effect of, on secretion of corticotrophin releasing factor from rat hypothalamus, 79P
- , iontophoretically applied, response of neurones in medial caudal medulla to, in the anaesthetized rat, 147P
- , effects of, on contractions of the rat vas deferens, effect of morphine on, 519
- , binding characteristics of, in homogenates of guinea-pig brain, 481
- Environmental temperature**, effect of, on the thermoregulatory response to peripheral histamine administration in the rat, 176P
- Epicardial ST-segment**, changes in, in a feline model of acute myocardial ischaemia, effect of exaprolol (MG8823), a new β -adrenoceptor blocking agent, on, 65P
- , elevation of, effects of prostacyclin-on, in anaesthetized dogs, 86P
- Ergotamine**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- Erythrocytes**, frog and chick, atypical β -adrenoceptors on, 57P
- E. coli* endotoxin**, polymyxin B sulphate markedly reduces the effects of, in anaesthetized cats, 100P
- Ethylketazocine**, antinociceptive activity of, in the conscious marmoset (*Callithrix jacchus*) using stimulation of the tooth pulp, 142P
- 5-Ethyl-5-(3-methylbut-2-enyl)barbituric acid**, direct excitant action of, in rat isolated dorsal root fibres, vagus nerve and superior cervical ganglion, 144P
- Ethanol**, acute and chronic administration of, effects of, and its withdrawal on γ -aminobutyric acid receptor binding in rat brain, 403
- , effect of, compared with amphetamine and chloral hydrate on social interaction and locomotion in rats, 95P
- , effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- Ether stress**, mice suffering from, leucine-enkephalin and methionine-enkephalin produce opposing effects on plasma corticosterone levels in, 509
- Etonitazene**, effect of, on contractions of the rat vas deferens, effects of enkephalins and β -endorphin on, 519
- Etorphine**, binding characteristics of, in homogenates of guinea-pig brain, 481
- [3 H]-etorphine**, binding of, to homogenates of rat spinal cord, 153P
- Exaprolol**, a new β -adrenoceptor-blocking agent, effect of, on epicardial ST-segment changes in a feline model of acute myocardial ischaemia, 65P
- Exocytotic release**, of catecholamine from perfused adrenal gland of guinea-pig induced by veratridine, 527
- Exploratory activity**, of rats, imipramine normalizes naturally-occurring and drug-induced differences in, 277
- Extravasation**, plasma protein, effects of partially purified guinea-pig slow-reacting substance of anaphylaxis on, 183P

Fazadinium, comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of, in guinea-pig isolated preparations, 501

- Febrile responses**, dissimilar effects of cycloheximide on, to the intravenous and intracerebroventricular administration of various pyrogens in the rabbit, 97P
- Femoral artery**, perfusion pressure in, in anaesthetized dogs, effect of lumbar sympathetic stimulation on, 363
- Femoxatine**, effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- Fenfluramine**, effect of, on shock-induced analgesia in the rat, 44P
- Fenoterol**, locally administered, effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- Fludrocortisone**, activity of, in man, 107P
- Fluorescence**, high performance liquid chromatography analysis of tryptophan, 5-hydroxyindoleacetic acid and homovanillic acid using, effect of probenecid studied in primate ventricular cerebrospinal fluid, 133P
- 4-Fluoroglutamate**, effect of, on rat cerebellar cyclic guanosine monophosphate concentrations *in vitro*, 94P
- Fluoxetine**, effect of, on pethidine- and morphine-induced antinociception in rats, 411
- , effect of, on shock-induced analgesia in the rat, 44P
- Fluphenazine**, effect of, on the brain concentration of some phenolic and catecholic amines in the mouse and rat, 475
- , effect of, on binding of [³H]-spiperone to homogenates of bovine retina, 47P
- , effect of, on climbing in the mouse after mesolimbic denervation, 49P
- , effect of, at peripheral pre- and postsynaptic dopamine receptors, 140P
- α-Flupenthixol**, effect of, on use of amphetamine at high dosage in the study of DA-5HT interactions in the rat, 43P
- , effect of, on binding of [³H]-spiperone to homogenates of bovine retina, 47P
- Flurbiprofen**, effect of, on leukocyte migration in carrageenin-induced inflammation in the rat, 182P
- Foetal lamb**, decreased concentration of myocardial α-adrenoceptors with increasing age in, 515
- Food intake**, in the rat, effects of centrally administered dopamine and 2-amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene on, 151P
- Frusemide**, interaction of, with salicylate in man, 158P
- Furmethide**, effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- , comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of, in guinea-pig isolated preparations, 501
- Ganglionic blockade**, with pentolinium and atropine sulphate, effects of, on effect of parathyroidectomy on cardiovascular reactivity to noradrenaline in anaesthetized rats with mineralocorticoid-induced hypertension, 301
- Gastric acid secretion**, effect of noradrenaline on, by the rat isolated stomach, 178P
- , effect of SK&F 92994 on effect of histamine on, 105P
- Gastric emptying**, apomorphine and, in the guinea-pig, 104P
- Gastric fundus**, rat, strips of, antagonism of prostanoinduced contractions of longitudinal muscle in, by timethoquinol or isoxsuprine, 88P
- Gastric lesions**, aspirin-induced, protection against, by the H₂-receptor antagonists ranitidine and cimetidine in the rat, 178P
- Gastric motor function**, measurement of, by real-time ultrasound, 188P
- Gastric mucosa**, rat, effect of sodium salicylate and BW755C on prostaglandin formation in, 82P
- Gastro-intestinal tract**, rat, differential effects of sodium salicylate and BW755C on prostaglandin formation in, 82P
- General anaesthesia**, effect of, on first-pass propranolol uptake in dog lungs *in vivo*, 173P
- Gentamycin**, effect of, on release of acid phosphatase and N-acetyl-β-glucosaminidase from rat isolated renal tubules, 127P
- Giant amoeba**, *Chaos caolinense*, membrane effects of some chemical irritants on, 98P
- Glial Müller fibres**, radioautographical localization in rat, guinea-pig and rabbit retina, of [³H]-(+)-*cis*-amino-cyclohexane carboxylic acid, a selective inhibitor of GABA transport in, 156P
- D-Glucose**, effect of, on effect of cyproheptadine on insulin secretion in the rat isolated islets of Langerhans, 355
- Glucuronic acid**, and sulphate, inter-individual differences in the conjugation of paracetamol with, 112P
- Glutamate**, release of, from corticostriatal terminals is regulated by activation of dopamine receptors, 137P
- , uptake of, in a P₂ synaptosomal preparation of tissue from the rat nucleus accumbens, anterior and posterior striatum, amygdaloid complex, and the substantia nigra, 50P
- , firing rate induced by, in the rat cerebral cortex, depressant effects of purines on, blockade of, by 4-aminopyridine, 425
- L-Glutamate**, effect of, on rat cerebellar cyclic guanosine monophosphate *in vitro*, 94P
- Glutamate receptor agonists**, stimulation of rat cerebellar cyclic guanosine monophosphate concentrations *in vitro* by, 94P
- Glutamate receptors**, in rat substantia nigra and ventral tegmental area, effects of N-methyl-D-aspartate and kainate on, 54P
- Glutamatergic pathways**, from the rat medial prefrontal cortex to the anterior striatum, nucleus accumbens and substantia nigra, 50P
- [³H]-glutamic acid**, striatal release of, dopaminergic modulation of, 48P
- Galactose**, actively transported, enhancement of hydrocortisone absorption by, in the jejunum in man, 109P
- Galactose residues**, enzymatic removal of, effect of, on binding of verapamil in isolated cardiac sarcolemmal preparations, 617
- Gallamine**, a neuromuscular blocking drug, selective antimuscarinic action of, in the anaesthetized guinea-pig, guinea-pig atria, bladder and ileum, rabbit atria and the sympathetically innervated rabbit ear artery preparations, 313

- L-glutamic acid**, monosodium salt of, effect of, on kainate-induced circling behaviour in rats, 51P
- Glutamic acid diethylester**, effect of, on kainate-induced circling behaviour in rats, 51P
- Glutamic acid dimethylester**, effect of, on kainate-induced circling behaviour in rats, 51P
- Glutamate antagonists**, effects of, on kainate-induced circling behaviour in rats, 51P
- Glutethimide**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- Glycine**, effect of, on rat isolated spinal root fibres, 53P
- [³H]-glycine**, release of, from rat isolated retina, effect of dopamine on, 55P
- Gnawing**, induced by tail pinch in the rat, behavioural and voltammetric evidence for involvement of 5-hydroxytryptamine in, 132P
- Gracilis muscle**, dog isolated perfused, effects of labetalol or diazoxide administered intra-arterially on, after α - and β -adrenoceptor blockade, 287
- Griseofulvin**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- Guanabenz**, selectivity of, for α_1 - and α_2 -adrenoceptors related to cardiovascular profile in the anaesthetized rat, 171P
- , effect of α -adrenoceptor antagonists on effect of, on mean arterial pressure in the rabbit, 63P
- Guanethidine**, effect of, on effects of prostaglandin F_2 , on histamine-induced bronchoconstriction in the guinea-pig, 185P
- , effect of, on mechanism of motor response to periauricular nerve stimulation in the small intestine of the rabbit, 193
- Guanosine monophosphate**, cyclic, rat cerebellar concentrations of, stimulation of, *in vitro* by glutamate receptor agonists, 94P
- , cyclic, level of, in rat isolated heart, effect of calcium on, 69P
- Guanosine 3',5'-monophosphate**, thermoregulatory effects of, in the cat, 154P
- , cyclic, effects of muscarinic agonists on levels of, in rat isolated superior cervical ganglia, 577
- Gut cytosolic receptor**, modification of radioreceptor assay for 1,25-dihydroxyvitamin D using, from adult male or immature Japanese quail, 179P
- Gymnodinium breve toxin**, central respiratory and circulatory effects of, in anaesthetized cats, 249

H

- Haem**, utilization of, by rat liver tryptophan pyrrolase as a screening test for drug exacerbation of hepatic porphyrias, 113P
- Haemodynamic response**, augmented, induced by action thromboxane B_2 on systemic vasodepressor response to intravenously administered prostaglandin E_2 in the anaesthetized dog, 295
- Haloperidol**, effect of, on climbing in the mouse after mesolimbic denervation, 49P
- , effect of, on kainate-induced circling behaviour in rats, 51P

- , effect of, on binding of [³H]-spiperone to homogenates of bovine retina, 47P
- , effect of, on use of amphetamine at high dosage in the study of DA-5HT interactions in the rat, 43P
- , effect of, on core temperature changes induced by intrahypothalamic injections of 5-hydroxytryptamine and tryptamine in the rat, 149P
- Halothane**, effect of administration of, on the appearance of enhanced monoamine-mediated behaviours following electroconvulsive shock in the rat, 73P
- , effect of, on colchicine binding by tubulin from rat brain, 123P
- Head-turn**, induced by electrical stimulation of the striatum in rats, effect of intrapallidal injection of γ -aminobutyric acid agonists on, as *in vivo* evidence for different GABA receptors in the CNS, 150P
- Heart**, rabbit, differences between receptors for 5-hydroxytryptamine on autonomic neurones in, 143P
- , rat isolated, effect of calcium on cyclic nucleotide levels in, 69P
- , guinea-pig, *in vitro*, inhibition by cimetidine of cardiac stimulation due to mast cell degranulation, 105P
- , rat isolated, preparations of, abnormal electrocardiographic activity revealed by, at various times after experimental myocardial infarction, 168P
- , mouse, catecholamine content of, effects of monofluoromethyl dopa, an inhibitor of aromatic L-amino acid decarboxylase, on, 571
- , decreased concentration of α -adrenoceptors in, with increasing age in foetal lambs, 515
- Heart-block**, chronic, chronotropic effects of acebutalol, metoprolol and propranolol in conscious dogs with, and relation between depression of ventricular activity and β -adrenoceptor-blocking potency, 335
- Heart homogenates**, guinea-pig, effects of RMI 12330A, a new inhibitor of adenylate cyclase on myocardial function and subcellular activity in, 429
- Heart period**, measurement of, to assess effect of enkephalin analogue on baroreceptor sensitivity in the normotensive rabbit, 64P
- Heart rate**, effect on *Gymnodinium breve* toxin on, in anaesthetized cats, 249
- , canine cardiac neuroeffector structures controlling, effects of clonidine on, 269
- , effect of labetalol administered systemically or intravenously on, in anaesthetized dogs, 287
- , relationship between the selectivity of agonists for presynaptic α_2 -adrenoceptors and their effects of, in the anaesthetized rat, 171P
- , increases in, induced by isoprenaline, effects of atenolol and ICI 118,551 on, in the cat, 58P
- , effect of the inhibitory material extracted from the bovine retractor penis on, 62P
- , effect of impromidine, a novel and specific histamine H_2 -receptor agonist, on, in man, 157P
- , effect of histamine on, in anaesthetized guinea-pigs, 174P
- , increases in, in response to intravenous isoprenaline, blockade of, effects of prolonged treatment with propranolol or practolol on, in adult rabbits, 205
- , modification of effect of histamine infusions in man by chlorpheniramine and cimetidine, 410P
- , of rats treated chronically with cadmium ion, 167P

- , effects of some agents that stimulate presynaptic α_2 -adrenoceptors on, in pentobarbitone anaesthetized rats by an action on peripheral cardiac sympathetic nerves, 169P
- Heidenhain pouch dog**, effect of SK&F 92994 on, 105P
- Helium**, effect of, on effect of urethane on the evoked somatosensory cortical response in the rat, 241
- Hepatic porphyrias**, haem utilization by rat liver tryptophan pyrrolase as a screening test for drug exacerbation of, 113P
- Hexamethonium**, effect of, on cardiovascular effects of *Gymnodinium breve* toxin in anaesthetized cats, 249P
- , a comparison of the effect of, with (\pm)-propranolol and sodium nitroprusside on the preganglionic sympathetic activity in the cat, 63P
- , effect of, on mechanism of the motor response to periauricular nerve stimulation in the small intestine of the rabbit, 193
- , effect of, on effect of veratridine on exocytotic release of catecholamine from perfused adrenal gland of guinea-pig, 527
- , effect of, on effect of muscarine on muscarinic receptors in rat isolated superior cervical ganglia, 577
- High performance liquid chromatography analysis** of tryptophan, 5-hydroxyindole-acetic acid and homovanillic acid using fluorescence and electrochemical detection, effect of probenecid studied in primate ventricular cerebrospinal fluid, 133P
- Histamine**, peripheral administration of, effect of environmental temperature on the thermoregulatory response to, in the rat, 176P
- , adenylate cyclase activity induced by, in guinea-pig heart homogenates, effects of RMI 12330A, a new inhibitor of adenylate cyclase, on, 429
- , infusions of, in man, modification of cardiovascular effects of, by chlorpheniramine and cimetidine, 110P
- , effect of SK&F 92994 on effect of, on guinea-pig isolated atrium and ileum, rat isolated uterus and gastric acid secretion, 105P
- , studies on the mechanism of action of, in strips of rabbit renal artery moderately contracted with noradrenaline in the absence or presence of phosphodiesterase inhibitors or verapamil, 219
- , and cardiac function in anaesthetized guinea-pigs, 174P
- , effect of magnesium ion on responses of rabbit ear arterial smooth muscle to, 164P
- , bronchoconstriction induced by, inhibition of, by prostaglandin $F_{2\alpha}$, a sympathetic mechanism for, in the guinea-pig, 185P
- , mouse, pinnal oedema induced by, inhibition of, by reserpine, 184P
- , some studies on the release of, from rat peritoneal and mesenteric and guinea-pig mesenteric mast cells stimulated with polylysine, 329
- , release of, induced by anti-IgE from passively sensitized human lung fragments *in vitro* effects of sodium cromoglycate analogues on, 307
- , relaxation of guinea-pig isolated tracheal chains induced by, effects of methylxanthines on, 120P
- [3H]-histamine**, electrically-evoked release of, from the guinea-pig hypothalamus, 555
- Histamine H_2 -receptor agonist**, novel and specific, impropidine, cardiovascular effects of, in man, 157P
- Histamine H_2 -receptor antagonist**, SK&F 92994, effects of, on guinea-pig isolated atrium and ileum, rat isolated uterus and gastric acid secretion, compared with cimetidine, 105P
- Histamine H_2 -receptor antagonists**, ranitidine and cimetidine, protection against aspirin-induced gastric lesions in the rat by, 178P
- Histofluorescence**, striatal, effects of partial unilateral nigro-striatal lesions induced by 6-hydroxydopamine on, and behavioural indices of dopamine transmission in the rat, 46P
- DL-Homocysteate**, effect of, on rat cerebellar cyclic guanosine monophosphate concentrations *in vitro*, 94P
- Homovanillic acid**, brain concentration of, effects of molindone and fluphenazine on, in the mouse and rat, 475
- , high performance liquid chromatography analysis of, using fluorescence and electrochemical detection, effect of probenecid studied in primate ventricular cerebrospinal fluid, 133P
- Hot plate test**, use of, to determine role of 5-hydroxytryptamine in shock-induced analgesia in the rat, 44P
- , use of, in assessment of attenuation of pethidine- and morphine-induced antinociception by zimelidine, an inhibitor of 5-hydroxytryptamine reuptake, and fluoxetine, in rats, 411
- Hydergine**, effect of, on cerebral cortex adenosine triphosphate levels in normal and hypoxic rats, 92P
- Hydralazine**, effect of, on 45 calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Hydrocortisone**, effect of, on phospholipase A activity and prostaglandin production in perfused rat kidney, 180P
- , modulation of delayed hypersensitivity by, in mice, 186P
- , absorption of, enhancement of, by actively transported solutes in the jejunum in man, 109P
- , inhibitory effect of, on chronic inflammation, acute oedema and cell accumulation in the rat, 101P
- Hydroguanabenz**, RU 18787, selectivity of, for α_1 - and α_2 -adrenoceptors related to cardiovascular profile in the anaesthetized rat, 171P
- 6-Hydroxydopamine**, lesions induced by, in ascending medial forebrain bundle, effect of, on kainate-induced circling behaviour in rats, 51P
- , mesolimbic denervation induced by, effects of, on dopamine and noradrenaline content, in the mouse, 49P
- , effects of partial unilateral nigro-striatal lesions induced by, on striatal histofluorescence and behavioural indices of dopamine transmission in the rat, 46P
- , modulation by, of behavioural effects of microinjections of picrotoxin into rat superior colliculus, 145P
- 5-Hydroxyindole-3-acetic acid**, level of, in rat and monkey brain, effect of Wy 25093, a selective uptake blocker on, 42P
- 5-Hydroxyindoleacetic acid**, high performance liquid chromatography analysis of, using fluorescence and electrochemical detection, effect of probenecid studied in primate ventricular cerebrospinal fluid, 133P

5-Hydroxytryptamine, simultaneous measurement of endogenous release of, dopamine, noradrenaline and thyrotrophin releasing hormone from rat brain slices *in vitro*, 131P

- , responses of rabbit isolated basilar artery to, 128P
- , is there a common receptor mediating the inhibitory action of, and dopamine, on leech Retzius cells?, 138P
- , myoclonus dependent on, in the guinea-pig may provide evidence for multiple cerebral 5-HT receptors, 41P
- , turnover of, in the CNS, effect of a selective uptake blocker on, 42P
- , interaction between, and dopamine, use of amphetamine at high dosage in the study of, effects of neuroleptics on, in the rat, 43P
- , effect of, on potassium-induced glutamate release from striatum, 48P
- , effect of, on binding of [³H]-spiperone to homogenates of bovine retina, 47P
- , effects of ketamine on contractions induced by, in vascular smooth muscle of rat aortic strips and portal vein segments, 257
- , brain metabolism of, drugs altering, effects of, on effect of imipramine on exploratory activity in rats, 277
- , reuptake of, in rats, attenuation of pethidine- and morphine-induced antinociception by zimelidine, an inhibitor of, 411
- , pressor and depressor responses to, effects of prazosin or propranolol on, in the pithed rat, 170P
- , mouse pinnal oedema induced by, effect of reserpine on, 184P
- , platelet concentrations of, effects of oxprenolol and acebutolol on, in hypertensive patients, 161P
- , role of, in shock-induced analgesia in the rat, 44P
- , comparison of contractions of human basilar arterial and rat aortic strips *in vitro* induced by, 165P
- , behavioural and voltammetric evidence for involvement of, in tail pinch induced gnawing in the rat, 132P
- , comparison of core temperature changes induced by intra-hypothalamic injection of, and tryptamine in the rat, 149P
- , effect of, on rat hypothalamic neurones, bicuculline neurones, 74P
- , effect of, on rat isolated caecum, 71P
- , presynaptic regulation of the release of acetylcholine by, in bullfrog sympathetic preganglionic nerve terminals and frog sciatic nerve terminals, 499
- , mechanism not involving, metergoline and cyproheptadine suppress prolactin release by, in a dispersed rat anterior pituitary cell system, 5
- , content of, in mouse brain, effects of monofluoromethyl dopa, an inhibitor of aromatic L-amino acid decarboxylase, on, 571

[³H]-5-hydroxytryptamine, action of adenosine on calcium-induced release of, from rat striatal slices *in vitro*, 136P

5-Hydroxytryptamine agonists, synthetic, ability of, to induce myoclonus in the guinea-pig, 41P

5-Hydroxytryptamine antagonists, effects of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P

- , prevention of L-tryptophan-induced hypoactivity by, in the rat, 132P

- , effects of, on effects of metergoline and cyproheptadine on prolactin release in a dispersed rat anterior pituitary cell system, 5

5-Hydroxytryptamine receptors, multiple cerebral, 5-hydroxytryptamine-dependent myoclonus in the guinea-pig, 41P

- , differences between, on autonomic neurones in rabbit heart and ileum, 143P

DL-5-Hydroxytryptophan, effect of, on effect of imipramine on exploratory activity in rats, 277

L-Hydroxytryptophan, myoclonus induced by, in the guinea-pig, effects of 5-HT antagonists and reuptake inhibitors on, 41P

Hyoscine, effect of, on effect of muscarine on muscarinic receptors in rat isolated superior cervical ganglia, 577

Hypersensitivity, delayed, differential modulation of, in mice, 186P

Hypertension, induced by *Gymnodinium breve* toxin in anaesthetized cats after vagotomy, 249

- , mineralocorticoid-induced, in the rat, relation between calcium and cardiovascular reactivity in, 301

Hypertensive patients, effects of oxprenolol and acebutolol on platelet aggregation and 5-hydroxytryptamine concentrations in, 161P

Hyperthyroidism, unaltered lymphocyte β -adrenoceptor responsiveness in, 106P

- , unaltered lymphocyte β -adrenoceptor responsiveness in, 106P

Hypoactivity, L-tryptophan-induced, prevention of, by 5-hydroxytryptamine antagonists and by the peripheral aromatic amino acid decarboxylase inhibitor R04-4602 in the rat, 132P

Hypogastric nerve-inferior mesenteric ganglion preparation, effects of the calcium ionophore, A23187, on the axoplasmic transport of dopamine β -hydroxylase in, 375

Hypogastric nerve-vas deferens preparations, guinea-pig isolated, a comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of five non-depolarizing relaxants in, 501

Hypophysectomy, effects of, on enkephalin content of the rat hypothalamus, 561

Hypotension, induced by *Gymnodinium breve* toxin in anaesthetized cats, 249

- , induced by labetalol systemically administered, does not involve action in the brain of anaesthetized dogs, 287

- , endotoxin-induced, in mice, inhibition of, by naloxone, 99P

Hypothalamic neurones, rat, bicuculline blocks 5-hydroxytryptamine and γ -aminobutyric acid effects on, 74P

Hypothalamo-neurohypophyseal system, rat, γ -aminobutyric acid as a possible inhibitory transmitter in, 78P

Hypothalamus, guinea-pig, electrically-evoked release of [³H]-histamine from, 555

- , rat, enkephalin content of, effects of adrenalectomy and hypophysectomy on, 561

- , rat, effect of prostaglandin E₂ microinjected into, on urinary excretion of water and sodium, 415

- , rat, potassium stimulated depletion of enkephalin in, and its alteration by adrenocorticotrophin and corticosterone, 79P

- , rat, effects of opioid substances on the secretion of corticotrophin releasing factor from, 79P

- , comparison of core temperature changes induced by injection of 5-hydroxytryptamine and tryptamine into, in the rat, 149P
 - , mouse, levels of *m*- and *p*-isomers of octopamine in, effects of molindone and fluphenazine on, 475
 - Hypothalamus-pituitary-adrenal system**, rat, effect of activity in, on enkephalin content of the hypothalamus, 561
 - Hypothermia** induced by N⁶-2'-*O*-dibutyryl adenosine 3',5'-monophosphate in the restrained mouse, 453
 - , induced by histamine, effect of environmental temperature on, in the rat, 176P
 - Hypoxia**, rats suffering from, effects of drugs on cerebral cortex adenosine triphosphate levels in, 92P
- I
- DL-Ibotenate**, effect of, on rat cerebellar cyclic guanosine monophosphate concentrations *in vitro*, 94P
 - ICI 118,551**, effect of, on isoprenaline-induced increases in heart rate, isoprenaline-induced falls in blood pressure and renal nerve mediated renin release in the cat, 58P
 - (±)-ICI 118,551**, binding of, to β -adrenoceptors on frog and chick erythrocytes, 57P
 - Ileum**, chick isolated, an analysis of the prostanoid receptors mediating contract of, 89P
 - , guinea-pig, whole preparation and longitudinal muscle strips of, effect of prostaglandin synthetase inhibitors on directly evoked contractions of, 90P
 - , rat isolated, contractile responses of, to muscarinic agonists, 577
 - , rabbit, differences between receptors for 5-hydroxytryptamine on autonomic neurones in, 143P
 - , rat, effect of sodium salicylate and BW755C on prostaglandin formation in, 82P
 - , guinea-pig, induction of responsiveness to phentolamine by incubation of, with clonidine *in vitro*, 175P
 - , guinea-pig isolated, effect of SK&F 92994 on, 105P
 - , rabbit isolated, effect of guanethidine on mechanism of motor response to periarterial nerve stimulation in, 193
 - , guinea-pig isolated, effect of prazosin, phentolamine, yohimbine and phenoxybenzamine on, 395
 - , guinea-pig isolated, selective antimuscarinic action of the neuromuscular blocking drugs stercuronium and gallamine on, 313
 - Imipramine**, electrophysiological effects of, on bovine ventricular muscle Purkinje fibres, 15
 - , normalizes naturally-occurring and drug-induced differences in the exploratory activity of rats, 277
 - Immunosuppressant agents**, differential modulation of delayed hypersensitivity by, in mice, 186P
 - Impromidine**, a novel and specific histamine H₂-receptor agonist, cardiovascular effects of, in man, 157P
 - Indapamide**, effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
 - Indomethacin**, effect of, on indirectly evoked contractions of whole preparation and longitudinal muscle strips of guinea-pig ileum, 90P
 - , modulation of delayed hypersensitivity by, in mice, 186P
 - , effect of, on synthesis and release of bradykinin-like and prostaglandin components from skin of the plaice (*Pleuronectes platessa* L.), 122P
 - , effect of, on leukocyte migration in carrageenin-induced inflammation in the rat, 182P
 - , effect of, on prostaglandin formation in rat inflammatory exudates and gastro-intestinal tract, 82P
 - , effect of, on noradrenaline overflow in rat cerebral cortex, 469
 - , effect of, on contributions of prostaglandins to the adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443
 - , effect of, on rat isolated caecum, 71P
 - Inotropic responses**, positive, differences between the functional antagonism of, and chronotropic responses to sympathomimetic amines by carbachol, 68P
 - Intracellular microelectrodes**, observations of the effects of muscarinic agonists on single neurones in rat isolated superior cervical ganglia using, 593
 - Intramedullary pressure**, of tibia of anaesthetized dogs, effect of lumbar sympathetic stimulation on, 363
 - Intraocular pressure**, and microtubule inhibitors, the iris-ciliary processes as a possible site of action in the rabbit, 124P
 - Infarct flow**, effects of prostacyclin on, in anaesthetized dogs, 86P
 - Inflammation**, chronic, are inhibitory effects of anti-inflammatory steroids on, in the rat mediated through a specific receptor?, 101P
 - , carrageenin-induced, non-steroidal anti-inflammatory drugs which potentiate leukocyte migration in, in the rat, 182P
 - Inflammatory exudates**, differential effects of sodium salicylate and BW755C on prostaglandin formation in, 82P
 - Insulin**, secretion of, in the rat isolated islets of Langerhans, mechanism by which cyproheptadine inhibits, 355
 - Iris-ciliary processes**, rabbit, as a possible site of action for interaction between intraocular pressure and microtubule inhibitors, 124P
 - Irritants**, chemical, membrane effects of, on the giant amoeba (*Chaos carolinense*), 98P
 - Indoramin**, effect of, on cerebral cortex adenosine triphosphate levels in normal and hypoxic rats, 92P
 - Ischaemia**, acute myocardial, feline model of, effect of exaprolol (MG 8823), a new β -adrenoceptor blocking agent, on, 65P
 - 3-Isobutyl-1-methylxanthine**, effect of, on responses of strips of rabbit renal artery moderately contracted with noradrenaline to various vasodilators, 219
 - , studies on the mechanism of action of, in strips of rabbit renal artery moderately contracted with noradrenaline in the absence or presence of phosphodiesterase inhibitors or verapamil, 219
 - Isoguvacine**, effect of intrapallidal injection of, on head-turn induced by electrical stimulation of the striatum in rats, as *in vivo* evidence for different GABA receptors in the CNS, 150P
 - Isoniazid**, clearance of, in man, effects of chenodeoxycholic acid on, 111P
 - Isoprenaline**, effect of, on rat isolated caecum, 71P
 - , intravenous, blockade of heart rate increases in response to, effects of prolonged treatment with propranolol or practolol on, in adult rabbits, 205

- , depressor response to, effects of propranolol and practolol on, in the pithed rat, 170P
- , increases in heart rate and falls in blood pressure induced by, effects of atenolol and ICI 118,551 on, in the cat, 58P
- , effect of, on ^3H -transmitter efflux in guinea-pig atria, and the presynaptic β -adrenoceptor hypothesis, 491
- , effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, effects of propranolol and phentolamine on, 461
- , adenylate cyclase activity induced by, in guinea-pig heart homogenates, effects of RMI 12330A, a new inhibitor of adenylate cyclase, on, 429
- , effect of SK&F 92994 on effect of, on guinea-pig isolated atrium, 105P
- , differences between the functional antagonism of the positive inotropic and chronotropic responses to, by carbachol, 68P
- , studies on the mechanism of action of, in strips of rabbit renal artery moderately contracted with nor-adrenaline in the absence or presence of phosphodiesterase inhibitors or verapamil, 219
- , ventricular β -adrenoceptor-blocking activities of acebutalol, metoprolol and propranolol assessed against, in conscious dogs with chronic heart-block, 335
- (—) **Isoprenaline**, effect of, on binding of [^3H]-dihydroalprenolol to β -adrenoceptors on frog and chick erythrocytes, 57P
- , potentiation of, by phenoxybenzamine in guinea-pig isolated tracheal segments and rat isolated anococcygeus muscles, effect of sodium thiosulphate on, 70P
- Isosorbide dinitrate**, effect of, on ^{45}Ca uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Isosuprine**, antagonism of prostanoid-induced contractions of rat stomach muscle by, 88P

J

- Japanese quail**, adult male or immature, modification of radioreceptor assay for 1,25-dihydroxyvitamin D using gut cytosolic receptor from, 179P
- Jejunum**, in man, enhancement of hydrocortisone absorption by actively transported solutes in, 109P

K

- Kainate**, effect of, on rat cerebellar cyclic guanosine monophosphate concentrations *in vitro*, 94P
- , effect of, on effect of 2-amino-5-phosphonovalerate on neurones in spinal cord of frog, 52P
- , effect of, on rat isolated spinal root fibres, 53P
- , motor responses evoked by, from substantia nigra and ventral tegmental area in the rat, 54P
- , circling behaviour induced by, in rats, 51P
- Kaolin**, and antacid constituents, interaction of phenytoin with, in a rat intestinal model, 126P
- Ketamine**, a comparison of the analgesic activity of, using two different methods of assessment, 189P
- , effects of, on vascular smooth muscle function in rat aortic strips and portal vein segments, 257

- Ketazocine**, antinociceptive activity of, in the conscious marmoset (*Callithrix jacchus*) using stimulation of the tooth pulp, 142P
- Ketoprofen**, effect of, on indirectly evoked contractions of whole preparation and longitudinal muscle strips of guinea-pig ileum, 90P
- , effect of, on prostaglandin formation in rat inflammatory exudates and gastro-intestinal tract, 82P
- Kidney**, mouse, catecholamine content of, effects of monofluoromethyl dopa, an inhibitor of aromatic L-amino acid decarboxylase, on, 571
- , perfused rat, inhibition of phospholipase A activity in, by steroid anti-inflammatory drugs, 180P

L

- Labetalol**, administered systemically or intravenously, direct vasodilatation by, in anaesthetized dogs, 287
- Labour**, role of circulating β -endorphin during, 159P
- Lachesine**, effect of, on effect of muscarine on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Lactam-imine**, a new inhibitor of adenylate cyclase, effects of, on myocardial function and subcellular activity, 429
- Lanthanum**, effect of, on relation between calcium and cardiovascular reactivity in mineralocorticoid-induced hypertension in vagotomized, anaesthetized rats, 301
- Leech Retzius cells**, is there a common receptor mediating the inhibitory actions of 5-hydroxytryptamine and dopamine on, 138P
- Leptazol**, as a γ -aminobutyric acid antagonist in slice preparations of rat cuneate nucleus, 75P
- Lergotril**, effect of, on potassium-induced glutamate release from striatum, 48P
- Leukocyte migration**, non-steroidal anti-inflammatory drugs which potentiate, in carrageenin-induced inflammation in the rat, 182P
- Leukocytes**, polymorphonuclear, rat, generation of chemokinetic activity from, treated with calcium ionophore A23187, 84P
- Levamisole hydrochloride**, modulation of delayed hypersensitivity by, in mice, 186P
- Levorphanol**, iontophoretically applied, response of neurones in medial caudal medulla to, in the anaesthetized rat, 147P
- , effect of, on contractions of the rat vas deferens, effects of enkephalins and β -endorphin on, 519
- Lignocaine**, effect of enzyme induction on the pharmacokinetics of, in the rat, 116P
- Lipoxygenase pathway**, of arachidonic acid metabolism, product of, release of, induced by calcium ionophore A23187 in rat polymorphonuclear leucocytes, 84P
- Lipoxygenase products**, rat polymorphonuclear leukocyte aggregation, as a possible bioassay for, 183P
- Lisuride**, effect of, on binding of [^3H]-spiperone to homogenates of bovine retina, 47P
- Liver**, rat tryptophan pyrrolase in, haem utilization by, as a screening test for drug exacerbation of hepatic porphyrias, 113P
- Liver function**, mouse, effects of oxidative N-demethylation on, 117P

- Liver lysosomes**, mouse, effects of oxidative N-demethylation on, 117P
- Locomotion**, in rats, effects of anti-anxiety drugs, amphetamine and chloral hydrate on, 95P
- Locomotor activity**, effects of partial unilateral nigro-striatal lesions induced by 6-hydroxydopamine on striatal histofluorescence and, in the rat, 46P
- , effects of central and peripheral injection of two synthetic analogues of TRH on, in the rat, 81P
- Longitudinal muscle**, of rat gastric fundus, antagonism of prostanoind-induced contractions of, by trimethoquinol or isoxsuprine, 88P
- , strips of, and whole preparation of guinea-pig ileum, effect of prostaglandin synthetase inhibitors on indirectly evoked contractions of, 90P
- Lumbar sympathetic stimulation**, effect of, on vasculature of tibia of anaesthetized dogs, 363
- Lumen sizes**, of terminal arterioles and muscular venules in the rat mesenteric, pial and skeletal microvasculatures, differential effects of calcium antagonist, verapamil on, 351
- Lumicolchicine**, effects of, on intraocular pressure in the rabbit, the iris-ciliary processes as a possible site of action for, 124P
- Lung**, rat isolated, influence of the oestrous cycle on the metabolism of exogenous arachidonate in, 83P
- , dog, action of sodium cromoglycate on 'C' fibre endings in, 11
- , human, *in vitro*, activity of sodium cromoglycate analogues in, compared with rat passive cutaneous anaphylaxis and clinical efficacy, 307
- Lung fragments**, human, *in vitro*, tolerance to sodium cromoglycate in, 122P
- Lungs**, dog, *in vivo*, first-pass propranolol uptake by, 114P
- , dog, *in vivo*, first pass propranolol uptake in, effect of general anesthesia on, 173P
- Lymphocytes**, β -adrenoceptor response of, unaltered, in hypo- and hyper-thyroidism, 106P
- Lysergic acid diethylamide**, effect of, on pressor response to 5-hydroxytryptamine in the pithed rat, 170P
- Lysosomal stability**, mouse, effects of oxidative N-demethylation on, 117P

M

- Macaca mulatta**, monkey, effects of thieno- and benzodiazepines on spatial delayed alteration behaviour in, 141P
- Magnesium ion**, effect of, on effects of muscarinic agonists on single neurones in rat isolated superior cervical ganglia, 593
- , effect of, on presynaptic regulation of the release of acetylcholine by 5-hydroxytryptamine in bullfrog sympathetic preganglionic nerve terminals and frog sciatic nerve terminals, 499
- , effects of, on responses of rabbit ear arterial smooth muscle to noradrenaline, histamine and adenosine 5'-triphosphate, 164P
- Magnesium trisilicate**, interaction of, with phenytoin in a rat intestinal model, 126P
- Marmosets** (*Callithrix jacchus*), conscious, evaluation of antinociceptive activity in, by using stimulation of the tooth pulp, 142P
- Mast cell degranulation**, inhibition by cimetidine of cardiac stimulation due to, in guinea-pig heart *in vitro*, 105P
- , relative importance of, in the pathogenesis of asthma, and doubts about use of models of, in search for anti-allergic drugs, 307
- Mast cells**, rat peritoneal and mesenteric and guinea-pig mesenteric stimulated with polylysine, some studies on the release of histamine from, 329
- M&B 22,948**, a novel anti-allergic drug, activity of, in three experimental models of allergic asthma, 177P
- McN-A-343**, effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Mechanical properties**, of smooth muscles of coronary artery of the pig, actions of nitroglycerine on, 197
- Meclofenamate**, sodium, effect of, on indirectly evoked contractions of whole preparation and longitudinal muscle strips of guinea-pig ileum, 90P
- Meclofenoxate**, effect of, on cerebral cortex adenosine triphosphate levels in normal and hypoxic rats, 92P
- Medial caudal medulla**, responses of neurones in, to ionophoretically applied opioids in the anaesthetized rat, 147P
- Medulla**, rat, antagonism of the excitatory action of adrenocorticotrophic hormone by D-phe⁷-ACTH on single neurones in, 80P
- , medial caudal, responses of neurones in, to ionophoretically applied opioids in the anaesthetized rat, 147P
- Medulla oblongata**, electrical excitability of, effect of *Gynodinium breve* toxin on, in anaesthetized cats, 249
- Membrane effects**, of some chemical irritants on the giant amoeba (*Chaos carolinense*), 98P
- Membrane properties**, of smooth muscles of the coronary artery of the pig, actions of nitroglycerine on, 197
- Meprobamate**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- , effect of, compared with amphetamine chloral hydrate on social interaction and locomotion in rats, 95P
- Mepyramine**, effect of, on bronchoconstriction induced by histamine in anaesthetized guinea-pigs, 174P
- , effect of, on histamine-induced mouse pinnal oedema, effect of reserpine on, 184P
- Mescaline**, effect of, on social hierarchy in mice, 367
- Mesenteric arteries**, rat and rabbit, effect of nerve stimulation on release of prostacyclin from, 87P
- Mesenteric artery**, rat isolated, reversal of α -adrenoceptor blockade by prostaglandin E₂ in, 91P
- Mesenteric microvasculature**, rat, differential effects of calcium antagonist, verapamil on lumen sizes of terminal arterioles and muscular venules in, 351
- Mesolimbic denervation**, in the mouse, dopamine agonist and antagonist action after, 49P
- Methacholine**, effect of, on rat isolated caecum, 71P
- , effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Methadone**, effect of, on contractions of the rat vas deferens, effects of enkephalins and β -endorphin on, 519
- Methergoline**, effect of, on core temperature changes induced by intrahypothalamic injections of 5-hydroxytryptamine and tryptamine in the rat, 149P
- Metergoline**, effect of, on 5-hydroxytryptamine-induced contractions of human basilar arterial and rat aortic strips *in vitro*, 165P

- , effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- , effect of, on shock-induced analgesia in the rat, 44P
- , and cyproheptadine suppress prolactin release by a non-5-hydroxytryptaminergic, non-dopaminergic mechanism in a dispersed rat anterior pituitary cell system, 5
- , effect of, on L-tryptophan-induced hypoactivity in the rat, 132P
- [³⁵S]-methionine**, biosynthesis of substance P from, in rat isolated sensory ganglia, 56P
- Methiothepin**, effect of, on core temperature changes induced by intrahypothalamic injections of 5-hydroxytryptamine and tryptamine in the rat, 149P
- Methohexitone**, effect of, on [¹⁴C]- γ -aminobutyric acid and [³H]-D-aspartate release from rat thalamic slices, 134P
- , effect of administration of, on the appearance of enhanced monoamine-mediated behaviours following electroconvulsive shock in the rat, 73P
- Methoxamine**, effect of, on effect of noradrenaline on gastric acid secretion by rat isolated stomach, 178P
- , locally administered, effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- 5-Methoxy-N,N-dimethyltryptamine**, effect of, on shock-induced analgesia in the rat, 44P
- N-methyl- γ -aminobutyric acid**, effect of intrapallidal injection of, on head-turn induced by electrical stimulation of the striatum in rats, as *in vivo* evidence for different GABA receptors in the rat, 150P
- N-methyl-D-aspartate**, effect of, on rat cerebellar cyclic guanosine monophosphate *in vitro*, 94P
- , motor responses evoked by, from substantia nigra and ventral tegmental area in, of the rat, 54P
- , effect of, on rat isolated spinal root fibres, 53P
- N-methyl-D-aspartate receptors**, in neurones in the spinal cord of frog, effect of 2-amino-5-phosphonovalerate on, 52P
- α -Methyldopa**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- Methylfurmethide**, effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- , effect of, on muscarinic receptors in single neurones in rat isolated superior cervical ganglia, 593
- Methylfurthrethonium analogues**, a homologous series of, inhibition of [³H]-dextimidine binding by, at the peripheral muscarinic receptors in bovine isolated tracheal smooth muscle, 129P
- DL- α -Methyl-glutamate**, effect of, on kainate-induced circling behaviour in rats, 51P
- Methyl-isobutyl-xanthine**, effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Methylscopolamine**, effect of, on effect of muscarine on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Methylxanthines**, effects of, on relaxation of guinea-pig isolated tracheal chains induced by histamine, 120P
- Methysergide**, effect of, on core temperature changes induced by intrahypothalamic injections of 5-hydroxytryptamine and tryptamine in the rat, 149P
- , effect of, on 5-hydroxytryptamine-induced mouse pinna oedema, effect of reserpine on, 184P
- , effect of, on shock-induced analgesia in the rat, 44P
- , effect of, on L-tryptophan-induced hypoactivity in the rat, 132P
- , effect of, on 5-hydroxytryptamine-induced contractions of human basilar arterial and rat aortic strips *in vitro*, 165P
- , effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- Metiamide**, effect of, on effect of noradrenaline on gastric acid secretion by the rat isolated stomach, 178P
- Metoclopramide**, effect of, on use of amphetamine at high dosage in the study of DA-5HT interactions in the rat, 43P
- , effect of, on climbing in the mouse after mesolimbic denervation, 49P
- , effect of, on gastric emptying induced by apomorphine in the guinea-pig, 104P
- Metoprolol**, chronotropic effect of, in conscious dogs with chronic heart-block, and relation between depression of ventricular activity and β -adrenoceptor-blocking potency, 335
- (\pm)-**Metoprolol**, binding of, to β -adrenoceptors on frog and chick erythrocytes, 57P
- Mianserin**, effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- , an analysis of the effects of, on adrenergic mechanisms in the pithed rat, 61P
- , effect of, on pressor response to 5-hydroxytryptamine in the pithed rat, 170P
- MG 8823**, a new β -adrenoceptor blocking agent, effect of, on epicardial ST-segment changes in a feline model of acute myocardial ischaemia, 65P
- Microelectrophoresis**, a novel procedure for comparing the transport numbers of unlabelled drugs released from micropipettes by, 141P
- Microtubule inhibitors**, and intraocular pressure, the iris-ciliary processes as a possible site of action in the rabbit, 124P
- Microvasculature**, rat mesenteric, pial and skeletal muscle, differential effects of calcium antagonist, verapamil on lumen sizes of terminal arterioles and muscular venules in, 351
- Mineralocorticoids**, hypertension induced by, in the rat, relation between calcium and cardiovascular reactivity in, 301
- Minoxidil**, effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- MK212**, ability of, to induce myoclonus in the guinea-pig, 41P
- Molindone**, effect of, on the brain concentration of some phenolic and catecholic amines in the mouse and rat, 475
- Monkey**, (*Mucaca mulatta*), effects of thieno- and benzodiazepines on spatial delayed alteration behaviour in, 141P
- Monoamines**, enhanced behaviours mediated by, effect of anaesthetic administration on the appearance of, following electroconvulsive shock in the rat, 73P
- , altered behaviours mediated by, following bicuculline-induced convulsions in the rat, 72P
- , synthesis of, further studies on the inhibition of, by monofluoromethyldopa, 571

- Monofluoromethyldopa**, further studies on the inhibition of monoamine synthesis by, 571
- Monohydroxypropyltheophylline**, interaction between, and theophylline in producing relaxation of guinea-pig isolated tracheal chains, 120P
- Monosodium glutamate**, effect of, on kainate-induced circling behaviour in rats, 51P
- Morphine**, antinociceptive activity of, in the conscious marmoset (*Callithrix jacchus*) using stimulation of the tooth pulp, 142P
- , dependence on, and dopaminergic activity, tests of circling responses in rats with unilateral electrolytic lesions involving both parts of the substantia nigra, 545
 - , interactions between, and the opioid-like peptides in the rat *vas deferens*, 519
 - , iontophoretically applied, response of neurones in medial caudal medulla to, in the anaesthetized rat, 147P
 - , effect of, on secretion of corticotrophin releasing factor from rat hypothalamus, 79P
 - , binding characteristics of, in homogenates of guinea-pig brain, 481
 - , effect of, on [^3H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
 - , antinociception induced by, attenuation of, by zimelidine, an inhibitor of 5-hydroxytryptamine reuptake, and fluoxetine, in rats, 411
 - , antinociceptive activity of, determined against nociceptive responses to electrical stimulation of the tooth pulp in the conscious dog, 323
- Morphine-like alkaloids**, effects of, on contractions of the rat *vas deferens*, effects of enkephalins and β -endorphin on, 519
- Motor response**, mechanism of, to periaxillary nerve stimulation in the small intestine of the rabbit, 193
- Motor responses**, evoked by N-methyl-D-aspartate and kainate from substantia nigra and ventral tegmental area in the rat, 54P
- , dopamine receptors mediating different, may have differential topography in the guinea-pig striatum, 148P
- Mr 2034**, antinociceptive activity of, determined against nociceptive responses to electrical stimulation of the tooth pulp in the conscious dog, 323
- (\pm)-Muscarine**, effect of, on muscarinic receptors in single neurones in rat isolated superior cervical ganglia, 593
- , effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Muscarinic agonists**, effects of, on rat isolated superior cervical ganglia, 577
- , intracellular observations on the effects of, on rat sympathetic neurones, 593
- Muscarinic receptors**, in rat sympathetic ganglia, 577
- , in guinea-pig atria, bladder and ileum, rabbit atria and the sympathetically innervated rabbit ear artery preparations, affinity of stercuronium and gallamine for, 313
 - , peripheral, inhibition of [^3H]-dextetimide binding by a homologous series of methylfurthrethonium analogues at, in bovine-isolated tracheal smooth muscle, 129P
- Muscimol**, effect of intrapallidal injection of, on head-turn induced by electrical stimulation of the striatum in rats, as *in vivo* evidence for different GABA receptors in the CNS, 150P
- , effect of, on effect of leptazol on GABA receptors in slice preparations of rat cuneate nucleus, 75P
- Muscular venules**, lumen sizes of, in rat mesenteric, pial and skeletal muscle vasculatures, differential effects of calcium antagonist, verapamil on, 351
- Myocardial function**, effects of RMI 12330A, a new inhibitor of adenylate cyclase on, in the guinea-pig, 429
- Myocardial infarction**, experimental, abnormal electrocardiographic activity revealed by rat isolated heart preparations at various times after, 168P
- Myocardial ischaemia**, acute, feline model of, effect of exaprolol (MG 8823), a new β -adrenoceptor-blocking agent, on, 65P
- Myocardium**, decreased concentration of α -adrenoceptors in, with increasing age in foetal lambs, 515
- Myoclonus**, 5-hydroxytryptamine-dependent, in the guinea-pig may provide evidence for multiple cerebral 5-HT receptors, 41P
- Myometrium**, rat pregnant, oxytocic drugs stimulate prostacyclin release from, 86P
- , rat pregnant, studies on prostacyclin formation by, 85P

N

- Naftidrofuryl**, effect of, on ^{45}Ca uptake of sarcolemmal microsomes from human umbilical arteries, 537
- , effect of, on cerebral cortex adenosine triphosphate levels in normal and hypoxic rats, 92P
- Naloxone**, inhibition by, of endotoxin-induced reactions in mice, 99P
- , iontophoretically applied, response of neurones in medial caudal medulla to, in the anaesthetized rat, 147P
 - , use of, to study role of endogenous opiates in cardiovascular regulation and baroreceptor reflexes in the normotensive rabbit, 64P
 - , effect of, on effects of opiate peptides and morphine on [^3H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
- Neocortex**, rat, effect of sodium valproate on single unit activity in, 76P
- Neostigmine**, effect of, on rat isolated caecum, 71P
- Nephrotoxicity**, aminoglycoside, use of rat isolated renal tubules for evaluation of the mechanisms of, 127P
- Nerve stimulation**, effect of, on effects of prazosin, phentolamine, yohimbine and phenoxybenzamine on, in guinea-pig isolated ileum, 395
- , transmural, responses of rabbit isolated basilar artery to, 128P
 - , effect of, on release of prostacyclin from the rat and rabbit mesenteric arteries, 87P
 - , periaxillary, in small intestine of the rabbit, mechanism of motor response to, 193
 - , [^3H]-noradrenaline release induced by, in the isolated nerve-muscle preparation of the cat nictitating membrane, effects of opiate peptides and morphine on, 383

- Nerve terminals**, bullfrog sympathetic preganglionic and frog sciatic, presynaptic regulation of the release of acetylcholine by 5-hydroxytryptamine, 499
- Neuroeffector structures**, canine cardiac, controlling heart rate, effects of clonidine on, 269
- Neuroleptics**, effects of, on climbing behaviour in the mouse after mesolimbic denervation, 49P
- , effects of, on use of amphetamine at high dosage in the study of DA-5HT interactions, in the rat, 43P
- Neuromuscular blocking drugs**, stercuronium and gallamine, selective antimuscarinic action of, in the anaesthetized guinea-pig, guinea-pig atria, bladder and ileum, rabbit atria and the sympathetically innervated rabbit ear artery preparations, 313
- Neuromuscular blocking potencies**, skeletal, a comparison of, with autonomic ganglion-blocking potencies of five non-polarizing relaxants in guinea-pig isolated preparations, 501
- Neuromuscular transmission**, caused by enkephalins or endorphin, effect of morphine on, in rat vas deferens, 519
- Neuronal depressant responses**, to adenosine triphosphate in the rat cerebral cortex, blockade of, by 4-aminopyridine, 425
- [³H]-neurotransmitter**, release of, from rat striatal slices *in vitro*, action of adenosine on, 136P
- Neurotransmission**, induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, effects of opiate peptides and morphine on, 383
- Neutrophil accumulation**, induced by carboxymethylcellulose, effects of anti-inflammatory steroids on, in the rat, 101P
- Nicotine**, contractions induced by, in whole preparation and longitudinal muscle strips of guinea-pig ileum, effects of prostaglandin synthetase inhibitors on, 90P
- Nictitating membrane**, contraction of, effect of *Gymnodinium breve* toxin on, in anaesthetized cats, 249
- , cat, pharmacological differentiation of presynaptic inhibitory α -adrenoceptors and opiate receptors in, 383
- Nifedipine**, effect of, on adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443
- Nigro-striatal lesions**, partial unilateral, effects of, induced by 6-hydroxydopamine on striatal histofluorescence and behavioural indices of dopamine transmission in the rat, 46P
- Nimodipine**, effect of, on adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443
- Nitroglycerine**, actions of, on the membrane and mechanical properties of smooth muscles of the coronary artery of the pig, 197
- , studies of the mechanism of action of, in strips of rabbit renal artery moderately contracted with noradrenaline in the absence or presence of phosphodiesterase inhibitors or verapamil, 219
- , effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Nitroprusside**, depressor response to, in the pithed rat, 170P
- Nociception**, role of 5-hydroxytryptamine, in the rat, 44P
- , further studies on opiate receptors that mediate, -tooth pulp stimulation in the dog, 323
- Nociceptive responses**, to electrical stimulation of the tooth pulp in the conscious dog, antinociceptive activities of morphine, codeine, dextropropoxyphene and Mr 2034 determined against, 323
- , of neurones in rat trigeminal nucleus caudalis, 188P
- n-Nonanoyl-vanillylamine**, membrane effect of, on the giant amoeba, 98P
- Non-depolarizing relaxants**, a comparison of the skeletal neuromuscular and autonomic ganglion-blocking potencies of, in guinea-pig isolated preparations, 501
- Non-steroidal anti-inflammatory drugs**, which potentiate leukocyte migration in carrageenin-induced inflammation in the rat, 182P
- , development of, which do not prevent prostaglandin production by the gastro-intestinal tract, 82P
- Noradrenaline**, effect of, on potassium-induced glutamate release from striatum, 48P
- , mesolimbic, effect of denervation induced by 6-hydroxydopamine on, in the mouse, 49P
- , effects of ketamine on contractions induced by, in vascular smooth muscle of rat aortic strips and portal vein segments, 257
- , increased overflow of, into coronary sinus plasma, induced by electrical stimulation of cardioaccelerator nerve in dogs with denervated hearts, effect of clonidine on, 269
- , cardiovascular reactivity to, in anaesthetized, vagotomized rats with mineralocorticoid-induced hypertension, effect of parathyroidectomy on, 301
- , strips of rabbit renal artery moderately contracted with, studies on the mechanism of action of various vasodilators in, 219
- , exogenous, effect of, on effects of prazosin, phentolamine, yohimbine and phenoxybenzamine on the guinea-pig isolated ileum, 395
- , differences between the functional antagonism of the positive inotropic and chronotropic responses to, by carbachol, 68P
- , effect of, on rat isolated caecum, 71P
- , overflow of, regulation of, in rat cerebral cortex by prostaglandin E₂, 469
- , effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, effects of phentolamine and propranolol on, 461
- , response of pithed rat to, effect of chronic treatment with cadmium ion on, 167P
- , sensitivity to exogenously administered, effect of morphine on, in rat vas deferens, 519
- , effect of α -adrenoceptor antagonists on effect of, on mean arterial pressure in the rabbit, 63P
- , blockade of neuronal uptake of, in the pithed rat, effects of mianserin on, 61P
- , responses of human basilar arterial and rat aortic strips to, *in vitro*, 165P
- , effect of, on concentrations in electrically stimulated guinea-pig atria depolarized by potassium, and in the pithed rat, 166P
- , effect of magnesium ion on responses of rabbit ear arterial smooth muscle to, 164P

- , simultaneous measurement of endogenous release of, dopamine, 5-hydroxytryptamine and thyrotrophin releasing hormone from rat brain slices *in vitro*, 131P
- , responses of rabbit isolated basilar artery to, 128P
- , peripheral and brain content of, effect of dopamine on, in mice treated with monofluoromethyldopa, an inhibitor of aromatic L-amino acid decarboxylase, 571
- , pressor response to, effects of prazosin and phentolamine on, in the pithed rat, 170P
- , effect of, on gastric acid secretion by the rat isolated stomach, 178P
- , vasoconstrictor action of, reversal by prostaglandin E₂ of blocking effects of phentolamine, tolazoline and yohimbine on, in rat isolated mesenteric artery, 91P
- (-)-**Noradrenaline**, potentiation of, by phenoxybenzamine in guinea-pig isolated tracheal segments and rat isolated anococcygeus muscles, effect of sodium thiosulphate on, 70P
- [³H]-**noradrenaline**, release of, induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, effects of opiate peptides and morphine on, 383
- , evoked release of, from rat cerebellar cortex slices, γ -aminobutyric acid facilitates or inhibits, by an action at separate receptors, 77P
- Nor(-)-cocaine**, effect of, on responses of autonomic neurones in rabbit ileum and heart to 5-hydroxytryptamine, 143P
- Nordiazepam**, effect of, on spatial delayed alteration behaviour in the monkey (*Macaca mulatta*), 141P
- Nucleic acids**, interactions between synthetic analogues of quinoxaline antibiotics and, role of the disulphide cross-bridge and D-amino acid centres in des-*N*-tetramethyltriosin A, 25
- Nucleotides**, cyclic, levels of, in the rat isolated heart, effect of calcium on, 69P
- Nucleus accumbens**, rat, glutamatergic pathways from the medial prefrontal cortex to the anterior striatum, substantia nigra and, 50P
- Nucleus caudalis**, rat trigeminal, nociceptive responses of neurones in, 188P
- Nutrient artery**, of the tibia of anaesthetized dogs, effect of lumbar sympathetic stimulation on, 363
- Nutrient vein**, of tibia of anaesthetized dogs, blood pressure in, effect of lumbar sympathetic stimulation on, 363

O

- Octopamine**, *m*- and *p*-isomers of, brain concentration of, effects of molindone and fluphenazine on, in the mouse, 475
- Ocular tissues**, rabbit, effects of colchicine, lumicolchicine and vinblastine on, the iris-ciliary processes as a possible site of action for, 124P
- Oedema**, acute, are inhibitory effects of anti-inflammatory steroids on, in the rat mediated through a specific receptor?, 101P
- , mouse pineal, histamine-induced, inhibition of, by reserpine, 184P
- Oestradiol**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- Oestrous cycle**, influence of, on the metabolism of exogenous arachidonate in rat isolated lung, 83P
- Olfactory tubercle**, rat, different changes in dopamine metabolism in, and striatum after HA-966, 130P
- On-line analysis**, of cardiovascular data, a digital computer system for, 187P
- Opiate peptides**, effects of, on [³H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
- Opiate receptors**, in rat spinal cord, 153P
- , presynaptic inhibitory, and α -adrenoceptors, in cat nictitating membrane, pharmacological differentiation of, 383
- , further studies on, that mediate nociception: tooth pulp stimulation in the dog, 323
- Opiates**, tritiated, comparison of the binding characteristics of, with opioid peptides, 481
- , effects of, on baroreceptor reflex sensitivity in the normotensive rabbit, 64P
- Opioid-like peptides**, interactions between morphine and, in the rat vas deferens, 519
- Opioid peptides**, tritiated, comparison of the binding characteristics of, with opiates, 481
- Opioid substances**, effects of, on the secretion of corticotrophin releasing factor by the rat hypothalamus, 79P
- (\pm)-**OPC 2009**, binding of, to β -adrenoceptors on frog and chick erythrocytes, 57P
- Orciprenaline**, locally administered, effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- Ornithine decarboxylase**, ovarian function in the rat following irreversible inhibition of, with α -difluoromethyl-ornithine, 103P
- Ouabain**, release of [³H]-spermine evoked by, in rat cerebral cortex slices, 91P
- , effect of, on cardiac functions in the guinea-pig, effects of RMI 12330A, a new inhibitor of adenylate cyclase, on, 429
- Ovarian function**, in the rat following irreversible inhibition of ornithine decarboxylase with α -difluoromethyl-ornithine, 103P
- Oxidative N-demethylation**, effects of, on mouse liver lysosomes and liver function, 117P
- Oxotremorine**, effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- , does not enhance acetylcholine release from rat diaphragm preparations, 8
- Oxprenolol**, effect of, on platelet aggregation and 5-hydroxytryptamine concentrations in hypertensive patients, 161P
- Oxygen consumption**, in the restrained mouse, effect of N⁶-2'-*O*-dibutyl adenosine 3',5'-monophosphate on, 453
- Oxymetazoline**, selectivity of, for α_1 - and α_2 -adrenoceptors related to cardiovascular profile in the anaesthetized rat, 171P
- , effect of, on bradycardia in pentobarbitone anaesthetized rats, 169P
- Oxytocic drugs**, stimulate prostacyclin release from the rat pregnant myometrium, 86P

- Pancuronium**, comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of, in guinea-pig isolated preparations, 501
- Papaverine**, differentiation of the multiple effects of, on the right and left auricles of guinea-pigs, 67P
- , effect of, on responses of strips of rabbit renal artery moderately contracted with noradrenaline to various vasodilators, 219
 - , studies on the mechanism of action of, in strips of rabbit renal artery moderately contracted with noradrenaline in the absence or presence of phosphodiesterase inhibitors or verapamil, 219
 - , compounds like, activities of, in guinea-pig cardiac and smooth muscle, are they due to inhibition of phosphodiesterase?, 171P
- Paracetamol**, inter-individual differences in the conjugation of, with glucuronic acid and sulphate, 112P
- Parturition**, and β -endorphin in woman, 159P
- Parasympathetic tone**, increase in, as a cause of clonidine-induced bradycardia in anaesthetized dogs, 269
- Parathyroidectomy**, effect of, on cardiovascular reactivity to noradrenaline in anaesthetized, vagotomized rats with mineralocorticoid-induced hypertension, 301
- Pargyline**, effect of, on myoclonus induced by tryptophan in the guinea-pig, 41P
- Paroxetine**, effect of, on myoclonus induced by 5-hydroxytryptophan in the guinea-pig, 41P
- Passive cutaneous anaphylaxis**, compared with activity of sodium cromoglycate analogues in human lung *in vitro*, 307
- Paw oedema**, rat, inhibition of, by sodium salicylate and BW755C, 82P
- Pemoline**, effect of, on cerebral cortex adenosine triphosphate levels in normal and hypoxic rats, 92P
- D-Penicillamine**, modulation of delayed hypersensitivity by, in mice, 186P
- Pentazocine**, antinociceptive activity of, in the conscious marmoset (*Callithrix jacchus*) using stimulation of the tooth pulp, 142P
- Pentobarbitone**, effect of, on effect of mechanical stimulation of the upper airways in dogs anaesthetized with chloralose on tracheal pouch pressure, 419
- , effects of clonidine on cardiac neuroeffector structures controlling heart rate in dogs anaesthetized with, 269
 - , cats anaesthetized with, central respiratory and circulatory effects of *Gymnodinium breve* toxin in, 249
- Pentobarbitone sodium**, effect of, on adenosine and acetylcholine release from rat cerebral cortex, as further evidence for a purinergic mechanism in action of diazepam, 341
- Pentolinium**, ganglionic blockade with, effect of, on effect of parathyroidectomy on cardiovascular reactivity to noradrenaline in anaesthetized rats with mineralocorticoid-induced hypertension, 301
- Peptides**, biologically active, in the skin of the plaice (*Pleuronectes platessa* L.), 122P
- Performance**, effect of brotizolam, a triazolo-thienodiazepine, on, in man, 157P
- Perfusion pressure**, in femoral artery of anaesthetized dogs, effect of lumbar sympathetic stimulation on, 363
- Periarterial nerve stimulation**, in small intestine of the rabbit, mechanism of motor response to, 193
- PET computers**, some uses of, in pharmacology, 190P
- Pethidine**, antinociception induced by, attenuation of, by zimelidine, an inhibitor of 5-hydroxytryptamine reuptake, and fluoxetine, in rats, 411
- , effect of, on contractions of the rat vas deferens, effects of enkephalins and β -endorphin on, 519
- Phenobarbitone**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- , hepatic enzyme induction caused by, effect of, on the pharmacokinetics of lignocaine and tocainide in the rat, 116P
 - , effect of, compared with amphetamine and chloral hydrate on social interaction and locomotion in rats, 95P
- Phenolic amines**, brain concentration of, effects of molindone and fluphenazine on, in the mouse and rat, 475
- Phenoxybenzamine**, effect of sodium thiosulphate on some of the *in vitro* pharmacological properties of, 70P
- , effect of, on effects of fluphenazine and sulpiride at peripheral pre- and postsynaptic dopamine receptors in hindlimb and mesentery of anaesthetized dogs, 140P
 - , effect of, on effects of opiate peptides and morphine on [3 H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
 - , effect of, on guinea-pig isolated ileum, 395
- Phentolamine**, effect of, on binding of [3 H]-spiperone to homogenates of bovine retina, 47P
- , effect of, on effects of clonidine on canine cardiac neuroeffector structures controlling heart rate, 269
 - , effect of, on effect of lumbar sympathetic stimulation on vasculature of tibia of anaesthetized dogs, 363
 - , effect of, on guinea-pig isolated ileum, 395
 - , effect of, on effects of opiate peptides and morphine on [3 H]-noradrenaline release induced by nerve stimulation in the isolated nerve-muscle preparation of the cat nictitating membrane, 383
 - , effect of, on effect of prostaglandin E₂ microinjected into the supraoptic and ventromedial nuclei of the rat hypothalamus on urinary excretion of water and sodium, 415
 - , effect of, on adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443
 - , effect of, on effects of noradrenaline and tyramine on contractions in electrically stimulated guinea-pig atria depolarized by, and in the pithed rat, 166P
 - , effect of, on rat isolated caecum, 71P
 - , induction of responsiveness to, by incubation of guinea-pig ileum with clonidine *in vitro*, 175P
 - , effect of, on effects of α -adrenoceptor agonists on mean arterial pressure in the rabbit, 63P
 - , effect of, on pressor response to adrenaline or noradrenaline in the pithed rat, 170P
 - , blocking effect of, on vasoconstrictor action of noradrenaline in rat isolated mesenteric artery, reversal of, by prostaglandin E₂, 91P
 - , effect of, on effect of noradrenaline on gastric acid secretion by rat isolated stomach, 178P
 - , effect of, on effect of noradrenaline and isoprenaline on increased plasma protein extravasation and blood flow in guinea-pig skin, 461

- Phenylbutazine**, modulation of delayed hypersensitivity by, in mice, 186P
- Phenylbutazone**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- , effect of, on leukocyte migration in carrageenin-induced inflammation in the rat, 182P
 - , effect of α -adrenoceptor antagonists on effect of, on mean arterial pressure in the rabbit, 63P
- Phenylephrine**, baroreceptor sensitivity to, in the normotensive rabbit, effect of enkephalin analogue on, 64P
- , effect of, on effect of noradrenaline on gastric acid secretion by rat isolated stomach, 178P
- (–)**Phenylephrine**, locally administered, effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- Phenytoin**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- , interaction of phenytoin with antacid constituents and kaolin in a rat intestinal model, 126P
- Phosphodiesterase**, are the guinea-pig cardiac and smooth muscle activities of papaverine-like compounds due to inhibition of?, 171P
- Phosphodiesterase inhibitors**, effects of, on responses of strips of rabbit renal artery moderately contracted with noradrenaline to various vasodilators, 219
- Phospholipase A**, activity of, inhibition of, in the perfused rat kidney by steroid anti-inflammatory drugs, 180P
- Phospholipase C**, treatment with, effect of, on binding of verapamil in isolated cardiac sarcolemmal preparations, 617
- Phrenic nerve-diaphragm preparation**, guinea-pig isolated, a comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of five non-depolarizing relaxants in, 501
- Physostigmine**, effect of, on effect of veratridine on exocytotic release of catecholamine from perfused adrenal gland of guinea-pig, 527
- Pial microvasculature**, rat, differential effects of calcium antagonist, verapamil on lumen sizes of terminal arterioles and muscular venules in, 351
- Picrotoxin**, effect of, on effect of leptazol on GABA receptors in slice preparations of rat cuneate nucleus, 75P
- , behavioural effects of microinjections of, into rat superior colliculus, and their modulation by intranigral 6-hydroxydopamine, 145P
 - , γ -aminobutyric acid antagonist, voltage sensitivity of, at the bag region of *Ascaris* muscle, 139P
- Pilocarpine**, effect of, on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Pimozide**, effect of, on use of amphetamine at high dosage in the study of DA-5HT interactions in the rat, 43P
- Pinnal oedema**, mouse, histamine-induced, inhibition of, by reserpine, 184P
- Pithed rat**, responses of, to noradrenaline and tyramine, effect of chronic treatment with cadmium ion on, 167P
- , an analysis of adrenaline reversal and other depressor responses in, 170P
 - , effects of benzotriazinium salt in, 166P
- Pituitary cell system**, anterior, dispersed rat, effects of dopamine antagonists and 5-hydroxytryptamine antagonists on effects of metergoline and cyproheptadine on prolactin release in, 5
- Plaice**, *Pleuronectes platessa* L., skin of, biologically active peptides in, 122P
- Plasma**, concentration of propranolol in, in rats with adjuvant induced arthritis, 181P
- , corticosterone levels in, leucine-enkephalin and methionine-enkephalin produce opposing effects on, in ether-stressed mice, 509
- Plasma protein extravasation**, effects of partially purified guinea-pig slow-reacting substance of anaphylaxis on, 183P
- , increased, actions of locally administered adrenoceptor agonists on, in guinea-pig skin, 461
- Platelet aggregation**, in human whole blood *in vitro*, evaluation of a new electronic technique for measurement of, 160P
- , effects of oxprenolol and acebutolol on, in hypertensive patients, 161P
 - , inhibitors of, have different activity in blood than in platelet-rich plasma, 163P
- Platelet counting technique**, electronic, in the analysis of drug-receptor interactions on platelets in human whole blood *in vitro*, 125P
- Platelet-rich plasma**, inhibitors of platelet aggregation have different activity in blood than in, 163P
- Platelets**, human, evidence for a single type of α -adrenoceptor on, 59P
- , a method for the analysis of drug-receptor interactions on, in human whole blood *in vitro*, 125P
- Pleuronectes platessa* L.**, plaice, skin of, biologically active peptides in, 122P
- Polylysine**, some studies on the release of histamine from rat peritoneal and mesenteric and guinea-pig mesenteric mast cells stimulated with, 329
- Polymorphonuclear leukocytes**, rat, aggregation of, as a possible bioassay for lipoxygenase products, 183P
- , rat, generation of chemokinetic activity from, treated with calcium ionophore A23187, 84P
- Polymyxin B sulphate**, markedly reduces the effects of *E. coli* endotoxin in anaesthetized cats, 100P
- Porphyrias**, hepatic, haem utilization by rat liver tryptophan pyrrolase as a screening test for drug exacerbation of, 113P
- Portal vein**, rat isolated, response of, to perimural stimulation, effect of chronic treatment with cadmium ion on, 167P
- Portal vein segments**, rat, vascular smooth muscle in, effects of ketamine on, 257
- Postpartum blues syndrome**, prolactin secretion and, 102P
- Postsynaptic α_2 -adrenoceptors**, in rabbit vascular smooth muscle, 63P
- Potassium**, glutamate release induced by, in striatum, dopaminergic modulation of, 48P
- , excretion of, in man, effects of SC27169, spironolactone and fludrocortisone, on, 107P
 - , noradrenaline overflow evoked by, regulation of, in rat cerebral cortex by prostaglandin E_2 , 469
 - , effects of noradrenaline and tyramine on contractions in electrically stimulated guinea-pig atria depolarized by, 166P
 - , sensitivity to exogenously administered, effect of morphine on, in rat vas deferens, 519

- , depletion of enkephalin stimulated by, in rat hypothalamus, and its alteration by adrenocorticotrophin and corticosterone, 79P
- , effect of, on effect of dopamine on release of glutamate from rat corticostriatal terminals, 137P
- , release of [^3H]-spermine evoked by, in rat cerebral cortex slices, 91P
- Potassium chloride**, effects of ketamine on contractions induced by, in vascular smooth muscle of rat aortic strips and portal vein segments, 257
- Potassium ion**, effect of, on effect of cyproheptadine on insulin secretion in rat isolated islets of Langerhans, 355
- , effect of, on actions of nitroglycerine on membrane and mechanical properties of smooth muscles of coronary artery of the pig, 197
- , effect of, compared with veratridine on exocytotic release of catecholamine from perfused adrenal gland of guinea-pig, 527
- , release of [^3H]-noradrenaline from rat cerebellar cortex slices evoked by, γ -aminobutyric acid facilitates or inhibits, by an action at separate receptors, 77P
- , effect of, on effects of muscarinic agonists on rat isolated superior cervical ganglia, 577
- Practolol**, effect of, on depressor responses to isoprenaline and salbutamol in the pithed rat, 170P
- , effect of prolonged treatment with, in adult rabbits, on blockade of heart rate increases in response to intravenous isoprenaline, 205
- (\pm)-Practolol**, binding of, to β -adrenoceptors on frog and chicken erythrocytes, 57P
- Prazosin**, effect of, on the guinea-pig isolated ileum, 395
- , effect of, compared with WB 4101, in the anaesthetized dog, 60P
- , effect of, on effects of α -adrenoceptor agonists on mean arterial pressure in the rabbit, 63P
- , effect of, on pressor response to adrenaline 5-hydroxytryptamine or noradrenaline in the pithed rat, 170P
- Pranisolone**, inhibitory effect of, on chronic inflammation, acute oedema and cell accumulation in the rat, 101P
- , modulation of delayed hypersensitivity by, in mice, 186P
- Preganglionic sympathetic activity**, a comparison of the effect of (\pm)-propranolol, hexamethonium and sodium nitroprusside on, in the cat, 63P
- Pregnant myometrium**, rat, oxytocic drugs stimulate prostacyclin release from, 86P
- , rat, studies on prostacyclin formation by, 85P
- Prenylamine**, effect of, on ^{45}Ca uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Presynaptic β -adrenoceptor hypothesis**, and the effects of ($+$)- and ($-$)-propranolol on ^3H -transmitter efflux in guinea-pig atria, 491
- Presynaptic dopamine receptors**, modulate electrical stimulation but not amphetamine-evoked release of [^3H]-dopamine from the rabbit caudate nucleus, 45P
- Presynaptic inhibitory α -adrenoceptors**, and opiate receptors, pharmacological differentiation of, in the cat nictitating membrane, 383
- Presynaptic regulation**, of the release of acetylcholine by 5-hydroxytryptamine, in bullfrog sympathetic preganglionic nerve terminals and frog sciatic nerve terminals, 499
- Probenecid**, effect of, in high performance liquid chromatography analysis of tryptophan, 5-hydroxy-indoleacetic acid and homovanillic acid using fluorescence and electro-chemical detection, in primate ventricular cerebrospinal fluid, 133P
- Progesterone**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- Prolactin**, secretion of, and the postpartum blues syndrome, 102P
- , release of, metergoline and cyproheptadine suppress, by a non-5-hydroxytryptaminergic, non-dopaminergic mechanism in a dispersed rat anterior pituitary cell system, 5
- Propylbenzilylcholine mustard**, effect of, on effect of muscarine on muscarinic receptors in rat isolated superior cervical ganglia, 577
- Protein kinase**, adenosine monophosphate-dependent, effect of, on the ^{45}Ca uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Propranolol**, effect of, on binding of [^3H]-spiperone to homogenates of bovine retina, 47P
- , chronotropic effect of, in conscious dogs with chronic heart-block, and relation between depression of ventricular activity and β -adrenoceptor-blocking potency, 335
- , effect of, on effect of lumbar sympathetic stimulation on vasculature of tibia of anaesthetized dogs, 363
- , effect of, on effect of prostaglandin E_2 microinjected into the supraoptic and ventromedial nuclei of the rat hypothalamus on urinary excretion of water and sodium, 415
- , effect of prolonged treatment with, in adult rabbits, on blockade of heart rate increases in response to intravenous isoprenaline, 205
- , first-pass uptake of, by dog lungs *in vivo*, 114P
- , reduction of the first-pass elimination of, by the co-administration of chlorpromazine in the rat, 116P
- , effect of, on effect of noradrenaline and isoprenaline on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- , effect of, on effects of noradrenaline and tyramine on contractions in electrically stimulated guinea-pig atria depolarized by potassium, 166P
- , first-pass uptake of, in dog lungs *in vivo*, effect of general anaesthesia on, 173P
- , effect of, on effects of fluphenazine and sulpiride at peripheral pre- and postsynaptic dopamine receptors in hindlimb and mesentery of anaesthetized dogs, 140P
- , effect of, on depressor responses to adrenoline, isoprenaline, 5-hydroxytryptamine and salbutamol in the pithed rat, 170P
- , effect of, on effect of noradrenaline on gastric acid secretion by the rat isolated stomach, 178P
- , plasma concentration of, in rats with adjuvant induced arthritis, 181P
- , effect of, on effects of prostaglandin $\text{F}_{2\alpha}$ on histamine-induced bronchoconstriction in the guinea-pig, 185P
- ($-$)-Propranolol**, effect of, on core temperature changes induced by intrahypothalamic injections of 5-hydroxytryptamine and tryptamine in the rat, 149P

- (+) and (-)-**Propranolol**, effects of, on [^3H]-transmitter efflux in guinea-pig atria and the presynaptic β -adrenoceptor hypothesis, 491
- (\pm)-**Propranolol**, a comparison of the effect of, with hexamethonium and sodium nitroprusside on the pre-ganglionic sympathetic activity of the cat, 63P
- Prostacyclin**, release of, from the rat pregnant myometrium, effects of oxytocic drugs on, 86P
- , formation of, by the rat pregnant myometrium, studies on, 85P
 - , effect of nerve stimulation on release of, from the rat and rabbit mesenteric arteries, 87P
 - , effects of, on infarct flow and epicardial ST-segment elevation in anaesthetized dogs, 86P
- Prostaglandin**, formation of, differential effects of sodium salicylate and BW755C on, in inflammatory exudates and the gastro-intestinal tract, 82P
- Prostaglandin E₂**, pulmonary inactivation of, in the anaesthetized dog, thromboxane B₂ inhibits, 295
- , microinjected into the rat hypothalamus, effect of, on urinary excretion of water and sodium, 415
 - , reversal of α -adrenoceptor blockade by, in rat isolated mesenteric artery, 91P
 - , dissimilar effects of cycloheximide on the febrile responses to the intravenous and cerebroventricular administration of, 97P
- Prostaglandin F₂**, inhibition of histamine-induced bronchoconstriction by, a sympathetic mechanism for, in the guinea-pig, 185P
- Prostaglandin I₂**, effect of nerve stimulation on release of, from rat and rabbit mesenteric arteries, 87P
- , release of, from rat pregnant myometrium, effects of oxytocic drugs on, 86P
 - , formation of, by rat pregnant myometrium, studies on, 85P
- Prostaglandin** component, from skin of the plaice (*Pleuronectes platessa* L.), 122P
- Prostaglandins**, effect of, on rat isolated caecum, 71P
- , contribution of, to the adenosine triphosphate-induced contraction of the rabbit and guinea-pig isolated urinary bladder, 443
 - , and their analogues, contractions of rat stomach muscle induced by, antagonism of, by trimethoquinol or isoxsuprine, 88P
 - , production of, in perfused rat kidney, effects of steroidal anti-inflammatory drugs on, 180P
 - , of the E series, effects of, on chick isolated ileum, 89P
- Prostaglandins E₂, F₂, and I₂** regulation of noradrenaline overflow in rat cerebral cortex by, 469
- , systemic haemodynamic responses to intra-arterially and intravenously administered, effects of thromboxane B₂ on, in anaesthetized dog, 295
- Prostaglandin synthetase inhibitors**, effects of, on indirectly evoked contractions of whole preparation and longitudinal muscle strips of guinea-pig ileum, 90P
- Prostanoid receptors**, mediating contraction of chick isolated ileum, an analysis of, 89P
- Prostanoids**, contractions of rat stomach muscle induced by, antagonism of, by trimethoquinol or isoxsuprine, 88P
- Psychotropic drugs**, integrity of the social hierarchy in mice following administration of, 367

- Pulmonary inactivation**, of prostaglandin E₂ in the anaesthetized dog, thromboxane B₂ inhibits, 295
- Purine receptors**, in the guinea-pig trachea, is there a receptor for adenosine triphosphate?, 512
- Purine mechanism**, in action of diazepam, effects of diazepam on adenosine and acetylcholine release from rat cerebral cortex as further evidence for, 341
- Purkinje fibres**, bovine, electrophysiological effects of imipramine on, 15
- Pyrogens**, intravenous and intracerebroventricular administration of, dissimilar effects of cycloheximide on the febrile responses to, in the rabbit, 97P
- Pyroglutamyl-histidyl-propyl amide**, two synthetic analogues of, behavioural effects of central and peripheral injection of, in the rat, 81P

Q

- Quail**, Japanese, adult male or immature, modification of radioreceptor assay for 1,25-dihydroxyvitamin D using gut cytosolic receptor from, 179P
- Quinoxaline antibiotics**, interaction between synthetic analogues of, and nucleic acids, role of the disulphide cross-bridge and D-amino acid centres in des-*N*-tetramethyl-triostin A, 25
- Quipazine**, ability of, to induce myoclonus in the guinea-pig, 41P
- Quisqualate**, effect of, on effect of 2-amino-5-phosphonovaleate on neurones in spinal cord of frog, 52P

R

- Radioautographical localization**, in the vertebrate retina of [^3H]-(\pm)-*cis*-aminocyclohexane carboxylic acid, a selective inhibitor of neuronal GABA transport, 156P
- Radioreceptor assay**, for 1,25-dihydroxyvitamin D, modification of, using gut cytosolic receptor from adult male or immature Japanese quail, 179P
- Ranitidine**, an H₂-receptor antagonist, protection against aspirin-induced gastric lesions in the rat by, 178P
- Real-time ultrasound**, measurement of gastric motor function by, 188P
- Rectal temperature**, effect of N⁶-2'-*O*-dibutyl adenosine 3',5'-monophosphate on, in the restrained mouse, 453
- Reflex tracheal constriction**, a model of, in the dog, 419
- Relaxants**, non-depolarizing, a comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of, in guinea-pig isolated preparations, 501
- Relaxation**, interactions between theophylline and theophylline derivatives in producing, of guinea-pig tracheal chains, 120P
- Renal artery**, rabbit, strips of, studies on the mechanism of action of various vasodilators in, 219
- Renal nerve**, renin release mediated by, effects of atenolol and ICI 118,551 on, in the cat, 58P
- Renal tubules**, rat isolated, use of, for evaluation of the mechanisms of aminoglycoside nephrotoxicity, 127P
- Renin**, release of, in the cat, an attempt to characterize the β -adrenoceptor mediating, 58P
- Reserpine**, inhibition of histamine-induced mouse pinnal oedema by, 184P

- Respiratory effects**, central, of *Gymnodinium breve* toxin in anaesthetized cats, 249
- Restrained mouse**, thermoregulatory effects of N⁶-2'-O-dibutyladenosine 3',5'-monophosphate in, 453
- Retina**, vertebrate, radioautographical localization in, of [³H]-(\pm)-*cis*-aminocyclohexane carboxylic acid, a selective inhibitor of neuronal GABA transport, 156P
- , bovine, homogenates of, [³H]-spiperone labels dopamine receptors in, 47P
- , rat isolated, effect of dopamine on release of [³H]-glycine and [³H]-taurine from, 55P
- Retractor penis**, bovine, cardiovascular actions of the inhibitory material extracted from, 62P
- Retzius cells**, leech, is there a common receptor mediating the inhibitory action of 5-hydroxytryptamine and dopamine on, 138P
- RMI 12330A**, a new inhibitor of adenylate cyclase, effects of, on myocardial function and subcellular activity in guinea-pig heart homogenates, 429
- Rotational behaviour**, effects of partial unilateral nigrostriatal lesions induced by 6-hydroxydopamine on striatal histofluorescence and, in the rat, 46P
- RU 18787**, hydroguanabenz, selectivity of, for α_1 - and α_2 -adrenoceptors related to cardiovascular profile in the anaesthetized rat, 171P
- ⁸⁶Rubidium ion**, efflux of, from rat isolated superior cervical ganglia, effects of muscarine on, 577
- Ruthenium red**, effect of, on veratridine evoked γ -aminobutyric acid release from rat brain slices, 155P
- RX783016**, use of, to study role of endogenous opiates in cardiovascular regulation and baroreceptor reflexes in the normotensive rabbit, 64P
- S**
- Salbutamol**, effect of, on effect of mechanical stimulation of the upper airways in dogs anaesthetized with chloralose on tracheal pouch pressure, 419
- , depressor response to, effects of propranolol and salbutamol on, in the pithed rat, 170P
- , effect of, on rat isolated caecum, 71P
- (\pm)-**Salbutamol**, locally administered, effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461
- Salicylate**, interaction of, with frusemide in man, 158P
- Sarcolemmal microsomes**, from human umbilical arteries, effects of vasodilator drugs, alkaline phosphatase, and cyclic AMP-dependent protein kinase on ⁴⁵calcium uptake of, 537
- Sarcolemmal preparations**, isolated cardiac, effect of verapamil on calcium ion-transporting and Ca²⁺-ATPase activity of, 617
- SC19220**, effect of, on noradrenaline overflow in rat cerebral cortex, 469
- SC27169**, a new aldosterone antagonist, activity of, in man, 107P
- Sciatic nerve terminals**, frog, presynaptic regulation of the release of acetylcholine by 5-hydroxytryptamine in, 499
- Sensory irritation**, mammalian, effects of chemical irritants on electrophysiological properties of the giant amoeba (*Chaos carolinense*) as a model for process of, 98P
- Sensory ganglia**, rat isolated, biosynthesis of substance P from [³⁵S]-methionine in, 56P
- Sensory nerve endings**, 'C' fibre, in the dog lung, action of sodium cromoglycate on, 11
- Shock**, analgesia induced by, in the rat, role of 5-hydroxytryptamine in, 44P
- Skeletal muscle microvasculature**, rat, differential effects of calcium antagonist, verapamil on lumen sizes of terminal arterioles and muscular venules in, 351
- Skeletal neuromuscular blocking potencies**, a comparison of, with autonomic ganglion-blocking potencies of five non-polarizing relaxants in guinea-pig isolated preparations, 501
- SK&F 92994**, a new histamine H₂-receptor antagonist, effects of, on guinea-pig isolated atrium and ileum, rat isolated uterus and gastric acid secretion, compared with cimetidine, 105P
- Skin**, of the plaice (*Pleuronectes platessa* L.), biologically active peptides in, 122P
- , guinea-pig, effects of partially purified guinea-pig slow-reacting substance of anaphylaxis on plasma protein extravasation in, 183P
- , guinea-pig, actions of locally administered adrenoceptor agonists on increased plasma protein extravasation and blood flow in, 461
- (\pm)-**SL 75212**, binding of, to β -adrenoceptors on frog and chick erythrocytes, 57P
- Sleep**, effect of brotizolam, a triazolo-thiendiazepine, on, in man, 157P
- Slow-reacting substance of anaphylaxis**, partially purified, effect of, on plasma protein extravasation in guinea-pig skin, 183P
- , structure of, 118P
- Slow-reacting substances**, structure of, 118P
- Small intestine**, rabbit, mechanism of the motor response to periaarterial nerve stimulation in, 193
- Smooth muscle**, vascular, relation between calcium and reactivity of, to noradrenaline in anaesthetized, vagotomized rats with mineralocorticoid-induced hypertension, 301
- , vascular, in rat aortic strips and portal vein segments, effects of ketamine on function of, 257
- , bovine isolated tracheal, peripheral muscarinic receptors in, inhibition of [³H]-dextimide binding by a homologous series of methylfurthrethonium analogues at, 129P
- , vascular, of human umbilical arteries, effects of vasodilator drugs on calcium ion pumps in, 537
- , from guinea-pig trachea and gut, effects of nucleotides on relaxation of, 512
- , in rabbit ear artery, effect of magnesium ion on responses of, to noradrenaline, histamine and adenosine 5'-triphosphate, 164P
- , vascular, rabbit, postsynaptic location of α_2 -adrenoceptors in, 63P
- , of chick isolated ileum, an analysis of the prostanoid receptors mediating contraction of, 89P
- , airway, effects of prostaglandin F₂, on effect of histamine on, in the guinea-pig, 185P
- , guinea-pig lung strip, activities of papaverine-like compounds in, are they due to inhibition of phosphodiesterase?, 171P

- Smooth muscles**, of coronary artery of the pig, actions of nitroglycerine on the membrane and mechanical properties of, 197
- Social hierarchy**, in mice, integrity of, following administration of psychotropic drugs, 367
- Social interactions**, in rats, effects of anti-anxiety drugs, amphetamine and chloral hydrate on, 95P
- Sodium**, excretion of, in man, effects of SC27169, spironolactone, and fludrocortisone on, 107P
- , effect of, on [^3H]-(\pm)-sulpiride specific binding to rat striatal preparations, 152P
- , effect of, on veratridine evoked γ -aminobutyric acid release from rat brain slices, 155P
- , urinary excretion of, effect of prostaglandin E_2 microinjected into the rat hypothalamus on, 415
- Sodium aurothiomalate monohydrate**, modulation of delayed hypersensitivity by, in mice, 186P
- Sodium *n*-butyrate**, thermoregulatory effects of, in the restrained mouse, 453
- Sodium cromoglycate**, analogues of, activity of, in human lung *in vitro*: a comparison with rat passive cutaneous anaphylaxis and clinical efficacy, 307
- , action of, on 'C' fibre endings in the dog lung, 11
- , tolerance to, in human lung fragments *in vitro*, 122P
- Sodium cyanide**, effect of, on rapid and slow axonal transport in rabbit vagus nerve, 173P
- Sodium fluoride**, adenylate cyclase activity induced by, in guinea-pig heart homogenates, effects of RMI 12330A, a new inhibitor of adenylate cyclase, on, 429
- Sodium ion**, effect of, on effect of cyproheptadine on insulin secretion in rat isolated islets of Langerhans, 355
- Sodium meclofenamate**, effect of, on indirectly evoked contractions of whole preparation and longitudinal muscle strips of guinea-pig ileum, 90P
- Sodium nitroprusside**, a comparison of the effect of, with (\pm)-propranolol and hexamethonium on the pre-ganglionic sympathetic activity in the cat, 63P
- , baroreceptor sensitivity to, in the normotensive rabbit, effect of enkephalin analogue on, 64P
- , effect of, on ^{45}Ca uptake of sarcolemmal microsomes from human umbilical arteries, 537
- Sodium salicylate**, effect of, on leukocyte migration in carageenin-induced inflammation in the rat, 182P
- , differential effects of, and BW755C on prostaglandin formation in inflammatory exudates and the gastrointestinal tract, 82P
- Sodium thiosulphate**, effect of, on some of the *in vitro* pharmacological properties of phenoxybenzamine, 70P
- Sodium valproate**, effect of, on single unit activity in the rat brain, 76P
- Somatosensory cortical response**, evoked, in the rat, pressure reversal of the effect of urethane on, 241
- Spatial delayed alteration behaviour**, in the monkey (*Macaca mulatta*), comparative effects of thieno- and benzodiazepines on, 141P
- [^3H]-**spermine**, spontaneous and evoked release of, from rat cerebral cortex slices, 91P
- Spinal cord**, rat isolated, effects of capsaicin on, 95P
- , frog, N-methyl-D-aspartate receptors in neurones of, effect of 2-amino-5-phosphonovaleate on, 52P
- , rat, homogenates of, opiate receptors in, 153P
- Spinal root fibres**, rat isolated, amino acid sensitivity of, 53P
- , an *in vitro* comparison between depression of spinal synaptic activity and depolarization of, by γ -aminobutyric acid agonists in the rat, 609
- Spinal synaptic activity**, an *in vitro* comparison between depression of, and depolarization of spinal root fibres by γ -aminobutyric acid agonists in the rat, 609
- Spironolactone**, activity of, in man, 107P
- Splanchnic nerve stimulation**, effect of, compared with veratridine on exocytotic release of catecholamine from perfused adrenal gland of guinea-pig, 527
- [^3H]-**spiperone**, labels dopamine receptors in homogenates of bovine retina, 47P
- St91**, selectivity of, for α_1 - and α_2 -adrenoceptors related to cardiovascular profile in the anaesthetized rat, 171P
- ST-segment**, epicardial, elevation of, effects of prostacyclin on, in anaesthetized dogs, 86P
- , epicardial, changes in, in a feline model of acute myocardial ischaemia, effect of exaprolol (MG 8823), a new β -adrenoceptor blocking agent, on, 65P
- Stellate ganglia**, decentralized, dogs with, effects of clonidine on heart rate in, 269
- Stercuronium**, a competitive neuromuscular blocking drug, selective antimuscarinic action of, in the anaesthetized guinea-pig, guinea-pig atria, bladder and ileum, rabbit atria and the sympathetically innervated rabbit ear artery preparations, 313
- Steroids**, anti-inflammatory, are inhibitory effects of, on chronic inflammation, acute oedema and cell accumulation in the rat mediated through a specific receptor?, 101P
- , anti-inflammatory, inhibition of phospholipase A activity in the perfused rat kidney by, 180P
- Stomach**, rat isolated, effect of noradrenaline on gastric acid secretion by, 178P
- Stomach muscle**, rat, antagonism of prostanoid-induced contractions of, by trimethoquinol or isoxsuprine, 88P
- Striatal histofluorescence**, effects of partial unilateral nigrostriatal lesions induced by 6-hydroxydopamine on, and behavioural indices of dopamine transmission in the rat, 46P
- Striatal preparations**, rat, [^3H]-(\pm)-sulpiride specific binding to, is sodium dependent, 152P
- Striatal slices**, rat, action of adenosine on [^3H]-neurotransmitter release from, 136P
- , rat, effect of dopamine on release of glutamate from, 137P
- Striatum**, rat, levels of phenolic and catecholic amines in, effects of molindone and fluphenazine on, 475
- , in rats, effect of intrapallidal injection of γ -aminobutyric acid agonists on head-turn induced by electrical stimulation of, as *in vivo* evidence for different GABA receptors in the CNS, 150P
- , guinea-pig, dopamine receptors mediating different motor responses may have differential topography in, 148P
- , dopamine receptors in, sensitivity of, to morphine and apomorphine in rats with unilateral electrolytic lesions involving both parts of the substantia nigra, 545
- , rat, different changes in dopamine metabolism in, and olfactory tubercle after HA-966, 130P
- , [^3H]-glutamic acid release from, dopaminergic modulation of, 48P

—, rat anterior, glutamatergic pathways from the medial prefrontal cortex to the nucleus accumbens substantia nigra and, 50P

Substance P, biosynthesis of, from [³⁵S]-methionine in rat isolated sensory ganglia, 56P

Substantia nigra, rat, motor responses evoked by N-methyl-D-aspartate and kainate from, 54P

—, rat, effect of sodium valproate on single unit activity in, 76P

—, both parts of, unilateral electrolytic lesions involving, ipsilateral circling responses to apomorphine and morphine in rats with, 54S

—, rat, glutamatergic pathways from the medial prefrontal cortex to the anterior striatum, nucleus accumbens and, 50P

Sulphanilamide, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P

Sulpiride, effect of, on use of amphetamine at high dosage in the study of DA-5HT interactions in the rat, 43P

—, effect of, on climbing in the mouse after mesolimbic denervation, 49P

—, effect of, on potassium-induced glutamate release from striatum, 48P

—, effect of, at peripheral pre- and postsynaptic dopamine receptors in hindlimb and mesentery of anaesthetized dogs, 140P

[³H]-(\pm)-sulpiride, specific binding of, to rat striatal preparations is sodium dependent, 152P

Sultopride, effect of, on climbing in the mouse after mesolimbic denervation, 49P

Superior cervical ganglia, rat isolated, response of single neurones in, to muscarinic agonists, 593

—, rat isolated, effects of muscarinic agonists on, 577

Superior cervical ganglion, rat isolated, direct excitant action of convulsant barbiturates on, 144P

Superior colliculus, rat, behavioural effects of microinjections of picrotoxin into, and their modulation by intranigral 6-hydroxydopamine, 145P

Suprofen, effect of, on contribution of prostaglandins to the adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443

Sympathetic activity, preganglionic, a comparison of the effect of (\pm)-propranolol, hexamethonium and sodium nitroprusside on, in the cat, 63P

Sympathetic drive, reduction in, as a cause of clonidine-induced bradycardia in anaesthetized dogs, 269

Sympathetic ganglia, rat, muscarinic receptors in, 577

Sympathetic nerve endings, of rabbit isolated ear artery, muscarinic receptors on, affinity of stercuronium and gallamine for, 313

Sympathetic nerves, peripheral cardiac, some agents that stimulate presynaptic α_2 -adrenoceptors produce bradycardia in pentobarbitone anaesthetized rats by an action on, 169P

Sympathetic nervous control, *in vivo* and *in vitro* measurement on changes in, of vascular and non-vascular tissues in rats chronically treated with Cd²⁺, 167P

Sympathetic neurones, rat, intracellular observations on the effects of muscarinic agonists on, 593

Sympathetic preganglionic nerve terminals, bullfrog, presynaptic regulation of the release of acetylcholine by 5-hydroxytryptamine in, 499

Sympathetic stimulation, lumbar, effect of, on vasculature of tibia of anaesthetized dogs, 363

Sympathomimetic amines, differences between the functional antagonism of the positive inotropic and chronotropic responses to, by carbachol, 68P

T

Tachycardia, effect of histamine on, in anaesthetized guinea-pigs, 174P

—, induced by *Gymnodinium breve* toxin in anaesthetized cats after vagotomy, 249

—, induced by electrical stimulation of cardioaccelerator nerve in dogs with denervated hearts, effect of clonidine on, 269

Tachyphylaxis, to capsaicin, effect of, on mechanism of motor response to periarterial nerve stimulation in the small intestine of the rabbit, 193

Taenia coli, guinea-pig, evidence for multiple sources of calcium for activation of the contractile mechanism of, on stimulation with carbachol, 229

Tail flick test, use of, in assessment of attenuation of pethidine- and morphine-induced antinociception by zimelidine, an inhibitor of 5-hydroxytryptamine reuptake, and fluoxetine, in rats, 411

Tail immersion test, use of, to determine role of 5-hydroxytryptamine in shock-induced analgesia in the rat, 44P

Tail pinch, gnawing induced by, in the rat, behavioural and voltammetric evidence for involvement of 5-hydroxytryptamine in, 132P

Taurine, effect of, on rat isolated spinal root fibres, 53P

[³H]-taurine, release of, from rat isolated retina, effect of dopamine on, 55P

Tegmental area, ventral, rat, motor responses evoked by N-methyl-D-aspartate and kainate from, 54P

Temazepam, effect of, on spatial delayed alteration behaviour in the monkey (*Macaca mulatta*), 141P

Temperature, body and rectal, effects of N⁶-2'-O-dibutyladenosine 3',5'-monophosphate on, in the restrained mouse, 453

—, effects of guanosine 3',5'-monophosphate on, in the cat, 154P

Terbutaline, locally administered, effect of, on increased plasma protein extravasation and blood flow in guinea-pig skin, 461

Terminal arterioles, lumen sizes of, in rat mesenteric, pial and skeletal muscle vasculatures, differential effects of calcium antagonist, verapamil on, 351

Tetracaine, effect of, on effect of mechanical stimulation of the upper airways in dogs anaesthetized with chloralose on tracheal pouch pressure, 419

—, effect of, on ⁴⁵calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537

Tetraethylammonium, effect of, on muscarinic receptors in single neurones in rat isolated superior cervical ganglia, 593

Tetrahydroisoxazopyridin-3-ol, effect of intrapallidal injection of, on head-turn induced by electrical stimulation of the striatum in rats, as *in vivo* evidence for different GABA receptors in the CNS, 150P

- 4,5,6,7-Tetrahydroisoxazolo[5,4-c]pyridin-3-ol**, an *in vitro* comparison between depression of spinal synaptic activity and depolarization of spinal root fibres by γ -aminobutyric acid agonists in the rat, 609
- Tetrodotoxin**, effect of, on adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443
- , effect of, on effects of capsaicin on rat isolated spinal cord, 95P
 - , effect of, on veratridine evoked γ -aminobutyric acid release from rat brain slices, 155P
 - , effect of, on rapid and slow axonal transport in rabbit vagus nerve, 173P
 - , effect of, on effect of veratridine on sodium uptake in rat isolated islets of Langerhans, 355
- Thalamic slices**, rat, effects of thiopentone and methohexitone on [^{14}C]- γ -aminobutyric acid and [^3H]-D-aspartate release from, 134P
- Theophylline**, effect of increased caffeine intake on the metabolism and pharmacokinetics of, in man, 111P
- , effect of, on adenosine triphosphate-induced contraction of rabbit and guinea-pig isolated urinary bladder, 443
 - , interactions between, and theophylline derivatives in producing relaxation of guinea-pig isolated tracheal chains, 120P
 - , effect of, on release of histamine from rat peritoneal and mesenteric mast cells stimulated with polylysine, 329
 - , effect of, on effect of cyproheptadine on insulin secretion in rat isolated islets of Langerhans, 355
 - , effect of, on effects of diazepam on adenosine and acetylcholine release from rat cerebral cortex, as further evidence for a purinergic mechanism in action of diazepam, 341
- Thermoregulatory effects**, of guanosine 3',5'-monophosphate in the cat, 154P
- , of N⁶-2'-O-dibutyl adenosine 3',5'-monophosphate in the restrained mouse, 453
- Thermoregulatory response**, to peripheral histamine administration in the rat, effect of environmental temperature on, 176P
- Thienodiazepine**, triazolo-, brotizolam, effect of, on sleep and performance in man, 157P
- Thienodiazepines**, comparative effects of, and benzodiazepines on spatial delayed alteration behaviour in the monkey (*Macaca mulatta*), 141P
- Thiopentone**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- , effect of, on [^{14}C]- γ -aminobutyric acid and [^3H]-D-aspartate release from rat thalamic slices, 134P
- Thioridazine**, effect of, on climbing in the mouse after mesolimbic denervation, 49P
- , effect of, on use of amphetamine at high dosage in the study of DA-5HT interactions in the rat, 43P
- Thromboxane A₂**, contractions of rat stomach muscle induced by, antagonism of, by trimethoquinol or isoxsuprine, 88P
- Thromboxane B₂**, inhibits the pulmonary inactivation of prostaglandin E₂ in the anaesthetized dog, 295
- Thymoxamine**, effect of, on effect of noradrenaline on gastric acid secretion by isolated rat stomach, 178P
- Thyroid dysfunction**, β -adrenoceptor responsiveness of peripheral blood lymphocytes in relation to, 106P
- Thyroid releasing hormone**, two synthetic analogues of, behavioural effects of central and peripheral injection of, in the rat, 81P
- Thyrotrophin releasing hormone**, simultaneous measurement of endogenous release of, dopamine, noradrenaline, 5-hydroxytryptamine and, from rat brain slices *in vitro*, 131P
- Tibia**, vasculature of, in anaesthetized dogs, effect of lumbar sympathetic stimulation on, 363
- Tocainide**, effect of enzyme induction on the pharmacokinetics of, in the rat, 116P
- Tolazoline**, blocking effect of, on vasoconstrictor action of noradrenaline in rat isolated mesenteric artery, reversal of, by prostaglandin E₂, 91P
- Tolbutamide**, effect of, on hepatic porphyria induced by 3,5-diethoxy-carbonyl-1,4-dihydrocollidine, 113P
- , effect of, on effect of cyproheptadine on insulin secretion in rat isolated islets of Langerhans, 355
- Tooth pulp**, stimulation of, in the dog, further studies on opiate receptors that mediate antinociception, 323
- , evaluation of antinociceptive activity in the conscious marmoset (*Callithrix jacchus*) by using stimulation of, 142P
- Trachea**, guinea-pig, purine receptors in, is there a receptor for adenosine triphosphate?, 512
- Tracheal chains**, guinea-pig isolated, interactions between theophylline and theophylline derivatives in producing relaxation of, 120P
- Tracheal constriction**, reflex, a model of, in the dog, 419
- Tracheal pouch**, with its nerve and blood supply intact, prepared *in situ* in dogs, as a model of reflex tracheal constriction, 419
- Tracheal smooth muscle**, bovine isolated, peripheral muscarinic receptors in, inhibition of [^3H]-dextimide binding by a homologous series of methylfurthrethonium analogues at, 129P
- [^3H]-transmitter**, efflux of, in guinea-pig atria, effects of (+) and (–)-propranolol on, and the presynaptic β -adrenoceptor hypothesis, 491
- Transmural nerve stimulation**, responses of rabbit isolated basilar artery to, 128P
- , contractions induced by, in whole preparation and longitudinal muscle strips of guinea-pig ileum, effects of prostaglandin synthetase inhibitors on, 90P
 - , effect of, on effects of prazosin, phentolamine, yohimbine and phenoxybenzamine on, in guinea-pig isolated ileum, 395
- Transport numbers**, a novel procedure for comparing, of unlabelled drugs released from micropipettes by microelectrophoresis, 141P
- Tranylcypromine**, and L-DOPA effect of anaesthetic administration on the appearance of enhanced behaviours mediated by, following electroconvulsive shock in the rat, 73P
- , and L-DOPA, altered behaviour mediated by, following bicuculline-induced convulsions in the rat, 72P
- Triamcinolone**, inhibitory effect of, on chronic inflammation, acute oedema and cell accumulation in the rat, 101P
- Triazenes**, antineoplastic, effects of, on mouse lysosomal stability, 117P

Triazolo-thiendiazepine, brotizolam, effect of, on sleep and performance in man, 157P

1-(*m*-Trifluoromethylphenyl)-piperazine, ability of, to induce myoclonus in the guinea-pig, 41P

—, effect of, on shock-induced analgesia in the rat, 44P

Trigeminal nucleus caudalis, rat, nociceptive responses of neurones in, 188P

Trimethoquinol, antagonism of prostanoid-induced contractions of rat stomach muscle by, 88P

Trypsin, treatment with, effect of, on binding of verapamil in isolated cardiac sarcolemmal preparations, 617

Tryptamine, comparison of core temperature changes induced by intrahypothalamic injection of, and 5-hydroxytryptamine in the rat, 149P

Tryptophan, content of, in mouse brain, effects of monofluoromethyldopa, an inhibitor of aromatic L-amino acid decarboxylase, on, 571

—, high performance liquid chromatography analysis of, using fluorescence and electrochemical detection, effect of probenecid studied in primate ventricular cerebrospinal fluid, 133P

—, myoclonus induced by, in the guinea-pig, effect of pargyline on, 41P

L-Tryptophan, prevention of hypoactivity induced by, by 5-hydroxytryptamine antagonists and the peripheral aromatic amino acid decarboxylase inhibitor RO4-4602 in the rat, 132P

Tryptophan pyrrolase, rat liver, haem utilization by, as a screening test for drug exacerbation of hepatic porphyrias, 113P

(+)-Tubocurarine, comparison of skeletal neuromuscular and autonomic ganglion-blocking potencies of, in guinea-pig isolated preparations, 501

Tubulin, from rat brain, effect of halothane on colchicine binding by, 123P

Tween 80, effect of, on 45 calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537

Tyramine, effect of, on contractions in electrically stimulated guinea-pig atria depolarized by potassium, and in the pithed rat, 166P

—, response of pithed rat to, effect of chronic treatment with cadmium ion on, 167P

—, *p*- and *m*- isomers of, brain concentration of, effects of molindone and fluphenazine on, in the mouse and rat, 475

U

Ultrasonic device, a cheap and simple for quantifying animal activity, 189P

Ultrasound, real-time, measurement of gastric motor function, 188P

Umbilical arteries, human, sarcolemmal microsomes from, effects of vasodilator drugs, alkaline phosphatase, and cyclic AMP-dependent protein kinase on 45 calcium uptake of, 537

Urethane, pressure reversal of the effect of, on the evoked somatosensory cortical response in the rat, 241

Urinary bladder, rabbit and guinea-pig isolated, contribution of prostaglandins to the adenosine triphosphate-induced contraction of, 443

Urinary excretion, of water and sodium, effect of prostaglandin E_2 microinjected into the rat hypothalamus on, 415

Urine, guinea-pig, a protective factor in, against anaphylaxis, 119P

Uterus, rat isolated, effect of SK&F 92994 on effect of histamine on, 105P

—, rat pregnant, myometrium of, oxytocic drugs stimulate prostacyclin release from, 86P

—, rat pregnant, myometrium of, studies on prostacyclin formation by, 85P

V

Vagotomy, effect of, on effects of *Gymnodinium breve* toxin in anaesthetized cats, 249

—, effect of, on effects of clonidine on canine cardiac neuroeffector structures controlling heart rate, 269

—, in spinal dogs, effects of labetalol or hydralazine on heart rate and blood pressure after, 287

—, effect of, on effect of parathyroidectomy on cardiovascular reactivity to noradrenaline in anaesthetized rats with mineralocorticoid-induced hypertension, 301

Vagus nerve, rabbit, a pharmacological comparison of rapid and slow axonal transport in, 173P

—, rat isolated, direct excitant action of convulsant barbiturates on, 144P

Vas deferens, rat isolated, response of, to perimural stimulation, effect of chronic treatment with cadmium ion on, 167P

—, rat, interactions between morphine and the opioid-like peptides in, 519

Vascular permeability, in guinea-pig skin, effects of partially purified guinea-pig slow-reacting substance of anaphylaxis on, 183P

Vascular smooth muscle, rabbit, postsynaptic location of α_2 -adrenoceptors in, 63P

—, of human umbilical arteries, effects of vasodilator drugs on calcium ion pumps in, 537

—, in rat aortic strips and portal vein segments, effects of ketamine on function of, 257

—, relation between calcium and reactivity of, to noradrenaline in anaesthetized, vagotomized rats with mineralocorticoid-induced hypertension, 301

Vasculature, of tibia in anaesthetized dogs, effect of lumbar sympathetic stimulation on, 363

Vascular tissues, *in vivo* and *in vitro* measurements of changes in sympathetic nervous control of, in rats chronically treated with Cd^{2+} , 167P

Vasoconstrictor action, of noradrenaline, reversal by prostaglandin E_2 of blocking effects of phentolamine, tolazoline and yohimbine on, in rat isolated mesenteric artery, 91P

Vasoconstrictor effects, of locally administered adrenoceptor agonists, compared with their effects on increased plasma protein extravasation and blood flow in guinea-pig skin, 461

Vasodilatation, cutaneous, effect of N^6 -2'-*O*-dibutyryl adenosine 3',5'-monophosphate on, in the restrained mouse, 453

—, direct, by labetalol administered intravenously or systemically in anaesthetized dogs, 287

- , in terminal arterioles and muscular venules of rat mesenteric, pial and skeletal muscle microvasculatures, differential effects of calcium antagonist, verapamil on, 351
- Vasodilator actions**, coronary, of adenosine in anaesthetized dogs, potentiation of, by diazepam, 66P
- Vasodilator drugs**, effects of, on the 45 calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- , studies on the mechanism of action of, in strips of rabbit renal artery moderately contracted with noradrenaline in the absence or presence of phosphodiesterase inhibitors or verapamil, 219
- Vasopressin**, release of, by carbachol in the rat, central inhibition by γ -aminobutyric acid of, 78P
- , effects of ketamine on contractions induced by, in vascular smooth muscle of rat aortic strips and portal vein segments, 257
- Vasopressor response**, systemic, to intravenously administered prostaglandin E_2 , potentiation of, by thromboxane B_2 in the anaesthetized dog, 295
- Ventricular activity**, depression of, and β -adrenoceptor-blocking potency, relationship between, and the chronotropic effects of acebutalol, metoprolol and propranolol in conscious dogs with chronic heart-block, 335
- Ventricular muscle**, bovine, electrophysiological effects of imipramine on, 15
- Venules**, muscular, lumen sizes of, in rat mesenteric, pial and skeletal muscle vasculatures, differential effects of calcium antagonist, verapamil on, 351
- Verapamil**, effect of, on cyclic nucleotide levels in the rat isolated heart, 69P
- , effect of, on the calcium ion-transporting and Ca^{2+} -ATPase activity of isolated cardiac sarcolemmal preparations, 617
- , effect of, on 45 calcium uptake of sarcolemmal microsomes from human umbilical arteries, 537
- , effect of, on responses of strips of rabbit renal artery moderately contracted with noradrenaline to various vasodilators, 219
- , calcium antagonist, differential effects of, on lumen sizes of terminal arterioles and muscular venules in the rat mesenteric, pial and skeletal microvasculatures, 351
- Veratridine**, exocytotic release of catecholamine from perfused adrenal gland of guinea-pig induced by, 527
- , mechanism of γ -aminobutyric acid release from rat brain slices evoked by, 155P

- , effect of, on effect of cyproheptadine on insulin secretion in rat isolated islets of Langerhans, 355
- Veratrine**, release of [3H]-spermine evoked by, in rat cerebral cortex slices, 91P
- Vinblastine**, effect of, on intraocular pressure in the rabbit, the iris-ciliary processes as a possible site of action for, 124P
- VK 774**, differing effects of, on platelet aggregation in blood or platelet-rich plasma, 163P
- Voltage sensitivity**, of γ -aminobutyric acid antagonists at the bag region of *Ascaris* muscle, 139P
- Voltammetric evidence**, for involvement of 5-hydroxytryptamine in tail pinch induced gnawing in the rat, 132P

W

- Water**, urinary excretion of, effect of prostaglandin E_2 microinjected into the rat hypothalamus on, 415
- Water intake**, in the rat, effects of centrally administered dopamine and 2-amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene on, 151P
- WB 4101**, a widely used α_1 -adrenoceptor ligand, *in vivo* α -adrenoceptor selectivity of, in anaesthetized dogs, 60P
- Wy 25093**, a selective uptake blocker, effect of, on 5-hydroxytryptamine turnover in the CNS, 42P

Y

- Yohimbine**, blocking effect of, on vasoconstrictor action of noradrenaline in rat isolated mesenteric artery, reversal of, by prostaglandin E_2 , 91P
- , effect of, compared with WB 4101, in the anaesthetized dog, 60P
- , effect of, on effects of α -adrenoceptor agonists on mean arterial pressure in the rabbit, 63P
- , effect of, on guinea-pig isolated ileum, 395

Z

- Zimeldidine**, attenuation of pethidine- and morphine-induced antinociception by, an inhibitor of 5-hydroxytryptamine reuptake, in rats, 411