British Journal of Pharmacology

CONTENTS

VOLUME 71 NUMBER 1 1980

PAPERS

LECLERC, G., ROUOT, B., SCHWARTZ, J., VELLY, J. & WERMUTH, C.G. Studies on some para-substituted clonidine derivatives that exhibit an α-adrenoceptor stimulant activity

DEKANSKI, J.B. Anti-prostatic activity of bifluranol, a fluorinated bibenzyl

BARLOW, R.B. The size of hydroxyl groups in solution and the changes in size associated with the ionization of phenolic, carboxylic and amino groups in phenolic quaternary ammonium salts, nicotine and some amino acids: possible implications for drug-water and drug-receptor interactions

BARLOW, R.B. & RAMTOOLA, SHENAZ The size of the hydroxyl group and its contribution to the affinity of atropine for muscarine-sensitive acetylcholine receptors

DEHPOUR, A.R., KHOYI, M.A., KOUTCHEKI, H. & ZARRINDAST, M.R. Pharmacological study of the anococcygeus muscle of the dog

SAUVIAT, MARTIN-PIERRE Effects of ervatamine chlorhydrate on cardiac membrane currents in frog atrial fibres

- HUIDOBRO-TORO, J. PABLO Antidiuretic effect of β-endorphin and morphine in Brattleboro rats: development of tolerance and physical dependence after chronic morphine treatment
- SUMMERS, R.J. [³H]-clonidine binding to α-adrenoceptors in membranes prepared from regions of guinea-pig kidney: alteration by monovalent and divalent cations
- 65 HITCHCOCK, MARGARET Stimulation of the antigen-induced contraction of guinea-pig trachea and immunological release of histamine and SRS-A from sensitized guinea-pig lung by (2-iso-propyl-3-indolyl)-3 pyridyl ketone (L8027) and indomethacin

- 75 ADEAGBO, A.S.O. & OKPAKO, D.T. Mechanism of noradrenaline potentiation by prostaglandin E₂ in rat mesenteric artery
- 83 ALLEN, KAREN E., CLARK, E.R. & JORDAN, V.C. Evidence for the metabolic activation of non-steroidal antioestrogens: a study of structureactivity relationships
- 93 KAŽIĆ, TOMISLAV & MILOSAVLJEVIĆ, DRAGICA Interaction between adenosine triphosphate and noradrenaline in the isolated vas deferens of the guinea-pig
- 99 MARTIN, R.J. The effect of γ-aminobutyric acid on the input conductance and membrane potential of Ascaris muscle
- 107 GHELANI, A.M., HOLROYDE, M.C. & SHEARD, P. Response of human isolated bronchial and lung parenchymal strips to SRS-A and other mediators of asthmatic bronchospasm
- SPEDDING, M. Effects of metoclopramide and isoprenaline in the rat vas deferens; interactions with α-adrenoceptors
- 121 GRANT, JACQUELINE A. & SCRUTTON, MICHAEL C. Interaction of selective α-adrenoceptor agonists and antagonists with human and rabbit blood platelets
- 135 COHEN, JACKIE, ECKSTEIN, LEAH & GUT-MAN, YEHUDA The mechanism of α-adrenergic inhibition of catecholamine release
- 143 ISHIZAKI, TAKASHI & TAWARA, KAZUJI Absence of changes in drug disposition and catecholamine sensitivity in the hyperthyroid dog
- 157 ALLAN, G., EAKINS, K.E., KULKARNI, P.S. & LEVI, R. Inhibition of thromboxane A₂ biosynthesis in human platelets by burimamide

- 165 ALLOTT, C.P., EVANS, D.P. & MARSHALL, P.W. A model of irritant-induced bronchoconstriction in the spontaneously breathing guinea-pig
- 169 BENNETT, A., JAROSIK, C., SANGER, G.J. & WILSON, D.E. Antagonism of prostanoid-induced contractions of rat gastric fundus muscle by SC-19220, sodium meclofenamate, indomethacin or trimethoquinol
- 177 COX, BARRY & ENNIS, CHRISTINE Mechanism of action of dopamine on the guinea-pig gastro-oesophageal junction *in vitro*
- 185 DOGGRELL, SHEILA A. & SCOTT, G.W. The occurrence of postsynaptic α and β -adrenoceptors in the guinea-pig gall bladder
- 191 SILINSKY, E.M. Evidence for specific adenosine receptors at cholinergic nerve endings
- 195 ILLES, P. & SCHULZ, R. Inhibition of neuroeffector transmission by morphine in the vas deferens of naive and morphine-treated mice
- 201 JHAMANDAS, KHEM & SUTAK, MAAJA Action of enkephalin analogues and morphine on brain acetylcholine release: differential reversal by naloxone and an opiate pentapeptide
- 211 JHAMANDAS, K. & ELLIOTT, J. Investigation of action of enkephalin on the spontaneous and evoked release of acetylcholine from rat cortical and striatal slices
- 219 ALI, B.H. & BARTLET, A.L. Inhibition of monoamine oxidase by furazolidone in the chicken and the influence of the alimentary flora thereon
- 225 DOCHERTY, J.R. & McGRATH, J.C. A comparison of the effects of pancuronium bromide and its monoquaternary analogue, Org NC 45, on autonomic and somatic neurotransmission in the rat
- 235 DOWDLE, E.B. & MASKE, R. The effects of dipyridamole on the guinea-pig ileal longitudinal muscle-myenteric plexus preparation
- 245 DOWDLE, E.B. & MASKE, R. The effects of calcium concentration on the inhibition of cholinergic neurotransmission in the myenteric plexus of guinea-pig ileum by adenine nucleotides
- 253 BERESFORD, ROSEMARY A. & FASTIER, F.N. Effects of some S-alkylthiouroniums and related compounds on the osmotic fragility and the membrane expansion of human erythrocytes

- 259 OSBORNE, NEVILLE N. Binding of [³H]-muscimol, a potent γ-aminobutyric acid receptor agonist, to membranes of the bovine retina
- 265 GRIPENBERG, J., HEINONEN, E. & JANSSON, S.-E., with an appendix by HEINONEN, E. & TOLPPANEN, E.M. Uptake of radiocalcium by nerve endings isolated from rat brain: kinetic studies
- 273 GRIPENBERG, J., HEINONEN, E. & JANS-SON, S.-E. Uptake of radiocalcium by nerve endings isolated from rat brain: pharmacological studies
- 279 SMART, T.G. Do motor-nerve terminals have γ-aminobutyric acid receptors?
- 287 FIELDEN, R., SUTTON, T.J. & TAYLOR, E.M. Effect of tilting on the pressor responses to McN-A-343, a muscarinic sympathetic ganglion stimulant
- 297 McQUEEN, D.S. & RIBEIRO, J.A. Inhibitory actions of methionine-enkephalin and morphine on the cat carotid chemoreceptors
- 307 NORTH, R.A. & VITEK, L.V. A study of the role of cyclic adenosine 3',5'-monophosphate in the depression by opiates and opioid peptides of excitatory junction potentials in the mouse vas deferens
- 315 COUTURIER, E. & MALAISSE, W.J. Synergistic effects of hypoglycaemic sulphonylureas and anti-biotic ionophores upon calcium translocation
- 321 BOWDLER, JULIE M., GREEN, A. RICHARD & RAWLE, FRANCES C. Brain and serum calcium concentrations following electroconvulsive shock or bicuculline-induced convulsions in rats
- 327 TAYLOR, W.J., WOLF, A. & YOUNG, J.M. The interaction of amine local anaesthetics with muscarinic receptors
- 337 KNEPEL, W. & MEYER, D.K. Influence of converting enzyme inhibition on the release of vaso-pressin induced by angiotensin

343 ISHIDA, YUKISATO, OZAKI, HIROSHI & SHIBATA, SHOJI Vasorelaxant action of caroverine fumarate (a quinoxaline derivative), a calcium-blocking agent

349 DAS, M., GANGULY, D.K. & VEDASIRO-MONI, J.R. Anti-tremor action of C₁₀Dichol, a peripheral acetylcholine synthesis inhibitor

VOLUME 71 NUMBER 2 1980

SHORT COMMUNICATIONS

- HYSLOP, DEBORAH K. & TAYLOR, DUN-CAN P. The interaction of trazodone with rat brain muscarinic cholinoceptors
- 362 BROWN, D.A., FORWARD, A. & MARSH, S.
 Antagonist discrimination between ganglionic and ileal muscarinic receptors

PAPERS

- ▶ 365 BELLET, M., ELGHOZI, J.L., MEYER, P., PERNOLLET, M.G. & SCHMITT, H. Central cardiovascular effects of narcotic analgesics and enkephalins in rats
- 371 KUNOS, GEORGE, MUCCI, LUCIA & O'REGAN, SEANA The influence of hormonal and neuronal factors on rat heart adrenoceptors
- , 387 DAWSON, W. & SWEATMAN, W.J.F. The pharmacology of Isamoxole [2-methyl-N-butyl-N(4-methyloxazol-2-yl) propanamide] LRCL 3950, a new anti-allergic compound
- 399 HO, WILLIAM K.W., NAKAO, K. & SHIBATA,
 S. The inhibitory action of two thrombin inhibitors (TI-189 and TI-233) on the contractile responses to 5-hydroxytryptamine and prostaglandin endoperoxide analogue (U-44069) in isolated vascular strips
- 407 KENAKIN, TERRY P. Errors in the measurement of agonist potency-ratios produced by uptake processes: a general model applied to β-adrenoceptor agonists
- •419 BODACH, E., COCEANI, F., DUMBRILLE, A., OKPAKO, D.T. & OLLEY, P.M. The response of the isolated ductus arteriosus to transmural stimulation and drugs
- → 129 DOGGRELL, SHEILA A. & SCOTT, GERALD W. The effects of time and indomethacin on contractile responses of the guinea-pig gall bladder in vitro
- MAJEWSKI, H., McCULLOCH, M.W., RAND,
 M.J. & STORY, D.F. Adrenaline activation of prejunctional β-adrenoceptors in guinea-pig atria

- 445 MacDONALD, A. & McGRATH, J.C. The distribution of adrenoceptors and other drug receptors between the two ends of the rat vas deferens as revealed by selective agonists and antagonists
- 459 CLANACHAN, A.S. & MARSHALL, R.J. Potentiation of the effects of adenosine on isolated cardiac and smooth muscle by diazepam
- 467 BRETAG, A.H., DAWE, S.R., KERR, D.I.B. & MOSKWA, A.G. Myotonia as a side effect of diuretic action
- 473 CONWAY, E.L. & JARROTT, B. Clonidine distribution in the rat: temporal relationship between tissue levels and blood pressure response
- 479 KOMORI, S., OHASHI, H. & TAKEWAKI, T. The effects of α- and β-adrenoceptor activation on tension and membrane properties of the longitudinal smooth muscle of the chicken rectum
- 489 KARASHIMA, TSUYOSHI Actions of nitroglycerine on smooth muscles of the guinea-pig and rat portal veins
- JOHNS, E.J. A comparison of the ability of two angiotensin II receptor blocking drugs, 1-Sar, 8-Ala angiotensin II and 1-Sar, 8-Ile angiotensin II, to modify the regulation of glomerular filtration rate in the cat
- 507 BRAY, M.A., FORD-HUTCHINSON, A.W., SHIPLEY, M.E. & SMITH, M.J.H. Calcium ionophore A23187 induces release of chemokinetic and aggregating factors from polymorphonuclear leucocytes
- 513 CHEVILLARD, C., MATHIEU, M.N. & RECOMMIS, D. Prejunctional actions of piribedil on the isolated kidney of the rabbit: comparison with apomorphine
- 519 KANAZAWA, T., OHASHI, H. & TAKEWAKI, T. Evidence that cell bodies of non-cholinergic, excitatory neurones which supply the smooth muscle of the chicken rectum are located in the ganglia of Remak's nerve

- 525 LABURN, HELEN, MITCHELL, D. & STEPHEN, J. Effects of intracerebroventricular floctafenine and indomethacin on body temperature in febrile rabbits
- 529 CAMPBELL, WILLIAM B., GRAHAM, ROBERT M., JACKSON, EDWIN K., LOISEL, DANIEL P. & PETTINGER, WILLIAM A. Effect of indomethacin on hydralazine-induced renin and catecholamine release in the conscious rabbit
- 533 GERBER, JOHN G., NIES, ALAN S. & OLSON, RICHARD D. Prazosin does not alter canine renin release in response to systemic hypotension or intrarenal isoprenaline and prostaglandin I₂ infusion
- 539 HITCHCOCK, MARGARET Effect of variation in endogenous levels of ascorbic acid on the *in vitro* immunological release of histamine and slow reacting substance of anaphylaxis from actively sensitized guinea-pig lung fragments
- 545 KERWIN, R.W., OLPE, H.-R. & SCHMUTZ, M. The effect of sodium-n-dipropyl acetate on γ-aminobutyric acid-dependent inhibition in the rat cortex and substantia nigra in relation to its anticonvulsant activity
- 553 ENNS, LOUISE & McCOY, E.E. A study of γ-aminobutyric acid uptake in normal and Down's syndrome platelets
- 557 DOGGRELL, SHEILA A. & VINCENT, LYNN Accumulation and overflow of ³H following incubation of the guinea-pig gall bladder with [³H]-noradrenaline
- 569 BESSER, G.M., DELITALA, G., GROSSMAN, ASHLEY, STUBBS, W.A. & YEO, T. Chlorpromazine, haloperidol, metoclopramide and domperidone release prolactin through dopamine antagonism at low concentrations but paradoxically inhibit prolactin release at high concentrations
- 575 KUDO, YOSHIHISA & SHIBATA, SHOJI The potent depolarizing action of palytoxin isolated from *Palythoa tubercurosa* on the isolated spinal cord of the frog

- 581 ISHIDA, YUKISATO & SHIBATA, SHOJI Characteristic contractile response to the calcium ionophore, A23187, in guinea-pig vas deferens
- 585 MULVANY, M.J. & NYBORG, N. An increased calcium sensitivity of mesenteric resistance vessels in young and adult spontaneously hypertensive rats
- 597 MARSHALL, R.J. & PARRATT, J.R. Prophylactic lignocaine and early post-coronary artery occlusion dysrhythmias in anaesthetized greyhounds
- 601 AHLUWALIA, P. & SINGHAL, R.L. Effect of low-dose lithium administration and subsequent withdrawal on biogenic amines in rat brain
- 609 SONNENFELD, T. & WENNMALM, Å. Inhibition by nicotine of the formation of prostacyclinlike activity in rabbit and human vascular tissue
- 615 WINSLOW, EILEEN Evaluation of antagonism of aconitine-induced dysrhythmias in mice as a method of detecting and assessing antidysrhythmic activity
- 623 KLUGMAN, K.P., LEMBECK, F., MARKO-WITZ, S., MITCHELL, G. & ROSENDORFF, C. Substance P increases hypothalamic blood flow via an indirect adrenergic-cholinergic interaction
- 631 BRETZ, U., DEWALD, B., PAYNE, T. & SCHNYDER, J. Phagocytosis stimulates the release of a slow reacting substance in cultured macrophages
- 635 ALMOTREFI, A.A. & BAKER, J.B.E. Investigation of the antifibrillatory activity of some anticonvulsant γ-aminobutyric acid-transaminase inhibitors in the rabbit isolated heart: comparison with phenytoin and mexiletine
- 641 EL TAHIR, K.E.H. & WILLIAMS, K.I. Factors affecting prostacyclin formation by the rat pregnant myometrium

- 651 HOLMAN, MOLLIE E. & SURPRENANT, ANNMARIE An electrophysiological analysis of the effects of noradrenaline and α-receptor antagonists on neuromuscular transmission in mammalian muscular arteries
- 663 BUTCHERS, P.R., SKIDMORE, I.F., VARDEY, C.J. & WHEELDON, A. Characterization of the receptor mediating the anti-anaphylactic effects of β-adrenoceptor agonists in human lung tissue in vitro