

British Journal of Pharmacology

SHORT COMMUNICATIONS

RUSSELL, D.C. Haemodynamic effects of sulphinpyrazone in experimental myocardial ischaemia

MARY, P.L. & RAO, J. PRAKASA Type of adrenoceptors involved in induction by adrenaline of hepatic alkaline phosphatase in mice *in vivo*

KARANIAN, J.W., MORAN, F.M., RAMEY, E.R. & RAMWELL, P.W. Gender differences in prostaglandin receptors of rat aorta

GILLAN, MAUREEN G.C., KOSTERLITZ, HANS W. & MAGNAN, JACQUES Unexpected antagonism in the rat vas deferens by benzomorphans which are agonists in other pharmacological tests

PAPERS

FELDBERG, W. & ROCHA E. SILVA, M. Inhibition of vasopressin release to carotid occlusion by γ -aminobutyric acid and glycine

FRICKE, UWE, KLAUS, WOLFGANG & ROGATTI, MICHAEL Active site-directed alkylation of $\text{Na}^+\text{-K}^+\text{-ATPase}$ by digitalis sulphonate derivatives of different lipophilicity

AUNIS, DOMINIQUE & GARCÍA, ANTONIO G. Correlation between catecholamine secretion from bovine isolated chromaffin cells and $[\text{H}]$ -ouabain binding to plasma membranes

DURANT, NICHOLAS N. & LAMBERT, JEREMY The action of polymyxin B at the frog neuromuscular junction

DALY, M.J., HUMPHRAY, JANET M. & STABLES, J. Some *in vitro* and *in vivo* actions of the new histamine H_2 -receptor antagonist, ranitidine

DALY, M.J., HUMPHRAY, JANET M. & STABLES, J. Antagonism of vasodepressor and gastric secretory responses to histamine by the H_2 -receptor antagonists, ranitidine and cimetidine, in the anaesthetized dog

ITO, S., NAKAZATO, Y. & OHGA, A. Further evidence for the involvement of Na^+ channels in the release of adrenal catecholamine: the effect of scorpion venom and grayanotoxin I

69 ANDERTON, BRIAN H., AXFORD, JOHN S., COHN, PETER, MARSHALL, NICHOLAS J., SHEN, LI & SPRAKE, SALLY Inhibition of lymphocyte capping and transformation by propranolol and related compounds

75 ANGEL, A. & CLARKE, K.A. The effects of trimethadione on pentetrazol-induced discharges of primary muscle spindle afferents from the hind limb of the rat

81 KINDNESS, G., LONG, W.F. & WILLIAMSON, F.B. The anticoagulant activity of dermatan sulphates: evidence against the involvement of antithrombin III

89 PIPILI, EVA & POYSER, N.L. Effects of nerve stimulation and of administration of noradrenaline or potassium chloride upon the release of prostaglandins I_2 , E_2 and $\text{F}_{2\alpha}$ from the perfused mesenteric arterial bed of the rabbit

95 BATCHELOR, K.W. & STANWORTH D.R. The effects of nonidet P40 on the function of rat peritoneal mast cells *in vitro*

101 BOTTING, J.H. Spurious effects of commercial preparations of oxytocin on the isolated vas deferens of the rat

103P PROCEEDINGS OF THE ITALIAN AND BRITISH PHARMACOLOGICAL SOCIETIES, Verona, Italy, 30th June and 1st July, 1980

103P BERTACCINI, G. & SCARPIGNATO, C. Effects of some cholecystokinin (CCK)-like peptides on gastric emptying of a liquid meal in the rat

104P BELL, G.D., CLEGG, R.J., COHN, M.R., DUGGLEBY, J.E., ELLIS, W.R., MACDONALD, I.A., MIDDLETON, B. & WHITE, D.A. Terpene therapy for gallstones—effects of individual monoterpenes on bile flow, bile composition and hepatic cholesterogenesis in the rat

106P CAPARROTTA, L., FASSINA, G., GAION, R.M. & TESSARI, F. Age-related changes in the antipolytic action of nicotinic acid

107P CUMAN, R., GIRALDI, T., LASSIANI, L., NISI, C. & SAVA, G. Mechanism of the antileukaemic action of dimethyltriazenes in mice

- 107P ARMSTRONG, J.M., CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE Comparison of the bradycardia produced by oxymetazoline and clonidine in urethane and pentobarbitone anaesthetized rats
- 108P BIGON, E., BRUNI, A., MIETTO, L., TARJAN, E.M. & TOFFANO, G. Lysophosphatidylserine-induced mast cell activation *in vivo*
- 109P BLANDINA, P., FANTOZZI, R., MANNAIONI, P.F. & MASINI, EMANUELA Muscarinic cholinceptors in rat mast cells: demonstration by direct binding
- 110P BRIGONZI, A., CLEMENTI, F., TRONCONI, B., CONTI, FUMAGALLI, G. & SHER, E. Acetylcholine receptor degradation in rat myotubes *in vitro*: effect of myasthenic sera and of drugs used in the treatment of myasthenia gravis
- 111P ELLIOT, R.C. Studies on the interaction of methohexitone and suxamethonium or acetylcholine on the chick biventer cervicis preparation
- 112P CONTE-CAMERINO, D. & MITOLO-CHIEPPA, D. Effects of emetine on rat skeletal muscle fibres after chronic application to the nerve
- 113P CONSTANTI, A. & NISTRI, A. L-Cysteate mimics the action of L-aspartate on lobster muscle
- 114P MARSHALL, R.J. & MUIR, A.W. The antiarrhythmic haemodynamic and metabolic effects of a new antianginal agent, bepridil, in the early stages of canine acute myocardial infarction
- 115P BANDINELLI, R., FRANCONI, FLAVIA, GIOTTI, A., MARTINI, F., MONETI, G., STENDARDI, ISABELLA & ZILLETI, LUCILLA The positive inotropic effect of taurine and calcium and the levels of taurine in ventricular strips
- 116P GIBBONS, W.R., MUGELLI, A. & VASSALLE, M. A pharmacological study of the oscillatory current in cardiac Purkinje fibres
- 116P FADLOUN, Z. & LEACH, G.D.H. Effect of chemical sympathectomy on the changes in adrenergic function caused by chronic Cd^{2+} treatment in the rat
- 119P HAMILTON, C.A. & REID, J.L. The effect of 6-hydroxydopamine on rabbit peripheral alpha adrenoceptors *in vivo* and *in vitro*
- 120P DOCHERTY, J.R., MADJAR, H. & STARKE, K. An investigation of pre- and postsynaptic α -adrenoceptors in the rabbit hindlimb
- 121P LANGER, S.Z., MASSINGHAM, R. & SHEPPERSON, N.B. An explanation of the resistance of the nor-adrenaline pressor response to prazosin blockade *in vivo*
- 123P LANGER, S.Z., MASSINGHAM, R. & SHEPPERSON, N.B. Differential sensitivity to prazosin blockade of endogenously released and exogenously administered noradrenaline: possible relationship to the synaptic location of α_1 - and the extrasynaptic location of α_2 -adrenoceptors in dog vascular smooth muscle
- 124P GARGIULO, G., NISTICÒ, G., ROTIROTI, VESTRI, R. & STEPHENSON, J.D. Stereotypic behaviour in fowls elicited by apomorphine given into the optic ventricle and into the nucleus spiroformis
- 124P MEMO, M., SPANO, P.F. & TRABUCO, G. Characterization and localization of dopamine D₁ receptors
- 125P TIMIRAS, P.S. & VACCARI, A. Thyroid dysfunction and striatal dopamine receptors
- 126P ALDRIDGE, S.J. & MARSDEN, C.A. Effects of pentobarbitone on uptake and release of [3H]-dopamine from a crude striatal synaptosome preparation
- 127P CERRITO, F. & RAITERI, M. Dopamine reuptake: a major feedback mechanism controlling dopamine synthesis
- 128P BARTHOLINI, G., LLOYD, K.G., SCATTOLONE, P. & WORMS, P. Cortical influences on striatal function in the rat
- 129P FREEDMAN, S.B. & WOODRUFF, G.N. Effects of neuroleptic drugs on [3H]-sulpiride binding in rat striatal membranes
- 130P JENNER, P., MARSDEN, C.D., REAVILL, J. & THEODOROU, A. Reduction of specific [3H]-dopamine binding sites in rat striatum following decortication or striatal kainic acid lesions
- 131P BARBAT, J. & WARRINGTON, S.J. (introductory by TURNER, P.) Effects of cimetidine and ranitidine on some non-invasive indices of cardiac function
- 131P BRADSHAW, C.M., GASZNER, P. & SZABO, Z. Comparison of the peripheral anticholinergic activity of DL-308, a potential new neuroleptic, of thioridazine and atropine in healthy volunteers
- 133P PERUCCA, E., PICKLES, H., QUY, R. & RICHARDS, A. A standardized method for assessing the effect of β -adrenoceptor blocking drugs upon isoprenaline-induced physiological tremor and tachycardia: a test for cardioselectivity?
- 134P BIRMINGHAM, A.T., ROLAND, J., WHITFIELD, J., HEATHER J., WILLIAMS, E.J. & WILSON, J. Effects of atenolol and propranolol on finger temperature
- 135P JOHNSTON, A., BURGESS, C.D., HENRIKSEN, J. & HATHWAY, N.R. & HAMER, J. Mexiletine effects on renal excretion: influence of urinary pH and volume
- 135P BIANCHETTI, G., BOUTROY, M.J., DUBREUIL, J. & MORSELLI, P. L. & VERT, P. Placental transfer and pharmacokinetics of acebutolol and N-acetylmethoprolol in the newborn
- 136P BLACKWELL, G.J., CARNUCCIO, R., DILLON, M., FLOWER, R.J. & PARENTE, L. Storage and calcium ionophore-induced release from rat leucocytes of a phospholipase inhibitor

- CONFORTI, A., FRANCO, L., MILANINO, R. & VELO, G.P. Serum copper concentration and ceruloplasmin activity during carrageenan foot oedema in rat
- EL TAHIR, K.E.H. & WILLIAMS, K.I. Lipoxygenase products derived from blood elements within the decidua of the rat pregnant uterus inhibit myometrial prostacyclin formation
- SALVATI, PATRICIA & WHITTLE, B.J.R. Vascular actions of prostaglandins on the isolated perfused stomach of the rabbit
- BERTI, F., FOLCO, G.C., OMINI, C., ROSSONI, G. & VIGANÒ, T. Relationship between bronchoconstriction and thromboxane A₂ formation in the guinea-pig: effect of aspirin
- BIANCHI PORRO, G., CARUSO, I., CIABATTONI, G., PATRIGNANI, P., PATRONO, C. & PUGLIESE, F. Comparative effects of aspirin and diflunisal on platelet and gastric prostaglandin-synthetase in humans
- BOWERY, N.G., SHAW, J.S., TURNBULL, M.J. & WARRINGTON, RUTH Inhibitors of neuronal GABA uptake potentiate the inhibitory effect of GABA on the field-stimulated guinea-pig vas deferens preparation
- HAY, D.W.P. & WADSWORTH, R.M. Potassium contractures in the rat isolated vas deferens: the role of noradrenaline release and of extracellular calcium
- SPEDDING, M. Marked differences in the effects of 'Ca²⁺-antagonists' on CaCl₂-induced contractions in K⁺-depolarized smooth muscle
- BRAMBILLA, G., CAVANNA, M., DE FLORA, S., PARODI, S., PINO, A. & ROBBIANO, L. DNA-damaging and mutagenic activity of five hydrazine derivative monoamine oxidase inhibitors
- BANCHELLI SOLDAINI, G. & BUFFONI, F. Histochemistry of porcine tissues using antibodies to pig plasma amine oxidase
- DI GIULIO, A.M., GROPPETTI, A. & MANTEGAZZA, P. Effect of reserpine on met-enkephalin-like material concentrations in the rat adrenal gland
- MANARA, L., MONFERINI, EUGENIA & STRADA, D. Rat small intestine contains opiate receptor binding and a potent interfering factor
- ANTONELLI, T., BEANI, L., BIANCHI, C., PEDATA, F. & PEPEU, G. The effects of electrical stimulation, high K⁺ concentrations, atropine and physostigmine on high affinity choline uptake (HACU) in guinea-pig brain slices
- CASAMENTI, F., CORRADETTI, R., MORONI, F. & PEPEU, G. The efflux of endogenous GABA and glutamate from the rat parietal cortex *in vivo*
- APUD, J.A., CASANUEVA, F., CIVATI, C., COCCHI, D., LOCATELLI, V., MÜLLER, E.E. & MACAGNI, G. Central nervous system derived GABA influences plasma GABA concentrations and prolactin secretion
- 151P COCCHI, D., MARTINEZ-CAMPOS, A., MÜLLER, E.E. & ZANARDI, P. Neuroendocrine studies in a rat model mimicking Huntington's disease
- 151P BENNETT, G.W. & KEELING, M. H₂-mediated histamine induced release of thyrotrophin releasing hormone (TRH) from hypothalamic synaptosomes: a neuroendocrine role for histamine
- 152P BRILEY, M., LANGER, S.Z., RAISMAN, RITA, SECHTER, D. & ZARIFIAN, E. High-affinity binding of [³H]-imipramine to human platelets: differences between untreated depressed patients and healthy volunteers
- 154P ARBILLA, SONIA, BRILEY, M., CATHALA, FRANÇOISE, LANGER, S.Z., PORNIN, CLAUDIE & RAISMAN, RITA Parallel changes in [³H]-imipramine binding sites in cat brain and platelets following chronic treatment with imipramine
- 155P FERRI, S., SCOTO, G.M. & SPADARO, C. Increase of opioid activity in the rat pituitary following the administration of sulpiride
- 156P ALGERI, S., DE SIMONI, M.G., JIRITANO, L. & MISTEREK, K. Tolerance and cross-tolerance between D-Ala² methionine-enkephalinamide and morphine on their action on motor behaviour and on the metabolism of dopamine and serotonin in some rat brain areas
- 156P BARTOLINI, A., BARTOLINI, R., BISCINI, A., GIOTTI, A. & MALMBERG, P. Investigations into baclofen analgesia: effect of naloxone, bicuculline, atropine and ergotamine
- 157P HENRY, J.L. (introduced by COMMISSIONG, J.W.) Naloxone excitation of spinal nociceptive units fails to occur in hypophysectomized cats
- 158P BEANI, L., BIANCHI, C. & SINISCALCHI, A. Naloxone reversal of morphine inhibition on electrically-evoked ACh release from guinea-pig thalamus *in vitro*
- 159P GALVAN, M., GRAFE, P. & TEN BRUGGENCATE, G. Presynaptic actions of GABA on rat isolated sympathetic ganglia demonstrated in the presence of 4-aminopyridine
- 160P ANNUNZIATO, L., CERRITO, F. & RAITERI, M. Dopamine: spontaneous and drug-evoked release from presynaptic nerve endings of the tuberoinfundibular system
- 161P CURRUBA, M.O., MANTEGAZZA, P., MÜLLER, E.E. & RICCIARDI, S. Effects of anorectic drugs on the hyperphagic response induced by insulin or 2-deoxy-d-glucose glucoprivation
- 162P DE CARO, G., MASSI, M. & MICOSSI, L.G. Effects of crinia-angiotensin II on drinking behaviour of rats and pigeons
- 163P ADEMBRI, G., GALLI, A., GIOTTI, A., LUZZI, S., SCOTTON, MIRELLA & ZILLETI, LUCILLA Interaction of N-acyl and N-sulphonyl derivatives of homotaurine (3-aminopropanesulphonic acid) with GABA receptor sites and their effects on the central nervous system of the rat

- 164P ABBOTT, R. & NAHORSKI, S.R. A radioreceptor assay using [^3H]-muscimol for GABA in human cerebrospinal fluid
- 165P DICKINSON, K.E.J., NAHORSKI, S.R. & WILLCOCKS, A.L. Serotonin recognition sites are labelled in cerebral cortex by the β -adrenoceptor antagonist [^{125}I]-hydroxybenzylpindolol
- 166P BRUNO, F., CARENZI, A., FRIGENI, V., IULIANO, E., PETROGALLI, R. & RACAGNI, G. Differences in the development of tolerance to morphine and D-al 2 -methionine-enkephalin in two inbred strains of mice
- 167P DI GIULIO, A.M., MANTEGAZZA, P., PANERAI, A. & PERALTA, E. Effect of hyperprolactinemia on β -endorphin and met-enkephalin concentrations in brain and pituitary
- 167P BABBINI, M., BARTOLETTI, M. & GAIARDI, M. Behavioral effects of chlorpromazine and chlordiazepoxide in rats: qualitative or quantitative differences?
- 168P CORTESE, I., CRISTINO, R. & CUOMO, V. Behavioural effects induced by low doses of methylmercury in rats
- 169P DALL'OLIO, R., GANDOLFI, O. & MONTANARO, N. Neurotoxic lesion of the median raphe nucleus protects rats from electroconvulsive shock-induced retrograde amnesia of passive avoidance conditioning
- 170P BREZENOFF, H.E., CAPUTI, A.P., CARNEY, K., LAMPA, E., MARMO, E. & ROSSI, F. Role of brain acetylcholine in reflex control in the conscious rat
- 170P HAY, D.W.P. & WADSWORTH, R.M. The contractile effects of 5-hydroxytryptamine on the rat isolated vas deferens
- 171P BHALLA, P. & MARSHALL, I. Post-junctional location of histamine receptors in mouse and rabbit vasa deferentia
- 172P BORKOWSKI, K.R., HICKS, P.E. & MOORE, R.A. The effects of indapamide on the responses to electrical stimulation of *in vitro* preparations from the rat
- 173P BUFFONI, F., CORRIAS, M. & PIRISINO, R. Inhibition of noradrenaline uptake by N-methyl-benzylamine
- 174P DEL BIANCO, P.L., FANCIULLACCI, M. & SICUTERI, F. Local (iris, vein) pharmacological tests in morphine addiction
- 175P BERTOLASI, V., BOREA, P.A., GILLI, G. & SACERDOTI, M. Structure-activity relationships in histamine H_1 receptor antagonists
- 175P MARTORANA, M.G. & RODGER, I.W. Effects of Ca^{2+} withdrawal and verapamil on excitation-contraction coupling in sensitized guinea-pig airway smooth muscle
- 176P CRAGGS, M.D., HODSON, STEPHANIE G. & STEPHENSON, J.D. An *in vitro* and *in vivo* comparison of the effects of cholinergic blockade on cat and baboon urinary bladders
- 177P BERNARDINI, C., DEL TACCA, M., MARTINOTTI, E. & SOLDANI, G. β_2 Adrenoceptor agonists inhibit gastric acid secretion in Shay rats
- 178P CESERANI, R., FAUSTINI, F., LONGIA MIZZOTTI, B. & POZZI, O. 11-deoxy-13,14-dro-16S-methyl-PGE $_2$ (K11550), a new antiulcer
- 179P BRILEY, M.S., LANGER, S.Z. & PIMOULEMEN Changes in [^3H]-clonidine binding after term surgical denervation of rat submaxillary gland
- 180P D'AMICO, K.M., DAVIS, S.S., FRIER, M., RANI, P., HARDY, J.G. & WILSON, C.G. Emulsifiers on the elimination of intravenously-administered fat emulsions measured by gamma scintigraphy
- 181P CHIESARA, E., CLEMENTI, F., BIZZI, A., D., MARABINI, L. & DELLA TORRE, P. Low feeding of rats with semi-synthetic diets substituted protein components: effect on kidney and liver
- 181P COCCIA, P., CROCI, T. & MANARA, L. Lesion persists in liver 2 weeks after a single dose of chow with added charcoal or cholic acid
- 182P BARTHOLEYNS, J., FOZARD, J.R. & PRADY, N.J. Dexamethasone inhibition of carrageenan oedema in the rat requires *de novo* synthesis of protein
- 183P HARROWING, P.D. & WILLIAMS, K.I. The placental prolactin synthesis inhibitor in placental homogenate located in trapped blood elements
- 184P CORTE, LAURA DELLA, GIOVANNINI, GRAZIA, MARTINI, P., MEGAZZINI, PULITI, ROBERTA, SGARAGLI, G.P. & DRAC, GLORIA *In vivo* N-dealkylation of chlorpromazine and chlorimipramine: a single-dose study in the rat
- 185P BENONI, G., BERTAZZONI-MINELLI, E., CASSO, M.E. & LEONE, R. Biliary excretion of amines in rats: *in vitro* and *in vivo* determination
- 186P BRAMBILLA, G., CARLO, P., FINOLLO, R., ETTI, W., MARTELLI, A., PALA, M., PARONANINGHER, M. An extremely sensitive new method for evaluating DNA damage induced by mutagenic carcinogens
- 187P GEROSA, F., PEZZINI, A., PIZZIGHETTI, RIVIERA, A.P. & TRIDENTE, G. Role of histamine and antagonists of histamine lymphocyte receptor functional expression of the immune system
- 188P CARPI, C., DORIGOTTI, L. & SEMERARO, L. Diltiazem and its identified metabolites: cardiovascular effects on blood pressure and on arterial compliance
- 189P FADLOUN, Z. & LEACH, G.D.H. The effect of Cd^{2+} on the responsiveness of the rat isolated kidney to periarterial stimulation, noradrenaline and potassium ions
- 190P BOUDOT, J.P., CAVERO, I. & FEUVRE, J. Further studies on the effects of diltiazem on the isolated heart perfused with an oxygenated hypoxic solution: correlation between ultrastructural and mechanical effects
- 191P CALLANAN, K. & KEENAN, A.K. The pharmacological effects of isoprenaline, D600 and dantrolene in the rat
- 192P BHARGAVA, K.P., PANT, K.K. & TANG, S. Role of α -adrenoceptors in the spinal cord in the development of infarction-induced cardiac arrhythmias