

British Journal of Pharmacology

CONTENTS

VOLUME 73 NUMBER 1 MAY 1981

SHORT COMMUNICATIONS

- 3 BOURA, A.L.A., HUI, S-C.G. & WALTERS, W.A.W. Cigarette smoke inhalation specifically inhibits depressor responses to prostacyclin in the rat
- 6 CRANSTON, W.I., GOURINE, V.N. & TOWNSEND, Y. The effects of intracerebro-ventricular cycloheximide on protein synthesis and fever in rabbits
- 9 MARUYAMA, M., SATOH, K. & TAIRA, N. Effects of glyceryl trinitrate and SIN-1A on musculature and vasculature of the dog trachea *in situ*

PAPERS

- 13 BRINK, CHARLES Tolerance of guinea-pig airway muscle preparations to relaxant agonists induced by chronic exposure to isoprenaline *in vivo*
- 21 BAR-ON, H., BERRY, E.M., ELDOR, A., KIDRON, M., LICHTENBERG, D. & ZIV, E. Enteral administration of insulin in the rat
- 25 BUTLER, K.D. & SMITH, J.R. Mechanisms of Forssman-induced bronchospasm and their inhibition
- 33 GUICHENEY, PASCALE & MEYER, PHILIPPE Binding of [³H]-prazosin and [³H]-dihydroergocryptine to rat cardiac α -adrenoceptors
- 41 BUNCE, K.T., GREWAL, M. & PARSONS, M.E. The effect of cimetidine on basal and stimulated pepsin secretion in the isolated whole stomach of the rat
- 47 BRADSHAW, C.M., PUN, R.Y.K., SLATER, N.T. & SZABADI, E. Comparison of the effects of methoxamine with those of noradrenaline and phenylephrine on single cerebral cortical neurones

- 55 KALIR, A., SABBAGH, A. & YODIM, M.B.H. Selective acetylenic 'suicide' and reversible inhibitors of monoamine oxidase types A and B
- 65 FINBERG, J.P.M., TENNE, M. & YODIM, M.B.H. Tyramine antagonistic properties of AGN 1135, an irreversible inhibitor of monoamine oxidase type B
- 75 PHILLIPS, CHRISTINE A. & POYSER, N.L. Prostaglandins, thromboxanes and the pregnant rat uterus at term
- 81 RHEE, H.M. Accumulation of [³H]-ouabain in functionally different canine cardiac tissues: differential Rb⁺ uptake
- 87 KING, B.F. & MUIR, T.C. The response of the rabbit rectococcygeus muscle to stimulation of extrinsic inhibitory nerves and to sympathomimetic drugs
- 97 NATHANSON, JAMES, A. Effects of a potent and specific β_2 -adrenoceptor antagonist on intraocular pressure
- 101 ANGERIO, ALLAN D., FITZPATRICK, THOMAS M., KOT, PETER A., RAMWELL, PETER W. & ROSE, JOHN C. Effect of verapamil on the pulmonary vasoconstrictor action of prostaglandin F_{2 α} and a synthetic PGH₂ analogue
- 105 CHAPAL, JEANNIE & LOUBATIERES-MARIANI, MARIE-MADELEINE Effects of phosphate-modified adenine nucleotide analogues on insulin secretion from perfused rat pancreas
- 111 BUCKINGHAM, JULIA C. & HODGES, J.R. A cytochemical bioassay method for the determination of luteinizing hormone in biological fluids and tissues

- 119 HEMSWORTH, BRIAN A. & STREET, JAMES A. Characteristics of (\pm)-[14 C]-oxprenolol and (\pm)-[14 C]-propranolol incorporation by rat lung slices
- 127 MACKAY, DENNIS An analysis of functional antagonism and synergism
- 135 EMMERSON, JANE & MACKAY, DENNIS A test of the null equation for functional antagonism
- 143 ARBUTHNOTT, G.W., ECCLESTON, D., LASZLO, I. & NICOLAOU, N. Uptake of 5-hydroxytryptamine in the catecholamine containing areas of the hypothalamus of the rat after treatment with phenelzine and tryptophan
- 149 DAWBARN, D., LONG, S.K. & PYCOCK, C.J. Increased central 5-hydroxytryptamine receptor mechanisms in rats after chronic neuroleptic treatment
- 157 HARRIS, J.B. & MALTIN, C.A. The effects of the subcutaneous injection of the crude venom of the Australian common brown snake, *Pseudonaja textilis* on the skeletal neuromuscular system
- 165 HARMAN, R.J. & SHAW, G.G. The spontaneous and evoked release of spermine from rat brain *in vitro*
- 175 PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY, University of London, 16th-18th December 1980
- 175P ANDREASEN, F., CHRISTENSEN, J.H. & JANSEN, J.A. The influence of age and sex on the pharmacokinetics of thiopentone
- 177P IDLE, J.R. & ISLAM, SAMIRA I. Polymorphism of phenformin 4-hydroxylation in Saudi females
- 178P BARBER, H.E., KITTINGHAM, N.R. & PETRIE, J.C. The effect of imipramine and SKF 525 A on the first pass elimination of propranolol in the rat
- 180P CALDWELL, J., HUTT, A.J., SMITH, R.L. & ZANGOURAS, A. Dose-dependent formation of 1'-hydroxyestragole from estragole in the mouse
- 181P BOREHAM, D.R., CHEESEMAN, K., PALMER, R.F., SLATER, T.F. & VOSE, C.W. (introduced by CALDWELL, J.). Metabolism of canrenone *in vitro*: evidence for the formation of a glutathione conjugate via epoxidation
- 182P LATHAM, A., ROTHWELL, NANCY J., STOCK, M.J., WHITE, A.C. & WYLLIE, M.G. Na^+ , K^+ -ATPase activity in brown adipose tissue: its relationship to resting metabolic rate and the effects of ciclazindol
- 183P DURAND, A., DRING, L.G. & MORSELLI, P.L. A comparison of the kinetics of ifenprodil in the rat and dog
- 183P BARLOW, R.B., CAULFIELD, M.P., KITCHEN, R., ROBERTS, P.M. & STUBLEY, J.K. The affinities of pirenzepine and atropine for functional muscarinic receptors in guinea-pig atria and ileum
- 184P SMALL, R.C. & YARKER, YVONNE E. β -Bungarotoxin in studies of neuroeffector transmission in the guinea-pig
- 185P ELLIOTT, R.C. The interaction between tetraethylammonium and methohexitone in the chick biventer cervicis muscle preparation: experiments with caffeine and xylocaine.
- 186P CREESE, R. & HEAD, S.D. Channel opening time by external and internal recording in rat diaphragm
- 187P BRASWELL, L.M., MILLER, K.W. & SAUTER, J.F. Differential effects of non-specific perturbors on the acetylcholine receptor from *Torpedo* and its ionophore
- 188P HICKS, P.E., Warburton, G.R. & WESTON, A.H. No evidence for an inhibitory pre-junctional effect of hydralazine *in vivo*
- 189P BROWN, R.A. & O'CONNOR, S.E. Stereoselective antagonism of pre-junctional dopamine receptors in the rabbit ear artery by sulpiride
- 190P GRIMMER, A.J. & LEATHARD, HELEN L. 5-Hydroxytryptamine and noradrenaline on human isolated mesenteric blood vessels
- 191P FENIUK, W., HUMPHREY, P.P.A. & WATTS, A.D. Further characterization of pre- and post-junctional receptors for 5-hydroxytryptamine in isolated vasculature
- 192P BLABER, L.C. The presynaptic effects of cholinceptor and adrenoceptor agonists and antagonists *in vivo* in cat heart
- 193P BERTHELOT, A., HAMILTON, C.A. & REID, J.L. Alpha adrenoceptors in two models of experimental hypertension in the rabbit
- 194P HICKS, P.E. & NAHORSKI, S.R. Is there a change in post-synaptic α -receptors in hypertension? *In vitro* and *in vivo* studies
- 195P THOOLEN, M.J.M.C., TIMMERMAN, P.B.M.W.M. & VAN ZWIETEN, P.A. Withdrawal syndrome after continuous infusion of clonidine in the spontaneously hypertensive and normotensive rat
- 196P HOF, R.P., MÜLLER-SCHWEINITZER, E. & NEUMANN, P. (introduced by BERDE, B.). *In vitro* and *in vivo* effects of a new powerful calcium antagonist
- 196P DRYDEN, W.F. & MARSHALL, R.J. Relationship between 'staircase' phenomena and response to cardiac glycosides in rat, guinea-pig and ground squirrel papillary muscles
- 198P BROOKS, I., FLYNN, SHEILA B. & UNDERWOOD, A.H. Effects of L-3,3',5-triiodothyronine on rat cardiac function
- 199P ALLEN, J.D., HARRON, D.W.G., SHANKS, R.G. & WILSON, R. Effects of alinidine (N-allyl clonidine ST567) on experimental cardiac arrhythmias
- 199P MARSHALL, R.J., MUIR, A.W. & WINSLOW, EILEEN. A comparison of the intensity and duration of the antidysrhythmic effects of mexiletine and Org 6001 in anaesthetized rats

- 201P ADAMS, P.R., BROWN, D.A. & CONSTANTI, A. An explanation for the cholinomimetic action of Ba^{2+} on sympathetic neurones
- 202P DICKINSON, K.E.J. & NAHORSKI, S.R. Solubilization of β_1 and β_2 adrenoceptors from rat and rabbit lung
- 202P BROADLEY, K.J. & HAWTHORN, M.H. Reserpine-induced supersensitivity to the β -adrenoceptor-mediated responses of cardiac, respiratory and uterine tissues of the guinea-pig
- 204P ELLIOTT, J.M. & GRAHAME-SMITH, D.G. Effects of monovalent and divalent cations and purine nucleotides on the α -adrenoceptor of human intact platelets
- 205P KOSTERLITZ, H.W. & MAGNAN, J. Pharmacological analysis of opiate receptors in the rat vas deferens
- 206P MONGAR, J.L. & MOODLEY, I. Dextran and histamine secretion from rat mast cells: effect of glucose and low molecular weight glucose polymers
- 207P FOREMAN, J.C. & JORDAN, C.C. Comparison of the activities of some peptides in human skin and as histamine releasing agents
- 208P JOHANSEN, T. (introduced by MONGAR, J.L.). Dependence of anaphylactic histamine release from rat mast cells on cellular energy metabolism
- 209P WEDMORE, C.V. & WILLIAMS, T.J. Evidence for two types of vascular permeability-increasing mediators: the direct action of histamine and bradykinin; the polymorph-dependent action of C5a, leukotriene B₄ and formyl tripeptide
- 210P BRAY, M.A., CUNNINGHAM, F.M., DAVIDSON, E.M., FORD-HUTCHINSON, A.W. & SMITH, M.J.H. Differing biological potencies of isomers of leukotriene B₄
- 211P FORREST, M.J., JOSE, P.J., PECK, M.J. & WILLIAMS, T.J. C5a generation in blood plasma of man, pig, guinea-pig, rabbit and rat: a link between complement activation and inflammatory oedema
- 212P BARTHOLEYNS, J., FOZARD, J.R. & PRAKASH, N.J. Blockade of the anti-inflammatory action of dexamethasone by DL- α -difluoromethylornithine; comparison with actinomycin D and cycloheximide
- 212P JENNER, D.J., LEWIS, D.A., PITT EVA & OFFORD, R.A. The effect of the intravenous administration of corticosteroids encapsulated in intact erythrocytes on adjuvant arthritis in the rat
- 213P PALMER, M.A., PIPER, PRISCILLA J., SAMHOUN, MARWA N. & TIPPINS, J.R. Some actions of natural and synthetic slow-reacting substances on isolated preparations
- 214P DOLLERY, C.T., HOULT, J.R.S. & ROBINSON, C. Prostaglandin inactivation in the perfused rat lung: active transport or facilitated diffusion?
- 215P PIPILI, E. (introduced by POYSER, N.L.). The effect of prazosin upon the release of prostaglandins I₂ and E₂ from the perfused mesenteric arterial bed of the rabbit following stimulation of the adrenergic nerves
- 216P POYSER, N.L. & SWAN, CAROL G. The effect of prostaglandins on the rabbit and rat vas deferens
- 217P HILLIER, K., MASON, P. & SMITH, C.L. Ulcerative colitis: prostaglandin metabolism and the effect of sulphasalazine, 5 amino salicylic acid and indomethacin in human colonic mucosa
- 217P BAKHLE, Y.S. Effects of sulphasalazine on prostaglandin inactivation and synthesis in isolated lungs of guinea-pig, rat and man
- 218P HOULT, J.R.S., LOFTS, F.J. & MOORE, P.K. Stability of prostacyclin in plasma and its transformation by platelets to a stable spasmogenic product
- 219P SMITH, J.R. & WHITE, A.M. Fibrin, red cell and platelet interactions in an experimental model of thrombosis
- 219P GEISOW, H.P., HORNBY, E.J. & McCABE, P.J. (introduced by: BRITTAIN, R.T.). Inhibition of platelet aggregation by AH 19437 A thromboxane receptor blocking drug
- 220P JONES, R.L. & WILSON, N.H. Thromboxane receptor antagonism shown by a prostanoid with a *bicyclo* [2,2,1] heptane ring
- 221P EMMS, HELEN, LEWIS, G.P. & WATTS, I.S. Imidazole derivations as inhibitors of thromboxane formation
- 222P COLEMAN, R.A., KENNEDY, I., WHALLEY, E.T. & WHITE, SUSAN K. Comparison of the effects of thromboxane A₂ on uterine smooth muscle of rat and guinea-pig *in vitro*
- 223P LEAVER, H. ANNE & NING, ANGELA C.W.S. (introduced by KERRY, P.J.). Endometrial uptake and esterification of arachidonic acid during the oestrous cycle of the guinea-pig
- 224P GEIGER, R. & WHALLEY, E.T. Effect of various prostaglandins on the *in vitro* activation of kallikrein in rat plasma
- 225P BANERJEE, A.K., CHRISTMAS, A.J., CROWSHAW, K., HEAZELL, M.A., IVERS-READ, GILLIAN C., SAUNDERS, L.C. & WYATT, D. M&B 28,767, a potent anti-ulcer and anti-secretory analogue of 11-deoxy-prostaglandin E₁
- 226P RAINSFORD, K.D. (introduced by FORD-HUTCHINSON, A.W.). Comparison of the gastric ulcerogenic activity of new non-steroid anti-inflammatory drugs in stressed rats
- 227P PARSONS, M.E., PIPKIN, G. & PRICE, C.A. The effect of histamine antagonists on gastric mucosal haemorrhage in the rat
- 228P FILE, SANDRA E., MABBUTT, P.S. & PEARCE, JACALYN B. How do benzodiazepines reduce formation of gastric stress ulcers?
- 229P SIMMONDS, M.A. Pentobarbitone and phenobarbitone interact differently with the γ -aminobutyric acid antagonists bicuculline and picrotoxin
- 230P AKAGI, HIROKO, GREEN, A.R. & HEAL, D.J. Repeated electroconvulsive shock attenuates clonidine-induced hypoactivity in both mice and rats
- 231P HOWE, G.M., HOWE, S.J., TULLOCH, I.F. & WALTER, D.S. (introduced by METCALF, G.). Relation between plasma concentration of valproic acid and its anti-convulsant and behavioural effects in rats

- 232P LLOYD, K.G. & WORMS, P. The broad anti-convulsant spectrum of GABAmimetic drugs: relevance to antiepileptic drug research
- 234P MINCHIN, M.C.W. (introduced by ANGEL, A.) The effect of catechol on amino acid transmitter release from thalamic slices
- 235P FOSTER, G.A., ROBERTS, P.J., ROWLANDS, GETHIN J. & SHARIF, N.A. Ontogeny of neurochemical markers for glutamatergic neurons in cerebellum: implications for development of kainate neurotoxicity
- 236P DASCOMBE, M.J. & FOOTE, G.G. Intrastriatal injection of apomorphine and climbing behaviour in chronically cannulated mice
- 237P DUNSTAN, R., LLOYD, K.G. & ZIVKOVIC, B. Inhibition by apomorphine of the amphetamine-induced changes in a dopaminergic system
- 238P MIGNOT, G. & SAVINI, E.C. Apocodeine as a dopamine antagonist in the rabbit
- 239P DEDEK, J., SCATTON, B. & ZIVKOVIC, B. (introduced by WORMS, P.) Yohimbine blocks dopaminergic transmission in the rat striatum
- 240P GAMBLE, S.J. & WADDINGTON, J.L. Six months phenothiazine treatment differentially influences distinct dopamine-mediated behaviours
- 240P DAWBARN, D., LONG, S.K. & PYCOCK, C.J. Differential dopamine receptor supersensitivity after chronic phenothiazine treatment in rats
- 241P SUGRUE, M.F. Effect of chronic antidepressant administration on rat brain α_2 -adrenoceptor sensitivity
- 242P CLOW, A., JENNER, P., MARSDEN, C.D., MURUGAIAH, K. & THEODOROU, A. Drug holidays do not prevent the development of cerebral dopamine receptor supersensitivity during chronic neuroleptic administration
- 243P BRADSHAW, C.M., PUN, R.Y.K., SLATER, N.T., STOKER, M.J. & SZABADI, E. Comparison of the effect of haloperidol on excitatory responses of cortical neurones to dopamine, noradrenaline and phenylephrine
- 244P NICHOLSON, A.N. & WRIGHT, CATHERINE M. 6(\pm)-Fluorotryptophan: Sleep and wakefulness in the rat
- 245P BRADLEY, P. B. & GLADMAN, J.R.F. Microiontophoretic study of the interaction between β -adrenoceptor antagonists and 5-hydroxytryptamine in the rat brain stem
- 245P VASKO, M.R. & VOGT, M. Site of interaction between morphine and 5-hydroxytryptamine-containing neurones in the rat brain
- 246P BUCKINGHAM, JULIA C. Hypothalamo-pituitary-adrenocorticotrophic activity in the pentobarbitone and morphine-treated rat
- 247P HILL, M.W. & MANN, S.P. (introduced by SHARMAN, D.F.) Tyrosine hydroxylase activation: a possible mechanism
- 248P HOLZER, P. & SHARMAN, D.F. Substance P in the developing pig
- 249P FLASKOS, J. & GEORGE, A.J. The effect of flupenthixol isomers on [^3H]-5-HT uptake into blood platelets
- 250P HOULT, J.R.S. & MOORE, P.K. Sulphinpyrazone in rats releases prostaglandin 'reciprocal coupling factor': possible mode of anti-thrombotic action?
- 251P NUNN, BARBARA. Arachidonate metabolites play only a minor role in collagen-induced aggregation in mouse citrated platelet-rich plasma
- 252P GODFRAIND, T. & MILLER, R.C. Prostaglandin $\text{F}_{2\alpha}$ ($\text{PGF}_{2\alpha}$) mediated contraction and [^{45}Ca]-influx into rat mesenteric arteries: inhibition by flunarizine a calcium entry blocker
- 252P DOWNS, D.D., GARLAND, L.G. & SHIELDS, P.A. A possible role for lipoxygenase products in airway hyper-reactivity *in vivo*
- 253P CARR, S.C., HIGGS, G.A., SALMON, J.A. & SPAYNE, J.A. The effects of arachidonate lipoxygenase products on leukocyte migration in rabbit skin
- 254P BHATTACHERJEE, P., EAKINS, K.E. & HAMMOND, B. Chemotactic activity of arachidonic acid lipoxygenase products in the rabbit eye
- 256P SALVATI, PATRICIA & WHITTLE, B.J.R. The vasoactive effects of some arachidonate lipoxygenase and cyclo-oxygenase products on the isolated perfused stomach of rabbit and rat
- 257P BUNCE, K.T., DALY, M.J., MCCARTHY, J.J. & SPRAGGS, C.F. Do prostaglandin E_2 (PGE_2) and prostacyclin (PGI_2) affect disruption of the gastric mucosal barrier induced by bile salt?
- 258P COLEMAN, R.A., HUMPHREY, P.P.A., KENNEDY, I., LEVY, G.P. & LUMLEY, P. Further evidence that AH 19437 is a specific thromboxane receptor blocking drug
- 258P BRAY, M.A., CUNNINGHAM, F.M., FORD-HUTCHINSON, A.W. SMITH, M.J.H. Leukotriene B_4 : a mediator of vascular permeability
- 259P BRAY, M.A., FORD-HUTCHINSON, A.W. & SMITH, M.J.H. Leukotriene B_4 and leucocyte movement
- 260P PALMER, R.M.J. & YEATS, DARYL A. (introduced by EAKINS, K.E.) Leukotriene B: A potent chemotactic agent and stimulus for lysosomal enzyme secretion for human neutrophils (PMN)
- 261P ROBERTS, C. JANE & WALKER, R.J. The actions of L-glutamate and related compounds on the central neurones of the Horse-shoe crab, *Limulus polyphemus*
- 262P DETTMAR, P.W., FORTUNE, D., LYNN, A.G., METCALF, G., MORGAN, B.A. & TULLOCH, I.F. Neuropharmacological evaluation of TRH analogues with modified proline residues
- 263P IHALAINEN, E., MacDONALD, E. & PISPA, J.P. Effect of 3,5-dimethylpyrazole on mouse brain catecholamine levels
- 264P BULL, D.R. & TYERS, M.B. Lack of effect of μ and κ opiate receptor agonists on K^+ -stimulated release of Met-enkephalin from guinea-pig striatal slices
- 265P HOLZBAUER, MARGARETHE, HOLZER, P. & SHARMAN, D.F. Release of endogenous dopamine from the neuro-intermediate lobe of the rat hypophysis *in vitro*
- 265P COWEN, P.J., GREEN, A.R. & NUTT, D.J. Drug-induced alterations of the post-ictal seizure threshold increase

- 267P JOSEPH, M.H. & KENNETT, G.A. Brain tryptophan and 5-HT function in stress
- 268P HARTLEY, J.E., MILLER, A.A. & WEBSTER, R.A. Behavioural and biochemical changes following withdrawal of chronic dexamphetamine or bupropion administration in rats
- 269P MOORE, N.A., PULLAR, I.A. & TYE, N.C. (introduced by DAWSON, W.) Selective enhancement of dopamine (induced behaviours) following chronic neuroleptic treatment
- 270P MIGNOT, G. & SAVINI, E.C. Dopaminergic stereotyped and turning behaviour in the rabbit
- 271P COLLINGRIDGE, G.L., KILPATRICK, I.C. & STARR, M.S. Pharmacological manipulations of tectal GABA systems affect posture and locomotion in the rat
- 272P SLUSARCZYK, HELEN & TURNER, P. Studies on benfluorex and its metabolites on glucose uptake into rat isolated hemidiaphragm
- 272P SCOTT, M.G. & TEMPLE, D.J. (introduced by SWANTON, J.G.) Investigations into the suitability of the male rat as a source of hepatocytes for studies of drug interactions which may involve induction of acetylation
- 273P BENNETT, P.N., NOTARIANNI, LIDIA J. & SUPRADIST, S. Alteration of liver blood flow and metabolism on lignocaine and tocainide kinetics; observed changes and predictions of pharmacokinetic models
- 274P FELLOWS, I., JENNER, W.N., MARTIN, L.E. & WILLOUGHBY, B.A. (introduced by BRITAIN, R.T.) The development of a radioimmunoassay for ranitidine in biological fluids
- 275P BOGUES, K., DIXON, G.T., FOWLER, P., JENNER, W.N., MACONOCHE, J.G., MARTIN, L.E. & WILLOUGHBY, B.A. Pharmacokinetics and bio-availability of ranitidine in humans
- 276P BOWMER, C.J. & YATES, M.S. The effect of acute renal failure on the pharmacokinetics of indocyanine green in the rat
- 277P ASHTON, L., DICKINSON, K.E.J. & NAHORSKI, S.R. β_1 and β_2 Adrenoceptors in developing rat lung
- 278P CLAPHAM, J.C. & HAMILTON, T.C. Inhibition of stimulation-evoked pressor responses in the pithed rat by dopamine agonists through activation of pre-synaptic dopamine receptors
- 279P SPEDDING, M. Antagonism of the inhibitory effects of clonidine and dopamine in the guinea-pig ileum by metoclopramide, sultopride and sulpiride
- 280P CHAPLEO, C.B., DOXEY, J.C., MYERS, P.L., ROACH, A.G. & SMITH, SUSAN E. Clonidine-influence of aromatic substitution on α -adrenoceptor selectivity
- 281P LANGER, S.Z., MASSINGHAM, R. & SHEP-PERSON, N.B. Preferential, long-lasting blockade of neurally released but not exogenously administered noradrenaline *in vitro*; further evidence that the α_1 -adrenoceptor subtype predominates intrasynaptically
- 282P BRITAIN, R.T., DREW, G.M. & LEVY, G.P. The α - and β -adrenoceptor blocking potencies of labetalol and its individual stereoisomers
- 283P McGRATH, J.C. Apoyohimbine; a pattern for α -adrenoceptor antagonists or a template for the α -adrenoceptors?
- 284P GIBSON, A. Contractile responses of the mouse anococcygeus muscle to some α -adrenoceptor agonists
- 285P BROOKS, I., FLYNN, SHEILA B. & UNDERWOOD, A.H. Time-course of the cardiac effects of a single dose of L-3,3',5-triiodothyronine in thyroidectomized rats
- 286P FOY, J.M. & PURVIS, J.R. A comparative study of the effect of sulphonylureas on regional blood flow determined by a radioactive microsphere technique in experimentally-induced diabetes in the rat
- 287P DREW, G.M. & HILDITCH, A. Effects of agonists and antagonists at vascular dopamine receptors in the rabbit isolated splenic artery and the mesenteric vascular bed of the anaesthetized dog
- 288P ARMSTRONG, J.M., CAVERO, I. & FÉNARD, SIMONE. The contribution of sympathetic and parasympathetic nerve mechanisms to the control of heart rate in conscious dogs at rest and during exercise as assessed by using betaxolol and methylatropine
- 289P CAVERO, I., LEFÈVRE-BORG, FRANÇOISE & SCATTON, B. Functional and biochemical evidence for the lack of cardiac presynaptic α -adrenoceptor agonist properties in cirazoline (LD 3098)
- 290P DOWNING, O.A., WILSON, K.A. & WILSON, V.G. Competitive and non-competitive blockade of α -adrenoceptors on rat aorta by prazosin
- 291P DOXEY, J.C., ROACH, A.G. & VIRDEE, NARINDER. Effects of prazosin, phentolamine and yohimbine on the vasoconstrictor responses to noradrenaline and sympathetic nerve stimulation in the rat mesentery
- 293P CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE. Prazosin changes the time-course profile of the pressor responses elicited by noradrenaline in the perfused forelimb of spinal dogs
- 294P WILSON, A.N.A. (introduced by DOXEY, J.C.) The release of an unidentified substance from the guinea-pig isolated atria and the inhibitory action of opiates
- 295P RODGER, I.W. & SHAHID, M. Effects of increased pH on contractile force of rabbit isolated papillary muscles
- 296P CLOUGH, D.P., HATTON, R. & MATTHEWMAN, SUSAN C. Effect of angiotensin converting enzyme inhibitor on neurogenic vasoconstriction in the pithed rat
- 297P STRACHAN, LESLEY J. & WATSON, M.L. (introduced by UNGAR, A.) The effect of captopril on the renal and systemic haemodynamic action of PGI₂ in anaesthetized dogs
- 298P WELLER, M.P.I. & WRIGHT, D.J.M. (introduced by BAKER, J.B.E.) Inhibition by laevo-propranolol and naloxone of salbutamol-induced depression of white cell and platelet counts in mice
- 299P KOSTERLITZ, H.W. & PATERSON, S.J. Tyr-D-Ala-Gly-MePhe-NH(CH₂)₂OH is a selective ligand for the μ -opiate binding site

- 300P COLLIER, H.O.J., CUTHBERT, N.J. & FRANCIS, D.L. Effect of temperature on the induction of opiate dependence in guinea-pig isolated ileum
- 301P KELLY, P.D. & TRAYNOR, J.R. Effects of narcotic analgesics on lipase activity *in vitro*
- 302P BATES, R.F.L., BUCKLEY, G.A., EGLEN, R.M. & STRETTLE, R.J. Interaction of calcium ions and salmon calcitonin in the production of analgesia in the mouse
- 303P ELLIOTT, P.N.C., FOSTER, R.L. & WILEMAN, T.E. Covalent attachment to dextran to the anti-leukemic enzyme L-asparaginase reduces the type III hypersensitivity to the antigen
- 304P JONES, R.L., SUTHERLAND, ROMA A. & WILSON, N.H. Binding of tritium-labelled 9,11-epoxy-methano PGH₂ to human platelets
- 305P FENN, C.G. & LITTLETON, J.M. Inhibition of platelet aggregation by ethanol: the role of plasma and platelet membrane lipids
- 306P DEARNALEY, D.P., MARSON, L., OSBORNE, R.H. & WHITE, E. Effects of dock leaf extracts on 5-hydroxytryptamine induced contraction of the rat fundic strip
- 307P SUGRUE, M.F. Fenfluramine-induced hyperthermia in rats: antagonism by some, but not all, selective inhibitors of 5-hydroxytryptamine uptake
- 308P JOHNSTON, BELINDA J. & McISAAC, R.L. The effect of some anti-ulcer agents on basal gastric mucosal blood flow and transmucosal flux of hydrogen and sodium ions in the conscious dog
- 309P EMMS, HELEN & LEWIS, G.P. The anatomical distribution of ADPase activity in the rabbit aorta
- 310P HICKS, R. & SAHYOUN, H.A. Differences in the time-course of tuberculin skin reactions in primary and secondary hypersensitive phases and the influence of vinylidene chloride
- 311P BELL, CATHERINE & WALI, F.A. (introduced by ELLIOTT, R.C.). Methohexitone-tetraethylammonium interactions in the chick biventer cervicis muscle, moving fluid electrode technique and denervation studies
- 312P COSTALL, B., NAYLOR, R.J. & SAHYOUN, H.A. Modification by domperidone of catecholamine effects on circular smooth muscle of the lower oesophageal and pyloric sphincters
- 313P DALY, M.J., REEVES, J.J. & STABLES, R. Inhibition of vagally-induced gastric acid secretion by atropine and H₂-receptor antagonists in the rat
- 314P DASCOMBE, M.J. Hypothermia in rabbits after intrahypothalamic injection of N⁶-2'-O-dibutyryl adenosine 3',5'-monophosphate
- 316P BUTCHER, R.A., DODDS, M.G. & TWISSELL, D.J. An isolated programmable stimulator for the determination of ventricular fibrillation threshold
- 317P BURGESS, G.M., COCKS, T.M. & JENKINSON, D.H. The use of K-sensitive electrodes to study drug-induced release of K from suspensions of isolated hepatocytes
- 317P COLQUHOUN, D., OGDEN, D.C. & SIEGELBAUM, S.A. Currents recorded from single acetylcholine-activated ion channels in skeletal muscle membrane
- 318P KENT, A.P. & WEBSTER, R.A. Pharmacological analysis of leptazol induced epileptogenic activity in the anaesthetized rat
- 318P MILLER, A.A., O'DONNELL, R. & WEBSTER, R.A. Studies on folic acid induced epileptogenic kindling in the rat
- 318P VELLUCCI, SANDRA & WEBSTER, R.A. GABA and benzodiazepine modification of ¹⁴C glutamate release from rat spinal cord slices
- 318P GURNEY, A. & RANG, H.P. Voltage clamp recording from rat submandibular ganglion cells

VOLUME 73 NUMBER 2 JUNE 1981

SHORT COMMUNICATION

- 321 FRENCH, A.M. & SCOTT, N.C. A comparison of the effects of nifedipine and verapamil on rat vas deferens

PAPERS

- 325 BENTLEY, G.A., NEWTON, S.H. & STARR, JENNIFER Evidence for an action of morphine and the enkephalins on sensory nerve endings in the mouse peritoneum
- 333 AITON, J.F., LAMB, J.F. & OGDEN, P. Down-regulation of the sodium pump following chronic exposure of HeLa cells and chick embryo heart cells to ouabain
- 341 MELDGAARD, L., STEINESS, E. & WALDORFF, S. Time course of ouabain uptake in isolated myocardial cells: dependence on extracellular potassium and calcium concentration
- 347 DUMONT, Y., LAROSE, L., MORISSET, J. & POIRIER, G.G. Parallel maturation of the pancreatic secretory response to cholinergic stimulation and the muscarinic receptor population
- 355 MALTA, E., RAPER, C. & TAWA, PAULINE E. Pre- and postjunctional effects of clonidine- and oxymetazoline-like compounds in guinea-pig ileal preparations

- 363 KALSNER, STANLEY The role of calcium in the effects of noradrenaline and phenoxybenzamine on adrenergic transmitter release from atria: no support for negative feedback of release
- 373 ALMOTREFI, A.A. & BAKER, J.B.E. Antifibrillatory efficacy of encainide, lorainide and Org 6001 compared with lignocaine in isolated hearts of rabbits and guinea-pigs
- 379 SIMMONS, N.L. Identification of a purine (P₂) receptor linked to ion transport in a cultured renal (MDCK) epithelium
- 385 LINDSTRÖM, PER Further studies on 5-hydroxytryptamine transport in pancreatic islets and isolated β -cells
- 393 ENDOH, MASAO & YAMASHITA, SHUJI Differential responses to carbachol, sodium nitroprusside and 8-bromo-guanosine 3',5'-monophosphate of canine atrial and ventricular muscle
- 401 FILLENZ, M. & STANFORD, S.C. Vesicular noradrenaline stores in peripheral nerves of the rat and their modification by tranlylcypromine
- 405 CUSACK, N.J. & HOURANI, S.M.O. Partial agonist behaviour of adenosine 5'-O-(2-thiodiphosphate) on human platelets
- 409 CUSACK, N.J. & HOURANI, S.M.O. Effects of R_p and S_p diastereoisomers of adenosine 5'-O-(1-thiodiphosphate) on human platelets
- 413 SILINSKY, E.M. On the calcium receptor that mediates depolarization-secretion coupling at cholinergic motor nerve terminals
- 431 AKAIKE, N., NISHI, K. & OYAMA, Y. Inhibitory effects of propranolol on the calcium current of *Helix* neurones
- 435 LAWRENCE, D. & LIVINGSTON, A. Opiate-like analgesic activity in general anaesthetics
- 443 COLLIER, HARRY O.J., CUTHBERT, NIGEL J. & FRANCIS, DAVID L. Clonidine dependence in the guinea-pig isolated ileum
- 455 KING, K.T. & RYALL, R.W. A re-evaluation of acetylcholine receptors on feline Renshaw cells
- 461 BEN-HARARI, R.R., LANIR, A. & YODIM, M.B.H. Effect of hyperoxia on uptake and metabolism of 5-hydroxytryptamine and β -phenylethylamine in rat lung: a sex difference
- 467 JENSEN, MOGENS H. Theophylline inhibition of renal and cerebral nucleoside formation
- 471 MARSHALL, R.J. & MUIR, A.W. The beneficial actions of bepridil in acute myocardial infarction in anaesthetized dogs
- 481 ABBS, E.T. & JOSEPH, D.N. The effects of atropine and oxotremorine on acetylcholine release in rat phrenic nerve-diaphragm preparations
- 485 JONES, R.S.G. *In vivo* pharmacological studies on the interactions between tryptamine and 5-hydroxytryptamine
- 495 CHANG, C.C. & SU, M.J. A study on the interaction of crotapotin with crotoxin phospholipase A₂, notexin and other presynaptic neurotoxins
- 505 LONG, W.F. & WILLIAMSON, F.B. Effect of sulphated polysaccharides on the α_1 -antitrypsin inhibition of amidolysis catalysed by coagulation cascade proteinases
- 511 FEUERSTEIN, NILI & RAMWELL, PETER W. *In vivo* and *in vitro* effects of endotoxin on prostaglandin release from rat lung
- 517 BROWN, C.L. & HANLEY, M.R. The effects of substance P and related peptides on α -amylase release from rat parotid gland slices
- 525 COLLIER, B., PADJEN, A.L., QUIK, M. & SMITH, P.A. Convulsant and possible anticholinergic actions of dendrotoxin in the amphibian spinal cord
- 535 LEES, G.M. & PERCY, W.H. Antibiotic-associated colitis: an *in vitro* investigation of the effects of antibiotics on intestinal motility
- 549 DOHERTY, NIAL S. Inhibition of arachidonic acid release as the mechanism by which glucocorticoids inhibit endotoxin-induced diarrhoea
- 555 CURZON, G., KANTAMANENI, B.D. & TRICKLEBANK, M.D. A comparison of an improved *o*-phthalaldehyde fluorometric method and high pressure liquid chromatography in the determination of brain 5-hydroxyindoles of rats treated with L-tryptophan and *p*-chlorophenylalanine
- 563 ITO, YUSHI & TAJIMA, KIKUO Spontaneous activity in the trachea of dogs treated with indomethacin: an experimental model for aspirin-related asthma

SHORT COMMUNICATIONS

- 577 ALTURA, BURTON M. & LASSOFF, SAMUEL. Perivascular action of the local anaesthetic, lidocaine, on pial terminal arterioles: direct observations on the microcirculation
- 580 ALTURA, BURTON M. & GEBREWOLD, ASEFA. Failure of acetaldehyde or acetate to mimic the splanchnic arteriolar or venular dilator actions of ethanol: direct *in situ* studies on the microcirculation
- 583 KOBAYASHI, JUN'ICHI, NAKAMURA, HIDESHI & OHIZUMI, YASUSHI. Biphasic mechanical responses of the guinea-pig isolated ileum to the venom of the marine snail *Conus striatus*
- 586 FLAVAHAN, N.A. & McGRATH, J.C. α_1 -Adrenoceptors can mediate chronotropic responses in the rat heart

PAPERS

- 589 ROBERTS, M.H.T. & WRIGHT, D.M. The effects of chronic section of dorsal roots on the responsiveness of motoneurons to 5-hydroxytryptamine and a substance P analogue
- 595 CLOUGH, D.P. & HATTON, R. Hypotensive and sedative effects of α -adrenoceptor agonists: relationship to α_1 - and α_2 -adrenoceptor potency
- 605 SUGIO, KAZUO & TSURUFUJI, SUSUMU. Mechanism of anti-inflammatory action of glucocorticoids: re-evaluation of vascular constriction hypothesis
- 609 SCOTT, EVELYN M. The effects of atenolol on spontaneous and reflex activity of the sympathetic nerves in the anaesthetized cat
- 617 BROWN, CHRISTINE M. & BURNSTOCK, G. Evidence in support of the P_1/P_2 purinoceptor hypothesis in the guinea-pig taenia coli
- 625 BROCCARDO, M., ERSAMER, V., FALCONIERI, ERSAMER, G., IMPROTA, G., LINARI, G., MELCHIORRI, P. & MONTECUCCHI, P.C. Pharmacological data on dermorphins, a new class of potent opioid peptides from amphibian skin
- 633 LEE, W.M., TSANG, A.Y.F. & WONG, P.Y.D. Effects of divalent and lanthanide ions on motility initiation in rat caudal epididymal spermatozoa
- 639 AMIRRASOOLI, H., MAC NEIL, S. & TOMLINSON, S. Inhibition of prostaglandin E_1 -responsive platelet adenylate cyclase by heparin: a study of the mechanism of inhibition and its relevance to platelet aggregation

- 649 GRAZIANO, JOSEPH, JONES, BRIAN & PISCOTTO, PATRICIA. The effect of heavy metal chelators on the renal accumulation of platinum after *cis*-dichlorodiammineplatinum II administration to the rat
- 655 CUNNINGHAM, JO & NEAL, M.J. On the mechanism by which veratridine causes a calcium-independent release of γ -aminobutyric acid from brain slices
- 669 MAJEWSKI, H., RAND, M.J. & TUNG, L.-H. Activation of prejunctional β -adrenoceptors in rat atria by adrenaline applied exogenously or released as a co-transmitter
- 681 MINCHIN, M.C.W. The effect of anaesthetics on the uptake and release of γ -aminobutyrate and D-aspartate in rat brain slices
- 691 BLAIR, IAN A., CRESP, TERRY M. & MACDERMOT, JOHN. Divalent cations increase [3 H]-prostacyclin binding to membranes of neuronal somatic hybrid cells
- 695 EL TAHIR, K.E.H. & WILLIAMS, K.I. Trapped blood elements within the decidua of the rat pregnant uterus generate a lipoxigenase product(s) which inhibits myometrial prostacyclin synthesis
- 703 GREEN, A.R., HALL, J.E. & REES, A.R. A behavioural and biochemical study in rats of 5-hydroxytryptamine receptor agonists and antagonists, with observations on structure-activity requirements for the agonists
- 721 FLORENCE, VERENA M., HUME, W.R. & MATSUNAGA, MARSHA L. Choline acetyltransferase activity in the sympathetic nerves of the rabbit ear artery
- 725 EVANGELISTA, S., MAGGI, C.A. & MELI, A. The role of the local anaesthetic properties of β -adrenoceptor blocking agents in antagonizing $CaCl_2$ -induced arrhythmias in the rat
- 729 BERRIDGE, MICHAEL J. & HESLOP, JOHN P. Separate 5-hydroxytryptamine receptors on the salivary gland of the blowfly are linked to the generation of either cyclic adenosine 3',5'-monophosphate or calcium signals
- 739 SIMMONDS, M.A. Distinction between the effects of barbiturates, benzodiazepines and phenytoin on responses to γ -aminobutyric acid receptor activation and antagonism by bicuculline and picrotoxin
- 749 JOHNS, EDWARD J. An investigation into the type of β -adrenoceptor mediating sympathetically activated renin release in the cat

- 755 CARPENTER, SANDRA E. & LYNN, BRUCE. Vascular and sensory responses of human skin to mild injury after topical treatment with capsaicin
- 759 NASH, H.L. & WALLIS, D.I. Effects of divalent cations on responses of a sympathetic ganglion to 5-hydroxytryptamine and 1,1-dimethyl-4-phenyl piperazinium
- 773 COLEMAN, R.A., HUMPHREY, P.P.A., KENNEDY, I., LEVY, G.P. & LUMLEY, P. Comparison of the actions of U-46619, a prostaglandin H₂-analogue, with those of prostaglandin H₂ and thromboxane A₂ on some isolated smooth muscle preparations
- 779 NAKAMURA, HIDEO & SHIMIZU, MASANAO. Site of analgesic action of a non-steroidal, anti-inflammatory drug, tolmetin sodium, in rats
- 787 STONE, T.W. Theophylline does not affect morphine inhibition of the isolated vas deferens
- 791 STONE, T.W. The effects of 4-aminopyridine on the isolated vas deferens and its effects on the inhibitory properties of adenosine, morphine, noradrenaline and γ -aminobutyric acid

VOLUME 73 NUMBER 4 AUGUST 1981

PAPERS

- 799 MIKKELSEN, ERICH & LEDERBALLE PEDERSEN, OLE Comparative studies on the effects of tolmesoxide (Rx71107), a tolmesoxide metabolite (Rx71112) and nifedipine in isolated blood vessels
- 807 KORCZYN, AMOS D. & ROCK, MEIR Antagonism of opiate mydriasis in mice
- 811 CHEVILLARD, C., SAIAG, B. & WORCEL, M. Interactions between hydralazine, propildazine and purines on arterial smooth muscle
- 819 ALTURA, BURTON M. & CHAND, NARESH Differential effects of prostaglandins on canine intrapulmonary arteries and veins
- 829 DOGGRELL, SHEILA A. Effect of antimuscarinic agents on the contractile responses to cholinomimetics in the rat anococcygeus muscle
- 837 CARPENTER, F.G. Atropine and micturition responses by rats with intact and partially innervated bladder
- 843 JÄRBE, TORBJÖRN U.C. Cocaine cue in pigeons: time course studies and generalization to structurally related compounds (norcocaine, WIN 35,428 and 35,065-2) and (+)-amphetamine
- 853 CHAND, NARESH Reactivity of isolated trachea, bronchus and lung strip of cats to carbachol, 5-hydroxytryptamine and histamine: Evidence for the existence of methysergide-sensitive receptors
- 859 LUJÁN, MIGUEL & RODRÍGUEZ, RODOLFO. Pharmacological characterization of opiate physical dependence in the isolated ileum of the guinea-pig
- 867 KARASHIMA, TSUYOSHI Isoprenaline- and noradrenaline-induced hyperpolarization of guinea-pig liver cells
- 879 BURNSTOCK, GEOFFREY & MEGHJI, PARVIZ Distribution of P₁- and P₂-purinoceptors in the guinea-pig and frog heart
- 887 BRAILOWSKY, SIMÓN, GUERRERO-MUÑOZ, FEDERICO, LUJÁN, MIGUEL & SHKUROVICH, MARIO Morphine-theophylline interaction: antagonism or facilitation?
- 893 BOMBARDIERI, S., CATTANI, P., CIABATTONI, G., DI MUNNO, O., PASERO, G., PATRONO, C., PINCA, E. & PUGLIESE, F. The synovial prostaglandin system in chronic inflammatory arthritis: differential effects of steroidal and nonsteroidal anti-inflammatory drugs
- 903 KARANIAN, J.W., RAMEY, E.R. & RAMWELL, P.W. Effect of gender on development and diurnal rhythm of prostaglandin receptors in rat aorta
- 909 MURNAGHAN, MAURICE F. Effect of fatty acids on the ventricular arrhythmia threshold in the isolated heart of the rabbit
- 917 CURWAIN, B.P. & TURNER, N.C. Comparison of the agonist activity of impromidine (SK & F 92676) in anaesthetized rabbits and on the rabbit isolated fundic mucosa
- 921 COLLIER, HARRY O.J., CUTHBERT, NIGEL J. & FRANCIS, DAVID L. Model of opiate dependence in the guinea-pig isolated ileum

- 933 FROSSARD, N., LANDRY, Y., PAULI, G. & RUCKSTUHL, M. Effects of cyclic AMP- and cyclic GMP-phosphodiesterase inhibitors on immunological release of histamine and on lung contraction
- 939 KOSTERLITZ, H.W., PATERSON, S.J. & ROBSON, L.E. Characterization of the γ -subtype of the opiate receptor in the guinea-pig brain
- 951 MARSHALL, R.J., MUIR, A.W. & WINSLOW, E. Development of a severe model of early coronary artery ligation-induced dysrhythmias in the anaesthetized rat