British Journal of Pharmacology

SHORT COMMUNICATIONS

- 3 BOURA, A.L.A., HUI, S-C.G. & WALTERS, W.A.W. Cigarette smoke inhalation specifically inhibits depressor responses to prostacyclin in the rat
- 6 CRANSTON, W.I., GOURINE, V.N. & TOWNSEND, Y. The effects of intracerebroventricular cycloheximide on protein synthesis and fever in rabbits
- 9 MARUYAMA, M., SATOH, K. & TAIRA, N. Effects of glyceryl trinitrate and SIN-1A on musculature and vasculature of the dog trachea in situ

PAPERS

- B BRINK, CHARLES Tolerance of guinea-pig airway muscle preparations to relaxant agonists induced by chronic exposure to isoprenaline in vivo
- 1 BAR-ON, H., BERRY, E.M., ELDOR, A., KIDRON, M., LICHTENBERG, D. & ZIV, E. Enteral administration of insulin in the rat
 - BUTLER, K.D. & SMITH, J.R. Mechanisms of Forssman-induced bronchospasm and their inhibition
- GUICHENEY, PASCALE & MEYER, PHI-LIPPE Binding of [3H]-prazosin and [3H]dihydroergocryptine to rat cardiac α -adrenceptors
 - BUNCE, K.T., GREWAL, M. & PARSONS. M.E. The effect of cimetidine on basal and stimulated pepsin secretion in the isolated whole stomach of the rat
 - BRADSHAW, C.M., PUN, R.Y.K., SLATER. N.T. & SZABADI, E. Comparison of the effects of methoxamine with those of noradrenaline and phenylephrine on single cerebral cortical neurones

- KALIR, A., SABBAGH, A. & YOUDIM, M.B.H. Selective acetylenic 'suicide' and reversible inhibitors of monoamine oxidase types A and
- FINBERG, J.P.M., TENNE, M. & YOUDIM. 65 M.B.H. Tyramine antagonistic properties of AGN 1135, an irreversible inhibitor of monoamine oxidase type B
- PHILLIPS, CHRISTINE A. & POYSER, N.L. Prostaglandins, thromboxanes and the pregnant rat uterus at term
- RHEE, H.M. Accumulation of [3H]-ouabain in 81 functionally different canine cardiac tissues: differential Rb uptake
- KING, B.F. & MUIR, T.C. The response of the rabbit rectococcygeus muscle to stimulation of extrinsic inhibitory nerves and to sympathomimetic drugs
- NATHANSON, JAMES, A. Effects of a potent and specific β_2 -adrenoceptor antagonist on intraocular pressure
- ANGERIO. ALLAN D., FITZPATRICK. 101 THOMAS M., KOT, PETER A., RAMWELL, PETER W. & ROSE, JOHN C. Effect of verapamil on the pulmonary vasoconstrictor action of prostaglandin $F_{2\alpha}$ and a synthetic PGH₂ analogue
- CHAPAL, JEANNIE & LOUBATIERES-105 MARIANI, MARIE-MADELEINE Effects of phosphate-modified adenine nucleotide analogues on insulin secretion from perfused rat pancreas
- BUCKINGHAM, JULIA C. & HODGES, J.R. A cytochemical bioassay method for the determination of luteinizing hormone in biological fluids and tissues

lung slices 127 MACKAY, DENNIS An analysis of functional antagonism and synergism EMMERSON, JANE & MACKAY, DENNIS 135 A test of the null equation for functional antagonism ARBUTHNOTT, G.W., ECCLESTON, D., 143 LASZLO, I. & NICOLAOU, N. Uptake of 5hydroxytryptamine in the catecholamine containing areas of the hypothalamus of the rat after treatment with phenelzine and tryptophan 149 DAWBARN, D., LONG, S.K. & PYCOCK, C.J. Increased central 5-hydroxytryptamine

HEMSWORTH, BRIAN A. & STREET,

JAMES A. Characteristics of (\pm) -[11C]-oxpreno-

lol and (\pm) -[$^{++}$ C]-propranolol incorporation by rat

receptor mechanisms in rats after chronic neuroleptic treatment HARRIS, J.B. & MALTIN, C.A. The effects of the subcutaneous injection of the crude venom of the Australian common brown snake, Pseudonaja textilis on the skeletal neuromuscular system

165

- HARMAN, R.J. & SHAW, G.G. The spontaneous and evoked release of spermine from rat brain in vitro PROCEEDINGS OF THE BRITISH PHAR-MACOLOGICAL SOCIETY. University of London, 16th-18th December 1980
- 175P ANDREASEN, F., CHRISTENSEN, J.H. & JANSEN. J.A. The influence of age and sex on the pharmacokinetics
- of thiopentone 177P IDLE, J.R. & ISLAM, SAMIRA I. Polymorphism of phenformin 4-hydroxylation in Saudi females 178P BARBER, H.E., KITTERINGHAM, N.R. & PETRIE, J.C. The effect of imipramine and SKF 525 A on the first
- 180P CALDWELL, J., HUTT, A.J., SMITH, R.L. & ZANGOURAS, A. Dose-dependent formation of 1'-hydroxyestragole from estragole in the mouse BOREHAM, D.R., CHEESEMAN, K., PALMER, R.F., SLATER, T.F. & VOSE, C.W. (introduced by
- CALDWELL, J.). Metabolism of canrenone in vitro: evidence for the formation of a glutathione conjugate via epoxidation

and dog

pass elimination of propranolol in the rat

LATHAM, A., ROTHWELL, NANCY J., STOCK, M.J.,

WHITE, A.C. & WYLLIE, M.G. Na⁺, K⁺-ATPase

activity in brown adipose tissue: its relationship to resting metabolic rate and the effects of ciclazindol

DURAND, A., DRING, L.G. & MORSELLI, P.L.

A comparison of the kinetics of ifenprodil in the rat

185P ELLIOTT, R.C. The interaction between tetraethylam-

190P

192P

cat heart

and xylocaine. 186P CREESE, R. & HEAD, S.D. Channel opening time

guinea-pig

- by external and internal recording in rat diaphragm 187P
 - BRASWELL, L.M., MILLER, K.W. & SAUTER, J.F. Differential effects of non-specific perturbers on the acetylcholine receptor from Torpedo and its ionophore

isolated mesenteric blood vessels

HICKS, P.E., WARBURTON, G.R. & WESTON, A.H. No evidence for an inhibitory pre-junctional effect of hydralazine in vivo

183P BARLOW, R.B., CAULFIELD, M.P., KITCHEN, R.,

184P SMALL, R.C. & YARKER, YVONNE E. β-Bungarotoxin in studies of neuroeffector transmission in the

receptors in guinea-pig atria and ileum

ROBERTS, P.M. & STUBLEY, J.K. The affinities of pirenzepine and atropine for functional muscarinic

monium and methohexitone in the chick biventer

cervicis muscle preparation; experiments with caffeine

BROWN, R.A. & O'CONNOR, S.E. Stereoselective antagonism of pre-junctional dopamine receptors in the rabbit ear artery by sulpiride GRIMMER, A.J. & LEATHARD, HELEN L.

5-Hydroxytryptamine and noradrenaline on human

- 191P FENIUK, W., HUMPHREY, P.P.A. & WATTS, A.D. Further characterization of pre- and post-junctional 5-hydroxytryptamine receptors for in vasculature
 - BLABER, L.C. The presynaptic effects of cholinoceptor and adrenoceptor agonists and antagonists in vivo in
- BERTHELOT, A., HAMILTON, C.A. & REID, J.L. Alpha adrenoceptors in two models of experimental hypertension in the rabbit HICKS, P.E. & NAHORSKI, S.R. Is there a change 194P in post-synaptic x-receptors in hypertension? In vitro and in vivo studies
- 195P THOOLEN, M.J.M.C., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Withdrawal syndrome after continuous infusion of clonidine in the spontaneously hypertensive and normotensive rat 196P HOF, R.P., MÜLLER-SCHWEINITZER, E. &
- NEUMANN, P. (introduced by BERDE, B.). In vitro and in vivo effects of a new powerful calcium antagonist 196P DRYDEN, W.F. & MARSHALL, R.J. Relationship between 'staircase' phenomena and response to cardiac
 - glycosides in rat, guinea-pig and ground squirrel papillary muscles BROOKS, I., FLYNN, SHEILA B. & UNDER-198P
 - cardiac function WILSON, R. Effects of alinidine (N-allyl clonidine ST567) on experimental cardiac arrhythmias

199P MARSHALL, R.J., MUIR, A.W. & WINSLOW,

6001 in anaesthetized rats

EILEEN. A comparison of the intensity and duration

of the antidysrhythmic effects of mexiletine and Org

WOOD, A.H. Effects of L-3,3',5-triiodothyronine on rat 199P ALLEN, J.D., HARRON, D.W.G., SHANKS, R.G. &

- MP ADAMS, P.R., BROWN, D.A. & CONSTANTI, A. An explanation for the cholinomimetic action of Ba2+ on sympathetic neurones MAP DICKINSON, K.E.J. & NAHORSKI, S.R. Solubiliz
 - ation of β_1 and β_2 adrenoceptors from rat and rabbit
- DOP BROADLEY, K.J. & HAWTHORN, M.H. Reserpineinduced supersensitivity to the β -adrenoceptor-mediated responses of cardiac, respiratory and uterine tissues of
- the guinea-pig DAP ELLIOTT, J.M. & GRAHAME-SMITH, D.G. Effects of monovalent and divalent cations and purine nucleotides on the x-adrenoceptor of human intact
- platelets MAGNAN, J. Pharmacological analysis of opiate receptors in the rat vas deferens MONGAR, J.L. & MOODLEY, I. Dextran and
- histamine secretion from rat mast cells: effect of glucose and low molecular weight glucose polymers MP FOREMAN, J.C. & JORDAN, C.C. Comparison of the activities of some peptides in human skin and as histamine releasing agents
- MAP JOHANSEN, T. (introduced by MONGAR, J.L.). Dependence of anaphylactic histamine release from rat mast cells on cellular energy metabolism MP WEDMORE, C.V. & WILLIAMS, T.J. Evidence for
 - two types of vascular permeability-increasing mediators: the direct action of histamine and bradykinin; the polymorph-dependent action of C5a, leukotriene B₄ and formyl tripeptide

BRAY, M.A., CUNNINGHAM, F.M., DAVIDSON.

- E.M., FORD-HUTCHINSON, A.W. & SMITH, M.J.H. Differing biological potencies of isomers of leukotriene B₄ IP FORREST, M.J., JOSE, P.J., PECK, M.J. WILLIAMS, T.J. C5a generation in blood plasma of man, pig, guinea-pig, rabbit and rat: a link between complement activation and inflammatory oedema
- BARTHOLEYNS, J., FOZARD, J.R. & PRAKASH, N.J. Blockade of the anti-inflammatory action of dexamethasone by DL-α-diffuoromethylornithine; comparison with actinomycin D and cycloheximide P JENNER, D.J., LEWIS, D.A., PITT EVA & OFFORD.
 - R.A. The effect of the intravenous administration of corticosteroids encapsulated in intact erythrocytes on adjuvant arthritis in the rat PALMER, M.A., PIPER, PRISCILLA J., SAMHOUN, MARWA N. & TIPPINS, J.R. Some actions of natural and synthetic slow-reacting substances on isolated
- preparations DOLLERY, C.T., HOULT, J.R.S. & ROBINSON, C. Prostaglandin inactivation in the perfused rat lung: active transport or facilitated diffusion? PIPILI, E. (introduced by POYSER, N.L.). The effect

of prazosin upon the release of prostaglandins I2 and

E2 from the perfused mesenteric arterial bed of the rabbit following stimulation of the adrenergic nerves POYSER, N.L. & SWAN, CAROL G. The effect of prostaglandins on the rabbit and rat vas deferens

- 217P HILLIER, K., MASON, P. & SMITH, C.L. Ulcerative colitis: prostaglandin metabolism and the effect of sulphasalazine, 5 amino salicylic acid and indomethacin in human colonic mucosa 217P BAKHLE. Effects Y.S. of sulphasalazine prostaglandin inactivation and synthesis in isolated
- lungs of guinea-pig, rat and man 218P HOULT, J.R.S., LOFTS, F.J. & MOORE, P.K. Stability of prostacyclin in plasma and its transformation by platelets to a stable spasmogenic product
 - SMITH, J.R. & WHITE, A.M. Fibrin, red cell and platelet interactions in an experimental model of thrombosis

219P GEISOW, H.P., HORNBY, E.J. & McCABE, P.J.

- (introduced by: BRITTAIN, R.T.). Inhibition of platelet aggregation by AH 19437 A thromboxane receptor blocking drug 220P JONES, R.L. & WILSON, N.H. Thromboxane receptor antagonism shown by a prostanoid with a bicyclo [2,2,1] heptane ring
- EMMS, HELEN, LEWIS, G.P. & WATTS, I.S. Imidazole derivations as inhibitors of thromboxane formation 222P COLEMAN, R.A., KENNEDY, I., WHALLEY, E.T. & WHITE, SUSAN K. Comparison of the effects of

thromboxane A2 on uterine smooth muscle of rat and

LEAVER, H. ANNE & NING, ANGELA C.W.S. (introduced by KERRY, P.J.). Endometrial uptake and esterification of arachidonic acid during the oestrous cycle of the guinea-pig GEIGER, R. & WHALLEY, E.T. Effect of various prostaglandins on the in vitro activation of kallikrein

guinea-pig in vitro

11-deoxy-prostaglandin E₁

223P

- in rat plasma BANERJEE, A.K., CHRISTMAS, A.J., CROWSHAW, K., HEAZELL, M.A., IVERS-READ, GILLIAN C., SAUNDERS, L.C. & WYATT, D. M&B 28,767, a potent anti-ulcer and anti-secretory analogue of
- 226P RAINSFORD, K.D. (introduced by FORD-HUTCHIN-SON, A.W.). Comparison of the gastric ulcerogenic activity of new non-steroid anti-inflammatory drugs in stressed rats PARSONS, M.E., PIPKIN, G. & PRICE, C.A. The
- effect of histamine antagonists on gastric mucosal haemorrhage in the rat FILE, SANDRA E., MABBUTT, P.S. & PEARCE. JACALYN B. How do benzodiazepines reduce
- formation of gastric stress ulcers? 229P SIMMONDS, M.A. Pentobarbitone and phenobarbitone interact differently with the γ-aminobutyric acid antagonists bicuculline and picrotoxin
- AKAGI, HIROKO, GREEN, A.R. & HEAL, D.J. Repeated electroconvulsive shock attenuates clonidineinduced hypoactivity in both mice and rats
- HOWE, G.M., HOWE, S.J., TULLOCH, I.F. & WALTER, D.S. (introduced by METCALF, G.). Relation between plasma concentration of valproic

in rats

acid and its anti-convulsant and behavioural effects

convulsant spectrum of GABAmimetic drugs: relevance to antiepileptic drug research 234P MINCHIN, M.C.W. (introduced by ANGEL, A.) The effect of catechol on amino acid transmitter

232P LLOYD, K.G. & WORMS, P. The broad anti-

release from thalamic slices 235P FOSTER, G.A., ROBERTS, P.J., ROWLANDS,

236P

237P

238P

239P

240P

240P

242P

243P

249P

platelets

- GETHIN J. & SHARIF, N.A. Ontogeny of neurochemical markers for glutamatergic neurons in cerebellum: implications for development of kainate neurotoxicity
- DASCOMBE, M.J. & FOOTE, G.G. Intrastriatal injection of apomorphine and climbing behaviour in chronically cannulated mice DUNSTAN, R., LLOYD, K.G. & ZIVKOVIC, B. Inhibition by apomorphine of the amphetamine-induced
- changes in a dopaminergic system MIGNOT, G. & SAVINI, E.C. Apocodeine as a dopamine antagonist in the rabbit DEDEK, J., SCATTON, B. & ZIVKOVIC, B. (introduced by WORMS, P.). Yohimbine blocks dopa-
- minergic transmission in the rat striatum GAMBLE, S.J. & WADDINGTON, J.L. Six months phenothiazine treatment differentially influences distinct dopamine-mediated behaviours DAWBARN, D., LONG, S.K. & PYCOCK, C.J. Differential dopamine receptor supersensitivity after chronic phenothiazine treatment in rats
- CLOW, A., JENNER, P., MARSDEN, C.D., MURU-GAIAH, K. & THEODOROU, A. Drug holidays do not prevent the development of cerebral dopamine receptor supersensitivity during chronic neuroleptic administration BRADSHAW, C.M., PUN, R.Y.K., SLATER, N.T., STOKER, M.J. & SZABADI, E. Comparison of the

administration on rat brain α_2 -adrenoceptor sensitivity

241P SUGRUE, M.F. Effect of chronic antidepressant

- effect of haloperidol on excitatory responses of cortical neurones to dopamine, noradrenaline and phenylephrine NICHOLSON, A.N. & WRIGHT, CATHERINE M. $6(\pm)$ -Fluorotryptophan: Sleep and wakefulness in the
- 244P 245P BRADLEY, P. B. & GLADMAN, J.R.F. Microiontophoretic study of the interaction between β -adrenoceptor antagonists and 5-hydroxytryptamine in the rat brain
- ¹246P BUCKINGHAM, JULIA C. Hypothalamo-pituitaryadrenocorticotrophic activity in the pentobarbitone and morphine-treated rat HILL, M.W. & MANN, S.P. (introduced by SHARMAN, 247P mechanism

245P VASKO, M.R. & VOGT, M. Site of interaction

neurones in the rat brain

between morphine and 5-hydroxytryptamine-containing

D.F.) Tyrosine hydroxylase activation: a possible HOLZER, P. & SHARMAN, D.F. Substance P in the 248P developing pig

251P NUNN, BARBARA, Arachidonate metabolites play only a minor role in collagen-induced aggregation in mouse citrated platelet-rich plasma GODFRAIND, T. & MILLER, R.C. Prostaglandin

250P HOULT, J.R.S. & MOORE, P.K. Sulphinpyrazone in

possible mode of anti-thrombotic action?

rats releases prostaglandin 'reciprocal coupling factor':

- F_{2x}(PGF_{2x}) mediated contraction and [45Ca]-influx into rat mesenteric arteries: inhibition by flunarizine a calcium entry blocker
- 252P DOWNS, D.D., GARLAND, L.G. & SHIELDS, P.A. A possible role for lipoxygenase products in airway hyper-reactivity in vivo 253P CARR, S.C., HIGGS, G.A., SALMON, J.A. & SPAYNE, J.A. The effects of arachidonate lipoxygenase products
- on leukocyte migration in rabbit skin 254P BHATTACHERJEE, P., EAKINS, K.E. & HAM-MOND, B. Chemotactic activity of arachidonic acid lipoxygenase products in the rabbit eye
- 256P SALVATI, PATRICIA & WHITTLE, B.J.R. The vasoactive effects of some arachidonate lipoxygenase and cyclo-oxygenase products on the isolated perfused stomach of rabbit and rat
 - BUNCE, K.T., DALY, M.J., McCARTHY, J.J. & SPRAGGS, C.F. Do prostaglandin E_2 (PGE2) and 257P prostacyclin (PGI₂) affect disruption of the gastric mucosal barrier induced by bile salt?
- 258P COLEMAN, R.A., HUMPHREY, P.P.A., KENNEDY, I., LEVY, G.P. & LUMLEY, P. Further evidence that AH 19437 is a specific thromboxane receptor blocking drug
- 258P BRAY, M.A., CUNNINGHAM, F.M., FORD-HUTCHINSON, A.W. SMITH, M.J.H. Leukotriene B4: a mediator of vascular permeability
- 259P BRAY, M.A., FORD-HUTCHINSON, A.W. & SMITH, M.J.H. Leukotriene B₄ and leucocyte movement 260P PALMER, R.M.J. & YEATS, DARYL A. (introduced
- by EAKINS, K.E.) Leukotriene B: A potent chemotactic agent and stimulus for lysosomal enzyme secretion for human neutrophils (PMN) 261P ROBERTS, C. JANE & WALKER, R.J. The actions of L-glutamate and related compounds on the central neurones of the Horse-shoe crab, Limulus polyphemus
- 262P DETTMAR, P.W., FORTUNE, D., LYNN, A.G., METCALF, G., MORGAN, B.A. & TULLOCH, I.F. Neuropharmacological evaluation of TRH analogues with modified proline residues
- 263P IHALAINEN, E., MacDONALD, E. & PISPA, J.P. Effect of 3,5-dimethylpyrazole on mouse brain catecholamine levels
- 264P BULL, D.R. & TYERS, M.B. Lack of effect of μ and κ opiate receptor agonists on K+-stimulated release of Met-enkephalin from guinea-pig striatal slices

HOLZBAUER, MARGARETHE, HOLZER, P. &

SHARMAN, D.F. Release of endogenous dopamine

from the neuro-intermediate lobe of the hypophysis in vitro FLASKOS, J. & GEORGE, A.J. The effect of 265P COWEN, P.J., GREEN, A.R. & NUTT, D.J. Drugflupenthixol isomers on [3H]-5-HT uptake into blood induced alterations of the post-ictal seizure threshold increase

265P

- JOSEPH, M.H. & KENNETT, G.A. Brain tryptophan and 5-HT function in stress
- HARTLEY, J.E., MILLER, A.A. & WEBSTER, R.A. Behavioural and biochemical changes following withdrawal of chronic dexamphetamine or bupropion administration in rats
- MOORE, N.A., PULLAR, I.A. & TYE, N.C. (introduced) by DAWSON, W.) Selective enhancement of dopamine (induced behaviours) following chronic neuroleptic treatment
- MIGNOT, G. & SAVINI, E.C. Dopaminergic stereotyped and turning behaviour in the rabbit
- COLLINGRIDGE, G.L., KILPATRICK, I.C. & STARR, M.S. Pharmacological manipulations of tectal GABA systems affect posture and locomotion in the
- SLUSARCZYK, HELEN & TURNER, P. Studies on benfluorex and its metabolites on glucose uptake into nt isolated hemidiaphragm SCOTT, M.G. & TEMPLE, D.J. (introduced by SWANTON, J.G.) Investigations into the suitability of the male rat as a source of hepatocytes for studies
- acetylation BENNETT, P.N., NOTARIANNI, LIDIA J. & SUPRADIST, S. Alteration of liver blood flow and metabolism on lignocaine and tocainide kinetics; observed changes and predictions of pharmacokinetic

of drug interactions which may involve induction of

models TELLOWS, I., JENNER, W.N., MARTIN, L.E. & WILLOUGHBY, B.A. (introduced by BRITTAIN. R.T.) The development of a radioimmunoassay for

mitidine in biological fluids

- OGUES, K., DIXON, G.T., FOWLER, P., JENNER, N.N., MACONOCHIE, J.G., MARTIN, L.E. & WILLOUGHBY, B.A. Pharmacokinetics and bio-
- vailability of ranitidine in humans OWMER, C.J. & YATES, M.S. The effect of acute enal failure on the pharmacokinetics of indocyanine reen in the rat
- ASHTON, L., DICKINSON, K.E.J. & NAHORSKI. **IR.** β_1 and β_2 Adrenoceptors in developing rat long
- LAPHAM, J.C. & HAMILTON, T.C. Inhibition of timulation-evoked pressor responses in the pithed rat y dopamine agonists through activation of premaptic dopamine receptors
- PEDDING, M. Antagonism of the inhibitory effects clonidine and dopamine in the guinea-pig ileum by etoclopramide, sultopride and sulpiride
- HAPLEO, C.B., DOXEY, J.C., MYERS, P.L., OACH, A.G. & SMITH, SUSAN E. Clonidinefluence of aromatic substitution on x-adrenoceptor **ec**tivity
- ANGER, S.Z., MASSINGHAM, R. & SHEP-ERSON, N.B. Preferential, long-lasting blockade of aronally released but not exogenously administered radrenaline in vitro; further evidence that the adrenoceptor subtype predominates intrasynaptically

- BRITTAIN, R.T., DREW, G.M. & LEVY, G.P. The α - and β -adrenoceptor blocking potencies of labetalol and its individual stereoisomers
- 283P McGRATH, J.C. Apoyohimbine; a pattern for α-adrenoceptor antagonists or a template for the \u03c4-adrenoceptors? GIBSON, A. Contractile responses of the mouse
- anococcygeus muscle to some α-adrenoceptor agonists 285P
- BROOKS, I., FLYNN, SHEILA B. & UNDER-WOOD, A.H. Time-course of the cardiac effects of a single dose of L-3,3',5-triiodothyronine in thyroidectomized rats
- FOY, J.M. & PURVIS, J.R. A comparative study of 286P the effect of sulphonylureas on regional blood flow determined by a radioactive microsphere technique in experimentally-induced diabetes in the rat
- 287P DREW, G.M. & HILDITCH, A. Effects of agonists and antagonists at vascular dopamine receptors in the rabbit isolated splenic artery and the mesenteric vascular bed of the anaesthetized dog
- ARMSTRONG, J.M., CAVERO, I. & FÉNARD, SIMONE. The contribution of sympathetic and parasympathetic nerve mechanisms to the control of heart rate in conscious dogs at rest and during exercise as assessed by using betaxolol and methylatropine
- 289P CAVERO, I., LEFÈVRE-BORG, FRANCOISE & SCATTON, B. Functional and biochemical evidence for the lack of cardiac presynaptic α-adrenoceptor agonist properties in cirazoline (LD 3098)
- DOWNING, O.A., WILSON, K.A. & WILSON, V.G. 290P Competitive and non-competitive blockade of a-adrenoceptors on rat aorta by prazosin
- 291P DOXEY, J.C., ROACH, A.G. & VIRDEE, NARINDER Effects of prazosin, phentolamine and yohimbine on the vasoconstrictor responses to noradrenaline and sympathetic nerve stimulation in the rat mesentery
- 293P CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE. Prazosin changes the time-course profile of the pressor responses elicited by noradrenaline in the perfused forelimb of spinal dogs
- 294P WILSON, A.N.A. (introduced by DOXEY, J.C.) The release of an unidentified substance from the guinea-pig isolated atria and the inhibitory action of opiates
- RODGER, I.W. & SHAHID, M. Effects of increased 295P pH on contractile force of rabbit isolated papillary muscles
- CLOUGH, D.P., HATTON, R. & MATTHEWMAN, SUSAN C. Effect of angiotensin converting enzyme inhibitor on neurogenic vasoconstriction in the pithed
- STRACHAN, LESLEY J. & WATSON, M.L. (introduced by UNGAR, A.) The effect of captopril on the renal and systemic haemodynamic action of PGI, in anaesthetized dogs
- 298P WELLER, M.P.I. & WRIGHT, D.J.M. (introduced by BAKER, J.B.E.) Inhibition by laevo-propranolol and naloxone of salbutamol-induced depression of white cell and platelet counts in mice
- 299P KOSTERLITZ, H.W. & PATERSON, S.J. Tyr-D-Ala-Gly-MePhe-NH(CH₂)₂OH is a selective ligand for the μ -opiate binding site

dependence in guinea-pig isolated ileum 301P KELLY, P.D. & TRAYNOR, J.R. Effects of narcotic analgesics on lipase activity in vitro BATES, R.F.L., BUCKLEY, G.A., EGLEN, R.M. & STRETTLE, R.J. Interaction of calcium ions and salmon

300P COLLIER, H.O.J., CUTHBERT, N.J. & FRANCIS,

D.L. Effect of temperature on the induction of opiate

- 302P calcitonin in the production of analgesia in the
- 303P ELLIOTT, P.N.C., FOSTER, R.L. & WILEMAN, T.E. Covalent attachment to dextran to the anti-leukemic enzyme L-asparaginase reduces the type
- hypersensitivity to the antigen 304P JONES, R.L., SUTHERLAND, ROMA A. WILSON, N.H. Binding of tritium-labelled 9.11-epoxy-

membrane lipids

of vinvlidene chloride

fundic strip

306P

308P

310P

- methano PGH2 to human platelets 305P FENN, C.G. & LITTLETON, J.M. Inhibition of platelet
 - aggregation by ethanol: the role of plasma and platelet
 - DEARNALEY, D.P., MARSON, L., OSBORNE, R.H. & WHITE, E. Effects of dock leaf extracts on 5-hydroxytryptamine induced contraction of the rat
 - SUGRUE, M.F. Fenfluramine-induced hyperthermia in rats: antagonism by some, but not all, selective inhibitors of 5-hydroxytryptamine uptake JOHNSTON, BELINDA J. & McISAAC, R.L. The
 - effect of some anti-ulcer agents on basal gastric mucosal blood flow and transmucosal flux of hydrogen and sodium ions in the conscious dog
 - EMMS. HELEN & LEWIS. G.P. The anatomical
 - distribution of ADPase activity in the rabbit aorta HICKS, R. & SAHYOUN, H.A. Differences in the time-course of tuberculin skin reactions in primary and secondary hypersensitive phases and the influence

312P

and H2-receptor antagonists in the rat DASCOMBE, M.J. Hypothermia in rabbits after intrahypothalamic injection of N6-2'-O-dibutyryl

in the rat

318P

from rat spinal cord slices

and pyloric sphincters

- adenosine 3',5'-monophosphate BUTCHER, R.A., DODDS, M.G. & TWISSELL, D.J.
- An isolated programmable stimulator for the determination of ventricular fibrillation threshold

311P BELL, CATHERINE & WALI, F.A. (introduced by

ELLIOTT, R.C.). Methohexitone-tetraethylammonium

interactions in the chick biventer cervicis muscle, moving fluid electrode technique and denervation studies

COSTALL, B., NAYLOR, R.J. & SAHYOUN, H.A. Modification by domperidone of catecholamine effects

on circular smooth muscle of the lower oesophageal

DALY, M.J., REEVES, J.J. & STABLES, R. Inhibition of vagally-induced gastric acid secretion by atropine

- 317P BURGESS, G.M., COCKS, T.M. & JENKINSON, D.H. The use of K-sensitive electrodes to study druginduced release of K from suspensions of isolated hepatocytes
- 317P COLQUHOUN, D., OGDEN, D.C. & SIEGELBAUM, S.A. Currents recorded from single acetylcholineactivated ion channels in skeletal muscle membrane
- 318P KENT, A.P. & WEBSTER, R.A. Pharmacological analysis of leptazol induced epileptogenic activity in the anaesthetized rat MILLER, A.A., O'DONNELL, R. & WEBSTER, R.A. 318P Studies on folic acid induced epileptogenic kindling

318P VELLUCCI, SANDRA & WEBSTER, R.A. GABA and benzodiazepine modification of ¹⁴C glutamate release

from rat submandibular ganglion cells

GURNEY, A. & RANG, H.P. Voltage clamp recording