INDEX TO VOLUME 74

AUTHOR INDEX

Δ

- ABDULLAH, F.M., FRENCH, A.M. & SCOTT, N.C. A comparison of histamine receptor distribution in atria from rats and guinea-pig, 937P
- ABRAHAMSEN, J. & NEDERGAARD, O.A. Effect of chlorpromazine on adrenergic neuroeffect or transmission in isolated blood vessels. 943P
- AHMAD, A.B., BENNETT, P.N. & ROWLAND, M. The influence of varying hepatic arterial flow contribution to the rat perfused liver on systemic availability of lignocaine, 244P
- AHTEE, LIISA & ATTILA, L.M.J. Changes in limbic and striatal dopamine in rats treated with morphine for 40 and 60 days, 900P
- AINSWORTH, GILLIAN A., GARLAND, L.G. & PAYNE, A.N. Modulation of bronchoconstrictor responses to histamine in pithed guinea-pigs by sympathetic nerve stimulation, 855P
- AKAIKE, N., BROWN, A.M., NISHI, K. & TSUDA, Y. Actions of verapamil, diltiazem and other divalent cations on the calcium-current of *Helix* neurones, 87
- AKASU, T., HIRAI, K. & KONETSU, K. Increase of acetylcholine-receptor sensitivity by adenosine triphosphate: a novel action of ATP on ACh-sensitivity, 505
- AKHTAR-KHAVARI, FARZANEH, KHOYI, M.A. & REZAEI, EFFAT. Effects of amiloride on contractions and the release of tritium from rat vas deferens preloaded with [³H]-noradrenaline, 123
- AKHTAR-KHAVARI, FARZANEH, KHOYI, M.A. & REZAEI, EFFAT. Effects of guanidine, guanethidine and tetrodotoxin on the outflow of tritium from rat vas deferens preloaded with [3H]-noradrenaline. 863P
- AKPAFFIONG, M.J., REDFERN, P.H. & WOOD-WARD, B. Dopamine-induced natriuresis an effect mediated via the adrenal gland, 304P
- AL- DAHAN, MUNA & THOMAS, P.J. The binding of [³H]-scopolamine to the brains of male and of female rats: the effects of ovariectomy versus the proestrous stage of the sexual cycle, 866P
- AL-HABOUBI, H.A. & ZEITLIN, I.J. The role of H₁- and H₂- receptors in histamine-induced rat paw oedema, 977P
- ALDINI, RITA, BARBARA, LUIGI, BENELLI, AU-GUSTA, BORZATTA, VALERIO, GEMINIANI, STEFANIA, MASCELLANI, GUISEPPE, MORSEL-LI, ANTONIO, RODA, ALDO & RODA, ENRICO. Effects of a salt of cholestyramine and 2-[4-(p- chlorobenzoyl) phenoxy] 2-methyl propionic acid (α-1081) on biliary lipid secretion in rats, 611
- ALSEN, C., HARRIS, J.B. & TESSERAUX, I. Mechanical and electrophysiological effects of sea anemone (*Anemonia sulcata*) toxins on rat innervated and denervated skeletal muscle, 61

- AMIT, T., BEN-HARARI, R.R. & YOUDIM, M.B.H. The presence and auto-regulation of prolactin receptor in the lung. Its significance, 955P
- ALTURA, BURTON, M. & CHAND, NARESH. Bradykinin-induced relaxation of renal and pulmonary arteries is dependent upon intact endothelial cells, 10
- ANDERSON, A.A., FOULKES, R., GOADBY, P., HOOPER, M. & THONOOR, M. Cardiac effects of a series of 1-substituted dihydroiso-quinoline derivatives, 938P
- ANDERSSON, PER & BERGSTRAND, HÅKAN. Antigen-induced bronchial anaphylaxis in actively sensitized guinea-pigs: effect of long term treatment with sodium cromoglycate and aminophylline, 601
- ANDREWS, C.D. & CURZON, G. Relationships between behavioural and *in vivo* voltammetric responses to dopamine and 5-hydroxytryptamine releasers, 908P
- ANDREWS, C.D., CURZON, G. & FERNANDO, J.C.R. 5-Hydroxytryptamine-dependent behaviours induced by (+)-amphetamine have different relationships with dopamine, 213P
- ANTONELLI, T., BEANI, L., BIANCHI, C., PEDATA, F. & PEPEU, G. Changes in synaptosomal high affinity choline uptake following electrical stimulation of guinea-pig cortical slices: effect of atopine and physostigmine, 525
- ARBILLA, SONIA, GALZIN, ANNE-MARIE, LANGER, S.Z. & NOWAK, J.Z. Supersensitivity of central dopamine autoreceptors following chronic haloperidol treatment in the rabbit, 901P
- ARBILLA, SONIA, KAMAL, LINDA, A. & LANGER, S.Z. Inhibition by apomorphine of the potassium-evoked release of [³H]-γ-aminobutyric acid from the rat substantia nigra *in vitro*, 389
- ARBILLA, SONIA, LANGER, S.Z. & LEHMANN, J. Dopamine autoreceptors inhibiting [³H]-dopamine release in the caudate nucleus of the cat: evidence for a role of endogenously released dopamine, 226P
- ARBILLA, SONIA, LANGER, S.Z. & MAURIN, Y. α-Adrenoceptor binding and autoregulation of noradrenaline release in the brain of a convulsive mutant mouse, 233P
- ARCHER, D.M. (introduced by FOY, J.M.) Hymenolepis microstoma in a screening test for anthelminthics, 311P
- ARMSTRONG, J.M. Urethane attentuates pressor responses produced by α-adrenoceptor agonists and some other vasoconstrictor agents in pithed rats, 826P
- ARMSTRONG, ROMA, A., JONES, R.L., PEESAPATI, V. & WILSON, N.H. Effect of the thromboxane antagonist EP045 on arachidonic acid responses in the rabbit, guinea-pig and sheep, 790P
- ARMSTRONG-JAMES, M., FOX, K., KRUK, Z.L. & MILLAR, J. Electrochemical detection of dopamine agonists, 224P

- ASHKENAZI, R., BEN-SHACHAR, D. & YOUDIM, M.B.H. Dopamine receptors and dopamine dependent behaviours in iron-deficient rats. 762P
- ASMAWI, M.Z., IRVING, G. & McCURRIE, JANICE R. (introduced by LEACH, G.D.H.) Effects of magnesium ions on responses of mesenteric arteries from normotensive and spontaneously hypertensive rats, 270P
- ATAL, C.K., GUPTA, O.P. & SINGH, G.B. (introduced by LEACH, G.D.H.) Salai guggal: a promising antiarthritic and anti-hyperlipidaemic agent, 203P
- ATAL, C.K., GUPTA, O.P. & SINGH, G.B. (introduced by LEACH, G.D.H.) Studies on pangamic acid a nutritional and therapeutic agent, 299P

В

- BADAWY, A.A.-B. & EVANS, C.M. Naloxoneprecipitated withdrawal symptoms in rats chronically treated with small concentrations of morphine in drinking water, 282P
- BADAWY, A.A.-B. & EVANS, M. Rapid reversal by naxolone of the chronic effects of morphine on rat liver and brain tryptophan metabolism, 511
- BADAWY, A.A.-B. & EVANS, M. The mechanism of the antagonism by naloxone of acute alcohol intoxication, 514
- BADAWY, A.A.-B., EVANS, M. & PUNJANI, N.F. Naloxone reversal of the chronic effects of morphine on rat liver and brain tryptophan metabolism, 211P
- BADAWY, A.A.-B., EVANS, M. & PUNJANI, NAZE-ERA, F. Reversal by naloxone of the effects of chronic administration of drugs of dependence on rat liver and brain tryptophan metabolism, 489
- BAGSHAW, ANN, BHOOLA, K.D. & WHICHER, J.T. Radioimmunoassay of glandular kallikrein in human biological fluids, 806P
- BAKER, D. & DREW, G.M. An investigation of the possible function of postsynaptic vascular α_1 and α_2 -adrenoceptors, 259P
- BAKER, M.H., FOSTER, A.B., HARLAND, S.J. & JAR-MAN, M. Metabolism of aminoglutethimide in humans: formation of *N*-formylamino-glutethimide and nitroglutethimide, 243P
- BAKHLE, Y.S. & CHELLIAH, R. Altered breakdown of ADP in isolated lungs of rats with streptozotocininduced diabetes, 804P
- BALFOUR, D.J.K. & BENWELL, M.E.M. Effects of chronic nicotine administration on plasma corticosterone and brain 5-hydroxyindoles in stressed rats, 212P BARBARA, LUIGI see ALDINI, RITA, 611
- BARBER, H.E., KITTERINGHAM, N.R., PETRIE, J.C. & SMITH, K.J. The inhibition of the first pass metabolism of propranolol in the pithed rat—correlation of in vitro and in vivo pharmacokinetic parameters, 722P
- BARCHAS, J.D. see BOARDER, M.R., 808P
- BARRAND, MARGERY A., CALLINGHAM, B.A. & LYLES, G.A. Monoamine deamination in the anococcygeus muscle of the rat, 198P
- BARRETT, A.M., FRANKISH, N.H. & YATES, M.S. The effects of calcium antagonists on pulmonary haemodynamics, 946P
- BATES, R.F.L., BUCKLEY, G.A., EGLEN, R.M. &

- STRETTLE, R.J. Antagonism of calcitonin induced analgesia by ionophore A23187, 857P
- BATES, R.F.L., BUCKLEY, G.A., EGLEN, R.M. & STRETTLE, R.J. Hyperalgesia induced by chronic subcutaneous injection of calcitonin, 280P
- BATES, R.F.L., BUCKLEY, G.A, EGLEN, R.M. & STRETTLE, R.J. The interaction of naloxone and calcitonin in the production of analgesia in the mouse, 279P
- BEANI, L. see ANTONELLI, T., 525
 BEART, P.M., GUNDLACH, A.L. & McDONALD, D.

 [3H]-spiroperidol binds to two sites in homogenates of
- [³H]-spiroperidol binds to two sites in homogenates of the rat nucleus accumbens, 895P BECKETT, P.J. & FINCH, L. The interaction of yohim-
- bine, rauwolscine and coryanthine on the central cardiovascular effects of clonidine in conscious SHR, 933P
- BECKETT, P.J. & FINCH, L. The involvement of central α₁ and α₂-adrenoceptors in the cardiovascular effect of clonidine and R28935 in the conscious cat, 190P
- BELL, G.D., CLEGG, R.J., ELLIS, W.R., MIDDLETON,
 B. & WHITE, D.A. 3,5,5-tri methylcyclohexanol (TMC): effects on cholesterogenesis, bile flow and biliary lipid secretion in the rat, 241P
- BELL, G.D., CLEGG, R.J., ELLIS, W.R., MIDDLETON, B., TAYLOR, W. & WHITE, D.A. 3,5,5-Trimethylcyclohexanol(TMC) II: studies in the cholesterol-fed rabbit, 242P
- BELL, G.D., HUI, K-P., MIDDLETON, B. & WHITE, D.A. Rowachol, a mixture of six pure monoterpenes, inhibits lipogenesis in rat when measured *in vivo*, 878P
- BELL, G.D., KITCHINGMAN, G., MACDONALD, I.A., MIDDLETON, A., MIDDLETON, B. & WHITE, D.A. Some studies in the rat into the possible mechanism of action of the hypocholesteroaemic drug probucol, 776P
- BEN-HARARI, R.R. see AMIT, T., 955P
- BEN-SHACHAR, D. see ASHKENAZI, R., 762P
- BENELLI, AUGUSTA see ALDINI, RITA, 611
- BENINGER, RICHARD, J., HANSON, DALE R. & PHILLIPS, ANTHONY G. The acquisition of responding with conditioned reinforcement: effects of cocaine, (+)-amphetamine and pipradrol, 149
- BENNETT, A., BERSTOCK, D.A. & CARROLL, MAIREAD A. Enhanced anti-cancer effect by combining cytotoxic drugs with the prostaglandin synthesis inhibitor flurbiprofen, 208P
- BENNETT, A., CARROLL, MAIREAD, A., STAM-FORD, I.F., WHIMSTER, W.T., WILLIAMS, F. & WRIGHT, JULIE E. Prostaglandins and human lung cancer, 207P
- BENNETT, A., HENSBY, C.N., SANGER, G.J. & STAMFORD, I.F. Metabolites of arachidonic acid formed by human gastrointestinal tissues and their actions on the muscle layers, 435
- BENNETT, G.W., BRAZELL, M.P. & MARSDEN, C.A. Electrochemistry of neuropeptides: a novel method for assay and *in vivo* detection, 292P
- BENNETT, G.W., BRAZELL, M.P., MARSDEN, C.A. & SHARP, T. Analogues of thyrotrophin-releasing hormone (TRH) increase the catecholamine metabolism and release in the rat nucleus accumbens *in vivo*, 871P
- BENNETT, G.W., MARSDEN, C.A., METCALF, G., SHARP, T. & TULLOCH, I.F. Analogues of thyrotrophin releasing hormone (TRH) stimulate *in vitro*

- release of endogenous dopamine from rat brain regions, 227P
- BENNETT, P.N. see AHMAD, A.B., 244P
- BENWELL, M.E.M. see BALFOUR, D.J.K., 212P
- BERESFORD, R.A. & PEAKE, B.M. Fluidity of membrane proteins and lipids: a structure/activity study of the effects of S-alkyl-thiouroniums, 781P
- BERGEL, D.H., DAVIES, C.L. & SDOUGOS, H.P. (introduced by BRADING, A.) Changes in plasma noradrenaline concentration following intravenous isoprenaline in man and dogs, 823P
- BERGSTRAND, HÅKAN see ANDERSSON, PER, 601
- BERRY, S.C., HILL, R.G. & SALT, T.E. Iontophoresis of peptide neurotransmitter candidates in the rat trigeminal nucleus caudalis: lack of correlation of effect with sensory responses of neurones, 819P
- BERSTOCK, D.A. see BENNETT, A. 208P
- BERTHOLD, R., WAITE, R. & WEBER, H. Pharmacological studies with bopindolol: a new long acting β-adrenoceptor antagonist, 829P
- BHAGAT, B., BURKE, W.J. & DHALLA, N.S. Insulininduced enhancement of uptake of noradrenaline in atrial strips, 325
- BHOOLA, K.D. see BAGSHAW, ANN, 806P
- BHOOLA, K.D. & O'SHAUGHNESSY, C.T. Evidence for excitatory amino acid sensitive adenylate cyclase in rat brain membrane preparations, 236P
- BIANCHI, C. see ANTONELLI, T., 525
- BIBBY, M.C., DOUBLE, J.A. & MUGHAL, M. (introduced by LEACH, G.D.H.) The effects of nandrolone decanoate(ND) on the toxicity and the anti-tumour action of 1-(2-chloro-ethyl)-3 cyclohexyl-1-nitrosourea(CCNU) and 5 flourouracil(5FU) in experimental murine colon tumour, 295P
- BICHARD, A.R., LITTLE, H.J. & PATON, W.D.M. The involvement of GABA in the high pressure neurological syndrome(HPNS), 221P
- BILL, D., COWLRICK, I.S., FOX, J., TODD, M.H., WARD, P.J., WOOD, M.D. & WYLLIE, M.G. Does meptazinol bind to opiate receptors? 866P
- BIRD, J. & LEWIS, D.A. A relationship between putrescine and the anti-inflammatory action of sponge exudate, 204P
- BIRDSALL, N.J.M., BURGEN, A.V.S., HULME, E.C. & STOCKTON, J. Gallamine regulates muscarinic receptors in the heart and cerebral cortex, 798P
- BISHOP, K.A. & LINDUP, W.E. Defective plasma protein binding in uraemia: extraction of binding inhibitor(s) from normal urine, 956P
- BISSETT, G.W. & CHOWDREY, H.S. A central cholinergic link in the neural control of the release of vasopressin, 239P
- BLACK, J.L., FRENCH, R.J. & MYLECHARANE, E.J. Receptor mechanisms for 5-hydroxytryptamine in rabbit arteries, 619
- BLACK, J.W., GERSKOWITCH, V.P., RANDALL, P.J.
 & TRIST, D.G. Critical examination of the histamine-cimetidine interaction in guinea-pig heart and brain, 978P
- BLAKEMORE, R.C., BROWN, T.H., DURANT, G.J., GANELLIN, C.R., PARSONS, M.E., RASMUSSEN, A.C. & RAWLINGS, D.A. SK&F 93479, a potent and long acting histamine H₂-receptor antagonist, 200P

- BLASCHKO, H. see BOLAM, J.P., 909P
- BLOWER, P.R. & MARLOW, J.B. An improved isolatedtissue bath suitable for automated control, 309P
- BLOXHAM, C.A., CROSS, A.J., CROW, T.J. & OWEN, F. Characteristics of [³H]-spiperone binding to human lymphocytes, 233P
- BOARDER, M.R., LOCKFELD, A.J. & BARCHAS, J.D. (introduced by FILLENZ, M.) Methionine-enkephalin [Arg⁶, Phe⁷] immunoreactivity in bovine chromaffin granules compared with caudate, 808P
- BOLAM, J.P., SMITH, A.D., SOMOGYI, P. & TOTTER-DELL, S. (introduced by BLASCHKO, H.) Synaptic targets of drug action in the basal ganglia: morphological studies on monosynaptic pathways in neuronal networks, 909P
- BOON, N.A. see CONWAY, J., 949P
- BOON, N.A., ELLIOTT, J.M., GRAHAME-SMITH, D.G., OUTLAW, TRACY & STUMP, KATHY. Binding of [³H]-yohimbine to α-adrenoceptors on intact human platelets, 802P
- BORZATTA, VALERIO see ALDINI, RITA, 611
- BOTTOMLEY, K., NORRIS, D.B., RISING, T.J. & STE-WARD, A. The inhibition of gastric acid secretion by the histamine H₂ agonist dimaprit in the conscious pylorus ligated rat, 947P
- BOURA, A.L.A. & OLLEY, J.E. Characterization of the excitatory opiate receptors in the rat large intestine, 246P
- BOWDLER, JULIE M. & GREEN, A.R. Rat brain benzodiazepine receptor number and GABA concentration following a seizure, 814P
- BOWERY, N.G., HILL, D.R. & HUDSON, A.L. [³H]-GABA and [³H]-baclofen are ligands for the same bicuculline-insensitive site on mammalian CNS synaptic membranes, 222P
- BOWMAN, ANNE & GILLESPIE, J.S. An erythrocyteassociated antagonist of inhibitory mechanisms in the bovine retractor penis muscle, 181P
- BOWMAN, W.C. see GHAFFAR, A.A.R.A., 304P
- BOWMAN, W.C. see JACKSON, J., 305P
- BOWSER-RILEY, F., PATON, W.D.M. & SMITH, E.B. Experiments to investigate the neural origin of the high pressure neurological syndrome, 820P
- BRADING, A. see BERGEL, D.J., 823P
- BRADLEY, CATHERINE M. & NICHOLSON, A.N. Triazolam and related 1,4-benzodiazepines: spatial delayed alternation behaviour in the monkey (*Macaca mulatta*), 768P
- BRADLEY, P.B. & BROOKES, ANNE. A comparative study of the action of opioids on single neurones in different brain regions, 285P
- BRADSHAW, C.M., STOKER, M.J. & SZABADI, E. The effects of clonidine on cortical neurones: evidence for its action as a partial agonist at α_1 -adrenoceptors, 757P
- BRAIN, SUSAN D. & LEWIS, G.P. Can endogenous prostaglandins exert a negative feedback control of lipolysis? 785P
- BRAIN, SUSAN D., GORDON, D. & LEWIS, G.P. A method for studying lipolysis in cultures of human adipocytes, 917P
- BRAY, M.A., FORD-HUTCHINSON, A.W. & SMITH, M.J.H. *In vivo* properties of leukotriene B₄, 788P

- BRAZELL, M.P. see BENNETT, G.W., 292P BRAZELL, M.P. see BENNETT, G.W., 871P
- BRAZELL, M.P. & MARSDEN, C.A. Identification by
- differential pulse voltammetry of 5-hydroxyindoleamine oxidation peak in the striatum and frontal cortex of the anaesthetized rat, 219P
- BRECKENRIDGE, A.M., GRABOWSKI, MAGGS, J.L. & PARK, B.K. Inhibition of the irreversible binding of ethyloestradiol to rat liver microsomes in vitro, 240P
- BRIGGS, I., CUNNINGHAM, M.A., GROWCOTT, J.W., JAMIESON, A., RATCLIFFE, A.H., SWAIT, J., TURNBULL, M.J. & WHITE, A. Binding of substance P and other peptides by a constituent of an extract of Peltiphyllum peltatum, 294P
- BRIGGS, I., GROWCOTT, J.W., JAMIESON, A. & TURNBULL, M.J. Depolarizing actions of substance P 1-9 amide on the isolated spinal cord of the neonatal rat, 293P
- BRILEY, M., LANGER, S.Z. & SETTE, M. Allosteric interaction between the [3H]-imipramine binding site and the serotonin uptake mechanism, 817P
- BRILEY, M., LANGER, S.Z., RAISMAN, R. & SETTE, M. Localisation of ³H-imipramine binding sites on serotonin nerve terminals, 217P
- BROARDLEY, K.J. & ROTHAUL, A.L. An apparent dissociation between the release of coronary vasodilator mediator and perfusate pO2 in guinea-pig isolated hearts, 192P
- BROARDLEY, K.J. & WILLIAMS, R.G. In vitro and Ex vivo examination of irreversible antagonism of cardiac β-adrenoceptors, 828P
- BROADLEY, K.J., GIBBON, CAROLYN, J. & HAWTHORN, M.H. A bronchoconstrictor phenylethylamine of guinea-pig isolated lung, 980P
- BROOKS, ANNE see BRADLEY, P.B., 285P
- BROUGHTON-SMITH, N.K. & WHITTLE, B.J.R. The lipoxygenase inhibitor, BW755C, stimulates prostacyclin from the rat gastric mucosa in vitro, 920P
- BROWN, D.H., FLAVAHAN, N.A., JARDINE, A. & McGRATH, J.C. The effects of α_1 - and α_2 -adrenoceptor antagonists on endogenous catecholamines in the pithed rat, 258P
- BROWN, F. & NICHOLASS, J.M. Characterization of presynaptic dopamine receptors which modify tyrosine hydroxylase activity in rat striatal synaptosomes, 896P
- BROWN, I.C., GRABOWSKI, P.S., MAGGS, J.L. & PARK, B.K. A study of factors which influence the irreversible binding of ethynyloestradiol to rat liver protein in vivo, 987P
- BROWN, J.M. & POLLOCK, D. The effect of thyroidectomy or propylthiouracil on the sensitivity of the rat saphenous artery to phenylephrine, 811P
- BROWN, L.M., CUNNINGHAM, F.M. & SMITH, M.J.H. Effects of leukotriene B4 on isolated smooth muscle preparations, 924P
- BROWN, N. see AKAIKE, N., 87
- BROWN, T.H. see BLAKEMORE, R.C., 200P
- BUCKETT, W.R. Stimulation-produced analgesia is dependent upon the influence of both circadian and circannual rhythms, 281P
- BUCKINGHAM, R.E. & MITCHELL, P.J. Studies on the contribution of peripheral presynaptic β-adrenoceptor

- blockade to the anti-hypertensive effect of single doses of (±)-propranolol and atenolol in adrenaldemullated spontaneously hypertensive rats, 260P
- BUCKLEY, G.A. see BATES, R.F.L., 279P
- BUCKLEY, G.A. see BATES, R.F.L., 280P
- BUCKLEY, G.A. see BATES, R.F.L., 857P
- BURGEN, A.V.S. see BIRDSALL, N.J.M., 798P BURKAN, M.B. & LEACH, G.D.H. Effect of propranolol
- on conscious blood pressure and vascular responsiveness in normotensive and hypertensive rats, 932P BURKAN, M.B. & LEACH, G.D.H. The effects of chronic
- (±)propranolol treatment on blood pressure and tissue reactivity in spontaneously hypertensive rats, 187P
- BURKE, M.D., FALZON, M. & MILTON, A.S. Prevention by prostaglandin of an indomethacin-caused decrease in hepatic microsomal drug metabolizing enzymes, 913P
- BURKE, W.J. see BHAGAT, B., 325
- BUXTON, D.A., MARSDEN, C.A. & STOLTZ, J.F. Withdrawal from chronic treatment with hydroxytryptamine antagonists enhances the behavioural response to 5-methoxy-N'N'-dimethyltryptamine, 215P

C

- CAHUSAC, P., HAYES, A.G., SKINGLE, M. & TYERS, M.B. Studies on the antinociceptive effects of clonidine and 40H-clonidine in the rat, 963P
- CAIN, C.R. & SIMMONDS, M.A. Further evidence for presynaptic inhibition in the olfactory cortex, 890P
- CALDWELL, J. & COTGREAVE, I.A. Plasma protein binding and distribution in the blood of theophylline and aminophylline, 876P
- CALDWELL, J., HORNER, MARIAN W., HUTT, A.J., MARSH, MARY VARWELL, MOSS, M.S. & SMITH, R.L. Metabolic conjugation of carboxylic acids in the horse, 774P
- CALLAHAN, M. STEPHEN & CREED, KATE E. Electrical and mechanical activity of the isolated lower urinary tract of the guinea-pig, 353
- CALLINGHAM, B.A. see BARRAND, MARGERY A.,
- CALLINGHAM, B.A. & LYLES, G.A. Benserazide: an inhibitor of clorgyline-resistant amine oxidase in rat cardiovascular tissues, 197P
- CALLINGHAM, B.A., LYLES, G.A. & MACKEY, N.A. Irreversible inhibition of rat liver monoamine oxidase by histamine and some analogues: protective effects of (-)-mexiletine, 962P
- CAMPBELL, C.A. & PARRATT, J.R. Which properties of β-adrenoceptor blocking drugs are important in the prevention of early post infarction dysrhythmias? 195P
- CAMPBELL, J.K., MARSHALL, R.J. & WINSLOW, EILEEN. Comparative effects of bepredil and verapamil on isolated arterial smooth muscle, 832P
- CANFIELD, S.P. & SPENCER, J.E. The effect of 5hydroxytryptamine on gastric acid secretion by rat isolated stomach, 253P
- CARNUCCIO, ROSA, DI ROSA, M., FLOWER, R.J. & PINTO, A. The inhibition by hydrocortisone of prostag-

993

- landin biosynthesis in rat peritoneal leucocytes is correlated with intracellular macrocortin levels, 322
- CARPENTIER, ROBERT G. The effect of harmine on the action potential of the guinea-pig atrial muscle depends on the external calcium concentration, 415
- CARROLL, MAIREAD, A. see BENNETT, A., 207P
- CARROLL, MAIREAD A. see BENNETT, A., 208P
- CARSWELL, H. & NAHORSKI, S.R. [3H]-mepyramine binding to histamine H₁ receptors in guinea-pig airways, 982P
- CASADAMONT, M., CATHALA, FRANCOISE, LANGER, S.Z., MASSINGHAM, R. & MORET, CHANTAL. In vitro determination of the relative selectivity of ifenprodil for blocking peripheral and central α_1 - and α_2 -adrenoceptors, 257P
- CATHALA, FRANCOISE see CASADAMONT, M., 257P
- CAULFIELD, M.P., FORTUNE, D.H., ROBERTS, P.M. STUBLEY, J.K. Intracerebroventricular hemicholinium-3 (HC-3) impairs learning of passive avoidance task in mice, 865P
- CAVERO, I. see PORQUET, MARIE-FRANCE, 191P CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE. Differential effects of dopamine receptor and α2adrenoceptor agonists on pressor responses to sympathetic nerve stimulation in pithed rats, 927P
- CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE. Effects of diltiazem and verapamil on pressor responses mediated by stimulation of α_1 -, α_2 -adrenoceptors, angiotensin II and 5-hydroxytryptamine receptors in pithed rats, 839P
- CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE. Pharmacological evidence against the occurrence of presynaptic dopamine receptors in sympathetic neurones innervating the sinoatrial node of the rat, 838P
- CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE. Studies in the mechanism of the bradycardia produced by pergolide, a dopamine receptor agonist, in the anaesthetized normotensive rat, 271P
- CAVERO, I. & LEFÈVRE-BORG, FRANÇOISE. Studies on the pharmacological effects of ifenprodil on the cardiovascular system of the rat, 272P
- CAVERO, I., LEFÈVRE-BORG, FRANÇOISE & ROACH, ALAN G. Effects of mianserin, desipramine and maprotiline on blood pressure responses evoked by acetylcholine, histamine and 5-hydroxytryptamine in
- CERVONI, PETER, HERZLINGER, HELEN, FONG, M. LAI & TANIKELLA, TARAK. A comparison of cardiac reactivity and β-adrenoceptor number and affinity between aorta-coarcted hypertensive and normotensive rats, 517
- CHANCE, E., TODD, M.H. & WATERFALL, J.F. A comparison of the cardiovascular effects of meptazinol, morphine and naloxone in haemorrhagic shock in rats, 930P
- CHAND, NARESH see ALTURA, BURTON, M., 10
- CHAPLEO, C.B., DOXEY, J.C., MYERS, P.L. & ROACH, A.G. RX 781094, a new potent, selective antagonist of α_2 -adrenoceptors, 842P
- CHAUDHEY, F., HARNESS, B., HICKS, R., MEARNS, A. & SAHYOUN, H.A. Rat heart ECG recording in vitro under normothermic and hypothermic computer

- controlled conditions, 310P
- CHELLIAH, R. see BAKHLE, Y.S., 804P
- CHIAVARELLI, M., MONCADA, S. & MULLANE, K. Prostacyclin-induced bradycardia is dependent on the basal heart rate and is antagonized by sodium cromoglycate, 252P
- CHOWDREY, H.S. see BISSETT, G.W., 239P
- CHUANG, LIN-WHEI, KAROUM, FAROUK & PER-LOW, MARK J. A study of the acute effect of amphetamines on the urinary excretion biogenic amines and metabolites in monkeys, 571
- CHURCH, M.K., COLEMAN, J.W., HOLGATE, S.T., PAO, G.K-J. & WELCH, M.T. The effects of polyamines, 48/80 and calcium ionophore on histamine release from human dispersed lung and adenoidal mast cells, 979P
- CLANACHAN, A.S., HAMMOND, J.R. & PATERSON, A.R.P. Coronary vasodilator and benzodiazepine inhibition of site-specific binding of nitrobenzylthioinosine, an inhibitor of nucleoside transport, to human erythrocytes, 835P
- CLARK, S.J. & SMITH, T.W. Modulation of the peristaltic reflex in vivo by endogenous opioids, 953P
- CLARKE, A. & FILE, SANDRA, E. Neurotoxin lesions of the lateral septum and changes in social and aggressive behaviours, 766P
- CLARKE, A. & FILE, S.E. Social interaction in male rats after septal administration of ACTH[4-10] and ORG 2766, 277P
- CLARKE, P.B.S. & KUMAR, R. Changes in locomotor activity in rats following acute and chronic treatments with nicotine, 765P
- CLARKE, P.B.S. & KUMAR, R. Effects of nicotine on intracranial self-stimulation in non-tolerant rats, 212P
- CLEGG, R.J. see BELL, G.D., 241P
- CLEGG, R.J. see BELL, G.D., 242P
- CLOUGH, D.P., DRAPER, A.J., REDFERN, P.H. & SHERIDAN, R.D. The effect of β-blockade on the cardiovascular responses to centrally administered adrenaline in the rat, 934P
- COKER, SUSAN J. & PARRATT, J.R. The effects of prostaglandins E_2 , $F_{2\alpha}$, prostacyclin, flurbiprofen and aspirin on arrhythmias resulting from coronary ligation in anaesthetized rats, 155
- COKER, SUSAN J., PARRATT, J.R. & ZEITLIN, I.J. The effect of aspirin on the release of thromboxane following acute myocardial ischaemia; relation to early arrhythmias, 205P
- COKER, SUSAN J., HUGHES, BERNADETTE, PAR-RATT, J.R., RODGER, I.W. & ZEITLIN, I.J. Prostaglandin $F_{2\alpha}$, thromboxane and the acute response to E. coli endotoxin in anaesthetized cats, 792P
- COLEMAN, J.W. see CHURCH, M.K., 975P
- COLEMAN, R.A., FENIUK, LINDA & KENNEDY, I., A study of the prostanoid receptors mediating bronchoconstriction in the anaesthetized guinea-pig and dog,
- COLLETT, A.R., RAND, M.J. & STORY, D.F. Studies on the release of [3H]-adrenaline in an isolated perfused adrenal gland splanchnic nerve preparation from the rabbit, 801P
- CONNELLY, D.M. & TABERNER, P.V. Tissue glucose utilization in ethanol tolerant mice, 869P

- CONNOR, HELEN E., DREW, G.M. & FINCH, L. Clonidine-induced potentiation of reflex vagal bradycardia in anaesthetized cats, 265P
- CONNOR, HELEN E., DREW, G.M. & FINCH, L. The effect of clonidine on the physostigmine-induced vaso-pressor response in anaesthetized rats, 929P
- CONNOR, J.D., CONSTANTI, A., DUNN, P.M., FOR-WARD, ANNE & NISTRI, A. The effects of piperazine on rat sympathetic neurones, 445
- CONSTANTI, A. see CONNOR, J.D., 445
- CONWAY, J., BOON, N.A., JONES, J.V. & SLEIGHT, P.
 The responses to pressor agents in man are affected by
 the sensitivity of the baroreceptor reflex, 949P
- COOLING, M.J. & SIM, M.F. BTS 39 542, a dihydrophthalazin-1-ylacetic acid with a high efficacy diuretic activity, 359
- COOMBES, R.C., FOSTER, A.B., JARMAN, M., RATCLIFFE, W. & ROWLANDS, M.G. Danazolaromatase inhibitory properties, 777P
- COPAS, JULIA L., GARDINER, P.J. & WILSON, S.A. The selectivity of TR4979 for 'ψ' prostanoid receptors, 912P
- COPAS, JULIA, L., GARDINER, P.J. & WILSON, S.A. TR 4979 a selective 'ψ' prostanoid receptor agonist in the airways, 795P
- COPAS, JULIA L., GARDINER, P.J. & WILSON, S.A. Tracheal relaxant effects of prostanoids are dependent on their contractile effects, 911P
- COSTALL, B. & NAYLOR, R.J. On the binding characteristic of [³H]-ADTN to rat striatal tissue, 289P
- COSTALL, B., LIM, S.K. & NAYLOR, R.J. On the motor inhibitory effects of dopamine agonists in the mouse, 275P
- COSTALL, B., NAYLOR, R.J. & SAHYOUN, H.A. On the nature of the catecholamine receptor mechanisms mediating relaxation and contraction of circular smooth muscle of guinea-pig stomach, 179P
- COSTALL, BRENDA, DOMENEY, ANNETTE M. & NAYLOR, R.J. Behavioural consequences of discrete, chronic infusion of dopamine into nucleus accumbens of rat, 899P
- COSTALL, BRENDA, KELLY, M. ELIZABETH & NAYLOR, R.J. Neuroleptic resistant motor change following striatal dopamine denervation, 898P
- COSTALL, BRENDA, NAYLOR, R.J. & NOHRIA, V. Chronic L-dopa-benserazide treatment facilitates dopamine-dependent dyskinesias in the guinea-pig, 766P
- COTGREAVE, I.A. see CALDWELL, J., 876P
- COULSON, R.W.S. & FRY, J.R. Deficient glucuronidation of 4-hydroxybiphenyl in hepatocytes from diabetic rats, 772P
- COUPAR, I.M. Evidence against the involvement of prostaglandins in the vasoconstrictor action of calcium ion in rat mesenteric blood vessels, 477
- COUTURE, R., MIZRAHI, J. & REGOLI, D. (introduced by CUELLO, A.C.) Differential effects of substance P and related peptides on smooth muscle preparations, 954P
- COWAN, A. & DETTMAR, P.W. Buprenorphineinduced hyperthermia in rats; selective development of sensitization and tolerance, 822P
- COWAN, P.J. & FRASER, SHEILA (introduced by

- GREEN, A.R.) Antidepressant treatment and β -adrenoceptor function in rat pineal, 897P
- COWLRICK, I.S. see BILL, D., 866P
- COX, B. see ENNIS, CHRISTINE, 290P
- COX, B., DAVIS, A., JUXON, V., LEE, T.F. & MARTIN, D. Core temperature changes following electrical stimulation of the midbrain raphe nuclei and intrahypothalamic injection of tryptamine in the rat, 216P
- COX, B., ENNIS, C. & LEE, T.F. *In vivo* and *in vitro* comparisons of the effects of 5-HT and tryptamine in the hypothalamus, 889P
- CRAGGS, M.D. & STEPHENSON, J.D. Effects of cholinoceptor blockade on detrusor electromyograms in the cat, 953P
- CREED, KATE E. see CALLAHAN, M. STEPHEN, 353 CROSS, A.J. see BLOXHAM, C.A., 233P
- CROSS, A.J. & WADDINGTON, J.L. The effects of striatal kainic acid lesions on [³H]-spiperone and [³H]-cis flupenthixol binding in rat striatum, 232P
- CROUCHER, M.J., KROGSGAARD-LARSEN, P. & MELDRUM, B.S. Anticonvulsant activity of GABA uptake inhibitors in DBA/2 mice, 881P
- CROW, T.J. see BLOXHAM, C.A., 233P
- CROW, T.J. see DEAKIN, J.F.W., 210P
- CUELLO, A.C. see COUTURE, A.C., 954P CUELLO, A.C. see ELDER-COLLI, L., 809P
- CUELLO, A.C. see PRIESTLY, J.V., 893P
- CUNNINGHAM, F.M. see BROWN, L.M., 924P
- CUNNINGHAM, F.M. & SMITH, M.J.H. Biological activities of leukotriene B₄ and the cytoskeleton, 923P
- CUNNINGHAM, JO R. & NEAL, M.J. Effect of GABA agonists, glycine and neuropeptides on the release of acetylcholine (ACh) from the rabbit retina *in vivo*, 879P
- CUNNINGHAM, M.A. see BRIGGS, I., 294P
- CURWAIN, B.P. see LARSEN, K.R., 972P
- CURWAIN, B.P. & TURNER, N.C. Histamine receptors mediating vasoconstriction and vasodilatation in the gastric vasculature of the rabbit, 205P
- CURZON, G. see ANDREWS, C.D., 213P
- CURZON, G. see ANDREWS, C.D., 908P
- CURZON, G., HUTSON, P.H. & TRICKLEBANK, M.D. Effects of depleting brain and spinal cord 5hydroxytryptamine on footshock induced analgesia, 218P
- CURZON, G., HUTSON, P.H. & TRICKLEBANK, M.D. Involvement of dopamine in the analgesic response induced by footshock, 761P
- CUTHBERT, A.W. & EDWARDSON, J.M. Addressing receptors a model study, 781P

D

- D'ANGELO, L. & MONTI, J.M. Effects of oxolinic acid on the sleep-wakefulness cycle of the rat, 399
- DALRYMPLE, H.W., HAMILTON, CARLENE A. & REID, J.L. α-Adrenoceptors and contractile responses in isolated arterial smooth muscle, 264P
- DALTON, D.W. & TYERS, M.B. The selective muscarinic antagonist actions of pancuronium and alcuronium, 784P
- DASCOMBE, M.J. & MILTON, A.S. Dissimilar effects on body temperature in the cat produced by guanosine

- 3',5'-monophosphate, acetylcholine and bacterial endotoxin, 405
- DASCOMBE, M.J., FOOTE, G.G. & NICKOLSON, V.J. Assay of adenosine 3',5'-monophosphate in superfusates of mouse striatal tissue, 891P
- DAUGHERTY, A. & WOODWARD, B. The calcium dependence of ventricular fibrillation thresholds in the rat isolated heart and the effects of verapamil, 193P
- DAUGHERTY, A. & WOODWARD, B. The K⁺/Ca²⁺ ratio and calcium slow channel antagonists on arrhythmias in the isolated perfused coronary ligated heart, 834P
- DAVIES, C.L. see BERGEL, D.H., 823P
- DAVIS, A. see COX, B., 216P
- DAWBARN, D. & PYCOCK, C.J. Behavioural effects evoked by microinjection of excitatory amino acid antagonists into the midbrain of the rat, 235P
- DAWBARN, D. & PYCOCK, C.J. Chronic administration (6 months) of L-DOPA to rats: behavioural and neurochemical studies, 903P
- DE ANGELIS, L., TRAVERSA, U. & VERTUA, R. Effects of caffeine and chlordesmethyldiazepam and their interaction on rota-rod performance and Y-maze in mice, 822P
- DEAKIN, J.F.W. & LONGLEY, D.C. (introduced by CROW, T.J.) Naloxone enhances neophobia, 210P
- DEAN, H.G. & JAMES, S.T. The effect of adrenalectomy or aminoglutethimide on propranolol-treated DOCA/ salt rats, 985P
- DEAN, P.M. Drug-receptor recognition: electrostatic field lines at the receptor and dielectric effects, 39
- DEAN, P.M. Drug-receptor recognition: molecular orientation and dielectric effects, 47
- DEMICHEL, PATRICIA, GOMOND, PATRICK & RO-QUEBERT, JACQUES. Pre- and postsynaptic αadrenoceptor blocking activity of raubasine in rat vas deferens, 739
- DESILES, MARGUERITE & RIPS, RICHARD. Use of potentiation of thyrotropin releasing hormone (TRH)-induced hyperthermia as a test for screening antidepressants which activate α-adrenoceptor systems, 81
- DETTMAR, P.W. see COWAN, A., 822P
- DETTMAR, P.W., LYNN, A.G. & TULLOCH, I.F. Neuropharmacological evaluation of RX 781094, a new selective α₂-adrenoceptor antagonist, 843P
- DEVANE, J. & RYAN, M.P. Effects of distal diuretics, amiloride and hydrochlorothiazide, on renal magnesium clearance in rats, 780P
- DHALLA, N.S. see BHAGAT, B. 325
- DHILLON, D.S. & RODGER, I.W. Hyperreactivity of guinea-pig airway smooth muscle, 180P
- DI ROSA, M. see CARNUCCIO, ROSA, 322
- DICKINSON, S.L. & SLATER, P. The effects of basal ganglia lesions on tremorine-induced rigidity in rats, 910P
- DIMSDALE, J. & WILKINSON, J. A simple electrical model for teaching the properties of feedback control systems, 313P
- DOCHERTY, J.R. & STARKE, K. Postsynaptic α-adrenoceptor subtypes mediating nerve-evoked contractions in rabbit blood vessels *in vitro*, 803P
- DODDS, M.G. & TWISSELL, D.J. The haemodynamic effects of labetalol and sodium nitroprusside during

- minaxolone or halothane anaesthesia in the dog, 947P DODDS, M.G., DOLAMORE, P.G. & TWISSELL, D.J. Analysis of the autonomic neural control of heart rate in awake and anaesthetized dogs, 185P
- DOGGETT, N.S. see MITCHELL, P.R., 903P
- DOLAMORE, P.G. see DODDS, M.G., 185P
- DOMENEY, ANNETTE M. see COSTALL, BRENDA, 899P
- DONALDSON, K.M. & MAIN, I.H.M. A comparison of the effects of indomethacin and methylxanthines on basal and stimulated gastric secretion *in vitro*, 970P
- DOUBLE, J.A. see BIBBY, M.C., 295P
- DOXEY, J.C. see CHAPLEO, C.B., 842P
- DOXEY, J.C., HOWLETT, D.R. & ROACH, A.G. Assessment of the α-adrenoceptor selectivity of WB 4101: a comparison with prazosin and phentolamine, 262P
- DRAPER, A.J. see CLOUGH, D.P., 934P
- DREW, G.M. see BAKER, D., 259P
- DREW, G.M. see CONNOR, HELEN E., 265P
- DREW, G.M. see CONNOR, HELEN E., 929P
- DRUMMOND, A.H. & MACPHEE, C.H. Phosphatidylinositol metabolism in GH₃ pituitary tumour cells stimulated by TRH, 967P
- DUM, JANE E. & HERZ, ALBERT. *In vivo* receptor binding of the opiate partial agonist, buprenorphine, correlated with its agonistic and antagonistic actions, 627
- DUNBAR, P.G., HARVEY, D.J., McPHERSON, KAT-HRYN, & WING, D.R. (introduced by PATON, W.D.M.) The effect of chronic ethanol treatment on membrane lipids in the mouse, 958P
- DUNCAN, I.B., GILL, J., HAWKES, J. & KENNEDY, A.J. Effect of some antirheumatic and antiinflammatory drugs on type II collagen arthritis in the rat, 203P
- DUNLAP, KATHLEEN. Two types of γ-aminobutyric acid receptor on embryonic sensory neurones, 579
- DUNN, P.M. see CONNOR, J.D., 445
- DURANT, G.J. see BLAKEMORE, R.C., 200P
- DUSTING, G.J. & NOLAN, R.D. Stimulation of prostacyclin release from the epicardium of anaesthetized dogs, 553
- DUTTON, J., FORSTER, CHRISTINE, LYE, R., PAUL, K. & WALLEY, E.T. Effect of prostanoids on human basilar artery in vitro: relevance to aetiology and treatment of cerebral arterial spasm, 267P
- DYER, R.G., HALL, M., JENNER, P.J., MARSDEN, C.D. & RUPNIAK, N.M.J. Hypophysectomy does not prevent the development of striatal dopamine supersensitivity induced by repeated neuroleptic treatment, 905P

E

- ECCLES, N.K., GRIMMER, A.J. & LEATHARD, HELEN L. Ketanserin, a new 5-hydroxytryptamine antagonist, on human isolated blood vessels, 831P
- EDGAR, ELAINE, G. & GILBERT, J.C. Histamine release and Ca²⁺-ATPase activities of peritoneal and pleural mast cells, 975P
- EDWARDS, MARY C., EVANS, F.J., GORDON, D. & NOURI, A.M.E. (introduced by LEWIS, G.P.) Differ-

ences in cyclosporin-A sensitivities of tumour promoting and non-promoting phorbol ester-induced human lymphocyte mitogenesis, 968P

EDWARDSON, J.M. see CUTHBERT, A.W., 780P

EGLEN, R.M. see BATES, R.F.L., 279P

EGLEN, R.M. see BATES, R.F.L., 280P

EGLEN, R.M. see BATES, R.F.L., 857P

ELDER-COLLI, L. & POWELL, J. (introduced by CUELLO, A.C.) Specific antibodies to choline acetyltransferase induced by small total amounts of purified antigen, 809P

ELLIOTT, J.M. see BOON, N.A., 802P

ELLIOTT, P.N.C., FOSTER, R.L. & WILEMAN, T.E. The effect of covalent attachment of dextran to the anti-leukaemic agent L-asparaginase on anaphylactic reactions to the enzyme *in vivo* and *in vitro*, 966P

ELLIS, P. & UNGAR, A. Effects of indomethacin on blood pressure, catecholamine release and adrenal flow in the anaesthetized laparotomized dog, 824P

ELLIS, W.R. see BELL, G.D., 241P

ELLIS, W.R. see BELL, G.D., 242P

ENNIS, CHRISTINE (introduced by COX, B.) 5-Hydroxytryptamine receptors in the raphe nucleus of the rat, 290P

ENNIS, C. see COX, B., 889P

EVANS, C.M. see BADAWY, A.A.-B., 282P

EVANS, F.J. see EDWARDS, MARY C., 968P

EVANS, M. see BADAWY, A.A.-B., 211P

EVANS, M. see BADAWY, A.A.-B., 489

EVANS, M. see BADAWY, A.A.-B., 511

EVANS, M. see BADAWY, A.A.-B., 514 EVANS, R.H., JONES, A.W. & WATKINS, J.C. Depre-

ssant action of the L-glutamate analogue (+)2-amino-4-phophonobutyrate, 907P

EVANS, R.H., SMITH, D.A.S. & WATKINS, J.C. Amino acid antagonist property of urethane, 908P

F

- FADLOUN, Z. & LEACH, G.D.H. The effect of Cd²⁺ on the output of noradrenaline and dopamine-β-hydroxylase activity from the rat isolated vas deferens, 261P
- FADLOUN, Z. & LEACH, G.D.H. The effect of chronic treatment with Cd²⁺ on the noradrenaline and dopamine-β-hydroxylase content of the tissues of the rat, 851P
- FAGBEMI, O. & PARRATT, J.R. Marked suppression by nifedipine, niludipine and nisoldipine of ventricular fibrillation resulting from acute myocardial ischaemia, 830P
- FAGBEMI, O. & PARRATT, J.R. Suppression by orallyadministered nifedipine, nisoldipine and niludipine of early, life-threatening ventricular arrhythmias resulting from acute myocardial ischaemia, 12
- FAIRFAX, A.J. & MORLEY, J. NSAIDS inhibits the late asthmatic response to antigen challenge, 984P
- FAN, S.G., SHUTT, A.J. & VOGT, M. Turnover of 5hydroxytryptamine (5-HT) and analgesic effect of morphine in the chicken, 811P
- FAN, T-P.D. & LEWIS, G.P. A rapid [133Xe] clearance

technique to measure blood flow changes in rat skin grafts, 964P

FALZON, M. see BURKE, M.D., 914P

FARMER, S.G. (introduced by POLLOCK, D.) Changes in the responsiveness of intestinal smooth muscle to agonists in rats infected with *Nippostrongylus brasiliensis*, 199P

FENIUK, LINDA see COLEMAN, R.A., 913P

FENIUK, W., HUMPHREY, P.P.A. & TREVETHICK, M.A. 5-Hydroxytryptamine-induced relaxation of porcine vena cava – a possible involvement of cyclic adenosine 3',5'-monophosphate, 800P

FENIUK, W., HUMPHREY, P.P.A. & WATTS, A.D. An analysis of the receptors involved in 5-hydroxy-tryptamine-induced smooth muscle relaxation, 850P

FENNESSY, M.R., LEWIS, S.J., TAYLOR, D.A. & VERBERNE, A.J.M. Histaminergic and serotonergic interaction in the Δ^9 -THC-induced hypothermia of the rat, 862P

FERNANDO, J.C.R. see ANDREWS, C.D., 213P

FERRANDO, C. & FOY, J.M. Studies on a new diuretic, fenquizone, 245P

FIEKERS, J.F., HENDERSON, FIONA, MARSHALL, I.G. & PARSONS, R.L. Pre- and postjunctional blocking actions of clinamycin and lincomycin at the snake neuromuscular junction, 298P

FILE, SANDRA E. see CLARKE, A., 277P

FILE, SANDRA E. see CLARKE, A., 766P

FILE, SANDRA E. & PEARCE, JACALYN B. Benzodiazepines reduce gastric ulcers induced in rats by stress, 593

FINCH, L. see BECKETT, P.J., 190P

FINCH, L. see BECKETT, P.J., 933P

FINCH, L. see CONNOR, HELEN E., 265P

FINCH, L. see CONNOR, HELEN, E., 929P

FINCH, L. & LEACH, G.D.H. The effects of autonomic drugs on the blood pressure responses of the spinal cat: a Biovideograph presentation, 313P

FITTON, A.G. & PERTWEE, R.G. Effects of intrahypothalamic and intracerebroventricular injections of Δ^9 -tetrahydrocannabinol on thermoregulation in restrained mice, 873P

FLAVAHAN, N.A. see BROWN, D.H., 258P

FLAVAHAN, N.A. & McGRATH, J.C. α₁- and α₂-adrenoceptor agonism is dependent on respiratory acid-base² balance, 804P

FLETCHER, A., GREEN, D., ROTHWELL, N.J., STEPHENS, R.J., STOCK, M.J. & WYLLIE, M.G. Ciclazindol increases resting metabolic rate in rats in the absence of CNS stimulation, 770P

FLOWER, R.J. see CARNUCCIO, ROSA, 322

FLOWER, R.J., RUSSELL-SMITH, N.C., SALMON, J.A. & THOROGOOD, P. 1-n-Benzylimidazole: a potent and selective inhibitor of 'thromboxane synthetase' in vivo, 791P

FONG, M. LAI see CERVONI, PETER, 517

FOOTE, G.G. see DASCOMBE, M.J., 891P

FORD-HUTCHINSON, A.W. Neutrophil aggregation induced by PAF-acether and leukotriene, B₄, 925P

FORD-HUTCHINSON, A.W. see BRAY, M.A., 788P

FORREST, M.J., JOSE, P.J. & WILLIAMS, T.J. Evidence that the complement fragment C5a mediates increased vascular permeability in response to zymosan in the

- peritoneal cavity of the rabbit, 787P
- FORREST, M.J., PECK, M.J. & WILLIAMS, T.J. Is increased vascular permeability induced by C5a dependent on the generation of lipoxygenase products? 921P
- FORSTER, CHRISTINE see DUTTON, J., 267P
- FORSTER, CHRISTINE & WHALLEY, E.T. Dopamine receptors mediating relaxation of the human basilar artery in vitro, 944P
- FORSTER, P., LLOYD, H.G.E., MORGAN, P.F., PARKER, M., PERKINS, M.N. & STONE, T.W. Ethylenediamine acts upon GABA receptors and uptake sites, 274P
- FORTUNE, D.H. see CAULFIELD, M.P., 865P
- FORWARD, ANNE see CONNOR, J.D., 445
- FOSTER, A.B. see BAKER, M.H., 243P
- FOSTER, A.B. see COOMBES, R.C., 777P
- FOSTER, G.A. & ROBERTS, P.J. Neurotoxicity of methyltetrahydrofolate (MTHF) in rat cerebellum, 870P
- FOSTER, GEORGE A. & ROBERTS, PETER J. Stimulation of rat cerebellar guanosine 3',5'-cyclic monophosphate (cyclic GMP): effects of amino acid antagonists, 723
- FOSTER, R.L. see ELLIOTT, P.N.C., 966P
- FOSTER, R.W., WESTON, A.H. & WESTON, K.M. Some effects of chemical irritants on the membrane of the giant amoeba, 333
- FOULKES, R. see ANDERSON, A.A., 938P
- FOX, J. see BILL, D., 866P
- FOX, K. see ARMSTRONG-JAMES, M., 224P
- FOY, J.M. see ARCHER, D.M., 311P
- FOY, J.M. see FERRANDO, C., 245P
- FOY, J.M. see NOHRIA, V., 311P
- FOY, J.M. & PURVIS, J.R. Determination of regional blood flow by a radioactively labelled microsphere technique, 314P
- FOY, J.M. & PURVIS, J.R. Vascular reactivity in the experimentally diabetic rat and the effect of treatment with sulphonylureas, 188P
- FOY, J.M. & SENIOR, JUDITH. Predictions and performance in pharmacology and in a pharmacy course: a correlative study, 209P
- FOZARD, J.R. see GARDNER, C.R., 883P
- FRANCIS, HILARY P. & GOADBY, P. Action of leukotrienes C and D on the motility of guinea-pig stomach in vivo and in vitro, 926P
- FRANCIS, HILARY, P. & GOADBY, P. Prostaglandins and SRS-A in anaphylactic contractions of the guineapig isolated stomach, 251P
- FRANKISH, N.H. see BARRETT, A.M., 946P
- FRASER, SHEILA see COWAN, P.J., 897P
- FREEDMAN, S.B. & WOODRUFF, G.N. Effect of cations on [³H]-sulpiride binding, 228P
- FREEDMAN, S.B., TEMPLETON, WILMA W., POAT, JUDITH, A. & WOODRUFF, G.N. The effect of ADTN and some of its derivatives on dopamine receptor binding in rat striatum, 759P
- FRENCH, A.M. see ABDULLAH, F.M., 937P
- FRENCH, A.M. & SCOTT, N.C. A simple method for estimation of the negative feedback control of nora-drenaline (NA) release from sympathetic nerves in vas deferens, 182P
- FRENCH, A.M. & SCOTT, N.C. Feedback regulation of

- the release of the nonadrenergic transmitter in rat vas deferens, 183P
- FRENCH, R.J. see BLACK, J.L., 619 FRY, J.R. see COULSON, R.W.S., 772P

G

- GALZIN, ANNE-MARIE see ARBILLA, SONIA, 901P GALLOWAY, N.R., HERBERTS, P.J.D., MARSDEN, C.A. & PERRY, N.K. Autonomic Pharmacology a self-teaching and assessment package base on the treatment of glaucoma, 314P
- GAMBLE, S.J. & WADDINGTON, J.L. Multiplicity of dopamine-mediated behaviours during six months phenothiazine neuroleptic treatment in young but not aged rats, 225P
- GANELLIN, C.R. see BLAKEMORE, R.C., 200P
- GARCIA, A.G., GARCIA-LOPEZ, E., HORGA, J.F., KIROEKAR, S.M. MONTIEL, C. & SANCHEZ-GARCIA, P. Potentiation of K⁺-evoked catecholamine release in the cat adrenal gland treated with ouabain, 673
- GARCIA, A.G., GARCIA-LOPEZ, E., MONTIEL, C., NICHOLAS, G.P. & SANCHEZ-GARCIA, P. Correlation between catecholamine release and sodium pump inhibition in the perfused adrenal gland of the cat, 665
- GARCIA-LOPEZ, E. see GARCIA, A.G., 665
- GARCIA-LOPEZ, see GARCIA, A.G., 673
- GARDINER, P.J. see COPAS, JULIA, L., 795P
- GARDINER, P.J. see COPAS, JULIA, L., 911P GARDINER, P.J. see COPAS, JULIA L., 912P
- GARDNER, C.R., GROVE, J. & RICHARDS, M.H. (introduced by FOZARD, J.R.) Synaptosomal GABA release: effects of modifying the rates of GABA synthesis and degradation, 883P
- GARLAND, L.G. see AINSWORTH, GILLIAN, A., 855P
- GARLAND, L.G., MARRION, N.V. & MARTIN, G.R. The extraneuronal O-methylation of [³H]-(±)-isoprenaline by guinea-pig tracheal rings *in vitro*, 854P
- GERSKOWITCH, V.P. see BLACK, J.W., 978P
- GHAFFAR, A.A.R.A. (introduced by BOWMAN, W.C.)
 The effect of cortisol on the response of the depolarized,
 calcium-free mouse uterus to calcium in different stages
 of the oestrous cycle, 304P
- GIBBON, CAROLYN, J. see BROADLEY, K.L., 980P GILBERT, J.C. see EDGAR, ELAINE, G., 975P
- GILFILLAN, A.M. & HOLLINGSWORTH, M. Overflow of [³H]-disaturated phophatidylcholines from adult rat superfused lung slices: a novel method for the study of lung surfactant secretion, 981P
- GILL, J. see DUNCAN, I.B., 203P
 - GILLESSEN, D. see VAN DIJK, A., 858P
 - GILLESPIE, J.S. see BOWMAN, ANNE, 181P
 - GINSBORG, B.L. see MITCHELL, MARY R., 838P
 - GEMINIANI, STEFANIA see ALDINI, RITA, 611
- GOADBY, P. see ANDERSON, A.A., 938P
- GOADBY, P. see FRANCIS, HILARY, P., 251P
- GOADBY, P. see FRANCIS, HILARY, P., 926P
- GOMOND, PATRICK see DEMICHEL, PATRICIA, 739

GORDON, D. see BRAIN, SUSAN D., 917P

GORDON, D. see EDWARDS, MARY C., 968P

- GORDON, D., NOURI, A.M.E. & THOMAS, R.U. Selective inhibition of thromboxane biosynthesis in human blood mononuclear cells and the effects on mitogen-stimulated lymphocyte proliferation, 469
- GORDON, D., LEWIS, G.P. & NOURI, A.M.E. Inhibition of lymphocyte proliferation by histamine and related compounds not mediated via H₁- and H₂- receptors, 137
- GOWER, ALMA J. & MARRIOTT, A.S. Pharmacological evidence for the subclassification of central dopamine receptors in the rat, 158P
- GRABOWSKI, P.S. see BRECKENRIDGE, A.M., 240P GRABOWSKI, P.S. see BROWN, I.C., 987P
- GRAHAM, LESLEY & SKETT, P. A comparison of drug conjugation in male and female rat liver cubes and isolated microsomes, 773P
- GRAHAME, PAMELA, HARRIS, J.M. & NELSON, DIANNE G. Possible mediators of browntail moth (*Euproctis chrysorrhoea*) dermatitis, 983P
- GRAHAME-SMITH, D.G. see BOON, N.A., 802P
- GREEN, A.R. see BOWDLER, JULIE M., 814P
- GREEN, A.R. see COWAN, P.J., 897P
- GREEN, D. see FLETCHER, A., 770P
- GRIFFITHS, E.C., SLATER, P. & WEBSTER, V.A.D. Inhibition of TRH-induced behavioural activity by histidyl-proline diketopiperazine, 291P
- GRIFFITHS, E.C., SLATER, P. & WEBSTER, V.A.D. Locomotor stimulant actions of some TRH analogues, 868P
- GRIFFITHS, N.M., HEWICK, D.S. & STEPHENSON, I.H. The effect of passive immunisation with digoxin-specific antibodies on digoxin handling and response, 775P
- GRIMMER, A.J. see ECCLES, N.K., 831P
- GRISTWOOD, R.W., LINCOLN, J.C.R., OWEN, D.A.A. & SMITH, I.R. Histamine release from human right atrium, 7
- GROME, J.J. & HARPER, A.M. (introduced by ZEIT-LIN, I.J.) Depression of glucose utilization in primary visual areas by quipazine, 858P
- GROVE, J. see GARDNER, C.R., 883P
- GROWCOTT, J.W. see BRIGGS, I., 293P
- GROWCOTT, J.W. see BRIGGS, I., 294P
- GUDAT, FRED, LAUBSCHER, ANDREAS, OTTEN, UWE & PLETSCHER, ALFRED. Shape changes induced by biologically active peptides and nerve growth factor in blood platelets of rabbits, 533
- GUHARAY, F. & USHERWOOD, P.N.R. Characterization of the effect of 5-hydroxytryptamine on N1E-115 neuroblastoma cells, 294P
- GUNDLACH, A.L. see BEART, P.M., 895P
- GUPTA, O.P. see ATAL, C.K., 203P
- GUPTA, O.P. see ATAL, C.K., 299P
- GURNEY, A.M., RANG, H.P. Use dependent effects of ganglion blocking drugs, 797P
- GUTTERIDGE, J.M.C. & KERRY, P.J. Autofluorescence associated with fatty-acid peroxides, 918P

Н

- HALL, M. see DYER, R.G., 905P
- HALL, M.D., JENNER, P., MARSDEN, C.D., MURUGAIAH, K., RUPNIAK, N.M.J. & THEODOROU, A.E. Repeated sulpiride administration to rats, like repeated haloperidol, induces cerebral dopamine receptor supersensitivity, 229P
- HAMILTON, C.A., REID, J.L. & SUMNER, D.J. The relationship between in vivo pressor responses to alphaadrenoceptor agonists and in vitro receptor binding after phenoxybenzamine, 935P
- HAMILTON, CARLENE, A. see DALRYMPLE, H.W., 264P
- HAMMOND, J.R. see CLANACHAN, A.S., 835P
- HANAHOE, T.H.P. & PASKA, W. Leucopenia and the dextran anaphylactoid reaction in the rat, 201P
- HANSON, DALE R. see BENINGER, RICHARD, J., 149
- HARDCASTLE, JACQUELINE, HARDCASTLE, P.T., READ, N.W. & REDFERN, J.S. The action of loperamide in inhibiting prostaglandin-induced intestinal secretion in the rat, 563
- HARDCASTLE, P.T. see HARDCASTLE, JAC-QUELINE, 563
- HARGREAVES, A.J. & MCLEAN, W.G. The effects of phospholipids and phospholipases on brain microtubule assembly in vitro, 863P
- HARLAND, S.J. see BAKER, M.H., 243P
- HARMAR, A.J., KEEN, P. & WINTER, ELIZABETH. Effects of anisomycin and electrical stimulation on substance P concentrations in the mouse nervous system, 234P
- HARNESS, B. see CHAUDHEY, F., 310P
- HARPER, A.M. see GROME, J.J., 858P
- HARRIS, J.B. Reconstruction of neuromuscular junctions in rat skeletal muscles following assault by the myotoxic neurotoxin, notexin, 249P
- HARRIS, J.B. see ALSEN, C., 61
- HARRIS, J.M. see GRAHAM, PAMELA, 983P
- HARRIS, J.R. & POLLAND, SANDRA. Effects of ATX-II on action potentials in slow- and fast-twitch mammalian skeletal muscle fibres, 249P
- HARVEY, A.L. & VAN HELDEN, D.F. Age-related changes in properties of acetylcholine receptors in singly and multiply innervated skeletal muscles of the chicken, 297P
- HARVEY, D.J. see DUNBAR, P.G., 958P
- HARVEY, D.J. & LEUSCHNER, J.T.A. (introduced by PATON, W.D.M.) Pharmacokinetics and metabolism of Δ^1 -tetrahydrocannabinol in rabbits and mice, 771P
- HASHIMOTO, HISAKUNI & NAKASHIMA, MIT-SUYOSHI. Effects of calcium antagonists on the alternation of the ST-T complex and associated conduction abnormalities during coronary occlusion in digs, 371
- HAWKES, J. see DUNCAN, I.B., 203P
- HAWKEY, C.J. (introduced by PIPILI, EVA) Inhibition of cylooxygenase activity by prednisolone, 789P
- HAWTHORN, M.H. see BROADLEY, K.L., 980P
- HAY, D.W.P. & WADSWORTH, R.M. A comparison of the effects of methoxyverapamil, verapamil and nifedipine on the twitch responses to single pulse stimulation in the rat bisected vas deferens, 952P

HAY, D.W.P. & WADSWORTH, R.M. The effects on contractions of the vas deferens of nifedipine and verapamil in relation to their local anaesthetic activity, 296P

HAYES, A.G. see CAHUSAC, P., 963P

HENDERSON, FIONA see FIEKERS, J.F., 298P

HENMAN, M.C. & LEACH, G.D.H. Evaluation of the Biovideograph, 312P

HENRY, J.A. & WYLLIE, M.G. (introduced by VOL-ANS, G.N.) A pH gradient may contribute to uptake into synaptosomes and synaptic vesicles, 872P

HENSBY, C.N. see BENNETT, A., 435

HERBERTS, P.J.D. see GALLOWAY, N.R., 314P

HERZ, ALBERT see DUM, JANE, 627

HERZLINGER, HELEN see CERVONI, PETER, 517

HEWICK, D.S. see GRIFFITHS, N.M., 776P

HICKS, P.E. see LITTLE, R.A., 308P

HICKS, P.E. see LITTLE, R.A., 948P

HICKS, P.E. & WALDRON, C. α-Adrenoceptor blocking properties of R 28935 in the rat, 844P

HICKS, P.E. & WALDRON, C. Antagonism by αadrenoceptor antagonists of the response to 2(N,Ndimethyl)-amino,6,7-dihydroxy-1,2,3,4 tetrahydronaphthalene in guinea-pig ileum and the pithed rat preparation, 254P

HICKS, R. see CHAUDEY, F., 310P

HICKS, R., HULBERT, P.B. & KWIZERA, E.N. Inhibition or induction of drug-metabolism in relation to dextropropoxyphene-induced glutathione depletion in isolated hepatocytes, 302P

HIGGS, G.A., SALMON, J.A. & SPAYNE, J.A. The inflammatory effects of hydroperoxy and hydroxy acid products of arachidonate lipoxygenase in rabbit skin, 429

HILEY, C.R., WILSON, A.C. & YATES, M.S. Time course of action of phenobarbitone on liver blood flow in the rat, 756P

HILL, D.R. see BOWERY, 222P

HILL, R.G. see BERRY, S.C., 819P

HILL, S.J. & YOUNG, J.M. Histamine H₁-receptors and cAMP accumulation in guinea-pig cerebral cortical slices, 237P

HIRAI, K. see AKASU, T., 505

HIRST, G.D.S. & NEILD, T.O. On the mechanism of action of prazosin at the sympathetic nerve-muscle junction of arterioles of the guinea-pig, 189P

HOLGATE, S.T. see CHURCH, M.K., 979P

HOLLINGSWORTH, M. see GILFILLAN, A.M., 981P

HOOPER, M. see ANDERSON, A.A., 938P

HORGA, J.F. see GARCIA, A.G., 673

HORNER, MARIAN W. see CALDWELL, J., 774P

HOULT, J.R.S. & MOORE, P.K. Prostaglandins release plasma 'reciprocal coupling factor' in anaesthetized rats,

HOWLETT, D.R. see DOXEY, J.C., 262P

HUDSON, A.L. see BOWERY, N.G., 222P

HUDSON, A.L. see BOWERY, N.G., 222P

HUGHES, BERNADETTE see COKER, SUSAN J.,

HUGHES, BERNADETTE, MADAN, B.R. & PAR-RATT, J.R. Polymyxin B sulphate protects cats against the haemodynamic and metabolic effects of E. coli endotoxin, 701

HUI, K-P. see -BELL, G.D., 878P

HUIDOBORO-TORO, J. PABLO & WAY, E. LEONG. Contractile effect of morphine and related opioid alkaloids, β-endorphin and methionine enkephalin on the isolated colon from Long Evans rats, 681

HULBERT, P.B. see HICKS, R., 302P

HULME, E.C. see BIRDSALL, N.J.M., 798P

HUMPHREY, P.P.A. see FENIUK, W., 800P

HUMPHREY, P.P.A. see FENIUK, W., 850P

HUMPHRIES, R.G., KILLINGBACK, P.G., MANN, J., SEMPIK, J. & WILSON, J. Exchange transfusion with dextran-haemoglobin, haemoglobin and dextran solutions in anaesthetized cats, 266P

HUMPHRIES, R.G., MANN, J., SEMPIK, J. & WILSON, J. Dextran-haemoglobin complex as a possible blood substitute, 191P

HUNT, W.B., O'HAGAN, D.J. & WILKINSON, J. Inhibition by perivascular nerve stimulation of the rebound contraction of the rat gastric corpus muscle to field stimulation, 849P

HUTSON, P.H. see CURZON, G., 218P HUTSON, P.H. see CURZON, G., 761P HUTT, A.J. see CALDWELL, J., 774P

I

IDLE, J.R., OSIKOWSKA, BARBARA A., SEVER, P.S. & SWINBOURNE, F.J. Pitfalls in the synthesis and authentication of dopamine-O-sulphates, 837P

IRVING, G. see ASMAWI, M.Z., 270P

ITOH, T., KAJIWARA, M., KITAMURA, K. & KURIYAMA, H. Effects of vasodilator agents on smooth muscle cells of the coronary artery of the pig, 455

J

JACKSON, J. (introduced by BOWMAN, W.C.) The inhibitory actions of 2-O-ethyl-tyrosine analogues of oxytocin and lysine vasopressin on human myometrium in vitro, 305P

JAMES, S.T. see DEAN, H.G., 985P

JAMIESON, A. see BRIGGS, I., 293P

JAMIESON, A. see BRIGGS, I., 294P

JARDINE, A. see BROWN, D.H., 258P

JARMAN, M. see BAKER, M.H., 243P

JARMAN, M. see COOMBES, R.C., 777P

JENNER, P. see DYER, R.G., 905P

JENNER, P. see HALL, M.D., 229P

JENNER, P., LUSCOMBE, G. & MARSDEN, C.D. Induction of 5-hydroxytryptamine (5-HT)-dependent myoclonus in guinea-pigs by indole-containing, but not by piperazine-containing, 5-HT-agonists suggests multiple cerebral 5-HT receptors, 906P

JENNER, P., LUSCOMBE, G. & MARSDEN, C.D. Tyrptamine-induced myoclonus in the guinea-pig suggests involvement of pre- and postsynaptic indoleamine mechanisms, 286P

JENNER, P., MANN, S., MARSDEN,

- MURUGAIAH, K. & THEODOROU, A. Long term cis-flupenthixol administration produces cerebral dopamine receptor supersensitivity and increases striatal acetylcholine levels, 904P
- JENNER, P., MARSDEN, C.D. & PRATT, J. Actions of benzodiazepines and other anticonvulsants on 5-HT turnover in mouse brain, 812P
- JENNER, P., MARSDEN, C.D. & REYNOLDS, L.M. Hypophysectomy does not prevent increased cerebral dopamine turnover following sulpiride administration, 288P
- JENNER, P., MARSDEN, C.D. & RUPNIAK, N.M.J. Absence of sodium ions in dopamine stimulated striatal adenylate cyclase does not explain lack of inhibition by sulpiride, 287P
- JOHANSEN, TORBEN. Inhibition of A23187-induced histamine release from mast cells by ethacrynic acid, 976P
- JOHN, G.R., LITTLEJOHN, J.M. & NHAMBURO, P.T. Ethanol-induced alterations in phospholipid methylation in rat brain synaptosomal membranes, 874P
- JOHNSTON, BELINDA, J. & McISAAC, R.L. The effects of deglycyrrhizinated liquorice and cimetidine on resting gastric mucosal blood flow and acid secretion in man, alone and in combination, 971P
- JONES, A.W. see EVANS, R.H., 907P
- JONES, B.J. & OAKELY, N.R. The convulsant properties of methyl-β-carboline-3-carboxylate in the mouse, 884P
- JONES, B.J. & OAKLEY, N.R. The differential *in vitro* and *in vivo* potencies of ethyl-β-carboline-3-carboxylate, a potent inhibitor of benzodiazepine receptor binding, 223P
- JONES, J.V. see CONWAY, J., 949P
- JONES, R.L. see ARMSTRONG, ROMA A., 790P
- JONES, R.L., STRACHAN, LESLEY, J. & WATSON, M.L. A comparison of the effects of PGI₂ and captopril on systemic and renal haemodynamics in conscious dogs, 945P
- JUXON, V. see COX, B., 216P

K

- KAIHO, M., KUBO, T. & MISU, Y. Comparative studies of (-)-, (±)-, (+)-propranolol, atenolol, guanethidine, bretylium and tetracaine on adrenergic transmission, 365
- KAJIWARA, M. see ITOH, T., 455
- KALARIA, R.N., KOTAS, A.M., PRINCE, A.K. & REYNOLDS, R. Neuronal development in discrete areas of rat brain during neonatal thyroid deficiency, 763P
- KAMAL, LINDA A. see ARBILLA, SONIA, 389
- KARAHIMA, TSUYOSHI & KURIYAMA, HIROSI. Electrical properties of smooth muscle cell membrane and neuromuscular transmission in the guinea-pig basilar artery, 495
- KARLSSON, J.-A. & PERSSON, C.G.A. Influence of tracheal contraction on relaxant effects *in vitro* of theophylline and isoprenaline, 73
- KARLSSON, J.-A. & PERSSON, C.G.A. (introduced by

- RODGER, IAN) Adenosine-receptor antagonism and bronchodilator activity by methyl-substituted xanthines, 783P
- KAROUM, FAROUK see CHUANG, LIN-WHEI, 571 KATSURAGI, TAKESHI & SU, CHE. Facilitation by
- clonidine of purine release induced by high KCl from rabbit pulmonary artery, 709
- KEEN, P. see HARMAR, A.J., 234P
- KELLY, M. ELIZABETH see COSTALL, BRENDA, 893P
- KELLY, M.J. & RICHARDSON, WENDY (introduced by SWEETMAN, A.J.) Protective effect of αtocopherol on vascular hypoxia, 945P
- KELLY, P.A.T. & McCULLOCH, J. Differences in the response of rat superior collicus to muscimol and THIP, 815P
- KENNEDY, A.J. see DUNCAN, I.B., 203P
- KENNEDY, I. see COLEMAN, R.A., 913P
- KERRY, P.J. see GUTTERIDGE, J.M.C., 918P
- KHOYI, M.A. see AKHTAR-KHAVARI, FARZANEH, 123
- KHOYI, M.A. see AKHTAR-KHAVARI, FARZANEH, 853P
- KIELTY, J.F. (introduced by WADSWORTH, R.M.) Effects of dexamethasone on rat uterine contractility in vitro, 986P
- KILLINGBACK, P.G. see HUMPHRIES, R.G., 266P KING, DOROTHY, K. & SHAPIRO, BERNARD H. Sexual dimorphism and the effects of the X-linked *Tfm* locus on hexobarbitone metabolism and action in mice,
- KINGSTON, W.P. 15-Lipoxygenase: a rapid, sensitive assay for lipoxygenase inhibitors, 919P
- KIRPEKAR, S.M. see GARCIA, A.G., 673
- KITAMURA, K. see ITOH, T., 455
- KITCHEN, I. Differences in the inhibitory potency of opioids on the epididymal and prostatic halves of the mouse vas deferens, 852P
- KITCHINGHAM, G. see BELL, G.D., 776P
- KITTERINGHAM, N.R. see BARBER, H.E., 772P
- KNEEN, G. & WHITE, R.D. BW12C: a new anti-sickling agent, 965P
- KODAMA, ITSUO, SHIBATA, SHOJI, TOYAMA, JUNJI & YAMADA, KAZUO. Electromechanical effects of Anthopleurin-A(AP-A) on rabbit ventricular muscle: influence of driving frequency, calcium antagonists, tetrodotoxin, lidocaine and ryanodine, 29
- KOKETSU, K. see AKASU, T., 505
- KONISHI, MAKOTO, TODA, NOBORU & YAMAMOTO, MASAKATSU. Different mechanism of action of histamine in isolated arteries of the dog, 111
- KOO, A. (introduced by SMAJE, L.H.) Noradrenaline dilates rat uterine arterioles by activating β-1 adrenoceptors, 941P
- KOSTERLITZ, H.W., MAGNAN, J., PATERSON, S.J. & TAVANI, A. Activity profiles of opiates at μ -, δ and κ -binding sites, 893P
- KOSTERLITZ, H.W., MUCHA, R.F. & ROBSON, L.E. Relation of morphine dependence to naloxone contractions in guinea-pig ileum treated with morphine, 807P KOTAS, A.M. see KALARIA, R.N., 763P
- KRELL, ROBERT D., McCOY, JEAN L. & RIDLEY, PETER T. Pharmacological characteization of the ex-

citatory innervation to the guinea-pig urinary bladder *in vitro*: evidence for both cholinergic and non-adrenergic-non-cholinergic neuro-transmission, 15

KROGSGAARD-LARSEN, P. see CROUCHER, M.J., 881P

KRUK, Z.L. see ARMSTRONG-JAMES, M., 224P

KUBO, T. see KAITHO, M., 365

KUMAR, R. see CLARKE, P.B.S., 212P

KUMAR, R. see CLARKE, P.B.S., 765P

KURAHASHI, K. & PATON, D.M. Structure-activity relations for negative chronotropic action of adenosine in rat atria, 829P

KURIYAMA, HIROSI see KARAHIMA, TSUYOSHI, 495

KURIYAMA, M. see ITOH, T., 455

KWIZERA, E.N. see HICKS, R., 302P

L

LAMMINTAUSTA, R. & McDONALD, E. Binding and effects of MPV-295, a novel antihypertensive compound, at α_2 -adrenoceptors in the rat, 931P

LAMBRECHT, G. see PORSIUS, A.J., 816P

LANGER, S.Z. see ARBILLA, SONIA, 226P

LANGER, S.Z. see ARBILLA, SONIA, 233P

LANGER, S.Z. see ARBILLA, SONIA, 389

LANGER, S.Z. see ARBILLA, SONIA, 901P

LANGER, S.Z. see BRILEY, M., 217P

LANGER, S.Z. see BRILEY, M., 817P

LANGER, S.Z. see CASADAMONT, M., 257P

LANGER, S.Z. & SHEPPERSON, N.B. Antagonism of α-adrenoceptor mediated contractions of the isolated saphenous vein of the dog by diltiazem and verapamil, 942P

LANGER, S.Z. & SHEPPERSON, N.B. Evaluation of the selectivity of M7 for α_1 and α_2 -adrenoceptors in vitro, 841P

LANGER, S.Z., MASSINGHAM, R. & SHEPPERSON, N.B. The selectivity of yohimbine diastereo-isomers for α₁ and α₂-adrenoceptors in the anaesthetized dog, 186P

LARSEN, K.R., MOODY, F.G., MORAN, D., RUSSO, J. & TURNER, N.C. (introduced by CURWAIN, B.P.) Comparison of the acute effects of aspirin and paracetamol (acetaminophen USA) on canine gastric mucosa during shock, 927P

LAUBSCHER, ANDREAS see GUDAT, FRED, 533

LAZARENO, S. & NAHORSKI, S.R. A comparative study of [³H]-domperidone and [³H]-spiperone binding in the rat striatum, 231P

LEACH, G.D.H. see ASMAWI, M.Z., 270P

LEACH, G.D.H. see ATAL, C.K., 299P

LEACH, G.D.H. see BIBBY, M.C., 295P

LEACH, G.D.H. see BURKAN, M.B., 187P

LEACH, G.D.H. see BURKAN, M.B., 932P

LEACH, G.D.H. see FADLOUN, Z., 261P

LEACH, G.D.H. see FADLOUN, Z., 2017 LEACH, G.D.H. see FADLOUN, Z., 851P

LEACH, G.D.H. see FINCH, L., 313P

LEACH, G.D.H. see HENMAN, M.C., 312P

LEACH, G.D.H., LEES, G. & SANTOS, S.R.C.J. The innervated *in situ* Langendorff perfused guinea-pig heart, 310P

LEACH, M.J. see MARDEN, C.M., 957P

LEACH, M.J. & MARDEN, C.M. Comparative studies on dihydrofolate reductase in rabbit, rat and human brain, 860P

LEAKE, LUCY D. & SUNDERLAND, A.J. (introduced by WALKER, R.J.) Pharmacological aspects of the control of leech body wall tension by Retzius cells, 983P

LEATHARD, HELEN L. see ECCLES, N.K., 831P

LEDINGHAM, JOHN M. & LEES, DOUGLAS C.P. Acute effects of propranolol on the circulation and on oxygen uptake in conscious rats, 635

LEDINGHAM, JOHN M. & LEES, DOUGLAS, C.P. The action of propranolol on factors concerned with the delivery of oxygen to the tissues, 643

LEHMANN, J. see ARBILLA, SONIA, 226P

LEE, T.F. see COX, B., 216P

LEE, T.F. see COX, B., 889P

LEES, DOUGLAS, C.P. see LEDINGHAM, JOHN M., 635

LEES, DOUGLAS, C.P. see LEDINGHAM, JOHN M., 643

LEES, G. see LEACH, G.D.H., 310P

LEES, G.M. & PERCY, W.H. Antibiotics and autonomic neuroeffector transmission: similarities with neuromuscular junction? 848P

LEES, J. & SENIOR, JUDITH. The responses of the human perfused umbilical artery preparation to histamine, 310P

LEFÈVRE-BORG, FRANÇOISE see CAVERO, I., 143

LEFÈVRE-BORG, FRANÇOISE see CAVERO, I., 271P

LEFÈVRE-BORG, FRANÇOISE see CAVERO, I., 272P

LEFÈVRE-BORG, FRANÇOISE see CAVERO, I., 838P

LEFÈVRE-BORG, FRANÇOISE see CAVERO, I., 839P

LEFÈVRE-BORG, FRANÇOISE see CAVERO, I., 927P LETTS, L.G. & PIPER, PRISCILLA J. Actions of LTC,

LTD in guinea-pig isolated hearts and the effect of indomethacin and FPL 55712, 789P

LEUSCHNER, J.T.A. see HARVEY, D.J., 771P

LEWIS, A. & WILSON, C.W.M. Excretory ovalbumin, a potent protective factor against fatal anaphylaxis to egg-whites in guinea-pigs, 201P

LEWIS, D.A. see BIRD, J., 204P

LEWIS, D.A. & RAYMONT, C.M. Further studies on the encapsulation of drugs in erythrocytes as an intravenous delivery system, 877P

LEWIS, G.P. see BRAIN, SUSAN D., 785P

LEWIS, G.P. see BRAIN, SUSAN D., 917P

LEWIS, G.P. see FAN, T-P.D., 964P

LEWIS, G.P. see GORDON, D., 137

LEWIS, P.M. & OLLEY, J.E. Extraction of an endogenous opioid from human plasma, 247P

LEWIS, S.J. see FENNESSY, M.R., 862P

LINCOLN, J.C.R. see GRISTWOOD, R.W., 7

LINDUP, W.E. see BISHOP, K.A., 956P

LITTLE, HILARY, J. The effects of high pressure and of ketamine on GABA transmission in vitro, 880P

LITTLE, H.J. see BICHARD, A.R., 221P

LITTLE, R.A. & REDFERN, W.S. (introduced by HICKS, P.E.) A method for studying baroreflex bradycardia in the unanaesthetized rat, 308P

LITTLE, R.A. & REDFERN, W.S. (introduced by HICKS, P.E.) Effects of centrally-administered α-adrenoceptor antagonists on baroreflex bradycardia in the unanaesthetized rat, 948P

LITTLEJOHN, J.M. see JOHN, G.R., 874P LLOYD, H.G.E. see FORSTER, P., 274P LLOYD, H.G.E., MORGAN, P.F., PERKINS, M.N. & STONE, T.W. Temperature dependent characteristics of [³H]-diazepam binding to rat cerebral cortex, 886P LLOYD, K.G. & VARGAS, F. [³H]-nipecotic acid binding as a means of studying GABA uptake sites, 882P LLOYD, K.G., WILLIGENS, M.T. & WORMS, P. Cortical lesions differently affect neuroleptic and non-

neuroleptic induced catalepsy in rats, 821P LOCKFELD, A.J. see BOARDER, M.R., 808P LONGLEY, D.C. see DEAKIN, J.F.W., 210P

LOVETT, G.S. & SWEETMAN, A.J. The action of 2phenylisatogen on adenosine nucleotide and phosphate metabolism in mitochondria isolated from guinea-pig liver, 961P

LOWE, D.A., MATTHEWS, E.K. & RICHARDSON, B.P. The calcium antagonist effects of cyproheptadine on contraction, membrane electrical events and calcium influx in the guinea-pig taenia coli, 651
LUSCOMBE, G. see JENNER, P., 286P
LUSCOMBE, G. see JENNER, P., 906P
LYLES, G.A. see CALLINGHAM, B.A., 962P
LYLES, G.A. see BARRAND, MARGERY A., 198P
LYLES, G.A. see CALLINGHAM, B.A., 197P
LYE, R. see DUTTON, J., 267P

LYNN, A.G. see DETTMAR, P.W., 843P

M McCARTHY, P.M., PARSONS, M.E. & PRICE, C.A. Phosphodiesterase inhibition and gastric acid secretion in the rat isolated stomach, 973P McCOY, JEAN L. see KRELL, ROBERT, D., 15 McCULLOCH, J. see KELLY, P.A.T., 815P McCURRIE, JANICE, R. see ASMAWI, M.Z., 270P McDONALD, D. see BEART, P.M., 895P McDONALD, E. Acute effects of MPV-295 on the turnover of brain noradrenaline in rats, 898P McDONALD, E. see LAMMINTAUSTA, R., 931P MACDONALD, I.A. see BELL, G.D., 776P McDOUGALL, P., MARKHAM, A. & SWEETMAN, A.J. Inhibition of mitochondrial calcium transport by the nonsteroidal anti-inflammatory agent, diflumisal, 303P McGRATH, J.C. see BROWN, D.H., 258P McGRATH, J.C. see FLAVAN, N.A., 804P McGRATH, J.C. & McKEAN, C.E. a2-Adrenoceptors in the rabbit vasculature, 846P McKEAN, C.E. see McGRATH, J.C., 846P MACKEY, N.A. see CALLINGHAM, B.A., 962P MacINTYRE, D.E. & WESTWICK, J. Phospholipid mediators of human platelet activation, 965P McISAAC, R.L. see JOHNSTON, BELINDA J., 971P MCLEAN, W.G. see HARGREAVES, A.J., 863P MACPHEE, C.H. see DRUMMOND, A.H., 967P McPHERSON, KATHRYN see DUNBAR, P.G., 958P McQUEEN, D.S. & RIBEIRO, J.A. Effect of adenosine on carotid chemoreceptor activity in the cat, 129 McWILLIAM, J.R. & MELDRUM, B.S. Enhancement of the α-receptor stimulated growth hormone release after 7 allylglycine induced seizures in the photosensitive baboon, 861P

MAGGS, J.L. see BRECKENRIDGE, A.M., 240P MAGGS, J.L. see BROWN, I.C., 987P MAGNAN, J. see KOSTERLITZ, H.W., 893P MAIN, I.H.M. see DONALDSON, K.M., 970P MAIN, I.H.M. & PEARCE, J.B. pA2 determination of muscarinic and H2-receptor antagonists on gastric acid secretion in vitro, 969P MAJID, ELLISHA & SENIOR, JUDITH. Inhibition of uterine responses to oestrogen in the ovariectomized rat, 240P MANN, J. see HUMPRHIES, R.G., 191P MANN, J. see HUMPHRIES, R.G., 266P MANN, S. see JENNER, P., 904P MARDEN, C.M. see LEACH, M.J., 860P MARDEN, C.M. & WILSON, J.A. (introduced by LEACH, M.J.) Effect of prenatal exposure to anticonvulsant agents on maternal and foetal folate concentrations in the rat, 957P MARCHI, M., PAUDICE, P. & RAITERI, M. Functional evidence for super- and subsensitivity of acetylcholine autoreceptors after chronic drug treatment, 799P MARCHI, M., PAUDICE, P. & RAITERI, M. Presynaptic autoreceptors controlling acetylcholine release in synaptosomes from rat hippocampus, 220P MARKHAM, A. see McDOUGALL, P., 303P MARLOW, J.B. see BLOWER, P.R., 309P MARRION, N.V. see GARLAND, L.G., 854P MARRIOTT, A.S. see GOWER, ALMA J., 758P MARSDEN, C.A. see BENNETT, G.W., 227P MARSDEN, C.A. see BENNETT, G.W., 292P MARSDEN, G.A. see BENNETT, G.W., 871P MARSDEN, C.A. see BRAZELL, M.P., 219P MARSDEN, C.A. see BUXTON, D.A., 215P MARSDEN, C.A. see GALLOWAY, N.R., 314P MARSDEN, C.D. see DYER, R.G., 905P MARSDEN, C.D. see HALL, M.D., 229P MARSDEN, C.D. see JENNER, P., 287P MARSDEN, C.D. see JENNER, P., 288P MARSDEN, C.D. see JENNER, P., 812P MARSDEN, C.D. see JENNER, P., 904P MARSDEN, C.D. see JENNER, P., 906P MARSDEN, C.D. see LUSCOMBE, G., 286P MARSH, MARY VARWELL see CALDWELL, J., 774P MARSHALL, I.G. see FIEKERS, J.F., 298P MARSHALL, R.J. see CAMPBELL, J.K., 832P MARSHALL, R.W. & SPARKS, M. (introduced by SPRIGGS, T.L.B.) A micro-computer system to aid collection and analysis of data from tissue bath experiments, 988P MARSHALL, R.J., MUIR, A.W. & WINSLOW, E. Comparative antidysrhythmic and haemodynamic effects of orally or intravenously administered mexiletine and ORG 6001 in the anaesthetized rat, 381 MARTIN, D. see COX, B., 216P MARTIN, G.R. see GARLAND, L.G., 854P MASCELLANI, GUISEPPE see ALDINI, RITA, 611 MASSINGHAM, R. see CASADAMONT, M., 257P MASSINGHAM, R. see LANGER, S.Z., 186P

MATTHEWS, E.K. see LOWE, D.A., 651

MAURIN, Y. see ARBILLA, SONIA, 233P MELDRUM, B.S. see CROUCHER, M.J., 881P

MELDRUM, B.S. see McWILLIAM, J.R., 861P

MADAN, B.R. see HUGHES, BERNADETTE, 701

MEARNS, A. see CHAUDHEY, F., 310P METCALF, G. see BENNETT, G.W., 227P

MICHEL, A.D. & WHITING, R.L. 2-(2-Imidazolyl methyl)-1,4-benzodioxans, a series of selective α_2 -adrenoceptor antagonists, 255P

MICHEL, A.D. & WHITING, R.L. The rat isolated, transversely bisected vas deferens; a preparation for determining the potency of antagonists at both α_1 - and α_2 -adrenoceptors, 256P

MICHEL, A.D., NAHORSKI, S.R. & WHITING, R.L. Selectivity of RS 21361 for α₂-adrenoceptors as determined by *in vitro*, *in vivo* and ligand binding studies, 845P

MIDDLETON, A. see BELL, G.D., 776P

MIDDLETON, B. see BELL, G.D., 241P

MIDDLETON, B. see BELL, G.D., 242P

MIDDLETON, B. see BELL, G.D., 776P

MIDDLETON, B. see BELL, G.D., 878P

MILLAR, J. see ARMSTRONG-JAMES, M., 224P

MILLAR, J.S. & VAUGHAN WILLIAMS, E.M. Pharmacological mapping in the rabbit heart, 827P

MILLER, A.A., O'DONNELL, R.A., WEBSTER, R.A. & WESTON, S.B. Effect of electrical kindling on brain amino acid concentrations in rats, 883P

MILLER, L. & SHAW, J.S. (introduced by TURNBULL, M.J.) Degradation of enkephalin by guinea-pig ileum, 301P

MILTON, A.S. see BURKE, M.D., 914P

MILTON, A.S. see DASCOMBE, M.J., 405

MILTON, A.S. & SAWNEY, VINITI, K. The effects of anisomycin on the febrile responses to intracerebroven-tricular bacterial pyrogen and prostaglandin E₂ in cats, 786P

MINCHIN, M.C.W. & PEARSON, G. The effect of the convulsant agent, catechol, on neurotransmitter uptake and release in rat brain slices, 715

MISU, Y. see KAIHO, M., 365

MITCHELL, H.W. Regulatory mechanisms in histamineinduced tone in swine isolated tracheal smooth muscle, 796P

MITCHELL, MARY R. & WILLIAMS, S.G.P. (introduced by GINSBORG, B.L.) Reduction of dopamine and octopamine content of an insect salivary gland on incubation in 6-hydroxydopamine, 838P

MITCHELL, P.R. (introduced by DOGGETT, N.S.) Effects of typical and atypical neuroleptics on striatal [³H]-dopamine release. 902P

MITCHELL, P.J. see BUCKINGHAM, R.E., 260P MIZRAHI, J. see COUTURE, R., 954P

MIZKAHI, J. See COUTUKE, R., 954P

MÖHLER, H. see VAN DIJK, A., 858P

MÖHLER, H. & RICHARDS, J.G. Autoradiographical localization of [³H]-Ro 15-1788, a selective benzodiazepine antagonist, in rat brain *in vitro*, 813P

MOORE, P.K. see HOULT, J.R.S., 485

MONCADA, S. see CHIAVARELLI, M., 252P

MONTASTRUC, JEAN-LOUIS, MONTASTRUC, PAUL & MORALES-OLIVAS, FRANCISCO. Potentiation by naloxone of pressor reflexes, 105

MONTASTRUC, PAUL see MONTASTRUC, JEAN-LOUIS, 105

MONTI, J.M. see D'ANGELO, L., 399

MONTIEL, C. see GARCIA, A.G., 665

MONTIEL, C. see GARCIA, A.G., 673

MOODY, F.G. see LARSEN, K.R., 972P

MORALES-OLIVAS, FRANCISCO see MONTAS-TRUC, JEAN-LOUIS, 105

MORAN, D. see LARSEN, K.R., 972P

MORET, CHANTAL see CASADAMONT, M., 257P

MORGAN, P.F. see FORSTER, P., 274P

MORGAN, P.F. see LLOYD, H.G.E., 886P

MORITA, K. & NORTH, R.A. Clonidine activates membrane potassium conductance in myenteric neurones, 419

MORSELLI, ANTONIO see ALDINI, RITA, 611

MORRIS, H.R., PIPER, PRICILLA J., SAMHOUN, MARWA, N. & TAYLOR, G.W. Generation of a leukotriene(LT)B₄-like material from rat basophilic leukaemia(RBL-1) cells, and its action in guinea-pig lung in vitro, 922P

MOSER, P.C., WOOD, M.D. & WYLLIE, M.G. Selective inhibition of 5-HT uptake *in vivo*, 888P

MOSER, U. see PORTIUS, A.J., 816P

MOSS, M.S. see CALDWELL, J., 774P

MUCHA, R.F. see KOSTERLITZ, H.W., 807P

MUGHAL, M. see BIBBY, M.C., 295P

MUIR, A.W. see MARSHALL, R.J., 381

MULLANE, K. see CHIAVARELLI, M., 252P

MURUGAIAH, K. see HALL, M.D., 229P

MURUGAIAH, K. see JENNER, P., 904P

MUSTAFA, A.A. & WOODRUFF, G.N. Hyperactivity induced by ergot alkaloid derivatives following injection into the nucleus accumbens, 864P

MUTSCHLER, E. see PORTSIUS, A.J., 816P MYLECHARANE, E.J. see BLACK, J.L. 619 MYERS, P.L. see CHAPLEO, C.B., 842P

N

NAHORSKI, S.R. see LAZARENO, S., 231P

NAHORSKI, S.R. see MICHEL, A.D., 845P

NAKASHIMA, MITSUYOSHI see HASIMOTO, HISAKUNI, 371

NAYLOR, R.J. see COSTALL, B., 179P

NAYLOR, R.J. see COSTALL, B., 289P

NAYLOR, R.J. see COSTALL, BRENDA, 766P

NAYLOR, R.J. see COSTALL, BRENDA, 898P

NAYLOR, R.J. see COSTALL, BRENDA, 899P

NEAL, M.J. see CUNNINGHAM, JOR., 879P

NEDERGAARD, O.A. Facilitatory action of 4aminopyridine on transmitter release from sympathetic nerve terminals in rabbit blood vessles, 177P

NEDERGAARD, O.A. see ABRAHAMSEN, J., 943P

NEILD, T.O. see HIRST, G.D.S., 189P

NELSON, DIANNE G. see GRAHAM, PAMELA, 983P

NHAMBURO, P.T. see JOHN, G.R., 874P

NICHOLAS, G.P. see GARCIA, A.G., 665 NICHOLASS, J.M. see BROWN, F., 896P

NICHOLASS, J.M. See BROWN, F., 690F

NICHOLSON, A.N. see BRADLEY, CHRISTINE M., 769P

NICHOLSON, C.D. (introduced by POYSER, R.H.) The attenuation by adenosine of the positive chronotropic and inotropic responses to noradrenaline and adrenaline in guinea-pig isolated atria, 940P

NICHOLSON, J., WEETMAN, D.F. & WOOD, DIANA.

The effects of the non-polar solvent, N,Ndimethylformamide, on the coaxially stimulated ileum and the taenia caecum preparations of guinea-pig, 300P NICKOLSON, V.J. see DASCOMBE, M.J., 891P NISHI, K. see AKAIKE, N., 87 NISTRI, A. see CONNOR, J.D., 445 NOHRIA, V. see COSTALL, BRENDA, 766P NOHRIA, V. & TINTORE, I. (introduced by FOY, J.M.) The use of (-)N-n-propylnorapomorphine in the measurement of locomotor activity using an automatic quantitative method, 311P NOLAN, R.D. see DUSTING, G.J., 553 NORRIS, D.B. see BOTTOMLEY, K., 974P NORTH, R.A. see MORITA, K., 419 NORTON, T.R., OHIZUMI, Y. & SHIBATA, S. Excitatory effect of a new polypeptide (Anthopleurin-B) from sea anemone on the guinea-pig vas deferens, 23 NOURI, A.M.E. see EDWARDS, MARY C., 968P NOURI, A.M.E. see GORDON, D., 137 NOURI, A.M.E. see GORDON, D., 469 NOWAK, J.Z. see ARBILLA, SONIA, 901P NUNN, BARBARA. Evidence that platelet arachidonate

0

NUTT, D. & STANFORD, CLARE. Decreased α2-

thrombocytopenia in mice, 915P

troconvulsive shock, 885P

metabolites play only a minor role in collagen-induced

receptor numbers in rat brain following repeated elec-

O'DONNELL, R.A. see MILLER, A.A., 883P O'DONNELL, STELLA R. & WANSTALL, JANET C. Demonstration of both β_1 - and β_2 -adrenoceptors mediating relaxation of isolated ring preparations of rat pulmonary artery, 547 O'HAGAN, D.J. see HUNT, W.B., 849P O'SHAUGHNESSY, C.T. see BHODLA, K.D., 236P OAKLEY, N.R. see JONES, B.J., 223P OAKLEY, N.R. see JONES, B.J., 884 OCAMPO, MARIA CONCEPCIÓN & ORREGO, F. Differential effects of ouabain and 2,4-dinitrophenol on contractile tension of and on sodium and calcium efflux from frog heart ventricular strips, 341 OHIA, S.E. & OKPAKO, D.T. Effect of animal maturity on histamine receptor activity in the rat uterus, 306P OHIZUMI, Y. see NORTON, T.R., 23 OKPAKO, D.T. see OHIA, S.E., 306P OLLEY, J.E. see BOURA, A.L.A., 246P OLLEY, J.E. see LEWIS, P.M., 247P ORCHARD, MARGARET A. & ROBINSON, C. Prostacyclin is stabilized by serum albumin, 206P ORREGO, F. see OCAMPO MARIA CONCEPCIÓN, OSIKOWSKA, BARBARA A. see IDLE, J.R., 837P OTTEN, UWE see GUDAT, FRED, 533 OUTLAW, TRACY see BOON, N.A., 802P OWEN, D.A.A. see GRISTWOOD, R.W., 7

P

PAO, G.K-J. see CHURCH, M.K., 979P PARK, B.K. see BRECKENRIDGE, A.M., 240P

OWEN, F. see BLOXHAM, C.A., 233P

PARK, B.K. see BROWN, I.C., 987P PARKER, M. see FORSTER, P., 274P PARKER, M.E. & STONE, T.W. The effect of ethanol on ¹⁴C]-GABA release from mouse cortical slices, 273P PARRATT, J.R. see CAMPBELL, C.A., 195P PARRATT, J.R. see COKER, SUSAN J., 155 PARRATT, J.R. see COKER, SUSAN J., 205P PARRATT, J.R. see COKER, SUSAN J., 792P PARRATT, J.R. see FAGBEMI, O., 12 PARRATT, J.R. see FAGBEMI, O., 830P PARRATT, J.R. see HUGHES, BERNADETTE, 701 PARSONS, J.A., ROBINSON, I.C.A.F. & STEVENSON, R.W. Investigation of triglycyl-oxytocin as a hormonogen in the conscious dog, 810P PARSONS, M.E. see BLAKEMORE, R.C., 200P PARSONS, M.E. see McCARTHY, P.M., 973P PARSONS, R.L. see FIEKERS, J.F., 298P PASKA, W. see HANAHOE, T.H.P., 201P PATERSON, A.R.P. see CLANACHAN, A.S., 835P PATERSON, S.J. see KOSTERLITZ, H.W., 893P PATON, W.D.M. see KURAHASHI, K., 829P PATON, W.D.M. see BICHARD, A.R., 221P PATON, W.D.M. see BOWSER-RILEY, F., 898P PATON, W.D.M. see HARVEY, D.J., 771P PAUDICE, P. see MARCHI, M., 799P PAUL, K. see DUTTON, J., 267P PAYNE, A.N. see AINSWORTH, GILLIAN A., 855P PEAKE, B.M. see BERESFORD, R.A., 781P PEARCE, J.B. see MAIN, I.H.M., 969P PEARSON, G. see MINCHIN, M.C.W., 715 PECK, M.J. see FORREST, M.J., 921P PEDATA, F. see ANTONELLI, T., 525 PEDATA, F. & PEPEU, G. Effect of adenosine on acetlycholine output from electrically stimulated brain slices, 764P PEARCE, JACALYN B. see FILE, SANDRA E., 593 PEESAPATI, V. see ARMSTRONG, ROMA A., 790P PELLMAR, TERRY C. Does cyclic 3',5'-adenosine monophosphate act as second messenger in voltagedependent response to 5-hydroxytryptamine in Aplysia? 747 PEPEU, G. see ANTONELLI, T., 525 PEPEU, G. see PEDATA, F., 764P PERCY, W.H. see LEES, G.M., 848P PERKINS, M.N. see FORSTER, P., 274P PERKINS, M.N. see LLOYD, H.G.E., 886P PERKINS, M.N. & STONE, T.W. An iontophoretic study of the structure-activity relationships between analogues and derivatives of ethylenediamine, 887P PERLOW, MARK J. see CHUANG, LIN-WHEI, 571 PERRY, N.K. see GALLOWAY, N.R., 314P PERSSON, C.G.A. see KARLSSON, J.-A., 73 PERSSON, C.G.A. see KARLSSON, J.-A., 783P PERTWEE, R.G. see FITTON, A.G., 873P PETRIE, J.C. see BARBER, H.E., 772P PHILLIPS, ANTHONY G. see BENINGER, RICHARD, PINTO, A. see CARNUCCIO, ROSA, 322 PIPER, PRISCILLA J. see LETTS, L.G., 789P PIPER, PRICILLA J. see MORRIS, H.R., 922P PIPILI, EVA see HAWKEY, C.J., 789P PLETCHER, ALFRED see GUDAT, FRED, 533

POLLAND, SANDRA see HARRIS, J.R., 249P

POLLOCK, D. see BROWN, J.M., 811P PORQUET, MARIE-FRANCE, POURRIAS, B.M. & SANTAMARIA, R. (introduced by CAVERO, I.) Effect of 5-hydroxytryptamine on canine isolated arteries, 191P PORSIUS, A.J., LAMBRECHT, G., MOSER, U. & MUTSCHLER, E. (introduced by VAN ZWEITEN, PA.) Depressor effects of isoguvacine propyl ester and isoarecaidine propyl ester in the cat due to stimulation of the central GABA receptors, 816P POURRIAS, B.M. see PORQUET, MARIE-FRANCE, 191P POWELL, J. see ELDER-COLLI, L., 809P POYSER, R.H. see NICHOLSON, C.D., 940P PRATT, J. see JENNER, P., 812P PREISWERK, G. (introduced by HEDWALL, PHYLLIS R.) Low incidence of reninopathy in dogs with sustained renovascular hypertension, 267P PRICE, C.A. see McCARTHY, P.M., 973P PRIESTLY, J.V. (introduced by CUELLO, A.C.) Ultrastructural localization of substance P and enkephalin in the substantia gelatinosa of the spinal trigeminal nucleus, 893P PRINCE, A.K. see KALARIA, R.N., 763P PROSTRAN, MILICA & VARAGIC, V.M. the effect of adenosine on the isolated hemidiaphragm of the rat, PUDICE, P. see MARCHI, M., 220P PUNJANI, N.F. see BADAWY, A.A.-B., 211P PUNJANI, NAZEERA F. see BADAWY, A.A.-B., 489 PURVIS, J.R. see FOY, J.M., 188P PURVIS, J.R. see FOY, J.M., 314P PYCOCK, C.J. see DAWBARN, D., 235P PYCOCK, C.J. see DAWBARN, D., 903P R RAISMAN, R. see BRILEY, M., 217P RAITERI, M. see MARCHI, M., 220P RAITERI, M. see MARCHI, M., 799P RAMAGE, A.G. A comparison of the effect of (B-HT 933) and clonidine on preganglionic sympathetic nerve activity of the cat, 178P RAND, M.J. see COLLETT, A.R., 801P RANDALL, P.J. see BLACK, J.W., 978P RANG, H.P. see GURNEY, A.M., 797P RASMUSSENN A.C. see BLAKEMORE, R.C., 200P RATCLIFFE, A.H. see BRIGGS, 294P RATCLIFFE, W. see COOMBES, R.C., 777P RAWLINGS, D.A. see BLAKEMORE, D.A. 200P RAYMONT, C.M. see LEWIS, D.A., 877P READ, N.W. see HARDCASTLE, JACQUELINE, 563 REDFERN, J.S. see HARDCASTLE, JACQUELINE,

REDFERN, P.H. see AKPAFFIONG, M.J., 304P

REDFERN, P.H. see CLOUGH, D.P., 934P

REDFERN, W.S. see LITTLE, R.A., 308P REDFERN, W.S. see LITTLE, R.A., 948P

REID, J.L. see DALRYMPLE, H.W., 264P

REIDERER, P. see REYNOLDS, G.P., 859P

REGOLI, D. see COUTURE, R., 954P

REZAEI, EFFAT see AKHTAR-KHAVARI, FAR-ZANEH, 853P REYNOLDS, G.P. & REIDERER, P. Lisuride binding to human brain, 859P REYNOLDS, L.M. see JENNER, P., 288P REYNOLDS, R. see KALARIA, R.N., 763P RIBERIO, J.A. see McQUEEN, D.S., 129 RICHARDS, C.D. & WHITE, ANN E. Additive and non-additive effects of mixtures of short-acting intravenous anaesthetic agents and their significance for theories of anaesthesia, 161 RICHARDS, J.G. see MÖHLER, H., 813P RICHARDS, J.G. see VAN DIJK, A., 858P RICHARDS, M.H. see GARDNER, C.R., 883P RICHARDSON, B.P. see LOWE, D.A., 651 RICHARDSON, WENDY see KELLY, M.J., 941P RIDLEY, PETER T. see KRELL, ROBERT D., 15 RIPS, RICHARD see DESILES, MARGUERITES, 81 RISING, T.J. see BOTTOMLEY, K., 974P ROACH, A.G. see CHAPLEO, C.B., 842P ROACH, A.G. see DOXEY, J.C., 262P ROACH, ALAN G. see CAVERO, ICILIO, 143 ROBERTS, F. A comparison of slow and fast depressant responses of rat cerebral cortical neurones to ionophoretically applied histamine, 238P ROBERTS, P.J. see FOSTER, G.A., 870P ROBERTS, PETER J. see FOSTER, G.A., 723 ROBERTS, P.M. see CAULFIELD, M.P., 865P ROBINSON, C. see ORCHARD, MARGARET A., 206P ROBINSON, I.C.A.F. see PARSONS, J.A., 810P ROBSON, L.E. see KOSTERLITZ, H.W., 807P RODA, ALDO see ALDINI, RITA, 611 RODA, ENRICO see ALDINI, RITA, 611 RODGER, I.W. see COKER, SUSAN J., 792P RODGER, I.W. see DHILLON, D.S., 180P RODGER, I.W. & SHAHID, M. Positive inotropism and cyclic nucleotides in mammalian cardiac muscle, 939P RODGER, IAN see KARLSSON, J.-A., 783P RODGER, R.J. (introduced by COSTALL, B.) The effects of coping behaviour on the analgesic response to footshock stimulation in rats, 283P RODRIGUEZ DEL CAMINO, I.L. & SHARMAN, D.F. Apomorphine antagonizes the stereotyped behaviour produced by metaclopramide in the guinea-pig, 767P ROQUEBERT, JACQUES see DEMICHEL, PAT-**RICIA**, 739 ROTHAUL, A.L. see BROARDLEY, K.J., 192P ROTHWELL, N.J. see FLETCHER, A., 770P ROTHWELL, NANCY J., STOCK, M.J. & WYLLIE, M.G. Sympathetic mechanisms in diet-induced thermogenesis: modification by ciclazindol and anorectic drugs, 539 ROWLAND, M. see AHMAD, A.B., 244P ROWLANDS, M.G. see COOMBES, R.C., 777P RUPNIAK, N.M.J. see DYER, R.G., 905P RUPNIAK, N.M.J. see HALL, M.D., 229P RUPNIAK, N.M.J. see JENNER, P., 287P RUSSELL-SMITH, N.C. see FLOWER, R.J., 791P

RUSSO, J. see LARSEN, K.R., 972P

RYAN, M.P. see DEVANE, J., 780P

REIS, J.L. see HAMILTON, C.A., 935P

ZANEH, 123

REZAEI, EFFAT see AKHTAR-KHAVARI, FAR-

•

SAHYOUN, H.A. see CHAUHEY, F., 310P SAHYOUN, H.A. see COSTALL, B., 179P SALMON, J.A. see FLOWER, R.J., 791P SALMON, J.A. see HIGGS, G.A., 429 SALT, T.E. see BERRY, S.C., 819P SAMHOUN, MARWA N. see MORRIS, H.R., 922P SANCHEZ-GARCIA, P. see GARCIA, A.G., 665 SANCHEZ-GARCIA, P. see 673 SANGER, G.J. see BENNETT, A., 435 SANTAMARIA, R. see PORQUET, MARIE-FRANCE, 191P SANTOS, S.R.C.J. see LEACH, G.D.H., 310P SATCHELL, D.G. Nucleotide pyrophosphatase antagonizes response to adenosine 5'-triphosphate and nonadrenergic non-cholinergic inhibitory nerve stimulation in the guinea-pig isolated taenia coli, 319 SAWHNEY, VINITI K. see MILTON, A.S., 786P SCOTT, EVELYN M. (introduced by CONWAY, J.) A possible mechanism for the action of atenolol on the baroreceptor reflex in the anaesthetized cat, 825P SCOTT, N.C. see ABDULLAH, F.M., 937P SCOTT, N.C. see FRENCH, A.M., 182P SDOUGOS, H.P. see BERGEL, D.H., 823P SEED, M.P. see TAHIR, K.E.H., 794P SEMPIK, J. see HUMPHRIES, R.G., 191P SEMPIK, J. see HUMPHRIES, R.G., 266P SENIOR, JUDITH see LEES, J., 310P SENIOR, JUDITH see FOY, J.M., 209P SENIOR, JUDITH see MAJID, ELLISHA, 240P SETTE, M. see BRILEY, M., 217P SETTE, M. see BRILEY, M., 817P SEVER, P.S. see IDLE, J.R., 837P SEWELL, R.D.E., SPENCER, P.S.J. & UPTON, N. Antinociceptive activity of some μ - and κ -opiate agonists determined by a combined nociceptive testing method, 284P SEWELL, R.D.E. see GONZALEZ, J.P., 278P SHAPIRO, BERNARD H. see KING, DOROTHY K., 97 SHAHID, M. see RODGER, I.W., 939P SHARMAN, D.F. see RODRIGUEZ DEL CAMINO, I.L., 767P SHARP, T. see BENNETT, G.W., 227P SHARP, T. see BENNETT, G.W., 871P SHAW, J.S. see MILLER, L., 301P SHEPPERSON, N.B. see LANGER, S.Z., 186P SHEPPERSON, N.B. see LANGER, S.Z., 841P SHEPPERSON, N.B. see LANGER, S.Z., 942P SHERIDAN, R.D. see CLOUGH, D.P., 934P SHIBATA, S. see NORTON, T.R., 23 SHIBATA, SHOJI see KODAMA, ITSUO, 29 SHUTT, A.J. see FAN, S.G., 811P SIM, M.F. see COOLING, M.J., 359 SIMMONDS, M.A. see CAIN, C.R., 890P SINGH, G.B. see ATAL, C.K., 203P SINGH, B.G. see ATAL, C.K., 299P SKETT, P. see GRAHAM, LESLEY, 773P SKINGLE, M. see CAHUSAC, P., 963P SLATER, P. see DICKINSON, S.L., 910P SLATER, P. see GRIFFITHS, E.C., 291P SLATER, P. see GRIFFITHS, E.C., 868P SLEIGHT, P. see CONWAY, J., 949P

SMITH, A.D. see BOLAM, J.P., 909P SMITH, D.A.S. see EVANS, R.H., 900P SMITH, E.B. see BOWSER-RILEY, F., 820P SMITH, I.R. see GRISTWOOD, R.W., 7 SMITH, K.J. see BARBER, H.E., 772P SMITH, M.J.H. see BRAY, M.A., 788P SMITH, M.J.H. see BROWN, L.M., 924P SMITH, M.J.H. see CUNNINGHAM, F.M., 923P SMITH, R.L. see CALDWELL, J., 774P SMITH, T.W. see CLARK, S.J., 953P SOMOGYI, P. see BOLAM, J.P., 909P SPARKS, M. see MARSHALL, R.W., 988P SPAYNE, J.A. see HIGGS, G.A., 429 SPEDDING, M. Differential effects of antagonists' on heart rate and atrio-ventricular node conduction in pithed rats, 926P SPEDDING, M. Partial agonist effects of medroxalol at β_1 -adrenoceptors, 847P SPENCER, J.E. see CANFIELD, S.P., 253P SPENCER, P.S.J. see GONZALEZ, J.P., 278P SPENCER, P.S.J. see SEWELL, R.D.E., 284P STAMFORD, I.F. see BENNETT, A., 207P STAMFORD, I.F. see BENNETT, A., 435 STANSFELD, C.E. & WALLIS, D.I. 5-Hydroxytryptamine-induced depolarization of rabbit nodose ganglia investigated by sucrose-gap method, 867P STANFORD, CLARE see NUTT, D., 885P STARKE, K. see DOCHERTY, J.R., 803P STEPHENS, R.J. see FLETCHER, A., 770P STEPHENSON, J.D. see CRAGGS, M.D., 953P STEVENSON, I.H. see GRIFFITHS, N.M., 775P STEVENSON, R.W. see PARSONS, J.A., 810P STEWARD, A. see BOTTOMLEY, K., 974P STOCK, M.J. see FLETCHER, A., 770P STOCK, M.J. see ROTHWELL, NANCY J., 539 STOCKTON, J. see BIRDSALL, N.J.M., 798P STOKER, M.J. see BRADSHAW, C.M., 757P STOLTZ, J.F. see BUXTON, D.A., 215P STONE, T.W. Adenine dinucleotide effects on the isolated vas deferens, 951P STONE, T.W. 4-Aminopyridine and quinidine effects on adenosine inhibition of vas deferens contractions, 296P STONE, T.W. The effects of morphine and methionineenkephalin on the release of purines from cerebral cortex slices of rats and mice, 171 STONE, T.W. see FORSTER, P. 274P STONE, T.W. see LLOYD, H.G.E., 886P STONE, T.W. see PARKER, M.E., 273P STONE, T.W. see PERKINS, M.N., 887P STORY, D.F. see COLLETT, A.R., 801P STRACHAN, LESLEY J. see JONES, R.L., 945P STRETTLE, R.J. see BATES, R.F.L., 279P STRETTLE, R.J. see BATES, R.F.L., 280P STRETTLE, R.J. see BATES, R.F.L., 857P STUBLEY, J.K. see CAULFIELD, M.P., 865P STUMP, KATHY see BOON, N.A., 802P SU, CHE see KATSURAGI, TAKESHI, 709 SUGRUE, M.F. Effect of chronic antidepressant administration on rat frontal cortex α2- and β-adrenoceptor binding, 760P SUMNER, D.J. see HAMILTON, C.A., 935P SUNDERLAND, A.J. see LEAKE, LUCY D., 983P

SMAJE, L.H. see KOO, A., 942P

SWAIT, J. see BRIGGS, I., 294P SWEETMAN, A.J. see KELLY, M.J., 941P SWEETMAN, A.J. see LOVETT, G.S., 961P SWEETMAN, A.J. see McDOUGALL, P., 303P SWINBOURNE, F.J. see IDLE, J.R., 837P SZABADI, E. see BRADSHAW, C.M., 757P

T

TABERNER, P.V. see CONNELLY, D.M., 869P TABERNER, P.V. & UNWIN, J.W. Behavioural effects of muscimol, amphetamine and chlorpromazine on ethanol tolerant mice, 276P

TABERNER, P.V. & UNWIN, J.W. Ethanol preference after chronic ethanol drinking in mice, 959P

TAHIR, K.E.H., SEED, M.P. & WILLIAMS, K.I. The influence of stimulant and relaxant drugs on prostacyclin production by the rat pregnant myometrium, 794P

TANIKELLA, TARAK see CERVONI, PETER, 517 TAYLOR, D.A. see FENNESSY, M.R., 862P TAYLOR, G.W. see MORRIS, H.R., 922P TAYLOR, W. see BELL, G.D., 242P

TAVANI, A. see KOSTERLITZ, H.W., 893P TESSERAUX, I. see ALSEN, C., 61

THEODOROU, A. see JENNER, P., 904P

THEODOROU, A.E. see HALL, M.D., 229P

THOMAS, G.R. & ZEITLIN, I.J. Enzymes acting on glandular kallikrein substrate in inflamed tissue from adjuvant arthritic rats, 805P

THOMAS, P.J. see AL-DAHAN, MUNA, 787P THOMAS, R.U. see GORDON, D., 469 THONOOR, M. see ANDERSON, A.A., 938P THORORGOOD, P. see FLOWER, R.J., 791P TINTORE, I. see NOHRIA, V., 311P

TODA, NOBORU see KONISHI, MAKOTO, 111

TODD, M.H. see BILL, D., 866P

TODD, M.H. see CHANCE, E., 930P

TOMLINSON, D.R. The effect in vitro of high extracellular glucose on the axonal transport of glycoprotein and noradrenaline in ligated postganglionic sympathetic nerves of the cat, 960P

TOMLINSON, D.R. & YUSOF, A.P.M. On the structural and functional integrity of autonomic nerves in rats with long-term diabetes mellitus induced by alloxan, 184P

TOMLINSON, D.R., WILLIAMS, D.F. & WILSON, C.E. A package for independent study to enable learning about the pharmacology of airways obstruction in the context of clinical problem solving, 315P

TOTTERDELL, S. see BOLAM, J.P., 909P

TOWART, R. Predilective relaxation by the calcium antagonist nimodipine (BAY e 9736) of isolated cerebral blood vessels, contracted with autologous blood, 268P

TOYAMA, JUNJI see KODAMA, ITSUO, 29
TRAVERSA, U. see DE ANGELIS, L., 822P
TREVETHICK, M.A. see FENIUK, W., 800P
TRICKLEBANK, M.D. see CURZON, G., 218P
TRICKLEBANK, M.D. see CURZON, G., 761P
TRIST, D.G. see BLACK, J.W., 978P
TSUDA, Y.see AKAIKE, N., 87
TULLOCH, I.F. see BENNETT, G.W., 227P

TULLOCH, I.F. see DETTMAR, P.W., 843P

TURNBULL, M.J. see BRIGGS, I., 293P TURNBULL, M.J. see BRIGGS, I., 294P TURNBULL, M.J. see MILLER, L., 301P TURNER, N.C. see CURWAIN, B.P., 205P TURNER, N.C. see LARSEN, K.R., 972P TWISSELL, D.J. see DODDS, M.G., 185P TWISSELL, D.J. see DODDS, M.G., 947P TYERS, M.B. see CAHUSAC, P., 963P TYERS, M.B. see DALTON, D.W., 784P

IJ

UNGAR, A. see ELLIS, P., 824P UNWIN, J.W. see TABERNER, P.V., 276P UNWIN, J.W. see TABERNER, P.V., 959P UPTON, N. see SEWELL, R.D.E., 284P USHERWOOD, P.N.R. see GUHARAY, F., 294P

v

VAN DIJK, A., GILLESSEN, D., MÖHLER, H. & RICHARDS, J.G. Autoradiographical localization of cholecystokinin-receptor binding in rat brain and pancreas in vitro using [3H]-cholecystokinin8 as radioligand, 858P

VAN HELDEN, D.F. see HARVEY, A.L., 297P VAN ZWEITEN, P.A. see PORSIUS, A.J., 816P VARAGIC, V.M. see PROSTRAN, MILICA, 950P VARGAS, F. see LLOYD, K.G., 882P VAUGHAN WILLIAMS, E.M. see MILLAR, J.S., 827P VERBERNE, A.J.M. see FENNESSY, M.R., 862P VERTUA, R. see DE ANGELIS, L., 822P VOGT, M. see FAN, S.G., 811P VOLANS, G.N. see HENRY, J.A., 872P

w

WADDINGTON, J.L. see CROSS, A.J., 232P WADDINGTON, J.L. see GAMBLE, S.J., 225P WADSWORTH, R.M. see HAY, D.W.P., 296P WADSWORTH, R.M. see HAY, D.W.P., 952P WADSWORTH, R.M. see KIELTY, J.F., 986P WAITE, R. see BERTHOLD, R., 829P WALDRON, C. see HICKS, P.E., 254P WALDRON, C. see HICKS, P.E., 844P WALKER, R.J. see LEAKE, LUCY D., 983P WALLACE, R.M. & YOUNG, J.M. Temperature and [³H]-mepyramine binding to histamine H₁-receptors, 818P WALLIS, D.I. see STANSFELD, C.E., 867P WANSTALL, JANET C. see O'DONNELL, STELLA R., WARD, P.J. see BILL, D., 866P WATERFALL, J.F. see CHANCE, E., 930P WATKINS, J.C. see EVANS, R.H., 907P WATKINS, J.C. see EVANS, R.H., 908P WATTS, A.D. see FENIUK, W., 850P WATSON, M.L. see JOMES, R.L., 948P

681

skin, 916P WEETMAN, D.F. see NICHOLSON, J., 300P WEINSTOCK, MARTA. Activation of central muscarinic receptors causes respiratory stimulation in conscious animals, 587 WELCH, M.T. see CHURCH, M.K., 979P WESTON, A.H. see FOSTER, R.W., 333 WESTON, K.M. see FOSTER, R.W., 333 WESTON, S.B. see MILLER, A.A., 883P WESTWICK, J. see MacKINTYRE, D.E., 965P WHALLEY, E.T. see DUTTON, J., 267P WHALLEY, E.T. see FORSTER, CHRISTINE, 944P WHICHER, J.T. see BAGSHAW, ANN, 806P WHIMSTER, W.T. see BENNETT, A., 207P WHITE, A. see BRIGGS, I., 294P WHITE, ANN E. see RICHARDS, C.D., 161 WHITE, D.A. see BELL, G.D., 241P WHITE, D.A. see BELL, G.D., 242P WHITE, D.A. see BELL, G.D., 776P WHITE, D.A. see BELL, G.D., 878P WHITE, R.D. see KNEEN, G., 965P WHITING, R.L. see MICHEL, A.D., 255P WHITING, R.L. see MICHEL, A.D., 256P WHITING, R.L. see MICHEL, A.D., 845P WHITTLE, B.J.R. see BROUGHTON-SMITH, N.K., 920P WILEMAN, T.E. see ELLIOTT, P.N.C., 966P WILKINSON, J. see DIMSDALE, J., 313P WILKINSON, J. see HUNT, W.B., 849P WILLIAMS, D.F. see TOMLINSON, D.R., 315P WILLIAMS, F. see BENNETT, A., 207P WILLIAMS, K.I. see TAHIR, K.E.H., 794P WILLIAMS, R.G. see BROARDLEY, K.J., 828P WILLIAMS, S.G.P. see MITCHELL, MARY R., 838P WILLIAMS, T.J. see FORREST, M.J., 921P WILLIAMS, T.J. see WEDMORE, C.V., 916P WILLIGENS, M.T. see LLOYD, K.G., 821P WILSON, A.C. see HILEY, C.R., 779P WILSON, C.W.M. see LEWIS, A., 201P WILSON, D.F. see TOMLINSON, D.R., 315P WILSON, J. see HUMPHRIES, R.G., 191P WILSON, J. see HUMPHRIES, R.G., 266P WILSON, J.A. see MARDEN, C.M., 957P WILSON, N.H. see ARSTRONG, ROMA A., 790P WILSON, S.A. see COPAS, JULIA L., 795P WILSON, S.A. see COPAS, JULIA L., 911P

WAY, E. LEONG see HUIDOBRO-TORO, J. PABLO,

WEDMORE, C.V. & WILLIAMS, T.J. Platelet-activating

factor (PAF), a secretory product of polymorphonuclear

leucocytes, increases vascular permeability in rabbit

WEBER, H. see BETHOLD, R., 829P

WEBSTER, V.A.D. see GRIFFITHS, E.C., 291P WEBSTER, V.A.D. see GRIFFITHS, E.C., 868P

WILSON, S.A. see COPAS, JULIA L., 912P WING, D.R. see DUNBAR, P.G., 958P WINSLOW, E. see MARSHALL, R.J., 381 WINSLOW, EILEEN, see CAMPBELL, J.K., 832P WINTER, ELIZABETH see KEEN, P., 234P WOOD, DIANA see WEETMAN, D.F., 300P WOOD, M.D. see BILL, D., 866P WOOD, M.D. see MOSER, P.C., 888P WOOD, M.D. & WYLLIE, M.G. The inhibitory action of imipramine on monoamine transport, 890P WOODRUFF, G.N. see MUSTAFA, A.A., 864P WOODWARD, B. Ventricular fibrillation in the rat isolated heart and the effect of antiarrhythmic drugs, 195P WOODWARD, B. see AKPAFFIONG, M.J., 304P WOODWARD, B. see DAUGHERTY, A., 193P WOODWARD, B. see DAUGHERTY, A., 834P WORMS, P. see LLOYD, K.G., 899P WRAY, D. (introduced by HODGES, J.R.) The action of mecamylamine at the post-synaptic channels of cat skeletal muscle: noise analysis, 248P WYLLIE, M.G. see BILL, D., 866P WYLLIE, M.G. see FLETCHER, A., 770P WYLLIE, M.G. see HENRY, J.A., 872P WYLLIE, M.G. see MOSER, P.C., 888P WYLLIE, M.G. see ROTHWELL, NANCY J., 539 WYLLIE, M.G. see WOOD, M.D., 890P WRIGHT, JULIE E. see BENNETT, A., 207P

XYZ

YAMADA, KAZUO see KODAMA, ITSUO, 29 KONISHI, YAMAMOTO, MASAKATSU MAKOTO, 111 YATES, M.S. see BARRETT, A.M., 946P YATES, M.S. see HILEY, C.R., 779P YOUDIM, M.B.H. see AMIT, T., 955P YOUDIM, M.B.H. see ASHKENAZI, R., 762P YOUNG, J.M. see HILL, S.J., 237P YOUNG, J.M. see WALLACE, R.M., 818P YOUNG, SIMON N. Mechanism of decline in rat brain 5-hydroxytryptamine after induction of liver tryptophan pyrrolase by hydrocortisone: role of tryptophan catabolism and kynurenine synthesis, 695 YUSOF, A.P.M. see TOMLINSON, D.R., 184P ZARRINDAST, M.R. Dopamine-like properties of ephedrine in rat brain, 119 ZEITLIN, I.J. see AL-HABOUBI, H.A., 977P

ZEITLIN, I.J. see COKER, SUSAN J., 205P

ZEITLIN, I.J. see COKER, SUSAN J., 792P

ZEITLIN, I.J. see GROME, J.J., 858P

ZEITLIN, I.J. see THOMAS, G.R., 805P

SUBJECT INDEX

A

48/80, effect on histamine release from human dispersed lung and adenoidal mast cells, 979P

α-1081, effect on biliary lipid secretion in rats, 611

A23187, antagonism of calcitonin-induced analgesia, 857P

- , effect on histamine release from human dispersed lung and adenoidal mast cells, 979P
- , induction of histamine release from mast cells, inhibition by ethacrynic acid, 976P
- , stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, 723

Acetylcholine, blood pressure responses to, effect of mianserin, desipramine and maprotiline in rats, 143

- mianserin, desipramine and maprotiline in rats, 143

 —, changes in content of guinea-pig cortical slices after
- electrical stimulation, 525

 —, effect of adenosine on output from electrically stimu-
- lated brain slices, 764P
 —, effect of γ-aminobutryic acid agonists, glycine and neuropeptides on release from rabbit retina in vivo,
- , effect of catechol on uptake and release in slices of rat cerebral cortex and thalamus, 715
- —, effect of α-flupenthixol on striatal levels, 904P
- , effect of intra-arterial injection on plasma 'reciprocal coupling factor' in anaesthetized rats, 485
- -, effect on isolated rat colon, 681
- , effect on smooth muscle membrane in guinea-pig basilar artery, 495
- —, induction of contractions, effects of vasodilator agents in smooth muscle cells of pig coronary artery, 455
- , induction of contraction in urethra strips from guineapig, 353
- —, plus physostigmine, effect on body temperature in cats, 405
- , release in synaptosomes from rat hippocampus, control by presynaptic autoreceptors, 220P
- -- , responses of rat small intestine, effect of N. brasiliensis infection, 199P

Acetylcholine autoreceptors, control of acetylcholine release in synaptosomes from rat hippocampus, 220P

- —, evidence for super- and subsensitivity after chronic drug treatment, 799P
- **Acetylcholine receptors,** effect of age on, in singly and multiply innervated skeletal muscles of the chicken, 297P
- , increase in sensitivity by adenosine triphosphate in frog skeletal muscle end-plate, 505

- Action potentials, decreased numbers after cyproheptadine in guinea-pig taenia coli, 651
- —, effect of α-aminobutyric acid on duration in embryonic sensory neurones of chick, 579
- , effect of sea anemone toxin ATX-II on rat innervated and denervated skeletal muscle, 61
- , effect of anthopleurin-A on duration in rabbit isolated ventricular muscle preparation, 29
- , in slow- and fast-twitch mammalian skeletal muscle fibres, effect of Anemonia sulcata toxin ATX-II, 249P
- , of guinea-pig atrial muscle, effect of harmine, dependence on external calcium concentrations, 415

Adenine dinucleotide, effects on isolated vas deferens, 951P

- Adenosine, attenuation of positive chronotropic and inotropic responses to noradrenaline and adrenaline in guinea-pig isolated atria, 940P
- , effect on acetylcholine output from electrically stimulated brain slices, 764P
- effect on carotid chemoreceptor activity in the cat, 129
- —, effect on the isolated hemidiaphragm of the rat, 950P
- inhibition of vas deferens contractions, effects of 4aminopyridine and quinidine, 296P
- , structure-activity relations for negative chronotropic action in rat atria, 829P

[³H]-adenosine, effect of clonidine on uptake into segments of rabbit pulmonary artery, 709

Adenosine diphosphate, altered breakdown in isolated lungs of rats with streptozotocin-induced diabetes, 804P

Adenosine 3',5'-diphosphate, effect on shape of blood platelets of rabbit, 533

Adenosine 3',5'-monophosphate, assay in superfusates of mouse striatal tissue, 891P

- , cyclic, effect of loperamide on production in enterocytes of rat, 563
- , cyclic, involvement in 5-hydroxytryptamine-induced relaxation of porcine vena cava, 800P
- , cyclic, mediation of voltage-dependent response to 5-hydroxytryptamine in Aplysia neurones, 747
- , role of histamine H₁-receptors on accumulation in guinea-pig cerebral cortical slices, 237P

Adenosine nucleotide, action of 2-phenylisatogen in mitochondria isolated from guinea-pig liver, 961P

Adenosine receptors, antagonism by methyl-substituted xanthines, 783P

Adenosine triphosphatase, calcium ion-, activity in peritoneal and pleural mast cells, 975P

- , sodium ion, potassium ion-, activity in brown adipose tissue, effect of drugs in rat, 539
- **Adenosine triphosphate,** effect on smooth muscle membrane in guinea-pig basilar artery, 495
- , induction of contraction in bladder strips from guineapig, 353
- -, relaxation of urethra strips from guinea-pig, 353
- , increase of acetylcholine-receptor sensitivity in frog skeletal muscle endplate, 505
- Adenosine 5'-triphosphate, responses to, effect on nucleotide pyrophosphatase in guinea-pig isolated taenia coli. 319
- Adenylate cyclase, dopamine stimulated in striatum, lack of inhibition by sulpiride, 287P
- , excitatory amino acid sensitive, evidence for location in rat brain membrane preparations, 236P
- Adipocytes, human, method for studying lipolysis in cultures, 917P
- **Adjuvant arthritis,** anti-inflammatory action of sponge exudate in relation to putrescine, 204P
- , appearance in inflamed tissues of enzymes acting on glandular kallikrein substrate, 805P
- **Adrenal gland,** cat, potentiation of potassium ion-evoked catecholamine release after ouabain treatment, 673
- , cat perfused, correlation between catecholamine release and sodium pump inhibition, 665
- , isolated rabbit, release of [³H]-adrenaline from splanchnic nerve preparation, 801P
- -, mediation of dopamine-induced natriuresis, 304P
- Adrenalectomy, effect on propranolol-treated DOCA/salt rats, 985P
- **Adrenaline**, cardiovascular responses to central administration, effect of β -blocking drugs, 934P
- , effect on membrane potential and resistance in guineapig myenteric neurones, 419
- , positive and chronotropic responses to, attenuation by adenosine in guinea-pig atria, 940P
- [3H]-adrenaline, release in an isolated perfused adrenal gland splanchnic nerve preparation from the rabbit, 801P
- (-)-Adrenaline, induction of [³H]-purine release, effect of clonidine in rabbit pulmonary artery, 709
- Adrenergic neuroeffector transmission, effect of chlorpromazine in isolated blood vessels, 943P
- Adrenergic transmission, effect of (-)-, (±)-, (+)propranolol, atenolol, guanethidine, bretylium and tetracaine in rabbit ileum and pulmonary artery and guinea-pig vas deferens, 365
- α-Adrenoceptor agonism, role of respiratory acid-base² balance, 804P
- α-Adrenoceptor agonists, in vivo pressor responses to, on relation to in vitro receptor binding after phenoxybenzamine, 935P
- , pressor responses to, attenuation by urethane in pithed rats, 826P
- α₂-Adrenoceptor agonists, effect on pressor responses to sympathetic nerve stimulation in pithed rats, 927P
- α-Adrenoceptor antagonists, antagonism of responses to 2(N,N-dimethyl)-amino,6,7-dihydroxy-1,2,3,4 tetra-hydronapthalene in guinea-pig ileum and pithed rat preparation, 254P
- , effect on baroreflex bradycardia in unaesthetized rats, 948P

- —, pre- and post-synaptic activity in rat vas deferens, 739
- , selectivity for α₁- and α₂-adrenoceptors, determination in rat, isolated, transversely bisected vas deferens preparation, 256P
- α₁-Adrenoceptor antagonists, effect on endogenous catecholamines in pithed rats, 258P
- α2-Adrenoceptor antagonists, effect on endogenous catecholamines in pithed rats, 258P
- —, study of 2-(2-imidizolyl methl)-1,4-benzodioxans, 255P
- **β-Adrenoceptor antagonists,** responses of isolated ring preparations of rat pulmonary artery, 547
- , role in prevention of early post infarction dysrhythmias, 195P
- α-Adrenoceptor systems, activation by antidepressants, screening test, 81
- α -Adrenoceptors, and contractile responses in isolated arterial smooth muscle, 264P
- —, binding and autoregulation of noradrenaline release in brain of convulsive mutant mouse, 233P
- , blockade by R 28935, 844P
- , mediation of contractions in isolated saphenous vein of the dog, antagonism by diltiazem and verapamil, 942P
- —, postsynaptic subtypes, mediation of nerve-evoked contrations in rabbit blood vessels *in vitro*, 803P
- , pre- and postsynaptic blocking activity of raubasine in rat vas deferens, 739
- —, [³H]-yohimbine binding on intact human platelets, 802P
- α₁-Adrenoceptors, agonist action of clonidine, 757P
- —, evaluation of selectivity of M7 for, 841P
- , involvement in cardiovascular effect of clonidine and R 28935 in the conscious cat, 190P
- , peripheral and central, antagonism by ifenprodil, 257P
- , postsynaptic vascular, investigation of possible function, 259P
- , potency of antagonists at, determination in rat, isolated, transversely bisected vas deferens preparation, 256P
- , selectivity of yohimbine diastereoisomers for, in anaesthetized dogs, 186P
- , stimulation, mediation of pressor responses, effect of diltiazem and verapamil in pithed rats, 839P
- α_2 -Adrenoceptors, binding and effects of MPV-295 in the rat, 931P
- , effect of antidepressants chronically administered on binding in rat frontal cortex, 760P
- -, evaluation of selectivity of M7 for, 841P
- —, in rabbit vasculature, 846P
- , involvement in cardiovascular effect of clonidine and R 28935 in the conscious cat, 190P
- —, peripheral and central, antagonism by ifenprodil, 257P
- , postsynaptic vascular, investigation of possible function, 259P
- , potency of antagonists at, determination in rat isolated transversely bisected vas deferens preparation, 256P
- , selectivity of yohimbine diastereoisomers for, in anaesthetized dogs, 186P
- -- , reduction in numbers in rat brain after repeated electroconvulsive shock, 885P
 - , selective antagonism by RX 781094, 842P
- , selectivity of RS 21361 for, determined by in vitro, in vivo and ligand binding studies, 845P

- , stimulation, mediation of pressor responses, effect of diltiazem and verapamil in pithed rats, 839P
- β-Adrenoceptors, cardiac, in vitro and ex vivo examination of irreversible antagonism, 828P
- , effect of antidepressants on function in the rat pineal, 897P
- , effect of chronic antidepressants on binding in rat frontal cortex, 760P
- , peripheral presynaptic, effect of blockade on antihypertensive doses of (±)-propranolol and atenolol in adrenal demullated spontaneously hypertensive rats, 260P
- number and affinity in cardiac membranes of hypertensive and normotensive rats, 517
- β_1 -Adrenoceptors, activation by noradrenaline dilation of rat uterine arterioles, 941P
- mediation of relaxation of isolated ring preparations of rat pulmonary artery, 547
- partial agonist effects of medroxalol, 847P
- β_2 -Adrenoceptors, mediation of relaxation of isolated ring preparations of rat pulmonary artery, 547
- Adrenocorticotrophic hormone [4-10], septal administration, effect on social interaction between male rats, 277P
- ADTN see 2-Amino 6,7 dihydroxy 1,2,3,4 tetrahydronaphthalene
- **Afferent nerves,** pressor effect of stimulation, potentiation by naloxone in anaesthetized dogs, 105
- Age, effect on multiplicity of dopamine-mediated behaviours during six months phenothiazine neuroleptic treatment in rats, 225P
- , effect on properties of acetylcholine receptors in single and multiply innervated skeletal muscles of the chicken, 297P
- **Aggressive behaviour,** effect of neurotoxin lesions of lateral septum, 766P
- **Airways**, guinea-pig, binding of [³H]-mepyramine to histamine H₁-receptors in guinea-pig airways, 982P
- -, guinea-pig, hyperreactivity of smooth muscle, 180P
- , pharmacology of obstructions, package for independent study to enable learning in the context of clinical problem solving, 315P
- Albumin, stabilization of prostacyclin, 206P
- **Alcohol intoxication,** mechanism of antagonism by naloxone, 514
- Alcuronium, selective muscarinic antagonist action, 784P
- **S-alkylthiouroniums,** effect on fluidity of membrane proteins and lipids, 781P
- Allylglycine, induction of seizures, enhancement of α -receptor stimulated growth hormone release in the photosensitive baboon, 861P
- **Alphadalone acetate,** potency alone or in mixtures with other short-acting intravenous anaesthetic agents in rats, 161
- Alphaxalone, potency alone or in mixtures with other shortacting intravenous anaesthetic agents in rats, 161
- Alloxan, induction of diabetes mellitus, structural and functional integrity of autonomic nerves in rats, 184P
- Amiloride, effect on contractions and tritium release from rat vas deferens preloaded with [³H]-noradrenaline, 123
- —, effect on renal magnesium clearance in rats, 780P **Amines,** blockade of uptake, effect on insulin reduction of

- positive inotropic response to noradrenaline, 325
- Amino acid antagonists, behavioural effects of microinjection into midbrain of the rat, 235P
- Amino acid receptors, two types mediate stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, 723
- Amino acids, antagonism by urethane, 908P
- , effect of electrical kindling on brain concentrations in rats, 883P
- 2-Amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene, effect on dopamine receptor binding in rat striatum,
- [³H]-2-amino-6,7-dihydroxy 1,2,3,4 tetrahydronaphthalene, characteristics of binding to rat striatal tissue, 289P
- 3-Amino-1-hydroxypyrrolidine see HA 966
- Amino-oxyacetic acid, effect of pretreatment on circling and increased locomotor activity induced by ephedrine in rats, 119
- , lack of effect on oxolinic acid disruption of sleep wakefulness cycle in rat, 399
- **2-Amino-4-phosphonobutyrate**, effect on stimulation of guanosine 3',5'-cyclic monophosphate by excitant amino acids in rat cerebellar slices, 723
- (+)2-Amino-4-phosphonobutyrate, depressant action, 907P
- **2-Amino-3-phosphonopropionate**, effect on stimulation of guanosine 3',5'-cyclic monophosphate by excitant amino acids in rat cerebellar slices, 723
- **2-Amino-5-phosphonovalerate,** effect on stimulation of guanosine 3',5'-cyclic monophosphate by excitant amino acids in rat cerebellar slices, 723
- **D-α-Aminoadipate**, effect on stimulation of guanosine 3',5'-cyclic monophosphate by excitant amino acids in rat cerebellar slices, 723
- γ-Aminobutyric acid, action of ethylenediamine on receptors and uptake sites, 274P
- , effect of catechol on uptake and release in slices of cerebral cortex and thalamus, 715
- , effect of different exogenous concentrations on spontaneous outflow of [³H]-γ-aminobutyric acid from rat substantia nigra in vitro, 389
- , effect of high pressure and ketamine on transmission in vitro, 880
- , effect of seizure on rat brain concentration and on benzodiazepine receptor number, 814P
- , induction of depolarizations in rat sympathetic neurones, 445
- , involvement in high pressure neurological syndrome, 221P
- , modification of synthesis and degradation rates, effect on synaptosomal release, 883P
- , study of uptake sites by means of [³H]-nipecotic acid binding, 882P
- [14C]-\(\alpha\)-aminobutyric acid, effect of ethanol on release from mouse cortical slices, 273P
- [³H]-α-aminobutyric acid, inhibition by apomorphine of potassium-evoked release from rat substantia nigra, 389
- , ligand for bicuculline-insensitive site on central nervous system synaptic membrane, 222P
- γ-Aminobutyric acid agonists, effect on release of acetylcholine from rabbit retina *in vivo*, 879P

γ-Aminobutyric acid receptors, action of ethylenediamine, 274P

 , central, stimulation by isoguvacine propyl ester and isoarecaidine propyl ester, depressor effects in cats, 816P

 , two types located on embryonic sensory neurones in chick, 579

Aminoglutethimide, effect on propranolol-treated DOCA/salt rats, 985P

 , metabolism in humans to N-formylaminoglutethimide and nitroglutethimide, 243P

Aminophylline, effect of long-term treatment on antigeninduced bronchoconstriction in actively sensitized guinea-pigs, 601

-- , effect on effects of adenosine on carotid chemoreceptor activity in cats, 129

-, plasma protein binding and distribution in blood, 876P

4-Aminopyridine, effect on adenosine inhibition of vas deferens contractions, 296P

 , effect on transmitter release from sympathetic nerve terminals in rabbit blood vessels 177P

DL-α-Aminosuberate, effect on stimulation of guanosine 3',5'-cyclic monophosphate by excitant amino acids in rat cerebellar slices, 723

Amitryptyline, minimal dose to potentiate thyrotropin releasing hormone-induced hyperthermia, test for screening antidepressants which activate αadrenoceptor systems, 81

Amphetamine, acute effect on urinary excretion of biogenic amines and metabolites in monkeys, 571

—, behavioural effects on ethanol tolerant mice, 276P

—, effect on sympathetic mechanisms in diet-induced thermogenesis in rat, 539

(+)-Amphetamine, effect on the acquisition of responding with conditioned reinforcement in rats, 149

 , induction of 5-hydroxytryptamine-dependent behaviours, relationship with dopamine, 213P

Anaesthesia, minaxolone or halothane, haemodynamic effect of labetalol and sodium nitroprusside in the dog, 947P

-, theories, 161

Anaesthetics, short-acting, additive and non-additive effect of mixtures and their significance for theories of anaesthesia, 161

Analgesia, calcitonin-induced, antagonism by ionophore A 23187, 857P

 , footshock-induced, effect of depletion of brain and spinal cord of 5-hydroxytryptamine, 218P

-, footshock induced, involvement of dopamine in, 761P

 morphine-induced in chicken in relation to 5hydroxytryptamine turnover, 811P

—, production in mouse, role of interaction between naloxone and calcitonin, 279P

response to footshock stimulation effect of coping behaviour in rats, 283P

, stimulation-produced, influence of circadian and circannual rhythms, 281P

Anaphylactic reactions, to L-asparaginase, effect of covalent attachment of dextran to the enzyme *in vivo* and *in vitro*, 966P

Anaphylaxis, contributions of prostaglandins and SRS-A in

contractions of guinea-pig isolated stomach, 251P

—, to dextran, effect on leucopenia in rats, 201P

 , to egg whites, protection by excretory ovalbumin in guinea-pig, 201P

Anemonia sulcata toxin ATX-II, effect on action potentials in slow- and fast-twitch mammalian skeletal muscle fibres, 249P

 , effects on rat innervated and denervated skeletal muscle. 61

Angiotensin, effect of intravenous infusion on output of prostacyclin-like substance in epicardial irrigation fluid in dog, 553

Angiotensin II receptors, stimulation, mediation of pressor responses, effect of diltiazem and verapamil in pithed rats. 839P

Anisomycin, effect on febrile responses to intracerebroventricular bacterial pyrogen and prostaglandin E_2 in cats, 786P

 , effect on substance P concentrations in the mouse nervous system, 234P

Anococcygeus muscle, rat, deamination of monoamines, 198P

Anorectic drugs, modification of sympathetic mechanisms in diet-induced thermogenesis, 539

Anthopleurin-A, electromechanical effects on rabbit ventricular muscle. 29

Anthopleurin-B, from sea anemone, excitatory effects on guinea-pig vas deferens, 23

Anti-arrhythmic drugs, effect on ventricular fibrillation in rat isolated heart, 195P

Anti-arthritic drug, Salai guggal, 203P

Anti-hyperlipidaemic drug, Salai guggal, 203P

Anti-inflammatory drugs, effect on type II collagen arthritis in the rat, 203P

Anti-rheumatic drugs, effect on type II collagen arthritis in the rat, 203P

Antibiotics, effect on autonomic neuroeffector transmission: similarities with neuromuscular junction, 848P

Antibodies, digoxin-specific, effect of passive immunisation on digoxin handling and response, 775P

 , IgE- and IgE-like, effect on long-term effects of sodium cromoglycate and aminophylline on antigeninduced bronchial anaphylaxis in guinea-pigs, 601

 , to choline acetyltransferase, induction by small total amounts of purified antigen, 809P

Anticonvulsant activity, of γ -aminobutyric acid inhibitors in DDA/2 mice, 872P

Anticonvulsant agents, effect of prenatal exposure on maternal and foetal folate concentrations in the rat, 957P

 , effect on 5-hydroxytryptamine turnover in mouse brain, 812P

Antidepressants, activation of α -adrenoceptor systems, screening test, 81

 —, effect of chronic administration on rat frontal cortex α₂- and β-adrenoceptor binding, 764P

 —, effect of treatment on β-adrenoceptor function in the rat pineal, 897P

Antinociceptive activity, of buprenorphine in rats, 627

—, of clonidine and 4-hydroxyclonidine in the rat, 963P

Antigen challenge, late asthmatic challenge to, inhibition by non-steroidal anti-inflammatory drugs, 984P

Aorta, dog, effect of constriction on output of prostacyclinlike substance in epicardial irrigation fluid in dog, 553

- –, rabbit, location for D-type 5-hydroxytryptamine receptors and α-adrenoceptors, 619
- **Apomorphine,** antagonism of stereotyped behaviour produced by metaclopramide in guinea-pig, 767P
- , inhibition of potassium-evoked release of [3H]-yaminobutyric acid from rat substantia nigra, 389
- Arachidonate lipoxygenase products, effects on bradykinin-induced plasma exudation in rabbit skin, 429
- **Arachidonate metabolites,** platelet, role in collageninduced thrombocytopenia in mice, 915P
- **Arachidonic acid,** effect on output of prostacyclin-like substance in epicardial irrigation fluid in dogs, 553
- , presence in human gastrointestinal tissues and actions on muscle layers, 435
- responses of rabbit, sheep and guinea-pig to, effect of thromboxane antagonist EP 045, 790P
- **Arrhythmias,** effect of potassium ion/calcium ion ratio and calcium slow channel antagonists in the isolated perfused coronary ligated heart, 834P
- **Arterioles,** guinea-pig, mechanism of action of prazosin at the sympathetic nerve-muscle junction, 189P
- , rat uterus, dilatation by activating β_1 -adrenoceptors by noradrenaline, 941P
- **Artery**, blood pressure, effect of orally administered propranolol on uptake in conscious rats, 635
- , canine renal and pulmonary, induction of relaxation by bradykinin, dependence on intact endothelial cells, 10
- , effects of bepredil and verapamil on isolated smooth muscle, 832P
- , rabbit, receptor mechanisms for 5-hydroxytryptamine,
 619
- , rabbit pulmonary, facilitation of purine release induced by high potassium chloride by clonidine, 709
- -, rat, effect of propranolol on oxygen content, 643
- —, α-adrenoceptors and contractile responses in isolated smooth muscle, 264P
- **L-Asparaginase**, effect of covalent attachment of dextran on anaphylactic reaction to the enzyme *in vivo* and *in vitro*, 966P
- **D-Aspartate,** effect of catechol on uptake and release in slices of rat cerebral cortex and thalamus, 715
- **L-Aspartate,** stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, effect of amino acid antagonists, 723
- **Aspirin,** effect on arrhythmias resulting from coronary artery ligation in rats, 155
- -, effect on canine gastric mucosa during shock, 972P
- , effect on the release of thromboxane following acute myocardial ischaemia; relation to early arrythmias, 205P
- **Asthma,** inhibition of late response to antigen challenge by non-steroidal anti-inflammatory drugs, 984P
- **Atenolol,** blockade of responses to β -adrenoceptor antagonists in isolated ring preparations of rat pulmonary artery, 547
- —, effect of peripheral presynaptic β-adrenoceptor blockade on anti-hypertensive single dose in adrenal demullated spontaneously hypertensive rats, 260P
- , effect on adrenergic transmission in rabbit ileum and pulmonary artery and guinea-pig vas deferens, 365
- , mechanism of action on baroreceptor reflex in the anaesthetized cat, 904P

- Atrial muscle, guinea-pig, influence of external concentrations of calcium on effects of harmine on action potential. 415
- **Atrio-ventricular node**, effect of calcium antagonists on conduction in pithed rats, 926P
- Atrium, guinea-pig, attenuation of positive chronotropic responses to noradrenaline and adrenaline by adenosine. 940P
- —, guinea-pig, insulin-induced enhancement of noradrenaline, 325
- , human, release of histamine, 7
- rat, structure-activity relations for negative chronotropic action of adenosine, 829P
- , rats and guinea-pig, comparison of distribution of histamine receptors, 937P
- **Atropine,** abolition of effects of acetylcholine and physostigmine on body temperature in cats, 405
- , blockade of response to acetylcholine in isolated urinary tract of the guinea-pig, 353
- , effect after long-term treatment with sodium cromoglycate or aminophylline in sensitized guinea-pigs, 601
- , effect of pretreatment on contractile response of isolated rat colon to morphine, 681
- , effect on anthopleurin-B-induced rhythmic contractions of guinea-pig vas deferens, 23
- , effect on changes in synaptosomal high affinity choline uptake following electrical stimulation of guinea-pig cortical slices, 525
- , effect on effects of amiloride on contractions and the release of tritium from rat vas deferens preloaded with [³H]-noradrenaline, 123
- -- , effect on electrically-induced excitatory contractions in isolated guinea-pig urinary bladder, 15
- —, effect on ulcer formation in stressed rats, 593
- , suppression of acetylcholine effects on smooth muscle membrane in guinea-pig basilar artery, 495
- **Atropine-methyl-nitrate**, blockade of peripheral muscarinic receptors in rabbit, 587
- **ATX-II**, mechanical and electrophysiological effects on rat innervated and denervated skeletal muscle, 61
- Autofluorescence, associated with fatty-acid peroxides, 918P
- **Autonomic drugs**, effect on blood pressure responses of the spinal cat: a Biovideograph presentation, 313P
- Autonomic nerves, rat, structural and functional integrity in rats with long-term alloxan-induced diabetes mellitus, 184P
- Autonomic nervous system, role in control of heart rate in awake and anaesthetized dogs, 185P
- Autonomic neuroeffect transmission, effect of antibiotics, 848P
- **Autonomic pharmacology**, a self teaching and assessment package based on the treatment of glaucoma, 314P
- Autoradiography, localization of cholecystokinin-receptor binding in rat brain and pancreas in vitro, 858P
- -, localization of [³H]-Ro 15-1788 in rat brain *in vitro*,
- **Autoreceptors**, acetylcholine, evidence for super- and subsensitivity after chronic drug treatment, 799P
- , dopamine, effect of chronic haloperidol treatment in rabbits, 901P
- Axonal transport, of glycoprotein, protein and noradrenaline, effect of high extracellular glucose in li-

gated postganglionic sympathetic nerves of the cat, 960P

Azepexole, comparison of effect with that of clonidine on preganglionic sympathetic nerve activity on the cat, 178P

B

Baclofen, effect on action potential in embryonic sensory neurones of chick. 579

[³H]-baclofen, ligand for bicuculline-insensitive site on central nervous system synaptic membrane, 222P

Bacterial endotoxin, effect on body temperature in cats, 405
Baroreceptor reflex, mechanism of action of atenolol in the anaesthetized cat, 904P

 , sensitivity of, effect on responses to pressor agents in man, 949P

Baroreflex bradycardia, effect of centrally administered α-adrenoceptor antagonists in unanaesthetized rats, 948P

, method for study in unaesthetized rats, 308P

Basal ganglia, effect of lesions on tremorine-induced rigidity in rats. 910P

-, synaptic targets of drug action, 909P

Basilar artery, guinea-pig, electrical properties of membranes and neuromuscular transmission, 495

-, human, effect of prostanoids in vitro, 267P

, human, mediation of relaxation by dopamine receptors, in vitro, 944P

Bedding type, effect on sleeping time of male, female and *Tfm* mice, 97

Behavioural activity, thyrotropin-releasing hormone induced, inhibition by histidylproline diketopiperazine, 291P

Behavioural responses, to amphetamine, mediation through the release of phenylethylamine in monkeys, 571

 to dopamine and 5-hydroxytryptamine releasers in relation to in vivo voltammetric responses, 908

Behaviours, dopamine dependent, and dopamine receptors in iron-deficient rats, 762P

Benoxaprofen, inhibition of late asthmatic response to antigen challenge, 984P

Benserazide, inhibition of clorgyline-resistant amine oxidase in rat cardiovascular tissues, 197P

 , with L-dihydroxyphenylalanine, induction of dopamine-dependent dyskinesias, 766P

Benzimidazole, effect on thromboxane B₂ and prostaglandin E₂ production and mitogen-induced lymphocyte proliferation in human blood mononuclear cells, 469

Benzodiazepine antagonist, localization in rat brain by autoradiography, 813P

Benzodiazepine receptors, effect of seizure on numbers and on γ-aminobutyric acid concentration in rat brain, 814P

Benzodiazepines, action on 5-hydroxytryptamine turnover in mouse brain, 812P

 , inhibition of site-specific binding of nitrobenzylthioinosine to human erythrocytes, 835P

—, reduction of gastric ulcers induced by stress in rats, 593

2-(1,2,3-benzothiadiazol-5-yl)-7-chloro-4-hydroxy-1,2dihydrophthalazin-1-ylacetic acid see BTS 39 542

4-[Benzoyloxy-3-ter-butylaminopropoxy]-2-methylindole

hydrogen malonate see Bopindolol

1-n-Benzylimidazole, inhibition of 'thromboxane synthet-

ase' in vivo, 911P **Bepredil,** effects on isolated arterial smooth muscle, 832P

Bicuculline, effect on piperazine depolarization in rat sympathetic neurones, 445

Bicuculline-insensitive receptor, binding site for [³H]-γ-aminobutyric acid and [³H]-baclofen on central nervous system synaptic membrane, 222P

Bile, effect of hypolipidaemic agents on lipid secretion in rats. 611

 , effect of 3,5,5-trimethylcyclohexonal on flow in the rat, 241P

Bile acid, effect on hypolipidaemic agents on secretion in

Binding inhibitors, extraction from normal urine, 956P

Binding sites, for calcium ions, occupation by organic calcium antagonists at surface of soma membrane of *Helix* neurones, 87

—, for [³H]-imipramine, localisation on 5-hydroxy-tryptamine nerve terminals, 217P

Binding sites, μ -, δ - and κ -, activity profiles of opiates, 893P **Biogenic amines,** urinary excretion in monkeys, effect of acute amphetamine administration, 571

Biological fluids, human, radioimmunoassay of glandular kallikreins, 806P

Biovideograph, evaluation, 312P

—, presentation of effects of autonomic drugs on blood pressure responses of autonomic drugs, 313P

Bladder, guinea-pig, electrical and mechanical activity, 353 β -Blocking drugs, effect on cardiovascular responses to

centrally-administered adrenaline in the rat, 934P **Blood**, distribution of theophylline and aminophylline,

876P

—, dog, possible substitution with dextran-haemoglobin

complex, 191P **Blood flow,** adrenal, effect of indomethacin in anaesthet-

ized, laparotomized dog, 824P

—, coronary, role of epicardial or pericardial prostacyclin

on metabolic regulation, 553

 , gastric mucosal, effects of cimetidine and deglycyrrhizinated liquorice in man, alone and in combination, 971P

 , hepatic artery, effect on clearance of lignocaine from rat perfused liver, 244P

—, measurement of changes in rat skin grafts by rapid xenon ion clearance technique, 964P

—, rat liver, time course of action of phenobarbitone, 779P

, regional, determination by radioactively labelled microsphere technique, 314P

Blood pressure, arterial, effects of isoprenaline, angiotensin infusions and bilateral carotid occlusion in anaesthetized dog, 553

 , arterial, effects of noradrenaline and isoprenaline in aorta-coarcted hypertensive and normotensive rats, 517

 -- , effect of chronic (±)-propranolol in spontaneously hypertensive rats, 187P

 , effect of indomethacin in anaesthetized, laparotomized dog, 824P

-, effect of naloxone in anaesthetized dogs, 105

—, effect of orally administered propranolol in rats, 635

-, effect of oxotremorine in rabbits pretreated with

- atropine-methylnitrate, 587
- , effect of propranolol in normotensive and hypertensive rats, 932P
- , responses evoked by acetylcholine, histamine and 5hydroxytryptamine in rats, effect of mianserin, desipramine and maprotiline, 143
- , responses of the spinal cat, effect of autonomic drugs: a Biovideograph presentation, 313P
- —, right atrium, effect of *E. coli* endotoxin, protection by polymyxin B sulphate in cats, 701
- —, systolic and diastolic, effect of *E. coli* endotoxin in cats pretreated with polymyxin B sulphate, 701
- , systolic and diastolic, effect of ORG 6001 and mexilitine in anaesthetized rats, 381

Blood vessels, cerebral, contracted with autologous blood, predilective relaxation by nimodipine, 268P

- predilective relaxation by nimodipine, 2681

 —, human isolated, effect of ketanserin, 831P
- , isolated, effect of chlorpromazine on adrenergic neuroeffector transmission, 943P
- , rabbit, action of 4-aminopyridine on transmitter release from sympathetic nerve terminals, 177P
- , rabbit, mediation of nerve-evoked contractions by postsynaptic α-adrenoceptor subtypes in vitro, 803P
- , rat mesenteric, evidence against the involvement of prostaglandins in the vasoconstrictor action of calcium ions, 477

Body temperature, dissimilar effects of guanosine 3'5'-monophosphate, acetylcholine and bacterial endotoxin in the cat, 405

Body wall, control of tension by Retzius cells, pharmacological aspects, 983P

Bohr effect, action of propranolol on, in rat, 643

Bopindolol, pharmacological studies, 829P

Bradycardia, baroreflex, method for study in unanaesthetized rat, 308P

- –, effect of centrally administered α-adrenoceptor antagonists in unanaesthetized rats, 948P
- -, induction by ORG 6001 in anaesthetized rats, 381
- , mechanism for production by pergolide in anaesthetized normotensive rats, 271P
- , prostacyclin-induced, dependence on basal heart rate, 252P
- , reflex vagal, clonidine-induced potentiation in anaesthetized cats, 265P

Bradykinin, induction of canine renal and pulmonary artery relaxation, dependence on intact endothelial cells, 10

Brain, comparative study of actions of opioids in single neurones in different brain regions, 285P

- —, convulsive mutant mouse, α-adrenoceptor binding and autoregulation of noradrenaline release, 233P
- , depletion of 5-hydroxytryptamine, effect on footshock-induced analgesia, 218P
- , effect of electrical kindling on brain amino acid concentrations, 883P
- —, guinea-pig, cimetidine-histamine interactions, 978P
- -, human, lisuride binding, 859P
- mouse, effect of benzodiazepines and other anticonvulsant drugs on 5-hydroxytryptamine turnover, 812P
- , pig, effect of phospholipids and phospholipases on microtubules in vitro, 863P
- rabbit, rat and human, comparative studies of dihydrofolate reductase, 860P
- -, rat, autoradiographical localization of cholecysto-

- kinin-receptor binding, 858P
- rat, binding of [³H]-scopolamine, effects of ovariectomy versus the proestrous stage of the sexual cycle, 866P
- , rat, decline of tryptophan and 5-hydroxytryptamine after induction of liver tryptophan pyrrolase by hydrocortisone, 695
- —, rat, effect of electroconvulsive shock on numbers of α_2 -adrenoceptors, 885P
- , rat, effect of naloxone on chronic effects of morphine on tryptophan metabolism, 511
- -- , rat, effect of seizures on benzodiazepine number and γ-aminobutyric acid concentration, 814P
- , rat, ethanol-induced alterations in phospholipid methylation in synaptosomal membranes, 874P
- —, rat, evidence for excitatory amino acid sensitive adenylate cyclase in membrane preparations, 236P
- , rat, in vivo receptor binding of [³H]-buprenorphine in comparison with antinociceptive effect, 627
- -- , rat, metabolism of tryptophan, naloxone reversal of chronic effects of morphine, 211P
- -- , rat, neuronal development in discrete areas during neonatal thyroid deficiency, 763P
- -- , rat, reversal by naloxone of the effects of drugs of dependence on tryptophan metabolism, 489
- rat, stimulation of endogenous dopamine release in vitro by thyrotrophin releasing hormone analogues, 227P
- , stressed rats, effect of chronic nicotine administration
 5-hydroxyindole levels, 212P
- , visually related areas, depression of glucose utilization by quipazine, 858P

Bretylium, effect on adrenergic transmission in rabbit ileum and pulmonary artery and guinea-pig vas deferens, 365

, effect on anthopleurin-B-induced rhythmic contractions in guinea-pig vas deferens, 23

Bronchoconstriction, antigen-induced, effect of long-term treatment with sodium cromoglycate and aminophylline in actively sensitized guinea-pig, 601

 , mediation by prostanoid receptors in the anaesthetized guinea-pig and dog, 913P

Bronchoconstrictor responses, to histamine, modulation by sympathetic nerve stimulation in pithed guinea-pigs, 855P

-, to β-phenylethylamine in guinea-pig isolated lung, 980P

Bronchodilatation, activity of methyl-substituted xanthines, 783P

Brown adipose tissue, sympathetic noradrenergic activation in diet-induced thermogenesis in rats, 539

Browntail moth dermatitis, mediators for, 993P

BTS 39 542, diuretic efficacy, comparison with frusemide, 359

Buprenorphine, *in vivo* receptor binding correlated with its agonistic and antagonistic actions in rats, 627

- , induction of hyperthermia in rats, selective development of sensitization and tolerance, 822P
- **Butanol,** effect on shape changes caused by biologically active peptides and nerve growth factor on rabbit blood platelets, 533

BW12C, anti-sickling agent, 965P

BW 755C, stimulation of prostacyclin production from the rat gastric mucosa *in vitro*, 920P

 \mathbf{C}

- C5a, induction of increased vascular permeability, role of generation of lipoxygenase products, 921P
- mediation of increased vascular permeability in response to zymosan in the peritoneal cavity of the rabbit, 787P
- Cadmium ions, effect of chronic treatment on noradrenaline and dopamine-β-hydroxylase contents of the tissues of the rat, 851P
- –, effect on noradrenaline output and dopamine-βhydroxylase activity in isolated rat vas deferens, 261P
- Caffeine, effect on fever produced in cats by bacterial endotoxin, 405
- , effect on frog heart ventricular strips incubated in calcium Ringer plus ouabain, 341
- , effect on rota-rod performance and Y-maze in mice, with and without chlordesmethyldiazepam, 822P
 Calcitonin, induction of analgesia, antagonism by
- ionophore A23187, 857P

 —, induction of hyperalgesia by subcutaneous injection,
- 280P

 —, interaction, with naloxone in the production of
- analgesia in the mouse, 279P Calcium, concentrations in medium, effect on anthopleurin-
- B-induced release of noradrenaline from guinea-pig vas deferens, 23
- , effect of extracellular concentrations on ventricular fibrillation thresholds in rat isolated heart and effects of verapamil, 193P
- , effect of insulin on uptake and accumulation in guineapig atrial strips, 325
- -, effect of ouabain and 2,4-dintrophenol on efflux from frog heart ventricular strips, 341
- external concentrations, influence on effects of harmine on action potential of guinea-pig atrial muscle,
- , inhibition of mitochondrial transport by the nonsteroidal anti-inflammatory agent, diflunisal, 303P
- release by caffeine, effect of vasodilator agents in smooth muscle cells of the coronary artery of the pig, 455
- response of depolarized, calcium-free mouse uterus in different stage of the uterus cycle to, effect of cortisol, 304P
- 45 Calcium, effect of cyproheptadine on uptake into strips of taeni coli of guinea-pig, 651
- **Calcium antagonists,** effects on alternation of the ST-T complex and associated conduction abnormalities during coronary occlusion in dogs, 371
- -, effects on pulmonary haemodynamics, 946P
- , effects on heart rate and atrio-ventricular node conduction in pithed rats, 926P
- Calcium channels, reduction by cyproheptadine of flow of calcium ions through, in smooth muscle cell membrane, 651
- Calcium-current, of *Helix* neurones, effect of calcium antagonists and other divalent cations, 87
- Calcium-free medium, effect on responses to piperazine in rat sympathetic neurones, 445
- **'Calcium-free' Ringer,** effect on contractile tension of frog heart ventricular strips, 341
- Calcium ion/potassium ion ratio, effect on arrhythmias in

- the isolated perfused coronary ligated heart, 834P
- Calcium ions, decreased external concentrations, abolition of contractile response of isolated rat colon to morphine, 681
- —, effect of reintroduction on catecholamine output from cat adrenal glands treated with Krebs solution lacking potassium ions, ouabain or ionophore X537A, 665
- , external concentrations, effect on kainate stimulation of guanosine 3',5'-monophosphate in rat cerebellar slices, 723
- , external concentrations, effect on electrically-evoked purine release in cerebral cortex slices of rats and mice, 171
- , extracellular concentrations, effect on potassium ionevoked secretory response in ouabain-treated cat adrenal glands, 673
- vasoconstrictor action in rat mesenteric blood vessels, evidence that prostaglandin synthesis is not essential, 477
- Calcium slow channel antagonists, effect on arrhythmias in isolated perfused coronary ligated heart, 834P
- **Cancer**, enhanced therapeutic effect of cytotoxic drugs in combination with flurbiprofen, 208P
- , human lung, and prostaglandins, 207P
- Captopril, comparison with the effects of prostacyclin on systemic and renal haemodynamics in conscious dogs, 945P
- **Carbachol**, effect on the relaxant properties of isoprenaline and theophylline in guinea-pig contracted tracheal muscle, 73
- , induction of current, effect of adenosine triphosphate in frog skeletal muscle endplate, 505
- , induction of depolarizations in rat sympathetic neurones, 445
- Carbamylcholine, effect on isolated rat colon, 681
- Carboxylic acids, metabolic conjugation in the horse, 855P Carboxyphenylethidium, orientation at B-DNA helical receptor, 47
- Cardiac contractility, depression by ORG 6001 and mexilitine in anaesthetized rats, 381
- Cardiac muscle, mammalian, positive inotropism and cyclic nucleotides, 939P
- Cardiac output, effect of *E. coli* endotoxin, protection by polymyxin B sulphate in cats, 701
- —, effect of orally administered propranolol in rats, 635
- Cardiovascular responses, to central administration of adrenaline, effect of β -blocking drugs, 934P
- Cardiovascular system, rat, effect of ifenprodil, 272P
- Cardiovascular tissues, rat, inhibition of chlorgylineresistant amine oxidase by benserazide, 197P
- Carotid artery, bilateral occlusion, effect on output of prostacyclin-like substance in epicardial irrigation fluid in dog, 553
- —, common, location for D-type 5-hydroxytryptamine receptors and α-adrenoceptors, in rabbit, 619
- Carotid sinus nerve, cat, effect of intracarotid injections or infusions of adenosine on chemoreceptor activity, 129
- **Castration,** effect on hexobarbitone-induced sleeping times of male, female and *Tfm* mice, 97
- Catalepsy, neuroleptic and non-neuroleptic induced, effect of cortical lesions in rats, 821P
- **Catechol**, effect on uptake and potassium ion-stimulated release of neurotransmitters in rat brain slices, 715

- Catechol-O-methyl transferase, effect of insulin on activities in guinea-pig cardiac tissue, 325
- Catecholamine receptors, mechanisms for mediating relaxation and contraction of circular smooth muscle of guinea-pig muscle, 179P
- **Catecholamines,** correlation between release and sodium pump inhibition in the perfused adrenal gland of the cat, 665
- , effect of depletion on positive inotropic response to insulin in guinea-pig atrial strips, 325
- , effect of indomethacin on release in the anaesthetized, laparotomized dog, 824P
- —, endogenous, effect of α₁- and α₂-adrenoceptor antagonists in pithed rats, 258P
- , involvement in arousing effect of oxolinic acid in rats,
 399
- , metabolism and release in rat nucleus accumbens in vivo, effect of thyrotrophin-releasing hormone analogues, 871P
- , potentiation of potassium ion-evoked release in cat adrenal gland treated with ouabain, 673
- Cations, effect on [³H]-sulpiride binding, 228P
- Caudate, bovine, immunoreactivity of Metenkephalin [Arg⁶, Phe⁷] in, compared with chromaffin granules, 808P
- Caudate nucleus, cat, inhibition of [³H]-dopamine release by dopamine autoreceptors, role of endogenously released dopamine, 226P
- **Central nervous system,** [³H]-γ-aminobutyric acid and [³H]-baclofen binding on the same bicuculline-insensitive site on synaptic membranes, 222P
- , lack of stimulation, increase of resting metabolic rate by ciclazindol in rats, 770P
- **Cerebellum,** rat, effects of amino acid antagonists on stimulation of guanosine 3',5'-cyclic monophosphate by excitant amino acids, 723
- -, rat, neurotoxicity of methyltetrahydrofolate, 810P
- Cerebral artery, dog, contracted by prostaglandin $F_{2\alpha}$, production of dose-related contraction by histamine, 111
- **Cerebral cortex,** comparison of slow and fast depressant responses to ionophoretically applied histamine, 238P
- —, effect of α-flupenthixol on dopamine receptors, 904P
- -, gallamine regulation of muscarinic receptors, 798P
- –, guinea-pig, histamine H₁-receptors and cyclic adenosine 3',5'-monophosphate accumulations, 237P
- , rat, effect of catechol on neurotransmitter uptake and release in slices, 715
- , rat, temperature-dependent characteristics of [³H]diazepam binding to, 886P
- , rat and mouse, effect of morphine and Met-enkephalin on the release of purines from slices, 171
- **Chemical irritants,** effect on the membrane of giant amoeba, *Chaos carolinense*, 333
- Chemoreceptors, carotid, effect of adenosine on activity in cat. 129
- **Chlordesmethyldiazepam,** effect on rota-rod performance and Y-maze in mice, with and without caffeine, 822P **Chlordiazepoxide,** sedative and antiulcer activity in rats,
- **2-Chloro-dibenzoxazepine,** effect on membrane potential and input resistance in giant amoeba, 333
- **3-Chloro-dibenzoxazepine**, effect on membrane potential and input resistance in giant amoeba, 333

- 2-4-(p-Chlorobenzoyl) phenoxy 2-methyl propionic acid see α -1081
- o-Chlorobenzylidene malononitrile, effect on membrane potential and input resistance in giant amoeba, 333
- 1-(2-Chloroethyl)-3 cyclohexyl-1-nitrosourea, toxicity and anti-tumour activity, effect of nandrolene decanoate in experimental murine colon tumours, 295P
- Chlorpheniramine, effect on anthopleurin-B-induced rhythmic contractions of guinea-pig vas deferens, 23
- , effect on different mechanisms of action of histamine in isolated arteries of the dog, 111
- **Chlorpromazine,** antagonism of contractile effect of calcium on skinned muscle fibres, 455
- -, behavioural effects on ethanol tolerant mice, 276P
- , effect on adrenergic neuroeffector transmission in isolated blood vessels, 943P
- **Cholecystokinin receptor,** localization of binding by autoradiography in rat brain and pancreas *in vitro*, 858P
- **Cholesterogenesis,** effect of 3,5,5-trimethylcyclohexanol in the rat, 241P
- **Cholesterol,** diet for rabbits, studies on 3,5,5-trimethylcyclohexanol, 242P
- , effect of hypolipidaemic agents on serum levels in rats,
 611
- Cholestyramine, effect on biliary lipis secretion in rats, 611 Choline, high affinity uptake, changes in synaptosmes following electrical stimulation of guinea-pig cortical slices, effect of atropine and physostigmine, 525
- Choline acetyltransferase, antibodies to, induction by small total amounts of purified antigen, 809P
- **Cholinergic link**, in neural control of the release of vasopressin, 239P
- **Cholinergic neurotransmission,** evidence in pharmacological characterization of the excitatory innervation to the guinea-pig urinary bladder *in vitro*, 15
- Cholinoceptor blockade, effects on detrusor electromyograms in the cat, 953P
- **Chromaffin granules,** bovine, immunoreactivity of Metenkephalin [Arg⁶, Phe⁷] in, compared with caudate, 808P
- Chronotropic responses, of isolated atria to noradrenaline and isoprenaline in aorta-coarcted hypertensive and normotensive rats, 517
- , to noradrenaline and adrenaline in guinea-pig atria, attenuation by adenosine, 940P
- **Ciclazindol,** effect on resting metabolic rate in rats in the absence of central nervous system stimulation, 770P
- -- , effect on sympathetic mechanisms in diet-induced thermogenesis, 539
- Cimetidine, antagonism of inotropic response of human right atrium to exogenous histamine and compound 48/80, 7
- , effect on different mechanisms of action of histamine in isolated arteries of the dog, 111
- , effect on resting gastric mucosal blood flow and acid secretion in man, alone and with deglycyrrhizinated liquorice, 971P
- -, effect on ulcer formation in stressed rats, 593
- , interactions with histamine in guinea-pig heart and brain. 978P
- , lack of reversal of effects of dimaprit and nordimaprit on mitogen-stimulated human lymphocyte proliferation, 137

- -, suppression of histamine effects on smooth muscle membrane in guinea-pig basilar artery, 495
- Circadian rhythms, influence of stimulation-produced analgesia, 281P
- Circannual rhythms, influence of stimulation-produced analgesia, 281P
- Circling, induction in 6-hydroxydopamine lesioned rats by ephedrine, 119
- Clindamycin, pre- and post-junctional blocking action at snake neuromuscular junction, 298P
- Clinical problem solving, teaching aids, 315P
- Clomipramine, minimal dose to potentiate thyrotropin releasing hormone-induced hyperthermia, test for screening antidepressants which activated adrenoceptor systems, 81
- Clonidine, action as partial agonist of α_1 -adrenoceptors,
- -, activation of membrane potassium conductance in myenteric neurones of guinea-pig, 419
- -, antinociceptive effects in the rat, 963P
- -, cardiovascular effects in conscious cat, involvement of central α_1 and α_2 -adrenoceptors, 190P
- -, comparison with the effect of azepexole on preganglionic sympathetic nerve activity, 178P
- -, dose-response curves in stimulated rat vas deferens, effect of increasing doses of α-adrenoceptor antagonists, 739
- -, effect on [3H]-adenosine uptake into segments of rabbit pulmonary artery, 709
- , effect on cortical neurones, evidence for its action as partial agonist at α₁-adrenoceptors, 757P
- effect on electrically-induced excitatory contractions in isolated guinea-pig urinary bladder, 15
- -, effect on physostigmine-induced vasopressor response in anaesthetized rats, 929P
- —, facilitation of [3H]-purine release induced by potassium chloride or (-)-adrenaline from rabbit pulmonary artery, 709
- -, induction of potentiation of reflex vagal bradycardia in anaesthetized cats, 265P
- -, interactions of cardiovascular effects with vohimbine, rauwolscine and corynanthine in conscious hypertensive rats, 933P
- Clorgyline-resistant amine oxidase, inhibition by benserazide in rat cardiovascular tissues, 197P
- Chlorine ion fluxes, effect on prostaglandin E₂ on rat intestinal sheets in the presence and absence of loperamide, 563
- Clotrimazole, effect on thromboxane B₂ and prostaglandin E₂ production and mitogen-induced lymphocyte proliferation in human blood mononuclear cells, 469
- Cobalt cations, effect on calcium-current of Helix neurones,
- Cocaine, effect on the acquisition of responding with conditioned reinforcement in rats, 149
- pA₂ values for antagonism of 5-hydroxytryptamine and noradrenaline in rabbit arteries, 619
- Codeine, effect on isolated rat colon, 681
- Collagen, induction of thrombocytopenia role of platelet arachidonate metabolites in mice, 915P
- Collagen arthritis, type II, effect of antirheumatic and antiinflammatory drugs in the rat, 203P
- Colon, mouse, effect of nandrolene decanoate on toxicity

- and anti-tumour activity of 1-(2-chloreothyl)-3 cyclohexyl-1-mitrosourea and 5 flourouracil in experimental tumours, 295
- -, rat, contractile effect of morphine and related opioid alkaloids, β-endorphin and Met-enkephalin on, 681
- Compound 48/80, production of inotropic response in human right atrium, 7
- Conditioned reinforcement, effects of cocaine, (+)amphetamine and pipradrol in rats, 149
- Conduction, effect of calcium antagonists on abnormalities during coronary occlusion in dogs, 371
- Contractile force, effect of anthopleurin-A in rabbit isolated ventricular muscle preparation, 29
- Contractile responses, in arterial smooth muscle, role of α-adrenoceptors, 264P
- Contractile tension, effect of ouabain and 2,4-dinitrophenol in frog heart ventricular strips, 341
- Contractions, α-adrenoceptor mediated, of isolated saphenous vein of the dog, antagonism of diltiazem and verapamil, 942P
- -, anaphylactic, role of prostaglandins and SRS-A in guinea-pig isolated stomach, 251P
- -, anthopleurin-B-induced in guinea-pig vas deferens, 23
- -, clonidine-evoked in rabbit pulmonary artery, effect of phentolamine, yohimbine or 6-hydroxydopamine denervation, 709
- -, effect of amiloride in rat vas deferens preloaded with [³H]-noradrenaline, 123
- —, effect of insulin on force of, guinea-pig left atrial strips, 325
- -, morphine-induced, mediation by stereospecific, naloxone-sensitive opiate receptors in rat colon, 681
- -, naloxone-induced in relation to morphine dependence, in guinea-pig ileum treated with morphine, 807P
- nerve-evoked, mediation by postsynaptic adrenoceptor subtypes in rabbit blood vessels in vitro,
- -, of circular smooth muscle of guinea-pig stomach, mediation by catecholamine receptor mechanisms, 179P
- -, potassium- and acetylcholine-induced, effect of vasodilator agents in smooth muscle cells of pig coronary artery, 455
- -, production by field stimulation of guinea-pig isolated urinary bladder, 15
- -, spontaneous and potassium chloride-induced, effect of cyproheptadine in guinea-pig taenia coli, 651
- -, vas deferens, effect of verapamil and nifedipine in relation to their local anaesthetic activity, 296P
- -, vas deferens, inhibition by adenosine, effects of 4aminopyridine and quinidine, 296P
- Coping behaviour, effects on the analgesic response to footshock stimulation in rats, 283P
- Core temperature, effect of electrical stimulation of midbrain raphe nuclei and intrahypothalamic injection of tryptamine, 216P
- Coronary artery, dog, contracted by prostaglandin $F_{2\alpha}$, production of dose-related relaxation by histamine,
- —, dog isolated, effect of 5-hydroxytryptamine, 191P
- -, pig, effect of vasodilator agents on mechanical and electrical activities of smooth muscles, 455
- Coronary artery ligation, effect of prostaglandins and inhibitors of prostaglandin synthesis on resulting early

- arrythmias in rats, 155
- , induction of ventricular arrythmias, effect of orallyadministered nifedipine, nisoldipine and niludipine in rats, 12
- **Coronary occlusion,** in dogs, effect of calcium antagonists on ST-T complex alterations and associated conduction abnormalities, 371
- Coronary vasodilator mediator, dissociation with oxygen tension in perfusate in guinea-pig isolated heart, 192P
- Coronary vasodilators, inhibition by, of site-specific binding of nitrobenzylthioinosine to human erythrocytes, 835P
- Cortex, effect of clonidine on neurones, evidence for its action as partial agonist at α₁-adrenoceptors, 757P
- , effect of lesions on neuroleptic and non-neuroleptic induced catalepsy in rats, 821P
- , guinea-pig, electrical stimulation of, changes in synaptosomal high affinity choline uptake, effect of atropine and physostigmine, 525
- , rat, effect of chronic antidepressant administration on α_{2} and β -adrenoceptors, 760P
- rat, effect of ethanol on release of [¹⁴C]-γ-aminobutyric acid in mouse, 273P
- Cortisol, effect on response of the depolarized, calcium-free mouse uterus to calcium in different stage of the oestrous cycle, 304P
- Corticosterone, effect of chronic nicotine on plasma levels in stressed rats, 212P
- , naloxone increases serum concentrations in rats chronically treated with drugs of dependence, 489
- Corynanthine, interaction with the cardiovascular effects of clonidine in conscious spontaneously hypertensive rats, 933P
- —, pre- and postsynaptic α-adrenoceptor blocking activity in rat vas deferens, 739
- Current noise analysis, of action of mecamylamine at the postsynaptic channels of cat skeletal muscle, 248P
- Cyclic nucleotides, and positive inotropism in mammalian cardiac muscle, 939P
- Cyclooxygenase, effect of prednisolone on activity, 789P
- **Cyclosporin-A,** effect on tumour-promoting and non-promoting phorbol ester-induced human lymphocyte mitogenesis, 968P
- Cyproheptadine, calcium antagonistic effects on contraction, membrane electrical events and calcium influx in guinea-pig taenia coli. 651
- , effect on pressor effects of 5-hydroxytryptamine in rats, 143
- Cytoskeleton, involvement in biological activities of leukotriene B_4 , 923P
- Cytotoxic, drugs, in combination with flurbiprofen, enhanced anti-cancer effect, 208P

D

D600, abolition of potassium ion-evoked catecholamine release in ouabain-treated cat adrenal glands, 673

Danazol, aromatase inhibitory properties, 777P

B-Deoxyribonucleic acid helical receptor, orientation of ethidium and carboxyphenylethidium about one turn, 47

- **Depolarization,** produced by piperazine in rat sympathetic neurones, 445
- Dermatitis, browntail moth, mediators for, 983P
- **Desipramine,** effect on blood pressure responses evoked by acetylcholine, histamine and 5-hydroxytryptamine in rats, 143
- **Detrusor electromyograms,** effect of cholinoceptor blockade in the cat, 953P
- **Dexamethosone,** effects on rat uterine contractility *in vitro*, 986P
- **Dextran,** comparison with haemoglobin and dextranhaemoglobin on the maintenance of cardiovascular function in anaesthetized cats, 266P
- —, covalent attachment to L-asparaginase, effect on anaphylactic reaction to the enzyme in vivo and in vitro, 966P
- —, effect on peritoneal cells from leucopenic rats, 201P
- **Dextran-haemoglobin complex,** comparison with haemoglobin and dextran solution on the maintenance of cardiovascular function in anaesthetized cats, 266P
- , possible substitute for blood, 191P
- **Dextropropoxyphene,** induction of glutathione depletion in isolated hepatocytes, in relation to inhibition or induction of drug-metabolism, 302P
- Dextrorphan, effect on isolated rat colon, 681
- **Diabetes**, effect on vascular reactivity in experimental rats and effect of treatment with sulphonylureas, 188P
- **Diabetes mellitus,** induced by alloxan, structural and functional integrity of autonomic nerves in rats, 184P
- [3H]-diazepam, temperature dependent characteristics of binding to rat cerebral cortex, 886P
- **Dibenzoxazepine**, effect on membrane potential and input resistance in giant amoeba, 333
- **Dielectric inhomogeneities,** effect on drug-receptor recognition, 47
- , in region of receptor, modification of electrical field, 39
 Differential pulse voltammetry, identification of a 5-hydroxyindoleamine oxidation peak in the striatum and frontal cortex of the anaesthetized rat, 219P
- **Diffunisal,** inhibition of mitochondrial calcium transport, 303P
- **Digoxin,** effect of passive immunisation with digoxinspecific antibodies on toxicity, 775P
- **Digoxin-specific antibodies,** effect of passive immunisation on digoxin handling and response, 775P
- Dihydrofolate recuctase, comparative studies in rabbit, rat and human brain, 860P
- 5,12-Dihydroxy acid see Leukotriene B4
- 3,4-Dihydroxyphenylacetic acid, effect of acute amphetamine administration on urinary excretion in monkeys, 571
- **L-Dihydroxyphenylalanine**, behavioural and neurochemical effects of chronic administration, 903P
- —, with benserazide, induction of dopamine-dependent dyskinesias, 766P
- Diltiazem, antagonism of α-adrenoceptor mediated contractions in isolated saphenous vein of the dog, 942P
- —, effect on calcium-current of *Helix* neurones, 87
- , effect on electrical and mechanical activities of smooth muscles of pig coronary artery, 455
- —, effect on pressor responses mediated by stimulation of α_{1} -, α_{2} -adrenoceptors, angiotensin II and 5-hydroxy-tryptamine receptors in pithed rats, 839P

- , effect on the alternation of the ST-T complex and associated conduction abnormalities during cononary occlusion in dogs, 371
- **Dimaprit**, effect on mitogen-stimulated human lymphocyte proliferation, 137
- , inhibition of gastric acid secretion in the conscious pylorus ligated dog, 974P
- **2(N,N,-dimethyl)-amino, 6,7-dihydroxy-1,2,3,4 tetrahydronaphthalene,** responses to, antagonism by αadrenoceptor antagonists, 254P
- 2-[2-(5-Dimethylaminomethylfuran-2-ylmethylthio)ethylamino]-5-(6-methylpyrid-3-yl-methyl)pyrimid-4-one trihydrochloride see SKF 93479
- Dimethylaminopropyl-N,N-dibutylisothiourea H₂SO₄ H₂O see SFK 93390
- Dimethylaminopropylisothiourea di HCl see SKF 91488
- N,N-dimethylformamide, effects on coaxially stimulated ileum and the taenia caecum preparations of guineapig, 300P
- 2,4-Dinitrophenol, differential effects on contractile tension of and on sodium and calcium efflux from frog heart ventricular strips, 341
- **Diphenhydramine,** suppression of histamine effects on smooth muscle membrane in guinea-pig basilar artery, 495
- [³H]-disaturated phophatidylcholines, overflow from adult rat superfused lung slices, 981P
- **Disopyramide,** effective antidysrhythmic and haemodynamic doses, in anaesthetized rats. 381
- Distal diuretics, effect on renal magnesium clearance in rats, 780P
- **Dithiobisnitrobenzoic acid,** effect on voltage-dependent response to 5-hydroxytryptamine in *Aplysia* neurones, 747
- **Diuresis,** comparison of activity of BTS 39 542 and frusemide in mice, rats, rabbits and dogs, 359
- -, studies of a new drug fenguizone, 245P
- [³H]-domperidone, study of binding in rat striatum, comparison with [³H]-spiperone, 231P
- **Dopamine,** effect of discrete, chronic infusion into rat nucleus accumbens, 899P
- , effect of hypophysectomy on increased cerebral turnover following sulpiride administration, 288P
- , effect on spontaneous and potassium release of [³H]-yaminobutyric acid from rat substantia nigra in vitro, 389
- , endogenous, release from regions of rat brain in vitro, stimulation by thyrotrophin releasing hormone analogues, 227P
- , induction of natriuresis, an effect mediated via the adrenal gland, 304P
- , involvement in the analgesic response induced by footshock, 761P
- , limbic and striatal, changes in rats treated with morphine, 900P
- --, reduction of content of an insect salivary gland on incubation in 6-hydroxydopamine, 838P
- , relationship between behavioural and in vivo voltammetric responses to, 908P
- , relationship with (+)-amphetamine-induced 5hydroxytryptamine-dependent behaviours, 213P
- , stimulation of striatal adenylate cyclase preparations, absence of sodium ions does not explain lack of inhibition by sulpiride, 287P

- , striatal denervation, effect on neuroleptic resistant motor responses, 898P
- [³H]-dopamine, effect of ephedrine on uptake and release in rat brain synaptosomes, 119
- effect of neuroleptics on striatal release, 902P
- , inhibition of release by dopamine autoreceptors, role of endogenously released dopamine, 226P
- Dopamine agonists, electrochemical detection, 224P
- -, motor inhibitory effects in the mouse, 275P
- **Dopamine antagonists,** differential effects on nomifensine hyperalgesia in a modified tail immersion test, 278P
- **Dopamine autoreceptors,** inhibition of [³H]-dopamine release in caudate nucleus of the cat, role of endogenously released dopamine, 226P
- , supersensitivity following chronic haloperidol treatment in the rabbit, 901P
- **Dopamine-β-hydroxylase**, effect of cadmium ions on activity in isolated rat vas deferens, 261P
- , effect of chronic cadmium ion treatment on tissue content in rat, 851P
- **Dopamine-mediated behaviours,** after six months phenothiazine neuroleptic treatment to young and aged rats, 225P
- **Dopamine receptor agonists,** effect on pressor responses to sympathetic nerve stimulation in pithed rats, 927P
- , mechanism for production of bradycardia in anaesthetized normotensive rats, 271P
- **Dopamine receptors,** and dopamine dependent behaviours in iron-deficient rats, 762P
- —, cerebral, effect of α-flupenthixol, 904P
- , cerebral, effect of repeated sulpiride administration on supersensitivity, 229P
- , effect of 2-amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene and its derivatives on binding in rat striatum, 759P
- , effect of hypophysectomy on supersensitivity induced by repeated neuroleptic treatment, 905P
- , mediation of relaxation of human basilar artery in vitro,
 944P
- , pharmacological evidence for the subclassification, 758P
- presynaptic, characterization of those which modify tyrosine hydroxylase activity in rat striatal synaptosomes, 896P
- , presynaptic, evidence against the occurrence in sympathetic neurones innervating the sinoatrial node of the rat, 838P
- **Dopamine-O-sulphates,** synthesis and authentication, 837P
- **Dopaminergic mechanisms,** mediation of increase in locomotion and circling induced by ephedrine in rats,
- **B-DNA** helical receptor see **B-Deoxyribonucleic** acid helical receptor
- **Driving frequency**, effect on electromechanical effects of anthopleurin-A on rabbit isolated ventricular muscle preparation, 29
- **Drug conjugation,** comparison in male and female rat liver cubes and isolated microsomes, 773P
- Drug receptor recognition, electrostatic features, 39
- -, molecular orientation and dielectric effects, 47
- **Drug receptors,** sorting and delivery of proteins, a model, 780P

- Drugs, encapsulation in erythrocytes as an intravenous delivery system, 877P
- -, inhibition or induction of metabolism in relation to dextropropoxyphene-induced glutathione depletion in isolated hepatocytes, 302P
- -, synaptic targets of action in basal ganglia, 909P

Dyskinesias, dopamine-dependent, induction by Ldihydroxyphenylalanine and benserazide in guineapig, 766P

Dysrhythmias, effects of ORG 6001 and mexilitine in anaesthetized rats, 381

E

- E. coli endotoxin, acute response to, effect of prostaglandin $F_{2\alpha}$, and thromboxane B_2 in anaesthetized cats, 792P
- -, haemodynamic and metabolic effects, protection of cats by polymyxin B sulphate, 701
- 13-Edienoic acid see U-46619
- 5,8,11,14-Eicosatetraenoic acid, effect on vasoconstrictor response to noradrenaline and calcium in rat mesenteric blood vessels, 477
- Electrical activities, effects of vasodilator agents on smooth muscle cells of coronary artery of the pig, 455
- Electrical kindling, effect on brain amino acid concentrations in rats, 883P
- Electrical responses, elicited by 5-hydroxytryptamine, mediation by cyclic adenosine 3',5'-monophosphate in Aplysia neurones, 747
- -, to prostaglandin E₂, effect of loperamide in rat intestinal sheets, 563
- **Electrical stimulation**, effect of amiloride on responses of rat vas deferens, 123
- -, effect on substance P concentrations in mouse nervous system, 234P
- -, of brain slices, effect of adenosine on acetylcholine output, 764P
- -, of guinea-pig cortical slices, effect on synaptosomal high affinity choline uptake, effect of atropine and physostigmine, 525
- —, of midbrain raphe nuclei, effect on core temperature in rats, 216P
- Electrochemistry, detection of dopamine agonists, 224P detection of neuropeptides, 292P
- Electroconvulsive shock, effect on numbers of α_2 -

adrenoceptors in rat brain, 885P Electroencephalogram, effect of oxolinic acid in rat, 399

Electrograms, epicardial unipolar and bipolar, changes in control coronary occlusion in dogs, 371

Electromyograms, detrusor, effect of cholinoceptor blockade in the cats, 953P

Electrostatic field lines, in drug receptor recognition, 39 Encapsulation, of drugs in erythrocytes as an intravenous

delivery system, 877P Endogenous opiate peptide, extraction from human plasma, 247P

- involvement in pressor responses elicited by stimulation of afferent nerves in anaesthetized dogs, 105
- —, modulation in vivo of peristaltic reflex, 953P
- β-Endorphin, effect on isolated rat colon, 681

Endothelial cells, effect on bradykinin-induced relaxation of canine renal and pulmonary arteries, 10

- Endotoxin, E. coli, haemodynamic effects, protection of cats against, by polymixin B sulphate, 701
- Endplate current, frog skeletal, increase of acetylcholinereceptor sensitivity by adenosine triphosphate, 505
- Enkephalin, degradation by guinea-pig ileum, 301P
- Enkephalin, Met-, [Arg⁶, Phe⁷], immunoreactivity in bovine chromaffin granules compared with caudate, 808P
- -, Met-, effect on isolated rat colon, 681
- -, Met-, effect on the release of purines from cerebral cortex slices of rats and mice, 171
- —, ultrastructural localization in substantia gelatinosa of spinal trigeminal nucleus, 893P
- Environmental temperature, effect on hypothermic effects of cyclic guanosine 3',5'-monophosphate and N²-2'-O-dibutyryl guanosine 3',5'-monophosphate in cats,
- Enzymes, acting on kallikrein substrate, appearance in inflamed tissue from adjuvant arthritic rats, 805P
- EP 045, effect on arachidonic acid responses in the rabbit, guinea-pig and sheep, 790P

Ephedrine, dopamine-like properties in rat brain, 119 Epicardium, dog, stimulation of prostacyclin release, 553 Ergometrine, induction of hyperactivity following injection

into nucleus accumbens, 864P Ergot alkaloid derivatives, induction of hyperactivity fol-

lowing injection into nucleus accumbens, 864P Erythro-DL-1(7-methylindan-4-yloxy)3-isopropylamino-

butan-2-ol see ICI 118, 551 Erythrocyte-associated, antagonist to inhibitory mechan-

isms in the bovine retractor muscle, 181P Erythrocytes, encapsulation of drugs in, as an intravenous delivery system, 877P

Ethacrynic acid, inhibition of histamine release from mast cells induced by A23187, 976P

Ethanol, blood concentrations, lowering by naloxone, 514

- effect of chronic administration on rat liver and brain tryptophan metabolism, reversal by naloxone, 489
- effect of chronic treatment on membrane lipids in the mouse, 958P
- -, effect of tolerance on glucose utilization in mouse tissues, 869P
- -, effect on [14C]-γ-aminobutyric acid release from mouse cortical slices, 273P
- -, induction of alterations in phospholipid methylation in rat brain synaptosomal membranes, 874P
- -, preference after chronic drinking of ethanol in mice, 959P
- —, tolerance in mice, effect of muscimol, amphetamine and chlorpromazine, 276P

Ethidium, orientation at B-DNA helical receptor, 47

Ethyl-β-carboline-3-carboxylate, differential in vivo and in vitro potencies, 223P

- 2-(1-Ethyl-2-imidazolyl methyl)-1,4-benzodioxan see RS21361
- 2-O-ethyl-tyrosine analogues of oxytocin, inhibitory actions on human myometrium in vitro, 305P
- Ethylene glycol bis-(-aminoethyl ether) tetraacetic acid Ringer, effect on contractile tension of frog heart ventricular strips, 341
- Ethylenediamine, action on γ-aminobutyric acid receptors and uptake sites, 274P
- -, analogues and derivatives, iontophoretic study of

N-ethylmaleimide, inhibition of catecholamine secretory response to potassium, acetylcholine, calcium ion reintroduction and ouabain and blockade of rubidium uptake in perfused cat adrenal glands, 665

Ethinyloestradiol, inhibition of irreversible binding to rat liver microsomes in vitro, 240P

—, irreversible binding to rat liver protein in vivo, 987P

Etomidate, potency alone or in mixtures with other short-acting intravenous anaesthetic agents in rats, 161

Etorphine, effect on isolated rat colon, 681

Excitatory innervation, to guinea-pig urinary bladder *in vitro*, pharmacological characterization, 15

F

Fatty-acid peroxides, autofluorescence, 918P

Feedback control systems, simple electrical model for teaching the properties of, 313P

Femoral artery, rabbit, location for D-type 5-hydroxytryptamine receptors and α-adrenoceptors, 619

Fenoterol, effect on isolated ring preparations of rat pulmonary artery, 547

Fenquizone, studies on, 245P

Fever, induced by pyrogen and prostaglandin E_2 , effects of anisomycin in cats, 786P

Field stimulation, production of contractions in isolated guinea-pig urinary bladder, 15

 , rebound contraction response of rat gastric corpus muscle, inhibition by perivascular nerve stimulation, 849P

FLA-63, blockade of oxolinic acid-related increase of waking and decrease of slow wave sleep in rats, 399

5-Flourouracil, toxicity and anti-tumour activity, effect of nandrolene decanoate in experimental murine colon tumours, 295P

α-Flupenthixol, effect of chronic administration on cerebral dopamine receptors and striatal acetylcholine levels, 904P

[³H]-α-flupenthixol, effect of striatal kainic acid lesions on binding in rat striatum, 232P

Fluphenazine, effect on dopamine-mediated behaviours in six months treatment in young not aged rats, 225P

Flurbiprofen, effect on arrhythmias resulting from coronary artery ligation in rats, 155

 , in combination with cytotoxic drugs, enhanced anticancer effect, 208P

Folate, maternal and foetal concentrations, effect of prenatal exposure to anti-convulsant agents, 957P

Footshock stimulation, analgesic response to, effect of coping behaviour in rats, 283P

-, induction of analgesia, involvement of dopamine in,

N-formylaminoglutethimide, metabolite of aminoglutethimide in humans, 243P

FPL 555712, effect on the actions of leukotrienes C₄ and D₄ in guinea-pig isolated hearts, 789P

Frontal cortex, identification by differential pulse voltammetry of oxidation peak in the anaesthetized rat, 219P

Frusemide, comparison with BTS 39 542 for diuretic efficacy, 359

G

Gallamine, regulation of muscarinic receptors in the heart and cerebral cortex. 877P

Ganglion blocking drugs, use dependent effects, 876P

Gas chromatography-mass spectrometry, demonstration of presence of metabolites of arachidonic acid formed in human gastrointestinal tissues, 435

Gastric acid, basal and stimulated, effects of indomethacin and methylxanthines on secretion *in vitro*, 970P

, determination of activity of muscarinic and H₂-receptor antagonists on secretion in vitro, 969P

 , effect of cimetidine and deglycyrrhizinated liquorice on secretion in man, alone and in combination, 971P

 , effect of 5-hydroxytryptamine on secretion by rat isolated stomach, 253P

 , effect of phosphodiesterase inhibition on secretion in rat isolated stomach, 973P

 , inhibition of secretion by dimaprit in conscious pylorus ligated dog, 974P

Gastric corpus muscle, rat, rebound contraction response to field stimulation, inhibition by perivascular nerve stimulation, 849P

Gastric mucosa, dog, comparison of acute effects of aspirin and paracetamol during shock, 972P

 , effects of cimetidine and deglycyrrhizinated liquorice on blood flow in man, alone and in combination, 971P

 -- , rat, stimulation of production of prostacyclin by BW 755C in vitro, 920P

 , rat isolated, effect of chlordiazepoxide, atropine and cimetidine on secretion, 593

Gastric ulcers, induced in rats by stress, reduction by benzodiazepines, 593

Gastric vasculature, rabbit, mediation of vasoconstriction and vasodilatation by histamine receptors, 205P

Gastroepiploic artery, dog, contracted by prostaglandin $F_{2\alpha}$, production of dose-related relaxation by histamine, 111

Gastrointestinal tissues, human, formation of metabolites of arachidonic acid, 435

Glandular kallikrein substrate, enzymes acting on, appearance in inflamed tissue from adjuvant arthric rats, 805P

Glandular kallikreins, radioimmunoassay in human biological fluids, 806P

Glucose, depression of utilization in primary visual areas by quipazine, 858P

 , high extracellular levels, effects on axonal transport of glycoprotein, protein and noradrenaline in ligated postganglionic sympathetic nerves of the cat, 961P

-, utilization in tissues of ethanol tolerant mice, 869P

Glucuronidation, of 4-hydroxybiphenyl in hepatocytes isolated from diabetic rats, 853P

L-Glutamate, stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, effect of amino acid antagonists, 723

Glutamate diethylester, effect on stimulation of guanosine 3',5'-cyclic monophosphate by excitant amino acids in rat cerebellar slices, 723

γ-**p-Glutamylglycine**, effect on stimulation of guanosine 3',5'-cyclic monophosphate by excitant amino acids in rat cerebellar slices, 723

Glutathione, dextropropoxyphene-induced depletion in isolated hepatocytes, in relation to inhibition or induc-

- tion of drug metabolism, 302P
- **Glycine**, effect on release of acetylcholine from rabbit retina in vivo, 879P
- **Glycoprotein**, effect of high extracellular glucose on axonal transport in ligated postganglionic sympathetic nerves of the cat, 960P
- Growth hormone, α-receptor stimulated release, enhancement after 7 allylglycine-induced seizures in the photosensitive baboon, 861P
- **Guanethidine**, effect on adrenergic transmission in rabbit ileum and pulmonary artery and guinea-pig vas deferens, 365
- , effect on anthopleurin-B-induced rhythmic contractions of guinea-pig vas deferens, 23
- , effect on electrically-induced excitatory contractions in isolated guinea-pig urinary bladder, 15
- , effect on outflow of tritium from rat vas deferens preloaded with [³H]-noradrenaline, 853P
- Guanidine, effect on outflow of tritium from rat vas deferens preloaded with [3H]-noradrenaline, 853P
- Guanosine 3',5'-monophosphate, cyclic, effect on rectal temperature and behavioural and autonomic activities in cat, 405
- , cyclic, stimulation by excitant amino acid agonists, effect of amino acid antagonists in rat cerebellar slices, 723
- —, N²-2'-O-dibutyryl, effect on rectal temperature and behavioural and autonomic activities in cat, 405
- **Guanylyl imidodiphosphate,** effect on voltage-dependent response to 5-hydroxytryptamine in *Aplysia* neurones, 747

H

- **HA 966**, effect of stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, 723
- Haemodynamics, effects of labetalol and sodium nitroprusside during minaxolone or halothane anaesthesia in dogs, 947P
- —, pulmonary, effects of calcium antagonists, 945P
- , systemic and renal, comparison of effects of prostacyclin and captopril in conscious dogs, 945P
- Haemoglobin, comparison with dextran-haemoglobin and dextran solution on the maintenance of cardiovascular function in anaesthetized cats, 266P
- , effect of orally administered propranolol on arterial concentrations in rats, 635
- **Haemoglobin-dextran complex,** possible substitute for blood, 191P
- **Haemoglobin-oxygen affinity**, effect of propranolol *in vivo* and *in vitro* in rats, 643
- Haemorrhagic shock, cardiovascular effects of meptazinol, morphine and naloxone in rats, 930P
- Haloperidol, antagonism of apomorphine evoked release of [³H]-γ-aminobutyric acid from rat substantia nigra *in vitro*, 389
- , effect of repeated administration on cerebral dopamine receptor supersensitivity, 229P
- , effect on supersensitivity of dopamine autoreceptors after chronic treatment in rabbit, 901P
- reversal of oxolinic acid-induced actions on waking and slow wave sleep in rats, 399

- **Halothane anaesthesia,** haemodynamic effects of labetalol and sodium nitroprusside in the dog, 947P
- **Harmine**, effect on the action potential of the guinea-pig atrial muscle, dependence on the external calcium concentrations, 415
- Heart, acute effects of propranolol in conscious rats, 635
- —, effect of hypertension on reactivity in rat, 517
- , effect of 1-substituted dihydroisoquinaline derivatives, 938P
- —, gallamine regulation of muscarinic receptors, 798P
- —, guinea-pig, cimetidine-histamine interactions, 978P
- —, guinea-pig, effect of indomethacin and FPL 555712 on the actions of leukotrienes C₄ and D₄, 789P
- , guinea-pig isolated, apparent dissociation between the release of coronary vasodilator mediator and perfusate pO₂, 192P
- , innervated in situ Langendorff perfused guinea-pig, 310P
- , isolated perfused coronary ligated, effect of calcium ion/potassium ion ratio and calcium slow channel antagonists, 834P
- manipulation, effect on output of prostacyclin-like substance in epicardial irrigation fluid in dog, 553
- -, rabbit, pharmacological mapping, 827P
- -- , rat, effect of meptazinol, morphine and naloxone in haemorrhagic shock, 930P
- , rat isolated, calcium dependence of ventricular fibrillation thresholds and the effects of verapamil, 193P
- , rat isolated, effect of antiarrhythmic drugs on ventricular fibrillation, 195P
- **Heart rate,** analysis of autonomic neural control of, in awake and anaesthetized dogs, 185P
- , basal, effect on prostacyclin-induced bradycardia, 252P
- , effect of E. coli endotoxin in cats pretreated with polymyxin B sulphate, 701
- -, effect of calcium antagonists in pithed rats, 926P
- —, effect of orally administered propranolol in rats, 635
- —, effect of ORG 6001 and mexilitine in anaesthetized rats, 381
- , effects of isoprenaline, angiotensin infusions and bilateral carotid occlusion in anaesthetized dog, 553
- **Hemicholinium-3,** intracerebroventricular administration, effect on learning of a passive avoidance task in mice, 865P
- Hemidiaphragm, rat, effect of adenosine, 950P
- **Heparin,** effect on shape changes in blood platelets caused by biologically active peptides and nerve growth factor in rabbits, 533
- Hepatic microsomal drug metabolizing enzymes, prevention of indomethacin-induced decrease by prostaglandin, 914P
- **Hepatic microsomes**, effect of castration, testosterone and phenobarbitone on protein levels of male, female and *Tfm* mice, 97
- **Hepatocytes,** isolated, dextropropoxyphene-induced glutathione depletion in relation to inhibition or induction of drug metabolism, 302P
- , isolated from diabetic rats, deficient glucuronidation of 4-hydroxybiphenyl, 772P
- **Hexamethonium**, effect of pretreatment on contractile response of isolated rat colon to morphine, 681
- -, effect on electrically-induced excitatory contractions in

- isolated guinea-pig urinary bladder, 15
- , effect on piperazine depolarization in rat sympathetic neurones, 445
- **Hexobarbitone,** metabolism and action in mice, sexual dimorphism and the effects of the X-linked *Tfm* locus on, 97
- **Hexobarbitone hydroxylase,** activity in livers from male, female and *Tfm* mice, 97
- High affinity choline uptake, changes following electrical stimulation of guinea-pig cortical slices, effect of atropine and physostigmine, 525
- **High pressure**, effect on γ-aminobutyric acid transmission *in vitro*, 880P
- High pressure neurological syndrome, involvement of γaminobutyric acid, 221P
- -, neural origin, 820P
- **Hippocampus,** rat, presynaptic autoreceptors control acetylcholine release in synaptosomes, 220P
- **Histamine**, blood pressure responses to, effect of mianserin, desipramine and maprotiline in rats, 143
- , bronchoconstrictor responses to, modulation by sympathetic nerve stimulation in pithed guinea-pigs, 855P
- , different mechanisms of action in isolated arteries of the dog, 111
- , effect after long term treatment with sodium cromoglycate or aminophylline in sensitized guinea-pigs, 601
- , effect of intra-arterial injection on plasma 'reciprocal coupling factor' in anaesthetized rats, 485
- , effect of polyamines, 48/80 and A23187 on release from human dispersed lung and adenoidal mast cells, 070P
- , effect of sodium cromoglycate on release from rabbit chopped lung tissue after antigen challenge, 601
- effect on isolated rat colon, 681
- , effect on smooth muscle membrane in guinea-pig basilar artery, 495
- , induction of tone in swine isolated tracheal smooth muscle, regulatory mechanisms, 796P
- , interactions with cimetidine in guinea-pig heart and brain, 978P
- —, involvement in Δ⁹-tetrahydrocannabinol-induced hypothermia in rats, 862P
- , iontophoretically applied, comparison of slow and fast depressant responses of rat cerebral cortical neurones, 238P
- release from human right atrium, 7
- —, release in peritoneal and pleural mast cells, 975P
- Histamine H₂-receptor antagonist, determination of activity on gastric acid secretion *in vitro*, 969P
- —, SK & F 93479, 200P
- **Histamine receptors,** blockade by maprotiline and mianserin in rat cardiovascular system, 143
- , comparison of distribution in atria from rats and guinea-pigs, 937P
- , effect of animal maturity on activity in the rat uterus, 306P
- interactions to produce potentiation of histamineinduced relaxations of mesenteric and gastroepiploic arteries in dogs, 111
- —, mediation of vasoconstriction and vasodilatation in the gastric vasculature of the rabbit, 205P
- **Histamine H₁-receptors,** binding of [³H]-mepyramine in guinea-pig airways, 982P

- , effect of temperature on binding of [³H]-mepyramine, 818P
- , mediation of cerebroarterial contraction induced by histamine in dogs, 111
- , role in accumulation of cyclic adenosine 3',5'monophosphate in guinea-pig cerebral cortical slices, 237P
- , role in histamine-induced rat paw oedema, 977P
- **Histamine H₂-receptors**, mediation of relaxations of coronary and renal arteries induced by histamine in dogs, 111
- -, role in histamine-induced rat paw oedema, 977P
- **Histidyl-proline diketopiperazine,** inhibition of thyrotropin-releasing hormone-induced behavioural activity, 291P
- **Hormonogen,** investigation of effectiveness of triglycyloxytocin as, in conscious dog, 810P
- **Hydrochlorothiazide**, effects on renal magnesium clearance in rats, 780P
- **Hydrocortisone,** induction of liver tryptophan pyrrolase, reduction of brain tryptophan and 5-hydroxy-tryptamine in rat, 695
- , inhibition of prostaglandin biosynthesis in rat peritoneal leucocytes is correlated with intracellular macrocortin levels, 322
- 5-, 12-, 15-Hydroperoxy-5,8,10,14-eicosatetraenoic acid, inflammatory effect on rabbit skin, 429
- 12-Hydroxy-eicosatetraenoic acid, presence in human gastrointestinal tissues and its action on the muscle layers, 435
- **4-Hydroxybiphenyl,** deficient glucuronidation in hepatocytes isolated from diabetic rats, 772P
- γ-Hydroxybutyrate, lack of effect on oxolinic acid disruption of sleep-wakefulness cycle in rat, 399
- 4-Hydroxyclonidine, antinociceptive effects in the rat, 963P
 6-Hydroxydopamine, effect of denervation of arterial segments on clonidine facilitation of potassium chloride-induced purine release and clonidine-evoked contractions in rabbit pulmonary artery, 709
- --- , effect of lesions on regional dopamine concentrations and 5-hydroxytryptamine-dependent behaviours, 213P
- , effect on anthopleurin-B-induced rhythmic contractions of guinea-pig vas deferens, 23
- , reduction of dopamine and octopamine content of an insect salivary gland, 838P
- **5-Hydroxyindoleamines,** identification by differential pulse voltammetry of the oxidation peak in the striatum and frontal cortex of the anaesthetized rat, 219P
- **5-Hydroxyindoles,** effect of chronic nicotine administration on brain levels in stressed rats, 212P
- p-Hydroxymandelic acid, effect of acute amphetamine administration on urinary excretion in monkeys, 571
- p-Hydroxyphenylacetic acid, effect of acute amphetamine administration on urinary excretion in monkeys, 571
- 5-Hydroxytryptamine, allosteric interaction between uptake mechanism and [3H]-imipramine binding site, 817P
- , characterization of the effect on N1E-115 neuroblastoma cells, 294P
- , decline in rat brain after induction of liver tryptophan pyrrolase by hydrocortisone, 695
- —, effect of benzodiazepines and other anticonvulsant

- drugs on turnover in mouse brain, 812P
- , effect of depleting brain and spinal cord on footshockinduced analgesia, 218P
- , effect of naloxone on morphine-induced increase of synthesis in rat brain, 511
- -, effect on canine isolated coronary arteries, 191P
- , effect on gastric acid secretion by rat isolated stomach, 253P
- , effect on isolated rat colon, 681
- -, effect on shape of blood platelets of rabbit, 533
- , effect on smooth muscle membrane in guinea-pig basilar artery, 495
- , enhanced synthesis in rat brain, after chronic administration of drugs of dependence, reversal by naloxone, 489
- -, in vivo and in vitro effects in hypothalamus, 889P
- , induction of contraction in urethra strips from guineapig, 353
- , induction of depolarization of rabbit nodose ganglia, investigation by the sucrose-gap method, 867P
- , induction of relaxation of porcine vena cava, possible involvement of cyclic adenosine 3',5'-monophosphate, 800P
- , induction of smooth muscle relaxation, analysis of receptors involved, 850P
- —, involvement in the Δ^9 -tetrahydrocannabinol-induced hypothermia in rats, 862P
- , responses of rat small intestine, effect of N. brasiliensis infection, 199P
- -, selective inhibition of uptake in vivo, 888P
- , turnover and analgesic effect of morphine in chicken, 811P
- , voltage-dependent response of RB and LB neurones of abdominal ganglion of Aplysia, mediation by cyclic adenosine 3',5'-monophosphate, 747
- , blood pressure responses to, effect of mianserin, desipramine and maprotiline in rats, 143
- **5-Hydroxytryptamine agonists**, indole-containing, induction of 5-hydroxytryptamine-dependent myoclonus, 906P
- 5-Hydroxytryptamine antagonists, effect on human isolated blood vessels, 831P
- , withdrawal from chronic treatment enhances the behavioural response to 5-methoxy-N'N'-dimethyltryptamine, 215P
- 5-Hydroxytryptamine-dependent behaviours, amphetamine-induced, relationships with dopamine, 213P
- **5-Hydroxytryptamine nerve terminals,** localisation of [³H]-imipramine binding sites, 217P
- **5-Hydroxytryptamine neurone**, activation, involvement in muscular response to morphine, 681
- **5-Hydroxytryptamine receptors**, blocked by mianserin in rat cardiovascular system, 143
- —, in rat raphe nucleus, 290P
- —, mechanisms in rabbit arteries, 619
- -, multiple occurrence in cerebral cortex, 906P
- , stimulation, mediation of pressor responses, effect of diltiazem and verapamil in pithed rats, 839P
- **5-Hydroxytryptamine releasers**, relationship between behavioural and *in vivo* voltammetric responses to, 908P
- Hyoscine, effect on respiratory stimulant and pressor effect of oxotremorine in rabbit, 587
- Hyperactivity, induction following injections of ergot al-

kaloid derivatives into nucleus accumbens, 864P

- Hyperalgesia, induction by subcutaneous induction of calcitonin, 280P
- , nomifensine-induced, differential effects of dopamine antagonists in a modified tail immersion test, 278P
- **Hyperreactivity,** of guinea-pig isolated airway smooth muscle, 180P
- **Hypertension,** effect on cardiac reactivity and β-adrenoceptor number and affinity in rats, 517
- -, effect of MPV-295, 931P
- pulmonary, endotoxin-induced, effect of polymyxin B sulphate in cats, 701
- , sustained renovascular, in relation to incidence of retinopathy in dogs, 267P
- Hyperthermia, buprenorphine-induced in rats, selective development of sensitization and tolerance, 900P
- , thryrotropin releasing hormone-induced, correlation between potentiation and α-adrenergic effect of antidepressants, 81
- **Hypolipidaemic agents,** effect on biliary lipid secretion in rats, 611
- **Hypophysectomy**, effect on increased cerebral dopamine turnover following sulpiride administration, 288P
- , effect on striatal dopamine receptor supersensitivity induced by repeated neuroleptic treatment, 905P
- **Hypotension,** production by ORG 6001 and mexilitine in anaesthetized rats, 381
- , systemic, endotoxin-induced, effect of polymyxin B sulphate in cats, 701
- **Hypothalamus,** comparisons of effects of 5hydroxytryptamine and tryptamine in vivo and in vitro, 889P
- **Hypothermia**, Δ^9 -tetrahydrocannabinol-induced, involvement of brain histamine and 5-hydroxytryptamine, 862P
- Hypoxia, protective effect of α-tochopherol, 941P

I

- (±)-**Ibotenate**, stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, effect of amino acid antagonists, 723
- **ICI 118,551,** blockade of responses to β-adrenoceptor antagonists in isolated ring preparations of rat pulmonary artery, 547
- **Ifenprodil**, determination of relative selectivity for blocking peripheral and central α_1 and α_2 -adrenoceptors, 257P
- , pharmacological effects on cardiovascular system of the rat, 272P
- **Ileum,** guinea-pig, antagonism of responses to 2(N,N-dimethyl)amino, 6,7-dihydroxy-1,2,3,4 tetrahydronapthalene by α-adrenoceptor antagonists, 254P
- —, guinea-pig, coaxially stimulated, effect of N,Ndimethylformamide, 300P
- --- , guinea-pig, degradation of enkephalin, 301P
- , guinea-pig, morphine-treated, relation between morphine-dependence and naloxone contractions, 807P
- -- , rabbit, effect of (-)-, (±)-, (+)- propranolol, atenolol, guanethidine, bretylium and tetracaine on adrenergic transmission, 365

- Imidazole, effect on thromboxane B₂ and prostaglandin E₂ production and mitogen-stimulated transformation in human blood mononuclear cells, 469
- —, effect on voltage-dependent response hydroxytryptamine in Aplysia neurones, 747
- 4-(2-[1H-imidazol-1-yl)ethoxy)benzoic acid see UK 37248 2-(2-imidazolyl methyl)-1,4-benzodioxans, a series of selective \alpha_2-adrenoceptor antagonists, 255P
- Imipramine, inhibitory action on monoamine transport, 890P
- -, minimal dose to potentiate thryotropin releasing hormone-induced hyperthermia, screening test for antidepressants which activated α-adrenoceptor systems, 81
- [3H]-imipramine binding sites, allosteric interaction with 5-hydroxytryptamine uptake mechanism, 817P
- -, localisation on 5-hydroxytryptamine nerve terminals, 217P
- Impromidine, effect on mitogen-stimulated human lymphocyte proliferation, 137
- Indoleamine mechanisms, pre- and post-synaptic, involvement in tryptamine-induced myoclonus in guinea-pig.
- Indomethacin, effect on anthopleurin-B-induced rhythmic contractions of guinea-pig vas deferens, 23
- effect on basal and stimulated gastric secretion in vitro,
- -, effect on blood pressure, catecholamine release and adrenal blood flow in the anaesthetized, laparotomized dog, 824P
- -, effect on effects of amiloride on contractions and the release of tritium from rat vas deferens preloaded with [3H]-noradrenaline, 123
- -, effect on output of prostacyclin-like substance in epicardial irrigation fluid in dog, 553
- -, effect on the actions of leukotrienes C₄ and D₄ in guinea-pig isolated hearts, 789P
- -, effect on vasoconstrictor responses to noradrenaline and calcium in rat mesenteric blood vessels, 477
- -, induction of decrease in hepatic microsomal drug metabolizing enzymes, prevention by prostaglandin, 914P
- Inhibitory mechanisms, erythrocyte-associated antagonism in bovine retractor penis muscle, 181P
- Inotropic responses, of isolated atria to noradrenaline and isoprenaline in aortacoarcted hypertensive and normotensive rats, 517
- —, positive, and cyclic nucleotides in mammalian cardiac muscle, 939P
- -, to noradrenaline and adrenaline in guinea-pig atria, attenuation by adenosine, 940P
- to ouabain in ventricular strips of frog heart, 341
- Insulin, induction of enhanced uptake of noradrenaline in guinea-pig atrial strips, 325
- Intestinal smooth muscle, rat, changes in responsiveness to agonists after infection with N. brasiliensis, 199P
- Intestine, rat, effect of loperamide on prostaglandininduced secretion, 563
- -, rat large, characterization of excitatory opiate receptors, 246P
- Intracranial self-stimulation, effect of nicotine in nontolerant rats, 212P
- Inward current, voltage-dependent, elicited by 5-

- hydroxytryptamine, mediation by cyclic adenosine 3',5'-monophosphate in Aplysia neurones, 747
- Iontophoresis, study of structure-activity relationships between analogues and derivatives of ethylenediamine, 887P
- Iron deficiency, effect on dopamine receptors and dopamine-dependent behaviours in rats, 762P
- Isoarecaidine propyl ester, depressor effects in the cat due to stimulation of central y-aminobutyric acid receptors, 816P
- Isobutyl methylxanthine, effect on voltage-dependent response to 5-hydroxytryptamine in Aplysia neurones,
- Isoguvacine propyl ester, depressor effects in the cat due to stimulation of central y-aminobutyric acid receptors, 816P
- **Isolated-tissue bath,** suitable for automated control, 309P Isoprenaline, decreased reactivity to, in isolated trachea from guinea-pigs sensitized to IgE- and IgG-like antibodies, effect of sodium cromoglycate and aminophylline, 601
- —, effect of intravenous administration on plasma noradrenaline concentration in man and dog, 823P
- —, effect on isolated atria from aorta-coarcted hypertensive and normotensive rats, 517
- -, effect on isolated ring preparations of rat pulmonary artery, 547
- -, measurement of relaxant effects in guinea-pig contracted tracheal muscle in the presence and or absence of carbachol, 73
- , relaxation of bladder strips from guinea-pig, 353
- [3 H]-(\pm)-Isoprenaline, extraneuronal O-methylation by guinea-pig tracheal rings in vitro, 854P
- Isoquinaline derivatives, cardiac effects, 938P

K

- Kainate, stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, effect of amino acid antagonists, 723
- Kainic acid lesion, in right caudate nucleus, effect on ability of nigral cells to take up and retain [3H]-yaminobutyric acid, 389
- striatal, effect on [3H]-spiperone and [3H]-\alphaflupenthixol binding in rat striatum, 232P
- Kallikrein, glandular, radioimmunoassay in human biological fluids, 806P
- Kallikrein substrate, glandular, enzymes acting on, appearance in inflamed tissue from adjuvant arthritic rats, 805P
- **Ketamine**, effect on γ -aminobutyric acid transmission in vitro, 880P
- Ketanserin, effect on human isolated blood vessels, 831P Kidney, rat, effect of distal diuretics on magnesium clearance, 780P
- Kindling, electrical, effect on brain amino acid concentrations in rats, 883P
- Kynurenine, role of synthesis in mechanism of decline in rat brain 5-hydroxytryptamine after induction of liver tryptophan pyrrolase by hydrocortisone, 695

L

Labetalol, haemodynamic effects during miaxolone or halothane anaesthesia in dogs, 947P

Lactic acid, effect of oxotremorine on blood levels in rabbits pretreated with atropine-methyl-nitrate, 587

Lanthanum cations, effect on calcium-current of *Helix* neurones, 87

Laparotomy, effect on the effects of catecholamine on blood pressure, catecholamine release and adrenal blood flow in dogs, 824P

Lateral septum, effect of neurotoxin lesions on social and aggressive behaviours, 766P

Leech, control of body wall tension by Retzius cells, 983P Lesions, basal ganglia, effect on tremorine-induced rigidity in rats, 910P

, cortical, effect on neuroleptic and non-neuroleptic induced catalepsy in rats, 821P

 , neurotoxin-induced in lateral septum, changes in social and aggressive behaviours, 766P

Leucocytes, effect of cytotoxic procedures on numbers in rats. 201P

, effect of leukotriene B₄ and prostaglandin E₁ on accumulation in rabbit skin, 429

 , polymorphonuclear, production of platelet-activating factor, 916P

 , rat peritoneal, hydrocortisone inhibition of prostaglandin biosynthesis is correlated with intracellular macrocortin levels, 322

Leucopenia, and dextran anaphylactoid reaction in the rat, 201P

Leukotriene B₄, biological activities and the cytoskeleton, 923P

-, effect on isolated smooth muscle preparations, 924P

, in vivo properties, 788P

induction of neutrophil aggregation, 925P

-, inflammatory effect on rabbit skin, 429

Leukotriene B₄-like material, generation from rat basophilic leukaemia cells, and its action in guinea-pig lung *in vitro*, 922P

Leukotriene C, action on motility of guinea-pig stomach in vivo and in vitro, 926P

Leukotriene C₄, actions in guinea-pig isolated hearts and the effect of indomethacin and FPL 55712, 789P

Leukotriene D, action on motility of guinea-pig stomach in vivo and in vitro, 926P

Leukotriene D4, actions in guinea-pig isolated hearts and the effect of indomethacin and FPL 55712, 789P

Levorphanol, effect on isolated rat colon, 681

Lidocaine, effect on electromechanical effects of anthopleurin-A on rabbit isolated ventricular muscle preparation, 29

Lignocaine, influence of varying hepatic arterial flow contribution to rat perfused liver on systemic availability, 244P

Limbic forebrain, effect of 40 and 60 day morphine treatment on dopamine in rats, 900P

Lincomycin, pre- and postjunctional blocking action at snake neuromuscular junction, 298P

Lipid, biliary secretion, effect of hypolipidaemic agents in rats, 611

 , biliary secretion, effect of 3,5,5-trimethylcyclohexanol in the rat, 241P , effect of S-alkylthiouroniums on fluidity in membranes, 781P

 , membrane, effect of chronic ethanol treatment in the mouse, 958P

Lipogenesis, inhibition in rat by Rowachol when measured in vivo, 878P

Lipolysis, method for studying in cultures of human adipocytes, 917P

 -- , negative feedback control by endogenous prostaglandins, 785P

15-Lipoxygenase, assay for lipoxygenase inhibitors, 919P **Lipoxygenase inhibitors**, assay using 15-lipoxygenase, 919P

 , stimulation of prostacyclin production from the rat gastric mucosa in vitro, 920P

Lipoxygenase products, role in C5a-induced vascular permeability, 921P

Liquorice, deglycyrrhizinated, effect on resting gastric mucosal blood flow and acid secretion in man, alone and in combination with cimetidine, 971P

Lisuride, binding to human brain, 859P

Lithium ions, extracellular concentrations, effect on [³H]-sulpiride binding, 228P

Liver, guinea-pig, action of 2-phenylisatogen on adenosine nucleotide and phosphate metabolism in mitochondria, 961P

 , rat, effect of (-)-mexiletine on irreversible inhibition of monoamine oxidase by histamine and some analogues, 962P

 , rat, effect of naloxone on chronic effects of morphine on tryptophan metabolism, 511

 -- , rat, irreversible binding of ethynyloestradiol to protein in vivo, 987P

 , rat, metabolism of tryptophan, naloxone reversal of chronic effects of morphine, 211P

 -- , rat, time course of action of phenobarbitone on blood flow, 779P

—, rat, reversal by naloxone of the effects of drugs of dependence on tryptophan metabolism, 489

 , rat perfused, influence of varying hepatic arterial flow contribution on systemic availability of lignocaine, 244P

Liver cubes, a comparison of drug conjugation in male and female rats, 773P

Liver microsomes, rat, inhibition of irreversible binding of ethinyloestradiol *in vitro*, 240P

Locomotor activity, changes in rats following acute and chronic treatments with nicotine, 765P

 --- , effect of thyrotrophin-releasing hormone analogues, 868P

 , spontaneous, increase after intraperitoneal administration of ephedrine to rats, 119

Loperamide, inhibition of prostaglandin-induced intestinal secretion in the rat, 563

Lorazepam, sedative and antiulcer activity in rats, 593

Lung, guinea-pig, action of leukotriene B₄-like material generated from rat basophilic leukotriene B₄-like material, 922P

 —, guinea-pig isolated, bronchoconstrictor response to βphenylethylamine, 980P

-, human, cancer and prostaglandins, 207P

 , human dispersed cells, effects of polyamines, 48/80 and A23187 on histamine release, 979P

-, presence and auto-regulation of prolactin receptor,

- 955P
- , rat, alteration of breakdown of adenosine disulphate in streptozocin-induced diabetes, 804P
- -, rat, method for study of surfactant secretion, 981P
- , rat superfused slices, overflow of [³H]-disaturated phophatidylcholines, 981P
- Lymphocytes, effect of imidazole compounds on mitogenstimulated proliferation in human blood mononuclear cells, 469
- -, human, binding of [3H]-spiperone, 233P
- , human, effect of histamine on mitogen-stimulated proliferation, 137
- , human, induction of mitogenesis by tumour-promoting and non-promoting phorbol esters, effect of cyclosporin-A, 968P
- **Lysine vasopressin,** inhibitory actions on human myometrium *in vitro*, 305P

M

- M7, evaluation of selectivity for α_1 and α_2 -adrenoceptors in vitro, 841P
- Magnesium, effect of distal diuretics on renal clearance in rats, 780P
- Magnesium ions, effect on responses of mesenteric arteries from normotensive and spontaneously hypertensive rats, 270P
- , extracellular concentrations, effect on potassium-ionevoked secretory response in ouabain-treated cat adrenal glands, 673
- **Maprotiline**, effect on blood pressure responses evoked by acetylcholine, histamine and 5-hydroxytryptamine in rats, 143
- minimal dose to potentiate thyrortropin releasing hormone-induced hyperthermia, test for screening anti-depressants which activate α-adrenoceptor systems, 81
- Mast cells, A23187-induced histamine release, inhibition by ethacrynic acid, 976P
- , human adenoidal, effects of polyamines, 48/80 and A23187 on histamine release, 979P
- , peritineal and pleural, histamine release and Ca²⁺adenosine triphosphatase activities, 975P
- **Maturity**, effect on histamine receptor activity in the rat uterus, 306P
- **Mazindol**, effect on sympathetic mechanisms in dietinduced thermogenesis in rat, 539
- **Mecamylamine,** action at the postsynaptic channels of cat skeletal muscle, noise analysis, 248P
- , effect on anthopleurin-B-induced rhythmic contractions of guinea-pig vas deferens, 23
- **Mechanical activities,** effects of vasodilator agents on smooth muscle cells of coronary artery of the pig, 455
- **Medroxalol,** partial agonist effects at β_1 -adrenoceptors, 847P
- **Membranes**, effect of chemical irritants on potential and input resistance in giant amoeba, 333
- , effect of chronic ethanol treatment on lipids in the mouse, 958P
- , effect of cyproheptadine on electrical properties of guinea-pig taenia coli, 651

- —, effect of S-alkylthiouroniums on fluidity of proteins and lipids, 781P
- , effect of vasodilator agents on potential and conductance in smooth muscle cells of pig coronary artery, 455
- , potential and resistance, effect of clonidine and adrenaline in guinea-pig, 419
- , study of electrical properties in smooth muscle cells in guinea-pig basilar artery, 495
- Meptazinol, binding to opiate receptors, 866P
- , cardiovascular effects in haemorrhagic shock in rats, 930P
- [³H]-mepyramine, binding to histamine H₁-receptors in guinea-pig airways, 982P
- , effect of temperature on binding to histamine H₁-receptors, 818P
- Mesenteric artery, effect of magnesium ions on, in normotensive and spontaneously hypertensive rats, 270P
- Mesenteric blood vessels, rat, evidence against the involvement of prostaglandins in the vasoconstrictor action of calcium ion, 477
- Metabolic acidosis, after E. coli endotoxin administration, effect of polymyxin B sulphate in cats, 701
- **Metaclopramide**, induction of stereotyped behaviour, antagonism by apomorphine in the guinea-pig, 767P
- **Methacholine**, effect after long-term treatment with sodium cromoglycate or aminophylline in sensitized guineapigs, 601
- (+)-Methadone, effect on isolated rat colon, 681
- (-)-Methadone, effect on isolated rat colon, 681
- Methergoline, effect of pretreatment on circling and increased locomotor activity induced by ephedrine in rats, 119
- **Methohexitone,** potency alone or in mixtures with other short-acting intravenous anaesthetic agents in rats, 161
- **5-Methoxy-N'N'-dimethyltryptamine,** enhanced behavioural responses to, after withdrawal from chronic 5-hydroxytryptamine antagonist treatment, 215P
- **3-Methoxy-4-hydroxyphenylglycol,** effect of acute amphetamine administration on urinary excretion in monkeys, 571
- **Methoxyverapamil,** effects on twitch responses to single pulse stimulation in the rat bisected vas deferens, 952P
- N-methyl-D-aspartate, stimulation of guanosine 3',5'-cyclic monophosphate, effect of amino acid antagonists, 723
- Methyl-β-carboline-3-carboxylate, convulsant properties in mouse, 805P
- **3-Methyl histamine,** effect on mitogen-stimulated human lymphocyte proliferation, 137
- α-Methyl-γ-tyrosine, antagonism of oxolinic acid on waking, slow wave and rapid eye movement sleep in rats, 399
- **O-Methylation**, extraneuronal, of [³H]-(±)-isoprenaline in guinea-pig tracheal rings in vitro, 854P
- 1-Methylimidazole, effect on thromboxane B₂ and prostaglandin E₂ production and mitogen-induced lymphocyte proliferation in human blood mononuclear cells, 469
- 2-Methylimidazole, effect on thromboxane B₂ and prostaglandin E₂ production and mitogen-induced lymphocyte proliferation in human blood mononuclear cells, 469
- Methyltetrahydrofolate, neurotoxicity in rat cerebellum,

870P

- **Methylxanthines,** effects on basal and stimulated gastric secretion *in vitro*, 970P
- **Methysergide,** blockade of responses of guinea-pig urethra to 5-hydroxytryptamine, 353
- —, effect of pretreatment on contractile response of isolated rat colon to morphine, 681
- , effect on anthopleurin-B-induced rhythmic contractions of guinea-pig vas deferens, 23
- , effect on shape changes in blood platelets caused by biologically active peptides and nerve growth factor in rabbits, 533
- , effect on voltage-dependent response to 5hydroxytryptamine in Aplysia neurones, 747
- Metiamide, lack of reversal of effects of dimaprit and nordimaprit on mitogen-stimulated human lymphocyte proliferation, 137
- Mexiletine, antidysrhythmic and haemodynamic effects in anaesthetized rats, 381
- (-)-Mexiletine, prevention of irreversible inhibition of rat liver monoamine oxidase by histamine and some analogues, 962P
- Mianserin, effect on blood pressure responses evoked by acetylcholine, histamine and 5-hydroxytryptamine in rats, 143
- **Micro-computer** system, collection and analysis of data from tissue bath experiments, 988P
- **Microsomes**, comparison of drug conjugation with male and female rat liver cubes, 773P
- **Microspheres,** radioactively labelled, determination of regional blood flow, 314P
- **Microtubule assembly,** in brain, effects of phospholipids and phospholipases in vitro, 863P
- **Midbrain,** rat, behavioural effects of microinjection of excitatory amino acid antagonists, 235P
- Midbrain raphe nuclei, effect of electrical stimulation on core temperature in rats, 216P
- Migraine, limited usefulness of rabbit as a research model due to absence of 5-hydroxytryptamine receptors in extracranial circulation, 619
- **Minaxolone** anaesthesia, haemodynamic effects of labetalol and sodium nitroprusside in the dog, 947P
- Mitochondria, action of 2-phenylisatogen on adenosine nucleotide and phosphate metabolism in guinea-pig liver, 961P
- **Mitochondrial membrane,** inhibition of transport of calcium by diflunisal, 303P
- Mitogenesis, induction in human lymphocytes by tumourpromoting and non-promoting phorbol esters, effect of cyclosporin-A, 968P
- **Molecular orientation,** effect on drug-receptor recognition, 47
- **Molybdenum cations**, effect on calcium-current of *Helix* neurones, 87
- **Monoamine oxidase,** effect of insulin on activities in guineapig cardiac tissue, 325
- irreversible inhibition by histamine, effect of (-)mexiletine in rat liver, 962P
- **Monoamines,** deamination in anococcygeus muscle of the rat, 198P
- -, inhibitory action of imipramine on transport, 812P
- **Monophasic action potential,** effect of verapamil and diltiazem during coronary occlusion in dogs, 371

- Monosynaptic pathways, morphological studies in neuronal networks, 831P
- **Morphine,** analgesic effect in chicken and 5hydroxytryptamine turnover, 811P
- , antagonizing action of buprenorphine in rats on antinociceptive effects, 627
- , cardiovascular effects in haemorrhagic shock in rats, 930P
- , chronic application to rats in drinking water, naloxone precipitated withdrawal symptoms, 282P
- , chronic effects on rat liver and brain tryptophan metabolism, reversal by naloxone, 211P, 511
- —, effect of chronic administration on rat liver and brain tryptophan metabolism, reversal by naloxone, 489
- -, effect on isolated rat colon, 681
- -, effect on limbic and striatal dopamine in rats, 822P
- , effect on pressor responses to nerve stimulation in anaesthetized dogs, 105
- , effect on release of purines from cerebral cortex slices of rats and mice, 171
- , relationship of dependence with naloxone contractions in guinea-pig ileum treated with morphine, 807P
- Motility, of guinea-pig stomach in vitro and in vivo, effect of leukotrienes C and D, 926P
- **Motor inhibition,** effect of dopamine agonists in the mouse, 275P
- Motor responses, neuroleptic resistant, changes after striatal dopamine denervation, 898P
- MPV-295, acute effects on rat brain noradrenaline turnover, 819P
- —, binding and effects at α₂-adrenoceptors in the rat, 931P
 Muscarinic receptor antagonists, determination of activity on gastric acid secretion in vitro, 969P
- Muscarinic receptors, activation causes respiratory stimulation in conscious rabbit, 587
- —, gallamine regulation in heart and cerebral cortex, 798P
- , lack of antagonism by desipramine, maprotiline and mianserin in rat cardiovascular system, 143
- , selective antagonist action of pancuronium and alcuronium, 784P
- **Muscimol,** behavioural effects on ethanol tolerant mice, 276P
- , effect on resting membrane resistance in embryonic sensory neurones of chick, 579
- —, responses of rat superior collicus, 815P
- Muscle, rat skeletal, reconstruction of neuromuscular junctions after assault by notexin, 249P
- Muscle action potential, effect of prazosin in guinea-pig, 189P
- **Muscle fibres**, slow- and fast-twitch mammalian skeletal, effect of *Anemonia sulcata* toxin ATX-II on action potentials, 249P
- Muscle layers, human, effect of metabolites of human gastrointestinal tissues, 435
- Myenteric plexus, guinea-pig, activation of membrane potassium conductance by clonidine, 419
- **Myocardial ischaemia,** release of thromboxane, effect of aspirin, 205P
- , suppression by nifedipine, niludipine and nisoldipine of ventricular fibrillation, 830P
- **Myoclonus**, 5-hydroxytryptamine-dependent, induction by indole-containing 5-hydroxytryptamine agonists, 906P
- -, tryptamine-induced, involvement of pre- and post-

- synaptic indoleamine mechanisms in guinea-pig, 286P Myometrium, human, inhibitory actions of 2-O-ethyltyrosine analogues of oxytocin and lysine vasopressin in vitro, 305P
- , rat pregnant, influence of stimulant relaxant drugs on prostacyclin production, 792P

N

N1E-115 neuroblastoma cells, characterization of the effect of 5-hydroxytryptamine, 294P

Nalorphine, effect on isolated rat colon, 681

Naloxone, blockade of contractile response of isolated rat colon to opiates, 681

- , cardiovascular effects in haemorrhagic shock in rats, 930P
- , effect on depressant effect of morphine on chemoreceptor discharge and excitatory action of adenosine in cats, 129
- effect on food and drink intake, 210P
- , effect on neophobia, 210P
- , induction of contractions in relation to morphine dependence, in guinea-pig ileum treated with morphine, 807P
- , interaction with calcitonin in the production of analgesia in the mouse, 279P
- , mechanism of antagonism of acute alcohol intoxication in rats. 514
- —, potentiation of pressor responses elicited by stimulation of afferent nerves in anaesthetized dogs, 105
- , precipitation of withdrawal symptoms in rats chronically treated with small concentrations of morphine in drinking water, 282P
- —, reversal of the chronic effects of morphine on the rat liver and brain tryptophan metabolism, 211P, 511
- -- , reversal of the effects of chronic administration of drugs of dependence on rat liver and brain tryptophan metabolism 489

Naltrexone, effect on antinociceptive effect of buprenorphine in rats, 627

Nandrolene decanoate, effects on toxicity and anti-tumour activity of 1-(2-chloroethyl)-3 cyclohexyl-1-nitrosourea and 5-flourouracil in experimental murine colon tumours, 295P

Natriuresis, dopamine-induced, an effect mediated via the adrenal gland, 304P

Neophobia, effect of naloxone, 210P

Neostigmine, effect on voltage-dependent response to 5-hydroxytryptamine in *Aplysia* neurones, 747

Nerve growth factor, effect on shape of blood platelets of rabbit, 533

Nerve terminals, 5-hydroxytryptamine, localization of [³H]-imipramine binding sites, 217P

Nervous system, mouse, effect of anisomycin and electrical stimulation on concentrations of substance P, 234P

Neural control, of vasopressin release, a central cholinergic link, 239P

Neuroeffector transmission, adrenergic, effect of chlorpromazine in isolated blood vessels, 943P

autonomic effect of antibiotics, 848P

Neuroleptic drugs, induction of supersensitivity in striatal

- dopamine receptors, effect of hypophysectomy, 905P
- typical and atypical, effects on striatal [³H]-dopamine release, 902P

Neuromuscular junctions, pre- and postjunctional blocking actions of clindamycin and lincomycin in snake, 298P

 -- , reconstruction in rat skeletal muscle following assault by myotoxic neurotoxin, notexin, 249P

Neuromuscular transmission, in guinea-pig basilar artery, 495

Neuronal networks, morphological studies on monosynaptic pathways, 909

Neurones, comparative study of actions of opioids in different areas of brain, 285P

- contribution of the contribution of action as partial agonist at α-adrenoceptors, 757P
- , development in discrete areas of rat brain during neonatal thyroid deficiency, 763P
- -, effects of piperazine on rat sympathetic ganglia, 445
- Helix, actions of calcium antagonists and other divalent cations on calcium-currents, 87
- , rat trigeminal nucleus caudalis, effect of iontophoretically administered peptide neurotransmitter candidates, 819P
- , sympathetic (in sinoatrial node of the rat), evidence against the occurrence of presynaptic dopamine receptors, 838P

Neuropeptides, effect on the release of acetylcholine from rabbit retina *in vivo*, 879P

 , electrochemistry, a novel method for assay and in vivo detection, 292P

Neurotransmitters, effect of catechol on uptake and release in rat brain slices, 715

Neutrophils, induction of aggregation by platelet activating factor and leukotriene B₄, 925P

Nickel cations, effect on calcium-current of *Helix* neurones,

Nicotinamide-adenine dinucleotide couples, reversal of the disturbance of redox states in acute alcohol intoxication in rats by naloxone, 514

Nicotine, effect of acute and chronic treatments on rat locomotor activity, 765P

- , effect of chronic administration on rat liver and brain tryptophan metabolism, reversal by naloxone, 489
- -- , effect of chronic treatment on plasma corticosterone and brain 5-hydroxyindoles in stressed rats, 212P
- --- , effect on intracranial self-stimulation in non-tolerant rats, 212P

Nifedipine, effect on contractions of vas deferens in relation to its local anaesthetic activity, 296P

- , effect on early, life-threatening ventricular arrhythmias resulting from acute myocardial ischaemia, 12
- , effect on electromechanical effects of anthopleurin-A on rabbit isolated ventricular muscle preparation, 29
- —, effect on twitch responses to single pulse stimulation in the rat bisected vas deferens, 948P
- , suppression of ventricular fibrillation resulting from acute myocardial ischaemia, 830P

Niludipine, effect on early, life-threatening ventricular arrythmias resulting from acute myocardial ischaemia, 12

 —, suppression of ventricular fibrillation resulting from acute myocardial ischaemia, 830P

Nimodipine, predilective relaxation of isolated cerebral blood vessels, contracted with autologous blood, 268P

- [³H]-nipecotic acid, use of binding to study γ-aminobutyric acid uptake sites, 882P
- Nippostrongylus brasiliensis, effect of infection on responsiveness of rat intestinal smooth muscle to agonists, 199P
- Nisoldipine, effect on early, life-threatening ventricular arrythmias resulting from acute myocardial ischaemia, 12
- , suppression of ventricular fibrillation resulting from acute myocardial ischaemia, 830P
- Nisoxetine, minimal dose to potentiate thryotropin releasing hormone-induced hyperthermia, test for screening anti-depressants which activate α -adrenoceptor systems, 81
- **Nitrobenzylthioinosine**, inhibition of site specific binding to human erythrocytes by coronary vasodilators and benzodiazepines, 835P
- Nitroglutethimide, metabolite of aminoglutethimide in humans, 243P
- Nociceptive testing method, determination of antinociceptive activity of some μ and κ -opiate agonists, 284P
- **Nodose ganglia,** rabbit, 5-hydroxytryptamine induced depolarization, investigation by sucrose-gap method, 867P
- Nomifensine, induction of hyperalgesia, differential effects of dopamine antagonists in a modified tail immersion test. 278P
- —, minimal dose to potentiate thyrotropin releasing hormone-induced hyperthermia, test for screening anti-depressants which activate α-adrenoceptor systems. 81
- Non-adrenergic non-cholinergic inhibitory nerves, responses to stimulation, effect of nucleotide pyrophosphatase in guinea-pig isolated taenia coli, 319
- Non-adrenergic transmitter, feedback regulation of the release in rat vas deferens, 183
- Non-cholinergic-non-adrenergic neurotransmission, evidence in pharmacological characterization of the excitatory innervation to the guinea-pig urinary bladder in vitro, 15
- Non-steroidal anti-inflammatory drugs, inhibition of late asthmatic response to antigen challenge, 984P
- Noradrenaline, action of 4-aminopyridine on release from sympathetic nerve terminals in rabbit blood vessels, 177P
- —, autoregulation of release in brain of convulsive mutant mouse and α-adrenoceptor binding, 233P
- , changes in plasma concentration following intravenous isoprenaline in man and dogs, 823P
- —, dilatation of rat uterine arterioles by activating β_1 -adrenoceptors, 941P
- —, dose-response curves in presence and absence of increasing doses of α-adrenoceptor antagonists in isolated rat vas deferens, 739
- , effect of cadmium ions on output from isolated rat vas deferens, 261P
- , effect of catechol on uptake and release in slices of rat cerebral cortex and thalamus, 715
- --- , effect of chronic cadmium ion treatment on tissue content in rat, 851P
- , effect of high extracellular glucose on axonal transport in ligated postganglionic sympathetic nerves of the cat, 960P

- --, effect of insulin on uptake in guinea-pig atrial strips,
 325
- -, effect of MPV-295 on rat brain turnover, 898P
- , effect on isolated atria from aorta-coarcted hypertensive and normotensive rats, 517
- , effect on isolated ring preparations of rat pulmonary artery, 547
- , effect on sodium ion, potassium ion-adenosinetriphosphatase activity in brown adipose tissue in vitro and in vivo oxygen consumption, 539
- -- , effect on smooth muscle membrane in guinea-pig basilar artery, 495
- , induction of contraction in urethra strips from guineapig, 353
- , inhibition of release by amiloride causes inhibition of contractions of rat vas deferens, 123
- method for estimation of the negative feedback control of release from sympathetic nerves in rat vas deferens, 182P
- , positive and chronotropic responses to, attenuation by adenosine in guinea-pig atria, 940P
- , release from guinea-pig vas deferens, increase after anthopleurin-B, 23
- , uptake in brown adipose tissue, effect of ciclazinol and anorectic drugs, 539.
- **Nordimaprit,** effect on mitogen-stimulated human lymphocyte proliferation, 137
- Nortryptyline, minimal dose to potentiate thyrotropin releasing hormone-induced hyperthermia, test for screening anti-depressants which activate αadrenoceptor systems, 81
- **Notexin,** assault on neuromuscular junctions in rat skeletal muscle, reconstruction, 249P
- Nucleotide pyrophosphatase, antagonism of responses to adenosine 5'-triphosphate and non-adrenergic non-cholinergic inhibitory nerve stimulation in the guineapig isolated taenia coli, 319
- **Nucleus accumbens,** rat, behavioural effects of discrete, chronic infusion of dopamine, 899P
- , rat, effect of thyrotrophin-releasing hormone analogues on catecholamine metabolism and release, 871P
- -- , rat, [³H]-spiperone binding to two sites in homogenates, 895P
- , induction of hyperactivity following injection of ergot alkaloid derivatives into, 864P

o

- **Octopamine,** reduction of content of an insect salivary gland on incubation in 6-hydroxydopamine, 838P
- **Oestrogen,** inhibition of uterine responses to, in ovariectomized rats, 240P
- Olfactory cortex, evidence for presynaptic inhibition, 890P Opiate receptor agonists, κ and μ -, antinociceptive activity, determined by combined nociceptive testing method, 284P
- Opiate receptors, binding of meptazinol, 866P
- -, characterization in rat large intestine, 246P
- , naloxone-sensitive, mediation of opiate-induced contractile responses, 681

Opiates, activity profiles at μ -, δ - and κ -binding sites, 893P Opioids, comparative study of actions on single neurones in different brain regions, 285P

- -, difference in inhibitory potency in epididymal and prostatic halves of mouse vas deferens, 852P
- -, endogenous, extraction from human plasma, 247P

ORG 2766, septal administration effect on social interaction between male rats, 277P

ORG 6001, antidysrhythmic and haemodynamic effects in anaesthetized rats, 381

Ouabain, differential effects on contractile tension of, and on sodium and calcium efflux from frog heart ventricular strips, 341

- -, effect on catecholamine secretory response evoked by calcium ion reintroduction in cat adrenal glands, 665
- -, induction of purine release, effect of morphine or Met-enkephalin in cerebral cortex slices or rats and mice, 171
- -, treatment of cat adrenal glands, effect on potassium ion evoked catecholamine release, 673

Ovalbumin, excretory, protection against fatal anaphylaxis to egg-whites in guinea-pig, 201P

Ovariectomy, effect on [3H]-scopolamine binding to male and female rats, 866P

-, effect on uterine responses to oestrogen in rats, 240P

Oxolinic acid, effect on the sleep-wakefulness cycle of the

Oxygen, effect of ciclazindol and anorectic drugs on resting consumption in rat, 539

- -, effect of orally administered propranolol on uptake in conscious rats, 635
- -, effect of propranolol on uptake and extraction in rat arteries, 643

Oxygen-haemoglobin affinity, effect of propranolol in vivo and in vitro in rats, 643

Oxygen tension, in perfusate, dissociation with spontaneous coronary vasodilator mediator release in guinea-pig isolated hearts, 192P

Oxytocin analogues, inhibitory actions on human myometrium in vitro, 305P

P

pA₂, determination of muscarinic and H₂-receptor antagonists on gastric acid secretion in vitro, 969P

PAF-acether see Platelet activating factor

Pancreas. rat, autoradiographical localization of choleocystokinin-receptor binding, 858P

Pancuronium, selective muscarinic antagonist action, 784P Pangamic acid, a nutritional and therapeutic agent, 299P

Papaverine, effects on electrical and mechanical activities of smooth muscle cells of pig coronary artery, 455

Paracetamol, effect on canine gastric mucosa during shock, 972P

—, effect on fever produced by bacterial endotoxin in cats,

Passive avoidance tasks, effect of intracerebroventricular administration of hemicholinium-3 on learning, 865P

Paw oedema, rat, histamine-induced, role of H₁- and H₂receptors, 977P

Peltiphyllum peltatum extract, effect on binding of substance P and other peptides, 294P

Pentazocine, effect on isolated rat colon, 681

Pentobarbitone, mixture with alphaxalone depression of synaptic transmission in in vitro preparations of guineapig olfactory cortex, 161

Peptide neurotransmitter candidates, iontophoresis in the rat trigeminal nucleus caudalis, lack of correlation of effect with sensory responses of neurones, 819P

Peptides, effect of Peltiphyllum peltatum extract on binding, 294P

-, related to substance P, differential effects on smooth muscle preparations, 954P

Pergolide, mechanism for production of bradycardia in the anaesthetized normotensive rats, 271P

Pericardectomy, effect on output of prostacyclin-like substance from epicardial irrigation fluid in anaesthetized dogs, 553

Peristaltic reflex, modulation in vivo by endogenous opioids, 953P

Peritoneal cavity, rat, mediation of the vascular permeability responses to zymosan by the complement fragment C5a in the peritoneal cavity of the rabbit, 787P

Perivascular nerve stimulation, effect on smooth muscle membrane of guinea-pig basilar artery, 495

-, inhibition of rebound contraction of rat gastric corpus muscle to field stimulation, 849P

Permeability, vascular, C5a-induced dependence on lypoxygenase products, 921P

-, vascular, effect of platelet-activating factor on rabbit skin, 916P

Peroxidase, fatty-acid, autofluorescence, 918P Pethidine, effect on isolated rat colon, 681

PGI₂ see Prostacyclin

pH gradient, contribution to uptake into synaptosomes and synaptic vesicles, 872P

Pharmacological mapping, of rabbit heart, 827P

Pharmacy courses, correlative study of entry qualifications and performance in pharmacology, 209P

Phenobarbitone, effect of chronic administration on rat liver and brain tryptophan metabolism, reversal by naloxone, 489

- -, effect on hexobarbitone-induced sleeping times in male, female and Tfm mice, 97
- -, effect on rat liver and brain metabolism and serum corticosterone concentration, with and without nalox-
- —, time course of action on liver blood flow in rat, 779P

Phenothiazine neuroleptics, effect on dopamine-mediated behaviours in six months' treatment in young and aged

Phenoxybenzamine, blockade of α-adrenoceptors and neuronal and extraneuronal uptakes in rat pulmonary artery, 547

- —, effect of pretreatment on circling and increased locomotor activity induced by ephedrine in rats, 119
- —, effect on the relationship between in vivo pressor responses to α-adrenoceptor agonists and in vitro receptor binding, 935P

Phentolamine, abolition of excitatory junction potentials in smooth muscle membrane of guinea-pig basilar artery, 495

- —, assessment of α-adrenoceptor selectivity, 262P
- -, effect on anthopleurin-B-induced rhythmic contractions in guinea-pig vas deferens, 23

- , effect on clonidine facilitation of potassium-clorideinduced purine release and clonidine-evoked contractions in rabbit pulmonary artery, 709
- , effect on effects of amiloride on contractions and the release of tritium from rat vas deferens preloaded with [³H]-noradrenaline, 123
- —, effect on electrically-induced excitatory contractions in isolated guinea-pig urinary bladder, 15
- —, pA₂ values for antagonism of 5-hydroxytryptamine and noradrenaline in rabbit arteries, 619
- , reversal of clonidine and adrenaline effects on membrane potassium conductance in myenteric neurones in guinea-pig, 419
- Phenylacetic acid, effect of acute amphetamine administration on urinary excretion in monkeys, 571
- **Phenylephrine,** sensitivity of rat saphenous artery to, effect of thyroidectomy or propylthiouracil, 811P
- **Phenylethylamine,** effect of acute amphetamine administration on urinary excretion in monkeys, 571
- **β-Phenylethylamine,** bronchoconstrictor response of guinea-pig isolated lung, 980P
- **2-Phenylisatogen,** action on adenosine nucleotide and phosphate metabolism in mitochondria isolated from guinea-pig liver, 961P
- Phorbol esters, tumour-promoting and non-promoting, effect of cyclosporin-A on induction of mitogenesis in human lymphocytes, 968P
- **Phosphate,** action of 2-phenylisatogen on metabolism in mitochondria from guinea-pig liver, 961P
- **Phosphatidylcholines**, [³H]-disaturated, overflow from rat superfused lung slices, 981P
- Phosphatidylinositol, metabolism in GH₃ pituitary tumour cells stimulated by thyrotrophin releasing hormone, 967P
- **Phosphodiesterase**, effect of inhibition on gastric acid secretion in the rat isolated stomach, 973P
- **Phospholipases**, effects on brain microtubule assembly *in vitro*, 863P
- Phospholipid mediators, effect on platelet activation, 965P Phospholipids, effects on brain microtubule assembly in vitro. 863P
- , ethanol-induced alterations in methylation in rat brain synaptosomal membranes, 874P
- **Physostigmine,** effect on changes in synaptosomal high affinity choline uptake following electrical stimulation of guinea-pig cortical slices, 525
- , effect on electrically-induced excitatory contractions in isolated guinea-pig urinary bladder, 15
- , induction of vasopressor responses in anaesthetized rats, effects of clonidine, 929P
- , plus acetylcholine, effect on body temperature in cats, 405
- **Picrotoxin,** effect on piperazine depolarization in rat sympathetic neurones, 445
- **Pimozide,** effect of pretreatment on circling and increased locomotor activity induced by ephedrine in rats, 119
- **Pineal gland,** rat, effect of antidepressants on β-adrenoceptor function, 897P
- Piperazine, effects on rat sympathetic neurones, 445
- **Piperidine-2,3-dicarboxalic acid,** *cis*-, effect on stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, 723
- Pipradrol, effect on the acquisition of responding with

- conditioned reinforcement in rats, 149
- Pithed rats, antagonism of responses to 2(N,N-dimethyl) amino,6,7-dihydroxy-1,2,3,4 tetrahydronaphthalene by α-adrenoceptor antagonists, 254P
- —, effect of α_1 and α_2 -adrenoceptor antagonists on endogenous catecholamines, 258P
- Pituitary tumour cells, stimulation by thyrotrophin releasing hormone of phosphatidylinositol metabolism, 967P
- **Pizotifen,** pA₂ values for antagonism of 5-hydroxytryptamine and noradrenaline in rabbit arteries, 619
- Plasma, defective protein binding in uraemia, extraction of binding inhibitors from normal urine, 956P
- —, human, extraction of endogenous opioid, 247P
- , human and dog, changes in noradrenaline concentration following intravenous isolprenaline, 823P
- , protein binding of theophylline and aminophylline, 876P
- , stressed rats, effect of chronic nicotine administration on corticosterone levels, 212P
- on corticosterone levels, 212P

 Plasma exudation, effect of 5-, 12-, 15-eicosatetraenoic
- acid and leukotriene B₄ on rabbit skin, 429 **Platelet-activating factor,** effect on vascular permeability in rabbit skin, 916P
- —, induction of neutrophil aggregation, 925P
- Platelets, human, medication of activation by phospholipid mediators, 965P
- human, [³H]-yohimbine binding to α-adrenoceptors, 802P
- , rabbit, shape changes induced by biologically active peptides and nerve growth factor, 533
- **Polyamines**, effect on histamine release from human dispersed lung and adenoidal mast cells, 979P
- **Polymyxin B sulphate,** protection of cats against the haemodynamic and metabolic effects of *E. Coli* endotoxin, 701
- **Polyornithine,** effect on shape of blood platelets in rabbits, 533
- **Polypeptides,** excitatory effect on guinea-pig vas deferens, 23
- **Positive inotropic response,** to insulin, effect of catecholamine depletion and propranolol in guinea-pig atrial strips, 325
- **Postsynaptic channels,** of cat skeletal muscle, action of mecamylamine, noise analysis, 248P
- **Potassium**, activation of membrane conductance in myenteric neurones by clonidine in guinea-pig, 419
- , induction of contractions, effects of vasodilator agents in smooth muscle cells of pig coronary artery, 455
- , induction of release of [³H]-γ-aminobutyric acid from rat substantia nigra in vitro, inhibition by apomorphine,
- Potassium chloride, effect of amiloride on responses of rat vas deferens, 123
- , effect of increased concentrations on acetylcholine content of guinea-pig cortical slices, 525
- , induction of contractions in guinea-pig taenia coli, effect of cyproheptadine, 651
- , induction of [³H]-purine release, effect of clonidine in rabbit pulmonary artery, 709
- Potassium ion/calcium ion ratio, effect on arrhythmias in isolated perfused coronary ligated heart, 834P
- Potassium ions, effect of deprivation on catecholamine

- release from perfused cat adrenal glands, 665
- -, extracellular concentrations, effect on catecholamine release in cat adrenal glands treated with ouabain and perfused with Krebs-bicarbonate solution, 673
- -, permeability of membrane of giant amoeba to, effect of chemical irritants, 333

Prazosin, assessment of α-adrenoceptor selectivitity, 262P

—, mechanism of action at the sympathetic nerve-muscle junction of arterioles of guinea-pig, 189P

Prednisolone, effect on cyclooxygenase activity, 789P

Pressor agents, effect of sensitivity of baroreceptor reflex in man, 949P

Pressor responses, elicited by stimulation of afferent nerves in anaesthetized dogs, potentiation by naloxone, 105

- —, mediation by stimulation of α_1 -, α_2 -adrenoceptors, angiotensin II and 5-hydroxytryptamine receptors in pithed rats, effects of diltiazem and verapamil, 839P
- —, to α-adrenoceptor agonists and other vasoconstrictor agents in pithed rats, attenuation by urethane, 826P
- —, to α-adrenoceptor agonists in relation to in vitro receptor binding after phenoxybenzamine, 935P
- -, to sympathetic nerve stimulation in pithed rats, differential effects of dopamine receptor and α2adrenoceptor agonists, 927P

Presynaptic inhibition, evidence in olfactory cortex, 890P Probucol, studies into mechanism of action, 776P

Procetofenic acid, effect on biliary lipid secretion in rats, 611

Proestrous stage, of sexual cycle, effect on [³H]scopolamine binding to brain of male and female rats, 866P

Prolactin receptor, presence and autoregulation in the lung,

Propafenone, effective antidysrhythmic and haemodynamic doses, in anaesthetized rats, 381

Propanid, potency alone or in mixtures with other shortacting intravenous anaesthetic agents in rats, 161

Propranolol, acute effects on blood circulation and on oxygen uptake in conscious rats, 635

- -, effect on conscious blood pressure and vascular responsiveness in normotensive and hypertensive rats, 932P
- -, effect on effects of amiloride on contractions and the release of tritium from rat vas deferens, preloaded with [³H]-noradrenaline, 123
- -, effect on electrically-induced excitatory contractions in isolated guinea-pig urinary bladder, 15
- -, effect on lactic acidosis induced by oxotremorine in rabbit, 587
- -, effect on output of prostacyclin-like substance in epicardial irrigation fluid in dog, 553
- -, effect on positive inotropic response to insulin in guinea-pig atrial strips, 325
- -, effect of pretreatment on circling and increased locomotor activity induced by ephedrine in rats, 119
- inhibition of the first pass metabolism in the pithed rat, correlation of in vitro and in vivo pharmacokinetic parameters, 772P
- treatment in DOCA/salt rats, effect of adrenalectomy or aminoglutethimide, 985P
- (+)-Propranolol, effects on adrenergic transmission in rabbit ileum and pulmonary artery and guinea-pig vas deferens, 365

- (-)-Propranolol, effects on adrenergic transmission in rabbit ileum and pulmonary artery and guinea-pig vas deferens, 365
- (±)-Propranolol, effect of chronic treatment on blood pressure and tissue reactivity in spontaneously hypertensive rats, 187P
- —, effect of peripheral presynaptic β-adrenoceptor blockade on anti-hypertensive single doses in adrenaldemullated spontaneously hypertensive rats, 260P
- -, effect on adrenergic transmission in rabbit pulmonary artery and ileum and guinea-pig vas deferens, 365

Propylthiouracil, effect on sensitivity of rat saphenous artery to phenylephrine, 811P

- Prostacyclin, comparison with effects of captopril on systemic and renal haemodynamics in conscious dogs, 945P
- —, effect on arrhythmias resulting from coronary artery ligation in rats, 155
- , effect on human muscle layers, 435
- —, effect of intra-arterial injection on plasma 'reciprocal coupling factor' in anaesthetized rats, 485
- -, induction of bradycardia, dependence on basal heart rate, 252P
- -, potentiation of bradykinin-induced plasma exudation in rabbit skin, 429
- -, production by rat pregnant myometrium, influence of stimulant and relaxant drugs, 794P
- , stabilization by serum albumin, 206P
- -, stimulation of production by BW 755C from rat gastric mucosa in vitro, 920P
- -, stimulation of release from epicardium of anaesthetized dogs, 553

Prostaglandin 'reciprocal coupling factor', increase of plasma activity after intra-arterial injections of prostaglandins in anaesthetized rats, 485

Prostaglandin A₁, effect on responses to calcium depressed by indomethacin and 5,8,11,14-eicosatetraenoic acid in rat mesenteric blood vessels, 477

Prostaglandin D₂, presence in human gastrointestinal tissues and its actions on muscle layers, 435

- **Prostaglandin E₁**, effect of intra-arterial injection on plasma 'reciprocal coupling factor' in anaesthetized rats,
- -, effect on shape changes caused by biologically active peptides and nerve growth factor on rabbit blood platelets, 533
- Prostaglandin E₂, 13,14-dihydro-15-keto, effect of intraarterial injection on plasma 'reciprocal coupling factor' in anaesthetized rats, 485
- —, effect of imidazole compounds on production in human blood mononuclear cells, 469
- —, effect of intra-arterial injection on plasma 'reciprocal coupling factor' in anaesthetized rats, 485
- —, effect on arrhythmias resulting from coronary artery ligation in rats, 155
- -, failure to overcome the inhibitory effect of indomethacin and 5,8,11,14-eicosatetraenoic acid on responses to calcium in rat mesenteric blood vessels, 477
- —, febrile responses to, effect of anisomycin in cats, 786P
- —, generation in epicardium of anaesthetized dogs, 553
- -, induction of intestinal secretion in rat, effect of loperamide, 563
- -, potentiation of bradykinin-induced plasma exudation

- in rabbit skin, 429
- , presence in human gastrointestinal tissues and its action on muscle layers, 435
- -- , role in vasoconstrictor action of noradrenaline in rat mesenteric blood vessels, 477

Prostaglandin $F_{1\alpha}$, 6-keto, presence in human gastrointestinal tissues and its actions on muscle layers, 435

 , 6-oxo-, generation in epicardium of anaesthetized dogs, 553

Prostaglandin $F_{2\alpha}$, effect on arrhythmias resulting from coronary artery ligation in rats, 155

- —, effect on the acute response to E. coli endotoxin in anaesthetized cats, 792P
- , presence in human gastrointestinal tissues and its action on muscle layers, 435

Prostaglandin I2 see Prostacyclin,

Prostaglandins, and human lung cancer, 207P

- , endogenous, negative feedback control of lipolysis, 785P
- —, evidence that synthesis is not essential to vasoconstrictor action of calcium ion in rat mesenteric blood vessels, 477
- , hydrocortisone inhibition of biosynthesis in rat peritoneal leucocytes is correlated with intracellular macrocortin levels, 322
- , prevention of indomethacin-induced decrease in hepatic microsomal drug metabolizing enzymes, 914P
- , role in anaphylactic contractions of the guinea-pig isolated stomach, 251P
 Prostanoid receptors, mediation of bronchoconstriction in

the anaesthetized guinea-pig and dog, 913P 'w' **Prostanoid recentors.** antagonism by TR4979 in air.

- '\u03c4' Prostanoid receptors, antagonism by TR4979 in airways, 795P
- —, selectivity of TR4979 for, 912P

Prostanoids, effect on human basilar artery in vitro, 267P

- —, generation in epicardium of anaesthetized dogs, 553
- , tracheal relaxant effects are dependent on their contractile effects, 911P

Protein, defective binding in plasma in uraemia, extraction of binding inhibitors from normal urine, 956P

- —, effect of high extracellular glucose on axonal transport in ligated post-ganglionic sympathetic nerves of the cat, 960P
- , effect of S-alkylthiouroniums on fluidity in membranes, 781P
- , rat liver, irreversible binding of ethynyloestradiol in vivo, 987P

Protoveratrine, stimulation of guanosine 3',5'-cyclic monophosphate effect of amino acid antagonists in rat cerebellar slices, 723

Pulmonary artery, rabbit, effect of (-)-, (\pm) -, (+)-propranolol, atenolol, guanethidine, bretylium and tetracaine on adrenergic transmission, 365

- , rabbit, facilitation of potassium chloride-induced purine release by clonidine, 709
- —, rat, mediation of relaxation of isolated ring preparations by β_1 and β_2 -adrenoceptors, 547

Pulmonary haemodynamics, effect of calcium antagonists, 946P

[³H]-purine, facilitation by clonidine of potassium chlorideinduced release from rabbit pulmonary artery, 709

Purines, effect of morphine and Met-enkephalin on release from cerebral cortex of rats and mice, 171

 , mediation of effects of morphine in central nervous system, 171

Putrescine, relationship with the anti-inflammatory action of sponge exudate, 204P

- **2-Pyridylethylamine,** effect on mitogen-stimulated human lymphocyte proliferation, 137
- **4-Pyridylethylamine,** effect on mitogen-stimulated human lymphocyte proliferation, 137

Pyrogen, febrile responses to, effect of anisomycin in cats, 786P

Q

Quinidine, effect on adenosine inhibition of vas deferens contractions, 296P

 , effect on responses to isolated urinary tract of guineapig to adenosine triphosphate, 353

Quipazine, depression of glucose utilization in primary visual areas, 858

R

R 28935, α-adrenoceptor blocking properties, 844

 —, cardiovascular effects, involvement of central α₁ and α₂-adrenoceptors in the conscious cat, 190P

Radioimmunoassay, of glandular kallikreins in human biological fluids, 806

Raphé nucleus, rat, location of 5-hydroxytryptamine receptors, 290P

Rapid eye movement sleep, effect of oxolinic acid in rats, 399

Rat basophilic leukaemia cells, generation of leukotriene B₄-like material, and its action in guinea-pig lung in vitro, 922P

Raubasine, pre- and postsynaptic α-adrenoceptor blocking activity in rat vas deferens, 739

Rauwolscine, interaction with cardiovascular effects of clonidine in conscious spontaneously hypertensive rats, 933P

Rebound contraction, of rat gastric corpus muscle in response to field stimulation inhibition by perivascular nerve stimulation, 849P

Receptors, binding in vitro, in relation to in vivo pressor responses to α-adrenoceptors after phenoxyben-zamine, 935P

 , involvement in 5-hydroxytryptamine-induced smooth muscle relaxation, 850P

Reciprocal coupling factor, plasma activity, effect of prostaglandins, acetylcholine and histamine in anaesthetized rats, 485

Reflex vagal bradycardia, clonidine-induced potentiation in anaesthetized cats, 265P

Relaxant drugs, effect of prostacyclin production in rat pregnant myometrium, 794P

Relaxations, induction in canine renal and pulmonary arteries, dependence on intact endothelial cells, 10

, of circular smooth muscle of guinea-pig stomach, mediation by catecholamine receptor mechanisms, 179P

Renal artery, dog, contracted by prostaglandin $F_{2\alpha}$, production of dose-related relaxation by histamine, 111

Renal haemodynamics, comparison of effects of prostacyclin and captopril in conscious dogs. 945P

Reserpine, effect on anthopleurin-B-induced rhythmic contractions of guinea-pig vas deferens, 23

 , plus α-methyl-ρ-tyrosine, effect of pretreatment on circling and increased locomotor activity induced by ephedrine in rats, 119

Respiration, effect of oxotremorine on rate in rabbits pretreated with atropine-methyl-nitrate, 587

Respiratory acid-base² balance, role in α_1 - and α_2 adrenoceptor agonism, 804P

Resting membrane potential, effect of sea anemone toxin ATX-II in innervated and denervated rat skeletal muscle, 61

Resting membrane resistance, effect of γ-aminobutyric acid in embryonic sensory neurones of chick, 579

Resting metabolic rate, increase by ciclazindol in rats in the absence of central nervous system stimulation, 770P

Retina, rabbit, effect of γ-aminobutyric acid agonists, glycine and neuropeptides on acetylcholine release *in vivo*, 879P

Retinopathy, low incidence in dogs with sustained renovascular hypertension, 267P

Retractor penis muscle, bovine, location of an erythrocyteassociated antagonist of inhibitory mechanisms, 181P

Retzius cells, control of leech body wall tension, pharmacological aspects, 983P

Right atrium, effect of *E. coli* endotoxin on pressure and filling pressure, protection by polymyxin B sulphate in cats. 701

Righting reflex, effect of short-acting intravenous anaesthetic agents in rats, 161

Rigidity, tremorine-induced, effect of basal ganglia lesions in rats, 910P

[³H]-Ro 15-1788, autoradiographical localization in rat brain *in vitro*, 813P

Ro20-1724, effect of voltage-dependent response to 5-hydroxytryptamine in *Aplysia* neurones, 747

Rota-rod performance, effect of caffeine and chlordesmethyldiazepam, together and separately, in mice, 822P

Rowachol, inhibition of lipogenesis in rat when measured in vivo, 878P

RS 21361, selectivity for α₂-adrenoceptors as determined by *in vitro*, *in vivo* and ligand binding studies, 845P

Rubidium, uptake into cat perfused adrenal glands, effects of ouabain and N-ethylmaleimide, 665

RX 781094, neuropharmacological evaluation, 843P—, selective antagonist for α₂-adrenoceptors, 842P

Ryanodine, effect on electromechanical effects of anthopleurin-A on rabbit isolated ventricular muscle preparation, 29

S

Salai guggal, an anti-arthritic and anti-hyperlipidaemic agent. 203P

Salivary gland, insect, reduction of dopamine and octopamine content after incubation in 6-hydroxy-dopamine, 838P

Saphenous artery, rat, sensitivity to phenylephrine, effect of thyroidectomy or propylthiouracil, 811P

Saphenous vein, dog isolated, antagonism of α -

adrenoceptor mediated contractions by diltiazem and verapamil, 942P

[³H]-scopolamine, binding to brain of male and of female rats, effects of ovariectomy versus the progestrous stage of the sexual cycle, 866P

Sea anemone toxin ATX-II, mechanical and electrophysiological effects on rat innervated and denervated skeletal muscle, 61

Second messenger, role of cyclic 3',5'-adenosine monophosphate in voltage-dependent response to 5-hydroxytryptamine in *Aplysia* neurones, 747

Secretion, effect of chlordiazepoxide, atropine and cimetidine in rat isolated gastric mucosa, 593

Sedation, induction by benzodiazepines in stressed rats, 593 Seizures, allylglycine-induced, enhancement of α -receptor stimulated growth hormone release in the photosensitive baboon, 861P

 —, effect on benzodiazepine receptor number and γaminobutyric acid concentrations in rat brain, 814P

Sensory neurones, embryonic chick, location for two types of γ-aminobutyric acid receptor, 579

Sexual dimorphism, and the effects of the X-linked *Tfm* locus on hexobarbitone metabolism and action in mice, 97

Sickle cell anaemia, possible treatment with BW12C, 965P Single pulse stimulation, twitch responses to, effects of methoxyverapamil, verapamil and nifedipine in the rat bisected vas deferens, 952P

Sinoatrial node, innervation by sympathetic neurones, evidence against occurrence of presynaptic dopamine receptors, 838P

Skeletal muscle, cat, action of mecamylamine at the post synaptic channels, noise analysis, 248P

 , chicken, singly and multiply innervated, age related changes in properties of acetylcholine receptors, 297P

, rat, innervated and denervated, mechanical and electrophysiological effects of sea anemone (*Anemonia sulcata*) toxin ATX-II, 61

SKF 91488, effect on human lymphocyte proliferation, 137 SKF 93390, effect on human lymphocyte proliferation, 137 SKF 93479, a histamine H₂-receptor antagonist, 200P

Skin, rabbit, effect of platelet-activating factor on vascular permeability, 916P

Skin grafts, rat, rapid xenon ion clearance technique to measure blood flow changes, 964P

Sleep-wakefulness cycle, rat, effect of oxolinic acid, 399

Sleeping times, hexobarbitone-induced in male, female and Tfm mice, 97

Slow wave sleep, effect of oxolinic acid in rats, 399

Smooth muscle, arterial, α -adrenoceptors and contractile responses, 264P

- -- , arterial, comparative effects of bepredil and verapamil, 832P
- , differential effects of substance P and related peptides, 954P
- , effect of vasodilator agents on mechanical and electrical activities in pig coronary artery, 455
- —, electrical properties of membrane in guinea-pig basilar artery, 495
- -, guinea-pig isolated airway, hyperreactivity of, 180P
- , guinea-pig stomach, catecholamine receptor mediating relaxation and contraction, 179P
- -, swine isolated tracheal, regulatory mechanism in

histamine-induced tone, 796P

analysis of receptors involved, 850P

- **Smooth muscle cells,** electrical properties of membranes in guinea-pig basilar artery, 495
- Smooth muscle preparations, effect of leukotriene B₄, 924P Smooth muscle relaxation, 5-hydroxytryptamine-induced,
- **Social behaviour,** effect of neurotoxin lesions of lateral septum. 766P
- **Social interaction,** effect of adrenocorticotrophic hormone [4–10] and ORG 2766 administered septally, 277P
- **Sodium,** effect of ouabain and 2,4-dinitrophenol on efflux from frog heart ventricular strips, 341
- **Sodium channels,** effect of sea anemone toxin ATX-II in mammalian skeletal muscle fibres, 61
- **Sodium citrate,** effect on responses to piperazine in rat sympathetic neurones, 445
- **Sodium cromoglycate,** antagonism of prostacyclin-induced bradycardia, 252P
- , effect of long term treatment on antigen-induced bronchoconstriction in actively sensitized guinea-pigs, 601
- Sodium ion-calcium ion exchange system, activation by ouabain, lack of involvement in potassium ion-evoked catecholamine secretory response in cat adrenal gland, 675
- , involvement in modulation in catecholamine secretion in perfused adrenal gland, 665
- **Sodium ion fluxes,** effect of prostaglandin E₂ on rat intestinal sheets in the presence and absence of loperamide, 563
- **Sodium ions,** effect of absence in dopamine stimulated striatal adenylate cyclase preparations on lack of inhibition by sulpiride, 287P
- , extracellular concentrations, effect on potassium ion evoked secretory response in ouabain-treated cat adrenal glands, 673
- , extracellular concentrations, effect on [³H]-sulpiride binding, 228P
- , extracellular concentrations, effect on the release of catecholamines evoked by calcium ion reintroduction in glands perfused with potassium ions and ouabain, 665
- **Sodium nitroprusside,** effects on electrical and mechanical activities of smooth muscles of pig coronary artery, 455
- , haemodynamic effects during minaxolone or halothane anaesthesia in dogs, 947P
- **Sodium pump,** correlation between inhibition and catecholamine release in the perfused adrenal gland of the cat, 665
- **Soma membrane,** alteration of surface charge by divalent and trivalent cations, 87
- Spatial delayed alternation behaviour, effect of triazolam and related 1,4-benzodiazepines in *Macaca mulatta*, 768P
- Spikes, evoked in presence of tetraethylammonium, effect of vasodilator agents in smooth muscle of pig coronary artery, 455
- **Spinal cord,** depletion of 5-hydroxytryptamine, effect on footshock-induced analgesia, 218P
- , neonatal rat, depolarizing actions of substance P 1-9amide, 293P
- Spinal trigeminal nucleus, ultrastructural localization of substance P and enkephalin in substantia gelatinosa, 893P

- [³H]-spiperone, binding to human lymphocytes, 233P
- , binding to two sites in homogenates of rat nucleus accumbens, 895P
- , effect of striatal kainic acid lesions on binding in rat striatum, 232P
- , study of binding in rat striatum, comparison with [³H]domperidone, 231P
- **Spiroperidol,** antaginism of oxolinic acid effects on light slow wave sleep in rat, 399
- **Splanchnic nerve** preparation release of [³H]-adrenaline from isolated perfused rabbit adrenal gland, 801P
- **Sponge exudate,** anti-inflammatory action, relationship to putrescine, 204P
- **Spontaneous electrical activity,** in isolated lower urinary tract of guinea-pig, effects of noradrenaline, phenylephrine, acetylcholine, adenosine triphosphate, and isoprenaline, 353
- **SRS-A**, role in anaphylactic contractions of the guinea-pig isolated stomach, 251P
- **ST-T complex,** effect of calcium antagonists on alternative changes and associated conduction abnormalities during coronary occlusion in dogs, 371
- **Stereotyped behaviour,** metaclopramide-induced, antagonism by apomorphine in the guinea-pig, 767P
- **Stimulant drugs**, effect on prostacyclin production in rat pregnant myometrium, 794P
- **Stomach**, guinea-pig, catecholamine receptor mechanisms mediating relaxation and contraction of circular smooth muscle, 179P
- —, guinea-pig, effect of leukotrienes C and D on motility, 926P
- , guinea-pig isolated, prostaglandins and SRS-A in anaphylactic contractions, 251P
- -- , rat isolated, effect of 5-hydroxytryptamine on gastric acid secretion, 253P
- , rat isolated, effect of phosphodiesterase inhibition on gastric acid secretion, 973P
- Streptozotocin, induction of diabetes, alteration of breakdown of adenosine diphosphate in isolated rat lungs, 804P
- **Striatum**, dopamine denervation, effect on neuroleptic resistant motor responses, 898P
- , effect of α-flupenthixol on acetylcholine levels, 904P
- , effect of hypophysectomy on development of supersensitivity in dopamine receptors, 826P
- , effect of morphine treatment on dopamine in rats, 900P
- , effects of typical and atypical neuroleptics on [³H]dopamine release, 902P
- , identification by differential pulse voltammetry of oxidation peak in the anaesthetized rat, 219P
- —, mouse, assay of adenosine 3',5'-monophosphate in superfusates of tissue, 891P
- , rat, binding properties of [³H]-2-amino 6,7-dihydroxy 1,2,3,4 tetrahydronaphthalene, 289P
 , rat, effect of 2-amino-6,7-dihydroxy-1,2,3,4-
- —, rat, effect of 2-amino-6,7-dihydroxy-1,2,3,4tetrahydronaphthalene and its derivatives on dopamine receptor binding, 759P
- -- , rat, effect of kainic acid lesions on [³H]-spiperone and [³H]-α-flupenthixol binding in rat striatum, 232P
- —, rat, study of binding of [³H]-domperidone and [³H]-spiperone, 231P
- Substance P, and related peptides, differential effects on

- smooth muscle preparations, 954P
- , effect on anisomycin and electrical stimulation on concentrations in the mouse nervous system, 234P
- -, effect of Peltiphyllum peltatum extract on binding,
- -, effect on shape of blood platelets of the rabbit, 533
- -, ultrastructural localization in substantia gelatinosa of spinal trigeminal nucleus, 893P
- Substance P1-9 amide, depolarizing action on spinal cord of neonatal rat, 293P
- Substantia gelatinosa, of spinal trigeminal nucleus, ultrastructural localization of substance P and enkephalin,
- Substantia nigra, rat, apomorphine inhibition of potassiumevoked release of [3H]-y-aminobutyric acid in vitro, 389
- Sucrose gap studies, effect of cypropheptadine in guinea-pig taenia coli, 651
- -, investigation of 5-hydroxytryptamine-induced depolarization of rabbit ganglia, 867P
- Sulphonylureas, effect of treatment on vascular reactivity in the experimentally diabetic rat, 188P
- Sulpiride, effect of repeated administration on cerebral dopamine receptor supersensitivity, 229P
- -, effect on cerebral dopamine turnover, effect of hypophysectomy, 288P
- -, lack of inhibition of dopamine stimulation of striatal adenylate cyclase, lack of effect of absence of sodium ions, 287P
- [3H]-sulpiride, effect of cations on binding, 228P
- Superior collicus, rat differences in response to muscimol and 4,5,6,7-tetrahydroisoxazolo-(5,4,-C)-pyridin-3-
- Superior mesenteric artery, dog, contracted by prostaglandin $F_{2\alpha}$, production of dose-related relaxation by histamine, 111
- Surface potential responses, effects of piperazine, yaminobutyric acid and carbachol in rat sympathetic neurones, 445
- Surfactant, lung, method for study of secretion in rat, 981P Sympathetic ganglia, rats, effects of piperazine on neurones,
- Sympathetic nerve stimulation, modulation of bronchoconstrictor responses to histamine in pithed guinea-pigs,
- -, responses to, differential effects of dopamine receptor and \alpha_2-adrenoceptor agonists, 927P
- Sympathetic nerves, comparison of effect of azepexole and clonidine on preganglionic activity in the cat, 178P
- -, ligated postganglionic, effect of high extracellular glucose on the axonal transport of glycoprotein, protein and noradrenaline in the cat, 960P
- —, rabbit blood vessel, action of 4-aminopyridine on release from terminals, 177P
- -, rat vas deferens, method for estimation of negative feedback control of noradrenaline release from, 182P
- -, stimulation, blockade of responses of arterioles by prazosin in guinea-pig, 189P
- Synaptic vesicles, contribution of pH gradient to uptake, 872P
- Synaptosomal membranes, rat brain, ethanol-induced alterations in phospholipid methylation, 874P
- Synaptosomes, contribution of pH gradient to uptake, 872P

- , rat striatal, modification of tyrosine hydroxylase activity by presynaptic synaptosomes, 896P
- release of acetylcholine, control by presynaptic autoreceptors, in rat hippocampus, 220P
- Systemic haemodynamics, comparison of effects of prostacyclin and captopril in conscious dogs, 945P
- Syrosingopine, effect of pretreatment on effects of mianserin on blood pressure in rats, 143

T

- Taenia caecum, guinea-pig, effect of N,N,-dimethylformamide, 300P
- Taenia coli, guinea-pig, calcium antagonistic effects of cyproheptadine on contraction, membrane electrical events and calcium influex, 651
- -, guinea-pig, nucleotide pyrophosphatase antagonism of responses to adenosine 5'-triphosphate and nonadrenergic non-cholinergic inhibitory nerve stimulation, 319
- Tail immersion test, differential effects of dopamine antagonists on nomifensine hyperalgesia, 278P
- Temperature, changes following electrical stimulation of the midbrain raphe nuclei and intrahypothalamic injection of tryptamine in the rat, 216P
- —, effect of [3H]-mepyramine binding to histamine H₁receptors, 818P
- Testicular feminised mice, sleeping times and hepatic hexobarbitone hydroxylase activity, 97
- Testosterone effect on hexobarbitone-induced sleeping times of male, female and Tfm mice, 97
- Tetracaine, effect on adrenergic transmission in rabbit ileum and pulmonary artery and guinea-pig vas deferens, 365
- Tetraethylammonium, effect on membrane response to electrical stimulation of smooth muscle cells in guineapig basilar artery, 495
- -, effect on potassium ion-evoked secretory response in ouabain-treated cat adrenal glands, 673
- \triangle^{1} -Tetrahydrocannabinol, pharmacokinetics and metabolism in rabbits and mice, 771P
- Δ^9 -Tetrahydrocannabinol, effect of intrahypothalamic and intracerebroventricular injection on thermoregulation in restrained mice, 813P
- -, induction of hypothermia in rats, involvement of brain histamine and 5-hydroxytryptamine, 862P
- 4,5,6,7-Tetrahydroisoxazolo-(5-4-C)-pyridin-3-ol), responses of rat superior collicus, 815P
- Tetrodotoxin, abolition of contractile response of rat colon to morphine, 681
- -, abolition of excitatory junction potentials in smooth muscle membrane of guinea-pig basilar artery, 495
- -, effect on anthopleurin-B-induced rhythmic contractions of, and noradrenaline release from guinea-pig vas deferens, 23
- -, effect on electrically-induced excitatory contractions in isolated guinea-pig urinary bladder, 15
- —, effect on electromechanical effects of anthopleurin-A on rabbit isolated ventricular muscle preparation, 29
- -, effect on electrophysiological effects on sea anemone toxin ATX-II on rat innervated and denervated skeletal muscle, 61

- —, effect on outflow of tritium from rat vas deferens preloaded with [³H]-noradrenaline, 853P
- , effect on potassium ion-evoked secretory response in ouabain-treated cat adrenal glands, 673
- **Thalamus,** rat, effect of catechol on neurotransmitter uptake and release in slices, 715
- **Theophylline,** effect on effects of adenosine on carotid chemoreceptor activity in cats, 129
- —, effect on voltage-dependent response to 5 hydroxytryptamine in *Aplysia* neurones, 747
- , measurement of relaxant effects in guinea-pig contracted tracheal muscle in the presence and or absence of carbachol, 73
- —, plasma protein binding and distribution in blood, 876P
- **Thermogenesis,** diet-induced, modification of sympathetic mechanisms by ciclazindol and anorectic drugs, 539
- **Thermoregulation,** dissimilar effects of guanosine 3',5'-monophosphate, acetylcholine and bacterial endotoxin in the cat, 405
- —, effect of intrahypothalamic and intracerebroventricular injections of Δ^9 -tetrahydrocannabinol in restrained mice, 873P
- THIP see 4,5,6,7-Tetrahydroisoxazolo-(5,4,-C)-pyridin-3-ol, 815P
- **Thrombocytopenia,** collagen-induced, role of platelet arachidonate metabolites in mice, 915P
- **Thromboxane,** involvement of release in genesis of early arrhythmias in rats, 155
- , release following acute myocardial ischaemia, effect of aspirin, 205P
- **Thromboxane B₂**, effect on the acute response to *E. coli* endotoxin in anaesthetized cats, 792P
- , presence in human gastrointestinal tissues and its actions on muscle layers, 435
- tions on muscle layers, 435
 effect of imidazole compounds on biosynthesis in human blood mononuclear cells, 469
- **Thromboxane receptor,** effect on arichidonic acid responses in the rabbit, guinea-pig and sheep, 790P
- **Thromboxane synthetase,** inhibition by 1-n-benzylimidazole *in vivo*, 791P
- **Thymopoetin,** effect on shape of blood platelets of rabbit, 533
- **Thyroid,** neonatal deficiency, effect on neuronal development in discrete areas of rat brain, 763P
- **Thyroidectomy**, effect on sensitivity of the rat saphenous artery to phenylephrine, 811P
- **Thyrotropin-releasing hormone,** induction of behavioural activity, inhibition by histidyl-proline diketopiperazine, 291P
- , induction of hyperthermia, correlation between potentiation and α-adrenergic effect of antidepressants, 81
- , stimulation of phosphatidylinositol metabolism in GH₃ pituitary tumour cells, 967P
- **Thyrotropin-releasing hormone analogues,** effect on catecholamine metabolism and release in rat nucleus accumbens, *in vivo*, 871P
- -, locomotor stimulant actions, 868P
- , stimulation of in vitro release of endogenous dopamine from rat brain regions, 227P
- **Tissue bath experiments,** collection and analysis of data with micro-computer system, 988P
- **Tissue reactivity,** effect of chronic (±)propranolol treatment in spontaneously hypertensive rats, 187P

- **Tissues**, rat, action of propranolol on factors concerned with the delivery of oxygen to, 643
- α-Tochopherol, protective effect on vascular hypoxia, 941P Tolerance, to morphine, effect on sensitivity of isolated rat colon to contractile effects of morphine and 5-hydroxytryptamine, 681
- **TR4979**, selective ' ψ '-prostanoid receptor agonist in the airways, 795P
- —, selectivity for ' ψ ' prostanoid receptors, 912P
- **Trachea**, guinea-pig, measurement of relaxation by isoprenaline and theophylline in the presence and absence of carbachol, 73
- -- , relaxant effects of prostanoids are dependent on their contractile effects, 911P
- , swine isolated, regulatory mechanisms in histamineinduced tone in smooth muscle, 796P
- **Tracheal rings,** guinea-pig, extraneuronal O-methylation of [³H]-(±)-isoprenaline *in vitro*, 854P
- **Tremorine,** induction of rigidity in rats, effect of basal ganglia lesions, 910P
- **Triazolam**, effect on spatial delayed alternation behaviour in *Macaca mulatta*, 768P
- **Triazolo-1,4-benzodiazepines**, effect on spatial delayed alternation behaviour in *Macaca mulatta*, 768P
- Trigeminal nucleus caudalis, rat, iontophoresis of peptide neurotransmitter candidates, lack of correlation of effect with sensory responses of neurones, 819P
- **Triglycyl-oxytocin,** investigation as a hormonogen in conscious dog, 810P
- **3,5,5-Trimethylcylohexanol**, effects on cholesterogenesis, bile flow and biliary lipid secretion in the rat, 241P
 - -, studies in cholesterol-fed rabbit, 242P
- **Tritium,** effect of amiloride on release from rat vas deferens preloaded with [³H]-noradrenaline, 123
- **Tryptamine,** effect of intrahypothalamic injection on core temperature in rats, 216P
- -, in vivo and in vitro effects in hypothalamus, 889P
- , induction of myoclonus, involvement of pre- and postsynaptic indoleamine mechanisms in guinea-pig, 286P
- **Tryptophan**, decline in rat brain after induction of liver tryptophan pyrrolase by hydrocortisone, 695
- , rat brain and liver metabolism, naloxone reversal of chronic effect of morphine, 211P, 511
- , rat liver and brain metabolism, reversal of the effects of chronic administration of drugs of dependence by naloxone, 489
- , role of catabolism in mechanism of decline in rat brain
 5-hydroxytryptamine after induction of liver tryptophan pyrrolase by hydrocortisone, 695
- **Tryptophan pyrrolase,** effect of naloxone on morphine-induced activity in rat liver, 511
- , rat liver, induction by hydrocortisone, reduction of brain tryptophan and 5-hydroxytryptamine, 695
- **Tryptophan stores**, depletion by high activity of rat liver tryptophan pyrrolase, 695
- **Tubocurarine**, effect on voltage-dependent response to 5-hydroxytryptamine in *Aplysia* neurones, 747
- **Tumours,** mouse colon, effect of nandrolene decanoate on the toxicity and anti-tumour effect of 1-(2chloroethyl)-3 cyclohexyl-1-nitrosourea and 5 flourouracil, 295P
- **Twitch responses,** increase after application of sea anemone toxin ATX-II to rat hemidiaphragm, 61

- -, to single pulse stimulation, comparison of effects of methoxyverapamil, verapamil and nifedipine in the rat bisected vas deferens, 952P
- p-Tyramine, effect of acute amphetamine administration on urinary excretion in monkeys, 571
- Tyrosine hydroxylase, modification of activity by presynaptic dopamine receptors in rat striatal synaptosomes, 896P

U

U-46619, effect on human muscle layers, 435

- -, effect on inhibitory effect of papaverine in rat mesenteric blood vessels, 477
- -, effect on responses to calcium depressed by indomethacin and 5,8,11,14-eicosatetraenoic acid in rat mesenteric blood vessels, 477
- UK 37248, effect on thromboxane B₂ and prostaglandin E₂ production and mitogen-stimulated lymphocyte transformation in human blood mononuclear cells, 469
- Ulcers, gastric, effect of benzodiazepines on formation in stressed rats, 593
- Uraemia, defective plasma protein binding in uraemia, extraction of binding inhibitors from normal urine,

Urethane, amino acid antagonist properties, 908P

- -, attenuation of pressor responses produced by aadrenoceptor agonists and other vasoconstrictor agents in pithed rats, 826P
- Urethra, guinea-pig, electrical and mechanical activity, 353 Urinary bladder, guinea-pig isolated, effect of drugs on electrically-induced excitatory contractions, 15
- Urinary tract, guinea-pig, electrical and mechanical activity, 353
- Urine, excretion of biogenic amines and metabolites in monkeys, effect of acute amphetamine administration,
- -, extraction of binding inhibitors: defective plasma protein binding in uraemia, 956P
- Uterus, depolarized, calcium-free mouse, effect of cortisol on response to calcium in different stage of the oestrous cycle, 304P
- —, inhibition of responses to oestragen in the ovariectomized rat, 240P
- -, rat, dilatation of arterioles by activating β_1 adrenoceptors by noradrenaline, 941P
- -, rat, effect of animal maturity on histamine receptor activity, 306P
- -, rat, effect of dexamethasone on contractility, in vitro, 986P

- Vanilmandelic acid, effect of acute amphetamine administration on urinary excretion in monkeys, 571
- Vas deferens, contractions, effect of verapamil and nifedipine in relation to their local anaesthetic activity, 296P
- —, guinea-pig, effect of (-)-, (\pm)-, (+)-propranolol,

- atenolol, guanethidine, bretylium and tetracaine on adrenergic transmission, 365
- -, guinea-pig, excitatory effect of Anthopleurin-B from sea anemone, 23
- -, inhibition of contractions by adenosine, effects of 4aminopyridine and quinidine, 296P
- isolated, effects of adenine dinucleotide, 951P
- -, mouse, difference in inhibitory potency of opioids in epididymal and prostatic halves, 852P
- -, rat, feedback regulation of the release of the nonadrenergic transmitter, 183
- -, rat, method for estimation of the negative feedback control of noradrenaline release from sympathetic nerves, 182P
- -, rat, pre- and postsynaptic α-adrenoceptor blocking activity of raubasine, 739
- —, rat bisected, effects of methoxyverapamil, verapamil and nifedipine on twitch responses to single pulse stimulation, 952P
- -, rat isolated, effect of cadmium ions on noradrenaline output and dopamine-\beta-hydroxylase activity, 261P
- -, rat isolated and transversely bisected, used for determining the potency of antagonists at both α_1 - and α2-adrenoceptors, 256P
- Vascular permeability, C5a-induced, dependence on lipoxygenase products, 921P
- effect of platelet activating factor on rabbit skin, 916P
- -, mediation of responses to zymosan by complement fragment C5a in the peritoneal cavity of the rabbit, 787P
- Vascular reactivity, in experimentally diabetic rat and the effect of treatment with sulphonylureas, 188P
- Vascular responsiveness, effect of propranolol in normotensive and hypertensive rats, 932P
- Vasculature, rabbit, location for α₂-adrenoceptors, 846P
- Vasoconstriction, in rat mesenteric blood vessels, evidence against involvement of prostaglandin synthesis in actions of calcium ions, 477
- -, mediation by histamine receptors in gastric vasculature of the rabbit, 205P
- Vasoconstrictor agents, pressor responses to, attenuation by urethane in pithed rats, 817P
- Vasodilation, mediation by histamine receptors in gastric vasculature of the rabbit, 205P
- Vasodilator agents, effects on smooth muscle cells of the coronary artery of the pig, 455
- Vasopressin, a central cholinergic link in neural control of the release of, 239P
- Vasopressor responses, to physostigmine in anaesthetized rats, effect of clonidine, 929P
- Veins, blood pressure, effect of orally administered propranolol in rats, 635
- Vena cava, porcine, involvement of cyclic adenosine 3',5'monophosphate in 5-hydroxytryptamine-induced relaxation, 800P
- Ventricles, rat, reduction by nifedipine, nisoldipine and niludipine of arrythmias induced by coronary artery ligation in rats, 12
- Ventricular arrythmias, effect of orally-administered nifedipine, nisoldipine and niludipine in rats, 12
- —, effect of prostaglandins E_2 , $F_{2\alpha}$, prostacyclin, flurbiprofen and aspirin in rats after coronary artery ligations, 155

 , in relation to effect of aspirin on the release of thromboxane after acute myocardial ischaemia, 205P

Ventricular dysrhythmias, early post infarction, role of β -adrenoceptor blocking drugs, 195P

Ventricular fibrillation, effects of antiarrhythmic drugs in rat isolated heart, 195P

, resulting from acute myocardial ischaemia, suppression by nifedipine, niludipine and nisoldipine, 830P

Ventricular fibrillation thresholds, effects of extracellular calcium concentrations and of verapamil in rat isolated heart, 193P

—, effects of ORG 6001 and mexilitine in anaesthetized rats, 381

Ventricular muscle, rabbit, electromechanical effects of anthopleurin-A, 29

Ventricular strips, frog heart, differential effects of ouabain and 2,4-dinitrophenol on contractile tension of and sodium and calcium efflux from, 341

Ventricular systolic pressure, effect of ORG 6001 and mexilitine in anaesthetized rats, 381

Verapamil, antagonism of α-adrenoceptor mediated contractions in isolated saphenous vein of the dog, 942P

 , effect on anthopleurin-B-induced rhythmic contractions of, and noradrenaline release from guinea-pig vas deferens, 23

-, effect on calcium-current of Helix neurones, 87

 , effect on calcium dependence of ventricular fibrillation thresholds in the rat isolated heart, 193P

 , effect on contractions of vas deferens in relation to its local anaesthetic activity, 296P

 , effect on electromechanical effects of anthopleurin-A on rabbit isolated ventricular muscle preparation, 29

—, effect on isolated arterial smooth muscle, 832P

—, effect on kainate-induced stimulation of guanosine 3',5'-cyclic monophosphate in rat cerebellar slices, 723

 , effect on pressor responses mediated by stimulation of α₁-,α₂-adrenoceptors, angiotensin II and 5hydroxytryptamine receptors in pithed rats, 839P

 , effect on the alternation of the ST-T complex and associated conduction abnormalities during coronary occlusion in dogs, 371

 , effect on twitch responses to single pulse stimulation in the rat bisected vas deferens, 952P

Veratridine, induction of contraction in guinea-pig taenia coli, effect of cyproheptadine, 651

Viloxazine, minimal dose to potentiate thryotropin releasing hormone-induced hyperthermia, test for screening anti-depressant drugs which activate α-adrenoceptor systems, 81

Voltammetric responses, to dopamine and 5-hydroxytryptamine releasers in relation to behavioural responses, 908P

W

WB 4101, assessment of α-adrenoceptor selectivity, 262P Withdrawal symptoms, naloxone precipitated in rats chronically treated with small concentrations of morphine in drinking water, 282P

X

 X537A, effect on catecholamine secretory response evoked by calcium ion reintroduction in cat adrenal glands, 665
 Xanthines, adenosine-receptor antagonism and bronchodilator activity, 783P

Xenon ion clearance technique, measurement of blood flow changes in rat skin grafts, 964P

Y

Y-maze, effect of caffeine and chlodesmethyldiazepam, together and separately, in mice, 822P

Yohimbine, effect on clonidine-evoked contractions in rabbit pulmonary arteries, 709

 , interaction with cardiovascular effects of clonidine in conscious spontaneously hypertensive rats, 933P

 —, pre- and postsynaptic α-adrenoceptor blocking activity in rat vas deferens, 739

[³H]-yohimbine, binding to α-adrenoceptors on intact human platelets, 802P

Yohimbine diastereoisomers, selectivity for α_1 and α_2 -adrenoceptors in anaesthetized dog, 186P

Z

Zymosan, effect on vascular permeability, mediation by the complement fragment C5a in the peritoneal cavity of the rabbit, 787P