

C O M M U N I C A T I O N S

- | | | | |
|----|---|-----|--|
| 1P | BARRETT, K.E., ENNIS, M. & PEARCE, F.L. Mast cells from guinea-pig lung: isolation and properties | 10P | LIDBURY, P., STEEL, G. & WHITTLE, B.J.R. Potentiation of taurocholate induced gastric damage by parenteral administration of cyclo-oxygenase inhibitors |
| 2P | CLAY, T.P. & FENSKE, D.C. The effect of arachidonic acid and non-steroidal anti-inflammatory agents on intrapulmonary airways in the guinea-pig | 11P | SHIRLEY, A.J., COLLIN, J. & JOHNSTON, I.D.A. The effects of indomethacin and ricinoleic acid on small intestinal absorption and myoelectrical activity |
| 3P | BLAIR, I.A., DOLLERY, C.T., HOULT, J.R.S., PEERS, S.H., ROBINSON, C. & WADDELL, K.A. Paradoxical metabolism of thromboxane B ₂ in perfused guinea-pig lung | 12P | DONG, Y.J. & JONES, R.L. Action of the carbacyclin ZK 36374 and other prostanooids on iris sphincter muscle |
| 4P | BAKHLE, Y.S., LEWIS, G.P. & WATTS, I.S. Effects of streptozotocin-induced diabetes on the metabolism of arachidonic acid in rat isolated lung | 13P | BRASWELL, L.M. & MILLER, K.W. A binding site for pento-barbitone on cholinergic membranes from <i>Torpedo californica</i> |
| 5P | LETTS, L.G., PALMER, M.A. & PIPER, P.J. The fate of leukotrienes C ₄ and D ₄ in the pulmonary and coronary circulations in vitro | 14P | BUNCE, K.T., SPRAGGS, C.F. & STABLES, R. The effect of sodium deoxycholate on the ascending and descending colon of the rabbit |
| 6P | BERRY, C.N., HELLEWELL, P.G. & HOULT, J.R.S. Levels of plasma prostaglandin 'reciprocal coupling factor' in human and experimental animal disease states | 15P | MOURA, ANNE MARIE & WORCEL, M. Acute effects of aldosterone and aldosterone antagonists on arterial smooth muscle permeability: ionic fluxes ex vivo |
| 7P | BERRY, C.N., HOULT, J.R.S., JEFFERY, J., MAK, O.T. & PEERS, S.H. Activation and inhibition of prostaglandin 15-hydroxydehydrogenase by plasma and sulphasalazine-like drugs | 16P | IRELAND, S.J., STRAUGHAN, D.W. & TYERS, M.B. Antagonism by metoclopramide and quipazine of 5-hydroxytryptamine-induced depolarisations of the rat isolated vagus nerve |
| 8P | LEWIS, P.J., ORCHARD, M.A. & RITTER, J.M. Plasma inhibits and serum stimulates prostacyclin (PGI ₂) synthesis by rat aortic rings | 17P | DUNN, P.M. β -adrenoceptor-mediated responses of rat superior cervical ganglia in vitro |
| 9P | HAYLOR, J. Vasodilation, the major vascular response to PGE ₂ in the rat kidney | | |

The author who intended to present the work is indicated by an asterisk () on the abstract*

- 18P BROWN, D.A. & MEDGETT, I.C. Functional role of presynaptic α - and β -adrenoceptors in rat isolated superior cervical ganglion?
- 19P DAWSON, C. & NEAL, M.J. Evidence for muscarinic autoreceptors on cholinergic neurones in the rabbit retina
- 20P WATLING, K.J. & WILLIAMS, M. Effect of putative dopamine autoreceptor agonists 3-PPP and TL-99 on postsynaptic dopamine-sensitive adenylate cyclase in carp retina
- 21P BRYAN, LESLEY J., FLEIG, H. & TRENDELENBURG, U. A comparative study of the catechol-O-methyl transferase inhibitors, U-0521 and tropolone acetamide, in rat heart
- 22P COLE, J.J., O'DONNELL, S.R. & WANSTALL, J.C. β -adrenoceptors and extraneuronal uptake in cat trachea
- 23P WOOD, M.D. & WYLLIE, M.G. Is there a direct link between Na K ATPase activity and noradrenaline re-uptake?
- 24P HAY, D.W.P. & WADSWORTH, R.M. The effects of nifedipine and verapamil on KCl-stimulated Ca^{2+} fluxes in the rat vas deferens
- 25P SPEDDING, M. Comparison of " Ca^{++} -antagonists" and tri-fluoperazine in skinned smooth muscle fibres
- 26P CORBETT, A.D., KOSTERLITZ, H.W. & MCKNIGHT, A.T. Inhibition of the breakdown of exogenous and endogenous enkephalins
- 27P BUCKINGHAM, JULIA C. A comparison of the effects of morphine and opioid peptides on the secretion in vitro of corticotrophin releasing factor
- 28P DAVIDSON, J.T., SNIR-MOR, I. & WEINSTOCK, M. Physostigmine as an antagonist of morphine in the human subject
- 29P HENDERSON, G., ROBINSON, D.S. & SIM, J.A. Antagonist actions of morphine on the rat vas deferens
- 30P CALCUTT, C.R., JACKSON, B. & ROBERTS, F. Some central effects of L-histidine in the rat
- 31P REDGRAVE, P., TAHA, E.B. & DEAN, P. Oral behaviour induced by intranigral muscimol: unaffected by haloperidol but abolished by lesions of superior colliculus
- 32P CAMPBELL, I.C. & DURCAN, M.J. Genetic variation in response of central adrenoceptors to stress
- 33P GREEN, A.R., HEAL, D.J., LISTER, SUE & MOLYNEUX, S. The effect of acute and repeated desmethyl-imipramine administration on clonidine-induced hypoactivity in rats
- 34P BRILEY, M., LANGER, S.Z., RAISMAN, R. & SETTE, M. High-affinity (^3H)-desipramine binding labels a modulatory unit of the neuronal uptake complex for noradrenaline
- 35P LIGHTON, C., MARSDEN, C.A. & MASON, R. Differential effects of chronic imipramine on 5-HT levels in the suprachiasmatic nucleus, raphe, hippocampus and cortex of the rat
- 36P BRADSHAW, C.M., STOKER, M.J. & SZABADI, E. Does 5-hydroxy-tryptamine excite cortical neurones by an action at α -adrenoceptors?

- 37P COSTALL, BRENDA, DOMENEY, ANNETTE M. & NAYLOR, R.J. Chronic intra-accumbens dopamine: behavioural consequences of continuous infusion or single daily injections
- 38P MUSTAFA, A.A., SHARMA, R.P. & WOODRUFF, G.N. Dopamine receptor blocking properties of N-chloroethylaporphine derivatives
- 39P FREEDMAN, S.B., TEMPLETON, WILMA W. & WOODRUFF, G.N. Importance of sulphhydryl groups in the binding of dopaminergic agonists and antagonists
- 40P HALL, M.D., JENNER, P. & MARSDEN, C.D. Comparison of in vivo binding of (³H)-ET 495, (³H)-S 3608 and (³H)-N,n-propylnorapomorphine in the rat
- 41P LIGHTMAN, S.L. & NINKOVIC, M. Dopamine receptors in the pars intermedia of the pituitary gland
- 42P DOBLE, A., IVERSEN, L.L. & MARTIN, I.L. The benzodiazepine binding site: one receptor or two?
- 43P BROWN, CHLOË L. & JOHNSON, A.M. Ethyl β -carboline-3-carboxylate reverses the effect of benzodiazepines in a test for detecting anxiolytic activity
- 44P COWEN, P.J. & NUTT, D.J. Repeated electroconvulsive shock enhances the anticonvulsant effect of benzodiazepines
- 45P COLLINGE, J., PYCOCK, C.J. & TABERNER, P.V. GABA and diazepam-induced reduction of cerebral 5-hydroxytryptamine turnover
- 46P BOLAM, J.P., FREUND, T.F., HAMMOND, D.J., SMITH, A.D. & SOMOGYI, P. Morphological characterization of (³H)GABA accumulating neurons in the rat neostriatum by Golgi-staining and electron microscopy
- 47P BOWERY, N.G., HILL, D.R., HUDSON, A.L., PERKINS, M.N. & STONE, T.W. GABA receptor binding in physiological salt solution
- 48P AHLQUIST, J., BROWN, M.W. & ROSE, D. The effects of amnesia-producing drugs on hippocampal potentiation in the rat
- 49P BERRIDGE, T., GADIE, B., ROACH, A.G. & TULLOCH, I.F. α_2 -agonist-induced mydriasis in the rat: an effect mediated by α_2 -adrenoceptors in the CNS?
- 50P GARDNER, C.R. & PIPER, D.C. Effects of adrenoceptor modulation on drinking conflict in rats
- 51P COLLINS, G.G.S. & MOTLEY, S.J. Evidence for regulation of amino acid-mediated transmission in rat olfactory cortex slices by endogenously released adenosine
- 52P ANIS, N.A., BURTON, N.R. & LODGE, D. Ketamine antagonises N-methyl-aspartate and synaptic excitation of spinal neurones
- 53P ALLEN, K.E., CLARK, E.R. & ZOLTOWSKI, J.A. A comparison of the effects of two isomeric Gn-RF analogues on DMBA tumours in rats
- 54P CLOW, A., MURRAY, R.M., SANDLER, M. & STOLERMAN, I.P. Intra-ventricular tetrahydropapaveroline increases alcohol consumption in rats
- 55P MORLEY, J., PAGE, C.P. & PAUL, W. The effect of heparin on platelet aggregation in vivo
- 56P BRECKENRIDGE, A.M., GRABOWSKI, P.S., MAGGS, J.L. & PARK, B.K. Fate of (¹⁴C)-captopril covalently bound to plasma proteins in the rat

- 57P BACK, D.J., BRECKENRIDGE, A.M., ORME, M.L.'E., PURBA, H.S. & STAIGER, C. Effect of the antimalarials chloroquine and primaquine on drug metabolism in the rat
- 58P HALL, S.D. & ROWLAND, M. Renal excretion of digitoxin in a rat isolated perfused kidney preparation: the influence of protein binding
- 59P RHODES, J.C. & HOUSTON, J.B. Effect of various inhibitors on antipyrine metabolite kinetics in rat in vivo
- 60P BENNETT, P.N., NOTARIANNI, L.J., OLDHAM, H.G., PARFITT, R.T. & SOUTHGATE, C.C.B. Metabolic intermediates of paracetamol which may explain its mechanism of toxicity
- 61P BUTTERWORTH, K.R., EVANS, J.G., HARGREAVES, R.J. & PELLING, D. Protection against paracetamol-induced hepatotoxicity by ascorbate in mice
- 62P WHITBY, H. & GESCHER, A. The application of the $^{14}\text{CO}_2$ breath analysis in studies of the disposition of N-(^{14}C)methyl labelled xenobiotics in mice
- 63P ROSS, D., FARMER, P.B., GESCHER, A., HICKMAN, J.A. & THREADGILL, M.D. The metabolism of monuron (N-(4-chlorophenyl)-N', N'-dimethylurea) in mice
- 64P JONDORF, W.R., WYSS, P.A., MÜHLEBACH, S. & BICKEL, M.H. Enhanced excretion of 2,4,5,2', 4',5'-hexachlorobiphenyl by rats on restricted food intake
- 65P TAYLOR, I.W., IOANNIDES, C., SACRA, P., TURNER, J.C. & PARKE, D.V. Effect of deuteration on the pharmacokinetics of imipramine
- 66P LENNARD, M.S., TUCKER, G.T. & WOODS, H.F. Time-dependent kinetics of lignocaine in the isolated perfused rat liver
- 67P GRIMMER, A.J., LEATHARD, HELEN L., PEATFIELD, R.C. & ROSE, F.C. The effects of mefenamic acid on tone and evoked responses in human isolated cerebral arteries
- 68P FAN, T-P.D. & LEWIS, G.P. Changes in blood flow and histamine content of rat skin grafts
- 69P ALLOTT, C.P., GREENWOOD, D.T. & MARSHALL, P.W. The involvement of central β -adrenoceptors in blood pressure control in the rat
- 70P BENNETT, T. & GARDINER, S.M. Cardiovascular control in adrenalectomized rats
- 71P CLOUGH, D.P. & MILMER, K.E. Changes in cardiovascular reactivity during the development of adrenal regeneration hypertension in rats
- 72P TIMMERMANS, P.B.M.W.M., WILFFERT, B. & VAN ZWIETEN, P.A. Extrasynaptic location of vascular α_2 - and β_2 -adrenoceptors in the normotensive rat
- 73P DUVAL, N., LANGER, S.Z. & SHEPPERSON, N.B. Dopamine stimulates postsynaptic α_2 -adrenoceptors in the mesenteric bed of the dog
- 74P THOOLEN, M.J.M.C., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Continuous infusion of guanfacine and clonidine and precipitation of their withdrawal syndromes in the rat

- 75P HERZIG, J.W. & ENGEL, G.
Intrinsic sympathomimetic
activity (ISA) of β -adrenoceptor
blocking agents: a myofibrillar
phenomenon?
- 76P CHIANG, C.S. & HAWKSWORTH, G.M.
Effects of hydralazine and its
hydrazones on the rat aortic
strip
- 77P WARBURTON, G. & WESTON, A.H.
Comparison of the action of
hydralazine and D600 on the
mammalian heart

- 78P HEDLER, L., MAJEWSKI, H.,
STARKE, K. & STEPPELER, A.
Noradrenaline metabolism in
the rabbit perfused heart
- 79P COLLIS, M.G. & PETTINGER, S.J.
Can ATP activate P1 purine
receptors in the guinea-pig
atrium?

P O S T E R C O M M U N I C A T I O N S

- 80P COSTALL, BRENDA, NAYLOR, R.J.
& NOHRIA, V. Investigations
into the motor inhibitory
properties of apomorphine and
5HT using an intracerebral
injection technique in the mouse
- 81P JENNER, P., LUSCOMBE, G. &
MARSDEN, C.D. The biochemistry
of indoleamine-induced myoclonus
in guinea-pigs
- 82P JENNER, P., MARSDEN, C.D. &
THEODOROU, A. Cation dependency
of (3 H)-sulpiride binding is due
to alteration in the number of
striatal binding sites
- 83P FLEMINGER, S., JENNER, P. &
MARSDEN, C.D. Differentiation
of the binding of (3 H)-piflutixol
to D-1 and D-2 receptors using
sulpiride
- 84P JENNER, P., MARSDEN, C.D. &
TAYLOR, R.J. Kainic acid-induced
circling is mediated via the
angular complex and rostral
superior colliculus
- 85P JENNER, P., LEIGH, N., MARSDEN,
C.D., MUSCATT, S. & REAVILL, C.
Modulation of GABA function in
the angular complex mimics
dopamine-mediated circling
behaviour

- 86P BOWERY, N.G., HILL, D.R. &
HUDSON, A.L. Guanyl nucleo-
tides decrease the binding
affinity of GABA_B but not
GABA_A receptors in the
mammalian CNS
- 87P COWEN, P.J., LITTLE, H.J.
& NUTT, D.J. Functional
interactions of benzodiazepine
antagonists
- 88P HORTON, R.W. & PRESTWICH, S.A.
GABA and benzodiazepine
binding in mice susceptible
and resistant to audiogenic
seizures (AS)
- 89P BOWDLER, JULIE M. & GREEN,
A.R. Regional rat brain GABA
concentrations following
repeated seizures
- 90P EVANS, G., GRAHAME-SMITH, D.G.
& STEINER, J.A. Effect of
repeated electroconvulsive
shocks on growth hormone
secretion and growth hormone
responses to clonidine in
intact rats
- 91P ARNSTEIN, M.J.A., BOWERY, N.G.,
HARRISON, H.E. & TURNBULL, M.J.
Effect of GABA-ergic drugs on
plasma growth hormone levels
in the rat

- 92P HAWS, C.M., TURNBULL, M.J. & WOODRUFF, G.N. Failure of MPF to interact with the dopamine system in rodent brain
- 93P BEVAN, P. The binding of (³H)-oxotremorine-M to membranes prepared from rat brain
- 94P LLOYD, H.G.E. & STONE, T.W. The uptake and calcium-dependent release of ethylenediamine in rat brain slices
- 95P MORGAN, P.F., PERKINS, M.N. & STONE, T.W. Ethylenediamine potentiates in vitro (³H)-diazepam binding to rat cerebral cortex
- 96P FOX, J., PERKINS, M.N., STONE, T.W. & WYLLIE, M.G. Iontophoretic studies with meptazinol in the rat CNS
- 97P BUCKETT, W.R. & THOMAS, P.C. The antidepressant dothiepin reduces cortical β -adrenoceptor binding after subchronic oral administration to rats
- 98P CAMPBELL, I.C., MCKERNAN, R., SMOKCUM, R.W.J., STEPHENSON, J.D. & WEERAMANTHRI, T.B. Effects of some antidepressants on β -adrenoceptor binding and on noradrenaline-stimulated adenylate cyclase in rat forebrain
- 99P BLACKBURN, T.P. & HEAPY, C.G. (-)-propranolol is not an antagonist of 5-HT in vivo
- 100P CAMPBELL, I.C. & MCKERNAN, R.M. Central and peripheral changes in α -adrenoceptors in the rat after chronic tricyclic antidepressants
- 101P MEREDITH, P.A. & PETTY, M.A. Lead exposure and its effect on catecholamine metabolism in discrete brain nuclei
- 102P HUOT, S., PALFREYMAN, M.G. & WAGNER, J. Monoamine metabolites in CSF and their relationship to brain concentrations
- 103P ALLMAN, S.A., CAMPBELL, W. & NEEDHAM, P.L. Evidence that D145 is limbic specific
- 104P SNOWDEN, H.N., ALPERT, J.E., ZAJICEK, J.P., VAN DER KOOY, D. & IVERSEN, S.D. Role of mesolimbic dopamine in morphine reinforcement
- 105P BUXTON, D.A., PRIESTLEY, T., SHAW, J.S. & TURNBULL, M.J. Failure of the enkephalinase inhibitor thiorphan to produce the narcotic cue
- 106P ANNETT, L.E. & RIDLEY, R.M. Behaviour after intra-accumbens and caudate amphetamine in a primate species
- 107P CONNELLY, M.S. & LITTLETON, J.M. The stereoisomers of nicotine show similarities in their effects on rat brain in vitro and on rat behaviour
- 108P PATEL, H.D.L. & TURNBULL, J.M. The effects of trazodone on the electrically stimulated rat brain slices preloaded with (³H) dopamine
- 109P BACK, D.J., PURBA, H.S. & STAIGER, C. Dapsone inhibits drug metabolism in the rat
- 110P BOWMER, C.J., HALL, SUSAN T. & YATES, M.S. The effect of acute renal failure on the pharmacokinetics of bromosulphophthalein in the rat
- 111P CHART, ELIZABETH M., FLETCHER, A. & WYLLIE, M.G. The underlying mechanism of citalazindol-induced weight loss in rats
- 112P IVERSEN, L.L., LEE, C.M., SANDBERG, B.E.B. & WATSON, S.P. Differing rank orders of potency of substance P analogues suggest the existence of multiple receptor sub-types

- 113P HAWCOCK, A.B., HAYES, A.G. & TYERS, M.B. Agonist properties of (D-Pro², D-Phe⁷, D-Trp⁹) substance P in vitro: evidence for more than one type of substance P receptor
- 114P BAILEY, S.J., GATER, P.R. & JORDAN, C.C. Differences in sensitivity to substance P and analogues of outer and inner muscle layers from rat colon and guinea-pig ileum
- 115P SHERIDAN, R.D. A relatively inexpensive combined stimulus isolation/constant current device
- 116P JEPSSON, A.-B., JOHANSSON, U. & WALDECK, B. Actions of and interactions between methyl-xanthenes and β -adrenoceptor agonists on skeletal muscle contractions
- 117P GERAGHTY, D., GILNA, P. & MARTIN, F. Effect of oestriol and oestradiol-17 β on prolactin secretion in the ovariectomized rat
- 118P DOXEY, J.C., EVERITT, J.E., FRANK, W. & MACKENZIE, J.E. A comparison of the effects of buprenorphine and morphine on the blood gases of conscious rats
- 119P BATES, R.F.L., BUCKLEY, G.A., EGLEN, R.M. & STRETTLE, R.J. Desensitization to calcitonin induced analgesia by withdrawal of chronic calcitonin treatment
- 120P MILLER, L. & SHAW, J.S. Enkephalinase in the guinea-pig ileum
- 121P KOSTERLITZ, H.W., MAGNAN, J. & PATERSON, S.J. The interaction of endogenous opioid peptides with the μ -, δ - and κ -binding sites in the guinea-pig
- 122P CLARKE, G. & MERRICK, LYNDA Osmotically evoked activity of vasopressin neurones can be inhibited by opiates
- 123P THOMAS, M.E., CLARE, KATHERINE A. & SCRUTTON, M.C. Further evidence for V₁ vasopressin receptors on human platelets
- 124P KERRY, R. & SCRUTTON, M.C. Interaction of RX 781094, a new selective α_2 -adrenoceptor antagonist, with human blood platelets
- 125P NUNN, BARBARA Mouse platelets are unresponsive to platelet activating factor in vitro and in vivo
- 126P ALI, A.T.M.M., MORLEY, J. & RUMJANEK, VIVIAN M. Inhibition of lymphocyte accumulation by cyclosporin-A
- 127P WRIGHT, D.J.M. Opiate induced reduction of peripheral white blood cell and platelet counts in mice
- 128P PACIOREK, P.M. & TODD, M.H. A comparison of the cardiovascular effects of meptazinol and naloxone following endotoxic shock in anaesthetized rats
- 129P LECK, J.B., NEWBY, S. & PARK, B.K. Pharmacological response to vitamin K₁ in anticoagulated rabbits
- 130P DALITH, M., SHOHAMI, E. & WEINSTOCK, M. Increased respiratory stimulant and pressor response to oxotremorine in morphine-tolerant rabbits
- 131P HAMILTON, T.C. & NORTON, J. Inhibition of peripheral, but not central, angiotensin converting enzyme by captopril in the anaesthetized rat
- 132P LEWIS, V.C. & TODD, M.H. Evaluation of captopril and saralasin in conscious rats with plasma renin levels elevated by furosemide

- 133P CLOUGH, D.P., COLLIS, M.G., FAULKNER, KAREN L., HATTON, R., JENNINGS, HELEN & KEDDIE, J.R. Mechanism of the hypotensive action of captopril in spontaneously hypertensive and normotensive rats
- 134P DE JONGE, A., WILFFERT, B., KALKMAN, H.O., THOOLEN, M.J.M.C., VAN MEEL, J.C.A., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Effect of captopril on the regulation of noradrenaline release in the heart and vascular smooth muscle of the pithed rat
- 135P TIMMERMANS, P.B.M.W.M., WILFFERT, B., KALKMAN, H.O., THOOLEN, M.J.M.C., VAN MEEL, J.C.A., DE JONGE, A. & VAN ZWIETEN, P.A. Selective inhibition of α_2 -adrenoceptor mediated vasoconstriction in vivo by captopril and MK-421
- 136P KALKMAN, H.O., VAN GELDEREN, E.M., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Ergometrine predominantly stimulates post-synaptic α_2 -adrenoceptors in rat vasculature
- 137P VAN MEEL, J.C.A., WILFFERT, B., KALKMAN, H.O., THOOLEN, M.J.M.C., DE JONGE, A., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. α_2 -adrenergic pressor responses and corticosteroids in the pithed rat
- 138P MOTTRAM, D.R. Differential activity of clonidine and α -methyl noradrenaline on α_2 -adrenoceptors
- 139P BERRIDGE, T.L., DOXEY, J.C. & ROACH, A.G. Antagonism of clonidine-induced hypotension and bradycardia by RX 781094 and other α -adrenoceptor antagonists in the rat
- 140P BERRIDGE, T.L., DOXEY, J.C., ROACH, A.G. & STRACHAN, DIANE A. Comparison of the effects of RX 781094 and prazosin on the pressor responses to various α -adrenoceptor agonists
- 141P HANNAH, J.A.M., HAMILTON, C.A. & REID, J.L. Actions of cirazoline on α -adrenoceptors in the rabbit: in vivo and in vitro studies
- 142P FOZARD, J.R. The hypotensive effect of ketanserin in anaesthetized normotensive rats
- 143P CAVERO, I., LORRAIN, JANINE & SABATIER, JOSETTE Pergoglide decreases arterial pressure in pentobarbitone anaesthetized debuffed and conscious renal hypertensive dogs
- 144P BOARDMAN, LESLEY E., MORLEY, J. & SANJAR, S. Effect of theophylline on the pulmonary vascular response to mediators
- 145P DREW, G.M., GOWER, ALMA J., HILDITCH, A. & MARRIOTT, A.S. A pharmacological comparison of dopamine receptors in the cat heart and those mediating emesis in the dog
- 146P BROWN, R.A., O'CONNOR, S.E., SMITH, G.W. & VERITY, ANNE Dopamine receptors mediating vasodilation in the rabbit isolated perfused mesenteric vascular bed
- 147P FOSTER, R.W., WARBURTON, G.R. & WESTON, A.H. Computer assisted compartmental analysis of 45 calcium efflux from vascular smooth muscle
- 148P BOUDOT, J.P. & CAVERO, I. Diltiazem protects the rabbit heart against the mechanical dysfunction associated with the "calcium paradox" phenomenon

- 149P PATMORE, L. & WHITING, R.L. Calcium entry blocking properties of tanshinone II-A sulphonate, an active principal of the anti-anginal extract, Dan Shen
- 150P TOWART, R. A new method for investigating the isometric contractile responses of small blood vessels
- 151P BARNETT, D.B., CHEUNG, Y.-D. & NAHORSKI, S.R. Agonist interaction with α_2 -adrenoceptor binding sites on human platelet lysates: effects of Mg++ and temperature
- 152P HICKS, P.E. & WALDRON, C. Selective post-junctional supersensitivity to α_2 -adrenoceptor agonists after reserpine pretreatment in rats
- 153P CAVERO, I., LANGER, S.Z., LEFÈVRE-BORG, F. & SHEPPERSON, N. Cirazoline possesses α_2 -adrenoceptor blocking properties in addition to its α_1 -adrenoceptor agonist activity
- 154P LATTIMER, N., RHODES, K.F., WARD, T.J., WATERFALL, J.F. & WHITE, J.F. Selective α_2 -adrenoceptor antagonist activity of novel substituted benzoquinolizines
- 155P BAKER, SUSAN & MARSHALL, I. The release of (^3H)-noradrenaline from the mouse vas deferens by trains of 1-100 electrical pulses
- 156P COSTALL, BRENDA, GUNNING, S.J. & NAYLOR, R.J. On the sites of apomorphine's action to relax and contract circular smooth muscle from the body of guinea-pig stomach
- 157P BROWN, C.M. & COLLIS, M.G. Evidence for an Ra purine receptor in the guinea-pig trachealis muscle
- 158P CLENNETT, N.S., JACKSON, D.M. & RICHARDS, I.M. The effects of pentobarbitone sodium on the responses of guinea-pig trachea to acetylcholine and field stimulation
- 159P MUSCHOLL, E., RACKÉ, K., RITZEL, H. & TRAPP, B. Dopaminergic modulation of evoked vasopressin release from the isolated neurohypophysis and involvement of endogenous opioids
- 160P BUNCE, K.T. & SPRAGGS, C.F. The effects of prostaglandin E_1 and theophylline on intestinal secretion of fluid and electrolyte in the rat
- 161P PANAYI, G.S. & STAITE, N.D. Prostaglandin E_2 and indomethacin modify in vitro immunoglobulin production by human B-lymphocytes
- 162P MOBAROK, A.T.M. & MORLEY, J. Enhancement of PHA-stimulated lymphocyte activation by BW 755C
- 163P CAMP, R.D.R., FINCHAM, N.J., FORD-HUTCHINSON, A.W., MALLETT, A.I. & WOOLLARD, P.M. The production by human leucocytes of a trihydroxy-eicosatetraenoic acid with neutrophil aggregating and chemokinetic properties
- 164P BAMFORD, D.S., SEED, M.P. & WILLIAMS, K.I. Estimation of small quantities of prostacyclin using rabbit platelet rich plasma treated with papaverine
- 165P MONCADA, S., RADOMSKI, M. & VARGAS, J.R. The use of prostacyclin for the separation and washing of human platelets from plasma

166P DOE, SUSAN, MONCADA, S.,
VANE, J.R. & WHITTLE, B.J.R.
Actions of human platelets on
the duration of the anti-
aggregating activity of
prostacyclin

167P EMMS, H., LEWIS, G.P. &
WATTS, I.S. The role of
thromboxane A₂ (TxA₂) and ADP
in collagen-induced platelet
aggregation

168P CAMP, R.D.R., COUTTS, A.A.,
GREAVES, M.W., KAY, A.B. &
WALPORT, M.J. Responses of
human skin to intradermal
injection of leukotrienes
C₄, D₄ and B₄

169P BARR, R.M., BLACK, A.K.,
GILCHREST, B.A., GREAVES, M.W.,
HAWK, J.L.M., HENSBY, C.N.,
JAENICKE, K., PARRISH, J.A. &
SOTER, N. Increased concen-
trations of arachidonic acid,
prostaglandins and histamine
in human skin after UV-A
irradiation

D E M O N S T R A T I O N S

170P BUCKETT, W.R., FLETCHER, J.,
HOPCROFT, R.H. & THOMAS, P.C.
Automated apparatus for
behavioural testing of
typical and atypical anti-
depressants in mice

171P HUGHES, I.E. The use of a
micro-computer in the
teaching of pharmacology