INDEX TO VOLUME 77

AUTHOR INDEX

Δ

- ADCOCK, JOHN J. & GARLAND, LAWRENCE G. Modification of human airway smooth muscle reactivity by drugs that interfere with arachidonic acid metabolism, 570
- ADVENIER, C., BIDET, D., FLOCH-SAINT-AUBIN, A. & RENIER, A. Contribution of prostaglandins and thromboxanes to the adenosine and ATP-induced contraction of guinea-pig isolated trachea, 39
- AFARI, G., TENENHOUSE, A. & VACHON, C. The effects of theophylline and 4-(3-butoxy-4-methoxybenzyl)-imidazolidinone (Ro 20-1724) on protein secretion from rat parotid gland, 405
- AINSWORTH, GILLIAN, A., GARLAND, L.G. & PAYNE, A.N. Modulation of bronchoconstrictor responses to histamine in pithed guinea-pigs by sympathetic nerve stimulation, 249
- ALTURA, BURTON M. & TURLAPATY, PRASAD D.M.V. Withdrawal of magnesium enhances coronary arterial spasma produced by vasoactive agents, 649
- ANDERSSON, PER. Effects of inhibitors of anaphylactic mediators in two models of bronchial anaphylaxis in anaesthetized guinea-pigs, 301
- ANGERIO, ALLAN D., FITZPATRICK, THOMAS, M., KOT, PETER A., RAMWELL, PETER W., ROSE JOHN C. & SANTOIAN, EDWARD C. Effect of TMB-8 on the pulmonary vasoconstrictor action of prostaglandin $F_{2\alpha}$ and the thromboxane mimic, U46619, 55
- ARIYOSHI, YASUO & TAKEUCHI, HIROSHI. Structure-activity relationships of N-β-phenylpropionyl-L-tyrosine and its derivatives on the inhibition of an identifiable giant neurone of an African giant snail, 631
- ARONSTAM, ROBERT S. & CARRIER, GERALD O. Influence of N-ethylamaleimide on cholinoceptors and responses in longitudinal muscles from guinea-pig ileum, 89

В

- BADAWY, A.A.-B. & EVANS, M. Inhibition of rat liver tryptophan pyrrolase activity and elevation of brain tryptophan concetration by acute administration of small doses of antidepressants, 59
- BALLINGER, P.M., BROWN, B.S., GRIFFIN, M.M. & STEVEN, F.S. Evidence for carriage of silver by sulphadimidine: haemolysis of human erythrocytes, 141
- BALLINGER, P.M., GRIFFIN, M.M., ITZHAKI, S. & STEVENS, F.S. Evidence for the carriage of silver by sulphadimidine: inhibition of proteolytic enzymes, 147

- BARANY, E., BERRIE, C.P., BIRDSALL, N.J.M., BURGEN, A.S.V. & HULME, E.C. The binding properties of the muscarinic receptors of the cynomolgus monkey ciliary body and the response to the induction of agonist subsensitivity, 731
- BARBER, H.E., KITTERINGHAM, N.R. & PETRIE, J.C. The effect of chlorpromazine, metyrapone, imipramine and SKF 525-A on the hepatic first pass elimination of propranolol in the pithed rat, 667
- BARBER, N.D. & REID, J.L. Comparison of the actions of centrally and peripherally administered clonidine and guanfacine in the rabbit: investigation of the differences, 641
- BARLOW, R.B. & CHAN, MARGARET. The effects of pH on the affinity of pirenzepine for muscarinic receptors in the guinea-pig ileum and rat fundus strip, 559
- BARLOW, R.B. & KITCHEN, R. The actions of some esters of 4-hydroxyquinuclidine on guinea-pig ileum, atria and rat fundus strip, 549
- BENNETT, ALAN & SANGER, GARETH J. Pinane thromboxane A₂ analogues are non-selective prostanoid antagonists in rat and human stomach muscle, 591
- BERRIE, C.P. see BARANY, E., 731
- BERTACCINI, G. & SCARPIGNATO, C. Histamine H₂antagonists modify gastric emptying in the rat, 443
- BIDET, D. see ADVENIER, C., 39
- BIRDSALL, N.J.M. see BARANY, E., 731
- BIRLEY, S., COLLINS, J.F., PERKINS, M.N. & STONE, T.W. The effects of cyclic dicarboxylic acids on spontaneous and amino acid-evoked activity of rat cortical neurones, 7
- BLANQUET, FRANCE, BOUVIER, MICHEL & GONELLA, JEAN. Effects of enkephalins and morphine on spontaneous electrical activity and junction potentials elicited by parasympathetic nerve stimulation in cat and rabbit colon, 419
- BLAIR, I.A., LEIGH, P.J. & MACDERMOT, J. Desensitization of prostacyclin receptors in a neuronal hybrid cell line. 121
- BOND, SUSAN M., CERVERO, F. & McQUEEN, D.S. Influence of neonatally administered capsaicin on baroreceptor and chemoreceptor reflexes in the adult, 517
- BOUVIER, MICHEL see BLANQUET, FRANCE, 419
- BRITTAIN, R.T., DREW, G.M. & LEVY, G.P. The α- and β-adrenoceptor blocking potencies of labetalol and its individual stereoisomers in anaesthetized dogs and in isolated tissues, 105
- BROWN, B.S. see BALLINGER, P.M., 141
- BROWNING, S., LAWRENCE, D., LIVINGSTON, A. & MORRIS, B. Interactions of drugs active at opiate receptors and drugs at α₂-receptors on various test systems, 487

- BRYANT, ROSAMUNDE E., OLLEY, JEAN, E. & TYERS, M.B. Involvement of the median raphe nucleus in antinociception induced by morphine, buprenorphine and tilidine in the rat, 615
- BUNCE, K.T. & SPRAGGS, C.F. The effect of chlorpromazine on the function of colonic and ileal mucosa in the anaesthetized rat, 469
- BURGEN, A.S.V. see BARANY, E., 731
- BURKA, JOHN F. Antigen-induced contraction of guineapig trachea: search for mediator release with cascade superfusion bioassay, 3

C

- CAMPBELL, TERENCE J. Voltage- and time-dependent depression of maximum rate of depolarization of guinea-pig ventricular action potentials by steroidal antiarrhythmic drugs, CCI 22277 and Org 6001, 541
- CARRATU, MARIA R. & MITOLO-CHIEPPA, DELIA. Inhibition of ionic currents in frog node of Ranvier treated with naloxone, 115
- CARRIER, GERALD O. see ARONSTAM, ROBERT S.,
- CERVERO, F. see BOND, SUSAN M., 517
- CHAN, MARGARET see BARLOW, R.B., 559
- CLANACHAN, A.S., COURTNEY, D.F. & SCOTT, G.W. Stimulatory and inhibitory histamine receptors in canine cystic duct, 717
- COLLINS, J.F. see BIRLEY, S., 7
- COURTNEY, D.F. see CLANACHAN, A.S., 717
- CULLEN, K.D. & MARTIN, R.J. Dissimilar influences of some injectable anaesthetics on the responses of reticulo-spinal neurones to inhibitory transmitters in the lamprey, 493
- CUSACK, N.J. & HOURANI, S.M.O. Competitive inhibition by adenosine 5'-triphosphate of the actions on human platelets of 2-chloroadenosine 5'-diphosphate, 2-azido-adenosine 5'-diphosphate and 2-methylthioadenosine 5'-diphosphate, 329
- CUTHBERT, A.W., FANESTIL, D.D., HERRERA, F.C. & PRYN, S.J. Irreversible inhibition of epithelial sodium channels by ultraviolet irradiation, 431

D

- DAUM, P.R., HILL, S.J. & YOUNG, J.M. Histamine H₁-agonists potentiation of adenosine-stimulated cyclic AMP accumulation in slices of guinea-pig cerebral cortex: comparison of response and binding parameters, 347
- DAVIS, MICHAEL & MENKES, DAVID B. Tricyclic antidepressants vary in decreasing \alpha_2-adrenoceptor sensitivity with chronic treatment: assessment with clonidine inhibition of acoustic startle, 217
- DE NEEF, J.H. & PORSIUS, A.J. The effects of paraoxon in the pithed rat, 223
- DE NEEF, J.H., JORDAAN, K.M. & PORSIUS, A.J. The effects of paraoxon on blood pressure in the anaesthetized and in the conscious rat, 223
- DEMICHEL, PATRICIA, GOMOND, PATRICK & ROQUEBERT, JACQUES. α-Adrenoceptor blocking properties of raubasine in pithed rats, 449

- DOURISH, COLIN T. A pharmacological analysis of the hyperactivity syndrome induced by β -phenylethylamine in the mouse, 129
- DUCHENE-MARULLAZ, P., FABRY-DELAIGUE, R., GUEORGUIEV, G. & KANTELIP, J.P. Influence of chloralose and pentobarbitone sodium on atrioventricular conduction in dogs, 309

E

- ELLIOTT, J.M. & GRAHAME-SMITH, D.G. The effects of monovalent and divalent cations on the αadrenoceptor of intact human platelets, 277
- EVANS, M. see BADAWY, A.A.-B., 59

F

- FABRY-DELAIGUE, R. see DUCHENE-MARULLAZ,
- FANESTIL, D.D. see CUTHBERT, A.W., 431
- FINBERG, J.P.M. & TENNE, M. Relationship between tyramine potentiation and selective inhibition of monoamine oxidase types A and B in the rat vas deferens. 13
- FITZPATRICK, THOMAS, M. see ANGERIO, ALLAN D., 55
- FLAVAHAN, N.A. & McGRATH, J.C. Adrenoceptors activation can increase heart rate directly or decrease it indirectly through parasympathetic activation, 319
- FLOCH-SAINT-AUBIN, A. see ADVENIER, C., 39
- FOREMAN, J.C., JORDAN, C.C. & PIOTROWSKI, W. Interaction of neurotensin with the substance P receptor mediating histamine release from rat mast cells and the flare in human skin, 531
- FREEMAN, J.J., KOSH, J.W. & PARRISH, J.S. Peripheral toxicity of hemicholinium-3 in mice, 239
- FUJIWARA, SHIGERU, ITOH, TAKEO & SUZUKI, HIKARU. Membrane properties and excitatory neuromuscular transmission in the smooth muscle of dog cerebral arteries, 197

G

- GARLAND, L.G. see AINSWORTH, GILLIAN A., 249 GARLAND, LAWRENCE G. see ADCOCK, JOHN J., 570
- GIBSON, A. & TUCKER, J.F. The effects of vasoactive intestinal polypeptide and of adenosine 5'-triphosphate on the isolated anococcygeus muscle of the mouse, 97
- GILLAN, M.G.C. & KOSTERLITZ, H.W. Spectrum of the μ -, δ - and κ -binding sites in homogenates of rat brain, 461
- GODFRAIND, T., MILLER, R.C. & LIMA, J. SOCRATES. Selective α_{1^-} and α_{2^-} adrenoceptors agonist-induced contractions and ^{45}Ca fluxes in the rat isolated-aorta, 597
- GOMOND, PATRICK see DEMICHEL, PATRICIA, 449 GONELLA, JEAN see BLANQUET, FRANCE, 419

GOWER, ALMA, J. & MARRIOTT, A.S. Pharmacological evidence for the subclassification of central dopamine receptors in the rat, 185

GRAHAM-SMITH, D.G. see ELLIOTT, J.M., 277 GRIFFIN, M.M. see BALLINGER, P.M., 141 GRIFFIN, M.M. see BALLINGER, P.M., 147

H

HÅKANSON, R., HÖRIG, J. & LEANDER, S. The mechanism of the action of a substance P antagonist (p-Pro², p-Trp^{7,9})-SP, 697

HARVEY, A.L. & KARLSSON, E. Protease inhibitor homologues from mamba venoms: facilitation of acetylcholine release and interactions with prejunctional blocking toxins, 153

HAY, D.W.P. & WADSWORTH, R.M. The contractile effects of 5-hydroxytryptamine on rat isolated vas deferens, 605

HERRERA, F.C. see CUTHBERT, A.W., 431

HIGGINS, A.J. & NEAL, M.J. Effect of potassium depolarization and preganglionic nerve stimulation on the metabolism of [³H]-choline in rat isolated sympathetic ganglia, 581

HIGGINS, A.J. & NEAL, M.J. Potassium activation of [³H]-choline accumulation by isolated sympathetic ganglia of the rat, 573

HILL, S.J. see DAUM, P.R., 347

HÖRIG, J. see HÅKANSON, R., 697

HOURANI, S.M.O. see CUSACK, N.J., 329

HSU, LORNA, S.F. The kinetics of uptake of 5-fluorouracil by rat liver, 413

HUGHES, P.R., MORGAN, P.F. & STONE, T.W. Inhibitory action of γ-aminobutyric acid on the excitatory but not inhibitory innervation of the rat anococcygeus muscle. 691

HULME, E.C. see BARANY, E., 731

I

IOANNIDES, C., PARKE, D.V. & TAYLOR, I.W. Elimination of glyceryl trinitrate: effects of sex, age, species and route of administration, 83

ITO, H. & NISHI, K. Frequency-dependent depression of ganglionic transmission by propranolol and diltiazem in the superior cervical ganglion of the guinea-pig, 359

ITOH, TAKEO see FUJIWARA, SHIGERU, 197 ITZHAKI, S. see BALLINGER, P.M., 147

J

JONSSON, G. & NWANZE, E. Selective (+)amphetamine neurotoxicity on striatal dopamine nerve terminals in the mouse, 335

JORDAN, C.C. see FOREMAN, J.C., 531

JORDAAN, K.M. see DE NEEF, J.H., 223

JUORIO, A.V. The effects of amfonelic acid and some other central stimulants on mouse striatal tyramine, dopamine and homovanillic acid, 511

K

KALSNER, STANLEY. Evidence against the unitary hypothesis of agonist and antagonist action at presynaptic adrenoceptors, 375

KANTELIP, J.P. see DUCHENE-MARULLAZ, P., 309 KARAKI, H., MURAKAMI, K., NAKAGAWA, H., OZAKI, H. & URAKAWA, N. Effects of calmodulin antagonists on tension and cellular calcium content in depolarized vascular and intestinal smooth muscles, 661

KARHI, TAINA, RANTALA, ARTO & TOIVONEN, HANNU. Pulmonary inactivation of 5-hydroxytryptamine is decreased during cigarette smoke ventilation of rat isolated lungs, 245

KARLSSON, E. see HARVEY, A.L., 153

KATSURAGI, T. & SU, C. Release of purines and noradrenaline by ouabain and potassium chloride from vascular adrenergic nerves, 625

KIRPEKAR, S.M., PRAT, J.C. & SCHIAVONE, M.T. Effect of muscarine on release of catecholamines from the perfused adrenal gland of the cat, 455

KITCHEN, R. see BARLOW, R.B., 549

KITTERINGHAM, N.R. see BARBER, H.E., 667

KOKETSU, K. & YAMADA, M. Presynaptic muscarinic receptors inhibiting active acetylcholine release in the bullfrog sympathetic ganglion, 75

KOSH, J.W. see FREEMAN, J.J., 239

KOSTERLITZ, H.W. see GILLAN, M.G.C., 461

KOT, PETER A. see ANGERIO, ALLAN D., 55

KOU, KATSUHIRO, KURIYAMA, HIROSHI & SUZUKI, HIKARU. Effects of 3,4-dihydro-8-(2hydroxy-3-isopropylaminopropoxy)-3-nitroxy-2H-1benzopyran (K-351) on smooth muscle cells and neuromuscular transmission in the canine mesenteric artery, 679

KURIYAMA, HIROSHI see KOU, KATSUHIRO, 679

L

LANG, W.J. & WOODMAN, O.L. Comparison of the vasodilator action of dopamine and dopamine agonists in the renal and coronary beds of the dog, 23

LAWRENCE, D. see BROWNING, S., 487

LEANDER, S. see HÅKANSON, R., 697

LEEDHAM, JUDITH A. & PENNEFATHER, JOCE-LYN N. Dopamine acts at the same receptors as noradrenaline in the rat isolated vas deferens, 293

LEIGH, P.J. see BLAIR, I.A., 121

LIMA, J. SOCRATES see GODFRAIND, T., 597

LITTLE, HILARY. Effects of ketamine and of high pressure on the responses to γ-aminobutyric acid of the rat superior cervical ganglion, 209

LIVINGSTON, A. see BROWNING, S., 487

M

MACDERMOT, J. see BLAIR, I.A., 121
McGRATH, J.C. see FLAVAHAN, N.A., 319
McPHERSON, G.A. & SUMMERS, R.J. A study of α₁adrenoceptors in rat renal cortex: comparison of [³H-

prazosin binding with the o_1 -adrenoceptor modulating gluconeogenesis under physiological conditions, 177

McQUEEN, D.S. see BOND, SUSAN M., 517

MARRIOTT, A.S. see GOWER, ALMA J., 185

MARTIN, R.J. Electrophysiological effects of piperazine and diethylcarbamazine on *Ascaris suum* somatic muscle. 255

MARTIN, R.J. see CULLEN, K.D., 493

MENKES, DAVID B. see DAVIS, MICHAEL, 217

MILLER, R.C. see GODFRAIND, T., 597

MITCHELL, H.W. The effect of mixed inhibitors of cyclooxygenase and lipoxygenase on the indomethacininduced hyper-reactivity in the isolated trachea of the pig, 701

MITOLO-CHIEPPA, DELIA see CARRATU, MARIA R., 115

MONTASTRUC, JEAN-LOUIS see TRAN, LAC DANG, 69

MONTASTRUC PAUL see TRAN, LAC DANG, 69

MORGAN, P.F. see HUGHES, P.R., 691

MORGAN, P.F. & STONE, T.W. Anticonvulsant actions of the putative γ-aminobutyric acid (GABA)-mimetic, ethylendiamine, 525

MORRIS, B. see BROWNING, S., 487

MUHYADDIN, M., ROBERTS, P.J. & WOODRUFF, G.N. Presynaptic γ-aminobutyric acid receptors in the rat anococcygeus muscle and their antagonism by 5-aminovaleric acid, 163

MURAKAMI, K. see KARAKI, H., 661

N

NAKAGAWA, H. see KARAKI, H., 661

NAYLER, WINIFRED G. & SCOTT, ELIZABETH M.

The effect of chemical sympathectomy on mitochondrial function in the ischaemic and reperfused myocardium, 707

NEAL, M.J. see HIGGINS, A.J., 573

NEAL, M.J. see HIGGINS, A.J., 581

NISHI, K. see ITO, H., 359

NETO, FRANCISCO RICCIOPPO. Electrophysiological effects of the salicylates on isolated atrial muscle of the rabbit. 285

NORMANTON, J.R., WEST, D.C. & WOLSTEN-CROFT, J.H. Effects of methionyl-tyrosyl-lysine on neurones in the rat central nervous system, 477

NUTTALL, A. & SNOW, H.M. The cardiovascular effect of ICI 118, 587: a β₁-adrenoceptor partial agonist, 381 NWANZE, E. see JONSSON, G., 335

o

OLLEY, JEAN E. see BRYANT, ROSAMUNDE E., 615 OZAKI, H. see KARAKI, H., 661

P

PARKE, D.V. see IOANNIDES, C., 83 PARRISH, J.S. see FREEMAN, J.J., 239 PAYNE, A.N. see AINSWORTH, GILLIAN A., 249 PEATFIELD, A.C., PIPER, PRISCILLA J. & RICHARDSON, P.S. The effect of leuokotriene C₄ on mucin release into the cat trachea, in vivo and in vitro, 301

PENNEFATHER, JOCELYN N. see LEEDHAM, JUDITH A., 293

PENNEFATHER, P. & QUASTEL, D.M.J. Fast desensitization of the nicotinic receptor at the mouse neuromuscular junction, 395

PERKINS, M.N. see BIRLEY, S., 7

PETRIE, J.C. see BARBER, H.E., 667

PIOTROWSKI, W. see FOREMAN, J.C., 531

PIPER, PRISCILLA J. see PEATFIELD, A.C., 391

PIPER, PRISCILLA J. & SAMHOUN, MARWA N. Stimulation of arachidonic acid metabolism and generation of thromboxane A₂ by leukotrienes B₄, C₄ and D₄ in guinea-pig lung *in vitro*, 267

PORSIUS, A.J. see DE NEEF, J.H., 223

PORSIUS, A.J. see DE NEEF, J.H., 233

PRAT, J.C. see KIRPEKAR, S.M., 455

PRYN, S.J. see CUTHBERT, A.W., 431

Q

QUASTEL, D.M.J. see PENNEFATHER, P., 395

R

RAMWELL, PETER W. see ANGERIO, ALLAN D., 55 RANTALA, ARTO see KARHI, TAINA, 245 REID, J.L. see BARBER, N.D., 641 RENIER, A. see ADVENIER, C., 39 RICHARDSON, P.S. see PEATFIELD, A.C., 391 ROBERTS, P.J. see MUHYADDIN, M., 163

ROQUEBERT, JACQUES, see DEMICHEL, PAT-RICIA, 449

ROSE, JOHN C. see ANGERIO, ALLAN D., 55

RUFFOLO, ROBERT, R. & WADDELL, JAMES E. Receptor interactions of imidazolines: α-adrenoceptors of rat and rabbit aortae differentiated by relative potencies, affinities and efficacies of imidazoline agonists, 169

S

SAMHOUN, MARWA N. see PIPER, PRISCILLA J., 267 SANGER, GARETH J. see BENNETT, ALAN, 591 SANTOIAN, EDWARD C. see ANGERIO, ALLAN D., 55

SCHIAVONE, M.T. see KIRPEKAR, S.M., 455 SCOTT, ELIZABETH M. see NAYLER, WINIFRED, G.,

SCOTT, G.W. see CLANACHAN, A.S., 717

SMALL, ROGER, C. Electrical slow waves and tone of guinea-pig isolated trachealis muscle: effects of drugs and temperature changes, 45

SMITH, PETER A. The use of low concentrations of divalent cations to demonstrate a role for N-methyl-paspartate receptors in synaptic transmission in amphibian spinal cord, 363

SMITH, J.R. & WHITE, A.M. Fibrin, red cell and platelet interactions in an experimental model of thrombosis, 29 SNOW, H.M. see NUTTALL, A., 381 SPRAGGS, C.F. see BUNCE, K.T., 469 STEVEN, F.S. see BALLINGER, P.M., 141 STEVEN, F.S. see BALLINGER, P.M., 147 STONE, T.W. see BIRLEY, S., 7 STONE, T.W. see HUGHES, P.R., 691 STONE, T.W. see MORGAN, P.F., 525 SU, C. see KATSURAGI, T., 625 SUMMERS, R.J. see MCPHERSON, G.A., 177 SUZUKI, HIKARU see FUJIWARA, SHIGERU, 197 SUZUKI, HIKARU see KOU, KATSUHIRO, 697 SZEKENYI, I. Does pirenzepine distinguish between subtypes of muscarinic receptors? 567

T

TAKEUCHI, HIROSHI see ARIYOSHI, YASOU, 631
TAYLOR, I.W. see IOANNIDES, C., 83
TENENHOUSE, A. see AFARI, G., 395
TENNE, M. see FINBERG, J.P.M., 13
TOIVONEN, HANNU see KARHI, TAINA, 245
TRAN, LAC DANG, MONTASTRUC, JEAN-LOUIS & MONTASTRUC, PAUL. Effects of lysine-vasopressin and oxytocin on central cardiovascular control, 69
TURLAPATY, PRASAD D.M.V. see ALTURA, BUTRON M., 649
TUCKER, J.F. see GIBSON, A., 97
TYERS, M.B. see BRYANT, ROSAMUNDE E., 615

U

URAKAWA, N. see KARAKI, H., 661

V

VACHON, C. see AFARI, G., 395

W

WADDELL, JAMES E. see RUFFOLO, ROBERT R., 169
WADSWORTH, R.M. see HAY, D.W.P., 605
WATT, A.J. Direct and indirect effects of adenosine 5'triphosphate on guinea-pig ileum, 725
WEST, D.C. see NORMANTON, J.R., 477
WHITE, A.M. see SMITH, J.R., 29
WILLIAMS, T.J. Vasoactive intestinal polypeptide is more
potent than prostaglandin E2 as a vasodilator and
oedema potentiator in rabbit skin, 505
WOLSTENCROFT, J.H. see NORMANTON, J.R., 477
WOODMAN, O.L. see LANG, W.J., 23
WOODRUFF, G.N. see MUHYADDIN, M., 163

 \mathbf{Y}

YAMADA, M. see KOKETSU, K., 75 YOUNG, J.M. see DAUM, P.R., 347

SUBJECT INDEX

A

- A 23187, induction of histamine release from rat mast cells, effect of neurotensin, 531
- Acetylcholine, effect of adenosine 5'-triphosphate on responses of guinea-pig ileum before and after addition of tetrodotoxin, 725
- —, effect of bethanecol and atropine on release from bullfrog sympathetic nerve terminals, 75
- , effect of protease inhibitor homologues on release in isolated bioventer cervicis nerve-muscle preparations of the chick, 153
- , effect on contractions in guinea-pig isolated trachea induced by adenosine and adenosine 5'-triphosphate, 39
- , effect on electrical slow waves and tone of guinea-pig isolated trachealis muscle, 45
- , effect on muscle membrane of dog cerebral arteries,
 197
- , induction of contractions, effect of N-ethylmaleimide in longitudinal muscles from guinea-pig ileum, 89
- -- , induction of contractions, effect of pinane thromboxane A₂ in rat and human stomach muscle, 591
- , stimulation of ganglionic muscarinic receptors, production of increased postganglionic sympathetic activity and of pressor responses, in pithed rats, 233
- [³H]-acetylcholine synthesis, effect of potassium depolarization and preganglionic nerve stimulation in rat isolated sympathetic ganglia, 581
- **Acetylcholinesterase**, electric eel, effects of acetoxy compounds of 4-hydroxyquinuclidine, 549
- , measurement of activities in regions of rat brain after administration of paraoxon, 223
- **Acetylcholinesterase poisoning,** effect on carbachol produced conductance responses, 405
- **Achatina fulica Férussac**, inhibitory effects of N-β-phenylpropionyl-L-tyrosine and its derivatives on identifiable giant neurones of, 631
- Action potentials, effect of salicylates on isolated atrial muscle of the rabbit, 285
- —, guinea-pig ventricles, voltage- and time-dependent depression of maximum rate of depolarization by steroidal antiarrhythmic drugs, 541
- Acoustic startle reflex, inhibition by clonidine in the rat, 217

 Adenosine, effect on electrical slow waves and tone of guinea-pig isolated trachealis muscle, 45
- —, induction of contraction of guinea-pig isolated trachea,

- Adenosine 5'-diphosphate, role in thrombus formation, 29
 Adenosine 3', 5'-monophosphate, cyclic, adenosinestimulated accumulation in guinea-pig cerebral cortex,
 potentiation by histamine H₁-agonists, 347
- , cyclic, isoprenaline-dependent accumulation in superfused rat parotid gland, effect of theophylline and Ro 20-1724, 405
- Adenosine 5'-triphosphate, ability to inhibit the action of analogues of adenosine 5' diphosphate on human platelets, 329
- -, direct and indirect effects on guinea-pig ileum, 725
- , effect of chemical sympathectomy on production in mitochondria in isolated rabbit heart, 707
- -- , effect on electrical slow waves and tone of guinea-pig isolated trachealis muscle, 45
- , effect on isolated anococcygeus muscle of the mouse after indomethacin, 97
- , effect on muscle membrane of dog cerebral arteries, 197
- -, induction of guinea-pig isolated trachea, 39
- **Adenylate cyclase,** stimulation in human platelet, inhibition by adenosine 5'-diphosphate, 329
- Adrenal gland, cat perfused, effect of muscarine on release of catecholamines, 455
- Adrenalectomy, effect on modulation of bronchoconstrictor responses to histamine in pithed guinea-pigs by sympathetic nerve stimulation, 249
- Adrenaline, effect on negative chronotropic effect of salicylates on isolated atrial muscle of the rabbit, 285
- Adrenergic nerves, rabbit, release of noradrenaline or purines by ouabain and potassium chloride after preincubation with [³H]-noradrenaline or [³H]-adenosine, 625
- α-Adrenoceptor agonists, effect on gluconeogenesis in tubules and [³H]-prazosin binding to membranes from rat renal cortex. 177
- , induction of contractions and ⁴⁵calcium fluxes in the rat isolated aorta, 597
- , production of chronotropic responses in pithed rats,
 319
- α_2 -Adrenoceptor agonists, effect on in vivo analysesic effects of opiates and displacement of opioid radioligand binding, 487
- **β-Adrenoceptor agonists,** production of chronotropic responses in pithed rats, 319
- β_1 -Adrenoceptor agonist, cardiovascular action of ICI 118,587 in dogs, 381
- α-Adrenoceptor antagonists, effect on depressant action of

- bethanechol on fast excitatory post synaptic potentials in bullfrog, 75
- effect on gluconeogenesis in tubules and [3H]-prazosin binding to membranes from rat natal cortex, 177
- effect on pressor response to paraoxon in pithed rat,
- α-Adrenoceptors, activation by dopamine, noradrenaline and phenylephrine in rat isolated vas deferens, 293
- -, blockade by monoamine oxidase inhibitors against noradrenaline on rat denervated vas deferens, 13
- -, blocking potency of labetalol, in anaesthetized dogs and in isolated tissues, 105
- -, effects of monovalent and divalent cations in intact human platelets, 277
- -, extra junctional, blockade by K-351, phentolamine and prazosin in canine mesenteric artery, 679
- -, presynaptic, evidence against the unitary hypothesis of agonist and antagonist action in guinea-pig ureter, 373
- -, rat and rabbit aortae, characterization and differentiation using noradrenaline and imidazolines, 169
- α_1 -Adrenoceptors, a study in rat renal cortex, 177
- -, blocking properties of raubasine, vohimbine and corynanthine in pithed rats, 449
- α2-Adrenoceptors, blocking properties of raubasine, yohimbine and corynanthine in pithed rats, 449
- -, development of subsensitivity by chronic tricyclic antidepressant treatment in the rat, 217
- β-Adrenoceptors, blocking potency of labetalol, in anaesthetized dog and in isolated tissues, 105
- Amfonelic acid, effects on mouse striatal tyramine, dopamine and homovanillic acid, 511
- Age, effect on elimination of glyceryl trinitrate in rat and rabbit, 83
- Allopurinol, effect on rat liver tryptophan pyrrolase activity, 59
- Alphaxalone/alphadolone, effect on responses of reticulospinal neurones to inhibitory transmitters in the lamprey, 493
- Amidephrine, production of positive and negative chronotropic effect in pithed rats, 319
- Amino acids, excitatory, effect of cyclic dicarboxylic acids on responses to, in rat cortical neurones, 7
- 2-Amino-6,7-dihydroxy-1,2,3,5-tetrahydronaphthalene, induction of stereotypy and contralateral circling in rats, 185
- 2-Amino-5-phosphono-valeric acid, reduction of excitatory responses to quinolinic acid in rat cortical neurones, 7
- 3-Amino l-[m-(triflouromethyl) phenyl]-2-pyrazoline see BW 755c
- y-Aminobutyric acid, effects of injectable anaesthetics on responses of reticulo-spinal neurones of the lamprey,
- effects of ketamine and high pressure on responses of rat superior cervical ganglion, 209
- effects on excitatory and inhibitory innervation of the rat anococcygeus muscle, 691
- effect on isolated rat anococcygeus muscle, 163
- -, responses of Ascaris suum somatic muscle, effect of diethyl-carbamazine, 255
- γ-Aminobutyric acid agonist, action of piperazine in Ascaris suum somatic muscle, 255
- γ-Aminobutyric acid receptors, in rat anococcygeus muscle

- and their antagonism by 5-aminovaleric acid, 163
- -, involvement in inhibitory action of γ-aminobutyric acid on excitatory adrenergic innervation of rat anococcygeus muscle, 691
- N-(6-aminohexyl)-5-chloro-1-naphthalene
 - sulphonamide, effect on tension and cellular calcium content in depolarized vascular and intestinal smooth muscle, 661
- 3-Aminopropane sulphonic acid, effects on excitatory and inhibitory innervation of the rat anococcygeus muscle,
- 5-Aminovaleric acid, antagonism of response of rat anococcygeus muscle to y-aminobutyric acid, 163
- Amitryptiline, effect on clonidine inhibition of acoustic startle reflex in rat, 217
- —, effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- (+)-Amphetamine, effects on mouse striatal tyramine, dopamine and homovanillic acid, 511
- selective neurotoxicity on striatal dopamine nerve terminals in the mouse, 335
- Anaesthetics, general, possible interactions with the effects of high pressure of helium in rat superior cervical ganglion, 209
- —, influence on atrioventricular conduction in dogs, 309
- influences on the responses of reticulo-spinal neurones to inhibitory transmitters in the lamprey, 493
- Analgesia, production by opiate receptor agonists and α_2 adrenoceptor agonists, 487
- role of median raphe nucleus in the rat, 615
- Angiotensin II, production of coronary arterial spasm in the dog, effect of removal of magnesium from physiological salt solution, 649
- Anococcygeus muscle, mouse, effects of vasoactive intestinal polypeptide and of adenosine 5'-triphosphate, 97
- rat, effect of γ-aminobutyric acid, ethylenediamine, 3-aminopropane sulphonic acid and (±)-baclofen on inhibitory and excitatory innervation, 361
- Antidepressants, effect rat liver on tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- tricyclic, effect on clonidine inhibition of acoustic startle reflex in rats, 217
- Antigen-antibody reaction, induction of histamine release from rat mast cells, effect of neurotensin, 531
- Antimuscarinic drugs, effect on pressor response to paraoxon in the anaesthetized and in the conscious rat, 223
- Antinociception, induction by morphine, buprenorphine and tilidine, involvement of median raphe nucleus in the rat, 615
- Aorta, rat and rabbit, characterization and differentiation of a-adrenoceptors using noradrenaline and imidazolines, 169
- -, rat isolated, selective α₁- and α₂-adrenoceptors agonist-induced contractions and ⁴⁵calcium fluxes, 597
- -, rabbit, effect of calmodulin antagonists on tension and cellular calcium content in smooth muscle, 661
- Apamin, effect on responses of mouse anococcygeus to field stimulation and relaxations to vasoactive intestinal polypeptide or adenosine 5'-triphosphate, 97
- Apomorphine, induction of sterotypy and contalateral circling in rats, 185
- Arachidonic acid, induction of bronchoconstriction in a model of bronchial anaphylaxis in anaesthetized

- guinea-pigs, 301
- , induction of platelet aggregation in experimental model of thrombosis, 29
- , release of thromboxane A₂ and prostaglandin-like materials from guinea-pig lung, 267
- —, stimulation of metabolism by leukotrienes B₄, C₄ and D₄ in guinea-pig lung in vitro, 267
- **Aspirin,** effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39
- , effect on platelet aggregation induced by arachidonic acid. 29

Atrial potentials, effect of salicylates in the rabbit, 285

Atrioventricular conduction parameters, influence of chloralose and pentobarbitone in dogs, 309

Atrium, guinea-pig, actions of some esters of 4-hydroxyquinuclidine, 549

 —, guinea-pig, pharmacological studies with pirenzepine, 576

Atropine, blockade of negative chronotropic response to α -agonists in pithed rats, 319

- , effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39
- , effect on action of ranitidine on gastric emptying of the rat, 443
- , effect on atrioventricular conduction and heart rate reduction by chloralose and pentobarbitone in dog, 309
- , effect on contractile responses of coronary arteries of dog evoked by vasoactive agents in different concentrations of magnesium, 649
- —, effect on excitatory junction potential in smooth muscle of dog cerebral arteries, 197
- , effect on negative chronotropic effect of salicylates on isolated atrial muscle of the rabbit, 285
- —, effect on release of acetylcholine from sympathetic preganglionic nerve terminals of bullfrog, 75
- , effect on stereotypy and contralateral circling induced in rats by dopamine agonists, 185
- —, potentiation of effects of enkephalins and morphine on spike activity in cat and rabbit colon, 419
- **2-Azidoadenosine 5'-diphosphate,** actions on human platelets, 329

В

- (±)-Baclofen, effect on excitatory and inhibitory innervation of the rat anococcygeus muscle, 361
- -, effect on isolated rat anococcygeus muscle, 163
- **Barium ions,** induction of contractions, effect of *N*-ethylmaleimide in longitudinal muscles from guineapig ileum, 89
- **Baroreceptor reflexes,** influence of neonatally administered capsaicin in adult rat, 517
- **BE2254,** effect on gluconeogenesis in tubules and [³H]-prazosin binding to membranes from rat neonatal cortex, 177
- **Bethanechol**, effect on action of ranitidine on gastric emptying of the rat, 443
- , effect on release of acetylcholine from sympathetic preganglionic nerve terminals, 75

- **Bicuculline**, effect on inhibitory action of γ-aminobutyric acid in rat anococcygeus muscle, 691
- —, effect on response of rat anococcygeus muscle to γaminobutyric acid, 163
- , induction of seizures, effect of ethylenediamine in mice, 525

Blood flow, increase by vasoactive intestinal polypeptide and by prostaglandin E₂ in rabbit skin, 505

 renal and coronary, effect of dopamine and dopamine receptor agonists in anaesthetized dog, 23

Blood pressure, comparison of effects of centrally and peripherally administered guanfacine and clonidine in the rabbit, 641

- , dog effect of lysine-vasopressin and oxytocin, 69
- , effect of paraoxon in anaesthetized and conscious rat, 223
- -, effect of paraoxon in pithed rat, 233
- —, effects of (-)-phenylephrine B-HT 933 and sympathetic stimulation, antagonism by raubasine, yohimbine and corynanthine in pithed rats, 449

Bradykinin, release of thromboxane A_2 and prostaglandinlike materials from guinea-pig lung, 267

Brain, rabbit, levels of guanfacine after central and peripheral administration, 641

(-)-Bremazocine, inhibition of binding of opiates and opioid peptides in homogenates of rat brain, 461

Bromamiloride, action as photoligand for epithelial sodium channels of frog skin, 431

Bromocriptine, effect on renal and coronary blood flow in anaesthetized dog, 23

5-Bromosalicylate, electrophysiological effects on isolated atrial muscle of the rabbit, 285

Bronchial anaphylaxis, effects of inhibitors of anaphylactic mediators in anaesthetized guinea-pigs, 301

Bronchoconstriction, histamine-induced in pithed guineapigs, effect of sympathetic nerve stimulation, 249

β-Bungarotoxin, interaction with facilitatory toxins from mamba venoms, 153

Buprenorphine, induction of antinocieption, involvement of median raphe nucleus in the rat, 615

Burimamide, modification of gastric emptying in the rat,

- **BW 755c**, abolition of effect of indomethacin on tracheal contractions to histamine in the pig. 701
- reduction of antigen-induced bronchoconstriction in guinea-pigs sensitized to produce IgE- and IgG-like antibodies, 301

C

- Caesium, in Tyrode solution, effects on the action of 5bromo-salicylates on isolated atrial muscle of the rabbit, 285
- Calcium, cellular content, effect of putative calmodulin antagonists in depolarized vascular and intestinal smooth muscles, 661
- —, effect of increases in extracellular concentrations on the effects of salicylates on isolated atrial muscle of the rabbit, 285
- —, effect of low concentrations in medium on potassium depolarization-induced stimulation of [³H]acetylcholine synthesis in rat isolated sympathetic ganglia, 581

Calcium channels, inhibition by nifedipine and verapamil, effect on contractile effects of 5-hydroxytryptamine on rat isolated vas deferens, 605

Calcium chloride, production of coronary arterial spasm in the dog, effect of removal of magnesium from physiological salt solution, 649

45 Calcium fluxes, selective adrenoceptor agonist-induced in rat isolated aorta, 597

Calcium-free medium, effect on α₁- and α₂-adrenoceptor agonist-induced contractions and ⁴⁵calcium fluxes in rat isolated aorta, 597

 , effect on potassium activated uptake of [3H]-choline by isolated sympathetic ganglia of the rat, 573

 , effect on release of noradrenaline from vascular adrenergic nerves of the rabbit by ouabain, 625

 , effect on responses to 5-hydroxytryptamine in rat vas deferens, 605

Calcium ion influx, inhibition by propranolol and diltiazem in guinea-pig superior cervical ganglion, 359

Calcium ion transport, influence of magnesium in coronary arterial smooth muscle of the dog, 649

Calcium ions, effect of chemical sympathectomy on mitochondrial content in ischaemic and reperfused rabbit myocardium, 707

 —, effect on binding of agonists and antagonists to αadrenoceptor of intact human platelets, 277

 , influence on the effect of Ro 20-1724 and theophylline on responses of superfused rat parotid gland to isoprenaline, 405

Calmodulin antagonists, effect on muscle tension and cellular calcium content in depolarized vascular and intestinal smooth muscles, 661

Capsaicin, neonatally administered, influence on baroreceptor and chemoreceptor reflexes in adult rat, 517

Carbachol, effect on height of miniature endplate currents and muscle membrane conductance, 405

 —, induction of contractions, effect of γ-aminobutyric acid in rat anococcygeus muscle, 361

 , inhibition of [³H]-N-methylscopolamine binding in ciliary muscle of cynomolgus monkey, 731

Carbacyclin, activation of adenylate cyclase of NCB-20 neuronal somatic cell hybrid, 121

Carbamylcholine, binding to membranes prepared from longitudinal muscles of guinea-pig ileum, 89

Carboxyheptylimidazole, effect on leukotriene-induced contractions of guinea-pig parenchymal strips, 267

Cardiovascular control, effect of lysine-vasopressin and oxytocin in anaesthetized dog, 69

Carotid artery occlusion, pressor responses to, in adult rats pretreated neonatally with capsaicin, 517

Cascade superfusion bioassay, detection of mediator release in ovalbumin-induced contraction of guinea-pig trachea, 3

Catecholamines, effect of depletion on mitochondrial function in ischaemic and reperfused rabbit myocardium, 707

 , effect of muscarine on release from the perfused adrenal gland of the cat, 455

Cations, mono- and divalent, effect on α-adrenoceptor of intact human platelets, 277

CCI 22277, voltage- and time-dependent depression of maximum rate of depolarization of guinea-pig ventricular action potentials, 541

Cerebellar cortex, rat brain, effect of methionyl-tyrosyllysine on single neurones, 477

Cerebral arteries, dog, membrane properties and excitatory neuromuscular transmission in the smooth muscle, 197

Cerebral cortex, guinea-pig, potentiation of adenosinestimulated cyclic adenosine 3',5'-monophosphate accumulation and [3H]-mepyramine binding by histamine H₁-agonists, 347

Chemical sympathectomy, effect on mitochondrial function in the ischaemic and reperfused rabbit myocardium, 707

Chemoreceptor reflexes, influence of neonatally administered capsaicin in adult rat, 517

Chloralose, influence on heart rate and atrioventricular conduction in dogs, 309

Chloride, effect of low concentrations on electrophysiological effects of salicylates on the sinoatrial node of the rabbit, 285

2-Chloroadenosine 5'-diphosphate, actions on human platelets, 329

Chlorpromazine, effect on hepatic first pass elimination of propranolol in the pithed rat, 667

—, effect on net fluxes of water and sodium in the ileum and colon in anaesthetized rat, 469

-, effect on rat liver tryptophan pyrrolase activity, 59

 , effect on tension and cellular calcium content in depolarized vascular and intestinal smooth muscles, 661

[3H]-choline, effect of potassium-depolarization and preganglionic nerve stimulation on metabolism in rat isolated sympathetic ganglia, 581

 —, effect of potassium-depolarization on accumulation by isolated sympathetic ganglia of the rat, 573

Cholinoceptors, influence of *N*-ethylmaleimide in longitudinal muscles from guinea-pig ileum, 89

Chronotropic responses, production by α - and β - adrenoceptor agonists in pithed rats, 319

—, responses, production by ICI 118,587 in dogs, 381

Chymotrypsin, inhibition, evidence for the carriage of silver by sulphadimidine, 147

Cigarette smoke ventilation, effect on pulmonary inactivation of 5-hydroxytryptamine in rat, 245

Ciliary muscle, cynomolgus monkey, binding properties of the muscarinic receptors, 731

Cimetidine, antagonism of effects of histamine H₁ and H₂ receptor agonists in canine cystic ducts, 717

-, modification of gastric emptying in the rat, 443

Cinnarizine, effect on α_1 - and α_2 -adrenoceptor agonist-induced contractions and calcium fluxes in rat isolated aorta. 597

Circling, contralateral, induction by dopamine agonists in the rat, potency, 185

Clomipramine, effect on rat liver tryptophan pyrrolase activity, 59

Clonidine, characterization and differentiation of αadrenoceptors of rat and rabbit aortae, 169

 , comparison of actions with guanfacine administered centrally and peripherally administered in the rabbit, 641

 -- , effect on in vivo analgesic effect of opiates and displacement of opioid radioligand binding, 487

- aorta, 597

 —, inhibition of acoustic startle reflex in the rat, 217
- Clonidine receptor binding, displacement by α₂-adrenoceptor agonists, 487
- Clorgyline, effect on tyramine and noradrenaline contractile responses of rat isolated vas deferens, 13
- **Clothiapine**, effect on stereotypy and contralateral cicling induced in rats by dopamine agonists, 185
- **Clozapine**, effect on β -phenylethylamine-induced hyperactivity in the mouse, 129
- -- , effect on stereotypy and contralateral circling induced in rats by dopamine agonists, 185
- Coaxial stimulation, effects of adenosine 5'-triphosphate on responses of guinea-pig ileum, 725
- Cobalt ions, antagonism of N-methyl D,L aspartic acid responses in amphibian spinal cord, 363
- Colon, cat and rabbit, effects of enkephalins and morphine on spontaneous electrical activity and on junction potentials elicited by parasympathetic nerve stimulation, 419
- -- , rat, effect of chlorpromazine on net fluxes of water and sodium, 469
- **Compound 48/80,** effect on contraction in guinea-pig taenia coli induced by substance P analogue, 697
- , interaction with same receptor as substance P and neurotensin in rat mast cells, 531
- Contractions, adrenoceptor agonist-induced in rat isolated aorta, 597
- histamine-induced in human airway smooth muscle, effect of arachidonic acid metabolism inhibitors, 570
- , induced by acetylcholine, potassium and barium, effect of N-ethylmaleimide, 89
- , induced by noradrenaline, phenylephrine, or carbachol, effect of γ-aminobutyric acid in rat anococcygeus muscle, 361
- , induced by perivascular nerve stimulation or noradrenaline, effects of K-351, phentolamine or prazosin in canine mesenteric artery, 679
- -, ovalbumin-induced, in guinea-pig trachea, 3
- prostaglandin-induced, effect of pinane thromboxane
 A₂ in rat and human stomach muscle, 591
- —, substance P-induced, effect of (D-Pro², D-Trp^{7,9})substance P in guinea-pig taenia coli, 697

Contralateral rotation see Circling, contralateral

- Convulsion thresholds, to intravenous infusion of pentylenetetrazol, biculline and strychnine, effect of ethylenediamine in mice, 525
- **Convulsions**, pentylenetetrazol-, bicuculline- and strychnine-induced, effect of ethylenediamine in mice, 525
- Coronary arteries, dog, withdrawal of magnesium enhances spasms produced by vasoactive agents, 649
- Cortical neurones, rat, effects of cyclic dicarboxylic acids on spontaneous and amino acid-evoked activity, 7
- Cortisol, effect on antidepressant induced inhibition of rat liver tryptophan pyrrolase activity, 59
- Corynanthine, α-adrenoceptor blocking properties in pithed rats, 449
- Crotoxin, interaction with facilitatory toxins from mamba venoms, 153
- Cyclic dicarboxylic acids, effect on spontaneous and amino acid-evoked activity of rat neurones, 7

- Cyclic nucleotide phosphodiesterase inhibitors, effect on protein secretion from superfused parotid gland, 395
- Cyclo-oxygenase inhibitors, effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guinea-pig isolated trachea, 39
- effect on thrombus formation, 29
- **Cyclo-oxygenase products,** role of thromboxane A₂ in generation in guinea-pig lung, 267
- **Cystic duct,** dog, identification of stimulatory and inhibitory histamine receptors, 717

D

D600 see Methoxyverapamil

- N²-dansyl-L-arginine-4-*t*-butylpiperadine amide, effect on tension and cellular calcium content in depolarized vascular and intestinal smooth muscles, 661
- **Dendrotoxin,** effect on acetylcholine release and interactions with prejunctional blocking toxins, 153
- **Denervation,** effect on potassium activation of [³H]-choline accumulation by rat isolated sympathetic ganglia, 573
- (-)-Deprenyl, effect on tyramine and noradrenaline contractile responses of rat isolated vas deferens, 13
- **Desipramine**, effect on clonidine inhibition of acoustic startle reflex in rat, 217
- , effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- **Dexetimide**, effect on pressor response to paraoxon in anaesthetized and conscious rat, 223
- --, effect on pressor response to paraoxon in pithed rat, 233
- **Diclofenac**, effect on platelet aggregation induced by arachdonic acid in an experimental model for thrombosis, 29
- 8-(N,N-diethylamino)octyl-3,4,5 trimethoxybenzoate HCl see TMB-8
- **Diethylcarbamazine,** effect on membrane potential, membrane current and input conductance in *Ascaris suum* somatic muscle, 255
- 3,4-Dihydro-8-(2-hydroxy-3-isopropylaminopropoxy)-3nitroxy-2H-benzopyran see K-351
- [³H]-dihydroergocryptine, effect of monovalent and divalent cations and purine nucleotides on binding to α-adrenoceptor, 277
- [³H]-dihydromorphine binding, displacement by opioid receptor agonists and α₂-adrenoceptor agonists, 487
- **Diltiazem**, effect on ganglionic transmission in superior cervical ganglion of the guinea-pig, 359
- , effect on tension and cellular calcium content in depolarized vascular and intestinal smooth muscle, 661
- N°,N°-dimethylhistamine, effect on adenosine-stimulated accumulation of cyclic adenosine 3',5'-monophosphate and on [³H]-mepyramine binding in guinea-pig cerebral cortex, 347
- **2,4-Dinitrophenol,** inhibition of transport of 5-flourouracil in rat liver, 413
- **Diphenhydramine**, antagonism of effects of histamine H_1 and H_2 receptor agonists in canine cystic ducts, 717
- , effect on contractile responses of coronary arteries of the dog evoked by vasoactive agents in different concentrations of magnesium, 649
- N,N dipropyl 2-amino-5,6-dihydroxy-1,2,3,4-tetrahydronaphthalene, induction of stereotypy and contralateral circling in rats, 185

Dipyramidole, effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39

Dopamine, action on same receptors as noradrenaline and phenylephrine in rat isolated vas deferens, 293

- , effect of (+)-amphetamine on regional levels in mouse striatum, 335
- , effect of central stimulants on mouse striatal concentrations, 511
- , effect on renal and coronary blood flow in anaesthetized dog, 23
- —, induction of delay in gastric emptying of the rat, 443
- —, production of stereotypy and contralateral circling in rats, 185

Dopamine nerve terminals, selective (+)-amphetamine neurotoxicity in the mouse, 335

Dopamine receptor antagonists, effect on contralateral circling and stereotypy induced in rats by dopamine receptor agonists, 185

Dopamine receptors, pharmacological evidence for subclassification in rat, 185

Dothiepin, effect on rat liver tryptophan pyrrolase activity,

E

6,8,11,14-Eicosatetraynoic acid, abolition of effect of indomethacin on tracheal contractions to histamine in the pig, 701

Electrical activity, guinea-pig isolated trachealis muscle, effect of drugs and temperature changes, 45

Electrical stimulation, elevation of blood pressure in pithed rats, effect of paraoxon, 233

Electronic potentials, effect of K-351, phentolamine or prazosin in canine mesenteric artery, 679

Enkephalin, D-Ala², D-Leu⁵, inhibition of binding of opiates and opioid peptides in homogenates of rat brain, 461

- D-Ala², MePhe⁴,Gly-ol⁵, inhibition of binding of opiates and opioid peptides in homogenates of rat brain, 461
- Leu-, effect on spontaneous electrical activity and junction potentials elicited by parasympathetic nerve stimulation in cat and rabbit colon, 419
- Met-, effect on spontaneous electrical activity and junction potentials elicited by parasympathetic nerve stimulation in cat and rabbit colon, 419
- —, Met-, lack of effect on α₂-agonist analgesia and of displacement of α₂-agonist radioligand binding, 487

Epithelium, frog skin, irreversible inhibition of sodium channels by ultraviolet irradiation, 431

Ergometrine, effect on vasodilator responses to dopamine and SK&F 38393 in anaesthetized dog, 23

Ethylene glycol tetraacetic acid, influence on the effect of Ro 20-1724 on the responses of superfused rat parotid gland to isoprenaline, 405

Ethylenediamine, effect on excitatory and inhibitory innervation of the rat anococcogeus muscle, 691

- , inhibition of convulsive effects of pentylenetetrazol in mice, 525
- (-)-Ethylketazocine, inhibition of binding of opiates and opioid peptides in homogenates of rat brain, 461

N-ethylmaleimide, influence on cholinoceptors and re-

sponses in longitudinal muscles from guinea-pig ileum, 89

Erythrocytes, human, haemolysis, evidence for carriage of silver by sulphadimine, 141

F

Fibrin, interactions with red cells and platelets in an experimental model of thrombosis, 29

Field stimulation, effect on isolated anococcygeus muscle of the mouse, 97

 responses of rat anococcygeus muscle, effect of γaminobutyric acid, 691

Firing rates, spontaneous, effect of cyclic dicarboxylic acids in rat cortical neurones, 7

First pass elimination, of propranolol, effect of chlorpramazine, imipramine and SKF 525-A in pithed rat, 667

Flare reactions, human skin, induction by substance P, inhibition by neurotensin, 531

5-Flourouracil, kinetics of uptake into rat liver, 413

α-Flupenthixol, effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59

 β -Flupenthixol, effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59

Fluphenazine, effect on rat liver tryptophan pyrrolase activity, 59

 --- , effect on stereotypy and contralateral circling induced in rats by dopamine agonists, 185

FPL 55712, effect of pretreatment on contractant action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39

- , effect on histamine-induced contraction of human airway smooth muscle, 570
- , effect on leukotriene-induced contractions of guineapig parenchmal strips, 267
- —, inhibition of effects of leukotriene C₄ on mucin release into cat trachea in vivo and in vitro, 391
- reduction of anaphylactic bronchoreactivity in two models of bronchial anaphylaxis in anaesthetized guinea-pig, 301

Fundus strip, rat, actions of some esters of 4-hydroxyquinuclidine, 549

 , rat, effects of pH on the affinity of pirenzepine for muscarinic receptors, 559

G

G25671, effect on platelet aggregation induced by arachidonic acid in an experimental model for thrombosis, 29

Ganglionic transmission, effect of propranolol and diltiazem in superior cervical ganglion of the guinea-pig, 359

Gastric acid, effect of pirenzepine on secretion from mouse stomach, 567

Gastric emptying, modification by histamine H₂-antagonists, 443

Gastric fundus, rat, induction of contraction by pinane thromboxane A₂, 591

Giant neurones, of Achatina fulica Férussac, inhibitory effect of N-β-phenylpropionyl-L-tyrosine and its derivatives, 631

- **Glucogenesis,** modulation by α_1 -adrenoceptor in rat renal cortex, 177
- **Glutamate**, induction of excitation of rat cortical neurones, effect of cyclic dicarboxylic acids, 7
- Glyceryl trinitrate, factors affecting elimination in rat and rabbit, 83
- Glycine, effects of injectable anaesthetics on responses of reticulo-spinal neurones of the lamprey, 493
- **Guanethidine**, denervation of rats, effect on contractile responses of rat vas deferens to 5-hydroxytryptamine, 605
- -- , effect on cardiovascular responses to lysinevasopressin and oxytocin in anaesthetized dog, 69
- -- , effect on excitatory junction potential in smooth muscle of dog cerebral arteries, 197
- Guanfacine, comparison of actions with clonidine administered centrally and peripherally administered in the rabbit, 641
- Guanosine triphosphate analogue, effect on pilocarpine and carbachol binding in ciliary muscle of cynomolgus monkey, 731

Н

- **Haematin,** effect on antidepressant-induced inhibition of rat liver tryptophan pyrrolase activity, 59
- **Haemolysed blood,** effect on responses of mouse anococcygeus to field stimulation and relaxations to vasoactive intestinal polypeptide or adenosine 5'-triphosphate, 97
- **Haemolysis**, of human ethythrocytes, evidence for carriage of silver by sulphadimine, 141
- **Haloperidol,** effect on β-phenylethylamine-induced hyperactivity in the mouse, 129
- -- , effect on stereotypy and contralateral circling induced in rats by dopamine agonists, 185
- **Heart,** anaesthetized dog, effect of dopamine and dopamine agonists on blood flow, 23
- —, dog, effects of ICI 118,587, a partial β_1 -adrenoceptor agonist, 381
- Heart rate, dog, effect of lysine-vasopressin and oxytocin,
- -, effect of ICI 118, 587 in dogs, 381
- , influence of chloralose and pentobarbitone in dogs, 309
- —, modification by α_1 -adrenoceptor activation in both directions, 319
- **Hemicholinium-3**, effect on [³H]-acetylcholine synthesis in rat isolated sympathetic ganglia, 581
- , effect on potassium activation of [³H]-choline accumulation by rat isolated sympathetic ganglia, 573
- -, peripheral toxicity in mice, 239
- **Hexamethonium,** blockade of negative chronotropic response to α-agonists in pithed rats, 319
- **High- pressure,** effect on responses to γ-aminobutyric acid of the rat superior cervical ganglion, 209
- **High pressure liquid chromatography,** measurement of 5-flourouracil uptake into rat liver, 413
- **Hippocampal formation,** rat brain, effect of methionyltyrosyl-lysine on single neurones, 477
- **Histamine**, effect of adenosine 5'-triphosphate on responses of guinea-pig ileum before and after addition

- of hyoscine, 725
- , effect of mixed inhibitors of cyclo-oxygenase and lipoxygenasee on concentration-response curve, 701
- effect on adenosine-stimulated accumulation of cyclic adenosine 3',5'-monophosphate and on [3H]mepyramine binding in guinea-pig cerebral cortex, 347
- , effect on cystic duct resistance and circular muscle preparations in canine cystic ducts, 717
- , effect on electrical slow waves and tone of guinea-pig isolated trachealis muscle, 45
- —, effect on membrane potential and input conductance in *Ascaris suum* somatic muscle, 255
- , induction of bronchoconstriction in pithed guinea-pigs, effect of sympathetic nerve stimulation, 249
- , induction of contractions in human airway smooth muscle, effect of arachidonic acid metabolism inhibitors, 570
- , induction of release by substance P, effect of neurotensin in rat mast cells, 531
- , involvement of release in contractions produced by substance P analogue in guinea-pig taenia coli, 697
- **Histamine H₂-antagonists**, modification of gastric emptying in the rat, 443
- **Histamine receptors,** effect of stimulation on resistance of canine cystic duct *in vivo* and on contractility of circular preparations of canine cystic duct *in vitro*, 717
- **Histamine H₁-receptors,** mediation of responses to histamine analogues in guinea-pig cerebral cortex, 347
- HHV-II, (protease inhibitor homologue) effect on acetylcholine release and interactions with prejunctional blocking toxins, 153
- **DL-Homocysteic acid,** induction of firing in single neurones of regions of rat brain, effects of methionyl-tyrosyllysine. 477
- Homovanillic acid, effect of central stimulants on mouse striatal concentrations, 511
- Hot plate test, effect of morphine, buprenorphine and tilidine in the rat, 615
- (15S)-hydroxy-11α,9α (epoxymethano) prosta-5z, 13Edienoic acid see U46619
- **6-Hydroxydopamine**, effect on mitochondrial function in ischaemic and reperfused rabbit myocardium, 707
- , effect on release of noradrenaline and purines from vascular adrenergic nerves of the rabbit by ouabain, 625
- 1-(p-Hydroxyphenoxy)-3-β-(morpholinicarbon-amido) ethylamino-2-propranol fumarate see ICI 118,587
- **4-Hydroxyquinuclidine esters,** actions on guinea-pig ileum, atria and rat fundus, 549
- **5-Hydroxytryptamine,** contractile effects on rat isolated vas deferens, 605
- , effect of adenosine 5'-triphosphate on responses of guinea-pig ileum before and after addition of tetrodotoxin, 725
- --, effect on (+)-amphetamine on regional levels in mouse, 335
- , effect on muscle membrane of dog cerebral arteries, 197
- , inactivation in isolated perfused rat lung, effect of cigarette ventilation, 245
- —, production of coronary arterial spasm in the dog, effect of removal of magnesium from physiological salt solution, 649

- **5-Hydroxytryptamine nerve terminals,** effect of (+)-amphetamine in mouse striatum, 335
- **5-Hydroxytryptamine receptor antagonists,** effect on β-phenylethylamine-induced hyperactivity in the mouse, 129
- 5-Hydroxytryptamine receptors, mediation of 5hydroxytryptamine-induced contractions of rat isolated vas deferens, 605
- **Hyoscine**, effect on inhibitory effect of adenosine 5'-triphosphate on responses of guinea-pig ileum to prostaglandin E_2 and histamine, 725
- Hyperactivity syndrome, induced by β -phenylethylamine in the mouse, pharmacological analysis, 129
- **Hyper-reactivity,** pig trachea, indomethacin-induced, lipoxygenase-dependent component, 701
- Hypertension, induction by (-)-phenylephrine, B-HT 933 and sympathetic stimulation, antagonism by raubasine, yohimbine and corynanthine in pithed rats, 449

I

ICI 118,587, cardiovascular effects in dog, 381

Ileum, guinea-pig, actions of some esters of 4-hydroxyquinuclidine, 549

- , guinea-pig, direct and indirect effect of adenosine 5'triphosphate on guinea-pig ileum, 725
- —, guinea-pig, effects of pH on the affinity of pirenzepine for muscarinic receptors, 559
- —, guinea-pig, pharmacological studies with pirenzepine,
 576
- , rat, effect of chlorpromazine on net fluxes of water and sodium, 469

Imidazole, effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39

- , effect on leukotriene-induced contractions of parenchymal strips of guinea-pig, 267
- , inhibition of thromboxane A₂ release induced by leukotrienes C₄ and D₄ in guinea-pig lung in vitro, 267

Imipramine, effect on hepatic first pass elimination of propranolol in the pithed rat, 667

- -, effect on rat liver tryptophan pyrrolase activity, 59
- **Indomethacin,** effect of incubation with adenosine 5'-triphosphate on isolated anococcygeus muscle of the mouse. 97
- , effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39
- , effect on histamine-induced contraction of human airway smooth muscle, 570
- , effect on ovalbumin-induced contraction of guinea-pig trachea, 3
- —, effect on platelet aggregation induced by arachidonic acid in an experimental model for thrombosis, 29
- , effect on vasoactive intestinal polypeptide potentiation of oedema in rabbit skin, 505
- , increased anaphylactic bronchoreactivity in two models of bronchial anaphylaxis in anaesthetized guineapigs, 301
- induction of hyper-reactivity in pig isolated trachea, effect of mixed cyclo-oxygenase and lipoxygenase inhibitors, 701

- **Indoramin,** effect on gluconeogenesis in tubules and [³H]prazosin binding to membranes from rat neonatal cortex, 177
- **Innervation,** excitatory and inhibitory of rat anococcygeus muscle, inhibitory action of γ-aminobutyric acid, 691

Inotropic effects, of ICI 118, 587 in dogs, 381

Input conductance, Ascaris suum somatic muscle, effect of piperazine and diethyl-carbamazine, 255

Iodoamiloride, action as photoligand for epithelial sodium channels of frog skin, 431

Iprindole, effect on clonidine inhibition of acoustic startle reflex in rats, 217

-, effect on rat liver tryptophan pyrrolase activity, 59

Ischaemia, effect on mitochondrial function in presence and absence of 6-hydroxydopamine in the rabbit, 707

Isocarboxazid, effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59

- **Isoprenaline,** effect on atrioventricular conduction and heart rate, reduction by chloralose and pentobarbitone in dog, 309
- —, effect on heart and blood vessels of dog, antagonism by ICI 118,587, 381
- , effects on muscle membrane of dog cerebral arteries, 197
- production of a positive chronotropic response in pithed rats, 319
- responses of superfused rat parotid gland, effect of Ro 20-1724 and theophylline, 405
- (-)-Isoprenaline, effect on electrical slow waves and tone of guinea-pig isolated trachealis muscle, 45

J

Junction potentials, effects of enkephalins and morphine in cat and rabbit colons, 419

K

- **K-351**, effects on the electrical and mechanical responses of smooth muscle cells and neuromuscular transmission in the canine mesenteric artery, 679
- **Kainate,** induction of excitation of rat cortical neurones, effect of cyclic dicarboxylic acids, 7
- **Ketamine**, effect on responses of reticulo-spinal neurones to inhibitory transmitters in the lamprey, 493
- —, effect on responses to γ-aminobutyric acid of the rat superior cervical ganglion, 209

Kidney, anaesthetized dog, effect of dopamine and dopamine agonists on blood flow, 23

Kinetics, uptake of 5-flourouracil into rat liver, 413

L

- **Labetalol,** and its stereoisomers, α and β -adrenoceptor blocking potencies in anaesthetized dogs and in isolated tissues, 105
- Lamprey, model for the study of the effects of anaesthetics, 493
- **Leukotriene B₄, C₄ and D₄,** stimulation of arachidonic acid metabolism and generation of thromboxane A₂ in guinea-pig lung *in vitro*, 267

- **Leukotriene** C₄, effect on mucin release into cat trachea in vivo and in vitro, 391
- **Lipoxygenase**, involvement in indomethacin-induced hyper-reactivity in pig trachea, 701
- Liver, rat, kinetics of 5-flourouracil uptake, 413
- **Longitudinal muscles,** guinea-pig ileum, influence of *N*-ethylmaleimide on responses, 89
- Lorazepam, effect on rat liver tryptophan pyrrolase activity, 59
- Loxapine, effect on stereotypy and contralateral circling induced in rats by dopamine agonists, 185
- **Ludiomil**, effect on rat liver tryptophan pyrrolase activity and tryptophan brain concentrations, 59
- **Lung, guinea-pig, stimulation of arachidonic acid metabolism and generation of thromboxane** A_2 by leukotrienes B_4 , C_4 and D_4 in vitro, 267
- , rat isolated perfused, effect of cigarette smoke ventilation on inactivation of 5-hydroxytryptamine, 245
- **Lung lobe,** dog, pulmonary action of prostaglandin $F_{2\alpha}$ and U46619, effect of TMB-8, 55
- **LY51641**, effect on tyramine and noradrenaline contractile responses of rat isolated vas deferens, 13
- **Lysine-vasopressin,** effect on central cardiovascular control in anaesthetized dogs, 69

M

- **Magnesium**, effect of concentrations in medium on potassium activated uptake of [³H]-choline by isolated sympathetic ganglia of the rat, 573
- , low concentrations in medium, effect on potassium depolarization-induced stimulation of [3H]acetylcholine synthesis in rat isolated sympathetic ganglia, 581
- Magnesium ions, antagonism of N-methyl D,L aspartic acid responses in amphibian spinal cord, 363
- —, effect on binding of agonists and antagonists to αadrenoceptor of intact human platelets, 277
- , influence on contractility of coronary arteries of the dog to vasoactive agents, 649
- Mamba venoms, protease inhibitor homologues, facilitation of acetylcholine release and interactions with prejunctional blocking toxins, 153
- Manganese ions, antagonism of N-methyl D,L aspartic acid responses in amphibian spinal cord, 363
- Mast cells, rat, effect of neurotensin on substance P-induced histamine release, 531
- Mecamylamine, effect on pressor response to paraoxon in anaesthetized and conscious rat, 223
- , effect on pressor response to paraoxon in pithed rat,
 233
- Median raphe nucleus, rat, involvement in antinociception induced by morphine, buprenorphine and tilidine, 615
- Mefanamic acid, effect on rat liver tryptophan pyrrolase activity, 59
- **Membrane current,** Ascaris suum somatic muscle, effect of piperazine and diethylcarbamazine, 255
- Membrane potential, Ascaris suum somatic muscle, effect of piperazine and diethylcarbamazine, 255
- **Membrane properties,** smooth muscles of dog cerebral arteries, 197
- Mepacrine, effect on leukotriene-induced contractions of

- guinea-pig parenchymal strips, 267
- , inhibition of antigen-induced bronchoconstriction in guinea-pigs sensitized to produce IgE- and IgG-like antibodies, 301
- inhibition of release of thromboxane A₂ and prostaglandin-like material induced by slow-reacting substance of anaphylaxis and bradykinin in guinea-pig lung in vitro, 267
- Mepyramine, effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39
- , effect on contraction in guinea-pig taenia coli induced by substance P analogue, 697
- , effect on potentiation of adenosine-stimulated accumulation of cyclic adenosine 3',5'-monophosphate and on [3H]-mepyramine binding in guinea-pig cerebral cortex, 347
- , effect on stereotypy and contralateral cicling induced in rats by dopamine agonists, 185
- reduction of anaphylactic bronchoreactivity in two models of bronchial anaphylaxis in anaesthetized guinea-pig, 301
- [³H]-mepyramine, effect of histamine H₁-agonists on binding in guinea-pig cerebral cortex, 347
- Metaclopramide, effect on dopamine-induced delay in gastric emptying in the rat, 443
- Methergoline, effect on β-phenylethylamine-induced hyperactivity in the mouse, 129
- **Methionyl-tyrosyl-lysine**, effect on single neurones in regions of rat brain, 477
- **Methoxyverapamil**, effect on electrical slow waves and tone of guinea-pig isolated trachealis muscle, 45
- N-methyl-p-aspartate, induction of excitation of rat cortical neurones, effect of cyclic dicarboxylic acids, 7
- N-methyl-p-aspartate receptors, role in synaptic transmission in amphibian spinal cord, 363
- N-methylatropine, effect on pressor response to paraoxon in anaesthetized and conscious rat, 223
- , effect on pressor response to paraoxon in pithed rat, 233
- 2-Methylhistamine, effect on adenosine-stimulated accumulation of cyclic adenosine 3',5'-monophosphate and on [3H]-mepyramine binding in guinea-pig cerebral cortex, 347
- **4-Methylhistamine,** effect on cystic duct resistance and on circular muscle preparations of canine cystic duct, 717
- N°-methylhistamine, effect on adenosine-stimulated accumulation of cyclic adenosine 3',5'-monophosphate and on [3H]-mepyramine binding in guinea-pig cerebral cortex, 347
- (-)-\alpha-Methylnoradrenaline, effect on gluconeogenesis in tubules and [3H]-prazosin binding to membranes from rat neonatal cortex, 177
- [3H]-N-methylscopolamine, binding to ciliary muscle of cynomolgus monkeys, 731
- **2-Methylthioadenosine 5'-diphosphate**, actions on human platelets, 329
- **Methysergide,** effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39
- , effect on contractile responses of coronary arteries of dog evoked by vasoactive agents in different concentrations of magnesium, 649

- -- , effect on contractile responses of rat vas deferens to 5-hydroxytryptamine, 605
- —, effect on β-phenylethylamine-induced hyperactivity in the mouse, 129
- , effect on stereotypy and contralateral circling induced in rats by dopamine agonists, 185
- Metiamide, modification by, of gastric emptying in the rat,
- **Metoclopramide**, effect on vasodilator responses to dopamine and SK&F 38393 in anaesthetized dog, 23
- Metomidate, effect on responses of reticulo-spinal neurones to inhibitory transmitters in the lamprey, 493
- Metyrapone, effect on hepatic first pass elimination of propranolol in the pithed rat, 667
- **Mianserin**, effect on β -phenylethylamine-induced hyperactivity in the mouse, 129
- , effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- Microiontophoretic application, of methionyl-tyrosyllysine, effect on single neurones of regions of rat brain, 477
- Miniature endplate currents, effect of low concentrations of carbachol applied by local superfusion to mouse diaphragm endplates, 405
- Mitochondrial function, effect of chemical sympathectomy in ischaemic and reperfused rabbit myocardium, 707
- Monoamine oxidase inhibitors, effect on tyramine and noradrenaline contractile responses of rat isolated vas deferens, 13
- **Morphine**, effect on spontaneous electrical activity and junction potentials elicited by parasympathetic nerve stimulation in cat and rabbit colon, 419
- , induction of antinociception, involvement of median raphe nucleus in the rat, 615
- , lack of effect on α₂-agonist analgesia and of displacement of α₂-agonist radioligand binding, 487
- **Motor nerve terminals,** presence of γ-aminobutyric acid receptors, 163
- Mucins, effect of leukotriene C₄ on release into cat trachea in vivo and in vitro, 391
- Muscarine, effect on release of catecholamines from the perfused adrenal gland of the cat, 455
- Muscarinic receptors, affinity of 4-hydroxyquinuclidine esters in guinea-pig ileum, atria and rat fundus, 549
- ters in guinea-pig ileum, atria and rat fundus, 549
 binding properties in ciliary muscle of cynomolgus monkeys, 731
- , effects of pH on the affinity of pirenzepine in guineapig ileum and rat fundus strip, 559
- ganglionic, mediation of pressor effects of paraoxon in pithed rat, 233
- , pharmacological studies on affinity of pirenzepine in ileum and atrium of guinea-pig and mouse stomach, 567
- **Muscarinic responses,** longitudinal muscle of guinea-pig ileum, effect of *N*-ethylmaleimide, 89
- Muscle membrane conductance, effect of low concentrations of carbachol applied by local superfusion to mouse diaphragm endplates, 405
- Muscle tension, effect of putative calmodulin antagonists in depolarized vascular and intestinal smooth muscles, 661
- **Myocardium**, rabbit, effect of chemical sympathectomy on mitochondrial function, 707

- N
- Naloxone, antagonism of effects of enkephalins and morphine in cat and rabbit colon, 419
- -, inhibition of ionic currents in frog node of Ranvier, 115
- , lack of effect on α₂-agonist analgesia and of displacement of α₂-agonist radioligand binding, 487
- Neostigmine, potentiation of negative chronotropic responses to α-agonists in pithed rats, 319
- Neuromuscular junction, mouse, fast desensitization of nicotinic receptor, 405
- Neuromuscular junction potentials, smooth muscles of dog cerebral arteries, 197
- Neuronal hybrid cell lines, desensitization of prostacyclin receptors, 121
- **Neurones**, rat cortical, effects of cyclic dicarboxylic acids on spontaneous and amino acid-evoked activity, 7
- **Neurotensin,** effect on histamine release induced by substance P in rat peritoneal mast cells, 531
- Neurotensin analogues, inhibition of substance P-induced histamine release in rat mast cells, 531
- Nialamide, effect on rat liver tryptophan pyrrolase activity and brain concentration of tryptophan, 59
- Nickel ions, antagonism of N-methyl D,L aspartic acid responses in amphibian spinal cord, 363
- **2-Nicotinamidoethyl nitrate**, effect on membrane potential in smooth muscle of dog cerebral arteries, 197
- Nicotine, effect of adenosine 5'-triphosphate on responses of guinea-pig ileum, 725
- responses of perfused adrenal gland of the cat, effect of muscarine perfusion, 455
- Nicotinic receptor, fast desensitization at mouse neuromuscular junction, 405
- Nictindole, effect of pretreatment with, on contractile action of adenosine and adenosine 5'-triphosphate on guinea-pig isolated trachea, 39
- Nifedipine, effect of pretreatment with, on contractile action of adenosine and adenosine 5'-triphosphate on guinea-pig isolated trachea, 39
- , effect on contractile responses to 5-hydroxytryptamine in rat vas deferens, 605
- NNV-II, (protease inhibitor homologue) effect on acetylcholine release and interactions with prejunctional blocking toxins, 153
- Node of Ranvier, frog, inhibition of ionic currents by naloxone, 115
- Nomifensine, effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- , effects on mouse striatal tyramine, dopamine and homovanillic acid, 511
- Non-adrenergic, non-cholinergic inhibitory transmission, in mouse anococcygeus, 97
- Noradrenaline, action on same receptors as dopamine and phenylephrine in rat isolated vas deferens, 293
- actions on and interactions with yohimbine on stimulation-induced ³H-transmitter efflux in guineapig ureter, 373
- —, characterization and differentiation of αadrenoceptors of rat and rabbit aortae, 169
- —, contractile responses of rat isolated vas deferens, effect of selective monoamine oxidase inhibitors, 13
- -, chronotropic effects in dog heart, antagonism by ICI 118,587, 381

- , effect of (+)-amphetamine on regional levels in mouse,
 335
- , effect on muscle membrane of dog cerebral arteries, 197
- —, effect on β-phenylethylamine-induced hyperactivity in the mouse, 129
- —, induction of contractions, effect of γ-aminobutyric acid in rat anococcygeus muscle, 361
- , induction of contractions, effect of K-351, phentolamine or prazosin in canine mesenteric artery, 679
- , induction of contractions and ⁴⁵Ca fluxes in rat isolated aorta, 597
- —, release from vascular adrenergic nerves of the rabbit by ouabain, 625
- (-)-Noradrenaline, effect on gluconeogenesis in tubules and [3H]-prazosin binding to membranes from rat neonatal cortex, 177
- [³H]-noradrenaline, enhancement and inhibition of efflux, action at two separate loci, 373
- Noradrenaline nerve terminals, effect of (+)-amphetamine in mouse striatum, 335
- in mouse striatum, 335

 Nortriptyline, effect on rat liver tryptophan pyrrolase activi-

ty and brain tryptophan concentrations, 59

Notexin, interaction with facilitatory toxins from mamba venoms, 153

0

- **Oedema,** induced by bradykinin and by C5a des Arg., effect of vasoactive intestinal polypeptide and prostaglandin E₂ in rabbit skin, 505
- Opiate binding sites, μ -, δ and κ -, spectrum in homogenates of rat brain, 461
- Opiate receptor agonists, lack of effect on α_2 -agonist analgesia and of displacement of α_2 -agonist radioligand binding, 487
- **Opiates,** binding characteristics on homogenates of rat brain, 461
- —, effect on spontaneous electrical activity and junction potentials elicited by parasympathetic nerve stimulation, 419
- **Opioid peptides,** binding characteristics on homogenates of rat brain, 461
- Org 6001, voltage- and time-dependent depression of maximum rate of depolarization of guinea-pig ventricular action potentials, 541
- Ouabain, effect on membrane potential in smooth muscle of dog cerebral arteries, 197
- , release of purines and noradrenaline from vascular adrenergic nerves of rabbit, 625
- **Ovalbumin**, induction of contraction of guinea-pig trachea,
- Oxymetazoline, characterization and differentiation of αadrenoceptors of rat and rabbit aortae, 169
- , effect on gluconeogenesis in tubules and [³H]-prazosin binding to membranes from rat neonatal cortex, 177
- , induction of contractions and ⁴⁵calcium fluxes in rat isolated aorta, 597
- , inhibition of stimulation-induced transmitter efflux, lack of effect of yohimbine, 373

Oxmetidine, modification of gastric emptying in the rat, 443 Oxytocin, effect on central cardiovascular control in anaesthetized dog, 69

P

- Paraoxon, effect on blood pressure in anaesthetized and conscious rat, 223
- —, pressor effects in the pithed rat, 233
- Parasympathetic nerve stimulation, effect on amplitude of junction potentials of cat and rabbit colon, facilitation by opiates, 419
- Parasympathetic nerves, location of α_1 -adrenoceptors in pithed rats, 319
- **Parenchymal strips,** guinea-pig, dose-related contractions induced by leukotrienes B₄, C₄ and D₄, 267
- **Pargyline**, effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- Parotid gland, rat, effect of the ophylline and Ro 20-1724 on protein secretion, 405
- Paw pressure test, effect of morphine, buprenorphine and tilidine in the rat, 615
- **Pemoline,** effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- **Pentobarbitone,** effect on responses of reticulo-spinal neurones to inhibitory transmitters in the lamprey, 493
- , influence on heart rate and atrioventricular conduction in dogs, 309
- Pentylenetetrazol, infused or administered intraperitoneally
- —, responses to, anticonvulsant effects of ethylenediamine in mice, 525
- **Perivascular nerve stimulation,** induction of contractions, effect of K-351, phentolamine or prazosin in canine mesenteric artery, 679
- **pH**, effect on the affinity of pirenzepine for muscarinic receptors in the guinea-pig ileum and rat fundus strip, 550
- **Phenelzine,** effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- **Phenidone**, abolition of effect of indomethacin on tracheal contractions to histamine in the pig, 701
- **Phenoxybenzamine,** effect on depressant action of bethanechol on fast excitatory postsynaptic potentials in bullfrog, 75
- —, effect on β-phenylethylamine-induced hyperactivity in the mouse, 129
- **Phentolamine**, effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39
- —, effect on contractile response evoked by vasoactive agents in different concentrations of magnesium in coronary arteries of the dog, 649
- ---, effect on contractile responses of rat vas deferens to 5-hydroxytryptamine, 605
- effect on depressant action of bethanechol on fast excitatory postsynaptic potentials in bullfrog, 75
- —, effect on excitatory junction potential in smooth muscle of dog cerebral arteries, 197
- , effect on gluconeogenesis in tubules and [3H]-prazosin binding to membranes from rat neonatal cortex, 177
- —, effect on inhibitory action of γ-aminobutyric acid in rat anococcygeus muscle, 691
- —, effect on β-phenylethylamine-induced hyperactivity in the mouse, 129
- -- , effect on pressor response to paraoxon in the anaesthetized and in the conscious rat, 223

- -- , effect on release of purines from vascular adrenergic nerves of the rabbit by ouabain, 625
- , inhibition of actions of dopamine, noradrenaline and phenylephrine in rat isolated vas deferens, 293
- **Phenylephrine**, action on same receptors as dopamine and noradrenaline in rat isolated vas deferens, 293
- , induction of contractions and ⁴⁵calcium fluxes in rat isolated aorta, 597
- —, induction of contractions, effect of γ-aminobutyric acid in rat anococcygeus muscle, 361
- production of positive and negative chronotropic effect in pithed rats, 319
- (-)-Phenylephrine, effect on gluconeogenesis in tubules and [³H]-prazosin binding to membranes from rat neonatal cortex, 177
- **β-Phenylethylamine**, induction of hyperactivity in the mouse, pharmacological analysis, 129
- N-β-phenylpropionyl-L-tyrosine, and its derivatives, inhibitory effects on identifiable giant neurone of *Achatina fulica* Férussac, 631
- **Phenytoin,** effect on rat liver tryptophan pyrrolase activity, 59
- **Phosphate: oxygen ratio,** effect of chemical sympathectomy in ischaemic and reperfused rabbit myocardium, 707
- [3H]-phosphorylcholine, effect of potassium depolarization and preganglionic nerve stimulation on synthesis in rat isolated sympathetic ganglia, 581
- **Physalaemin,** effect on substance P-induced histamine release in rat mast cells, 531
- **Picrotoxin,** effect on response of rat anococcygeus muscle to γ-aminobutyric acid, 163
- **Pilocarpine**, inhibition of [³H]-N-methylscopolamine binding in ciliary muscle of cynomolgus monkey, 731
- **Pimozide**, effect on stereotypy and contralateral circling induced in rats by dopamine agonists, 185
- **Pinane thromboxane A₂**, effects in rat and human stomach longitudinal muscle, 591
- **Piperazine**, effect on membrane potential membrane, current and input conductance in *Ascaris suum* somatic muscle, 255
- **Piperazine-2,3-dicarboxylic acid,** effect on spontaneous and amino acid-evoked activity of rat cortical neurones. 7
- cis-2,3-Piperidine dicarboxylic acid, effect on spontaneous and amino acid-evoked activity of rat cortical neurones. 7
- Pirenzepine, affinity for muscarinic receptors, 567
- —, effect of pH on the affinity for muscarinic receptors in guinea-pig ileum and rat fundus strip, 559
- —, inhibition of [3H]-N-methylscopolamine binding in ciliary muscles of cynomolgus monkey, 731
- Pithed rats, α-adrenoceptor blocking properties of raubasine, yohimbine and corynanthine, 449
- , effect of chlorpromazine, metyrapone, imipramine and SKF 525-A on hepatic first pass elimination of propranolol, 667
- **Plasma,** rabbit, levels of guanfacine after central and peripheral administration, 641
- **Platelets,** human, actions of adenosine 5'-diphosphate analogues, inhibition by adenosine 5'-triphosphate, 329
- –, human, effects of monovalent and divalent cations on α-adrenoceptor, 277

- , interactions with fibrin and red cells in an experimental model of thrombosis, 29
- **Potassium,** activation of [³H]-choline accumulation by isolated sympathetic ganglia of the rat, 573
- , effect of increased concentrations on the effects of salicylates on isolated atrial muscle of the rabbit, 285
- , influence of increased concentrations on the effects of 5-bromo salicylate on isolated atrial muscle of the rabbit, 285
- **Potassium chloride,** production of coronary arterial spasm in the dog, effect of removal of magnesium from physiological salt solution, 649
- -- , release of purines and noradrenaline from vascular adrenergic nerves of rabbit, 625
- **Potassium currents,** inhibition by naloxone in frog node of Ranvier, 115
- **Potassium depolarization,** effect on metabolism of [³H]-choline in rat isolated sympathetic ganglia, 581
- **Potassium free medium,** effect on membrane potential in smooth muscle of dog cerebral arteries, 197
- **Potassium ion conductance,** effect of diethylcarbamazine in *Ascaris suum* somatic muscle, 255
- **Potassium ions,** high levels, responses of perfused adrenal gland of the cat, effect of muscarine perfusion, 455
- , induction of contractions, effect of N-ethylmaleimide in longitudinal muscles from guinea-pig ileum, 89
- **Prazosin,** antagonism of stimulatory effects of histamine in cystic duct of dog, 717
- , effect on excitatory junction potential in smooth muscle of dog cerebral arteries, 197
- , effect on gluconeogenesis in tubules and [3H]-prazosin binding to membranes from rat neonatal cortex, 177
- effect on pressor response to paraoxon in the anaesthetized and in the conscious rat, 223
- , effect on stereotypy and contralateral circling induced in rats by dopamine agonists, 185
- , inhibition of actions of dopamine, noradrenaline and phenylephrine in rat isolated vas deferens, 293
- [3H]-prazosin, binding to tubules in rat renal cortex, 177

 Preganglionic nerve stimulation, effect on metabolism of [3H]-choline in rat isolated sympathetic ganglia, 581
- **Prenylamine**, effect on tension and cellular calcium content in depolarized vascular and intestinal smooth muscles, 661
- **Pressor responses,** to bilateral carotid artery occlusion or noradrenaline in capsaicin treated adult rats, 517
- **Promethazine,** inhibition of [³H]-mepyramine binding in guinea-pig cerebral cortex, 347
- **Propranolol,** effect on contractile response of coronary arteries of the dog evoked by vasoactive agents in different concentrations of magnesium, 649
- —, effect on ganglionic transmission in superior cervical ganglion of the guinea-pig, 359
- -- , effect on inhibitory action of γ-aminobutyric acid in rat anococcygeus muscle, 691
- —, effect on modulation of bronchoconstrictor responses to histamine in pithed guinea-pigs by sympathetic nerve stimulation, 249
- -- , effect on negative chronotropic effect of salicylates on isolated atrial muscle of the rabbit, 285
- —, effect on β-phenylethylamine-induced hyperactivity in the mouse, 129
- -, effect on stereotypy and contralateral circling induced

- in rats by dopamine agonists, 185
- —, first pass elimination, effect of chlorpromazine, metyrapone, imipramine and SKF 525-A in the pithed rat, 667
- Prostacyclin, activation of adenylate cyclase of NCB-20 neuronal somatic cell hybrid, 121
- -, induction of contractions, effect of pinane thromboxane A2 in rat and human stomach muscle, 591
- Prostacyclin receptors, desensitization in neuronal hybrid cell line, 121
- Prostaglandin E-like material, release in response to ovalbumin in guinea-pig trachea in the absence of indomethacin, 3
- Prostaglandin E1, stimulation of changes in net fluxes of water and sodium in rat ileum and colon, effect of chlorpromazine, 469
- **Prostaglandin E2**, effect of adenosine 5'-triphosphate on responses of guinea-pig ileum before and after addition of hyoscine, 725
- -, vasodilatation and potentiation of oedema in rabbit skin, 505
- **Prostaglandin** $F_{2\alpha}$, pulmonary vasoconstrictor action, effect of TMB-8 in dog, 55
- Prostaglandins, contribution to the adenosine and adenosine 5'-triphosphate-induced contraction of guinea-pig isolated trachea, 39
- -, induction of contractions, effect of thromboxane A₂ in human and rat stomach muscle, 591
- Prostease inhibitor homologues, effect on isolated biventer cervicis nerve-muscle preparations of chick, 153
- Protease of tumour cell surfaces, inhibition by silver transported by sulphadimidine in the presence of chlorine ions, 147
- Protein secretion, effect of the ophylline and Ro 20-1724 in superfused rat parotid gland, 405
- Proteolytic enzymes, inhibition, evidence for the carriage of silver by sulphadimidine, 147
- Protriptyline, effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59
- Pulmonary arterial segment, rabbit, release of noradrenaline or purines by ouabain and potassium chloride after preincubation with [3H]-noradrenaline or [3H]adenosine, 625
- Purine nucleotides, effect of binding of agonists and antagonists to α-adrenoceptor of human intact platelets,
- Purines, release from vascular adrenergic nerves of the rabbit by ouabain, 625
- 2,3-Pyridine dicarboxylic acid see Quinolinic acid
- 2-Pyridylethylamine, effect on adenosine-stimulated accumulation of cyclic adenosine 3', 5'-monophosphate in guinea-pig cerebral cortex, 347
- -, effect on cystic duct resistance and on circular muscle preparations of canine cystic duct, 717
- 2-2'-Pyridylisatogen tosylate, effect on muscle tone and inhibitory responses to field stimulation, vasoactive intestinal polypeptide or adenosine 5'-triphosphate in mouse anococcygeus, 97

Quinolinic acid, production of excitation of rat cortical neurones, effect of cyclic dicarboxylic acids, 7

- [3H]-3-quinuclidinyl benzilate, inhibition of binding to membranes prepared from longitudinal muscles of guinea-pig ileum by carbamylcholine, 89
- Quisqualate, production of excitation of rat cortical neurones, effect of cyclic dicarboxylic acids, 7

- Ranitidine, effect on dopamine-induced delay in gastric emptying in the rat, 443
 - , modification of gastric emptying in the rat, 443
- Raubasine, a-adrenoceptor blocking properties in pithed
- Red cells, interactions with fibrin and platelets in an experimental model of thrombosis, 29
- Renal cortex, rat, comparison of [3H]-prazosin binding with the α_1 -adrenoceptor modulating gluconeogenesis under physiological conditions, 177
- Reperfusion, effect on mitochondrial function in presence and absence of 6-hydroxydopamine in the rabbit, 707
- Reserpine, effect of treatment on contractile responses of rat vas deferens to 5-hydroxytryptamine, 605
- —, effect on modulation of bronchoconstrictor responses to histamine in pithed guinea-pigs by sympathetic nerve stimulation, 249
- Respiration, effect on neonatally administered capsaicin in adult rats, 517
- Respiratory control index, effect of chemical sympathectomy in ischaemic and reperfused myocardium, 707
- Ro 15-1788, effect on anticonvulsant action of diazepam or ethylenediamine in mice, 525
- Ro 20-1724, effect on protein secretion from superfused rat parotid gland, 405
- Route of administration, effect on elimination of glyceryl trinitrate in rat and rabbit, 83

S

- Salicylate, effect on rat liver tryptophan pyrrolase activity,
- Saliva, comparison of effects of centrally and peripherally administered guanfacine and clonidine on flow in the rabbit, 641
- Sex, effect on elimination of glyceryl trinitrate in rat and rabbit, 83
- Silver, evidence for the carriage by sulphadimidine, inhibition of proteolytic enzymes, 147
- Silver, evidence for carriage by sulphadimine: haemolysis of human erythrocytes, 141
- SKF 515-A, effect on hepatic first pass elimination of propranolol in the pithed rat, 667
- SK&F 38393, effect on renal and coronary blood flow in anaesthetized dog, 23
- SK & F 38393, induction of contralateral circling in rats,
- Skin, human, inhibition by neurotensin of substance Pinduced flare reaction, 531
- Slow reacting substance of anaphylaxis, release by, of thromboxane A₂ and prostaglandin-like materials from guinea-pig lung, 267
- Smooth muscle, depolarized vascular and intestinal, effects

- of calmodulin antagonists on tension and cellular calcium content in rabbit and guinea-pig, 661
- Smooth muscle cells, dog cerebral arteries, membrane properties and excitatory neuromuscular transmission, 197
- **Sodium,** changes in net flux, induction by prostaglandin E_1 and theophylline, effect of chlorpromazine, 469
- **Sodium**, low concentrations in medium, effect on [3H]acetylcholine synthesis in rat isolated sympathetic ganglia, 581
- Sodium 7-[3(4-acetyl-3-hydroxy-2-propylphenoxy)-2hydroxypropoxy]-4 oxo-8-propyl-4H-1-benzopyran-2-carboxylate see FPL 55712
- Sodium channels, frog skin epithelium, effect of ultraviolet irradiation, 431
- Sodium currents, inhibition by naloxone in frog node of Ranvier, 115
- Sodium ions, effect on binding of agonists and antagonists to α-adrenoceptor of intact human platelets, 277
- Sodium nitrate, effect on electrical slow waves and tone of guinea pig isolated trachealis muscle, 45
- Sodium salicylate, electrophysical effects on isolated atrial muscle of the rabbit, 285
- Sodium transport, frog skin epithelium, effect of ultraviolet irradiation, 431
- Spike activity, effect of morphine and enkephalins in cat and rabbit colon, 419
- Spinal cord, frog, antagonism of N-methyl D,L aspartic acid responses by low concentrations of divalent cations,
- Spinal cortex, rat brain, effect of methionyl-tyrosyl-lysine on single neurones, 477
- Spontaneous electrical activity, effect of enkephalins and morphine in cat and rabbit colon, 419
- Stereotypy, induction by dopamine agonists in the rat, potency, 185
- **Smooth muscle,** human, effect of pinane thromboxane A_2 ,
- Striatum, mouse, selective (+)-amphetamine neurotoxicity on dopamine nerve terminals, 335
- Strychnine, induction of seizures, effect of ethylenediamine, in mice, 525
- Subsensitivity, of ciliary muscles of cynomolgus monkey, induction by treatment with muscarinic agonists, effect on muscarinic receptor concentrations, 731
- Substance P, contractile effects on guinea-pig isolated taenia coli, antagonism by (D-Pro², D-Trp^{7,9})substance P, 697
- -, induction of histamine release from rat mast cells, inhibition by neurotensin, 531
- Substance P,(D-Pro², D-Trp^{7,9})-, antagonism of contractile effects of substance P on guinea-pig isolated taenia coli,
- Substance P analogues, inhibition of substance P-induced histamine release in rat mast cells, 531
- Sulphadimidine, evidence for carriage of silver, haemolysis of human erythrocytes, 141
- —, evidence for carriage of silver, inhibition of proteolytic enzymes, 147
- Sulphinpyrazone, effect on thrombus formation, 29
- Superior cervical ganglion, guinea-pig, effect of diltiazem and propranolol on ganglionic transmission, 359
- -, rat, effect of ketamine and of high pressure on re-

- sponses to y-aminobutyric acid, 209
- Sympathetic ganglia, rat isolated, effect of potassium depolarization and pre-ganglionic nerve stimulation on the metabolism of [3H]-choline, 581
- -, rat isolated, potassium activation of [3H]-choline accumulation, 573
- Sympathetic nerve stimulation, effect on bronchoconstrictor responses to histamine in pithed guineapigs, 249
- Sympathetic nerve terminals, bullfrog, effects of bethanechol and atropine on acetylcholine release, 75
- Synaptic transmission, antagonism in bullfrog sympathetic ganglia by divalent cations, 363

T

- Tachycardia, association with modulation of bronchoconstrictor responses to histamine in pithed guinea-pigs by sympathetic nerve stimulation, 249
- -, clonidine inhibition, antagonism by raubasine, yohimbine and corynanthine in pithed rats, 449
- -, electrically-induced, inhibition by propranolol in pithed rat, 667
- Taenia coli, guinea-pig, effect of calmodulin antagonists on tension and cellular calcium content in smooth muscle,
- guinea-pig, mechanism of action of substance P analogue for production of contractions, 697
- Taipoxin, lack of interaction with toxins from mamba venoms, 153
- Temperature, effect of changes on electrical slow waves and tone of guinea-pig isolated trachealis muscle, 45
- -, effect on inhibition of epithelial sodium channels by ultraviolet irradiation, 431
- Tetraethylammonium, effect on electrical slow waves and tone of guinea-pig isolated trachealis muscle, 45
- -, production of spike by outward current pulses after pretreatment, in smooth muscle of dog cerebral arteries, 197
- 2, 3, 4, 5 Tetrahydro 7, 8 dihyddroxy 1 phenyl 1H 3 benzazepine see SK&F 38393
- Tetrahydrozoline, characterization and differentiation of α-adrenoceptors of rat and rabbit aortae, 169
- Tetrodotoxin, blockade of negative chronotropic response to α-angonists in pithed rats, 319
- -, effect on excitatory junction potential in smooth muscle of dog cerebral arteries, 197
- —, effect on inhibitory effect of adenosine 5'-triphosphate on responses to 5-hydroxytryptamine and acetylcholine in guinea-pig ileum, 725
- Thalamus, rat brain, effect of methionyl-tyrosyl-lysine on single neurones, 477
- Theophylline, effect of pretreatment on contractile action of adenosine and adenosine 5'-triphosphate on guineapig isolated trachea, 39
- -, effect on protein secretion from superfused rat parotid gland, 405
- -, stimulation of changes in net fluxes of water and sodium in rat ileum and colon, effect of chlorpromazine, 469
- 2-Thiazolylethylamine, effect on adenosine-stimulated accumulation of cyclic adenosine 3',5'-monophosphate and on [3H]-mepyramine binding in guinea-pig cerebr-

al cortex, 347

Thioridazine, effect on β -phenylethylamine-induced hyperactivity in the mouse, 129

Thrombosis, experimental model, fibrin, red cell and platelet interactions, 29

Thromboxane A₂, generation by leukotrienes in guinea-pig lung *in vitro*, 267

Thromboxane A₂ analogues, effects as prostanoid antagonists in longitudinal strips of rat and human stomach, 591

Thromboxane synthetase inhibitors, effect of pretreatment on contraction of adenosine and adenosine 5'triphosphate on guinea-pig isolated trachea, 39

—, effect on thrombus formation, 29

Thromboxanes, contribution to the adenosine and adenosine 5'-triphosphate-induced contraction of guinea-pig isolated trachea, 39

Tilidine, induction of antinociception, involvement of median raphe nucleus in the rat, 615

Tiotidine, effect on gastric emptying in the rat, 443

TMB-8, effect on pulmonary vasoconstrictor action of prostaglandin $F_{2\alpha}$ and U46619, 55

Tone, guinea-pig trachealis muscle, effect of drugs and temperature changes, 45

Toxicity, of hemicholinium-3 in mice, 239

Toxin I, effect on acetylcholine release and interactions with prejunctional blocking toxins, 153

Toxin K, effect on acetylcholine release and interactions with prejunctional blocking toxins, 153

Trachea, cat, effect of leukotriene C₄ on release of mucins in vivo and in vitro, 391

-, guinea-pig, ovalbumin-induced contraction, 3

 —, guinea-pig isolated, contribution of prostaglandins and thromboxanes to the adenosine and adenosine 5'triphosphate-induced contractions, 39

Trachealis muscle, guinea-pig isolated, effect of drugs and temperature changes on electrical slow waves and tone, 45

Tramazoline, characterization and differentiation of α -adrenoceptors of rat and rabbit aortae, 169

Tranylcypromine, effect on rat liver tryptophan pyrrolase activity and brain tryptophan concentrations, 59

effect on trypamine and noradrenaline contractile re-

 , effect on tryramine and noradrenaline contractile responses of rat isolated vas deferens, 13

Trazodone, effect on rat liver tryptophan pyrrolase activity, 59

Tricyclic antidepressants, effect on clonidine inhibition of acoustic startle reflex in rats, 217

Trypsin, inhibition, evidence for the carriage of silver by sulphadimidine, 147

Tryptophan, effect of small doses of antidepressants on brain concentrations in rat, 59

Tryptophan pyrrolase, inhibition of rat liver activity by acute administration of small doses of antidepressants, 59

Tubocurarine, effect on electrophysiological effects of piperazine and diethylcarbamazine on *Ascaris suum* somatic muscle, 255

Twitch response, electrically-evoked, inhibition by γ-aminobutyric acid in rat isolated anococcygeus muscle, 163

Tyramine, effect of central stimulants on mouse striatal concentrations, 511

Tyramine potentiation, relationship with selective inhibition of monoamine oxidase types A and B in the rat vas deferens, 13

U

U-44069, induction of contractions, effect of pinane thromboxane A₂ in rat and human stomach muscle, 591

U-46619, induction of contractions, effect of pinane thromboxane A₂ in rat and human stomach muscle, 591

 , pulmonary vasoconstrictor action, effect of TMB-8 in dog, 55

Ultraviolet irradiation, irreversible inhibition of sodium channels by ultraviolet irradiation, 431

V

Vas deferens, rat isolated, action of dopamine at the same receptors as noradrenaline, 293

 , rat isolated, contractile effects of 5-hydroxytryptamine, 605

 , rat isolated relationship between tyramine potentiation and selective inhibition of monoamine oxidase types A and B, 13

Vascular smooth muscle, effect of ICI 118,587 in dogs, 381
Vasoactive intestinal polypeptide, effect on isolated anococcygeus muscle of the mouse, 97

 , vasodilatation and potentiation of oedema in rabbit skin, 505

Vasodilatation, induced by vasoactive intestinal polypeptide and prostaglandin E₂ in rabbit skin, 505

Vasopressin, elevation of blood pressure in pithed rats, effect of paraoxon, 233

Ventricle, guinea-pig, voltage- and time-dependence of depression of the maximum rate of depolarization by steroidal antiarrhythmic drugs, 541

Verapamil, effect on contractile responses of rat vas deferens to 5-hydroxytryptamine, 605

 , effect on tension and cellular calcium content in depolarized vascular and intestinal smooth muscle, 661

Veratridine, responses of perfused adrenal gland in the cat, effect of muscarine perfusion, 455

Viloxazine, effect on rat liver tryptophan pyrrolase activity, 59

W

Warfarin, effect on thrombus formation, 29

Water, changes in net flux, induction by prostaglandin E₁ and theophylline, effect of chlorpromazine, 469

Wenckebach Point, effect of pentobarbitone in dogs, 309

\mathbf{x}

Xenopsin, inhibition of substance P-induced histamine release in rat mast cells, 531

Xylazine, effect on *in vivo* analgesic effects of opiates and displacement of opioid radioligand binding, 487

 production of a direct negative chronotropic response in heart of pithed rats, 319

Y

Yohimbine, o-adrenoceptor blocking properties in pithed rats, 449

- , effect on excitatory junction potential in smooth muscle of dog cerebral arteries, 197
- , effect on in vivo analgesic effects of opiates and displacement of opioid radioligand binding, 487
- -- , effect on pressor response to paraoxon in the anaesthetized and in the conscious rat, 223
- --- , effect of stereotypy and contralateral circling induced in rats by dopamine agonists, 185
- , inhibition of actions of noradrenaline and dopamine on the rat vas deferens in the presence of cocaine, oes-

- tradiol, propranolol and prazosin, 293
- production of increased transmitter efflux in guineapig ureter without reduction of inhibitory effect of exogenous noradrenaline, 375
- [³H]-yohimbine, effect of monovalent and divalent cations and purine nucleotides on binding to α-adrenoceptors, 277

Z

Zimelidine, effect on rat liver tryptophan pyrrolase activity,

FIRST WORLD CONGRESS ON CARDIOVASCULAR PHARMACOTHERAPY

Geneva, Switzerland 11-15 April, 1983

The main topics for discussion will be: (1) New cardiovascular drugs; (2) New indications for known drugs; (3) Clinical trials; (4) Haemodynamic and electrophysiological aspects of cardiovascular pharmacotherapy; (5) Regimens of treatment; (6) Side-effects and contraindications; (7) Cardiovascular side-effects of other medications; (8) Extending treatment to new population groups; (9) Cost/effectiveness ratio of various cardiovascular medications; (10) Comparative efficiency of drugs; (11) Pharmacokinetics and laboratory methods.

Further information from: Adam Schneeweiss, M.D., Scientific Secretary, 12 Ave. des Amazones, 1224 Chêne-Bourgeries, Geneva, Switzerland

British Pharmacological Society

FUTURE MEETINGS

University of London (Institute of Education and School of Pharmacy)

5th-7th January 1983 (abstract dates 26th August-2nd September 1982)

University of Cambridge

6th-8th April 1983 (abstract dates 2nd-9th December 1982)

6th-8th July 1983

University of Leicester

(abstract dates 24th-31st March 1983)

University College, Galway

7th-9th September 1983

(abstract dates 19th-26th May 1983)