British Journal of Pharmacology

SHORT COMMUNICATIONS

SZELENYI I. Does pirenzepine distinguish between 'subtypes' of muscarinic receptors?

ADCOCK, J.J. & GARLAND, L.G. Modification of human airway smooth muscle reactivity by drugs that interfere with arachidonic acid metabolism

PAPERS

HIGGINS, A.J. & NEAL, M.J. Potassium activation of [3H]-choline accumulation by isolated sympathetic ganglia of the rat

HIGGINS, A.J. & NEAL, M.J. Effect of potassium depolarization and preganglionic nerve stimulation on the metabolism of [3H]-choline in rat isolated sympathetic ganglia

BENNETT, A. & SANGER, G.J. Pinane thromboxane A2 analogues are non-selective prostanoid antagonists in rat and human stomach muscle

GODFRAIND, T., MILLER, R.C. & SOCRATES LIMA J. Selective α_1 -and α_2 -adrenoceptor agonistinduced contractions and 45Ca fluxes in the rat isolated

HAY, D.W.P. & WADSWORTH R.M. The contractile effects of 5-hydroxytryptamine on the rat isolated vas deferens

BRYANT, R.M., OLLEY, J.E. & TYERS, M.B. Involvement of the median raphe nucleus in antinociception induced by morphine, buprenorphine and tilidine in the rat

KATSURAGI, T. & SU, C. Release of purines and noradrenaline by ouabain and potassium chloride from vascular adrenergic nerves

ARIYOSHI, Y. & TAKEUCHI, H. Structure-activity relationships of N-β-phenylpropionyl-L-tyrosine and its derivatives on the inhibition of an identifiable giant neurone of an African giant snail (Athatina fulita férrusac)

BARBER, N.D. & REID, J.L. Comparison of the actions of centrally and peripherally administered clonidine and guanfacine in the rabbit: investigation of the differences

- 649 ALTURA, B.M. & TURLAPATY, P. D.M.V. Withdrawal of magnesium enhances coronary arterial spasms produced by vasoactive agents
- KARAKI, H., MURAKAMI, K., NAKAGAWA, 661 H., OZAKI. H. & URAKAWA, N. Effects of calmodulin antagonists on tension and cellular calcium content in depolarized vascular and intestinal smooth muscles
- 667 BARBER, H.E., KITTERINGHAM, N.R. & PET-RIE, J.C. The effect of chlorpromazine, metyrapone, imipramine and SKF 525-A on the hepatic first pass elimination of propranolol in the pithed rat
- KOU, K, KURIYAMA, H. & SUZUKI H. Effects of 679 3, 4-dihydro-8-(2-hydroxy-3-isopropylaminopropoxy)-3-nitroxy-2H-1-benzopyran (K-351) on smooth muscle cells and neuromuscular transmission in the canine mesenteric artery
- 691 HUGHES, P.R., MORGAN, P.F. & STONE, T.W. Inhibitory action of y-aminobutyric acid on the excitatory but not inhibitory innervation of the rat anococcygeus muscle
- HÅKANSON, R., HÖRIG, J. & LEANDER, S. The mechanism of action of a substance P antagonist (D-Pro², D-Trp^{7.9})-SP
- 701 MITCHELL, H.W. The effect of mixed inhibitors of cyclo-oxygenase and lipoxygenase on the indomethacininduced hyper-reactivity in the isolated trachea of the
- 707 NAYLER, W.G. & SCOTT, E.M. The effect of chemical sympathectomy on mitochondrial function in the ischaemic and reperfused myocardium
- 717 CLANACHAN, A.S., COURTNEY, D.F. SCOTT, G.W. Stimulatory and inhibitory histamine receptors in canine cystic duct
- WATT, A.J. Direct and indirect effects of adenosine 5'-triphosphate on guinea-pig ileum
- BARANY, E., BERRIE, C.P., BIRDSALL, N.J.M., BURGEN, A.S.V. & HULME, E.C. The binding properties of the muscarinic receptors of the cynomolgus monkey ciliary body and the response to the induction of agonist subsensitivity