

# C O M M U N I C A T I O N S

- |   |  |
|---|--|
| 304P PAALZOW, GUDRUN H.M. Noradrenergic receptors in pain and analgesia   | 313P BERTI, C. & NISTRI, A. Caffeine and flurazepam affect GABA depolarizations of primary afferent fibres in the <i>in vitro</i> spinal cord                                    |
| 305P HALSEY, M.J. & WARDLEY-SMITH, BRIDGET Interactions of naloxone with ketamine or althesin at high pressure  | 314P EDVINSSON, L., KELLY, P.A.T., McCULLOCH, J. & UDDMAN, R. Effects of vasoactive intestinal polypeptide in the striatum and cingulate cortex                                  |
| 306P COOPER, S.J. & FRYER, LYNNE Effects of morphine, naltrexone and (+)-amphetamine on exploration and general activity in the young rat   | 315P CROSSMAN, A.R., LATHAM, A., PATEL, S. & SLATER, P. Regional brain 2-deoxyglucose uptake during motor hyperactivity induced by ADTN in rat nucleus accumbens                 |
| 307P SCATTON, B. Involvement of D <sub>2</sub> , but not D <sub>1</sub> receptors in striatal dopaminergic transmission   | 316P PAAKKARI, I., PAAKKARI, P. & KARPPANEN, H. Comparison of the cardiovascular and ventilatory effects of urapidil and clonidine   |
| 308P ARNT, J. Differential effects of neuroleptics on 3-PPP and amphetamine induced circling behaviour in 6-hydroxy-dopamine lesioned rats  | 317P GREENWOOD, D.T. & MARSHALL, P.W. Effects of $\beta$ -adrenoceptor antagonists on centrally-evoked pressor responses in anaesthetized and conscious rats                     |
| 309P JENNER, P., MARSDEN, C.D. & RUPNIAK, N.M.J. Cholinergic manipulation of peri-oral movements induced by the chronic administration of neuroleptic drugs to rats                             | 318P SAVOLA, J.M., PUURUNEN, J., RUSKOaho, H. & KÄRKI, N.T. Pre- and postsynaptic $\alpha$ -adrenoceptor effects of some new hypotensive imidazole derivatives in pithed rats    |
| 310P EBENEZER, I. The dose-related effect of atropine on cortical event-related slow potentials in the conscious rat  | 319P LANGER, S.Z. & SHEPPERSON, N.B. Differences between noradrenaline and clonidine on the $\alpha_2$ -adrenoceptor mediated inhibition of the response of the rat vas deferens |
| 311P CURZON, G., HUTSON, P.H., SARNA, G.S. & TRICKLEBANK, M.D. <i>In vivo</i> determination of brain 5-hydroxytryptamine and dopamine turnover in the conscious rat using repeated CSF sampling | 320P MILLAR, J.S. & VAUGHAN WILLIAMS, E.M. Mechanisms of bradycardia   |
| 312P BROWN, CHLOË L. & MARTIN, I.L. Photoaffinity labelling of the benzodiazepine receptor does not occlude the $\beta$ CCE binding site  |  |

*The author who intended to present the work is indicated  
by an asterisk (\*) on the abstract*

- 321P OSNES, J.-B., BJERKE, M.G., TIDEMANN-ANDERSEN, S.-W., SKOMEDAL, T. & AASS, H. Interaction between inotropic response to  $\alpha$ -adrenoceptor stimulation and to ouabain
- 322P DALRYMPLE, H.W., HAMILTON, C.A. & REID, J.L. The effect of age on peripheral  $\alpha$ -adrenoceptors *in vivo* and *in vitro* in the rabbit
- 323P RAMAGE, A.G. Why do  $\alpha_1$ -adrenoceptor antagonists fail to cause reflex tachycardia?
- 324P HJEMDAHL, P., EKLUND, B. & KAIJSER, L. Catecholamine handling by the human forearm at rest and during isometric exercise and lower body negative pressure
- 325P SCOTT, EVELYN M. & WILLIAMS, E.K. The effect of atenolol on aortic nerve discharge in the anaesthetized cat
- 326P AXELSSON, K.L. & ANDERSSON, R.G.G. Alterations in the response to contractile and relaxant stimuli in nitroglycerin tolerant rat aorta
- 327P EK, B., BJELLIN, L. & LUNDGREN, B. Differentiation between  $\beta_1$  and  $\beta_2$  adrenoceptors mediated inhibition of spontaneous contractility in the rat isolated colon strip
- 328P CALDWELL, J., HUTT, A.J., SANGSTER, SUSAN A. & SMITH, R.L. Dose-dependent metabolism of the food flavouring agent p-propyl-anisole
- 329P RYDELL, E.L., AXELSSON, K.L. ANDERSSON, R.G.G. & WIKBERG, J.E.S. Effect of retinylacetate (vitamin A analogue) on the kinetics of guanylatecyclase
- 330P HAWKSWORTH, G.M. & MORRISON, M.H. Conjugation of p-nitrophenol in perfused livers isolated from streptozotocin-induced diabetic rats
- 331P HOLMES, P.R., MAYER, J. HEIDI & TOMLINSON, D.R. The effect of aldose reductase inhibition on axonal transport and nerve conduction velocity in streptozotocin-diabetic rats
- 332P RUDLING, M., COLLINS, V.P. & PETERSON, C. Delivery of cytotoxic LDL-incorporated anthracyclines to human glioma cells with high LDL-receptor activity
- 333P DE JONG, W., PETTY, M.A. & SITSEN, J.M.A. Endorphins and central cardiovascular regulation
- 334P BHOOLA, K.D., DAWBARN, D., O'SHAUGHNESSY, CELESTINE & PYCOCK, C.J. Modulation of dopamine receptor activation by the neuropeptides VIP and CCK
- 335P LUNDBERG, J.M. & TATEMOTO, K. Pancreatic polypeptides and sympathetic vasoconstriction resistant to  $\alpha$ -adrenoceptor antagonists
- 336P AL-SAFFAR, A., THEODORSSON-NORHEIM, E. & ROSELL, S. Neuronal involvement in the release of neurotensin-like immunoreactivity (NTLI) from the small intestine of the rat
- 337P EDVINSSON, L., McCULLOCH, J., ROSELL, S. & UDDMAN, R. Effects of (D-Pro<sup>2</sup>, D-Trp<sup>7,9</sup>)-substance P on the dilatation of cerebral arteries produced by substance P *in vitro* and *in situ*
- 338P WILSON, W.S. & CAMPBELL, A. Indomethacin inhibits the increase in outflow of aqueous humour from the rabbit eye induced by adrenaline or cyclic AMP
- 339P SIRÉN, A.-L. Influence of selenium on the cardiovascular effects of arachidonic acid in spontaneously hypertensive rats

# P O S T E R   C O M M U N I C A T I O N S

- |  |  |
|--|--|
| <p>340P LLOYD, K.G. &amp; WORMS, P.<br/>Differential effect of yohimbine<br/>in several chemical models of<br/>convulsions in mice</p>   | <p>351P COOPER, S.J. Effects of opiate<br/>antagonists on the hyperdipsia<br/>induced by chlordiazepoxide and<br/>phenobarbitone in the thirsty<br/>rat</p>  |
| <p>341P LINDÉN, I.-B., PENTTILÄ, A. &amp;<br/>VAPAATALO, H. Anticonvulsive<br/>effects of MY-117, a derivative<br/>of taurine, in mice</p>   | <p>352P PRATT, J.A. &amp; STOLERMAN, I.P.<br/>Conditioned taste aversions<br/>(CTA) produced by nicotine in<br/>rats</p>   |
| <p>342P KONTRO, PIRJO &amp; OJA, S.S.<br/>Possible mechanism of action of<br/>some novel anticonvulsant taurine<br/>derivatives</p>  | <p>353P STÄHLE, L. &amp; UNGERSTEDT, U.<br/>Haloperidol restores exploration<br/>but not locomotion following an<br/>autoreceptor dose of apomorphine</p>  |
| <p>343P NIEMI, S., LANKINEN, S. &amp;<br/>GOTHONI, G. Toxicological studies<br/>of MY-117, a new taurine deriv-<br/>ative</p>  | <p>354P FORSTER, C. &amp; UNGERSTEDT, U.<br/>A possible <i>in vivo</i> binding<br/>technique using brain dialysis</p>  |
| <p>344P LILJEQUIST, R., PAASONEN, M.K. &amp;<br/>SOLATUNTURI, E. Taurine<br/>derivatives and learning per-<br/>formance</p>  | <p>355P BENNETT, G.W., MARSDEN, C.A.,<br/>SHARP, T., UNGERSTEDT, U. &amp;<br/>ZETTERSTRÖM, TYRA <i>In vivo</i><br/>measurement of dopamine and its<br/>metabolites by intracerebral<br/>dialysis: changes after d-<br/>amphetamine</p> |
| <p>345P GOTHONI, P., LEHTINEN, M. &amp;<br/>FINCKE, M. Effects of anti-<br/>Parkinson drugs on physostigmine-<br/>induced tremor in rats</p>   | <p>356P IRONS, JANE, MACDONALD, I.A. &amp;<br/>MARSDEN, C.A. L-tryptophan<br/>reverses the biochemical effects<br/>of low tryptophan but not the<br/>reduction in 5-methoxytryptamine-<br/>induced behaviour</p>                       |
| <p>346P BEVAN, P. &amp; WALLGREN, JEANETTE E.C.<br/>The effect of muscarinic ligands<br/>on the hippocampal EEG</p>  | <p>357P MARTIN, K.F. &amp; REDFERN, P.H.<br/>The effect of zimelidine on the<br/>24 hour variation of 5HT and<br/>tryptophan concentrations in the<br/>rat brain</p>   |
| <p>347P DUNWIDDIE, T.V. &amp; FREDHOLM, B.B.<br/>Adenosine receptors in the rat<br/>hippocampus</p>  | <p>358P DAVIES, S.W., TEMPLETON, W.W. &amp;<br/>WOODRUFF, G.N. Reduction of<br/>specific (<sup>3</sup>H)-cis-flupenthixol<br/>binding sites in rat striatum<br/>following decortication</p>  |
| <p>348P CURZON, G., HUTSON, P.H. &amp;<br/>TRICKLEBANK, M.D. Distinct pCPA<br/>and naloxone-sensitive analgesic<br/>mechanisms are activated by brief<br/>and prolonged footshock<br/>respectively</p> | <p>359P ARBILLA, S., LANGER, S.Z. &amp;<br/>NOWAK, J.Z. Influence of<br/>calcium on the autoreceptor-<br/>mediated inhibition of (<sup>3</sup>H)-<br/>dopamine release from the rabbit<br/>caudate nucleus</p>                         |
| <p>349P BOTTING, REGINA Interaction<br/>between selective monoamine<br/>oxidase inhibitors or 5HT uptake<br/>inhibitors and narcotic analgesics</p>  |  |
| <p>350P ATTLA, L.M.J. &amp; AHTEE, L.<br/>Changes in noradrenaline in<br/>different brain areas of rats<br/>withdrawn from 60 days' morphine<br/>treatment</p>   |  |

- 360P ARBUTHNOTT, G.W., HORN, A. & KAPOOR, V. Comparison of dopamine overflow from stimulated slices of the neostriatum and median eminence 'in vitro'
- 361P DEDEK, J., SCATTON, B. & ZIVKOVIC, B.  $\alpha_2$  receptors are not involved in the regulation of striatal dopaminergic transmission
- 362P HERRERA-MARSCHITZ, M. & UNGERSTEDT, U. Evidence that the rat striatonigral and striato-pallidal efferents are controlled by different dopamine receptors
- 363P FLEMINGER, S., JENNER, P., MARSDEN, C.D., REAVILL, C., RUPNIAK, N.M.J., TESTA, B. & VAN DE WATERBEEMD, H. Potent lipophilic substituted benzamide drugs are not selective D-1 dopamine receptor antagonists in the rat
- 364P TUOMISTO, J. & VOUTILAINEN, R. Conformation on amine uptake site: results with Ro 8-4650
- 365P LEINO, M., AIRAKSINEN, M.M., ANTIKAINEN, R. & KARI, I. Tissue distribution and retinal uptake of  $^{14}\text{C}$ -6-MeO-THBC after intravascular and intravitreal injections in rats and mice
- 366P KAIR, I., LEINO, M., AIRAKSINEN, M.M. & GYNTHNER, J. 6-methoxy-1,2,3,4-tetrahydro- $\beta$ -carboline in the retina
- 367P DUBOCOVICH, MARGARITA L. & ZAHNISER, NANCY R. ( $^3\text{H}$ )-spiperone can be used to label either a single or multiple dopaminergic sites in rabbit retina and striatum
- 368P BICHARD, A.R. & LITTLE, H.J. The effect of high pressure on (3H) GABA release from frog isolated spinal cord
- 369P BOLANDER, H.G. & WAHLSTRÖM, G. Potency and duration of the effect of some lipid-soluble barbiturates
- 370P KAIPIAINEN, S., PUURUNEN, J., RUSKOaho, H. & KÄRKI, N.T. Evidence for central hypotensive action of 4(5)-(2,6-dimethylbenzyl)imidazole (MPV-207)
- 371P KARPPANEN, H., PAAKKARI, I., PAAKKARI, PIRKKO, HONKANEN, E., PIPPURI, AINO, KAIRISALO, P. & NORE, P. New potent anti-hypertensive agents, OR H3088 and OR NO676
- 372P BORKOWSKI, K.R. Cardiovascular responses to the intrahypothalamic administration of adrenaline in conscious rats
- 373P HARRON, D.W.G. & SHANKS, R.G. Cardiovascular effects of indoramin in dogs
- 374P JANDHYALA, B.S. & LJUNG, B. Effects of felodipine on the hind limb vascular resistance of dogs
- 375P MARTORANA, M.G., RODGER, I.W. & SHAHID, M. Comparison of the vasodilator effects of amrinone, verapamil and sodium nitroprusside
- 376P LLOYD, I.J., WESTON, R. & THOMAS, T.P.L. Ethanol reduces aortic calcium content: its relevance to atherosclerosis
- 377P MOURA, A.M. & WORCEL, M. Acute effects of cyclothiazide, triamterene and their association on arterial smooth muscle permeability: ionic fluxes ex vivo
- 378P LUNDBLAD, L., LUNDBERG, J.M. & ÅNGGÅRD, A. Capsaicin sensitive substance-P nerves: antidromic vasodilation and increased vascular permeability in the nasal mucosa
- 379P LJUNG, B., KJELLSTEDT, A., BOSTRÖM, S.-L. & HALLBÄCK-NORDLANDER, M. Variable inhibitory effects of felodipine on noradrenaline responses of vascular smooth muscles

- 380P CAVERO, I., LEFÈVRE-BORG, F. & SHEPPERSON, N. M-7 stimulates vascular postsynaptic  $\beta_2$ -adrenoceptors in rats
- 381P SKOMEDAL, T. & OSNES, J.-B. Differences between  $\alpha$ -adrenergic and  $\beta$ -adrenergic inotropic effects in guinea-pig papillary muscles
- 382P AASS, H., SKOMEDAL, T. & OSNES, J. -B. The increase of myocardial contraction after the  $\beta$ -agonist prenalterol develops faster than the increase of relaxation
- 383P BROADLEY, K.J. & WILLIAMS, R.G. The affinity of agonists for cardiac  $\beta$ -adrenoceptors increases during hypothermia-induced supersensitivity
- 384P NIELSEN-KUDSK, F. & ASKHOLT, J. Pharmacodynamic effects of nimodipine in the isolated spontaneously beating rabbit heart
- 385P MARTORANA, M.G., RODGER, I.W. & SHAHID, M. Effects of amrinone on tension responses and cyclic nucleotide levels in rabbit depressed papillary muscle
- 386P REFSUM, H., PLATOU, E.S., SMISETH, O.A., ROULEAU, J.-L. & CHUCK, L.H.S. Vasodilator and inotropic effects of the anti-arrhythmic drug melperone
- 387P PLATOU, E.S. & REFSUM, H. Class III antiarrhythmic action in experimental atrial fibrillation and flutter in dogs: effects of amiodarone and melperone
- 388P HARRIS, N., KANE, K.A. & PARRATT, J.R. Autonomic and hormonal influences on the severity of coronary artery ligation-induced arrhythmias in anaesthetized rats
- 389P ABDULLAH, F.M., FRENCH, A.M. & SCOTT, N.C. Catecholamine uptake mechanisms: a study in guinea-pig depolarized atrial preparations
- 390P ELFELLAH, M.S. & KHAN, M.T. Effect of ouabain on tritium efflux in the rat isolated heart prelabelled with ( $^3\text{H}$ )-noradrenaline
- 391P ARMSTRONG, J.M., CAVERO, I. & SCATTON, B. Urethane increases plasma adrenaline levels by a central mechanism that is independent of reflex pathways in the rat
- 392P TOMLINSON, D.R. & WARD, M.J. Airway responsiveness to salbutamol, aminophylline and ipratropium Br after chronic salbutamol in the guinea-pig
- 393P DOE, J.E., HICKS, R. & PINTO, L. A comparison of pulmonary reactivity to inhaled antigens or haptens in sensitized guinea-pigs
- 394P BHOOLA, K.D. & GADD, ALISON Characterization of cyclic nucleotide phosphodiesterases in guinea-pig lungs
- 395P DAHLBÄCK, M. & SÖRENBY, L. Antigen-induced bronchial anaphylaxis in SD rats: possible mediators involved
- 396P KARLSSON, J.-A. & PERSSON, C.G.A. Unchanged responsiveness to bronchodilators in tracheas obtained from rats treated with enprofylline for six months
- 397P SALONEN, R.O. & MATTILA, M.J. Enhancement by betamethasone of the effects of bronchodilator drugs on methacholine-induced bronchoconstriction in rats
- 398P GRUNDSTRÖM, N. & ANDERSSON, R.G.G. A noncholinergic nonadrenergic neuronal component mediating slowly declining contraction in the guinea-pig airways
- 399P ERJEFÄLT, I. & PERSSON, C.G.A. Effects of adrenaline and terbutaline on mediator-increased vascular permeability in the cat trachea

- 400P BLABER, L.C. Bufuralol: a  $\beta$ -adrenoceptor antagonist with bronchodilating properties
- 401P ELKHAWAD, A.O., MUSTAFA, K.Y. & THULESIUS, O.  $\alpha$  and  $\beta$ -adrenoceptors in the tracheobronchial tree of the rabbit
- 402P JEPSSON, A.-B., JOHANSSON, U. & WALDECK, B. Does the (+)-isomer of terbutaline block  $\beta$ -adrenoceptors?
- 403P BLAKELEY, A.G.H. & PETERSEN, S.A. Spontaneous and evoked activity at a sympathetic neuro-effector junction
- 404P KLINGE, E. & SJÖSTRAND, N.O. Cholinergic suppression of adrenergic neurotransmission in canine corpus cavernosum urethrae (CCU)
- 405P LUNDBERG, J.M., ÄNGGÅRD, A., LUNDGREN, G., HOLMSTEDT, B., LUNDBLAD, L. & FAHRENKRUG, J. Co-release of VIP and acetylcholine in relation to autonomic control of vasodilation and exocrine secretion
- 406P ERÄNKÖ, P.O. Simultaneous purification of catecholamine synthesizing enzymes for the radioenzymatic phenylethylamine assays
- 407P EKAS, R.D. Jr., LOKHANDWALA, M.F. & STEENBERG, M.L. Evidence for the presence of presynaptic facilitatory  $\beta$ -adrenoceptors on renal noradrenergic nerves
- 408P CANNON, J.G., KOONS, J. & LONG, J.P. 5-hydroxy-6-methyl-*di-n*-propylaminotetralin (DK-118), a possible pro-drug
- 409P MUHYADDIN, M., ROBERTS, P.J. & WOODRUFF, G.N. GABA reduces the evoked neuronal release of ( $^3\text{H}$ )-noradrenaline from rat anococcygeus muscle: antagonism by 5-aminovalerate
- 410P TEMPLETON, D. Effect of parasympathectomy on ( $^3\text{H}$ )-QNB binding in rat parotid salivary glands
- 411P DOXEY, J.C., ROACH, A.G. & VIRDEE, NARINDER A comparison of the profiles of desipramine and the  $\alpha_2$ -adrenoceptor antagonist RX781094 in the pithed rat
- 412P FLAVAHAN, N.A. & McGRATH, J.C. The differential effect of acidosis on  $\alpha_1$ -adrenoceptor-mediated pressor responses
- 413P DOCHERTY, J.R. & McGRATH, J.C. Pre- and postsynaptic effects of cirazoline in the pithed rat and rat vas deferens
- 414P HAY, D.W.P., MOSS, J.P. & WADSWORTH, R.M. Effects of flunarizine on calcium dependent contractions of vascular and vas deferens smooth muscle
- 415P GOKHALE, S.D. & SHARIF, S.I. Pharmacological analysis of the contractile effect of isoprenaline on the rat isolated seminal vesicle
- 416P TABERNER, P.V. & UNWIN, J.W. The lack of specificity of 4-methylpyrazole in potentiating the effects of ethanol *in vivo*
- 417P SKETT, P. & WEIR, A. Thyroid control of hepatic drug metabolism in the rat
- 418P IDLE, J.R., MATTIN, R., OSIKOWSKA, BARBARA A., SEVER, P.S. & SWINBOURNE, F.J. Application of HPLC and NMR to the one-step synthesis of authentic noradrenaline 3- and 4-O-sulphates
- 419P CALDWELL, J. & COTGREAVE, I.A. An HPLC assay for ethylenediamine in plasma and urine
- 420P VOUTILAINEN, R. & TUOMISTO, J. Implication of active metabolites of amitriptyline and nortriptyline in rat plasma

- 421P PUE, M.A., FROST, G.S. & HIROM, P.C. Biliary excretion and enterohepatic recycling of glutathione conjugates
- 422P HOPE, D.B. & WHITE, K.N. Isolation of purified aspirinase from guinea-pig liver microsomes and identification of a cytoplasmic aspirinase
- 423P JAKOBSEN, P., PEDERSEN, A.K. & ANDREASEN, F. Studies on protein binding of sulfinpyrazone and two of its metabolites in human serum and human serum albumin
- 424P BRODIN, K. & NILSSON, G. Gastrin components in dog duodenum after antrectomy
- 425P JOHNSTON, BELINDA J. & McISAAC, R.L. Effect of deglycyrrhizinized liquorice on canine gastric mucosal blood flow and ion permeability
- 426P NORN, S., JENSEN, C. & STAHL SKOV, P. Inhibitory effect of calcium antagonists on basophil histamine release: *in vivo* and *in vitro* studies
- 427P CHURCH, M.K., HOLGATE, S.T. & HUGHES, P.J. Adenosine both potentiates and inhibits histamine release from human basophil leucocytes
- 428P VILHARDT, H., BIE, P., MELIN, P. & NILSSON, I.M. Release of plasminogen activator in conscious dogs injected with DDAVP
- 429P BRATTSAND, R., ROEMPKE, K. & JOHANSSON, U. An improved model for testing anti-inflammatory activity of drugs on rat ear oedema
- 430P VITOLS, S.G., GAHRTON, G. & PETERSON, C.O. Receptor-mediated toxicity on human leukemic cells by low-density lipoprotein incorporated N-trifluoroacetyladiamycin-14-valerate
- 431P CREESE, R., HEAD, S.D. & JENKINSON, D.F. Prolonged action of depolarizing drugs in guinea-pig muscle
- 432P JOHANSSON, P. JOSEFSSON, J.-O. & NÄSSBERGER, L. Induction of pinocytosis by aminoglycoside antibiotics
- 433P BRATTSAND, R., THALÉN, A., ROEMPKE, K., KÄLLSTRÖM, L. & GRUVSTAD, E. New glucocorticoids with improved ratio between topical and systemic activities
- 434P GOINY, M., UVNÄS-MOBERG, K. & CEKAN, S. Influence of dopaminergic drugs on steroid hormone secretion
- 435P ATKINSON, D.J., ATTERWILL, C.K., BALAZS, R., BERMUDEZ, I. & KINGSBURY, A. Thyroid hormone affects  $\text{Na}^+$ ,  $\text{K}^+$ -ATPase function in developing nervous tissue *in vitro*
- 436P CASTRÉN, EERO & TUOMISTO, J. Influence of the hormonal balance of late pregnancy on the active uptake of 5-hydroxy-tryptamine by human blood platelets
- 437P BASRAN, G.S., DEWAR, ANNE, MORLEY, J., PAGE, C.P., PAUL, W. & WOOD, LESLEY Properties of platelet activating factor (PAF-acether) which suggest involvement in chronic inflammation and persistent asthma
- 438P DE JONG, W., PETTY, M.A. & SITSSEN, J.M.A. Hypoalgesia in spontaneously hypertensive rats (SHR) is not related to blood pressure
- 439P RÖKAEUS, Å. Inhibition of bombesin- and fat-stimulated release of neurotensin-like immunoreactivity by somatostatin in the rat

- 440P FOY, J.M., PETERS, G.E., THAMIA, A.S. & WOOD, D. Effects of somatostatin on the gastrointestinal microcirculation of the rat
- 442P BENNETT, G.W., FOYSTER, L.L., GREENWOOD, D.T. & MARSDEN, C.A. Measurement of neuropeptides by HPLC with electrochemical detection
- 441P LUNDBERG, J.M. & SARIA, A. Vagal substance P nerves involved in control of vascular permeability and smooth muscle tone in trachea and bronchi
- 443P CIVIER, A., HENSBY, C., JUHLIN, L. & SHROOT, S. Time course changes in levels of prostaglandins D<sub>2</sub>, E<sub>2</sub>, F<sub>2α</sub> and 6-oxo-PGF<sub>1α</sub> in human skin following infra-red irradiation

# CONTRIBUTIONS BY TITLE ONLY

- 444P CLARK, D., CARLSSON, A., HJORTH, S., SVENSSON, K., ENGEL, J., ENGBERG, G., SVENSSON, T.H. & LINDBERG, P. The action of the enantiomers of 3-PPP: behavioural and electrophysiological studies
- HJORTH, S., CARLSSON, A., CLARK, D., SVENSSON, K., WIKSTRÖM, H., SANCHEZ, D., LINDBERG, P., HACKSELL, U., ARVIDSSON, L.-E., JOHANSSON, A. & NILSSON, J.L.G. Central dopamine receptor agonist and antagonist actions of the enantiomers of 3-PPP
- BRADSHAW, C.M., STOKER, M.J. & SZABADI, E. The interaction of clonidine with α<sub>1</sub>-adrenoceptors on cortical neurones: effects of prazosin
- DALY, SUSAN & MACLAGAN, JENNIFER Inhibition of propranolol-induced bronchospasm by membrane stabilising agents
- BENNETT, T., GARDINER, S.M. & KEMP, P.A. An assessment of the effectiveness of neonatal treatment with guanethidine as a means of producing sympathectomy
- SJÖGREN, C., BATRA, S., ANDERSSON, K.-E. & LARSSON, B. Increase in the number of α-adrenoceptors in the rabbit urethra after oestradiol treatment
- SAARNI, H., RAUTIO, A. & SOTANIEMI, E.A. Disposition of medroxyprogesterone acetate after chemical liver injury in rats