

British Journal of Pharmacology

CONTENTS

VOLUME 78 NUMBER 1 JANUARY 1983

SHORT COMMUNICATIONS

- 3 GINESI, M. L., MUNDAY, K.A. & NOBLE, A.R. Direct effect of lithium on active and inactive renin secretion
- 5 TEMPLETON, W.W. & WOODRUFF, G.N. A comparison of some of the properties of the [³H]-sulpiride binding site in soluble and native membrane preparations of dog striatum
- 8 GOLDSTEIN, D.B., HUNGUND, B.L. & LYON, R.B. Increased surface glycoconjugates of synaptic membranes in mice during chronic ethanol treatment

PAPERS

- 11 BERTACCINI, G. & ZAPPIA, G. Evidence against the temperature-dependent interconversion of histamine H₁- and H₂-receptors in the guinea-pig ileum
- 17 MEDGETT, I.C. Modulation of transmission in rat sympathetic ganglia by activation of presynaptic α - and β -adrenoceptors
- 29 JOHNSTON, K.M., MACLEOD, B.A. & WALKER M.J.A. Effects of aspirin and prostacyclin on arrhythmias resulting from coronary artery ligation and on infarct size
- 39 FORTES, Z.B., GARCIA LEME, J. & SCIVOLETTO, R. Influence of diabetes on the reactivity of mesenteric microvessels to histamine, bradykinin and acetylcholine
- 49 CARRATU, M.R., DI GIOVANNI, V. & MITOLOCHIEPPA, D. Effects of some antiepileptic drugs on the repetitive activity of the node of Ranvier
- 57 SMITH, J.A. & SPRIGGS, T.L.B. Neostigmine augments responses of the rat anococcygeus muscle to field stimulation
- 67 ANDERSON, W.H., O'DONNELL, M., SIMKO, B.A. & WELTON, A.F. An *in vivo* model for measuring antigen-induced SRS-A-mediated bronchoconstriction and plasma SRS-A levels in the guinea-pig
- 75 MARTIN, M.R. & PENIX, L.P. Comparison of the effects of bicuculline and strychnine on brain stem auditory evoked potentials in the cat
- 79 SCHOLFIELD, C.N. Baclofen blocks postsynaptic inhibition but not the effect of muscimol in the olfactory cortex
- 85 HOULT, J.R.S. & ROBINSON, C. Selective inhibition of thromboxane B₂ accumulation and metabolism in perfused guinea-pig lung

- 89 COWEN, P.J., FRASER, S., GRAHAME-SMITH, D.G., GREEN, A.R. & STANFORD, C. The effect of chronic antidepressant administration on β -adrenoceptor function of the rat pineal
- 97 EL-FAKAHANY, E. & RICHELSON, E. Antagonism by antidepressants of muscarinic acetylcholine receptors of human brain
- 103 KAMIKAWA, Y. & SHIMO, Y. Indirect action of 5-hydroxytryptamine on the isolated muscularis mucosae of the guinea-pig oesophagus
- 111 AFFOLTER, H., PEYER, M. & PLETSCHER, A. Storage of biogenic amines in guinea-pig brain synaptosomes: influence of proton gradient and membrane potential
- 117 COATES, J. & WEETMAN, D.F. Occurrence of α_{1S} -adrenoceptors in the mouse but not in the rabbit isolated anococcygeus preparations
- 123 CANFIELD, S.P. & SPENCER, J.E. The inhibitory effects of 5-hydroxytryptamine on gastric acid secretion by the rat isolated stomach
- 131 PUURUNEN, J. Inhibition of gastric acid secretion by intracerebroventricularly administered prostaglandin E₂ in anaesthetized rats
- 137 DAVIES, J.A. & WILLIAMS, J. A role for 5-hydroxytryptamine in the GABA-mimetic potentiation of α -flupenthixol-induced catalepsy in the rat
- 143 BEDWANI, J.R. & BLANNING, P.E. Effects of prostaglandin E₂ on fast and slow components of the response of the rat vas deferens to field stimulation
- 151 CHARNOCK, J.S., DRYDEN, W.F. & MARSHALL, R.J. Seasonal variations in drug response and staircase phenomena in atrial muscle from a hibernating rodent (*Spermophilus richardsonii*)
- 159 SANGER, D.J. An analysis of the effects of systemically administered clonidine on the food and water intake of rats
- 165 MARSHALL, R.J., MUIR, A.W. & WINSLOW, E. Effects of antiarrhythmic drugs on ventricular fibrillation thresholds of normal and ischaemic myocardium in the anaesthetized rat
- 173 BOUGHTON-SMITH, N.K., & WHITTLE, B.J.R. Stimulation and inhibition of prostacyclin formation in the gastric mucosa and ileum *in vitro* by anti-inflammatory agents
- 187 KOO, A. *In vivo* characterization of histamine H₁- and H₂-receptors in the rat stomach microcirculation

- 191 BOWERY, N.G., HILL, D.R. & HUDSON, A.L. Characteristics of GABA_B receptor binding sites on rat whole brain synaptic membranes
- 207 COLLIS, M.G. Evidence for an A₁-adenosine receptor in the guinea-pig atrium
- 213 CROSSLEY, A.W.A. & GILLESPIE, J.S. The effect of an inhibitory factor from the bovine retractor penis on the gastro-intestinal tract and gall bladder of the guinea-pig
- 221 MARSHALL, I. Stimulation-evoked release of [³H]-noradrenaline by 1, 10 or 100 pulses and its modification through presynaptic α_2 -adrenoceptors
- 233 VARMA, D.R. & YUE, T.-L. The influence of maternal protein deficiency on the placental transfer of salicylate in rats
- 239 CLARK, A.L. & HOBBERGER, F. Twitch potentiation by organophosphate anticholinesterases in rat phrenic nerve diaphragm preparations
- 247 KALSNER, S. The effects of yohimbine on presynaptic and postsynaptic events during sympathetic nerve activation in cattle iris: a critique of presynaptic receptor theory

VOLUME 78 NUMBER 2 FEBRUARY 1983

SHORT COMMUNICATIONS

- 257 BIRDSALL, N.J.M., BURGEN, A.S.V., HULME, E.C., STOCKTON, J.M. & ZIGMOND, M.J. The effect of McN-A-343 on muscarinic receptors in the cerebral cortex and heart
- 260 ALTURA, B.M., ALTURA, B.T. & CARELLA, A. Ethanol produces coronary vasospasm: evidence for a direct action of ethanol on vascular muscle
- 321 HULLIHAN, J.P., SPECTOR, S., TANIGUCHI, T. & WANG, J.K.T. The binding of [³H]-diazepam to guinea-pig ileal longitudinal muscle and the *in vitro* inhibition of contraction by benzodiazepines
- 329 CLARKE, P.B.S. & KUMAR, R. The effects of nicotine on locomotor activity in non-tolerant and tolerant rats
- 339 DOWNES, H. & TAYLOR, S.M. Distinctive pharmacological profile of a nonadrenergic inhibitory system in bullfrog lung
- 353 SAWYNOK, J. Theophylline-induced potentiation of the antinociceptive action of baclofen
- 359 FERRY, N., GOODHARDT, M., HANOUNE, J. & SEVENET, T. Binding of yohimbine stereoisomers to α -adrenoceptors in rat liver and human platelets
- 365 ILLES, P. & STARKE, K. An electrophysiological study of presynaptic α -adrenoceptors in the vas deferens of the mouse
- 375 HOF, R.P. Calcium antagonist and the peripheral circulation: differences and similarities between PY 108-068 nicardipine, verapamil and diltiazem
- 395 PYCOCK, C.J. & SMITH, L.F.P. Interactions of dopamine and the release of [³H]-taurine and [³H]-glycine from the isolated retina of the rat
- 405 BOLTON, T.B. & KITAMURA, K. Evidence that ionic channels associated with the muscarinic receptor of smooth muscle may admit calcium
- 417 O'DONNELL, S.R. & WANSTALL, J.C. Relaxation of cat trachea by β -adrenoceptor agonists can be mediated by both β_1 - and β_2 -adrenoceptors and potentiated by inhibitors of extraneuronal uptake
- 425 SCOTT, E.M. The effect of atenolol on the spontaneous and reflex activity of the sympathetic nerves in the cat: influence of cardiopulmonary receptors
- 433 JHAMANDAS, K. & SUTAK, M. Stereospecific enhancement of evoked release of brain acetylcholine by narcotic antagonists
- 441 FOSTER, P.S., GOLDIE, R.G. & PATERSON, J.W. Effects of steroids on β -adrenoceptor-mediated relaxation of pig bronchus

PAPERS

- 263 FÖRSTER, W. & PÖNICKE, K. Influence of sympathomimetic drugs (1-phenyl-2-amino-ethan-1-ol derivatives) on the biosynthesis of prostaglandins and thromboxane B₂
- 271 KERR, D.I.B. & KRANTIS, A. Uptake and stimulus-evoked release of [³H]- γ -aminobutyric acid by myenteric nerves of guinea-pig intestine
- 277 KIRPEKAR, S.M., PRAT, J.C. & SCHIAVONE, M.T. Modification of potassium-evoked release of noradrenaline by various ions and agents
- 287 BURKE, S.E., LEFER, A.M., NICOLAOU, K.C., SMITH, G.M. & SMITH, J.B. Responsiveness of platelets and coronary arteries from different species to synthetic thromboxane and prostaglandin endoperoxide analogues
- 293 CONNOR, E.A. & PARSONS, R.L. Procaine alters fast excitatory postsynaptic current decay in amphibian sympathetic ganglia
- 301 AVENIER, C., CERRINA, J., DUROUX, P., FLOCH, A., PRADEL, J. & RENIER, A. Sodium cromoglycate, verapamil and nicardipine antagonism to leukotriene D₄ bronchoconstriction
- 307 CLARK, S.L. & RYALL, R.W. The antinociceptive action of etorphine in the dorsal horn is due to a direct spinal action and not to activation of descending inhibition

SHORT COMMUNICATIONS

- 449 DE MOURA, R.S. & LIMA, J.S. Effect of disopyramide on isolated aortic ring of the rat
- 452 FENNESSY, M.R., LEWIS, S.J., TAYLOR, D.A. & VERBERNE, A.J.M. Δ^9 -Tetrahydrocannabinol reduces brain regional histamine concentrations

PAPERS

- 455 FAGBEMI, O., KANE, K.A., LEPRÁN, I., PARRATT, J.R., SZEKERES, L. Antiarrhythmic actions of meptazinol, a partial agonist at opiate receptors, in acute myocardial ischaemia
- 461 OHIZUMI, Y. Contractions induced by grayanotoxin I in the guinea-pig vas deferens
- 469 GIOTTI, A., LUZZI, S., SPAGNESI S. & ZILLETI, L. GABA_A and GABA_B receptor-mediated effects in guinea-pig ileum
- 479 DE JONGE, A., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Hypotensive and α -adrenergic activities of 2-(2,3,6-trichlorophenylimino) and 2-(2,3-dichloro-6-methylphenylimino) imidazolidine, two potent derivatives of clonidine
- 489 DOXEY, J.C., ROACH, A.G. & SMITH, C.F.C. Studies on RX781094; a selective, potent and specific antagonist of α_2 -adrenoceptors
- 507 BERRIDGE, T.L., GADIE, B., ROACH, A.G. & TULLOCH, I.F. α_2 -Adrenoceptor agonists induce mydriasis in the rat by an action within the central nervous system

- 517 MAKITA, Y. Effects of prostaglandin I₂ and carbocyclic thromboxane A₂ on smooth muscle cells and neuromuscular transmission in the guinea-pig mesenteric artery
- 529 RICCIOPPO NETO, F. Effects of the venom of the Brazilian scorpion (*Tityus serrulatus*) on the compound action potential of the rabbit vagus nerve fibres
- 533 BERMAN, J.S., HILEY, C.R. & WILSON, A.C. Comparison of the effects of the hypolipidaemic agents ICI53072 and clofibrate with those of phenobarbitone on liver size, blood flow and DNA content in the rat
- 543 AUCH-SCHWELK, W., STARKE, K. & STEPPELER, A. Experimental conditions required for the enhancement by α -adrenoceptor antagonists of noradrenaline release in the rabbit ear artery
- 553 KENT, A.P. & WEBSTER, R.A. The evaluation of different types of anti-convulsant drug activity against leptazol-induced epileptogenic activity in the anaesthetized rat
- 561 COKER, S.J., HUGHES, B., PARRATT, J.R., RODGER, I.W. ZEITLIN, I.J. The release of prostanooids during the acute pulmonary response to *E. coli* endotoxin in anaesthetized cats
- 571 GALZIN, A.-M. & LANGER, S.Z. Presynaptic α_2 -adrenoceptor antagonism by verapamil but not by diltiazem in rabbit hypothalamic slices
- 579 VAN HELDEN, H.P.M., VAN DER WIEL, H.J. & WOLTHUIS, O.L. Therapy of organophosphate poisoning; the marmoset as a model for man
- 591 SUZUKI, R. Neuronal influence on the mechanical activity of the ciliary muscle
- 599 CREMA, A., FRIGO, G.M., LECCHINI, S., MANZO, L., ONORI, L. & TONINI, M. Purine receptors in the guinea-pig internal anal sphincter

PAPERS

- 607 LEANDER, J.D. Opioid agonist and antagonist behavioural effects of buprenorphine
- 617 BOWMAN, S.P., JONES, C.A., LEAKE, A. & MORRIS, I.D. The biological activity of a single dose of tamoxifen in the adult ovariectomized rat
- 623 DEVAUX, M.A., DIAZ, G.R., KUBOTA, K., MAGEE, D.F. & SARLES, H. The role of nicotinic receptors in dog pancreatic exocrine secretion
- 629 KALSNER, S. The effect of magnesium deficiency and excess on bovine coronary artery tone and responses to agonists
- 639 TAYLOR, S.E. Additional evidence against universal modulation of β -adrenoceptor responses by excessive thyroxine
- 645 HEDLER, L., STARKE, K. & STEPPELER, A. Release of [³H]-amezinium from cortical noradrenergic axons: a model for the study of the α -autoreceptor hypothesis
- 655 DOCHERTY, J.R. An investigation of presynaptic α -adrenoceptor subtypes in the pithed rat heart
- 659 BRYANT, R.M., OLLEY, J.E. & TYERS, M.B. Antinociceptive actions of morphine and buprenorphine given intrathecally in the conscious rat
- 665 ANAND, P., BLOOM, S.R. & MCGREGOR, G.P. Topical capsaicin pretreatment inhibits axon reflex vasodilatation caused by somatostatin and vasoactive intestinal polypeptide in human skin

- 671 CHURCH, M.K. & YOUNG, K.D. The characteristics of inhibition of histamine release from human lung fragments by sodium cromoglycate, salbutamol and chlorpromazine
- 681 GRBOVIĆ, L. & RADMANOVIĆ, B.Z. The influence of substance P on the response of guinea-pig isolated ileum to periarterial nerve stimulation
- 687 DRAZEN, J.M., FANTA, C.H. & LACOUTURE, P.G. Effect of nifedipine on constriction of human tracheal strips *in vitro*
- 693 KAMIKAWA, Y. & SHIMO, Y. Pharmacological characterization of the opioid receptor in the submucous plexus of the guinea-pig oesophagus
- 701 AULT, B. & NADLER, J.V. Anticonvulsant-like actions of baclofen in the rat hippocampal slice
- 709 KUDO, Y., TANAKA, A. & YAMADA, K. Dendrobine, an antagonist of β -alanine, taurine and of pre-synaptic inhibition in the frog spinal cord
- 717 FREYSS-BEGUIN, M., GRIFFATON, G., LECHAT, P., PICKEN, D., QUENNEDEY, M.C., ROUOT, B. & SCHWARTZ, J. Comparison of the chronotropic effect and the cyclic AMP accumulation induced by β_2 -agonists in rat heart cell culture
- 725 ANDEREGG, K., ANZEVENO, P., COOK, J.A., HALUSHKA, P.V., MCCARTHY, J., WAGNER, E. & WISE, W.C. Effects of a pyridine derivative thromboxane synthetase inhibitor and its inactive isomer in endotoxic shock in the rat
- 733 KIMURA, T. & SATOH, S. Inhibition of cardiac sympathetic neurotransmission by histamine in the dog is mediated by H_1 -receptors