

British Journal of Pharmacology

CONTENTS

VOLUME 79 NUMBER 1 MAY 1983

SHORT COMMUNICATIONS

- 3 OHIZUMI, Y. & YASUMOTO, T. Contraction and increase in tissue calcium content induced by maitotoxin, the most potent known marine toxin, in intestinal smooth muscle
- 6 VERDOUW, P.D. & WOLFFENBUTTEL, B.H.R. The effect of felodipine on ventricular fibrillation after coronary artery ligation in the anaesthetized pig
- 9 CURTIS, D.R., LEAH, J.D. & PEET, M.J. Spinal interneurone depression by DS103-282
- 12 PACIOREK, P.M. & SHEPPERSON, N.B. α_1 -Adrenoceptor agonist activity of α_2 -adrenoceptor antagonists in the pithed rat preparation
- 15 BLOOM, S.R., PEART, W.S. & UNWIN, R.J. Neurotensin and antinatriuresis in the conscious rabbit

PAPERS

- 19 FAHR, A., FÖRSTER, W. & TAUBE, Ch. Blood pressure changes in spontaneously hypertensive rats correlate with aortic prostacyclin formation
- 23 FUJIWARA, S. & KURIYAMA, H. Effects of agents that modulate potassium permeability on smooth muscle cells of the guinea-pig basilar artery
- 37 CSIK, V., SZEKERES, L. & UDVARY, E. Comparison of two calcium antagonists, verapamil and fendiline, in an experimental model of myocardial ischaemia mimicking classical angina on effort
- 45 CONFORTI, A., FRANCO, L., MILANINO, R., TOTORIZZO, A. & VELO, G.P. Copper metabolism during acute inflammation: studies on liver and serum copper concentrations in normal and inflamed rats
- 53 ABRAMOVICH, D.R., PAGE, K.R. & WRIGHT, F. Effect of angiotensin II and 5-hydroxytryptamine on the vessels of the human foetal cotyledon
- 57 GERBER, J.G. & NIES, A.S. The role of histamine receptors in the release of renin
- 63 COX, H.M., MUNDAY, K.A. & POAT, J.A. The binding of [125 I]-angiotensin to rat renal epithelial cell membranes
- 71 DART, A.M., DIETZ, R., KÜBLER, W., SCHÖMIG, A. & STRASSER, R. Effects of cocaine and desipramine on the neurally evoked overflow of endogenous noradrenaline from the rat heart
- 75 DIXON, J.S. & SMALL, R.C. Evidence of poor conduction of muscle excitation in the longitudinal axis of guinea-pig isolated trachea
- 85 BOSCHI, G., DESILES, M., RENY, V., RIPS, R. & WRIGGLESWORTH, S. Antinociceptive properties of thyrotropin releasing hormone in mice: comparison with morphine
- 93 HARTLEY, M.L., PENNEFATHER, J.N. & STORY, M.E. Effects of ovarian steroids upon responses mediated by adrenoceptors in separated layers of the myometrium and in the costo-uterine muscle of the guinea-pig
- 103 AKPAFFIONG, M.J., REDFERN, P.H. & WOODWARD, B. An investigation of the importance of the adrenal gland to the action of dopamine in the rat kidney
- 109 FUDER, H., MUSCHOLL, E. & SPEMANN, R. The determination of presynaptic pA_2 values of yohimbine and phentolamine on the perfused rat heart under conditions of negligible autoinhibition
- 121 HALL, M.M. Prostaglandin synthesis inhibitors: effect on angiotensin II- and oxytocin-induced contractions in rat uterine smooth muscle
- 125 BENTLEY, G.A., NEWTON, S.H. & STARR, J. Studies on the antinociceptive action of α -agonist drugs and their interactions with opioid mechanisms
- 135 ANDERSSON, K.-E., EDVINSSON, L., MACKENZIE, E.T., SKÄRBY, T. & YOUNG, A.R. Influence of extracellular calcium and calcium antagonists on contractions induced by potassium and prostaglandin $F_{2\alpha}$ in isolated cerebral and mesenteric arteries of the cat
- 141 EDVINSSON, L., JOHANSSON, B.B., LARSSON, B., MACKENZIE, E.T., SKÄRBY, T. & YOUNG, A.R. Calcium antagonists: effects on cerebral blood flow and blood-brain barrier permeability in the rat
- 149 GRIFFITHS, R.J. & MOORE, P.K. Formation of 6-keto prostaglandin E_1 in mammalian kidneys
- 157 BRAMMER, J.P., MAGUIRE, M.H., WALASZEK, E.J. & WILEY, R.A. Acetal phosphatidic acids: novel platelet aggregating agents
- 167 MANZANARES, J. & TAMARGO, J. Electrophysiological effects of imipramine in non-treated and in imipramine-pretreated rat atrial fibres
- 177 GOLDIE, R.G., PATERSON, J.W. & WALE, J.L. Classification of β -adrenoceptors in isolated bronchus of the pig

- 187 ROHOZKOVÁ, D. & STEVEN, F.S. Gold-containing drugs and the control of proteolytic enzymes
- 191 BILL, D.J., HARTLEY, J.E., STEPHENS, R.J. & THOMPSON, A.M. The antinociceptive activity of meptazinol depends on both opiate and cholinergic mechanisms
- 201 ASHFORD, M.L.J. & WANN, K.T. Extracellular chloride replacement by isethionate induces abnormal spontaneous release of transmitter at the frog neuromuscular junction
- 211 BURNSTOCK, G. & MEGHJI, P. The effect of adenylyl compounds on the rat heart
- 219 FILE, S.E. Sedative effects of PK 9084 and PK 8165, alone and in combination with chlordiazepoxide
- 225 SPEDDING, M. Direct inhibitory effects of some 'calcium-antagonists' and trifluoperazine on the contractile proteins in smooth muscle
- 233 LARGE, W.A. Membrane potential responses to ionophoretically applied α -adrenoceptor agonists in the mouse anococcygeus muscle
- 245 KUMAR, R., PRATT, J.A. & STOLERMAN, I.P. Characteristics of conditioned taste aversion produced by nicotine in rats
- 255 FOSTER, R.W., SMALL, R.C. & WESTON, A.H. Evidence that the spasmogenic action of tetraethylammonium in guinea-pig trachealis is both direct and dependent on the cellular influx of calcium ion
- 265 BOTTING, J.H., JOHNSTON, K.M., MACLEOD, B.A. & WALKER, M.J.A. The effect of modification of sympathetic activity on responses to ligation of a coronary artery in the conscious rat
- 273 FOSTER, H., HOOPER, M., IMAM, S.H., LOVETT, G.S., NICHOLSON, J., SWAIN, C.J., SWEETMAN, A.J. & WEETMAN, D.F. Increased inhibitory action against adenosine 5'-triphosphate in the isolated taenia of the guinea-pig caecum by substitution in the A-ring of 2-phenylisatogen
- 279 ENNIS, C. Different α -adrenoceptors modulate the release of 5-hydroxytryptamine and noradrenaline in rat cortex
- 285 KOU, K. & SUZUKI, H. The effects of 3,4-dihydro-8 - (2-hydroxy-3-isopropylaminopropoxy) - 3 - nitroxy-2H-1-benzopyran (K-351) and its denitrated derivative on smooth muscle cells of the dog coronary artery
- 297 MAEDA-HAGIWARA, M. & WATANABE, K. Influence of dopamine receptor agonists on gastric acid secretion induced by intraventricular administration of thyrotropin-releasing hormone in the perfused stomach of anaesthetized rats
- 305 STONE, T.W. A comparison of the effects of morphine, enkephalin, kyotorphin and D-phenylalanine on rat central neurones
- 313 CLOIX, J.F., COLARD, O., ROTHHUT, B. & RUSSO-MARIE, F. Characterization and partial purification of 'renocortins': two polypeptides formed in renal cells causing the anti-phospholipase-like action of glucocorticoids

VOLUME 79 NUMBER 2 JUNE 1983

SHORT COMMUNICATIONS

- 327 KOLTAI, M., LEPRAN, I., NEMECZ, GY. & SZEKERES, L. The possible mechanism of protection induced by dexamethasone against sudden death due to coronary ligation in conscious rats
- 330 ADAMS, P.R., BROWN, D.A. & JONES, S.W. Substance P inhibits the M-current in bullfrog sympathetic neurones
- 334 DOWNIE, J.W. & SLACK, B.E. Sensitivity to indomethacin of tetrodotoxin-resistant contractions of smooth muscle from the base of rabbit bladder
- 363 GILFILLAN, A.M., HOLLINGSWORTH, M. & JONES, A.W. The pharmacological modulation of [3 H]-disaturated phosphatidylcholine overflow from perfused lung slices of adult rats: a new method for the study of lung surfactant secretion
- 373 AINZ, L.F., CASIS, E., de GANDARIAS, J.M., GIL-RODRIGO, C.E. & GOIRIENA de GANDARIAS, J.J. H_1 -histamine receptors may mediate the contractile response of guinea-pig ileum to 'histamine-free' splenic extracts
- 379 BROWN, D.A., DOCHERTY, J.R., FRENCH, A.M., MacDONALD, A., McGRATH, J.C. & SCOTT, N.C. Separation of adrenergic and non-adrenergic contractions to field stimulation in the rat vas deferens
- 395 NEWMAN, R.J. & RADD, G.K. The myotoxicity of bupivacaine, a ^{31}P n.m.r. investigation
- 401 KERRY, R. & SCRUTTON, M.C. Effect of 781094, a new selective α -adrenoceptor antagonist, on the aggregatory responses of human blood platelets and on binding of [3 H]-dihydroergocryptine to these cells

PAPERS

- 337 SZEKERES, L. & UDVARY, É. Haemodynamic factors influencing myocardial ischaemia in a canine model of coronary artery stenosis: the effects of nitroglycerine
- 347 HAY, D.W.P. & WADSWORTH, R.M. The effects of calcium channel inhibitors and other procedures affecting calcium translocation on drug-induced rhythmic contractions in the rat vas deferens

- 409 SCHWARTZ, J. & VELLY, J. The β -adrenoceptor of pig coronary arteries: determination of β_1 and β_2 subtypes by radioligand binding
- 415 LANGER, J., PANTEN, U. & ZIELMANN, S. Effects of α -adrenoceptor antagonists on clonidine-induced inhibition of insulin secretion by isolated pancreatic islets
- 421 GODIN, D.V. & TUCHEK, J.M. Plasma acid phosphatase levels in endotoxaemia: modification by drugs and chemically detoxified endotoxins
- 429 BROWN, D.A. & DUNN, P.M. Depolarization of rat isolated superior cervical ganglia mediated by β_2 -adrenoceptors
- 441 BROWN, D.A. & DUNN, P.M. Cyclic adenosine 3',5'-monophosphate and β -effects in rat isolated superior cervical ganglia
- 451 ISHAC, E.J.N. & PENNEFATHER, J.N. The effects of altered thyroid state upon responses mediated by atrial muscarinic receptors in the rat
- 461 De WILDT, D.J., HILLEN, F.C., RAUWS, A.G. & SANGSTER, B. Etomidate-anaesthesia, with and without fentanyl, compared with urethane-anaesthesia in the rat
- 471 BOWMER, C.J., NICHOLS, A.J., WARREN, M. & YATES, M.S. Cardiovascular responses in rats with glycerol-induced acute renal failure
- 477 YODIM, M.B.H. *In vivo*, noradrenaline is a substrate for rat brain monoamine oxidase A and B
- 481 BORN, G.V.R. & HOUSLEY, G.M. Effects of modification of the membranes of intact erythrocytes on the anti-haemolytic action of chlorpromazine
- 489 ALLEN, M.C. The effect of choline mustard on the rat superior cervical ganglia
- 499 HASHIMOTO, H., NAKASHIMA, M. & SUGINO, N. Age-dependent differences in the positive inotropic effect of phenylephrine on rat isolated atria
- 509 BAKHLE, Y.S. & CHELLIAH, R. Metabolism and uptake of adenosine in rat isolated lung and its inhibition
- 517 BROADLEY, K.J. & WILLIAMS, R.G. Temperature-induced changes in dissociation constants (K_A) of agonists at cardiac β -adrenoceptors determined by use of the irreversible antagonist Ro 03-7894
- 525 DAVISON, J.S., GREENWOOD, B., NAJAFI-FARASHAH, A. & READ, N.W. The effects of atropine and secoverine on gastric secretion and motility in the mouse isolated stomach
- 531 GORDON, J.L. & MARTIN, W. Endothelium-dependent relaxation of the pig aorta: relationship to stimulation of ^{86}Rb efflux from isolated endothelial cells
- 543 WATSON, S.P. Rapid degradation of [^3H]-substance P in guinea-pig ileum and rat vas deferens *in vitro*
- 553 RICHARDS, C.D., SNELL, C.R. & SNELL, P.H. Nicotinamide adenine dinucleotide depresses synaptic transmission in the hippocampus and has specific binding sites on the synaptic membranes
- 565 ANIS, N.A., BERRY, S.C., BURTON, N.R. & LODGE, D. The dissociative anaesthetics, ketamine and phencyclidine, selectively reduce excitation of central mammalian neurones by N-methyl-aspartate
- 577 JANSSENS, W. & VERHAEGHE, R. Modulation of the concentration of noradrenaline at the neuro-effector junction in human saphenous vein
- 587 BLACKWELL, G.J. Specificity and inhibition of glucocorticoid-induced macrocortin secretion from rat peritoneal macrophages
- 595 MYERS, A., RAMEY, E. & RAMWELL, P. Glucocorticoid protection against PAF-acether toxicity in mice
- 599 HALL, M.D., JENNER, P., KELLY, E. & MARS-DEN, C.D. Differential anatomical location of [^3H]-N, n-propylnorapomorphine and [^3H]-spiperone binding sites in the striatum and substantia nigra of the rat
- 611 GIBSON, A. & YU, O. Biphasic non-adrenergic, non-cholinergic relaxations of the mouse anococcygeus muscle
- 617 HOPKINS, S.J., JAYSON, M.I.V. & VAN der ZEIL, P. Inhibition of lymphocyte activation by gold sodium thiomalate
- 623 BEANI, L., BIANCHI, C., SINISCALCHI, A. & TANGANELLI, S. Glycine-induced changes in acetylcholine release from guinea-pig brain slices

VOLUME 79 NUMBER 3 JULY 1983

SHORT COMMUNICATIONS

- 631 RAM, J.L. Forskolin activation of an identified peptide-sensitive motoneurone in *Aplysia*
- 634 KARLSSON, J.-A. & PERSSON, C.G.A. Evidence against vasoactive intestinal polypeptide (VIP) as a dilator and in favour of substance P as a constrictor in airway neurogenic responses

PAPERS

- 637 COLLINGE, J., PYCOCK, C.J. & TABERNER, P.V. Studies on the interaction between cerebral 5-hydroxytryptamine and γ -aminobutyric acid in the mode of action of diazepam in the rat
- 645 NISHI, K. & OYAMA, Y. Accelerating effects of pentobarbitone on the inactivation process of the calcium current in *Helix* neurones

- 655 DIGGES, K.G. & SUMMERS, R.J. Characterization of postsynaptic α -adrenoceptors in rat aortic strips and portal veins
- 667 CERVONI, P., HERZLINGER, H.E., LAI, F.M. & TANIKELLA, T.K. Aortic vascular and atrial responses to (\pm)-1-O-octadecyl-2-acetyl-glyceryl-3-phosphorylcholine
- 673 CHANG, C.C. HONG, S.J. & SU, M.J. A study on the membrane depolarization of skeletal muscles caused by a scorpion toxin, sea anemone toxin II and crotonamine and the interaction between toxins
- 681 KERRY, R. & SCRUTTON, M.C. Platelet β -adrenoceptors
- 693 POOLE, S. Cardiovascular responses of rats to intrahypothalamic injection of carbachol and noradrenaline
- 701 MILLAR, J.S. & VAUGHAN WILLIAMS, E.M. Pharmacological mapping of regional effects in the rabbit heart of some new antiarrhythmic drugs
- 711 ARVIDSSON, S., FALK, A., HAGLIND, E. & HAGLUND, U. The role of 5-hydroxytryptamine in the feline response to intravenous infusion of live *E. coli*
- 719 DONNERER, J. & LEMBECK, F. Heat loss reaction to capsaicin through a peripheral site of action
- 725 ANGEL, A., HALSEY, M.J. & WARDLEY-SMITH, B. Interactions of γ -aminobutyric acid and noradrenaline in the high pressure neurological syndrome
- 731 HAYES, A.G. & TYERS, M.B. Determination of receptors that mediate opiate side effects in the mouse
- 737 ISHIKAWA, S., ITO, Y., ITOH, T., KANMURA, Y., KURIYAMA, H. & MAKITA, Y. Actions of isosorbide dinitrate on smooth muscle cells of rabbit vascular tissues
- 751 NASU, T. Spasmolytic effect of cadmium and cadmium uptake in aorta
- 755 LÜLLMANN, H., NIEHUS, U., PULSS, W. & RAVENS, U. Electrophysiological studies of some semisynthetic cardiac glycoside derivatives in isolated papillary muscle of the guinea-pig
- 765 ASHKENAZI, R., FINBERG, J.P.M. & YODIM, M.B.H. Behavioural hyperactivity in rats treated with selective monoamine oxidase inhibitors and LM 5008, a selective 5-hydroxytryptamine uptake blocker
- 771 FORTES, Z.B., GARCIA LEME, J. & SCIVOLETTO, R. Vascular reactivity in diabetes mellitus: role of the endothelial cell
- 783 CUTHBERT, A.W. & SPAYNE, J.A. Conversion of sodium channels to a form sensitive to cyclic AMP by component(s) from red cells
- 799 SIMMONDS, M.A. Depolarizing responses to glycine, β -alanine and muscimol in isolated optic nerve and cuneate nucleus
- 807 CLARK, S.L., EDESON, R.O. & RYALL, R.W. The relative significance of spinal and supraspinal actions in the antinociceptive effect of morphine in the dorsal horn: an evaluation of the microinjection technique

VOLUME 79 NUMBER 4 AUGUST 1983

PAPERS

- 839 BONGRANI, S., FOLCO, G.C., RAZZETTI, R. & SCHIANTARELLI, P. β_2 -Adrenoceptor blockade is the basis of guinea-pig bronchial hyper-responsiveness to leukotriene C_4 and other agonists
- 849 LÜTHY, C., MÜLTHAUP, M., OETLIKER & O., PERISIC, M. Differential effect of acetylsalicylic acid and dipyrone on prostaglandin production in human fibroblast cultures
- 863 HIGGS, G.A., MONCADA, S., SALMON, J.A. & SEAGER, K. The source of thromboxane and prostaglandins in experimental inflammation
- 869 ACETO, M.D., AWAYA, H., MARTIN, B.R. & MAY, E.L. Antinociceptive action of nicotine and its methiodide derivatives in mice and rats
- 877 GRIFFITHS, N., LAMB, J.F. & OGDEN, P. The effects of chloroquine and other weak bases on the accumulation and efflux of digoxin and ouabain in HeLa cells
- 891 DEVANE, J. & RYAN, M.P. Evidence for a magnesium-sparing action by amiloride during renal clearance studies in rats
- 897 CHIN, W.-P., IMAI, S., NAKANO, U., TAKEDA, K., TAMATSU, H. & USHIJIMA, T. Effects of drugs on the cerebral circulation of the dog in relation to the cerebral oxygen consumption
- 907 BURNSTOCK, G., CUSACK, N., HILLS, J., MACKENZIE, I. & MEGHJI, P. Studies on the stereoselectivity of the P_2 -purinoceptor
- 915 ASHKENAZI, R., FINBERG, J.P.M. & YODIM, M.B.H. Effects of LM 5008, a selective inhibitor of 5-hydroxytryptamine uptake, on blood pressure and responses to sympathomimetic amines
- 923 NGUYEN, B.T. & STADTSBAEDER, S. Comparative effects of cotrimoxazole (trimethoprim-sulphamethoxazole), pyrimethamine-sulphadiazine and spiramycin during avirulent infection with *Toxoplasma gondii* (Beverly strain) in mice

- 929 AU, T.L.S., COLLINS, G.A., MACLEOD, B.A. & WALKER, M.J.A. Effects of prostaglandin E₂, propranolol and nitroglycerine with halothane, pethidine or pentobarbitone anaesthesia on arrhythmias and other responses to ligation of a coronary artery in rats
- 939 CAMPBELL, C.A. & PARRATT, J.R. The effect of β -adrenoceptor blocking agents, with differing ancillary properties, on the arrhythmias resulting from acute coronary artery ligation in anaesthetized rats
- 947 KIRPEKAR, S.M., NOBILETTI, J. & TRIFARO, J.M. Effect of 6-hydroxydopamine on bovine adrenal chromaffin cells in culture
- 953 ARMSTRONG, R.A., JONES, R.L. & WILSON, N.H. Ligand binding to thromboxane receptors on human platelets: correlation with biological activity
- 965 CARSWELL, H. & NAHORSKI, S.R. β -Adrenoceptor heterogeneity in guinea-pig airways: comparison of functional and receptor labelling studies
- 973 MORGAN, P.F. & STONE, T.W. Structure-activity studies on the potentiation of benzodiazepine receptor binding by ethylenediamine analogues and derivatives
- 979 GODFRAIND, T. & MILLER, R.C. Effects of histamine and the histamine antagonists mepyramine and cimetidine on human coronary arteries *in vitro*
- 993 CERVO, L., ROMANDINI, S. & SAMANIN, R. Evidence that 5-hydroxytryptamine in the forebrain is involved in naloxone-precipitated jumping in morphine-dependent rats
- 997 FADEN, A.I. & FEUERSTEIN, G. Hypothalamic regulation of the cardiovascular and respiratory systems: role of specific opiate receptors
- 1003 NEY, U.M. Propranolol-induced airway hyperreactivity in guinea pigs

The following was omitted from the Contents list of *Br. J. Pharmac.* (1983), **79**, 819–1042:

NOBEL LECTURE

- 821 VANE, J.R. Adventures and excursions in bioassay: the stepping stones to prostacyclin

The following papers were omitted from the Contents list of *Br. J. Pharmac.* (1983), **79**, 819–1042:

- 855 GIOTTI, A., LUZZI, S., SPAGNESI, S. & ZILLETTI, L. Homotaurine: a GABA_B antagonist in guinea-pig ileum.
- 985 KALSNER, S. Yohimbine and prolongation of stimulation pulse duration alter similarly ³H-transmitter efflux in heart: an alternative to the negative feedback hypothesis.