

INDEX TO PROCEEDINGS SUPPLEMENTS
TO VOLUMES 81, 82 and 83

AUTHOR INDEX

- ABBCT, W.M. & STRANGE, P.G. Use of immobilised lectins for partial purification of D₂ dopamine receptors, 113P
- ABRAHAMSEN, J. & NEDERGAARD, O.A. Accumulation of [³H]-adrenaline by rabbit isolated aorta, 327P
- ADAMS, M. & MARSHALL, I. Chronic infusions of idazoxan and desmethyylimipramine on α_2 -receptor control of noradrenaline release, 316P
- ADHAM, N. & TEMPLETON, D. The effect of parasympathetic denervation on [³H]-QNB binding in the rat parotid gland, 323P
- AL-GADI, M. & HILL, S.J. The effect of cimetidine and mepyramine on histamine stimulated CAMP accumulation in rabbit cerebral cortical slices, 278P
- ALABASTER, V.A. & PETERS, C.J. Pre- and post-junctional α_2 -adrenoceptors can be differentially antagonised, 163P
- ALDERSON, E. see MARSHALL, E.F., 351P
- ALLELY, M. & UNGAR, A. The effect of thyroid state on the responses of conscious dogs to propranolol, sotalol and nadolol, 7P
- ALPS, B.J., BROWN, C.M., CALDER, C. & KILPATRICK, A.T. Brain dopamine levels following experimental cerebral ischaemia, 449P
- ANDERSON, D.R., CABEROS, L., FENN, C.G. & LITTLETON, J.M. Reduced platelet function in rats treated chronically with ethanol, 322P
- ANDERSON, R.A. & MITCHELL, R. Benzodiazepines potentiate the effect of muscimol on prolactin secretion in vitro, 343P
- ANDERSON, S., LLEWELLYN, K.D., SNOOK, G. & WILSON, J.F. Penetration of α -melanocyte-stimulating hormone through the blood-brain barrier in the rat, 106P
- ANGELL, D., CLOUGH, D.P., HATTON, R. & ROBERTS, A.J. The effect of enalapril and bilateral nephrectomy on sympathetic function in normotensive rats, 339P
- ANGELO-KHATTAR, M., JOSEPH, L., NILSSON, T. & THULESIUS, O. The effect of indomethacin on ureteral motility, 230P
- ANIS, N.A., BERRY, S.C., BURTON, N.R., DAWKINS, S.L. & LODGE, D. Effects of psychotomimetic benzomorphans on responses of cat spinal neurones to excitatory amino acids and acetylcholine, 196P
- ANWYL, R. & ROWAN, M.J. Antagonism of inhibitory but not excitatory effects of 5-hydroxytryptamine in the rat hippocampal slice, 273P
- APPLEYARD, M.E., GREEN, A.R. & SMITH, A.D. Regional acetylcholinesterase activity in rat brain following a convulsion, 248P
- ARBILLA, S., BAUD, P., CANTRILL, R. & LANGER, S.Z. Endogenous phenolamines: do they have a direct postsynaptic action on dopamine receptors in the central nervous system? 252P
- ARBILLA, S., DENNIS, T., LANGER, S.Z., NIDDAM, R. & SCATTON, B. Pretreatment with reperfine does not modify the amphetamine induced release of endogenous dopamine in striatal slices, 249P
- ARCHER, D.R. & LYLES, G.A. Amine oxidase activities in dissociated cell fractions from rat skeletal muscle, 421P
- ARENSON, M.S. & NISTRI, A. Intracellular studies of the action of K⁺ channel blockers on frog motoneuronal responses to excitatory amino acids, 152P
- ARMSTRONG, R.A., JONES, R.L., PEESAPATI, V., WILL, S.G. & WILSON N.H. Effect of the thromboxane receptor antagonist EP 092 on the early phase of endotoxin shock in the sheep, 72P
- ARR, S.M., COOPER, W.D., CRUTCHER, E.C. & QUINN, P.J. The effects of propranolol and timolol on rat heart mitochondrial function, 223P
- ARUNDEL, P.A., BILSKI, A.J.T. & THOMSON D.S. A new photometric method for quantifying erythema induced by UV-B irradiation, 192P
- ATTERWILL, C.K. Effect of thyroid status on the different forms of Na⁺, K⁺-ATPase in immature and mature rat brain, 450P

- ATTERWILL, C.K. & NUTT, D.J. Thyroid hormones do not alter rat brain benzo-diazepine receptor function in vivo, 194P
- ATTERWILL, C.K., NICHOLLS, J. & PRINCE, A.K. Cholinergic function in developing rat brain cell cultures: effects of thyroid hormone, 32P
- AZAMI, J., FOZARD, J.R., ROUND, A.A. & WALLIS, D.I. Selective blockade by MDL 72222 of the depolarizing action of 5-hydroxytryptamine on vagal primary afferents, 129P
- BACK, D.J. & RIVIERE, J.H. Inhibition of drug metabolism by mefloquine, 433P
- BACK, D.J., SUTCLIFFE, F. & TJIA, J.F. Tolbutamide is a good model drug for the study of enzyme induction and enzyme inhibition in the rat, 149P
- BAILEY, S.J. & JORDAN, C.C. Loss of activity of tachykinins in smooth muscle: relevance to potency estimates in vitro, 61P
- BAKER, S., FLOCKHART, I.R., MARSHALL, I., TULLOCH, I.F. & WALTER, D.S. Locus coeruleus lesions abolish feedback of noradrenaline onto 'presynaptic' α_2 -adrenoceptors in rat cerebral cortex, 49P
- BALFOUR, D.J.K. & COPLAND, A.M. Effects of diazepam on the concentration and biosynthesis of 5-hydroxytryptamine in rat brain, 354P
- BALFOUR, D.J.K. & IYANIWURA, T.T. Studies on the effects of d-amphetamine on brain 5-HT and plasma corticosterone in stressed rats, 457P
- - - The effects of d-amphetamine on brain 5-hydroxytryptamine and plasma corticosterone in unstressed rats, 456P
- BALFOUR, D.J.K., BATTIG, K., FITZGERALD, R. & OETTINGER, R. The effects of nicotine on the behaviour of two strains of rats in a combined maze-open field, 376P
- BALFOUR, D.J.K., LAMBERT, J.J., LYLES, G.A., OGG, G.D. & STEVENSON, I.H. Basic self-assessment tutorials in pharmacology, 463P
- BALL, H.A. & PARRATT, J.R. Effects of a new thromboxane receptor antagonist, AH23848, on the acute cardiopulmonary responses to E. Coli endotoxin in cats, 379P
- BANSAL, S.J., BRECKENRIDGE, R.J., IVERSEN, L.L., SUCKLING, C.J., WATLING, K.J. & WILLIAMS, L.C. Non-selective inhibition of GABA and 5-HT uptake in rat brain by molecules possessing long alkyl side chains, 425P
- BARBER, D.J., BARBOUR-McMULLEN, J. & COOPER, S.J. Opiate receptor antagonists attenuate sweetened milk consumption in male and female rats of the Roman strains, 291P
- BARBER, H.E., PETRIE, J.C. & SMITH, K.J. A comparison of cimetidine and ranitidine: effect on liver blood flow, 93P
- BARBOUR-McMULLEN, J. see BARBER, D.J., 291P
- BARNETT, D.B., COOK, N. & NAHORSKI, S.R. Characterisation of the binding of 125 I-(-)pindolol to human platelet α -adrenoceptors, 160P
- BARNETT, D.B., NAHORSKI, S.R. & RICHARDSON, A. Modulation of [3 H]-dihydroergocryptine and [3 H]-yohimbine binding sites on human platelets during the menstrual cycle, 159P
- BARR, J. & SKETT, P. The role of cytochrome P-450, NADPH-cytochrome P-450 reductase and lipids in sex differences in hepatic drug metabolism, 396P
- BARR, R.M., FRANCIS, D.M., GREAVES, M.W. & KOZUKA, T. Prostaglandin D_2 release by guinea-pig skin during in vitro anaphylaxis, 99P
- BARRETT, K.E., PEARCE, F.L. & THOMPSON, H. Histamine secretion from mast cells stimulated with nerve growth factor, 90P
- BATES, R.F.L., BUCKLEY, G.A. & MCARDLE, C.A. Comparison of the antioceptive effects of centrally administered calcitonins and calcitonin gene-related peptide, 295P
- - - Pressor effect of centrally administered salmon calcitonin (sCT), 408P
- BATES, R.F.L., BUCKLEY, G.A., EGLEN, R.M. & MCARDLE, C.A. Possible mechanisms of action of calcitonin in haemorrhagic hypotension, 157P
- BATTIG, K. see BALFOUR, D.J.K., 376P
- BAUD, P. see ARBILLA, S., 252P
- BEATTIE, D.E., MORONEY, M-A. & WYLLIE, M.G. Interrelationship between Na^+ , K^+ -ATPase and K^+ -ATPase in gastric mucosa, 398P
- BENKELFAT, C., GALZIN, A.M., LANGER, S.Z., LOO, H., POIRIER, M.F., SCHOEMAKER, H., SECHTER, D., SEGONZAC, A. & ZARIFIAN, E. [3 H]-imipramine binding in human blood platelets: changes after chronic chlorimipramine treatment, 352P

- BENNETT, G.W., LIGHTON, C. & MARSDEN C.A. The effects of 5,7-dihydroxy-tryptamine and p-chlorophenylaline on the ex vivo release of thyro-trophin releasing hormone, 267P
- BENNETT, P.N., NOTARIANNI, L.J. & PATEL, D.K. Capacity limited metabolism of acetylsalicyclic acid in the rat, 228P
- BENNETT, P.N., NOTARIANNI, L.J. & WORLOCK, A.J. Metabolism of lignocaine in the perfused rat liver in situ following flow variations in hepatic artery and portal vein, 403P
- BENNETT, T. & GARDINER, S.M. Antagonism of the vardiovascular action of vaso-pressin lowers blood pressure in isolated rats, 320P
- BENNETT, T., GARDINER, S.M. & WINN, M.J. Factors involved in BP recovery following α - adrenoceptor antagonism: studies in Long Evans and Brattleboro rats, 84P
- - - The influence of vaso-pressin on BP following α - adrenoceptor antagonism, 217P
- BENTLEY, A.M. & OSBORNE, N.N. Feasibility study of a serotonin radioimmunoassay kit assembled from commercially available materials, 274P
- BERN, H.A., BOTTING, J.H., GIBSON, A. & GINSBURG, M. The effect of some neuropeptides on tone of the mouse anococcygeus muscle, 104P
- BERRIDGE, T.L., DETTMAR, P.W., DOXEY, J.C., GADIE, B., LORD, J.A.H., ROACH, A.G., TULLOCH, I.F. & VIRDEE, N.K. Agonist and antagonist properties of RX 801074 at peripheral and central α_2 -adrenoceptors in the rat, 179P
- BERRIDGE, T.L., DOXEY, J.C., ROACH, A.G., STRACHAN, D.A. & VIRDEE, N.K. Antagonist effects of idazoxan and yohimbine against several α_2 -adrenoceptor agonists in pithed rats, 86P
- BERRIDGE, T.L., ROACH, A.G., STRACHAN, D.A. & VIRDEE, N.K. Selectivities of idazoxan, WY 26703 and yohimbine for prejunctional α_2 -adrenoceptors in rats and dogs, 315P
- BERRY, C.N. & HOULT, J.R.S. Prostaglandin release from the rabbit isolated perfused kidney and its inhibition by dexamethasone, 68P
- - - Stimulators and inhibitors of prostacyclin formation identified by using intact fragments of rat caecum, 69P
- BERRY, S.C. see ANIS, N.A., 196P
- BEY, P., FOZARD, J., MCDONALD, I., PALFREYMAN, M.G. & ZREIKA, M. MDL 72145: a potent and selective inhibitor of MAO type B, 50P
- BILL, D.J. & STEPHENS, R.J. Clonidine reverses reserpine-induced hypothermia in the mouse via activation of central post-synaptic α_2 -adrenoceptors? 372P
- BILSKI, A.J.T. see ARUNDEL, P.A., 192P
- BIRCH, N.J., COLEMAN, I.P.L., HILBURN, M.E. & KARIM, A.R. Factors affecting lithium absorption in the rat small intestine, 158P
- BIZIERE, K., GUEUDET, C., KAN, J.P., SOUILHAC, J. & WORMS, P. Atypical dopaminergic profile of minaprine, a new antidepressant drug, 51P
- BLACKBURN, T.P., BOWERY, N.G., COX, B., HUDSON, A.L., MARTIN, D. & PRICE, G.W. Lesion of the dorsal raphe nucleus increases the nigral concentration of 5-HT receptors, 203P
- BLACKMAN, A. & WOODS, A.M. A mouse in vivo model to detect dual inhibitors of arachidonic acid metabolism, 335P
- BLACKHAM, A., NORRIS, A.A. & WOODS, A.M. Modulation of arachidonic acid metabolism in immune models of cell infiltration, 98P
- BLAIR, I.A. HUGGETT, A. & ORCHARD, M.A. Prostaglandin synthetase catalyzed activation of paracetamol by human platelets, 67P
- BLOWER, P.R. & BOWRING, N.E. The effect of acid perfusion and VIP infusion on the neutralising capacity of the duodenum of the anaesthetised rat, 105P
- BLURTON, P., WOOD, M.D., & WYLLIE, M.G. The analgesic meptazinol displays a selective interaction at the opioid μ -site, 59P
- BLURTON, P.A., BROADHURST, A.M., CROSS, J.A., ENNIS, C., WOOD, M.D. & WYLLIE, M.G. Panuramine: a selective inhibitor of 5-HT uptake, 36P
- BOAKES, R.J., TURNER, J.D. & VIRMANI, M.A. Effects of putative anion transport inhibitors on the release of 5-hydroxytryptamine induced by low chloride superfusion, 349P
- - - Modulation by convulsants of the release of 5-hydroxytryptamine induced by low chloride concentrations, 256P
- BOARDER, M.R. & MCARDLE, W. (Introduced by NAHORSKI, S.R.) Release of nor-adrenaline and adrenaline from perfused cultured bovine adrenal chromaffin cells, 363P

- BODEN, P., DUCE, I.R. & USHERWOOD, P.N.R. Activation-induced post-synaptic block of insect nerve-muscle transmission by a low molecular weight fraction of spider venom, 221P
- BOGAERT, M.G., DUPONT, A.G. & LEFEBVRE, R.A. Effect of apomorphine on neurogenic vasoconstriction in the isolated autoperfused hindquarters of the rat, 410P
- BOJANIC, D., JANSEN, J.D., NAHORSKI, S.R., ZAAGSMA, J. Atypical nature of rat adipocyte β -adrenoceptors: evidence from lipolysis and cAMP production, 4P
- BOKISCH, A.J., KROGSGAARD-LARSEN, P. & WALKER, R.J. The action of γ -amino acid (GABA) on identified central neurones of *Helix aspersa*, 125P
- BOLT, G.R. & SAXENA, P.R. Characterization of the hypotensive mechanism of ketanserin in conscious renal hypertensive rabbits, 227P
- BOOBIS, A.R. & GULAIID, A.A. Chromatographic resolution and stereoselective disposition of acebutolol and diacetolol in dog and man, 89P
- BORNKOWSKI, K.R. & PORTER, M. Potentiation of noradrenaline-induced vasoconstriction by (-) isoprenaline in SHR mesenteric arteries, 16P
- BORKOWSKI, K.R. & QUINN, P. A β -adrenoceptor involvement in the development of spontaneous hypertension in rats, 222P
- BORKOWSKI, K.R., COLLIS, M.G. & QUINN, P. Adrenaline enhances vasoconstrictor responses evoked by adrenergic nerve stimulation in the rat isolated perfused kidney, 20P
- BOTTING, J.H. see BERN, H.A., 104P
- BOWERY, N.G. see BLACKBURN, T.P., 203P
- BOWRING, N.E. see BLOWER, P.R., 105P
- BOYCE, S., JENNER, P., KELLY, E., MARSDEN, C.D. & REAVILL, C. Chronic administration of N-methyl-1,2,5,6-tetrahydro-pyridine to rats is not toxic to striatal dopamine neurones, 194P
- BRADBURY, A.J., COSTALL, B., DOMENEY, A.M. & NAYLOR, R.J. The behavioural and biochemical consequences of dopamine infusion into the frontal cortex of rat brain, 307P
- BRADBURY, A.J., COSTALL, B., DOMENEY, a.m., JENNER, P., MARSDEN, C.D. & NAYLOR, R.J. Behavioural and biochemical consequences of bilateral infusion of MPTP into rat forebrain, 393P
- - - Persistent motor change following the unilateral infusion of MPTP into the striatum of rat brain, 395P
- BRADBURY, A.J., COSTALL, B., KELLY, E.M. & NAYLOR, R.J. Control of fore-brain dopamine function from the midbrain, 308P
- BRADBURY, A.J., GIDDINGS, R.E. & SMITH, J.A. The effect of DL- α -monofluoromethyl-dopa on rat pineal, hypothalamic and cortical function, 139P
- BRADLEY, J.B., HUMPHREY, P.P.A. & WILLIAMS, R.H. Monoamine oxidase activity affects antagonism of responses to tryptamine but not to 5-hydroxytryptamine in rat caudal artery, 210P
- BRADLEY, P.B., JONES, H. & ROBERTS, F. Histamine potentiates the effects of excitatory amino acids on quiescent neurones in the rat medulla, 195P
- BRADSHAW, C.M., MORLEY, M.J. & SZABADI, E. Effects of pimozide on operant performance in variable-interval schedules: failure to obtain support for the anhedonia hypothesis, 117P
- BRADSHAW, C.M., SHERIDAN, R.D. & SZABADI, E. An investigation of the specificity of prazosin as an α_1 -adrenoceptor antagonist on single cortical neurones, 47P
- BRAMMER, N.T., BUCKLEY, G.A. & MIREYLEES, S.E. Inhibition of dopamine uptake in rat striatal slices by phenylethylamine derivatives, 112P
- BRASWELL, L.M., DODSON, B.A. & MILLER, K.W. Allosteric and non-specific interactions of barbiturates with the acetylcholine receptor from *Torpedo*, 30P
- BRECKENRIDGE, A.M., COLEMAN, M.D., EDWARDS, G., HOWELLS, R.E. & MIHALY, G.W. Micro analytical HPLC method for the determination of pyrimethamine and its 3-N-oxide metabolite in biological fluids, 275P
- BRECKENRIDGE, A.M., COLEMAN, M.D., EDWARDS, G., HOWELLS, R.E., MIHALY, G.W. & WARD, S.A. The pharmacokinetics and tissue localisation of pyrimethamine in the mouse: effect of dose size, 399P

- BRECKENRIDGE, J.R. see BANSAL, S.J. 425P
- BRIGHT, J.E., KENNY, T. & MARRS, T.C. The induction of methaemoglobin by hydroxyaminopropiophenone, 279P
- BRILEY, M. & MORET, C. Inhibitory effect of dihydroergocristine on 5HT release from rat hypothalamic slices, 353P
- BRILEY, M., CARILLA, E. & ROGER, A. Inhibitory effect of permixon on testosterone 5 α -reductase activity of the rat ventral prostate, 401P
- BRILEY, M., CHARVERON, M., COURET, E. & STENGER, A. Tofisopam enhances the anti-convulsant activity of diazepam against some, but not all, convulsive agents, 300P
- BRINE, J.M., KEELING, D.J., POAT, J.A., SMITH, I.R. & WOODRUFF, G.N. Ontogenesis of histamine, histamine decarboxylase and histamine N-methyltransferase in chick brain, 174P
- BRISTOW, D.R. & WATLING, K.J. GABA_B receptor stimulation increases vasoactive intestinal peptide activated cyclic AMP accumulation in slices of rat cerebral cortex, 359P
- BRITTAIN, R.T., COLEMAN, R.A., COLLINGTON, E.W., HALLETT, P., HUMPHREY, P.P.A., KENNEDY, I., LUMLEY, P., SHELDRICK, R.L.G. & WALLIS, C.J. AH 23848: a potent, selective thromboxane receptor blocking drug, 377P
- BROADHURST, A.B., HORTON, R.W., PRESTWICH, S.A. & WYLLIE, M.G. Examination of the interaction of α_2 -antagonists with GABA-recognition sites in rat brain membranes, 448P
- BROADHURST, A.M. see BLURTON, P.A., 36P
- BROADHURST, A.M., WOOD, M.D., & WYLLIE, M.G. The association between serotonin uptake, and antidepressant binding sites, 37P
- BROADLEY, K.J., CHESS-WILLIAMS, R.G. & GRASSBY, P.F. Responses mediated via β_1 but not β_2 -adrenoceptors exhibit supersensitivity after 6-hydroxydopamine pretreatment, 224P
- BROADLEY, K.J., CHESS-WILLIAMS, R.G. & SHERIDAN, D.J. Do guinea-pig ventricular myocardial α -adrenoceptors exist? 215P
- BROADLEY, K.J., CHESS-WILLIAMS, R.G., GRASSBY, P.F. & HAWTHORN, M.H. Examination of reserpine- and hypothermia-induced supersensitivity to β -adrenoceptor agonists by use of forskolin, 329P
- BRODDE, O.-E. & O'HARA, N. Affinity of bucindolol to α - and β -adrenoceptor subtypes as evaluated by radio-ligand binding studies, 173P
- BRODDE, O.-E., O'HARA, N., REIDEMEISTER, J. Chr., ROHM, N. & ZERKOWSKI, H.-R. Properties of human cardiac β -adrenoceptor coupled adenylate cyclase, 6P
- BROWN, C.L., JONES, B.J., MARTIN, I.L. & OAKLEY, N.R. Efficacy at the benzo-diazepine receptor: in vivo studies with pyrazoloquinolinones, 236P
- BROWN, C.M. see ALPS, B.J., 449P
- BROWN, C.M., DUNCAN, G.P., MCKENNIFF, M., PATMORE, L. & WHITING, R.L. β -adrenoceptor binding characteristics of cultured human cardiac cells, 416P
- BROWN, C.M., DYE, A.C. & WHITING, R.L. Comparison of the rate of cerebrocortical β -adrenoceptor 'down regulation' following RS-21361 and des-methylimipramine, 310P
- BROWN, E., KENDALL, D.A. & NAHORSKI, S.R. The relationship between agonist occupation of cerebral α_1 -adrenoceptors and phosphoinositide hydrolysis, 154P
- BROWN, F. & CAMPBELL, W. Comparison of the effects of 3-PPP and its enantiomers on emesis, plasma prolactin levels and CNS dopamine turnover, 45P
- BROWN, F., CAMPBELL, W., MITCHELL, P. & RANDALL, K. Dopamine autoreceptor agonism defined by inhibition of L-dopa syntheses and spiperone-sensitive exploratory locomotion, 305P
- BROWN, M.J. & HARLAND, D. Effect of central and peripheral administration of RX 781094 on BP and plasma nor-adrenaline responses to clonidine in rats, 8P
- BROWN, R.A., FARMER, J.B., HALL, J., HUMPHRIES, R.G., O'CONNOR, S.E. & SMITH, G.W. FPL 60278, a novel agonist at peripheral dopamine receptors and β_2 -adrenoceptors: cardiovascular effects in the dog, 10P
- BROWN, R.A., FARMER, J.B., HALL, J.C. KASPRZAK, L., O'CONNOR, S.E., SMITH, G.W. & YOUNG, A. FPL 60278 (dopexamine): actions at pre and post-junctional dopamine receptors and at α - and β - adrenoceptors, 120P

- BROWNE, J.L. & PILCHER, C.W.T. Effects of housing density on nociception of heat and pressure and the hyperalgesic actions of naloxone and Mr 1452, 299P
- BRUNDISH, D.E., HIRST, B.H., KENDALL-TAYLOR, P., SNELL, C.R., WEIGHTMAN, D.R. & WHITFORD, C.A. Characterisation of two high affinity binding sites for [3H] somatostatin in rat brain, 369P
- BRYDON, L.J., DRUMMOND, A.H., KIRKPATRICK, K.A., MACINTYRE, D.E., POLLOCK, W.K. & SHAW, A.M. Agonist-induced inositol phospholipid turnover and calcium flux in human platelet activation, 187P
- BUCKETT, W.R. & DIGGORY, G.L. The anti-depressant dothiepin induces down-regulation of cortical 5-HT₂ receptors after subchronic oral treatment in the rat, 270P
- BUCKETT, W.R. & LUSCOMBE, G.P. Chronic hydrocortisone does not alter the response of mice in catecholamine-dependent behavioural models, 306P
- - - Chronic hydrocortisone induces central serotonergic supersensitivity without affecting a behavioural paradigm for depression, 132P
- - - Depletion of striatal dopamine by MPTP does not alter spontaneous or dopamine-dependent behaviour in albino or pigmented mice, 427P
- BUCKETT, W.R., DIGGORY, G.L. & LUSCOMBE, G.P. In albino and pigmented mice MPTP selectively depletes dopamine from striatal and limbic areas but not from hypothalamus, 394P
- BUCKINGHAM, R.E. Implied involvement of prostaglandins in the anti-hypertensive response to propranolol in spontaneously hypertensive rats (SHR), 97P
- BUCKLEY, G.A. see BATES, R.F.L., 157P
- - - see BATES, R.F.L., 295P
- - - see BATES, R.F.L., 408P
- - - see BRAMMER, N.T., 112P
- BULL, D.R. & DREW, G.M. How important is the presynaptic effect of angiotensin II in modulating pressor responses to sympathetic nerve stimulation? 319P
- BULLOCK, G.R., CHRISTMAS, S.E., JASANI, M.K., JAYSON, M.I.V., KEMMENOE, B.H. & SIBBONS, P.D. Lymphocytes, inflammation and fibrin in a rat cardiac allograft rejection model, 92P
- BURKE, M.D., KILGOUR, C. & PERTWEE, R.G. Potent but selective inhibition of cytochrome P-450 by cannabidiol, 445P
- BURTON, N.R. see ANIS, N.A., 196P
- BUSCHMANS, E., HEARSE, D.J. & MANNING, A.S. Forskolin and inotropic activity in the rat and guinea-pig isolated heart: modification by the - adrenoceptor? 85P
- BUTCHER, S.P., COLLINS, J.F. & ROBERTS, P.J. DL-[3H]-2-amino-4-phosphonobutyrate labels postsynaptic excitatory amino acid receptors in rat striatum, 251P
- - - Calcium ions regulate excitatory amino acid receptors labelled with DL-[3H]-2-amino-4-phosphonobutyrate, 135P
- CABEROS, L. see ANDERSON, D.R., 322P
- CALDER, C. see ALPS, B.J., 449P
- CALDERWOOD, A., SKINGLE, M. & TYERS, M.B. A microcomputer system for the collection and analysis of opiate side-effect data, 347P
- CALDWELL, J., HORNER, M.W., HOUGHTON, E., MOSS, M.S., SMITH, P.B.W. & SMITH, R.L. the disposition of phenylbutazone in the horse, 402P
- CALVETE, J.A., HAYES, R.J. & THOM, S. (Introduced by OATES, N.S.) Evidence for the occurrence of histamine H1 receptors in human vas deferens, 441P
- CALVETE, J.A., HAYES, R.J., OATES, N.S., SEVER, P.S. & THOM, S. α_1 and α_2 adrenoceptor responses in human isolated arteries, 364P
- CAMERON, H.A., EPSTEIN, P.M., LAMBERT, J.J. & LYLES, G.A. Properties of [3H]-nitrendipine binding to homogenates of chick heart, 444p
- CAMPBELL, W. see BROWN, F., 45P
- - - see BROWN, F., 305P
- CANDY, J.M., COURT, J.A., PERRY, R.H. & SMITH, C.J. Carbachol-stimulated phosphatidylinositol hydrolysis in the cerebral cortex after freezing and post mortem delay, 356P
- CANDY, J.M., PERRY, R.H. & THOMPSON, J.E. Lack of muscarinic binding sites on cholinergic neurones in the human basal forebrain, 62P
- CANDY, J.M., SNELL, C.R. & SNELL, P.H. Autoradiographic localisation of nicotinamide adenine dinucleotide binding sites in the rat brain, 311P

- CANE, A.K., EDWARDS, D.J., HAMMOND, M.D. & TAYLOR, W.A. Evaluation of cellular infiltration in a guinea-pig model of pulmonary hypersensitivity, 186P
- CANFIELD, P., CORUZZI, G., CURWAIN, B. & RUNDELL, T. The action of FPL 52694 and disodium cromoglycate on gastric acid secretion by rat isolated stomach, 156P
- CANTRILL, R. see ARBILLA, S., 252P
- CARILLA, E. see BRILEY, M., 401P
- CARMEN, see CAVERO, I., 14P
- CAVERO, I. & SABATIER, J. Pharmacological interventions to antagonize adverse electro-cardiographic effects of high doses of diltiazem in conscious dogs, 147P
- CAVERO, I., GALZIN, A.-M., LANGER, S.Z., LEFEVRE-BORG, F., MANOURY, Ph. & PIMOULE, CARMEN. Alfuzosin (SL 77 499), a new antihypertensive agent with a peripheral site of action: 11. in vitro pharmacological studies, 14P
- CAVERO, I., GROSSET, A. & LEFEVRE-BORG, F. Protective effects of diltiazem against adrenaline and calcium evoked dysrhythmias, 146P
- CAVERO, I., LEFEVRE-BORG, F. & MANOURY, Ph. Alfuzosin (sl 77 499), a new antihypertensive agent with a peripheral site of action: 1. in vivo pharmacological studies, 13P
- CARRUTHERS, B., DAWBARN, D., DE QUIDT, M., EMSON, P.C., HUNTER, J. & REYNOLDS, G.P. Changes in neuropeptide content of amygdala in schizophrenia, 190P
- CHAMBERLAIN, P.D. & NUNN, B. Measurement of mouse platelet activity in vivo: dose-related responses to collagen, ADP, thrombin, 5-HT and U46619, 103P
- CHARVERON, M. see BRILEY, M., 300P
- CHEESBROUGH, K.L., MARSHALL, R.W., RICHENS, A. & WILSON, J.F. Isoprenaline action on tetani of slow contracting skeletal muscle, 336P
- CHESS-WILLIAMS, R.G. see BROADLEY, K.J., 215P
- - - see BROADLEY, K.J., 224P
- - - see BROADLEY, K.J., 329P
- CHRISTMAS, S.E. see BULLOCK, G.R., 92P
- CHURCH, M.K., CLEGG, L.S. & HOLGATE, S.T. Histamine secretion from human skin slices induced by anti-IgE, calcium ionophore A23187, poly-L-lysine and compound 48/80, 282P
- CHURCH, M.K., HOLGATE, S.T. & HUGHES, P.J. Inhibition and potentiation of immunological histamine release from human lung mast cells by adenosine, 76P
- - - Inhibition of histamine release from human basophils by "P-site" inhibitors of adenylate cyclase, 77P
- CHURCH, M.K., HOLGATE, S.T. & KIM, Y.-Y. Inhibition of histamine release from human mast cells by nifedipine and nicardipine, 264P
- CLAGUE, R.U., EGLEN, R.M., STRACHAN, A.C. & WHITING, R.L. Muscarinic antagonist properties of secoverine and atropine on guinea-pig ileum and atria in vitro, 345P
- CLAGUE, R.U., KILPATRICK, A.T. & WHITING, R.L. α_2 -adrenoceptor antagonists: a new approach to the treatment of hyperglycaemia, 436P
- CLARK, E.R. & ROBINSON, S.P. Effect of pregnant mare serum gonadotrophin on mammary tumours induced by 7,12-dimethylbenz a anthracene (DMBA) in the rat, 229P
- CLARKE, B. & PATMORE, L. (Introduced by WHITING, R.L.) Differential effects of ryanodine on calcium entry and contraction in cardiac muscle, 438P
- CLARKE, B., DUNCAN, G.P., PATMORE, L. & WHITING, R.L. Measurement of calcium antagonist potency using cardiac cell cultures, 365P
- CLARKE, B., EGLEN, R.M., PATMORE, L. & WHITING, R.L. Cardiosselective calcium entry blocking properties of a nicardipine metabolite, 437P
- CLARKESON, J.S., MICHEL, A.D. & WHITING, R.L. Effect of pH on the binding of [3 H] - prazosin to rat cerebral cortex, 375P
- CLAY, T.P. & THOMPSON, M.A. Pharmacological modulation of allergen induced lung dysfunction using a modified 'pressure box' plethysmographic technique, 234P
- CLEGG, L.S. see CHURCH, M.K., 282P
- CLEGG, L.S. & LINDUP, W.E. Aggregation of albumin and the inverse dependence of binding constants ($n K_a$) upon albumin concentration, 180P
- CLOUGH, D.P. see ANGELL, D., 339P
- COKER, S.J. & PARRATT, J.R. Antiarrhythmic activity of the thromboxane antagonist AH23848 during canine myocardial ischaemia and reperfusion, 380P

- - Late administration of nifedipine fails to prevent reperfusion-induced ventricular fibrillation in anaesthetised greyhounds, 214P
- COLEMAN, I.P.L. see BIRCH, N.J., 158P
- COLEMAN, M.D. see BRECKENRIDGE, A.M., 275P
- - - see BRECKENRIDGE, A.M., 399P
- COLEMAN, R.A. see BRITAIN, R.T., 377P
- COLES, D.J., ELLIS, C.E., HOLMES, S.W., TRIM, J.L. & WILSON, K.L. The effects of glycol solvents in some simple tests for CNS activity, 304P
- COLLETT, A.R., RAND, M.J. & STORY, D.F. Desensitization of nicotinic-evoked catecholamine release from the rabbit adrenal gland, 153P
- COLLIER, H.O.J., PLANT, N.T., TUCKER, J.F. & VON UEXKULL, A. Inhibition with adenosine derivatives of opiate withdrawal effects, 131P
- COLLINGTON, E.W. see BRITAIN, R.T., 377P
- COLLINS, J.F. see BUTCHER, S.P., 135P
- - - see BUTCHER, S.P., 251P
- COLLIS, M.G., see BORKOWSKI, K.R., 20P
- COLLIS, M.G. & SAVILLE, V.L. An investigation of the negative chronotropic effect of adenosine on the guinea-pig atrium, 413P
- COMBE, D.M. & GEDDES, C. Effect of oxypertine on dopamine receptor stimulation in the cardiovascular system, 415P
- CONNELLY, D.M. & TABERNER, P.V. The effects of chronic ethanol treatment and withdrawal on immuno-reactive serum insulin levels in LACG and diabetogenic C57 BL mice. 397P
- COOK, N. see BARNETT, D.B., 160P
- COOPER, S.J. see BARBER, D.J., 291P
- COOPER, S.J. & DOURISH, C.T. Novelty modifies the stimulant effects of β -phenylethylamine on locomotion and rearing in the rat, 420P
- COOPER, S.J. & GILBERT, D.B. Dopamine D_2 receptor antagonism enhances salt preference in the rat, 258P
- COOPER, S.J. & TURKISH, S. Taste and the antidiipsogenic effects of opiate receptor antagonists in the thirsty rat, 292P
- COOPER, W.D. see ARR, S.M., 223P
- COPLAND, A.M. see BALFOUR, D.J.K., 354P
- CORBETT, A.D., KOSTERLITZ, H.W., MCKNIGHT, A.T. & PATERSON, S.J. β -Funaltrexamine pretreatment of guinea pig myenteric plexus alters μ -agonist sensitivity without affecting opioid binding sites, 389P
- CORTES, R., PALACIOS, J.M. & PAZOS, A. Visualisation of multiple serotonin receptors in the rat brain by autoradiography, 202P
- CORUZZI, G. see CANFIELD, P., 156P
- COSTALL, B. see BRADBURY, A.J., 307P
- - - see BRADBURY, A.J., 308P
- - - see BRADBURY, A.J., 393P
- - - see BRADBURY, A.J., 395P
- COSTALL, B., DOMENEY, A.M. & NAYLOR, R.J. Chronic enhancement of dopamine agonist action after intraaccumbens dopamine infusion, 257P
- COSTALL, B., DOMENEY, A.M., KELLY, M.E. & NAYLOR, R.J. Selective ability of neurotensin to inhibit a raised mesolimbic dopamine activity, 46P
- - - Specificity of prostaglandin action in the striatum to antagonise dyskinesias, 358P
- COSTALL, B., ENIOJUKAN, J.F. & NAYLOR, R.J. D_1 and D_2 dopamine agonist-antagonist action in the nucleus accumbens to modify mouse spontaneous climbing behaviour, 115P
- COSTALL, B., GUNNING, S.J. & NAYLOR, R.J. Cholinergic-mediated contractions of guinea-pig stomach, gall bladder and bladder; effects of metoclopramide, BRL20627 and SCH23390, 387P.
- - - The hypothalamic site and mechanism of action of metoclopramide to facilitate gastric emptying, 325P
- - - The hypothalamus as a site of action for metoclopramide and clebopride to facilitate gastric emptying, 116P
- COSTALL, B., NAYLOR, R.J. & TAN, C.C.W. Apomorphine modifies the volume and acid concentration of gastric secretion in the rat via two distinct mechanisms, 337P
- COURET, E. see BRILEY, M., 300P
- COURT, J.A. see CANDY, J.M., 356P
- COWEN, P.J., NUTT, D.J. & O'SHAUGHNESSY, K.M. The anti-convulsant effect of protein synthesis inhibitors, 29P
- COWLRICK, I.S. & SHEPPERSON, N.B. Meptazinol and opiate respiratory depression in the conscious rat, 244P
- COX, B. see BLACKBURN, T.P., 203P
- CRESPI, F., KEANE, P.E. & MORRE, M. TRH increases the release of dopamine and serotonin in the nucleus accumbens and striatum in vivo, 452P
- CREWE, H.K., LENNARD, M.S., TUCKER, G.T. & WOODS, H.F. Inhibition of metoprolol oxidation by debrisoquine and other drugs in rat liver microsomes, 435P

- CROSS, J. & WYLLIE, M.G. Evidence for elevated natriuretic hormone levels in spontaneously hypertensive rats, 191P
- CROSS, J.A. see BLURTON, P.A., 36P
- CROSS, J.A., FEKETE, M.I.K., ROTHWELL, N.J., STOCK, M.J. & WYLLIE, M.G. Adrenal corticosteroid-induced alterations in opioid receptor sensitivity, 458P
- CROSSMAN, A.R., MITCHELL, I.J., SLATER, P., STUART, A.M. & UNWIN, H.P. Preparation of primate tissue for receptor binding studies from [³H]-2-deoxyglucose autoradiography sections, 454P
- CROUCHER, M.J., DE SARRO, G.B. & MELDRUM, B.S. Effects of DS 103-282 on sound-induced seizures and on NMDA induced epilepsy in mice, 137P
- CROUCHER, M.J., JONES, A.W., MELDRUM, B.S. & WATKINS, J.C. Relative anticonvulsant activities of two new dipeptide 'NMDA receptor' antagonists, 138P
- CRUTCHER, E.C. see ARR, S.M., 223P
- CUNDEY, J.E. & DAVIES, J.A. Reduction of neuroleptic-withdrawal induced supersensitivity following simultaneous administration of 5-hydroxy-tryptophan, 272P
- CUNNINGHAM, J. & NEAL, M. Effect of excitatory amino acids on [³H]-acetylcholine release from the rabbit retina, 31P
- CURWAIN, B., see CANFIELD, P., 156P
- CURZON, G., DICKINSON, S.L. & KENNETT, G.A. Behavioural evidence for altered brain 5-hydroxytryptamine function following repeated immobilisation in rats, 25P
- - - Chronic corticosterone decreases 5-HT dependent responses in the rat, 207P
- CURZON, G., DOURISH, C.T. & HUTSON, P.H. The serotonin agonist 8-OH-DPAT elicits feeding in non-deprived rats, 374P
- CUTHBERT, N.J., GARDINER, P.J. & TREVETT, A. Leukotriene-induced increase in TXA₂ generation by guinea-pig small airways: mechanism of action, 102P
- CUTLER, M.G., MCLAUGHLIN, M. & MOORE, M.R. Effects of δ -aminolaevulinic acid in isolated preparations of rabbit small intestine, 418P
- D'ARCY, P.F., MCELNAY, J.C. & SIDAHMED, A.M. Chloroquine-digoxin interaction, 88P
- DAVIES, C., & STEINBERG, H. Experience mimics amphetamine enhancement of chlordiazepoxide stimulation in rats, 238P
- DAVIES, J.A. see CUNDEY, J.E., 272P
- DAVIES, J.A. & LEIGHTON, G.E. Effect of cinanserin on the release of glutamate from rat cerebellar slices, 271P
- - - Effect of 5-hydroxytryptamine on potassium-evoked release of glutamate from rat cerebellar slices, 133P
- DAVIES, J.A., MARSHALL, R.W. & SPARKS, M. A microcomputer system for long-term monitoring and analysis of locomotor activity, 193P
- DAVIES, W.E. & OWEN, C.D. Amino acid levels in mice resistant and susceptible to audiogenic seizures (AGS), 254P
- DAVIS, E., MCNAMEE, P.M., MARKHAM, A. & SWEETMAN, A.J. Nonsteroidal anti-inflammatory agents may activate lipoxygenase by releasing calcium from mitochondria, 440P
- DAWSON, C. & DEWHURST, D.G. (Introduced by HAYLOR, J.) The effect of valproic acid and diazepam on catechol-induced spontaneous convulsions, 451P
- DAWBARN, D. see CARRUTHERS, B., 190P
- DAWKINS, S.L. see ANIS, N.A., 196P
- DE JONGE, A. see VAN DE BERG, G., 9P
- DE JONGE, A., MATHY, M.J., THOOLEN, M.J.M.C., TIMMERMANS, P.B.M.W.M., WILFFERT, B. & VAN ZWETEN, P.A. Inhibition of vasoconstriction to cirazoline in pithed rats by nifedipine after phenoxybenzamine, 80P
- DE JONGE, A., SMIT, G., THOOLEN, M.J.M.C., TIMMERMANS, P.B.M.W.M., WILFFERT, B. & VAN ZWIETEN, P.A. Inhibitory dopamine receptors and α -adrenoceptors on sympathetic neurons innervating the cardiovascular system of the rat, 19P
- DE PABLOS, I. see MORATINOS, J., 220P
- DE QUIDT, M. see CARRUTHERS, B., 190P
- DE SARRO, G.B. see CROUCHER, M.J., 137P
- DE WILDT, D.J. & NIJKAMP, F.P. *Bordetella pertussis* vaccine constituents cause disturbance of autonomic receptor functioning within the cardiovascular system of the rat, 87P
- DE WILDT, D.J., FOLKERTS, G., NIJKAMP, F.P. & VAN HEUVEN-NOLSEN, D. Influence of different bacteria and their components on guinea-pig lung β -adrenoceptor function and number, 3P

- DEAN, J.A., FORD, M.G. & LEAKE, L.D.
A systematic study of parameters defining the response of a neurone (the leech Leydig cell) to exogenously-applied amines, 126P
- DELGADO, C., TAMARGO, J. & TEJERINA, T.
The electrophysiological effects of propafenone on guinea-pig papillary muscles, 171P
- DEMPSTER, J. (Introduced by MARSHALL, I.G.) A set of computer programs for electro-physiological analysis of end plate current characteristics, 459P
- DENNIS, T. see ARBILLA, S., 249P
- DETTMAR, P.W. see BERRIDGE, T.L., 179P
- DETTMAR, P.W., KELLY, J. & MACDONALD, A.
Characterisation of α -adrenoceptor-mediated responses in rat gastric fundus, 390P
- DEWHURST, D.G. see DAWSON, C., 451P
- DICKINSON, S.L., see CURZON, G., 25P
- - - see CURZON, G., 207P
- DIGGORY, G.L. see BUCKETT, W.R., 270P
- - - see BUCKETT, W.R., 394P
- DOCHERTY, J.R. An examination of pre- and postsynaptic α -adrenoceptors in spontaneously hypertensive rats, 11P
- DOCHERTY, J.R. & HYLAND, L. Neuro-effector transmission through post-synaptic α_2 -adrenoceptors in human saphenous vein, 362P
- DOCHERTY, J.R., HYLAND, L. & WARNOCK, P.
A further examination of inhibitory α_1 -adrenoceptors of rat vas deferens, 326P
- - - Pre- and postsynaptic actions of Bayer K8644 in the rat vas deferens, 213P
- DODGE, C.J. & MORTON, I.K.M. Use of substance P antagonists in the investigation of non-adrenergic non-cholinergic nerve mediators in smooth muscle preparations, 110P
- DODSON, B.A. see BRASWELL, L.M., 30P
- DOGGETT, N.S., MOORE, N.A., PULLAR, I.A. & TYE, N.C. Behavioural evidence for mesolimbic dopamine receptor supersensitivity following long term diazepam treatment, 121P
- DOMENEY, A.M. see BRADBURY, A.J., 307P
- - - see BRADBURY, A.J., 393P
- - - see BRADBURY, A.J., 395P
- - - see COSTALL, B., 46P
- - - see COSTALL, B., 257P
- - - see COSTALL, B., 358P
- DONATSCH, P., ENGEL, G., RICHARDSON, B.P. & STADLER, P. ICS 205-930: a highly selective and potent antagonist at peripheral neuronal 5-hydroxytryptamine (5-HT) receptors, 34P
- - - Subtypes of neuronal 5-hydroxytryptamine (5-HT) receptors as identified by competitive antagonists, 33P
- - - The inhibitory effects of neuronal 5-hydroxytryptamine (5-HT) receptor antagonists on experimental pain in humans, 35P
- DOREY, P.G. & WOODRUFF, G.N. Chlor-diazepoxide enhances the inhibition of VTA dopaminergic neurones produced by nucleus accumbens stimulation, 301P
- DOURISH, C.T. see COOPER, S.J., 420P
- - - see CURZON, G., 374P
- DOWNING, O.A., MARRIOTT, J.F. & WILSON, K.A. Differential effects of verapamil on hypoxic and recovery contractions of rat aorta after exposure to chronic hypoxia, 211P
- - - Effect of ouabain and K^+ -free Krebs' on hypoxic and recovery responses of rat aorta to noradrenaline, 321P
- DOXEY, J.C. see BERRIDGE, T.L., 86P
- - - see BERRIDGE, T.L., 179P
- DOXEY, J.C., ROACH, A.G., STILLINGS, M.R., STRACHAN, D.A., VIRDEE, N.K. & WELBOURN, A.P. Potent and selective α_2 -adrenoceptor antagonists in a series of 2-substituted analogues of idazoxan, 181P
- DREW, G.M. see BULL, D.R., 319P
- DRUMMOND, A.H. see BRYDON, L.J., 187P
- DRYDEN, W.F. Loss of response to positive inotropic drugs during hibernation in ground squirrels, 82P
- DUCE, I.R. see BODEN, P., 221P
- DUNCAN, G.P. see BROWN, C.M., 416P
- - - see CLARKE, B., 365P
- DUPONT, A.G. see BOGAERT, M.G., 410P
- DURANT, G.J., GANELLIN, C.R., GRIFFITHS, R., HARVEY, C.A., IFE, R.J., OWEN, D.A.A., PARSONS, M.E. & SACH, G.S. Sk&F 93944, a potent H_1 -receptor histamine antagonist with negligible ability to penetrate into the central nervous system, 232P
- DUVAL, N., HICKS, P.E. & LANGER, S.Z. Dopamine stimulates post-synaptic α_2 -adrenoceptors in the femoral but not the renal vascular bed of the anaesthetised dog, 150P
- - - Reserpine-resistant responses to nerve stimulation if the cat nictitating membrane are due to newly synthesised transmitter, 406P
- DYE, A.C. see BROWN, C.M., 310P

- EBENEZER, I. The acquisition of tolerance to the depressant effect of vasopressin on spontaneous motor activity, 24P
- - - The effect of vasopressin on appetite-motivated lever-pressing behaviour in rats, 108P
- ECCLESTON, D. see MARSHALL, E.F., 351P
- EDVINSSON, L., MCCULLOCH, J. & SHARKEY, J. Dopamine receptor subtypes mediating the dilatation of cerebral pial arterioles in situ, 409P
- EDWARDS, D.J. see CANE, A.K., 186P
- EDWARDS, D.M. & FEELY, J. A model to study enhanced drug elimination during repeated dosing with activated charcoal, 178P
- EDWARDS, G. see BRECKENRIDGE, A.M., 275P
- - - see BRECKENRIDGE, A.M., 399P
- EGLIN, R.M. see BATES, R.F.L., 157P
- - - see CLAGUE, R.U., 345P
- - - see CLARKE, B., 437P
- EGLIN, R.M. & WHITING, R.L. Comparison of activities of muscarinic agonists on rabbit aorta and guinea pig ileum, 386P
- EGLIN, R.M., FRASER, S. & WHITING, R.L. Assessment of α_2 -adrenoceptor agonist activity in the isolated, perfused guinea pig portal vein of α_2 -adrenoceptor antagonists, 165P
- EKSTRÖM, J., LANGER, S.Z. & PIMOULE, C. Dissociation between changes in density of [3H]-QNB binding and supersensitivity to methacholine in rat salivary glands, 148P
- EL TAYAR, N., JENNER, P., KILPATRICK, G.J., MARSDEN, C.D., TESTA, B. & VAN DE WATERBEEMD, H. Poorly lipophilic substituted benzamide drugs show enhanced affinity for the CHAPS solubilised rat striatal dopamine D_2 receptor, 289P
- ELLIOTT, R.C. & KONYA, R.S. The cardiotoxic action of extract IV from the sea-anemone Telia felina, 162P
- ELLIS, C.E. see COLES, D.J., 304P
- ELOI, L., GRÜNFELD, J.P., MOURA, A.M. & WORCEL, M. Glucocorticoid induced hypertension in rats: ex vivo effects of RU 38486 on altered ionic fluxes from vascular smooth muscle, 144P
- EMMS, H. & LEWIS, G.P. The influence of sex hormones on an experimental model of thrombosis in the rat, 71P
- EMSON, P.C. see CARRUTHERS, B., 190P
- ENGEL, G., see DONATSCH, P., 33P
- - - see DONATSCH, P., 34P
- - - see DONATSCH, P., 35P
- ENNIS, C. see BLURTON, P.A., 36P
- EPSTEIN, P.M. see CAMERON, H.A. 444P
- EVANS, H., MARSHALL, R.W. & SPRIGGS, T. L.B. Differences in the effects of uptake-1 blockers on responses of rat vas deferens to single pulse stimulation, 18P
- FAGE, D. & SCATTON, B. Inhibitory influence of α -adrenoceptors on striatal cholinergic transmission, 155P
- FAIRHURST, G., STANNARD, M. & WYLLIE, M.G. Measurement of natriuretic hormone levels in rodents and man, 366P
- FARMER, J.B. see BROWN, R.A., 10P
- - - see BROWN, R.A., 120P
- FEATHERSTONE, R.L. & MORTON, I.K.M. Interaction of angiotensin II with substance P in the guinea-pig ileum, 111P
- FEATHERSTONE, R.L., FOSBRAEY, P. & MORTON, I.K.M. A comparison of direct and indirect actions of substance P and other tachykinins in guinea-pig ileum longitudinal muscle, 109P
- FEELY, J. see EDWARDS, D.M., 178P
- FEELY, J. & ODUMOSU, A. Factors affecting the aminopyrine breath test, 404P
- FEKETÉ, M.I.K. see CROSS, J.A., 458P
- FENERTY, C.A. & LINDUP, W.E. Binding of L-tryptophan to albumin: Effect of protein concentration and implications for brain uptake, 151P
- FENIUK, L., KENNEDY, I. & WHELAN, C.J. A comparison of the actions of leukotrienes and FPL 55712 on guinea-pig fundic strip and guinea-pig ileum, 74P
- FENIUK, W., HUMPHREY, P.P.A. & WATTS, A.D. 5-carboxamido tryptamine - a potent agonist at 5-hydroxytryptamine receptors mediating relaxation, 209P
- FENN, G.C. see ANDERSON, D.R., 322P
- FENN, C.G. & LITTLETON, J.M. Ethanol inhibits thrombin-stimulated breakdown of platelet membrane phospholipids, 175P
- FILE, S.E. & FELLOW, S. FG 7142, a β -carboline, has an anxiogenic action in the social interaction test, 240P
- FILLENZ, M., O'NEILL, R.D. & RYAN, E. Effects of the two enantiomers of 3-PPP on dopamine release monitored in vivo and on dopamine synthesis measured in vitro, 119P

- FITZGERALD, R. see BALFOUR, D.J.K., 376P
- FITZSIMMONS, B.J., IRELAND, R.E. & SPEDDING, M. Comparison of the effect of lasalocid (X-537A) and enantio X-537A on adrenergic nerve function, 161P
- FLEMMINGER, S., HALL, M.D., JENNER, P., KELLY, E., KILPATRICK, G., MARSDEN, C.D. & RUPNIAK, N.M.J. Lack of dopamine receptor blockade in the mesolimbic area during chronic neuroleptic treatment of rats, 346P
- FLEMMINGER, S., HALL, M.D., JENNER, P., KILPATRICK, G., MANN, S., MARSDEN, C.D. & RUPNIAK, N.M.J. Differential effects of administration of halperidol, sulpiride or clozapine for 12 months on rat striatal function, 288P
- FLEMMINGER, S., JENNER, P. & MARSDEN, C.D. Receptor occupation of striatal D-receptors measured using [³H] piflutixol binding to inhibit adenylate cyclase activity, 124P
- FLETCHER, A. & FORSTER, E.A. (Introduced by STEPHENS, R.J.) Clonidine does not antagonise seizures induced by intravenous infusion of leptazol in rodents, 429P
- - - Proconvulsant actions of selective α_1 -adrenoceptor antagonists, 39P
- FLOCKHART, I.R., see BAKER, S., 49P
- FOLKERTS, G., see DE WILDT, D.J., 3P
- FOLKERTS, G., NIJKAMP, F.P. & VAN HEUVEN-NOLSEN, D. Haemophilus influenzae, a time-course study for the changes in β -adrenoceptor function and number in guinea-pig lung, 5P
- FORD, M.G. see DEAN, J.A., 126P
- FORSTER, E.A. see FLETCHER, A., 39P
- - - see FLETCHER, A., 429P
- FORTUNE, D.H. & IRELAND, S.J. Antagonism by MDL 72222 of 5-HT-induced depolarisations of the rat isolated vagus nerve and superior cervical ganglion, 170P
- FOSBRAEY, P. see FEATHERSTONE, R.L., 109P
- FOZARD, J.R. see AZAMI, J., 129P
- - - see BEY, P., 50P
- FOZARD, J.R. & RAMAGE, A.G. The effects of 8-hydroxy-2-(DI-N-propylamino) tetralin on the cardiovascular system of the cat: comparison with clonidine, 391P
- FOZARD, J.R., PALFREYMAN, M.G. & ZREIKA, M. The comparative pharmacology of two selective inhibitors of monoamine oxidase B: deprenyl and MDL 72145, 309P
- FOY, J.M., SENIOR, J. & ZEKO, R. The effect of experimental diabetes on the responses of the isolated rat uterus to oxytocin and prostaglandins, 330P
- FRANCIS, D.M. see BARR, R.M., 99P
- FRASER, S. see EGLEN, R.M., 165P
- FREEDMAN, S.B. & MILLER, R.J. Enhancement of voltage-sensitive calcium channels by a novel dihydropyridine, 94P
- FREEDMAN, S.B., MILLER, D.M., MILLER, R.J. & TINDALL, D.R. Interaction of maitotoxin with voltage sensitive calcium channels in cultured neuronal cells, 260P
- FRETTON, P., TOMLINSON, D.R. & TOWNSEND, J. Prevention of axonal transport defects, in vagus and sciatic nerves of diabetic rats, by aldose reductase inhibition, 265P
- GADIE, B. see BERRIDGE, T.L., 179P
- GADIE, B., ROACH, A.G. & TULLOCH, I.F. Partial agonism at central and peripheral α_2 -adrenoceptors in the rat, 367P
- GALZIN, A.M. see BENKELFAT, C., 352P
- - - see CAVERO, I., 14P
- GALZIN, A.M., LANGER, S.Z. & PORTIER, A. Effects of substituted tetrahydro- β -carbolines on 5HT uptake and release in rat hypothalamic slices, 350P
- GAMBINI, C., MIGNOT, G. & SAVINI, E.C. Dopaminergic behaviour in the rabbit after chronic pretreatment by flupenthixol, sulpiride and desipramine, 23P
- GANELLIN, C.R. see DURANT, G.J., 232P
- GARD, P.R. & HANDLEY, S.L. The effect of increased plasma total tryptophan on plasma non esterified fatty acids in male mice, 164P
- GARDINER, P.J. see CUTHBERT, N.J., 102P
- GARDINER, P.J. & STOCK, D.M. A comparative study of LTD₄ actions on guinea-pig airways using the tissue bath and cascade test systems, 101P
- - - Indomethacin-induced hyper-reactivity of human small airways to LTD₄, 66P
- GARDINER, S.M. see BENNETT, T., 84P
- - - see BENNETT, T., 217P
- - - see BENNETT, T., 320P
- GARDNER, C.R. Do intravenous benzodiazepines enhance GABA-mediated inhibition of the cerebellum? 302P

- GARNIER, D. & ROULET, M.J. In vitro ductus arteriosus as a model for anti-ischemic drug studies, 407P
- GARRETT, N.J., JENNER, P., MARSDEN, C.D., REYNOLDS, G.P. & RUPNIAK, N.M.J. [³H]-ketanserin-binding to 5-HT₂ receptors in rat brain: effects of chronic neuroleptic administration, 342P
- GEDDES, C. see COMBE, D.M., 415P
- GIBSON, A. see BERN, H.A. 104P
- GIDDINS, R.E. see BRADBURY, A.J., 139P
- GIEMBYCZ, M.A. & RODGER, I.W. The effect of leukotriene D₄ on tension responses and cyclic nucleotide levels in guinea-pig strips, 231P
- GIEMBYCZ, M.A., RODGER, I.W. & SHAHID, M. Forskolin and positive inotropism in the mammalian myocardium, 414P
- GILBERT, D.B. see COOPER, S.J., 258P
- GINSBURG, M. see BERN, H.A., 104P
- GITTO, M. & SPEEDING, M. Comparison of cis and trans diclofurime with verapamil as calcium-antagonists, 81P
- GOADBY, P. & HARDMAN, P.A. The effects of the thromboxane synthetase inhibitor, UK-37248, on anaphylactic bronchoconstriction in guinea pigs, 403P
- GOEDERT, M., HUNTER, J.C. & NINKOVIC, M. Evidence for neurtensin as an inhibitory neurotransmitter in the guinea-pig ileum, 255P
- GRAHAM, P., HARRIS, J.M. & NELSON, D.G. Histamine release from leucocytes of patients suffering from caterpillar dermatitis, 167P
- GRANT, T.L. & MCGRATH, J.C. The effects of blood gases and nifedipine on pressor responses to angiotension II in the pithed rat, 226P
- - - The effects of teprotide on pressor responses to α -agonists and sympathetic nerve stimulation, 368P
- GRANT, T.L., MCGRATH, J.C. & O'BRIEN, J.W. The influence of blood gases on α_1 and α_2 adrenoceptor-mediated pressor responses in the pithed rat, 216P
- GRASSBY, P.F. see BROADLEY, K.J., 224P
- - - see BROADLEY, K.J., 32P
- GREAVES, M.W. see BARR, R.M., 99P
- GREEN, A.R. see APPELEYARD, M., 248P
- GREEN, P.G. & KITCHEN, I. Di-isopropyl-fluorophosphate enhances entry of alfentanil into mouse brain, 297P
- GRIFFITHS, R. see DURANT, G.J., 232P
- GRIFFITHS, R.J. & MOORE, P.K. Effect of uninephrectomy on renal prostanoid biosynthesis in the rat, 431P
- GROSSET, A. see CAVERO, I., 146P
- GRÜNFELD, J.P. see ELOI, L., 144P
- GUEUDET, C., see BIZIERE, K., 51P
- GULAI, A.A. see BOOBIS, A.R., 89P
- GUNNING, S.J. see COSTALL, B., 116P
- - - see COSTALL, B., 325P
- - - see COSTALL, B., 387P
- HAIGH, C.G., KAFY, A.M.L. & LEWIS, D.A. Observations of the anti-inflammatory action of putrescine, 283P
- HALL, J. see BROWN, R.A., 10P
- HALL, J.C. see BROWN, R.A., 120P
- HALL, M.D. see FLEMINGER, S., 288P
- - - see FLEMINGER, S., 346P
- HALL, M.T., HAMILTON, C.A., KANE, K.A., REID, J.L., RODGER, I.W. & WADSWORTH, R.M. ⁴⁵Ca uptake in the aorta and mesenteric artery in rabbits with perinephritis hypertension, 259P
- HALLETT, P. see BRITTAIN, R.T., 377P
- HALLIDAY, J. & WILLIAMS, J.S. Inotropic responses to low and high concentrations of ouabain: frequency dependence and functional antagonism, 188P
- HALSEY, M.J., MELDRUM, B.S. & WARDLEY-SMITH, R. The effect of cis-2, 3-piperidine dicarboxylic acid on the high pressure neurological syndrome, 43P
- HAMID, S. & WHITTLE, B.J.R. Prostaglandin D₂ acts as a 'partial antagonist' in guinea-pig platelets, 96P
- HAMILTON, C.A. see HALL, M.T., 259P
- HAMILTON, C.A., LESLIE, C., MISHRA, N. & REID, J.L. Maturation of α -adrenoceptors in male and female rabbits, 317P
- HAMMOND, M.D. see CANE, A.K., 186P
- HAMON, G., LUSAMVUKU, N.A.T. & WORCEL, M. The cellular electrophysiological effects of nicafinoprol on dog isolated cardiac tissues, comparison with reference drugs, 79P
- HANDLEY, S.L. see GARD, P.R., 164P
- HANDLEY, S.L. & MITHANI, S. Effect of drugs acting at α_1 -adrenoceptors on Geller-Seifter conflict, 341P
- - - Effects on punished responding of drugs at α_2 -adrenoceptors, 128P
- HANDLEY, S.L. & SINGH, L. GABA modulates the head-twitch induced by L-5-HTP, 340P

- - - The effect of μ -adrenoceptor agonists and antagonists on the head-twitch in male mice, 127P
- HARDMAN, P.A. see GOADBY, P., 430P
- HARDY, C.G., HOLGATE, S.T., ROBINSON, C. & TATERSFIELD, A.E. Inhaled prostaglandin D₂ produces bronchoconstriction in man, 194P
- HARLAND, D. see BROWN, M.J. 8P
- HARRIS, J.M. see GRAHAM, P. 167P
- HARRISON, N.L. & SIMMONDS, M.A. The antagonism by ketamine of N-methyl-D-aspartate in slices of rat cerebral cortex, 44P
- HARRON, D.W.G., KOBINGER, W. & LILLIE, C. Indoramin; brady-cardia due to prolongation of repolarisation time, 312P
- HARVEY, A.L., JONES, S.V.P. & MARSHALL, I.G. Disopyramide produces non-competitive voltage-dependent block at the neuromuscular junction, 169P
- HARVEY, C.A. see DURANT, G.J., 232P
- HATTON, R. see ANGELL, D., 339P
- HAUSER, K., JONES, R.S.G. & OLPE, H-R. The atypical actions of trimipramine on the telencephalic projection of the rat locus coeruleus, 136P
- HAWKES, J.E. & KENNEDY, A.J. The effect of D-penicillamine and copper on lymphocyte clustering secretion of immunoglobulin G and responses to interleukin 1, 64P
- HAWTHORN, M.H. see BROADLEY, K.J., 329P
- HAYES, A.G. & KELLY, A.J. Opioid receptors in the rabbit vas deferens, 57P
- HAYES, A.G., SKINGLE, M. & TYERS, M.B. Antagonism of α -adrenoceptor-mediated antinociception in the rat, 58P
- HAYES, R.J. see CALVETE, J.A. 364P
- - - see CALVETE, J.A., 441P
- HAYES, R.J., LANDER, J., OATES, N.S. & SLOAN, T.P. The effect of ketamine on the response to field stimulation and the uptake of [³H]-noradrenaline by the mouse vas deferens, 298P
- HAYLOR, J. & LOTE, C.J. Is the urinary excretion of PGE from the rat influenced by change in urine flow? 381P
- HAYLOR, J., LOTE, C.J. & THEWLES, A. The relationship between urine pH and urinary PGE excretion in the conscious rat, 75P
- HEARSE, D.J., see BUSCHMANS, E., 85P
- HEDLEY, D., PERTWEE, R.G. & SUTHERLAND, J.F. Involvement of acetylcholine in the hypothermic response of mice to Δ^9 -tetrahydrocannabinol, 423P
- HERMAN, A.G., JORDAENS, F.H., MAJCHROWICZ, B.B., VERBEUREN, T.J. & ZONNEKEYN, L.L. Effect of tertatolol on pre- and post-junctional β -receptors in canine blood vessels, 2P
- HERSOM, A.S. & MACKENZIE, J.E. Comparative cardiotoxicity of idazoxan, amitriptyline, mianserin and yohimbine in the rabbit, 318P
- HESSE, I.F.A. & JOHNS, E.C. A comparison of the effects of selective α -adrenoceptor agonists on renal tubular sodium reabsorption in the rabbit, 40P
- HEWICK, D.S., TAVENDALE, R. & WILSON, S.A. The biliary elimination of indocyanine green and nitrazepam in germfree and conventional rats, 434P
- HICKS, P.E. see DUVAL, N., 150P
- - - see DUVAL, N., 406P
- HICKS, P.E., LANGER, S.Z. & MACRAE, A.D. Complex inhibitory effects of 6-fluoronoradrenaline on the twitch response of the rat vas deferens at different frequencies, 17P
- HICKS, P.E., LANGER, S.Z. & TIERNEY, C. Potent antagonism by diltiazem of α_1 -receptor mediated constriction in SHR, but not normotensive rat tail arteries in vitro, 212P
- HILBURN, M.E. see BIRCH, N.J., 158P
- HILL, S.J. see AL-GADI, M., 278P
- HILLIER, K., JONES, D.B. & PACHECO, S. The action of sulphasalazine, indomethacin and BW-755C on human peripheral blood mononuclear cell activation by PHA, 166P.
- HINDLEY, S.W., PATERSON, I.A. & ROBERTS, M.H.T. Microinjection of methyl- γ -carboline-3-carboxylate into nucleus raphe dorsalis reduces social interaction in the rat, 27P
- HIRST, B.H. see BRUNDISH, D.E., 369P
- HOBBS, A., PATERSON, I.A. & ROBERTS, M.H.T. The effects on social interaction of microinjections of RO15-1788 into the nucleus raphe dorsalis of the rat, 241P
- HOLGATE, S.T. see CHURCH, M.K., 76P
- - - see CHURCH, M.K., 77P
- - - see CHURCH, M.K., 264P
- - - see CHURCH, M.K., 282P
- - - see HARDY, C.C., 194P
- HOLGATE, S.T. & MANN, J.S. Release of adenosine and its metabolites from human leukocytes activated with the calcium ionophore A23187, 262P
- HOLMES, S.W. see COLE, D.J., 304P

- HOLMES, S.W. & SUGDEN, D. A simple observation test for drug effect on sleep latency in the rat, 453P
- HOOD, H.T. see PATERSON, J.R., 442P
- HORNBY, E.J. & SKIDMORE, I.F. (Introduced by HUMPHREY, P.P.A.) Reductions in thromboxane B₂ production as a consequence of thromboxane receptor blockade in human platelet rich plasma, 432P
- HORNER, M.W. see CALDWELL, J., 402P
- HORTON, R.C., LOGAN, S.D. & the late J.H. WOLSTENCROFT. Actions of piperidine on single neurones in the rat pons, 197P
- HORTON, R.W. see BROADHURST, A.B., 448P
- HORTON, R.W., PRESTWICH, S.A. & SPYROU, N.S. Synaptosomal GABA uptake in mice susceptible (DBA/2), and resistant (C57 Bl/6) to audiogenic seizures, 235P
- HOUGHTON, E. see CALDWELL, J., 402P
- HOULT, J.R.S. see BERRY, C.N., 68P
- - - see BERRY, C.N., 69P
- HOWELLS, R.E. see BRECKENRIDGE, A.M., 275P
- - - see BRECKENRIDGE, A.M., 399P
- HOYER, D., REYNOLDS, E.E. & WOLFE, B.B. Binding of (¹²⁵I) IBE2254 to α_1 -adrenoceptors (α_1 R) and α_1 R activated phosphatidylinositol turnover in intact DDT₁ cells, 83P
- HUDSON, A.L. see BLACKBURN, T.P., 203P
- HUGGETT, A. see BLAIR, I.A., 67P
- HUGHES, P.J. see CHURCH, M.K., 76P
- - - see CHURCH, M.K., 77P
- HUMPHREY, P.P.A. see BRADLEY, P.B., 210P
- - - see BRITTAIN, R.T., 377P
- - - see FENIUK, W., 209P
- HUMPHREY, P.P.A. & LUMLEY, P. The effects of AH 23848, a novel thromboxane receptor blocking drug, on platelets and vascular smooth muscle, 378P
- HUMPHRIES, R.G. see BROWN, R.A., 10P
- HUNTER, J. see CARRUTHERS, B., 190P
- HUNTER, J.C. see GOEDERT, M., 255P
- HUTCHINSON, J.B., NAHORSKI, S.R. & STRUPISH, J. Simultaneous measurement of endogenous dopamine and cholecystokinin (CCK) release from rat striatal slices, 253P
- HUTSON, P.H. see CURZON, G., 374P
- HYLAND, L. see DOCHERTY, J.R., 213P
- - - see DOCHERTY, J.R., 326P
- - - see DOCHERTY, J.R., 362P
- IFE, R.J. see DURANT, G.J., 232P
- ILES, N.C., MOHAMED, Z., OLD, D.C., JOHNSON, B.E. & STEVENSON, I.H. The in vitro metabolism of psoralens used in photochemotherapy, 443P
- IRELAND, R.E. see FITZSIMMONS, B.J., 161P
- IRELAND, S.J. see FORTUNE, D.H., 170P
- IVERSEN, L.L. see BANSAL, S.J., 425P
- IYANIWURA, T.A. see BALFOUR, D.J.K. 456P
- - - see BALFOUR, D.J.K., 457P
- JACKSON, H.C. & SEWELL, R.D.E. Effect of the opioid-antagonist ICI 154,129 on food intake in rats, 296P
- JANSEN, J.D., see BOJANIC, D., 4P
- JASANI, M.K. see BULLOCK, G.R., 92P
- JAYSON, M.I.V. see BULLOCK, G.R., 92P
- JENNER, P. see BOYCE, S., 194P
- - - see BRADBURY, A.J., 393P
- - - see BRADBURY, A.J., 395P
- - - see EL TAYAR, N., 298P
- - - see FLEMINGER, S., 124P
- - - see FLEMINGER, S., 288P
- - - see FLEMINGER, S., 346P
- - - see GARRETT, N.J., 342P
- JENNER, P., KELLY, E. & MARSDEN, C.D. [3H]-dopamine uptake into rat substantia nigra may involve 5-HT neurones, 333P
- - - Modulation of [3H]-5HT and [3H]-GABA release from slices of rat substantia nigra by dopamine and dopamine agonists, 53P
- JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. CHAPS solubilises D2 but not D1-binding sites from striatal preparations, 52P
- JENNER, P., LEIGH, N., MARSDEN, C.D., MUSCATT, S. & REAVILL, C. Cortical lesions modify myoclonus induced by the focal injection of picrotoxin into striatum or cortex, 142P
- JENNER, P., LUSCOMBE, G. & MARSDEN, C.D. Interaction of indoleamine antagonists with 5HT₁ receptors in guinea-pig brainstem, 123P
- JENNER, P., LUSCOMBE, G., MARSDEN, C.D. & SCHONBAUM, E. Central 5HT mechanisms may mediate 5-hydroxytryptophan-induced hypothermia in guinea pigs but not rats, 426P
- JENNER, P., MARSDEN, C.D. & RUPNIAK, N.M.J. Nomifensine induces an exaggerated stereo-typed response in rats receiving continuous haloperidol intake for 20 months, 122P

- JENNER, P., MARSDEN, C.D. & SIMPSON, M.D.C. Hypophysectomy enhances the ability of haloperidol to induce striatal dopamine receptor supersensitivity in the rat, 392P
- JENNEWEIN, H.M., MIERAU, J., SAXENA, P.R. & VERDOUW, P.D. Arteriovenous anastomotic constriction and arterial dilatation by BEA 1654, a putative 5-HT₁ agonist, 208P
- JOHNS, E.J. The effect of acute administration of diltiazem and nifedipine on the function of the denervated rat kidney, 328P
- - - The influence of diltiazem and nifedipine on the response of the rat kidney to modest renal nerve stimulation, 261P
- - - see HESSE, I.F.A., 40P
- JOHNSON, B.E. see ILES, N.C., 443P
- JONES, A.W. see CROUCHER, M.J., 138P
- JONES, B.J. see BROWN, C.L., 236P
- JONES, D.B. see HILLIER, K., 166P
- JONES, H. see BRADLEY, P.B., 195P
- JONES, R.L. see ARMSTRONG, R.A., 72P
- JONES, R.L., SMITH, G.M. & WILSON, N.H. The effects of a synthetic prostanoid EP092 on intravascular platelet aggregation and bronchoconstriction, 100P
- JONES, R.S.G. see HAUSER, K., 136P
- JONES, R.S.G. & OLPE, H-R. Activation of the coeruleocortical pathway reduces neuronal excitation by substance P in cingulate cortex, 55P
- - - Aging and the sensitivity of neurones in the rat cingulate cortex to substance P and acetylcholine, 200P
- - - Lesions of the locus coeruleus increase the sensitivity of cingulate cortical neurones to substance P, 54P
- JONES, S.V.P. see HARVEY, A.L., 169P
- JORDAENS, F.H. see HERMAN, A.G., 2P
- JORDAN, C.C. see BAILEY, S.J., 61P
- JOSEPH, L., see ANGELO-KHATTAR, M., 230P
- KAFY, A.M.L. see HAIGH, C.G., 283P
- KAN, J.P. see BIZIERE, K., 51P
- KANE, K.A. see HALL, M.T., 259P
- KANE, K.A. MORCILLO, E.J., RODGER, I.W. & SHAHID, M. Coronary artery occlusion-induced arrhythmias in the anaesthetised rat and myocardial levels of cyclic AMP and cyclic GMP, 332P
- KANE, K.A., PARRATT, J.R. & ROTHBAUL, A.L. Effects of prazosin and nicergoline on normal and mildly depressed sheep purkinje fibre action potentials, 331P
- KARIM, A.R. see BIRCH, N.J., 158P
- KASPRZAK, L. see BROWN, R.A., 120P
- KEANE, P.E. see CRESPI, F., 452P
- KEELING, D.J. see BRINE, J.M., 174P
- KEHR, W. & STEPHENS, D.N. Further evidence that central benzodiazepine receptor ligands may exhibit anxiogenic properties, 42P
- KELLY, A.J. see HAYES, A.G., 57P
- KELLY, E., see BOYCE, S., 194P
- - - see FLEMINGER, S., 346P
- - - see JENNER, P., 53P
- - - see JENNER, P., 333P
- KELLY, J. see DETTMAR, P.W., 390P
- KELLY, M.E. see BRADBURY, A.J., 308P
- - - see COSTALL, B., 46P
- - - see COSTALL, B., 358P
- KELLY, M.J., RICHARDSON, W. & SWEETMAN, A.J. Selective protective action of α -tocopherol on noradrenaline-mediated responses in vascular smooth muscle, 417P
- KEMMENOE, B.H. see BULLOCK, G.R., 92P
- KEMP, J.A., MARSHALL, G.R. & WOODRUFF, G.N. Quantitative analysis of GABA agonists and antagonists using the rat hippocampal slice preparation, 199P
- KENDALL, D.A. see BROWN, E., 154P
- KENDALL, D.A. & NAHORSKI, S.R. Suppression of 5-HT receptor mediated inositol phospholipid breakdown in brain by chronic antidepressant treatment, 206P
- KENDALL-TAYLOR, P. see BRUNDISH, D.E., 369P
- KENNEDY, A.J. see HAWKES, J.E., 64P
- KENNEDY, I. see BRITTAIN, R.T., 377P
- - - see FENIUK, L., 74P
- KENNETT, G.A. see CURZON, G., 25P
- - - see CURZON, G., 207P
- KENNY, T. see BRIGHT, J.E., 279P
- KEY, B.J., TYERS, M.B. & YOUNG, A.M.J. The effects of delta-sleep inducing peptide (DSIP) in relation to opioid receptors, 294P
- KILGOUR, C. see BURKE, M.D., 445P
- KILPATRICK, A.T. see ALPS, B.J., 449P
- - - see CLAGUE, R.U., 436P
- KILPATRICK, G.J. see EL TAYAR, N., 289P
- - - see FLEMINGER, S., 288P
- - - see FLEMINGER, S., 346P

- - - see JENNER, P., 52P
- KIM, Y-Y. see CHURCH, M.K., 264P
- KIRBY, G.C. & MCQUEEN, D.S. Effects of substance P on responses of cat carotid body chemoreceptors to dopamine, noradrenaline and 5-hydroxytryptamine, 455P
- KIRKPATRICK, K.A., see BRYDON, L.J., 187P
- KITCHEN, I. see GREEN, P.G., 297P
- KITCHEN, I. & ROWAN, K.M. Comparison of the effects of naloxone and ICI 154,129 on plasma corticosterone levels in normal and stressed mice, 56P
- KITCHEN, I., MCDOWELL, J., WILSON, J.M. & WINDER, C. Low level lead exposure alters the development of morphine antinociception in the rat, 243P
- KITTERINGHAM, N.R., MAGGS, J.L., NEWBY, S. & PARK, B.K. The fate of dinitrophenyl-albumin conjugates in the rat, 405P
- KOBINGER, W. see HARRON, D.W.G., 312P
- KONYA, R.S. see ELLIOTT, R.C., 162P
- KOSTERLITZ, H.W. see CORBETT, A.D., 389P
- KOZUKA, T. see BARR, R.M., 99P
- KROGSGAARD-LARSEN, P. see BOKISCH, A.J., 125P
- KRUK, Z.L. & STAMFORD, J.A. Measurement of irreversibly oxidised species in rat brain using high speed double cycle voltammetry at carbon fibre electrodes, 177P
- KUMAR, R., MORRIS, E.A. & STOKERMAN, I.P. Chronic administration of morphine motivates learning for food rewards in rats, 245P
- LAFI, M.A.K. & LEAKE, L.D. Octopamine actions and its interactions with noradrenaline on the rat vas deferens, 145P
- LAMB, R.J. & MILLER, A.A. N-methyl-D-aspartic acid inhibits spontaneous firing of cerebellar purkinje cells in vitro, 446P
- LAMBERT, J.J. see BALFOUR, D.J.K., 463P
- - - see CAMERON, H.A., 444P
- LANDER, J. see HAYES, R.J., 298P
- LANE, A.C. & WALTER, D.S. (Introduced by TULLOCH, I.F.) Sodium ions increase the affinity of idazoxan for central α_1 -binding sites labelled by [3 H]-prazosin, 422P
- LANGER, S.Z. see ARBILLA, S., 249P
- - - see ARBILLA, S., 252P
- - - see BENKELFAT, C., 352P
- - - see CAVERO, I., 14P
- - - see DUVAL, N., 150P
- - - see DUVAL, N., 406P
- - - see EKSTROM, J., 148P
- - - see GALZIN, A.M., 350P 350
- - - see HICKS, P.E., 17P
- - - see HICKS, P.E., 212P
- LANGER, S.Z., PIMOULE, C., SCATTON, B. & SCHOEMAKER, H. Pharmacological characterization of [3 H]-cocaine-binding to rat striatal membranes, 48P
- LANIYONU, A.A., MCCULLOCH, C.R. & POLLOCK, D. The excitatory effect of morphine in isolated segments of rat colon, 60P
- LEACH, M.J., MARSDEN, C.M., MILLER, A.A., O'DONNELL, R.A. & WESTON, S.B. Cortical amino acid changes after long term electrical kindling in rats, 447P
- LEAKE, L.D. see DEAN, J.A., 126P
- - - see LAFI, M.A.K., 145P
- LEDGARD, S.E., NIEVES, A.L. & WOODWARD, D.F. Effect of peptidoleukotrienes on the cutaneous microvasculature of conscious guinea-pigs, 233P
- LEFEBVRE, R.A. see BOGAERT, M.G., 410P
- LEFEBVRE-BORG, F. see CAVERO, I., 13P
- - - see CAVERO, I., 14P
- - - see CAVERO, I., 146P
- LEIGH, N., see JENNER, P., 142P
- LEIGHTON, G.E. see DAVIES, J.A., 133P
- - - see DAVIES, J.A., 271P
- LENNARD, M.S. see CREWE, H.K., 435P
- LENNON, E.A. & POYSER, N.L. Noradrenaline and angiotensin II-stimulated release of prostacyclin from the mesenteric arterial bed of hypertensive rats, 324P
- LEONARD, B.E. & O'CONNOR, W.T. Effect of isomers on the 6-AZA derivative of mianserin on behaviour and noradrenaline metabolism in bulbectomised rats, 246P
- LEOUTSAKOS, A., PEARCE, F.L. & THOMPSON, H.L. On the mechanism of dextran-induced histamine secretion from rat peritoneal mast cells, 382P
- LEPRAN, I., PARRATT, J.R., SZEKERES, L. & WAINWRIGHT, C.L. Antiarrhythmic effects of a metoprolol thromboxane synthesis inhibitor combination in conscious rats, 225P

- LESLIE, C. see HAMILTON, C.A., 317P
- LESLIE, R., OSBORNE, N.N., PATEL, S. & PEARD, A. An immunohisto-chemical study to localise histaminergic neurones in invertebrate and vertebrate nervous systems, 250P
- LEWIS, D.A. see HAIGH, C.G., 282P
- LEWIS, G.P. see EMMS, H., 71P
- LIGHTON, C. see BENNETT, G.W., 267P
- LILLIE, C. see HARRON, D.W.G., 312P
- LINDUP, W.E. see CLEGG, L.S., 180P
- - - see FENERTY, C.A., 151P
- LITTLE, H.J. & NUTT, D.J. Benzodiazepine contragonists cause kindling, 28P
- LITTLE, H.J., MINCHIN, M.C.W., NUTT, D.J. & TAYLOR, S.C. Investigating benzodiazepine receptor function in vivo using an intravenous infusion of DMCM, 463P
- LITTLE, H.J., NUTT, D.J. & TAYLOR, S.C. Further studies on benzodiazepine receptor-mediated kindling, 286P
- - - Hypothermic effects of benzodiazepine agonists, antagonists and contragonists, 285P
- - - Selective potentiation of the effects of a benzodiazepine contragonist after chronic flurazepam treatment in mice, 360P
- - - The benzodiazepine antagonist, Ro 15-1788, does not alleviate the ethanol withdrawal syndrome in rats, 357P
- LITTLETON, J.M. see ANDERSON, D.R., 322P
- - - see FENN, C.G., 175P
- LITTLETON, J.N. & LYNCH, M.A. Altered catecholamine release by indirect sympathomimetics from brain slices of ethanol-treated rats, 176P
- LITTLETON, J.M., MONTAGUE, A. & RAMCHARAN, E. Loss of presynaptic adrenoceptor function in rat vas deferens associated with ethanol tolerance, 348P
- LIVINGSTON, A., MORRIS, B. & TURNER, J. The effects of clonidine and xylazine on tail flick latency during naloxone induced withdrawal in morphine tolerant rats, 130P
- LLEWELLYN, K.D. see ANDERSON, S., 106P
- LODGE, D. see ANIS, N.A., 196P
- LOGAN, S.D. see HORTON, R.C., 197P
- LOO, H. see BENKELFAT, C., 352P
- LORD, J.A.H. see BERRIDGE, T.L., 179P
- LOTE, C.J. see HAYLOR, J., 75P
- - - see HAYLOR, J., 381P
- LOWE, K.C., MCNAUGHTON, D.C. & MOORE, J.P. Effect of perfluorocarbon emulsion, fluosol-DA, on histamine release from rat peritoneal mast cells in vitro, 276P
- LUMLEY, P. see BRITTAIN, R.T., 377P
- - - see HUMPHREY, P.P.A., 378P
- LUSAMVUKU, N.A.T. see HAMON, G., 79P
- LUSCOMBE, G. see JENNER, P., 123P
- - - see JENNER, P., 426P
- LUSCOMBE, G.P. see BUCKETT, W.R., 132P
- - - see BUCKETT, W.R., 306P
- - - see BUCKETT, W.R., 394P
- - - see BUCKETT, W.R., 427P
- LYLES, G.A. see ARCHER, D.R., 421P
- - - see BALFOUR, D.J.K., 463P
- - - see CAMERON, H.A., 444P
- LYLES, G.A., OGG, G.C. & STEVENSON, I.H. BPS bookings by the Apple quick file system, 463P
- LYNCH, M.A. see LITTLETON, J.M., 176P
- MCADAMS, R.P. & WATERFALL, J.P. Functional subsensitivity of post-junctional α_2 -but not α_1 -adrenoceptors in the dog saphenous vein with reduction in temperature, 412P
- MCARDLE, C.A. see BATES, R.F.L., 157P
- - - see BATES, R.F.L., 259P
- - - see BATES, R.F.L., 408P
- - - see BOARDER, M.R., 363P
- MCBEAN, D.E. see SKETT, P., 400P
- MCCULLOCH, C.R. see LANIYONU, A.A., 60P
- MCCULLOCH, J. see ENVINSSON, L., 409P
- MCCULLOCH, M.W., RAND, M.J., ROSE, A. & STORY, D.F. Uptake and release of 5-hydroxytryptamine by sympathetic nerve terminals in rat atria, 384P
- MCDONALD, A. see DETTMAR, P.W., 390P
- MACDONALD, A.G., MARSHALL, N.R. & PERTWEE, R.G. The effect of nitrous oxide on behavioural thermoregulation in mice, 424P
- MCDONALD, I. see BEY, P., 50P
- MCDOWELL, J., see KITCHEN, I., 243P
- MCELNAY, J.C. see D'ARCY, P.F., 88P
- MCGRATH, J.C. Is the "Ca⁺⁺-free" α_1 -adrenoceptor-mediated response of smooth muscle limited to full agonists?, 344P
- - - see GRANT, T.L., 216P
- - - see GRANT, T.L., 226P
- - - see GRANT, T.L., 368P

- MCGRATH, J.C., MACLENNAN, S.J., MANN, A.C. & STUART-SMITH, K. Analysis of the contractile responses of human umbilical blood vessels to 5-HT and oxygen, 290P
- MACINTYRE, D.E. see BRYDON, L.J., 187P
- MACKAY, D. Functional interaction between carboachol and various drugs which relax or contract the isolated trachea of the guinea-pig, 388P
- MCKENZIE, M. see BROWN, C.M., 416P
- MACKENZIE, J.E. see HERSON, A.S., 318P
- MCKNIGHT, A.T. see CORBETT, A.D., 389P
- MCLAUGHLIN, M. see CUTLER, M.G., 418P
- MACLENNAN, S.J. see MCGRATH, J.C., 290P
- MCLEOD, L.J., PIPER, P.J. & STANTON, A.W.B. Leukotrienes C₄ and D₄ are potent constrictors of the porcine renal vascular bed, 65P
- MCMILLAN, R.M. see MASTERS, D.J., 70P
- MCNAMEE, P.M. see DAVIS, E., 440P
- MCNAUGHTON, D. see LOWE, K.C., 276P
- MCQUEEN, D.S. see KIRBY, G.C., 455P
- MACRAE, A.D. see HICKS, P.E., 17P
- MAGGS, J.L. see KITTINGHAM, N.R., 405P
- MAJCHROWICZ, B.B., see HERMAN, A.G., 2P
- MALLARKEY, G., MOTION, M.C. & SMITH, G.M. Does thromboxane A₂ directly or indirectly stimulate bronchial smooth muscle in guinea-pigs? 439P
- MALLORGA, P., SUGRUE, M.F. & VIADER, M.P. Effect of forskolin on the intra-ocular pressure and on the synthesis of cyclic-AMP in the albino rabbit eye, 182P
- MALTA, E., MOLENAAR, P. & RAPER, C. Structure-affinity and structure-efficacy relationships at α_1 -adrenoceptor sites, 361P
- MANN, A.C. see MCGRATH, J.C., 290P
- MANN, J.S. see HOLGATE, S.T., 262P
- MANN, S. see FLEMINGER, S., 288P
- MANNING, A.S. see BUSCHMANS, E., 85P
- MANOURY, Ph. see CAVERO, I., 13P
- - - see CAVERO, I., 14P
- MARKHAM, A. see DAVIS, E., 440P
- MARRIOTT, J.F. see DOWNING, O.A., 211P
- - - see DOWNING, O.A., 321P
- MARRS, T.C. see BRIGHT, J.E., 279P
- MARSDEN, C.A. see BENNETT, G.W., 267P
- MARSDEN, C.A. & MARTIN, K.F. Changes in 5-HT receptor-mediated behaviour following withdrawal from acute and chronic amitriptyline administration, 205P
- MARSDEN, C.A. & ROUTLEDGE, C. In vivo measurements of DOPAC, 5H1AA and 5-HT in specific brain regions by intracerebral dialysis, 268P
- MARSDEN, C.A. & STOLZ, J.F. Lack of effect of chronic antidepressant administration on striatal dopamine autoreceptor sensitivity, 284P
- MARSDEN, C.D. see BOYCE, S., 194P
- - - see BRADBURY, A.J., 393P
- - - see BRADBURY, A.J., 395P
- - - see EL TAYAR, N., 289P
- - - see FLEMINGER, S., 124P
- - - see FLEMINGER, S., 288P
- - - see FLEMINGER, S., 346P
- - - see GARRETT, N.J., 342P
- - - see JENNER, P., 52P
- - - see JENNER, P., 53P
- - - see JENNER, P., 122P
- - - see JENNER, P., 123P
- - - see JENNER, P., 142P
- - - see JENNER, P., 333P
- - - see JENNER, P., 392P
- - - see JENNER, P., 426P
- MARSDEN, C.M. see LEACH, M.J., 447P
- MARSHALL, E.F., TYRER, S.P., ALDERSON, E. & ECCLESTON, D. Effects of fluoxetine in imipramine-binding in vivo and in vitro, 351P
- MARSHALL, G.R. see KEMP, J.A., 199P
- MARSHALL, I. see ADAMS, M., 316P
- MARSHALL, I. see BAKER, S., 49P
- MARSHALL, I. & ROBERTS, P.M. Effect of histamine on bradycardia induced by acetylcholine and vagal stimulation in the guinea-pig, 91P
- - - Histamine inhibition of acetylcholine-induced bradycardia in the guinea-pig isolated right atrium, 263P
- MARSHALL, I.G. see HARVEY, A.L., 169P
- MARSHALL, N.R. see MACDONALD, A.G., 424P
- MARSHALL, R.W. see CHEESBROUGH, K.L., 336P
- - - see DAVIES, J.A., 193P
- - - see EVANS, H., 18P
- MARSHALL, R.W. & SPRIGGS, T.L.B. Effects of α_1 -antagonists and 6-methylatp on responses of rat vas deferens to twin pulse field stimulation, 383P
- MARTIN, D., see BLACKBURN, T.P., 203P
- MARTIN, I.L. see BROWN, C.L., 236P
- MARTIN, K.P. see MARSDEN, C.A., 205P
- MASTERS, D.J. & MCMILLAN, R.M. 5-lipoxygenase from human leukocytes, 70P
- MATHY, M.J. see DE JONGE, A., 80P

- MELARANGE, R. & RASHBROOK, L.C.
Effect of nabumetone on rat gastric mucosal 6-keto-PGF₁ production and the relationship to its lack of gastric irritancy, 280P
- MELDRUM, B.S. see CROUCHER, M.J., 137P
- - - see CROUCHER, M.J., 138P
- - - see HALSEY, M.J., 43P
- MELY, Y., PALFREYMAN, M.G., SLEIGHT, A.J. & ZREIKA, M. Selective activation of the monoamine oxidase inhibiting pro-drug, MDL 72394 by AADC of central monoamine neurons, 355P
- MICHEL, A.D. see CLARKSON, J.S., 375P
- MICHEL, A.D. & WHITING, R.L. Analysis of ligand binding data using a micro-computer, 460P
- - - Binding of [3H]-yohimbine in rat cerebral cortex, 95P
- MIERAU, J., see JENNEWAIN, H.M., 208P
- MIGNOT, G., see GAMBINI, C., 23P
- MIHALY, G.W. see BRECKENRIDGE, A.M., 275P
- - - see BRECKENRIDGE, A.M., 399P
- MIKOLAJCZAK, B.B. Possible mechanism by which polyvalent cations inhibit eccrine sweating in the rat. 185P
- MILLER, A.A. see LAMB, R.J., 446P
- - - see LEACH, M.J., 447P
- MILLER, D.M. see FREEDMAN, S.B., 260P
- MILLER, K.W. see BRASWELL, L.M., 30P
- MILLER, R.J. see FREEDMAN, S.B., 94P
- - - see FREEDMAN, S.B., 260P
- MILTON, A.S. The effects of ketoprofen, dexamethasone and corticotrophin on the hyperthermic effect of polyinosinic-polycytidic acid, 373P
- MINCHIN, M.C.W. see LITTLE, H.J., 463P
- MIREYLEES, S.E. see BRAMMER, N.T., 112P
- MISHRA, N. see HAMILTON, C.A., 317P
- MITCHELL, I.J. see CROSSMAN, A.R. 454P
- MITCHELL, P. see BROWN, F., 305P
- MITCHELL, R. see ANDERSON, R.A., 343P
- MITCHELL, R. & WILSON, L. Selective effects of GABA on putative subtypes of benzodiazepine receptors in rat cerebellar and hippocampal membranes, 143P
- MITHANI, S. see HANDLEY, S.L., 128P
- - - see HANDLEY, S.L., 341P
- MOHAMED, Z. see ILES, N.C., 443P
- MOLENAAR, P. see MALTA, E., 361P
- MOLLOY, A.G., O'BOYLE, K.M. & WADDINGTON, J.L. Relationship of spontaneous orofacial dyskinesia to dopaminergic function in aged rats, 118P
- - - The D₁ dopamine antagonist SCH 23390, but not a D₂ antagonist, blocks responsiveness to the D₁ agonist R-SK & F 38393, 21P
- MONTAGUE, A. see LITTLETON, J.M., 348P
- MOORE, J.P. see LOWE, K.C., 276P
- MOORE, M.R. see CUTLER, M.G., 418P
- MOORE, N.A. see DOGGETT, N.S., 121P
- MOORE, N.A., PULLAR, I.A., RISIUS, F.S. & TYE, N.C. LY141865 induced hypothermia: a possible D dopamine receptor mediated effect, 266P
- MOORE, P.K. see GRIFFITHS, R.J., 431P
- MORATINOS, J., OLMEDILLA, B., DE PABLOS, I. & VIGUERAS, M.D. - adrenoceptor involvement in catecholamine-induced hyperglycaemia in conscious fasted rabbits, 220P
- MORCILLO, E.J. see KANE, K.A., 332P
- MORET, C. see BRILEY, M., 353P
- MORGAN, R.M. Lessonwriter:- A simple authoring system for the production of computer assisted instruction lessons in pharmacology, 461P
- MORLEY, M.J. see BRADSHAW, C.M., 117P
- MORONEY, M.-A. see BEATTIE, D.E., 398P
- MORRE, M. see CRESPI, F., 452P
- MORRIS, B. see LIVINGSTON, A., 130P
- MORRIS, E.A. see KUMAR, R., 245P
- MORTON, I.K.M. see DODGE, C.J., 110P
- - - see FEATHERSTONE, R.L., 109P
- - - see FEATHERSTONE, R.L., 111P
- MOSER, P.C. & REDFERN, P.H. Diurnal variation in behavioural responses to 5-HT receptor stimulation, 269P
- MOSS, M.S. see CALDWELL, J., 402P
- MOTION, M.C. see MALLARKEY, G., 439P
- MOURA, A.M. see ELOI, L., 144P
- MUSCATT, S. see JENNER, P., 142P
- NAHORSKI, S.R. see BARNETT, D.B., 159P
- - - see BARNETT, D.B., 160P
- - - see BOJANIC, D., 4P
- - - see BROWN, E., 154P
- - - see HUTCHINSON, J.B., 253P
- - - see KENDALL, D.A., 206P
- NAYLOR, R.J. see BRADBURY, A.J., 307P
- - - see BRADBURY, A.J., 308P
- - - see BRADBURY, A.J., 393P
- - - see BRADBURY, A.J., 305P
- NAYLOR, R.J. see COSTALL, B., 46P
- - - see COSTALL, B., 115P
- - - see COSTALL, B., 116P

- - - see COSTALL, B., 257P
- - - see COSTALL, B., 325P
- - - see COSTALL, B., 337P
- - - see COSTALL, B., 358P
- - - see COSTALL, B., 387P
- NEAL, M., see CUNNINGHAM, J., 31P
- NEDERGAARD, O.A. Pre- and postsynaptic actions of indoramin on isolated artery preparations, 313P
- - - see ABRAHAMSEN, J., 327P
- NELSON, D.G. see GRAHAM, P., 167P
- NEWBY, S. see KITTERINGHAM, N.R., 405P
- NICHOLLS, J. see ATTERWILL, C.K., 32P
- NIDDAM, R. see ARBILLA, S., 249P
- NIEVES, A.L. see LEDGARD, S.E., 233P
- NIJKAMP, F.P. see DE WILDT, D.J., 3P
- - - see DE WILDT, D.J., 87P
- - - see FOLKERTS, G., 5P
- NILSSON, T. see ANGELO-KHATTAR, M., 230P
- NINKOVIC, M. see GOEDERT, M., 255P
- NISHIKAWA, T., SCATTON, B. & SERRANO, A. GABAergic inhibition of striatal serotonergic transmission exerted in the dorsal raphe requires the integrity of the habenula, 41P
- NISTRI, A. see ARENSON, M.S., 152P
- NORMAN, A.B., PRINCE, A.K. & WYLLIE, G.L. Stereotyped behaviour and body temperature of rats withdrawn from short term treatments with oxypertine or halperidol, 303P
- NORRIS, A.A. see BLACKHAM, A., 98P
- NOTARIANNI, L.J. see BENNETT, P.N., 228P
- - - see BENNETT, P.N., 403P
- NUNN, B. see CHAMBERLAIN, P.D., 103P
- NUTT, D.J. see ATTERWILL, C.K. 194P
- - - see COWEN, P.J., 29P
- - - see LITTLE, H.J., 28P
- - - see LITTLE, H.J., 285P
- - - see LITTLE, H.J., 286P
- - - see LITTLE, H.J., 357P
- - - see LITTLE, H.J., 360P
- - - see LITTLE, H.J., 463P
- O'BOYLE, K.M., see MOLLOY, A.G., 21P
- - - see MOLLOY, A.G., 118P
- O'BOYLE, K.M. & WADDINGTON, J.L. SK&F 83566 and 83692: Benzazepines with selective and stereospecific actions at the D₁ dopamine receptor, 371P
- O'BOYLE, K.M., PUGH, M. & WADDINGTON, J.L. Stereotypy induced by the D₂ dopamine agonist RU24213 is blocked by the D₂ antagonist RO22-2586 and the D₁ antagonist SCH 23390, 242P
- O'BRIEN, J.W. see GRANT, T.L., 216P
- O'CONNOR, S.E. see BROWN, R.A., 10P
- - - see BROWN, R.A., 120P
- - - see LEONARD, B.E., 246P
- O'DONNELL, R.A. see LEACH, M.J., 447P
- O'HARA, N. see BRODDE, O.E., 6P
- - - see BRODDE, O.-E., 173P
- O'NEILL, R.D. see FILLENZ, M., 119P
- O'SHAUGHNESSY, K.M. see COWEN, P.J., 29P
- OAKLEY, N.R. see BROWN, C.L., 236P
- OATES, N.S. see CALVETE, J.A., 364P
- - - see HAYES, R.J., 298P
- ODUMOSU, A. see FEELY, J., 404P
- OETTINGER, R. see BALFOUR, D.J.K., 376P
- OGG, G.D. see BALFOUR, D.J.K., 463P
- - - see LYLES, G.A., 463P
- OLD, D.C. see ILES, N.C., 443P
- OLMEDILLA, B. see MORATINOS, J., 220P
- OLPE, H-R. see HAUSER, K., 136P
- - - see JONES, R.S.G., 54P
- - - see JONES, R.S.G., 55P
- - - see JONES, R.S.G., 200P
- OLSEN, R.W. & WONG, E.H.F. Modulation of GABA and benzodiazepine receptor antagonist binding by barbiturates in rat cortical membranes, 237P
- ORCHARD, M.A. see BLAIR, I.A., 67P
- OSBORNE, N.N. see BENTLEY, A.M., 274P
- - - see LESLIE, R., 250P
- OWEN, D.A.A., see DURANT, G.J., 232P
- PACHECO, S. see HILLIER, K., 166P
- PACIOREK, P.M. & SHEPPERSON, N.B. Selectivity of WY 26392 and yohimbine for pre-junctional α_2 -adrenoceptors in the anaesthetised dog, 12P
- PALACIOS, J.M. see CORTES, R., 202P
- PALFREYMAN, M.G. see BEY, P., 50P
- - - see FOZARD, J.R., 309P
- - - see MELY, Y., 355P
- PALOMO, T. & REID, I.C. Effect of oxypertine versus reserpine on amphetamine and methylphenidate induced activity in rats, 247P
- PARK, B.K. see KITTERINGHAM, N.R., 405P
- PARRATT, J.R. see BALL, H.A., 379P
- - - see COKER, S.J., 214P
- - - see COKER, S.J., 380P
- - - see KANE, K.A., 331P
- - - see LEPRAN, I., 225P
- PARSONS, M.E. see DURANT, G.J., 232P
- PATEL, D.K. see BENNETT, P.N., 228P
- PATEL, S. see PEARD, A., 250P
- PATEL, S. & SLATER, P. Auto-radio-graphic localization of serotonin receptors in mouse brain, 141P
- PATERSON, I.A., see HINDLEY, S.W., 27P
- - - see HOBBS, A., 241P

- PATERSON, J.R., STEVENSON, I.H., HOOD, H.T. & SKELLERN, C.G. Thyroidal uptake of radioactivity following the administration of ^{14}C 3-methyl-2-thiohydantoin to rats, 442P
- PATERSON, S.J. see CORBETT, A.D., 389P
- PATMORE, L. see BROWN, C.M., 416P
- - - see CLARKE, B., 365P
- - - see CLARKE, B., 437P
- - - see CLARKE, B., 438P
- PATON, D.M. & WEBSTER, D.R. Relationship of metabolism of adenine nucleotides to presynaptic inhibition of transmission in rat vas deferens, 385P
- PAZOS, A. see CORTES, R., 202P
- PEARCE, F.L. see BARRETT, K.E., 90P
- - - see LEOUTSAKOS, A., 382P
- PEARDA, A. see LESLIE, R., 250P
- PECK, M.J. & TOWART, R. Effects of nifedipine on relaxation of isolated guinea-pig trachea induced by salbutamol, 183P
- PECK, M.J., ROUNDING, H.P. & TOWART, R. The effects of nifedipine on antigen-induced contraction of sensitised guinea-pig isolated trachea, 287P
- PEDDER, E.K. & PRICE, A.K. The reaction of rat brain choline acetyltransferase (ChAT) with ethylcholine mustard aziridinium (ECMA) and phenoxybenzamine (PB), 134P
- PEESAPATI, V., see ARMSTRONG, B.A., 72P
- PELLOW, S. see FILE, S., 240P
- PERRY, R.H. see CANDY, J.M., 62P
- - - see CANDY, J.M., 356P
- PERTWEE, R.G. see BURKE, M.D., 445P
- - - see HEDLEY, D., 423P
- - - see MACDONALD, A.G., 424P
- PETERS, C.J. see ALABASTER, V.A., 163P
- PETERS, J.A. & USHERWOOD, P.N.R. Characterisation of a 5-hydroxytryptamine receptor mediating depolarisation of murine neuroblastoma cells, 419P
- PETRIE, J.C. see BARBER, H.E., 93P
- PHILPOT, M.E. & SHEPPERSON, N.B. Cardiovascular effects of WY 26392 and RX 781094 in anaesthetised cats, 334P
- PIERCE, V. & SHEPPERSON, N.B. Effect of 1-adrenoceptor antagonist indoramine on baroreceptor reflexes in conscious rats, 314P
- PILCHER, C.W.T. see BROWNE, J.L., 299P
- PILOT, M.A., RITCHIE, H.D., THOMPSON, H.H. & ZARA, G.P. Alterations in gastro-intestinal motility associated with erythromycin, 168P
- PIMOULE, C. see CAVERO, I., 14P
- - - see EKSTRÖM, J., 148P
- - - see LANGER, S.Z., 48P
- PINNOCK, R.D. Actions in putative neurotransmitters on adult rat dorsal root ganglion neurones, 189P
- PIOTROWSKI, W. A method of computer averaging biological responses from chart recordings, 184P
- PIPER, P.J. see MCLEOD, L.J., 65P
- PLANT, N.T. see COLLIER, H.O.J., 131P
- POAT, J.A. see BRINE, J.M., 174P
- POIRIER, M.F. see BENKELFAT, C., 352P
- POLLOCK, D. see LANIYONU, A.A., 60P
- POLLOCK, W.K. see BRYDON, L.J., 187P
- PORTER, M. see BORKOWSKI, K.R., 16P
- PORTIER, A. see GALZIN, A.M., 350P
- POYSER, N.L., see LENNON, E.A., 324P
- PRESTWICH, S.A. see BROADHURST, A.B., 448P
- - - see HORTON, R.W., 235P
- PRICE, G.W. see BLACKBURN, T.P., 203P
- PRINCE, A.K. see ATTERWILL, C.K., 32P
- - - see NORMAN, A.B., 303P
- - - see PEDDER, E.K., 134P
- PUGH, M. see O'BOYLE, K.M., 242P
- PULLAR, I.A. see DOGGETT, N.S., 121P
- - - see MOORE, N.A., 266P
- QUINN, P., see BORKOWSKI, K.R., 20P
- - - see BORKOWSKI, K.R., 222P
- QUINN, P.J., see ARR, S.M., 223P
- RAEBURN, D. & RODGER, I.W. Leukotriene D_4 does not stimulate ^{45}Ca uptake into guinea-pig tracheal smooth muscle, 338P
- RAMAGE, A.G. see FOZARD, J.R., 391P
- RAMAGE, A.G. & TOMLINSON, A. Evidence for a sympathoexcitatory action of α_2 -adrenoceptor antagonists, 218P
- RAMCHARAN, E. see LITTLETON, J.M., 348P
- RAND, M.J. see COLLETT, A.R., 153P
- - - see MCCULLOCH, M.W., 384P
- RANDALL, K. see BROWN, F., 305P
- RAPER, C. see MALTA, E., 361P
- RASHBROOK, L.C. see MELARANGE, R., 280P
- REAVILL, C. see BOYCE, S., 194P
- - - see JENNER, P., 142P
- REDFERN, P.H. see MOSER, P.C., 269P
- REID, I.C. see PALOMO, T., 247P
- REID, J.L. see HALL, M.T., 259P
- - - see HAMILTON, C.A., 317P
- REIDEMEISTER, J. Chr., see BRODDE, O.-E., 6P

- REUBI, J.C. Novel selective radioligand for one subpopulation of rat cortex somatostatin receptors, 428P
- REYNOLDS, E.E. see HOYER, D., 83P
- REYNOLDS, G.P. see CARRUTHERS, B., 190P
- - - see GARRETT, N.J., 342P
- RICHARDSON, A. see BARNETT, D.B., 159P
- RICHARDSON, B.P. see DONATSCH, P., 33P
- - - see DONATSCH, P., 34P
- - - see DONATSCH, P., 35P
- RICHARDSON, W. see KELLY, M.J., 417P
- RICHEHS, A. see CHEESBROUGH, K.L., 336P
- RISIUS, F.C. see MOORE, N.A., 266P
- RITCHIE, H.D. see PILOT, M.A., 168P
- RIVIERE, J.H. see BACK, D.J., 433P
- ROACH, A.G. see BERRIDGE, T.L., 86P
- - - see BERRIDGE, T.L., 179P
- - - see BERRIDGE, T.L., 315P
- - - see DOXEY, J.C., 181P
- - - see GADIE, B., 367P
- ROBERTS, A.J. see ANGELL, D., 339P
- ROBERTS, F. Measuring the dissociation constant of a partial agonist, 281P
- - - see BRADLEY, P.B., 195P
- ROBERTS, M.H.T. see HINDLEY, S.W., 27P
- - - see HOBBS, A., 241P
- ROBERTS, P.J. see BUTCHER, S.P., 135P
- - - see BUTCHER, S.P., 251P
- ROBERTS, P.M. see MARSHALL, I., 91P
- - - see MARSHALL, I., 263P
- ROBINSON, C. see HARDY, C.C., 194P
- ROBINSON, S.P. see CLARK, E.R., 229P
- RODGER, I.W. see GIEMBYCZ, M.A., 231P
- - - see GIEMBYCZ, M.A., 414P
- - - see HALL, M.T., 259P
- - - see KANE, K.A., 332P
- - - see RAEBURN, D., 338P
- RODRIGUEZ DEL CAMINO, I.L. & SHARMAN, D.F. Metoclopramide-induced stereotyped behaviour in the guinea-pig does not depend on the release of dopamine in the brain, 22P
- ROGER, A. see BRILEY, M., 401P
- ROHM, N. see BRODDE, O.-E., 6P
- ROSE, A. see MCCULLOCH, M.W., 384P
- ROSE, I.C. & STOLERMAN, I.P. Discriminative stimulus effects of midazolam in rats, 239P
- ROTHAUL, A.L. see KANE, K.A., 331P
- ROTHWELL, N.J. see CROSS, J.A., 458P
- ROULET, M.J. see GARNIER, D., 407P
- ROUND, A.A. see AZAMI, J., 129P
- ROUNDING, H.P. see PECK, M.J., 287P
- ROUTLEDGE, C. see MARSDEN, C.A., 268P
- ROWAN, K.M. see KITCHEN, I., 56P
- ROWAN, M.J. see ANWYL, R., 273P
- RUNDELL, T. see CANFIELD, P., 156P
- RUPNIAK, N.M.J. see FLEMINGER, S., 288P
- - - see FLEMINGER, S., 346P
- - - see GARRETT, N.J., 342P
- - - see JENNER, P., 122P
- RYAN, E. see FILLENZ, M., 119P
- SABATIER, J. see CAVERO, I., 147P
- SACH, G.S. see DURANT, G.J., 232P
- SAVILLE, V.L. see COLLIS, M.G., 413P
- SAVINI, E.C., see GAMBINI, C., 23P
- SAXENA, P.R. see BOLT, G.R., 227P
- - - see JENNEWEIN, H.M., 208P
- SAXENA, P.R. & VERDOUW, P.D. Tissue blood flow and arteriovenous shunting in pigs measured with microspheres of four different sizes, 219P
- SCATTON, B. see ARBILLA, S., 249P
- - - see FAGE, D., 155P
- - - see LANGER, S.Z., 48P
- - - see NISHIKAWA, T., 41P
- SCHOEMAKER, H. see BENKELFAT, C., 352P
- - - see LANGER, S.Z., 48P
- SCHÖNBAUM, E. see JENNER, P., 426P
- SECHTER, D. see BENKELFAT, C., 352P
- SEGONZAC, A. see BENKELFAT, C., 352P
- SENIOR, J. see FOY, J.M., 330P
- SENIOR, J. & TROUGHTON, K.M. Modification of uterine responses to oestrogen in the rat by thromboxane receptor antagonism, 73P
- SERRANO, A. see NISHIKAWA, T., 41P
- SEVER, P.S. see CALVETE, J.A., 364P
- SEWELL, R.D.E. see JACKSON, H.C., 296P
- SHAHID, M. see GIEMBYCZ, M.A., 414P
- - - see KANE, K.A., 332P
- SHARIF, N. Autoradiographic visualization and characterisation of brain and spinal TRH receptors, 201P
- SHARIF, N.A. TRH is endogenous to rat olfactory bulb-evidence from chemical and surgical lesions, 370P
- SHARKEY, J. see EDVINSSON, L., 409P
- SHARMAN, D.F., see RODRIGUEZ DEL CAMINO, I.L., 22P
- SHAW, A.M. see BRYDON, L.J., 187P
- SHELDRIK, R.L.G. see BRITTAI, R.T., 377P
- SHEPPERSON, N.B. Enhancement by -adrenoceptor agonists of responses mediated via -adrenoceptors, 15P
- - - see COWLRICK, I.S., 244P
- - - see PACIOREK, P.M., 12P
- - - see PHILPOT, M.E., 334P
- - - see PIERCE, V., 314P
- SHERIDAN, D.J. see BROADLEY, K.J., 215P
- SHERIDAN, R.D. see BRADSHAW, C.M., 47P
- SIBBONS, P.D. see BULLOCK, G.R., 92P
- SIDAHMED, A.M. see D'ARCY, P.F., 88P

- SIMMONDS, S.H. & STRANGE, P.G.
Characterisation of the D dopamine
receptor of bovine anterior pituitary,
114P
- SIMMONDS, M.A. Interactions of the
benzodiazepine RO5-4864 with the
GABA receptor complex, 198P
- - - see HARRISON, N.L., 44P
- SIMPSON, M.D.C. see JENNER, P., 392P
- SINGH, L. see HANDLEY, S.L., 127P
- - - see HANDLEY, S.L., 340P
- SKELLERN, G.G. see PATERSON, J.R.,
442P
- SKETT, P. see BARR, J., 396P
- SKETT, P. & MCBEAN, D.E. The use of
liver cubes in the assessment of phase
1 drug metabolism in the rat, 400P
- SKIDMORE, I.F. see HORNBY, E.J. 432P
- SKINGLE, M. see CALDERWOOD, A., 347P
- - - see HAYES, A.G., 58P
- SLATER, P. see CROSSMAN, A.R., 454P
- - - see PATEL, S., 141P
- SLEIGHT, A.J. see MELY, Y., 355P
- SLOAN, T.P. see HAYES, R.J., 298P
- SMIT, G., see DE JONGE, A., 19P
- SMITH, A.D. see APPLEYARD, M., 248P
- SMITH, C.J. see CANDY, J.M., 356P
- SMITH, G.M. see JONES, R.L., 100P
- - - see MALLARKEY, G., 439P
- SMITH, G.W. see BROWN, R.A., 10P
- - - see BROWN, R.A., 120P
- SMITH, I.R. see BRINE, J.M., 174P
- SMITH, J.A. see BRADBURY, A.J., 139P
- SMITH, K.J. see BARBER, H.E., 93P
- SMITH, P.B.W. see CALDWELL, J., 402P
- SMITH, R.L. see CALDWELL, J., 402P
- SNELL, C.R. see BRUNDISH, D.E., 369P
- - - see CANDY, J.M., 311P
- SNELL, P.H. see CANDY, J.M., 311P
- SNOOK, G. see ANDERSON, S., 106P
- SOUILHAC, J. see BIZIERE, K., 51P
- SPARKS, M. see DAVIES, J.A., 193P
- SPEDDING M. see GITTOS, M., 81P
- - - see FITZSIMMONS, B.J., 161P
- SPRIGGS, T.L.B. see EVANS, H., 18P
- - - see MARSHALL, R.W., 383P
- SPYROU, N.S. see HORTON, R.W., 235P
- STADLER, P. see DONATSCH, P., 33P
- - - see DONATSCH, P., 34P
- - - see DONATSCH, P., 35P
- STAMFORD, J.A. see KRUK, Z.L., 177P
- STANNARD, M. see FAIRHURST, G., 366P
- STANTON, A.W.B. see MCLEOD, L.J., 65P
- STEEL, G. & WHITTLE, B.J.R. Gastric
damage induced by topical salicylate
can be potentiated by aspirin or
indomethacin, 78P
- STEINBERG, H. see DAVIES, C., 238P
- STENGER, A. see BRILEY, M., 300P
- STEPHENS, D.N. see KEHR, W., 42P
- STEPHENS, R.J. see BILL, D.J., 372P
- STEVENSON, I.H. see BALFOUR, D.J.K.,
463P
- - - see ILES, N.C., 443P
- - - see LYLES, G.A., 463P
- - - see PATERSON, J.R., 442P
- STILLINGS, M.R. see DOXEY, J.C., 181P
- STOCK, D.M. see GARDINER, P.J., 66P
- - - see GARDINER, P.J., 101P
- STOCK, M.J. see CROSS, J.A., 458P
- STOLERMAN, I.P. see KUMAR, R., 245P
- - - see ROSE, I.C., 239P
- STOLZ, J.F. see MARSDEN, C.A., 284P
- STORY, D.F. see COLLETT, A.R., 153P
- - - see MCCULLOCH, M.W., 384P
- STRACHAN, A.C. see CLAQUE, R.U., 345P
- STRACHAN, D.A. see BERRIDGE, T.L., 86P
- - - BERRIDGE, T.L., 315P
- - - see DOXEY, J.C., 181P
- STRANGE, P.G. see ABBOT, W.M., 113P
- - - see SIMMONDS, S.H., 114P
- STRUPISH, J. see HUTCHINSON, J.B.,
253P
- STUART, A.M. see CROSSMAN, A.R., 454P
- STUART-SMITH, K. see MCGRATH, J.C.,
290P
- SUCKLING, C.J. see BANSAL, S.J., 425P
- SUGDEN, D. see HOLMES, S.W., 453P
- SUGRUE, M.F. see MALLORGA, P., 182P
- SUTCLIFFE, F. see BACK, D.J., 149P
- SUTHERLAND, J.F. see HEDLEY, D., 423P
- SWEETMAN, A.J. see DAVIS, E., 440P
- - - see KELLY, M.J., 417P
- SZABADI, E. see BRADSHAW, C.M. 47P
- - - see BRADSHAW, C.M., 117P
- SZEKERES, L. see LEPRAN, I., 225P
- TABERNER, P.V. see CONNELLY, D.M.,
397P
- TAMARGO, J. see DELGADO, C., 171P
- TAMARGO, J. & TEJERINA, T. Effect of PY
108-068, a new calcium antagonist, on
isolated cardiac preparations, 172P
- TAN, C.C.W. see COSTALL, B., 337P
- TATTERSFIELD, A.E. see HARDY, C.C.,
194P
- TAVENTDALE, R. see HEWICK, D.S., 323P
- TAYLOR, S.C. see LITTLE, H.J., 285P
- - - see LITTLE, H.J., 286P
- - - see LITTLE, H.J., 357P
- - - see LITTLE, H.J., 360P
- - - see LITTLE, H.J., 463P
- TAYLOR, W.A. see CANE, A.K., 186P
- TEJERINA, T. see DELGADO, C., 171P
- - - see TAMARGO, J., 172P
- TEMPLETON, D. see ADHAM, N., 323P
- TESTA, B. see EL TAYER, N., 289P
- THEWLES, A. see HAYLOR, J., 75P
- THOM, S. see CALVETE, J.A., 364P
- - - see CALVETE, J.A., 441P

- THOMPSON, H. see BARRETT, K.E., 90P
 THOMPSON, H.H. see PILOT, M.A., 168P
 THOMPSON, H.L. see LEOUTSAKOS, A., 382P
 THOMPSON, J. (Introduced by STEVENSON, I.H.) Patient anthropometric assessment and storage utilizing a cheap microcomputer system, 462P
 THOMPSON, J.E. see CANDY, J.M., 62P
 THOMPSON, M.A. see CLAY, T.P., 234P
 THOMSON, D.S. see ARUNDEL, P.A., 192P
 THOOLEN, M.J.M.C., see DE JONGE, A., 19P
 - - - see DE JONGE, A., 80P
 - - - see VAN DE BERG, G., 9P
 THULESIUS, O. see ANGELO-KHATTAR, M., 230P
 TIERNEY, C. see HICKS, P.E., 212P
 TIMMERMAN, P.B.M.W.M., see DE JONGE, A., 19P
 - - - see DE JONGE, A., 80P
 - - - see VAN DE BERG, G., 9P
 TINDALL, D.R. see FREEDMAN, S.B., 260P
 TJIA, J.F. see BACK, D.J., 149P
 TOMLINSON, A. see RAMAGE, A.G., 218P
 TOMLINSON, D.R. see FRETTON, P., 265P
 TOWART, R. see PECK, M.J., 183P
 - - - see PECK, M.J., 287P
 TOWNSEND, J. see FRETTON, P., 265P
 TREVETT, A. see CUTHBERT, N.J., 102P
 TRICKLEBANK, M.D. Behavioural effects of 8-hydroxy-2-(di-n-propylamino) tetralin, a putative 5-HA receptor agonist, 26P
 - - - Central 5-HT receptor subtypes and the behavioural responses to 5-methoxy-N,N-dimethyltryptamine, 204P
 - - - Is hyperlocomotion induced by the 5-HT agonist RU25969 mediated by the 5-HT receptor? 140P
 TRIM, J.L. see COLES, D.J., 304P
 TROUGHTON, K.M. see SENIOR, J., 73P
 TUCKER, J.F. see COLLIER, H.O.J., 131P
 TUCKER, G.T. see CREWE, H.K., 435P
 TULLOCH, I.F. see BAKER, S., 49P
 - - - see BERRIDGE, T.L., 179P
 - - - see GADIE, B., 367P
 TURKISH, S. see COOPER, S.J., 292P
 TURNER, J. see LIVINGSTON, A., 130P
 TURNER, J.D. see BOAKES, R.J., 256P
 - - - see BOAKES, R.J., 349P
 TYE, N.C. see DOGGETT, N.S., 121P
 - - - see MOORE, N.A., 266P
 TYERS, M.B. see CALDERWOOD, A., 347P
 - - - see HAYES, A.G., 58P
 - - - see KEY, B.J., 294P
 TYRER, S.P., see MARSHALL, E.F., 351P
 USHERWOOD, P.N.R. see BODEN, P., 221P
 - - - see PETERS, J.A., 419P
 VAN DE BERG, G., DE JONGE, A., THOOLEN, M.J.M.C., TIMMERMAN, P.B.M.W.M., WILFFERT, B. & VANSWIETEN, P.A. Post-junctional -adrenoceptor mediated modulation of cardiac sympathetic neurotransmission in rats, 9P
 VAN DE WATERBEEMD, H. see EL TAYAR, N., 289P
 VAN HEUVEN-NOLSEN, D. see DE WILDT, D.J., 3P
 - - - see FOLKERTS, G., 5P
 VAN ZWEITEN, P.A., see DE JONGE, A., 19P
 - - - see DE JONGE, A., 80P
 - - - see VAN DE BERG, G., 9P
 VERBEUREN, T.J. see HERMAN, A.G., 2P
 VERDOUW, P.D. see JENNERWEIN, H.M., 208P
 - - - see SAXENA, P.R., 219P
 VIADER, M.P. see MALLORGA, P., 182P
 VIGUERAS, M.D. see MORATINOS, J., 220P
 VIRDEE, N.K. see BERRIDGE, T.L., 86P
 - - - see BERRIDGE, T.L., 179P
 - - - see BERRIDGE, T.L., 315P
 - - - see DOXEY, J.C., 181P
 VIRMANI, M.A. see BOAKES, R.J., 256P
 - - - see BOAKES, R.J., 349P
 VON UEXKULL, A. see COLLIER, H.O.J., 131P
 WADDINGTON, J.L. see MOLLOY, A.G., 21P
 - - - see MOLLOY, A.G., 118P
 - - - see O'BOYLE, K.M., 242P
 - - - see O'BOYLE, K.M., 371P
 WADSWORTH, R.M. see HALL, M.T., 259P
 WAINWRIGHT, C.L. see LEPRAN, I., 225P
 WALI, F.A. Action and interactions of methohexitone at the smooth muscle-nerve preparation of the rat ileum, 63P
 - - - Neuromuscular effects of diazepam. Interactions with -aminobutyric acid and methohexitone, 411P
 - - - The effect of angiotensin II at the chick biventer vermicis nerve-muscle preparation, 107P
 - - - The effects of some local anaesthetics and other drugs on calcium-induced luminescence of aequorin, 277P
 WALKER, R.J. see BOKISCH, A.J., 125P
 WALLIS, C.J. see BRITAIN, R.T., 377P
 WALLIS, D.I. see AZAMI, J., 129P
 WALTER, D.S. see BAKER, S., 49P
 - - - see LANE, A.C., 422P
 WARD, S.A. see BRECKENRIDGE, A.M., 399P
 WARDLEY-SMITH, B. see HALSEY, M.J., 43P

- WARNOCK, P., see DOCHERTY, J.R., 213P
 - - - see DOCHERTY, J.R., 326P
 WATERFALL, J.F. see MCADAMS, R.P., A 412P
 WATKINS, J.C. see CROUCHER, M.J., 138P
 WATLING, K.J. see BANSAL, S.J., 425P
 - - - see BRISTOW, D.R., 35p
 WATTS, A.D. see FENIUUK, W., 209P
 WEBSTER, D.R. see PATON, D.M., 385P
 WEIGHTMAN, D.R. see BRUNDISH, D.E., 369P
 WELBOURN, A.P. see DOXEY, J.C., 181P
 WESTON, S.B. see LEACH, M.J., 447P
 WHELAN, C.J. see FENIUUK, L., 74P
 WHITFORD, C.A. see BRUNDISH, D.E., 369P
 WHITING, R.L. see BROWN, C.M., 310P
 - - - see BROWN, C.M., 416P
 - - - see CLAGUE, R.U., 345P
 - - - see CLAGUE, R.U., 436P
 - - - see CLARKE, B., 365P
 - - - see CLARKE, B., 437P
 - - - see CLARKSON, J.S., 375P
 - - - see EGLEN, R.M., 165P
 - - - see EGLEN, R.M., 386P
 - - - see MICHEL, A.D., 95P
 - - - see MICHEL, A.D., 460P
 WHITTLE, B.J.R. see HAMID, S., 96P
 - - - see STEEL, G., 78P
 WILFFERT, B., see DE JONGE, A., 19P
 - - - see DE JONGE, A., 80P
 - - - see VAN DE BERG, G., 9P
 WILL, S.G. see ARMSTRONG, R.A., 72P
 WILLIAMS, J.S. see HALLIDAY, J., 188P
 WILLIAMS, L.C. see BANSAL, S.J., 425P
 WILLIAMS, R.H. see BRADLEY, P.B., 210P
 WILSON, C. Comparison of β -adrenoceptors in guinea-pig, rat and human atria, 1P
 WILSON, J.F. see ANDERSON, S., 106P
 - - - see CHEESEBROUGH, K.L., 336P
 WILSON, J.M. see KITCHEN, I., 243P
 WILSON, K.A. see DOWNING, O.A., 211P
 - - - see DOWNING, O.A., 321P
 WILSON, K.L. see COLES, D.J., 304P
 WILSON, L. see MITCHELL, R., 143P
 WILSON, N.H. see ARMSTRONG, R.A., 72P
 WILSON, N.H. see JONES, R.L., 100P
 WILSON, S.A. see HEWICK, D.S., 434P
 WINDER, C., see KITCHEN, I., 243P
 WINN, M.J. see BENNETT, T., 84P
 - - - see BENNETT, T., 217P
 WOLFE, B.B. see HOYER, D., 83P
 The late J.H. WOLSTENCROFT. see HORTON, R.C., 197P
 WONG, E.H.F. see OLSEN, R.W., 237P
 WOOD, M.D. see BLURTON, P., 59P
 - - - see BLURTON, P.A., 36P
 - - - see BROADHURST, A.M., 37P
 WOOD, M.D. & WYLLIE, M.G. The sub-cellular site of action of imipramine, 38P
 WOODRUFF, G.N. see BRINE, J.M., 174P
 - - - see DOREY, P.G., 310P
 - - - see KEMP, J.A., 199P
 WOODS, A.M. see BLACKHAM, A., 98P
 - - - see BLACKHAM, A., 335P
 WOODS, H.F. see CREWE, H.K., 435P
 WOODWARD, D.F. see LEDGARD, S.E., 233P
 WORCEL, M. see ELOI, L., 144P
 - - - see HAMON, G., 79P
 WORLOCK, A.J. see BENNETT, P.N., 403P
 WORMS, P. see BIZIERE, K., 51P
 WRIGHT, D.J.M. Opioid antagonists, by an action on the brain, prevent endotoxin causing the disappearance of circulating white cells and platelets, 293P
 WYLIE, G.L. see NORMAN, A.B., 303P
 WYLLIE, M.G. see BEATTIE, D.E., 398P
 - - - see BLURTON, P., 59P
 - - - see BLURTON, P.A., 36P
 - - - see BROADHURST, A.B., 448P
 - - - see BROADHURST, A.M., 37P
 - - - see CROSS, J., 191P
 - - - see CROSS, J.A., 458P
 - - - see FAIRHURST, G., 366P
 - - - see WOOD, M.D., 38P
 YOUNG, A. see BROWN, R.A., 120P
 YOUNG, A.M.J. see KEY, B.J., 294P
 ZAAGSMA, J. see BOJANIC, D., 4P
 ZARA, G.P. see PILOT, M.A., 168P
 ZEEKO, R. see FOY, J.M., 330P
 ZERKOWSKI, H.-R. see BRODDE, O.-E., 6P
 ZONNEKEYN, L.L. see HERMAN, A.G., 2P
 ZREIKA, M. see BEY, P., 50P
 - - - see FOZARD, J.R., 309P
 - - - see MELY, Y., 355P

SUBJECT INDEX

- Acebutolol stereoisomers, 89P
 Acetylcholine, 31P, 91P, 196P, 263P
 Acetylcholine receptor, 30P, 244P, 345P
 Acetylcholinesterase, 248P
 Adenine nucleotides, 385P
 Adenosine, 76P, 77P, 262P, 385P
 Adenosine 3', 5'-monophosphate, cyclic, 278P
 Adenosine receptor, 413P
 Adenosine triphosphatase, K⁺, 398P
 Adenosine triphosphatase, Na⁺, K⁺, 191P, 398P, 450P
 Adenylate cyclase, 6P, 76P, 124P, 182, 359P
 Adipocytes, 4P
 Adrenal gland, 153P
 Adrenaline, 8P, 20P, 146P, 363P
 [³H]-adrenaline, 327P
 Adrenergic nerve, 20P, 161P
 Adrenergic systems, 418P
 α -Adrenoceptor agonists, 368P
 α_1 -Adrenoceptor agonists, 213P
 α_2 -Adrenoceptor agonists, 15P, 86P, 120P
 β -Adrenoceptor agonists, 7P, 127P, 183P
 α -Adrenoceptor antagonists, 84P, 165P, 436P
 α_1 -Adrenoceptor antagonists, 13P, 14P
 α_2 -Adrenoceptor antagonists, 39P, 86P, 165P, 315P, 334P, 448P
 β -Adrenoceptor antagonists, 7P, 89P, 127P
 α_1 -Adrenoceptor binding sites, central, 422P
 α_2 -Adrenoceptor partial agonists, 367P
 α -Adrenoceptors, 11P, 40P, 58P, 159P, 173P, 181P, 215P, 216P, 217P, 220P, 316P, 364P, 390P, 412P
 α_1 -Adrenoceptors, 9P, 15P, 83P, 154P, 326P, 340P, 344P, 375P
 α_2 -Adrenoceptors, 12P, 17P, 19P, 49P, 86P, 128P, 150P, 155P, 163P, 179P, 212P, 316P, 318P, 362P, 367P, 372P
 β -Adrenoceptors, 1P, 2P, 3P, 4P, 5P, 6P, 16P, 85P, 160P, 173P, 310P, 361P, 416P
 β_1 -Adrenoceptors, 224P
 β_2 -Adrenoceptors, 22P
 β -Adrenoceptors, blockade, 225P
 β -Adrenoceptors, supersensitivity, 329P
 Aequorin, 277P
 Affinity, 361P
 Ageing, 118P, 200P
 AH 23848, 377P, 378P, 379P, 380P
 Airway smooth muscle, 183P, 231P, 287P, 338P
 Airways, guinea-pig, 101P, 102P
 Airways, human, 66P
 Albumin binding, 151P, 180P
 Alfentanil, 297P
 Alfuzosin, 13P, 14P
 Aldose, reductase, 265P
 Aluminium, 185P
 Amino acid decarboxylase inhibition, 139P
 Amino acid receptors, excitatory, 251P
 Amino acids, 152P, 254P
 Amino acids, excitatory, 31P, 196P
 2-Amino-4-phosphonobutyrate, 135P, 251P
 (±)-2-Amino-5-phosphonovaleric acid, 446P
 γ -Aminobutyric acid, 29P, 41P, 124P, 143P, 302P, 243P, 411P
 γ -Aminobutyric acid agonists, 199P
 γ -Aminobutyric acid antagonists, 199P
 γ -Aminobutyric acid binding, 448P
 γ -Aminobutyric acid receptor, 198P, 237P, 340P
 γ -Aminobutyric acid receptor, 359P
 γ -Aminobutyric acid release, 53P
 γ -Aminobutyric acid uptake, 235P, 425P
 δ -Aminolaevulinic acid, 418P
 Aminophenone, 279P
 Aminopyrine breath test, 404P
 Amitriptyline, 205P
 Amphetamine, 238P, 247P, 249P, 252P
 d-Amphetamine, 456P, 457P
 Anaesthetics, 424P
 Anaphylaxis, 99P, 287P, 430P
 Angiotensin II, 107P, 226P, 319P
 Antiotensin converting enzyme inhibitor, 339P
 Anhedonia hypothesis, 117P
 Animal observation, 453P
 Anion transport blockers, 349P
 Anococcygeus muscle, mouse, 104P
 Anococcygeus muscle, rat, 344P
 Anterior pituitary, 114P
 Anthropometry, 426P
 Antiarrhythmic activity, class III, 312P
 Antiarrhythmic drugs, 79P
 Antibiotic side-effects, 168P
 Anticonvulsants, 29P, 138P, 300P
 Antidepressants, 206P, 284P, 316P, 318P
 Antihypertensive agents, 13P, 14P
 Anti-inflammatory agents, 283P, 440P
 Anti-ischaemic drugs, 407P

Antinociception, 58P, 295P
 Anxiety, 27P, 128P, 340P
 Anxiogenic action, 240P, 241P
 Anxiogenic agents, 42P
 Aorta, 386P
 Aorta, rabbit, 327P
 Aorta, rat, 211P, 321P
 Apomorphine, 337P, 410P
 Arachidonic acid inhibition, 335P
 Arachidonic acid metabolism, 98P, 335P
 Arrhythmias, 225P, 332P, 380P
 Arterial smooth muscle, 144P, 259P
 Arteries, human, 364P
 Arteries, rabbit isolated, 313P
 Arteriovenous anastomoses, 219P
 Ascorbate, 177P
 Aspirin, 228P
 Aspirin-like drugs, 69P
 Atrioventricular block, 147P
 Atrium, guinea-pig, 1P, 263P, 413P
 Atrium, human, 6P
 Atrium, rat, 1P, 384P
 Atropine, 345P
 Audogenic seizures, 235P
 Autonomic receptor function, 87P
 Autoradiography, 141P, 201P, 202P, 311P, 454P
 Axonal transport, 265P

Bacteria, 3P
 Barbiturates, 30P, 237P
 Baroreceptor reflexes, 314P
 Basophils, 77P
 Basal forebrain, human, 62P
 Battleboro rats, 84P
 Bayer K 8644, 213P
 Behaviour, 51P, 118P, 238P, 239P, 269P, 306P
 Behavioural thermoregulation, 424P
 Benzamide derivatives, 116P
 Benzodiazepine antagonists, 357P
 Benzodiazepine receptors, 42P, 143P, 236P, 237P, 300P, 463P
 Benzodiazepine withdrawal, 360P
 Benzodiazepines, 29P, 198P, 239P, 285P, 286P, 302P, 343P, 371P
 Benzomorphans, 196P
 Bile, 434P
 Biventer-cervicis muscle, chick, 107P
 Blister base, 35P
 Blood-brain barrier, 106P
 Blood flow, liver, 93P
 Blood gases, 216P, 226P
 Blood pressure, 84P, 217P, 320P, 415P
 Blood vessels, dog, 2P
 Blood vessels, pig, 208P
 Bordetella pertussis, 87P
 Bradycardia, 91P, 263P, 312P
 Brain, chick, 174P
 Brain, gerbil, 449P
 Brain, immature rat, 450P
 Brain, stressed rats, 457P
 Brain, rat, 456P
 Brain cell culture, 32P
 Brain uptake, 151P
 Brainstem, guinea-pig, 123P
 Brainstem, rat, 195P, 197P
 BRL 20627, 387P
 Bronchial smooth muscle, guinea-pig, 439P
 Bronchoconstriction, 100P
 Bucindolol, 173P
 Bulbectomized rats, 246P
 BW-755c, 166P

Caecum, rat, 69P
 Calcitonin, 157P, 295P
 Calcitonin gene-related peptide, 295P
 Calcium, 135P, 146P, 344P, 440P
 Calcium antagonists, 81P, 94P, 172P, 183P, 185P, 365P
 Calcium channels, 94P, 260P
 Calcium entry, 438P
 Calcium entry blockade, 80P, 213P, 365P, 437P, 444P
 Calcium flux, 187P
 Calcium ionophore A23187, 262P, 282P
 Calcium uptake, 259P, 338P
 Cannabidiol, 445P
 Capacity limitation, 228P
 Carbachol, 356P, 388P
 β -Carbolines, 28P, 231P, 240P, 286P
 Cardiac cell culture, 365P
 Cardiac cells, human, 416P
 Cardiac mitochondria, 223P
 Cardiac muscle, guinea-pig and rat, 438P
 Cardiac suppressants, 82P
 Cardiac sympathetic neurotransmission, 9P
 Cardioseleective calcium entry blockade, 437P
 Cardiotoxicity, 162P, 318P
 Cardiovascular system, cat, 334P, 391P
 Cardiovascular system, rat, 87P
 Carotid chemoreceptors, 455P
 Catechol convulsions, 451P
 Catecholamine release, 153P, 176P
 Catecholamines, 306P, 406P, 455P
 Caterpillar dermatitis, 167P
 Caudal artery, rat, 210P
 Cell infiltration, 98P
 Central nervous system, 304P
 Cerebellar slices, rat, 133P, 271P
 Cerebellum, rat, 446P
 Cerebral cortex, rat, 95P
 Cerebral ischaemia, 449P
 Cerebral pial arterioles, 409P
 Cerebro-spinal fluid, 106P
 CHAPS, 52P
 Charcoal, activated, 178P

Chlordiazepoxide, 238P, 301P
 Chloride, 256P
 Chlorimipramine, 352P
 2-Chloroadenosine, 131P
 p-Chlorophenylalanine, 267P
 Chloroquine, 88P
 Cholecystokinin, 253P
 Choline acetyltransferase, 134P
 Choline transport, 134P
 Cholinergic function, 32P
 Cholinergic neurones, 62P
 Cholinergic pathways, 423P
 Cholinergic transmission, 155P
 Chromaffin cells, 363P
 Cimetidine, 93P, 278P
 Cinanserin, 271P
 Cingulate cortical neurones, 54P, 55P
 Cirazoline, 80P
 Circadian rhythms, 193P
 Clonidine, 8P, 130P, 372P, 391P, 429P
 [³H]-cocaine binding, 48P
 Collagen, 432P
 Colon, rat, 60P
 Compound 48/80, 282P
 Computer-assisted instruction, 461P
 Computer averaging, 184P
 Computers, 193P
 Computers, 459P
 Conditioned behaviour, 245P
 Convulsants, 256P
 Convulsions, 28P, 39P, 248P
 Cortex, 142P
 Cortical neurones, 47P
 Cortical noradrenaline feedback, 49P
 Cortical slices, rat, 349P
 Corticosterone, 56P
 Corticotropin, 373P
 Cytaneous microvasculature, 233P
 N⁶-cyclohexyladenosine, 131P
 Cyclic nucleotides, 231P, 332P
 Cyclo-oxygenase, 78P, 280P
 Cytochrome P-450, 396P, 445P

Data analysis, 460P
 DRA/2J mice, 254P
 Debrisoquine, 435P
 Delta-sleep inducing peptide, 294P
 2-Deoxyglucose, 454P
 Deprenyl, 309P
 Depression, 132P
 Desipramine, 23P, 310P
 Dexamethasone, 68P, 373P
 Dextran, 382P
 Diabetes, 265P, 330P
 Diabetogenic mice, 397P
 Diacetolol, 89P
 Diazepam, 121P, 354P, 411P, 451P
 Diclofurime, 81P
 Digoxin, 88P
 Dihydroergocristine, 353P
 Dihydropyridine, 94P
 3,4-Dihydroxyphenylacetic acid, 268P
 5,7-Dihydroxytryptamine, 267P
 Di-isopropylfluorophosphate, 297P
 Diltiazem, 146P, 147P, 212P, 261P, 328P
 6,7-Dimethoxy-4-ethyl- β -carboline-3-carboxylate, 463P
 Dimethoxyquinazoline, 13P, 14P
 7,12-Dimethylbenz (a) anthracene, 229P
 Dinitrophenyl-albumin conjugates, 405P
 Dipeptides, 138P
 Disodium croglycate, 156P
 Disopyramide, 169P
 Dissociated cells, 421P
 Dissociation constant, 281P
 Diurnal variation, 269P
 Dopamine, 22P, 25P, 46P, 51P, 118P, 121P, 150P, 253P, 308P, 449P
 Dopamine, endogenous, 249P
 Dopamine agonists, 10P, 45P, 120P, 257P
 Dopamine antagonists, 258P
 Dopamine autoreceptors, 284P, 305P
 Dopamine infusion, 257P, 307P
 Dopamine neurones, 122P, 301P, 393P, 394P, 395P, 427P
 Dopamine receptor binding, 242P
 Dopamine receptor solubilization, 52P
 Dopamine receptors, 19P, 21P, 113P, 114P, 115P, 124P, 242P, 252P, 288P, 280P, 346P, 371P, 392P, 402P, 415P
 Dopamine release, 119P, 452P
 Dopamine synthesis, 119P
 Dopamine uptake, 48P, 112, 333P
 Dopexamine, 10P
 Dorsal raphe, rat, 41P, 241P
 Dorsal root ganglion, rat, 189P
 Dosage, 399P
 Dothiepin, 270P
 Drug metabolism, 400P, 405P, 433P, 443P
 Drug-protein conjugates, 405P
 Drug toxicity, 405P
 Duodenum, rat, 105P
 Dyskinesia, 118P, 358P
 Dysarrhythmia, 146P

Efficacy, 361P
 Enalapril, 319P, 339P
 Electrophysiological analysis, 459P
 End plate current, 459P
 Endotoxin, 292P, 379P
 Endotoxin shock, 72P
 Enzyme inhibition, 433P
 Enzyme, 149P
 Eosinophils, 186P
 EP 092, 72P
 Epilepsy, 137P
 Erythema, 192P
 Erythromycin, 168P
 Ethanol, 175P, 322P, 397P
 Ethanol withdrawal, 357P, 397P
 Ether stress, 56P
 Ethylcholine mustard aziridinium, 134P

Etorphine binding, 458P
 Excitatory amino acids, 44P, 137P
 Excitatory amino acid antagonists, 138P
 Excitatory amino acid receptors, 135P
 Exploratory locomotion, 305P
 Extraneuronal accumulation, 327P

 Fatty acids, 164P
 Femoral vasculature, 150P
 FG 7142, 240P, 285P, 360P
 Fibrin, 92P
 Fitness testing, 462P
 6-Fluoronoradrenaline, 17P
 Fluoxetine, 351P
 Flupenthixol, 23P
 Flurazepam, 360P
 Food intake, 296P
 Forebrain, 308P
 Forskolin, 85P, 182P, 329P, 414P
 FPL 52694, 156P
 FPL 55712, 74P
 FPL 60278, 119P
 Frontal cortex, rat, 307P
 β -Funaltrexamine, 389P
 Functional antagonism, 188P
 Fundus, guinea-pig, 74P

 Gastric acid, 156P
 Gastric erosions, 78P
 Gastric emptying, 116P, 325P
 Gastric fundus, rat, 390P
 Gastric irritancy, 280P
 Gastric mucosa, pig and rabbit, 398P
 Gastric secretion, 337P
 Gastrointestinal motility, 168P
 Germfree rats, 434P
 Glycol solvents, 303P
 Glutamate, 447P
 Glutamate receptors, 221P
 Glutamate release, 133P, 271P
 Gonodotropin, 229P

 Haemophilus influenzae, 5P
 Haemorrhage, 157P
 Haloperidol, 302P, 303P
 Head-twitch, 127P, 340P
 Heart, chick, 444P
 Heart, guinea-pig, 85P, 413P
 Heart failure, 10P
Helix aspersa neurones, 125P
 Hepatic drug metabolism, 396P
 Hepatic glycogenolysis, 220P
 Hibernation, 82P
 High pressure neurological syndrome, 43P
 Hippocampal slice, 199P, 273P
 Histamine, 91P, 174P, 195P, 282P, 441P
 Histamine H₁-receptor antagonists, 232P
 Histamine receptors, 263P, 278P
 Histamine H₁ receptors, 441P
 Histamine release, 76P, 77P, 167P
 264P, 276P

 Histamine secretion, 90P, 392P
 Histaminergic neurones, 250P
 Housing density, 299P
 HPLC, 275P
 Hydrocortisone, 132P, 306P
 8-Hydroxy-2-(di-N-propylamine)tetralin,
 26P, 374P, 391P
 Hydroxyaminopropiophenone, 279P
 6-Hydroxydopamine, 157P, 224P
 5-Hydroxyindoleacetic acid, 268P
 3-(3-Hydroxyphenyl) N-n-propylpiperidine,
 45P, 119P
 5-Hydroxytryptamine, 25P, 33P, 41P,
 60P, 133P, 206P, 207P, 208P, 219P,
 227P, 256P, 268P, 273P, 296P, 354P,
 419P, 456P, 457P
 5-Hydroxytryptamine agonists, 269P, 374P
 5-Hydroxytryptamine depolarization,
 129P
 5-Hydroxytryptamine radioimmunoassay,
 274P
 5-Hydroxytryptamine 1A receptor agonists
 26P
 5-Hydroxytryptamine receptor antagonists
 33P, 34P, 35P
 5-Hydroxytryptamine receptors, 33P,
 123P, 132P, 141P, 170P, 202P, 205P,
 208P, 209P, 270P
 5-Hydroxytryptamine₁ receptors, 140P,
 203P
 5-Hydroxytryptamine_{1A} receptors, 204P
 5-Hydroxytryptamine₂ receptors, 342P
 5-Hydroxytryptamine release, 53P,
 349P, 350P, 353P, 384P
 5-Hydroxytryptamine uptake, 36P, 37P,
 350P, 352P, 384P, 425P
 5-Hydroxytryptaminergic nerve terminals,
 38P
 5-Hydroxytryptophan, 272P, 426P
 L-5-hydroxytryptophan, 340P
 Hypercalcaemia, 436P
 Hyperglycaemia, 220P
 Hyperlocomotion, 140P
 Hypertension, 16P, 144P, 222P, 227P,
 259P, 324P
 Hypnotics, 453P
 Hypophysectomy, 392P
 Hypothalamus, 116P, 325P
 Hypothalamus, rat, 350P, 353P
 Hypothermia, 266P, 285P, 329P, 372P,
 423P, 426P
 Hypoxia, 211P, 321P, 417P

 ICI 154,129, 296P
 ICS 205-930, 34P
 Idazoxan, 218P, 315P, 422P
 Idazoxan derivatives, 181P
 Ileum, 386P
 Ileum, guinea-pig, 255P
 Ileum, rat, 63P
 Imipramine, 37P

Imipramine binding, 351P, 352P
 Immunofluorescent histochemical analysis
 250P
 Immobilisation, 207P
 Immune models, 98P
In vivo models, 335P
 Indirect sympathomimetics, 176P
 Indoalmine antagonists, 123P
 Indoleamines, 139P
 Indomethacin, 230P
 Indoramin, 191P, 312P, 313P, 314P
 Inflammation, 70P, 92P
 Inhibition, 112P, 302P
 Inositol phospholipids, 187P, 206P
 Inotropic response, 1P, 188P
 Insect nerve-muscle transmission, 221P
 Insulin, 397P
 Interleukin 1, 64P
 Intestine, rabbit, 418P
 Intracellular recording, 189P
 Intracerebral dialysis, 268P
 Intraocular pressure, 182P
 Ion channel block, 169P
 Ionophore, 161P
 Isolated rats, 320P
 Isoprenaline, 336P

 Kainic acid, 142P
 Ketamine, 44P, 298P
 Ketanserin, 227P, 342P
 Ketoprofen, 373P
 Kidney, rabbit, 68P
 Kidney, rat, 20P, 328P
 Kindling, 28P, 286P, 447P
 Kinetic analysis, 37P

 Lasolocid, 161P
 Lead toxicity, 243P
 Lectins, 113P
 Leech Leydig cells, 126P
 Leptazol, 429P
 Lessonwriter, 461P
 Leucocytes, 167P, 262P
 Leukotriene C₄, 65P
 Leukotriene D₄, 65P, 66P, 101P, 102P,
 231P, 338P
 Leukotrienes, 70P, 74P
 Lignocaine metabolism, 403P
 Lipolysis, 4P
 Lipophilicity, 289P
 Lipxygenase, 70P, 440P
 Lithium absorption, 157P
 Liver, rat perfused, 403P
 Liver cubes, 400P
 Liver microsomes, 435P
 Local anaesthetics, 277P
 Locomotor activity, 193P, 420P
 Locus coeruleus activation, 55P
 Locus coeruleus lesion, 49P, 54P
 Lung, guinea-pig, 3P, 5P

 Lung dysfunction, 234P
 LY141865, 266P
 Lymphocytes, 64P, 92P

 Maitoxin, 260P
 Mast cells, 76P, 90P, 276P, 382P
 Maze-open field, 376P
 MDL 72145, 50P, 309P
 MDL 72222, 34P, 129P, 170P
 MDL 72394, 355P
 Mefloquine, 433P
 -Melanocyte-stimulating hormone, 106P
 Menstrual cycle, 159P
 Meptazinol, 59P
 Mepyramine, 278P
 Mesolimbic area, rat, 346P
 Mesolimbic system, 121P
 Metabolism, 228P
 Metaclopramide, 387P
 Metal ions, 422P
 Methaemoglobin, 279P
 Methohexitone, 63P, 411P
 N-methyl D-aspartate receptors, 44P
 N-methyl-D-aspartic acid, 446P
 Methyl- α -carboline-3-carboxylate, 27P
 5-Methoxy-N,N-dimethyltryptamine, 204P
 1-methyl-4-phenyl-1,2,3,6-tetrahydro-
 pyridine, 122P, 393P, 394P, 325P,
 427P
 3-Methyl-2-thiohydantoin, 442P
 Methylphenidate, 247P
 Metoclopramide, 22P, 325P
 Metoprolol, 434P
 Mianserin derivatives, 246P
 Micro-analysis, 275P
 Microcomputer, 347, 460P, 462P
 Microelectrode, 177P
 Microelectrophoresis, 47P
 Microiontophoresis, 195P
 Microspheres, 219P
 Midazolam, 304P
 Milk intake, 291P
 Minaprine, 51P
 Monoamine oxidase B, 50P
 Monoamine oxidase activities, 421P
 Monoamine oxidase B inhibition, 309P
 Monoamine oxidase inhibition, 50P,
 355P
 Monoamine oxidases, 210P
 Mononuclear cell activation, 166P
 Morphine, 60P, 245P
 Morphine antinociception, 243P
 Morphine tolerant rats, 130P
 Motoneurons, 152P
 Motor activity, 395P
 Muscarinic agonists, 386P
 Muscarinic receptors, 62P
 Muscimol, 125P
 Muscle relaxants, 137P
 Myenteric plexus, guinea-pig, 389P

Myocardium, guinea-pig, 215P
 Myocardium, mammalian, 414P
 Myoclonus, 123P, 142P

 Nabumetone, 280P
 NADPH-cytochrome P-450 reductase, 396P
 Naloxone binding, 458P
 Naltrexone, 245P
 Natriuretic hormone, 366P
 Nerve growth factor, 90P
 Neuroblastoma cells, mouse, 419P
 Neuroeffector transmission, 362P
 Neurogenic vasoconstriction, 410P
 Neuroplastic action, 46P
 Neuroleptics, 272P, 288P, 342P, 346P
 Neuromuscular junction, 169P
 Neuronal accumulation, 327P
 Neuronal preparations, 170P
 Neuronal sensitivity, 200P
 Neuropeptides, 104P, 190P
 Neurotensin, 46P, 255P
 Neurotransmission, 22P
 Neurotransmitter, inhibitory, 255P
 Neurotransmitters, 189P
 Neutralising capacity, 105P
 Neutrophils, 186P
 Nicainoprol, 79P
 Nicardipine, 264P, 437P
 Nicergoline, 331P
 Nicotinamide adenine dinucleotide binding, 311P
 Nicotine, 376P
 Nicotinic receptor, 30P
 Nictitating membrane, cat, 15P, 406P
 Nifedipine, 214P, 226P, 261P, 264P, 287P, 328P
 Nitrendipine binding, 444P
 Nitrous oxide, 424P
 Nociception, 299P
 Nodose ganglion, rabbit, 129P
 Non-adrenergic non-cholinergic nerves, 110P
 Noradrenaline, 136P, 145P, 363P
 Noradrenaline release, 316P
 Noradrenaline uptake, 298P
 Nucleus accumbens, 257P, 301P
 Nucleus accumbens, mouse, 115P
 Nucleus accumbens, rat, 452P

 Octopamine, 126P, 145P
 Oestrogen, 73P
 Olfactory bulb, rat, 370P
 Ontogenesis, 174P, 243P
 Operant behaviour, 108P, 117P
 Opiate antagonists, 291P, 292P, 293P
 Opiate side effects, 347P
 Opiate withdrawal, 131P
 Opioid binding sites, 389P
 K-Opioid receptor agonists, 57P
 Opioid receptor antagonists, 56P

 Opioid receptors, 59P, 294P, 299P
 δ -Opioid receptors, 296P
 Opioid respiratory depression, 244P
 Ouabain, 188P, 321P
 Oxygen, 290P
 Oxypertine, 247P, 303P, 415P
 Oxytocic agents, 330P

 Pain, 35P
 Panuramine, 36P
 Papillary muscles, 171P
 Paracetamol, 67P
 Parasympathetic denervation, 323P
 Parkinsonism, 122P
 Parotid gland, 323P
 Partial agonists, 281P
 D-pencillamine, 64P
 Pentobarbitone, 239P
 Peptidoleukotrienes, 233P
 Perfluorocarbon, 276P
 Permixon, 401P
 pH, 375P
 Pharmacokinetics, 399P
 Pharmacological antagonism, 147P
 Phase 1 drug metabolism, 400P
 H-(D)Phe-Cys-Phe-(D)Trp-Lys-Thr-Cys-Thr(o1) see SMS 201-995
 Phenoxybenzamine, 80P
 Phentolamine, 252P
 Phenylbutazone metabolism, 402P
 β -Phenylethylamine, 420P
 Phenylethylamine derivatives, 112P
 Phosphatidylinositol, 83P, 356P
 Phosphoinositides, 154P
 Phototoxicity, 443P
 Picrotoxin, 142P
 Piflutixol binding, 124P
 Pigment, 427P
 Pimozide, 117P
 Pineal gland, 139P
 Piperidine, 196P
 Piperidine dicarboxylic acid, 43P
 Pithed normotensive rats, 19P
 Pituitary gland, rat, 343P
 Plasma, 45P, 164P
 Platelet activation, 187P
 Platelet aggregation, 96P, 100P, 103P
 Platelet function, 322P
 Platelet phospholipids, 175P
 Platelets, guinea-pig, 96P
 Platelets, human, 67P, 159P, 160P, 351P, 352P, 431P
 Population spike, 273P
 Portal vein, guinea-pig, 165P
 Positive inotropic drugs, 82P
 Post mortem brains, 356P
 Potassium channel blockade, 152P
 Prazosin, 47P, 331P
 Prazosin binding, 215P, 375P
 Pressor responses, 368P

Proconvulsant action, 448P
 Prolactin, 45P
 Propafenone, 171P
 Propranolol, 97, 223P
 Prostacyclin, 69P, 324P
 Prostaglandin excretion, 381P
 Prostaglandin synthetase, 67P
 Prostaglandin D₂, 99P
 Prostaglandin E, 75P
 Prostaglandin E, 6 oxo-, 431P
 Prostaglandins, 68P, 97P, 358P
 Prostanoids, 96P
 Proteases, 135P
 Protection, 417P
 Protein synthesis inhibitors, 29P
 Psoralens, 443P
 Pulmonary inflammation, 186P
 Punished responding, 128P, 340P
 Purification, 113P
 Purinergic system, 383P
 Purkinje fibres, 79P, 302P, 331P
 Putrescine, 283P
 PY 108-068, 172P
 Pyrazoloquinolinines, 236P
 Pyrimethamine, 275P, 399P

 Quantification, 192P
 [3H]-quinuclidinylbenzilate, 148P, 323P

 Radioligand binding, 38P, 59P, 95P, 159P, 160P, 458P, 460P
 Ranitidine, 93P
 Raphe nucleus, rats, 203P
 Rearing, 420P
 Receptor binding, 454P
 Receptor mechanisms, 337P
 Receptor reserve, 154P
 Renal artery, 65P
 Renal nerve, rat, 261P
 Renal tubules, 40P
 Renal vasodilation, 120P
 Reperfusion, 214P
 Reserpine, 247P, 249P, 329P, 406P
 Reserpine-induced hypothermia, 372P
 Retina, rabbit, 31P
 Ro5-4-4864, 198P
 Ro 15-1788, 357P
 RS-21361, 310P
 RU 24969, 140P
 RU 26988, 144P
 Ryanodine, 438P
 RX 781094, 8P, 334P
 RX 801074, 179P

 Salbutamol, 234P
 Salicylates, 78P
 Salivary glands, 148P
 Salmon calcitonin, 408P
 Salt preference, 258P
 Saphenous vein, dog, 412P
 Saphenous vein, human, 362P
 SCH 23390, 21P, 387P
 Schizophrenia, 190P
 Sea anemone, 162P
 Secoverine, 345P
 Seizure threshold, 248P
 Seizures, 429P
 Sex hormones, 71P
 Single pulse stimulation, 18P
 SK & F 93944, 232P
 Skeletal muscle, guinea-pig, 336P
 Skeletal muscle, rat, 421P
 SKF 38393, 21P, 266P
 Skin, guinea-pig, 99P
 Sleep, 197P, 294P
 Sleep latency, 453P
 Small intestine, rat, 157P
 Smooth muscle, 61P, 83P
 Smooth muscle relaxation, 209P
 SMS 201-995, 428P
 Somatostatin binding sites, 368P
 Somatostatin receptors, 428P
 Spider venom, 221P
 Spinal cord, 201P
 [3H]-spiperone, 114P
 Social interaction test, 27P
 Sodium ions, 289P
 Sodium reabsorption, 40P
 Spontaneous activity, 24P
 Spontaneous climbing, 115P
 Spontaneous locomotion, 308P
 Spontaneously hypertensive rats, 11P, 97P
 Stereotypy, 22P, 242P, 303P
 Stomach, rat, 156P, 288P
 Stress, 25P
 Striatum, 155P, 253P, 333P
 Striatum, rat, 48P, 142P, 358P, 452P
 Subcellular fractions, 38P, 191P
 Substance P, 54P, 55P, 109P, 111P, 200P, 455P
 Substance P antagonists, 110P, 111P
 Substance P receptors, pre-synaptic, 109P
 Substantia nigra, 53P, 203P, 308P, 333P
 Sulphasalazine, 166P
 Sulpiride, 23P
 Superoxide anion, 283P
 Supersensitivity, 148P, 205P, 224P, 272P
 Sweating, 185P
 Sympathetic function, 339P
 Sympathetic nerve stimulation, 319P
 Synaptosomes, 235P
 Sympathetic nerves, 384P

 Tachykinins, 61P, 109P
 Tail arteries, rats, 212P
 Temperature, 285P, 360P, 412P

Teproside, 368P
 Tertatolol, 2P
 Testosterone 5 reductase, 401P
 Tetrahydro- α -carboline, 350P
 Δ^9 -Tetrahydrocannabinol, 423P
 Theophylline, 234P
 Thermoregulation, 424P
 Thirst, 292P
 Thrombin, 175P
 Thrombosis, 71P
 Thromboxane, 73P, 225P
 Thromboxane A₂, 439P
 Thromboxane B₂, 432P
 Thromboxane antagonism, 72P, 100P, 377P, 378P, 379P, 380P
 Thromboxane synthetase inhibition, 430P
 Thyroid, 450P
 Thyroid hormone, 32P
 Thyroid state, 7P
 Thyroid uptake, 442P
 Thyrotropin-releasing hormone, 368P, 452P
 Thyrotropin releasing hormone receptors, 201P
 Thyrotropin releasing hormone release, 267P
 Timolol, 223P
 α -Tocopherol, 417P
 Tofisopam, 300P
 Tolbutamide, 149P
 Tolerance, 24P
 Toxicity, 122P
 Trachea, guinea-pig, 388P
 Trimipramine, 136P
 Tryptamine, 210P
 Tryptophan, 164P
 L-tryptophan, 151P, 180P
 Tumours, 229P
 Twin pulse field stimulation, 383P

 UK-14,304, 163P
 UK-37248, 430P
 Umbilical smooth muscle, human, 290P
 Uninephrectomy, 431P
 Uptake inhibitors, 18P, 425P
 Urine flow, 381P
 Urine pH, 75P
 Uteral motility, 230P
 Uterus, 73P, 330P

 Vagal stimulation, 91P
 Valproic acid, 451P
 Vas deferens, 161P, 298P
 Vas deferens, human, 441P
 Vas deferens, rabbit, 57P
 Vas deferens, rat, 17P, 18P, 145P, 326P, 383P, 385P
 Vasoactive intestinal polypeptide, 105P, 359P
 Vasoconstriction, 16P
 Vasodilation, peripheral and renal, 10P
 Vasodilator, 81P
 Vasopressin, 24P, 108P, 217P, 320P
 Ventral prostate, rat, 401P
 Ventricular fibrillation, 214P
 Verapamil, 81P, 211P
 Veratrine, 447P
 Voltammetry, 177P

 Wy 26392, 12P, 218P, 334P
 Wy 26703, 315P

 Xenobiotics, 434P
 Xylazine, 130P

 Yohimbine, 12P 95P, 218P, 315P