

British Journal of Pharmacology

CONTENTS

VOLUME 84 NUMBER 1 JANUARY 1985

SHORT COMMUNICATIONS

- 3 EGLEN, R.M. & WHITING, R.L. Determination of the muscarinic receptor subtype mediating vasodilatation
- 6 HARRIS, J.B. & POLLARD, S.L. Reversal of paralysis in nerve-muscle preparations isolated from animals with hereditary motor endplate disease

PAPERS

- 9 BRALET, J., DIDIER, J.P., MOREAU, D., OPIE, L.H., ROCHETTE, L. Effect of α -adrenoceptor antagonists (phentolamine, nicergoline and prazosin) on reperfusion arrhythmias and noradrenaline release in perfused rat heart
- 19 MILLER, J.A. & RICHTER, J.A. Effects of anticonvulsants *in vivo* on high affinity choline uptake *in vitro* in mouse hippocampal synaptosomes
- 27 AL-HUMAYYD, M. & WHITE, T.D. 5-Hydroxytryptamine releases adenosine 5'-triphosphate from nerve varicosities isolated from the myenteric plexus of guinea-pig ileum
- 35 FUCHS, P. & FUDER, H. The determination of presynaptic K_A values of methacholine and pilocarpine and of a presynaptic receptor reserve in the rat perfused heart
- 47 DAMERAU, B., ROESLER, J. & VOGT, W. Loss and recovery of sensitivity of guinea-pig isolated ileum to the spasmogenic action of the complement peptide C5a_{desArg}
- 55 DAMERAU, B., ROESLER, J. & VOGT, W. Pharmacological characterization of the slow component of deactivation of guinea-pig isolated ileum to the spasmogenic action of C5a_{desArg}
- 63 DAMERAU, B., ROESLER, J. & VOGT, W. Fast deactivation of guinea-pig isolated ileum to C5a_{desArg}: a possible cyclic AMP-dependent mechanism
- 71 BANERJEE, A.K., TUFFIN, D.P. & WALKER, J.L. Pharmacological effects of (\pm)-11-deoxy, 16-phenoxy-prostaglandin E₁ derivatives in the cardiovascular system
- 81 BRECKENRIDGE, A.M., CHOLERTON, S., HART, J.A.D., PARK, B.K. & SCOTT, A.K. A study of the relationship between the pharmacokinetics and the pharmacodynamics of the 4-hydroxycoumarin anticoagulants warfarin, difenacoum and brodifacoum in the rabbit
- 93 BIEGER, D. & TRIGGLE, C. Pharmacological properties of mechanical responses of the rat oesophageal muscularis mucosae to vagal and field stimulation
- 107 BAKER, J.R.J., BULLOCK, G.R. & WILLIAMSON, I.H.M. Autoradiographic study of the distribution of [³H]- and [¹⁴C]-hydralazine in the rat
- 121 KUHN, D.M., WOLF, W.A. & YODIM, M.B.H. 5-Hydroxytryptamine release *in vivo* from a cytoplasmic pool: studies on the 5-HT behavioural syndrome in reserpinized rats
- 131 BOJANIC, D., JANSEN, J.D., NAHORSKI, S.R. & ZAAGSMA, J. A typical characteristics of the β -adrenoceptor mediating cyclic AMP generation and lipolysis in the rat adipocyte
- 139 KANE, K.A., MORCILLO-SANCHEZ, E.J., PARRATT, J.R., RODGER, I.W. & SHAHID, M. The relationship between coronary artery occlusion-induced arrhythmias and myocardial cyclic nucleotide levels in the anaesthetized rat
- 147 HEEPE, P. & STARKE, K. α -Adrenoceptor antagonists and the release of noradrenaline in rabbit cerebral cortex slices: support for the α -autoreceptor hypothesis
- 157 GRIFFITHS, N.M., HEWICK, D.S., LAMB, J.F. & STEVENSON, I.H. The influence of digoxin antibodies on digoxin disposition and effect: studies in guinea-pigs and HeLa cells
- 165 STONE, T.W. The activity of phosphorothioate analogues of ATP in various smooth muscle systems
- 175 ASHOORI, F., TAKAI, A. & TOMITA, T. The response of non-pregnant rat myometrium to oxytocin in Ca-free solution
- 185 WAMBEBE, C. Influence of some agents that affect 5-hydroxytryptamine metabolism and receptors on nitrazepam-induced sleep in mice
- 193 BÁRÁNY, E.H. Muscarinic subsensitivity without receptor change in monkey ciliary muscle
- 199 McGRATH, J.C., MACLENNAN, S.J. & STUART-SMITH, K. Characterization of the receptor mediating contraction of human umbilical artery by 5-hydroxytryptamine
- 203 BABA, K., KAWANISHI, M., SATAKE, T. & TOMITA, T. Effects of verapamil on the contractions of guinea-pig tracheal muscle induced by Ca, Sr and Ba
- 213 BUCKINGHAM, J.C. Two distinct corticotrophin releasing activities of vasopressin
- 221 SMITH, P.A. & ZIDICHOSKI, J.A. Muscarine and luteinizing hormone releasing hormone attenuate adrenaline-induced hyperpolarization in amphibian sympathetic ganglia
- 227 O'DONNELL, S.R. & WANSTALL, J.C. Responses to the β_2 -selective agonist procaterol of vascular and atrial preparations with different functional β -adrenoceptor populations

- 237 HOSOKAWA, T., HOWARD, R.B. & MAGUIRE, M.H. Conversion of angiotensin I to angiotensin II in the human foetoplacental vascular bed
- 243 EMMS, H. & LEWIS, G.P. The effect of synthetic ovarian hormones on an *in vivo* model of thrombosis in the rat
- 249 HILL, D.R. GABA_B receptor modulation of adenylate cyclase activity in rat brain slices
- 259 BOWMAN, W.C., LAM, F.Y., RODGER, I.W. & SHAHID, M. Cyclic nucleotides and contractility of isolated soleus muscle
- 265 CHEUNG, D.W. An electrophysiological study of α -adrenoceptor mediated excitation-contraction coupling in the smooth muscle cells of the rat saphenous vein

VOLUME 84 NUMBER 2 FEBRUARY 1985

PAPERS

- 275 DEL CASTILLO, J., ESCALONA DE MOTTA, G., ETEROVIĆ, V.A. & FERCHMIN, P.A. Succinyl derivatives of N-tris (hydroxymethyl) methyl-2-aminoethane sulphonic acid: their effects on the frog neuromuscular junction
- 289 INOUE, T. & ITO, Y. Pre- and post-junctional actions of prostaglandin I₂, carbocyclic thromboxane A₂ and leukotriene C₄ in dog tracheal tissue
- 299 CEÑA, V., GARCIA, A.G., GONZALEZ-GARCIA, C. & KIRPEKAR, S.M. Ion dependence of the release of noradrenaline by tetraethylammonium and 4-aminopyridine from cat splenic slices
- 309 BLABER, L.C. & FRYER, A.D. The response of cat airways to histamine *in vivo* and *in vitro*
- 317 BULT, H., HERMAN, A.G. & RAMPART, M. Modification of endotoxin-induced haemodynamic and haematological changes in the rabbit by methylprednisolone, F(ab')₂ fragments and rosmarinic acid
- 329 BULT, H., HERMAN, A.G., LAEKEMAN, G.M. & RAMPART, M. Formation of prostanoids during intravascular complement activation in the rabbit
- 337 GREEN, A.R., JOHNSON, P., MOUNTFORD, J.A. & NIMGAONKAR, V.L. Some anticonvulsant drugs alter monoamine-mediated behaviour in mice in ways similar to electroconvulsive shock; implications for antidepressant therapy
- 347 MAGEE, D.F., NARUSE, S. & PAP, A. Comparison of the action of cholinomimetics and pentagastrin on gastric secretion in dogs
- 357 CAROLDI, S., JARVIS, J. & MAGOS, L. Carbon disulphide exposure affects the response of rat adrenal medulla to hypothermia and hypoglycaemia
- 365 DUKES, I.D. & VAUGHAN WILLIAMS, E.M. Cardiovascular effects of bevantolol, a selective β_1 -adrenoceptor antagonist with a novel pharmacological profile
- 381 HARRISON, N.L. & SIMMONDS, M.A. Quantitative studies on some antagonists of N-methyl D-aspartate in slices of rat cerebral cortex
- 393 ITOH, T., KANMURA, Y., KURIYAMA, H. & SASAGURI, T. Nitroglycerine- and isoprenaline-induced vasodilatation: assessment from the actions of cyclic nucleotides
- 407 BROADLEY, K.J., BROOME, S. & PATON, D.M. Hypothermia-induced supersensitivity to adenosine for responses mediated via A₁-receptors but not A₂-receptors
- 417 ACEVES, J., MARISCAL, S., MORRISON, K.E. & YOUNG, J.M. The binding of doxepin to histamine H₁-receptors in guinea-pig and rat brain
- 425 MALLARKEY, G. & SMITH, G.M. A comparative study of the involvement of the prostaglandin H₂/thromboxane A₂ pathway in intravascular platelet aggregation in guinea-pigs and rats
- 431 BURNSTOCK, G., CUSACK, N.J. & MELDRUM, L.A. Studies on the stereoselectivity of the P₂-purinoceptor on the guinea-pig vas deferens
- 435 KATO, E., KOKETSU, K., KUBA, K. & KUMAMOTO, E. The mechanism of the inhibitory action of adrenaline on transmitter release in bullfrog sympathetic ganglia: independence of cyclic AMP and calcium ions
- 445 MARTIN, R.J. γ -Aminobutyric acid- and piperazine-activated single-channel currents from *Ascaris suum* body muscle
- 463 HARTLEY, M.L. & PENNEFATHER, J.N. The costovertebral muscle of the rat contains a homogeneous population of β -adrenoceptors
- 469 PACIOREK, P.M., TODD, M.H. & WATERFALL, J.F. The effects of meptazinol in comparison with pentazocine, morphine and naloxone in a rat model of anaphylactic shock
- 477 FUDER, H. & JUNG, B. Affinity and efficacy of racemic, (+)-, and (–)-methacholine in muscarinic inhibition of [³H]-noradrenaline release
- 489 FUJIOKA, M. & SUZUKI, H. Effects of amosulalol on the electrical responses of guinea-pig vascular smooth muscle to adrenoceptor activation
- 499 BRIGHT, P.S., GAFFNEY, T.E., STREET, J.A. & WEBB, J.G. Depolarization-induced release of propranolol and atenolol from rat cortical synaptosomes
- 511 SCHWARTZ, J. & VELLY, J. Interference of sodium with [³H]-nitrendipine binding to cardiac membranes
- 517 GARNIER, D. & ROULET, M.J. Vasoactivity of trimetazidine on guinea-pig isolated ductus arteriosus

- 525 AKASU, T. & KOKETSU, K. Effect of adenosine triphosphate on the sensitivity of the nicotinic acetylcholine-receptor in the bullfrog sympathetic ganglion cell
- 533 SAXENA, P.R. & VERDOUW, P.D. 5-Carboxamide tryptamine, a compound with high affinity for 5-hydroxytryptamine₁ binding sites, dilates arterioles and constricts arteriovenous anastomoses
- 545 ERNE, P. & PLETSCHER, A. Rapid intracellular release of calcium in human platelets by stimulation of 5-HT₂-receptors
- 551 CARLINI, C.R., GUIMARÃES, J.A. & RIBEIRO, J.M.C. Platelet release reaction and aggregation induced by canatoxin, a convulsant protein: evidence for the involvement of the platelet lipoxigenase pathway
- 561 BLACK, J.W., LEFF, P. & SHANKLEY, N.P. with an appendix by WOOD, J. An operational model of pharmacological agonism: the effect of E/[A] curve shape on agonist dissociation constant estimation
- 573 DOCHERTY, J.R. & HYLAND, L. Evidence for neuro-effector transmission through postjunctional α_2 -adrenoceptors in human saphenous vein
- 577 ISHII, K., TAIRA, N. & YANAGISAWA, T. Differential antagonism by Bay k 8644, a dihydropyridine calcium agonist, of the negative inotropic effects of nifedipine, verapamil, diltiazem and manganese ions in canine ventricular muscle

FORTHCOMING EVENTS

VOLUME 84 NUMBER 3 MARCH 1985

PAPERS

- 587 COLE, O.F. & the late MARQUIS, V.O. A pharmacological analysis of the responses of the gastrointestinal smooth muscle of the bat to transmural and periarterial nerve stimulation
- 595 ARMSTRONG, R.A., JONES, R.L., PEESAPATI, V., WILL, S.G. & WILSON, N.H. Competitive antagonism at thromboxane receptors in human platelets
- 609 FINBERG J.P.M. & TAL, A. Reduced peripheral presynaptic adrenoceptor sensitivity following chronic antidepressant treatment in rats
- 619 BHARGAVA, K.P., GUPTA, G.P. & GUPTA, M.B. Central GABA-ergic mechanism in stress-induced gastric ulceration
- 625 DUNWIDDIE, T.V., FREDHOLM, B.B., JONZON, B. & SANDBERG, G. The adenosine receptor activity of EMD 28422, a purine derivative with reported actions on benzodiazepine receptors
- 631 SIMMONDS, M.A. & TURNER, J.P. Antagonism of inhibitory amino acids by the steroid derivative RU5135
- 637 COUTURE, R., CUELLO, A.C. & HENRY, J.L. Trigeminal antidromic vasodilatation and plasma extravasation in the rat: effects of acetylcholine antagonists and cholinesterase inhibitors
- 645 EVANS, M.H. Effects of some α -adrenoceptor antagonists on central cardio-decelerator mechanisms in the rabbit
- 653 BAIRD, A.W. & CUTHBERT, A.W. Changed sensitivity to antigen in a gut epithelium treated with bile salts
- 657 GREEN, P.G. & KITCHEN, I. Different effects of diisopropylfluorophosphate on the entry of opioids into mouse brain
- 663 AKAGI, H., KONISHI, S., OTSUKA, M. & YANAGISAWA, M. The role of substance P as a neurotransmitter in the reflexes of slow time courses in the neonatal rat spinal cord
- 675 FUJII, K., MIYAHARA, H. & SUZUKI, H. Comparison of the effects of caffeine and procaine on noradrenergic transmission in the guinea-pig mesenteric artery
- 685 HERZIG, S. & MOHR, K. Sodium load and high affinity ouabain binding in rat and guinea-pig cardiac tissue
- 689 BOLD, J.M., GARDNER, C.R. & WALKER, R.J. Central effects of nicotinamide and inosine which are not mediated through benzodiazepine receptors
- 697 LOIACONO, R.E., RAND, M.J. & STORY, D.F. Interaction between the inhibitory action of acetylcholine and the α -adrenoceptor autoinhibitory feedback system on release of [³H]-noradrenaline from rat atria and rabbit ear artery
- 707 JOHNS, E.J. The influence of diltiazem and nifedipine on renal function in the rat
- 715 HESSE, I.F.A. & JOHNS, E.J. The role of α -adrenoceptors in the regulation of renal tubular sodium reabsorption and renin secretion in the rabbit
- 725 HUGLI, T.E. & MARCEAU, F. Effects of the C5a anaphylatoxin and its relationship to cyclo-oxygenase metabolites in rabbit vascular strips
- 735 DARIUS, H., LEFER, A.M., LEPRÁN, I. & SMITH, J.B. *In vivo* interaction of prostacyclin with an inhibitor of cyclic nucleotide phosphodiesterase, HL 725
- 743 GOODWIN, G.M. & GREEN, A.R. A behavioural and biochemical study in mice and rats of putative selective agonists and antagonists for 5-HT₁ and 5-HT₂ receptors

- 755 NORTHOVER, B.J. A comparison of the effects of bethanidine, mebentine and quinidine on the electrical activity of rat hearts *in vivo* and *in vitro*
- 765 HAYASHI, E., MAEDA, T. & SHINOZUKA, K. Adenosine and dipyridamole: actions and interactions on the contractile response of guinea-pig ileum to high frequency electrical field stimulation
- 773 VACCARI, A. Effects of neonatal antithyroid treatment on brain [³H]-imipramine binding sites

- 779 BLACK, J.W., GERSKOWITCH, V.P., LEFF, P. & SHANKLEY, N.P. Pharmacological analysis of β -adrenoceptor-mediated agonism in the guinea-pig, isolated, right atrium

FORTHCOMING MEETINGS

VOLUME 84 NUMBER 4 APRIL 1985

SHORT COMMUNICATION

- 789 MISRA, L., PONTANI, R.B. & VADLAMANI, L. Potentiation of morphine analgesia by caffeine

PAPERS

- 793 ANDERSON, W.G. & KAM, S.T. Pharmacological activity of ACC-7513, a selective α -adrenoceptor and 5-hydroxytryptamine receptor blocking agent
- 801 DETSOULI, A., LEFORT, J. & VARGAFTIG, B.B. Histamine and leukotriene-independent guinea-pig anaphylactic shock unaccounted for by Paf-acether
- 811 FERRY, D.R., GLOSSMANN, H. & KAUMANN, A.J. Relationship between the stereoselective negative inotropic effects of verapamil enantiomers and their binding to putative calcium channels in human heart
- 825 BURNSTOCK, G. & HOYLE, C.H.V. Actions of adenine dinucleotides in the guinea-pig taenia coli: NAD acts indirectly on P₁-purinoceptors; NADP acts like a P₂-purinoceptor agonist
- 833 INOUE, M., MATSUO, T. & OGATA, N. Baclofen activates voltage-dependent and 4-aminopyridine sensitive K⁺ conductance in guinea-pig hippocampal pyramidal cells maintained *in vitro*
- 843 INOUE, M., MATSUO, T. & OGATA, N. Characterization of pre- and postsynaptic actions of (-)-baclofen in the guinea-pig hippocampus *in vitro*
- 853 BROWN, F., CAMPBELL, W., MITCHELL, P.J. & RANDALL, K. Dopamine autoreceptors and the effects of drugs on locomotion and dopamine synthesis

- 861 AHMED, F., FOSTER, R.W. & SMALL, R.C. Some effects of nifedipine in guinea-pig isolated trachealis
- 871 POSTIUS, S., RUOFF, H.-J. & SZELENYI, I. Prostaglandin formation by isolated gastric parietal and nonparietal cells of the rat
- 879 FERGUSON, D.R., JOHNSON, B.I. & PRICE, N. Responses of the pig isolated renal artery to transmural electrical stimulation and drugs
- 883 GIOTTI, A., LUZZI, S., MAGGI, C.A., SPAGNESI, S. & ZILLETI, L. Modulatory activity of GABA_B receptors on cholinergic tone in guinea-pig distal colon
- 897 HUIDOBRO-TORO, J.P. & KULLAK, A. Excitatory-neurotensin receptors on the smooth muscle of the rat fundus: possible implications in gastric motility
- 911 RIBEIRO, J.A. & SEBASTIÃO, A.M. On the type of receptor involved in the inhibitory action of adenosine at the neuromuscular junction
- 919 BRADLEY, P.B., HUMPHREY, P.P.A. & WILLIAMS, R.H. Tryptamine-induced vasoconstrictor responses in rat caudal arteries are mediated predominantly via 5-hydroxytryptamine receptors
- 927 COTTON, R., KOSTERLITZ, H.W., PATERSON, S.J., RANCE, M.J. & TRAYNOR, J.R. The use of [³H]-[D-Pen², D-Pen⁵]enkephalin as a highly selective ligand for the δ -binding site

933 VOLUME INDEX

955 CUMULATIVE CONTENTS

FORTHCOMING MEETINGS