

# COMMUNICATIONS

- |  |   |
|--|---|
| <p>1P BRADSHAW, C.M., SHERIDAN, R.D. &amp; SZABADI, E. Is the excitatory neuronal response to dopamine mediated by D<sub>1</sub> or D<sub>2</sub> dopamine receptors in the cerebral cortex?</p> | <p>9P STAMFORD, J.A. Actions of methylphenidate on neurogenic release and uptake of dopamine <i>in vivo</i></p>   |
| <p>2P JONES, R.S.G. &amp; OLPE, H-R. Adrenergic inhibition of substance P responses in the cingulate cortex: effects of agonists and antagonists</p>   | <p>10P ARBUTHNOTT, G., UNGERSTEDT, U. &amp; WALKER, RUTH. The effects of nomifensine on dopamine release into a dialysis fibre implanted in the neostriatum of anaesthetised rat</p>                  |
| <p>3P MUSCHOLL, E. &amp; RACKE, K. Release of endogenous dopamine and its metabolites from the neurointermediate lobe of the rat hypophysis <i>in vitro</i></p>                                  | <p>11P AHTEE, L., ATILA, L.M.J. &amp; ETEMADZADEH, E. Retardation of cerebral dopamine depletion in mice treated repeatedly with morphine</p>   |
| <p>4P BERRIE, C.P., BIRDSALL, N.J.M., HULME, E.C., KEEN, M. &amp; STOCKTON, J.M. Pirenzepine binding to solubilized muscarinic receptors from rat cerebral cortex and myocardium</p>             | <p>12P FURMAN, B.L. &amp; McMILLAN, MAUREEN. Does <i>B.pertussis</i> vaccine increase insulin secretion by antagonism of endogenous catecholamines?</p>   |
| <p>5P ANDERSON, R.A. &amp; MITCHELL, R. Uptake and release of [<sup>3</sup>H]GABA from nerve terminals in neurointermediate pituitary gland</p>  | <p>13P EGLEN, R.M. &amp; WHITING, R.L. Is the muscarinic receptor present on the vascular endothelium atypical?</p>   |
| <p>6P LONG, S.K., O'SHAUGHNESSY, C.T., POAT, J.A. &amp; TURNBULL, M.J. Studies on the effects of cholecystokinin on cyclic AMP efflux from rat striatal slices</p>                               | <p>14P BOND, R.A., CHARLTON, K.G. &amp; CLARKE, D.E. Inhibition of the cholinergic twitch response in guinea pig ileum: evidence for a receptor to clonidine distinct from α<sub>2</sub> sites</p>    |
| <p>7P HOKFELT, T., SHARP, T., UNGERSTEDT, U. &amp; ZETTERSTROM, T. Effect of CCK peptides on dopamine release and metabolism in rat striatum <i>in vivo</i></p>                                  | <p>15P ROUNDING, H.P. &amp; TOWART, R. The effect of nifedipine on bronchoconstriction in the guinea pig <i>in vivo</i></p>   |
| <p>8P CROW, T.J., FARMERY, SUSAN. M., OWEN, F. &amp; POULTER, M. Iodinated somatostatin binding to human brain membranes: a comparison of controls and Alzheimer type dementia patients</p>      | <p>16P CAVERO, I., HICKS, P.E., LANGER, S.Z. &amp; LEFEVRE-BORG, FRANCOISE. Cardiovascular synergistic action between diltiazem and alfuzosin under <i>in vivo</i> and <i>in vitro</i> conditions</p> |

*The author who intended to present the work is indicated  
by an asterisk (\*) on the abstract*

- 17P FOSTER, R.W., SMALL, R.C., TOWART, R. 27P & WESTON, A.H. Effects of the dihydropyridine BAY K8644 on guinea pig isolated trachealis
- 18P GURNEY, A.M., NERBONNE, J.M. & LESTER, H.A. Photodestruction of nifedipine reveals multiple mechanisms of antagonist action
- 19P BOWMAN, A., GILLESPIE, J.S. & SOARES-DA-SILVA, P. The relaxant effect on the rabbit aorta of the inhibitory factor from the bovine retractor penis is not endothelium dependent
- 20P MILLER, R.C., SCHINI, V., SCHOEFFTER, P. & SPEDDING, M. Modification of the effects of BAY K8644 in rat aorta by the endothelium
- 21P KIRKMAN, E. & SCOTT, EVELYN M. The effect of captopril on the baroreceptor reflex in the cat
- 22P COATES, W.J., EDEN, R.J., EMMETT, J.C., GRISTWOOD, R.W., OWEN, D.A.A., SLATER, R.A., TAYLOR, E.M. & WARRINGTON, B.H. SK&F 94120, a novel agent with positive inotropic and vasodilator activity
- 23P BIRCH, N.J., COLEMAN, I.P.L. & KARIM, A.R. Bidirectional fluxes and factors affecting the movement of lithium in isolated jejunal mucosa of guinea pig
- 24P CALDWELL, J., FARMER, P.B., SANGSTER, SUSAN A. & SUTTON, J.D. The fate of eugenol in the rat and its variation with dose
- 25P MacINTYRE, D.E. & MacMILLAN, LINDA J.M. Inositol phospholipid hydrolysis and  $Ca^{2+}$  flux in the responses of rat platelets to ADP and thrombin
- 26P MURPHY, J.J. & RYAN, M.P. The effects of propranolol on  $^{86}Rb$  effluxes in rat thymocytes and human peripheral blood lymphocytes
- DRUMMOND, A.H., MACINTYRE, D.E. McNICOL, A. & ROSSI, A. 12-O-tetradecanoyl-phorbol-13-acetate (TPA) inhibits agonist-induced phosphoinositide metabolism and  $Ca^{2+}$  flux in human platelets
- 28P BUSHFIELD, M., DRUMMOND, A.H. & MACINTYRE, D.E. Direct and indirect effects of ADP on platelet cytosolic free calcium
- 29P BEATTIE, D.T., CUNNANE, T.C. & MUIR, T.C. Effects of  $Ca^{2+}$ -entry blockers on spontaneous and electrically-evoked release of transmitter from guinea pig vas deferens nerves
- 30P COKER, S.J., KANE, K.A., PARRATT, J.R. & WILLIAMS, F.M. The effects of nicergoline an  $\alpha$ -adrenoceptor blocking drug on ischaemia and reperfusion-induced arrhythmias in anaesthetised dogs
- 31P CAVERO, I., LEFEVRE-BORG, FRANCOISE & MANOURY, Ph. Pharmacological profile of cicloprolol, a compound which behaves as an agonist and an antagonist at  $\beta_1$ -adrenoceptors
- 32P EVIS, M.J., KANE, K.A., MOORE, M.R. & PARRATT, J.R. Effects of chronic low level lead treatment and hypertension on the severity of coronary artery ligation induced arrhythmias
- 33P FAN, T.-P.D., KALMAR, L. & LEWIS, G.P. Arachidonic acid metabolites in an air-pouch model of acute inflammation in the rat
- 34P CAREY, F. & FORDER, R.A. Development and characterisation of a radioimmunoassay for leukotriene  $B_4$

- 35P DOWLING, E.J., JASANI, M.K., PARKE, D.V., PETERS, R.F. & SYMONS, A.M. Free radicals, lipid peroxidation and prostaglandins during the development and maintenance of foot-pad oedema in the Koch model 43P
- 36P HOLMES, S.W. & TRIM, JANE L. A re-examination of the actions of prostaglandins  $E_1$ ,  $E_2$ ,  $F_{1\alpha}$  and  $D_2$  administered intracerebro-ventricularly to cats 44P
- 37P GUTH, P.H., OREN-WOLMAN, N. & WHITTLE, B.J.R. Vasoconstrictor activity of leukotriene  $C_4$  and epoxy-methano  $PGH_2$  in the rat gastric submucosa 45P
- 38P BAKHLE, Y.S., MONCADA, S., DE NUCCI, G. & SALMON, J.A. Differential release of eicosanoids by various stimuli in guinea-pig isolated lung 46P
- 39P CARRARA, M.C., CARROLL, M.A., McGIFF, J.C. & SCHWARTZMAN, M. Cytochrome P450-dependent arachidonate metabolites in renomedullary cells from the thick ascending limb of hypertensive rabbits 47P
- 40P PACIOREK, P.M. & SHEPPERSON, N.B. Evidence for an indomethacin sensitive  $\alpha_1$ -adrenoceptor mediated modulation of responses in the pithed rat heart 48P
- 41P LATTA, G., SCHROR, K. & VERHEGGEN, R. Different roles for platelet-derived thromboxane  $A_2$  ( $TXA_2$ ) in platelet activation and coronary arterial vasoconstriction 49P
- 42P BOYLE, F.C. & OHIA, S.E. Changes in catecholamine inhibitory effects in the rat isolated uterus induced by ovariectomy and cyclo-oxygenase inhibition 50P
- AGBACK, H., BERRY, C.N., HOULT, J.R.S., MCCARTHY, T.M. & PHILLIPS, J.A. Ph CL 28A: highly potent inhibitor of prostaglandin 15-hydroxy-dehydrogenase lacking effects on prostaglandin synthetase
- McMILLAN, R.M., MASTERS, D.J. & STERLING, W.W. Modulation of leukotriene  $B_4$  biosynthesis in human leukocytes
- MASTERS, D.J., SPRUCE, K.E., VICKERS, V.C. & McMILLAN, R.M. Measurement of arachidonate metabolism using cyanopropyl minicolumns: effects of cyclo-oxygenase and lipoxygenase inhibitors
- FAN, T.-P.D. & LEWIS, G.P. Mechanism of cyclosporin A-induced inhibition of prostanoid synthesis by macrophages
- BOTTOMLEY, K.M.K., RISING, T.J. & STEWARD, A. Relative efficacies of histamine  $H_2$ -receptor agonists in the guinea pig right atrium
- FOREMAN, J.C., NORRIS, D.B., RISING, T.J. & WEBBER, S.E. Histamine stimulation of adenylate cyclase in guinea pig lung parenchyma homogenates
- FORTUNE, D.H., IRELAND, S.J. & TYERS, M.B. 5-hydroxytryptamine-induced hyperpolarisations of the rat isolated superior cervical ganglia and vagus nerve
- GRAHAME-SMITH, D.G. & O'SHAUGHNESSY, K.M. Evidence that inhibition of brain protein synthesis inhibits striatal dopamine release
- HENDRIE, C.A. Naloxone antagonism of the morphine withdrawal syndrome

- 52P TRAYNOR, J.R. & RANCE, M.J. Unexpected properties of [ $^3\text{H}$ ]-bremazocine binding to rat lumbrosacral spinal cord membranes
- 53P GOODWIN, G.M. & HEAL, D.J. DSP-4 lesioning abolishes the enhanced monoamine-mediated behaviour following repeated electroconvulsive shock
- 54P DAVIES, C.L. & HEAL, D.J. A simplified HPLC method for 3-methoxytyramine: correlation with behavioural activity in rats
- 55P BIZIERE, KATHLEEN, GUEUDET, CHRISTIANE & WORMS, P. Turning induced by intrastriatal injection of GABAergic drugs: evidence for a GABA-mediated inhibition of dopaminergic function
- 56P JENNER, P., KELLY, E., KILPATRICK, G.J., MARSDEN, C.D. & ROSE, S. Behavioural and biochemical consequence of MPTP administration to the common marmoset
- 57P CHARLTON, K.G., BOND, R.A. & CLARKE, D.E. Evidence for a prejunctional inhibitory 5-HT $_1$  receptor in rat kidney
- 58P GRAHAM, D., HABERT, E., LANGER, S.Z. & TAHRAOUI, L. Initial characterization of [ $^3\text{H}$ ]paroxetine binding in rat cortical membranes
- 59P LANGER, S.Z., SCHOEMAKER, H. & SEGONZAC, A. Comparative studies on [ $^3\text{H}$ ]paroxetine and [ $^3\text{H}$ ]imipramine binding to human platelets
- 60P McALLISTER-WILLIAMS, R.H. & MITCHELL, R. Benzodiazepines regulate coupling to anion channels in only some GABA $_A$  receptor complexes
- 61P CANDY, J.M., COURT, J.A. & SMITH, C.J. Enhancement of the phosphatidylinositol response by raised extracellular potassium in rat cerebral cortex
- 62P LAMBERT, J.J., NOONEY, J.M. & PETERS, J.A. (+)-tubocurarine activates the nicotinic channels of bovine chromaffin cells
- 63P SWART, S.S., MAGUIRE, M. & BARNETT, D.B. Normal  $\alpha_2$ -adrenoceptor coupling in adrenaline insensitive human platelets
- 64P BROWN, M.J. & HARLAND, D. Involvement of dopamine receptors and  $\alpha_2$ -adrenoceptors in the hypotensive effect of B-HT 958 in the rat
- 65P HIBERT, M. & MIDDLEMISS, D.N. Stereoselective antagonism at the 5-HT autoreceptor by the optical isomers of methiothepin
- 66P SHARIF, N.A. Low-affinity substance P receptors modulate TRH-receptor interactions: tissue specificity and effects of other drugs
- 67P HICKS, P.E., LANGER, S.Z. & NAJAR, M. Is idazoxan a partial agonist at presynaptic inhibitory  $\alpha_1$ -receptors in SHR tail arteries?
- 68P SHEEHAN, M.J., HAYES, A.G. & TYERS, M.B. Irreversible block of  $\kappa$  receptors in the guinea pig ileum
- 69P FOZARD, J.R. & McDERMOTT, I. The cardiovascular response to 8-hydroxy-2-(di-n-propylamino)-tetralin (8-OH-DPAT) in the rat
- 70P MOSER, P. & REDFERN, P.H. The discriminative stimulus properties of 5-HTP are mediated by the 5-HT $_1$  receptor
- 71P MOLLOY, A.G. & WADDINGTON, J.L. Spontaneous orofacial dyskinesia during long-term depot neuroleptic treatment: interactions with age
- 72P BALFOUR, D.J.K. & COPLAND, A.M. The role of chronic stress in the development of diazepam dependence

- 73P O'BOYLE, K.M. & WADDINGTON, J.L. Striatal [<sup>3</sup>H]-spiperone binding after long-term depot neuroleptic treatment: interactions with age
- 74P GREEN, S.E., HODGES, H.M. & SUMMERFIELD, A. Effects of chlordiazepoxide and ethanolamine-O-sulphate on discrimination learning and performance in rats
- 75P COOPER, S.J. & JACKSON, ANNE. Hyperphagia induced by K opiate agonists in non-deprived rats: dissociation from a diuretic effect
- 76P MASON, S.T.  $\beta$ -blockade with propranolol causes resistance to extinction in rats
- 77P EBENEZER, I.S. Propranolol pretreatment reverses the depressant effect of arginine-8 vasopressin on the spontaneous activity of rats

## POSTER COMMUNICATIONS

- 78P BIRCH, N.J., COLEMAN, I.P.L. & KARIM, A.R. Lithium transport in guinea-pig isolated jejunal mucosa
- 79P DOWLING, E.J., JASANI, M.K., PARKE, D.V., PETERS, R.F. & SYMONS, A.M. Characterisation of *ex-vivo* luminol-amplified chemiluminescence accompanying the initiation of foot-pad oedema in the Koch model
- 80P CANFIELD, S.P. & WHITE, J.P.N. Contribution of mucus to luminal alkalinisation in an isolated rat duodenum preparation
- 81P BEAHON, S.J., CASSON, I.F. & McLEAN, W.G. The effects of diabetic rat and human serum on the polymerisation of brain tubulin
- 82P HARTLEY, J.E., STEPHENS, R.J. & THOMPSON, A.M. The effects of drugs on the quantity of food consumed by mice under novel and familiar conditions
- 83P WALI, F.A. The effect of meptazinol on rat skeletal and smooth muscle
- 84P McPHERSON, G.A., MOLENAAR, P., MALTA, E. & RAPER, C. Influence of assay buffer on dissociation constants of drugs at subtypes of  $\beta$ -adrenoceptors
- 85P JENNER, P., KELLY, E. & MARSDEN, C.D. Dopamine receptors on non-dopamine nigral neurons may mediate dopamine agonist-induced changes in locomotor activity
- 86P HANDLEY, S.L. & SINGH, L. GABA<sub>A</sub> agonists potentiate and baclofen antagonises the L-5-HTP head-twitch
- 87P HANDLEY, S.L., MITHANI, S. & SINGH, L. Locus coeruleus lesions do not affect diazepam- or  $\alpha$ -adrenergic- modulation of operant conflict
- 88P GREEN, A.R., HAYES, CORINNE, METZ, A., MINCHIN, M.C.W., WILLIAMS, HELEN & VINCENT, N.D. Decreased GABA synthesis in regions of rat brain following a seizure
- 89P GREEN, A.R., MINCHIN, M.C.W. & VINCENT, N.D. GABA release in rat brain following a seizure

- 90P CANDY, J.M., PERRY, R.H. & YATES, M. Autoradiographic localisation of 5-HT and imipramine binding sites in the raphe nuclei of the human brain 100P McRITCHIE, B. & MINER, W. Dopamine antagonist activity is not a prerequisite for increasing gastric emptying in the rat with benzamides
- 91P ADDAE, J.I. & STONE, T.W. Apparent desensitisation of excitatory amino acid receptors in rat cortex 101P KEENAN, A.K., MARTIN, F. & TREACY, M. Irreversible labelling of the TRH receptor in rat pituitary membranes and GH<sub>3</sub> cells
- 92P CONNICK, J.H. & STONE, T.W. The effect of quinolinic acid and the kynurenines on the uptake of [<sup>3</sup>H]-D-aspartic acid in rat brain 102P SIVILOTTI, LUCIA. The frog optic tectum *in vitro* is a useful preparation for studies on the pharmacology of central transmitters
- 93P DENNIS, T. & SCATTON, B. Nature of the facilitatory influence of GABA on central noradrenergic transmission 103P FILE, SANDRA E. & PELLOW, SHARON. The benzodiazepine receptor antagonist Ro 15-1788 has anxiogenic activity in four animal tests of anxiety
- 94P BALFOUR, D.J.K. & BENWELL, M.E.M. Stereospecific binding of L-tryptophan to rat cortex - a ligand for tryptophan uptake sites? 104P FILE, SANDRA E. & PELLOW, SHARON. Effects of two ligands for peripheral benzodiazepine binding sites on anxiety and stress in rat
- 95P FAINGOLD, C.L., MELDRUM, B.S. & MILLAN, M.H. Blockade of audiogenic seizure susceptibility by focal injection into the inferior colliculus of an excitant amino acid antagonist 105P RODGERS, R.J. & RANDALL, JILL I. Strain differences in behaviourally-induced antinociception and morphine analgesia in male mice
- 96P COOPER, S.J. & ESTALL, LORNA Intrinsic actions of Ro15-1788 and CGS 8216: hyperphagia and anorexia-induced in non-deprived rats consuming a palatable diet 106P ENGEL, G., HOYER, D., KALKMAN, H. & WICK, M.B. Pharmacological similarity between the 5-HT-D-receptor on the guinea-pig ileum and the 5-HT<sub>2</sub> binding site
- 97P JACKSON, H.C. & SEWELL, R.D.E. Similar actions of a benzodiazepine agonist and contragonist on ingestive behaviour 107P EBENEZER, I.S. Vasopressin alone produces passive avoidance behaviour in a typical memory experiment
- 98P BLURTON, PAMELA A. & WOOD, M.D. Complex inhibition of [<sup>3</sup>H]-5-HT binding by spiperone and mianserin 108P BATTY, I., KENDALL, D.A. & NAHORSKI, S.R. Endogenous acetylcholine mediates inositol phospholipid hydrolysis induced by depolarizing stimuli in cerebral cortex slices
- 99P SLATER, P. Quantitative autoradiography of [<sup>3</sup>H]dynorphin<sub>1-9</sub> binding sites in guinea pig brain

- 109P NAHORSKI, S.R. & STRUPISH, J.  
Dopamine D<sub>2</sub> receptors regulate spontaneous and veratrine-evoked release of endogenous dopamine from striatal slices
- 110P JUSZCZAK, R. & STRANGE, P.G.  
Preparation of anti-haloperidol antibodies
- 111P SIMMONDS, S.H. & STRANGE, P.G.  
Effect of D<sub>2</sub> dopamine receptor on inositol phospholipid metabolism in anterior pituitary
- 112P GODFREY, P.P., McCLUE, S.J., MINCHIN, M.C.W. & YOUNG, MICHELLE.  
RU 24969, a 5-HT<sub>1</sub> agonist, stimulates inositol phospholipid breakdown in rat brain slices
- 113P KOSHIKAWA, N., SMOKCUM, R.W.J. & STEPHENSON, J.D.  
Association between down-regulation of cortical 5-HT<sub>2</sub> receptors and waning of a related behavioural response
- 114P PEDDER, E.K. & PRINCE, A.K.  
Ethylcholine mustard aziridinium: inhibition of rat brain synaptosome choline uptake and choline acetyltransferase
- 115P PEDDER, E.K. & PRINCE, A.K.  
The reaction of O-acetyethylcholine mustard aziridinium with rat brain choline acetyltransferase
- 116P LOWE, K.C. & McNAUGHTON, DENISE C.  
Intravascular fluid composition following blood replacement with fluosol-DA in the rat
- 117P LUMLEY, C.E. & WALKER, S.R.  
What is the value of animal toxicology studies beyond 6 months?
- 118P PRENTIS, R.A. & WALKER, S.R.  
Pharmaceutical innovation in the UK (1964-1980)
- 119P McKECHNIE, K., FURMAN, B.L. & PARRATT, J.R.  
Effect of antioxidants on endotoxin shock in conscious, unrestrained rats
- 120P BARBER, H.E., HAWKSWORTH, G.M. & WALKER, K.A.  
Theophylline disposition in rats with adjuvant-induced arthritis
- 121P HUE, D.P., BEALES, D. & McLEAN, A.E.M.  
EDTA enters isolated hepatocytes and protects them against paracetamol injury
- 122P FLINT, O.P., ORTON, T.C. & GIRLING, L.R.  
*In vitro* inhibition of chondrogenesis in cultured rat embryo limb cells by thalidomide
- 123P MCKILLOP, C.M., BROCK, J.A.C. & RHODES, C.  
A comparison of the ability of pyrethroids and the veratrum alkaloids to induce cutaneous sensory effects
- 124P ATTERWILL, C.K., CONYBEARE, G., HARLAND, R. & LESLIE, G.B.  
Toxicity of orally administered tri-iodothyronine (T<sub>3</sub>) in rats
- 125P ANDREWS, M., HEWICK, D.S. & STEVENSON, I.H.  
The redistribution of digoxin after treatment with digoxin-specific Fab fragments in guinea pigs
- 126P DAVIES, M. & D'MELLO, A.  
The effects of drugs on sexual function
- 127P BRILEY, M., CARILLA, ELISABETH, & FABRE, MYRIAM.  
Comparative binding studies with [<sup>3</sup>H]-methyltrienolone and [<sup>3</sup>H]-mibolerone, two synthetic ligands for the androgen receptor
- 128P CROOK, T., SOUHAM, R.L. & McLEAN, A.E.M.  
DNA cross links in sensitive leukaemia cells exposed to cyclophosphamide activated by rat hepatocytes

- 129P HONG, M., JENNER, P. & MARSDEN, C.D. 139P FRY, J.R. & KAMALI, F.  
The interaction of amine-depleting drugs with dopamine receptors in rat brain Effects of probenecid on paracetamol metabolism and excretion in man
- 130P HUDSPITH, M. & LITTLETON, J.M. 140P WATT, A.H., BUSS, D.C.,  
Effects of ethanol *in vitro* and *in vivo* on K<sup>+</sup>-stimulated production of inositol phosphates by phospholipase C in rat brain slices STEPHENS, M.R. & ROUTLEDGE, P.A.  
Amiodarone reduces plasma warfarin clearance in man
- 131P BOWMER, C.J., COLLIS, M.G. & 141P FEATHERSTONE, R.L. & MORTON, I.K.M.  
YATES, M.S. Effect of The use of functional antagonism in the determination of fundamental parameters for 8-phenyltheophylline on glycerol-induced acute renal failure in the rat tachykinin-receptor interactions
- 132P BOWMER, C.J., DEAN, H.G., 142P FEATHERSTONE, R.L. & MORTON, I.K.M.  
SILBERSTEIN, D.J. & YATES, M.S. An examination of the mechanisms of the spasmogenic effects of tachykinins on smooth muscle  
Effect of acute renal failure on the pharmacokinetics and biliary excretion of [<sup>3</sup>H]-N-acetylprocainamide ethobromide in the rat
- 133P FRY, J.R. & PATERSON, P. 143P COOPER, S.J. & GILBERT, D.B.  
Influence of lipid solubility on The D<sub>1</sub> receptor antagonist, SCH 23390, and sultopride, have distinctive effects in a salt preference test  
the glucuronidation and sulphation of nitrophenols in rat isolated hepatocytes
- 134P FRY, J.R. & KAMALI, F. 144P DOCHERTY, J.R. & HYLAND, L.  
Inhibition of paracetamol glucuronidation in Age-related changes in pre- and postjunctional  $\alpha$ -adrenoceptors in human saphenous vein  
rat liver microsomes by probenecid
- 135P COOK, P.J. & JAMES, I.M. 145P DOCHERTY, J.R. & SAWYER, R.  
The effect of age on the acute Involvement of vascular  $\alpha_2$ -adrenoceptors in blood pressure control in the anaesthetised spontaneously hypertensive rat  
response to diazepam
- 136P TULIP, K., NICHOLSON, J.K. & 146P BIZIERE, KATHLEEN, CALASSI, ROSELYNE, PERIO, A. & TERRANOVA, J.P.  
TIMBRELL, J.A. Studies on the Anti-anxiety activity of SR 41378 a new non-benzo-diazepine hypnotic  
metabolism of N-methylformamide
- 137P BAX, N.D.S., TUCKER, G.T., 147P ARMSTRONG, ROMA A., JONES, R.L. & TYMKEWYCZ, PAULINA M.  
LENNARD, M.S. & WOODS, H.F. The nature of arachidonic acid-induced aggregation of rat platelets  
Impairment of lignocaine clearance by propranolol - major contribution of enzyme inhibition
- 138P BOOBIS, A.R., TEE, L.B.G., HAMPDEN, C.E., HUGGETT, A.C. & DAVIES, D.S.  
Comparative ability of man to activate paracetamol to its hepatotoxic metabolite



- 148P JONES, R.L., MACINTYRE, D.E., POLLOK, W.K., SHAW, A.M. & WILSON, N.H. An extreme of thromboxane-like activity
- 149P ATTERWILL, C.K. & GALLO, V. Effects of serum and thyroid hormone on the voltage-dependent Na<sup>+</sup> uptake of cultured cerebellar neural cells
- 150P HALLIDAY, J. & IVESON, C.D. Similar effects of acetylcholine and adenosine on cyclic GMP levels in guinea-pig atria
- 151P D'MELLO, A. & WIECZOREK, W.J. Effects of calcium removal on response of lung parenchymal strips to KCl, histamine, carbachol or antigen
- 152P LONG, C.J. & STONE, T.W. The release of endothelium-derived relaxant factor is calcium-dependent
- 153P HOULT, J.R.S. & PEERS, S.H. Effects of ethanol and mepacrine on arachidonate mobilisation in thrombin and A23187-stimulated platelet phospholipids
- 154P CLAGUE, R.U., FINLAYSON, J.R. & WHITING, R.L. Central  $\alpha_2$ -adrenoceptor function following acute and chronic dosing with imiloxan
- 155P CLAGUE, R.U., EGLEN, R.M., STRACHAN, A.C. & WHITING, R.L. Comparison of cholinergic activity of suberyldicholine with that of carbachol *in vitro*
- 156P SPEDDING, M. Tissue size is a major factor influencing tissue selectivity studies with nifedipine
- 157P HILEY, C.R. & NICHOLS, A.J. Effects of intravenous and intra-splenic infusions of glucagon on cardiac output and its distribution in the rat
- 158P BORKOWSKI, K.R. & PORTER, M. Reduced  $\beta$ -adrenoceptor-mediated vasodilation in spontaneously hypertensive rats
- 159P BOUGHTON-SMITH, N.K., STEEL, G., WALLACE, J.L. & WHITTLE, B.J.R. Protection of the rat colonic mucosa using a prostaglandin E<sub>2</sub> analogue
- 160P BROADLEY, K.J. & WILLIAMSON, K.L. Examination of  $\alpha$ -adrenoceptors of rat isolated atria
- 161P OGG, G.D., LAMBERT, J.J., STEVENSON, I.H. & NEILSON, D.G. A comparison of propranolol and the enantiomers of propranolol glycol on isolated rat atria
- 162P PIERCE, VANESSA & SHEPPERSON, N.B. Comparison of the cardiovascular effects of central and peripheral administration of indoramin in anaesthetised rats
- 163P DOWNING, O.A., MARRIOTT, J.F. & WILSON, K.A. Changes in verapamil sensitivity of rat aorta exposed to chronic hypoxia and normoxia
- 164P CHENERY, R.J., EMERY, S., NORMAN, S.J. & OLDHAM, H.G. The effect of cimetidine and ranitidine on paracetamol glucuronidation and sulphation in cultured rat hepatocytes
- 165P BURLEIGH, D.E. & TROUT, S.J. Substance P contractions of guinea pig taenia caeci by a direct action on smooth muscle
- 166P BARASI, S., BENSRETI, M.M., DUGGAL, K.N., GONZALEZ, J.P. & SEWELL, R.D.E. Antinociceptive activity of intravenous and intrathecal dopamine agonists in naive and supersensitive rats

- 167P FOZARD, J.R. & MIR, A. Evidence for a centrally mediated cardiovascular response to 8-hydroxy-2-(di-n-propylamino)-tetralin (8-OH-DPAT) in the rat
- 168P HAMON, G. & WORCEL, M. Peripheral effects of enantiomers of 3-(3-hydroxyphenyl)-N-n-propylpiperidine (3-PPP) on  $\alpha$  receptors in rat
- 169P HOULT, J.R.S. & NOURSHARGH, S. Desensitization of human neutrophil cytosolic calcium changes and degranulation to PAF-acether and FMLP
- 170P HERDON, H., NAHORSKI, S.R. & STRUPISH, J. Differences between endogenous and radiolabelled catecholamine release from superfused rat brain slices
- 171P DELGADO, C., GARCIA, A., TAMARGO, J. & VALENZUELA, C. Effect of BAY K8644 in guinea-pig atrial and ventricular muscle fibres
- 172P CALLEJA, C., DELGADO, C. & TAMARGO, J. Effect of propafenone on the electrophysiological properties of sheep ventricular muscle and purkinje fibres
- 173P ARMSTRONG, J.M. & LEFOURNIER, CHRISTINE. Calcium entry blocking agents: comparative potency using rat aorta and taenia caecum preparation *in vitro*
- 174P ARMSTRONG, J.M. & DUMEZ, DANIELE. Nicardipine lowers coronary and total peripheral vascular resistance in anaesthetised dogs
- 175P DAVIES, P & ROBERTS, F. Fitting a logistic curve to dose response curves using ALLFIT on an Apple IIE
- 176P BROADLEY, K.J. & WILSON, A.N.A. Is the antagonism by adenosine of responses to both isoprenaline and histamine in guinea-pig isolated atria mediated through CAMP?
- 177P BECKERINGH, J.J., THOOLEN, M.J. M.C., TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN, P.A. Influence of phenoxybenzamine, nifedipine and D 600 on vasoconstriction elicited by enantiomers of SK&F 89748A
- 178P VAN CHARLDORP, K., DE JONGE, A. THOOLEN, M.J.M.C., WILFFERT, B. & VAN ZWIETEN, P.A. Selectivity of different muscarinic agonists for receptors in the heart, urinary bladder and sympathetic ganglia in the pithed rat
- 179P KORSTANJE, C., THOOLEN, M.J.M.C. & VAN ZWIETEN, P.A.  $\alpha_1$ -adrenoceptor mediated contraction by B-HT 920 and ST 587 in rat perfused hindquarters
- 180P RUSSELL, N.J.W., HEAPY, C.G. & RANCE, M.J. Naloxone induced desensitisation of perivascular nociceptors in the isolated perfused rabbit ear
- 181P BAKER, M.K., JENNER, P. & MARSDEN, C.D. Excitatory amino acid agonists and antagonists alter  $K^+$ -evoked, but not basal, release of [ $^3H$ ]-dopamine from rat striatal slices
- 182P CAVERO, I. & THIRY, CHANTAL. Method for the electrical stimulation of postganglionic cardioaccelerator sympathetic nerve fibres in pithed rats
- 183P FARRANT, M. & WEBSTER, R.A. Effects of Ro 15-1788 on caudate-evoked inhibition of neurones in the rat substantia nigra
- 184P ANAND, H., LOPEZ-COLOME, ANA MARIA. & ROBERTS, P.J. Excitatory amino acid induced changes in chick retinal cyclic GMP levels

- 185P BROWN, F. & MITCHELL, P  
B-HT 920 is a dopamine agonist causing little or no motor hyperactivity, but is it a selective autoreceptor agonist?
- 186P JEEVANJEE, F., LITTLE, H.J., NICHOLASS, J.M. & NUTT, D.J.  
Is chronic administration of the benzodiazepine receptor ligand FG 7142 anxiogenic?
- 187P LITTLE, H.J., NUTT, D.J. & TAYLOR, S.C.  
Kindling with FG 7142 and benzodiazepine-GABA receptor function
- 188P JEEVANJEE, F., LITTLE, H.J., MARTIN, I.L., NICHOLASS, J.M. & NUTT, D.J.  
Is FG 7142 mediated kindling due to changes in efficacy at the benzodiazepine/GABA receptor complex?
- 189P MIDDLEMISS, D.N.  
 $\beta$ -adrenoceptor antagonists and blockade of the 5-HT autoreceptor in rat frontal cortex
- 190P BONANNO, G., MARCHI, M. & RAITERI, M.  
The release of endogenous dopamine from superfused rat striatal synaptosomes is potentiated by acetylcholine
- 191P SHARP, T., UNGERSTEDT, U. & ZETTERSTROM, TYRA.  
Effect of dopamine D-1 receptor selective drugs on dopamine release and metabolism in rat brain *in vivo*
- 192P GADIE, B. & TULLOCK, I.F.  
Proconvulsant action of  $\alpha_2$ -adrenoceptor antagonists in mice: possible involvement of  $\alpha_1$ -adrenoceptors
- 193P BERRIDGE, T.L., GADIE, B., LANE, A.C., ROACH, A.G., STRACHAN, DIANE A., TULLOCH, I.F. & WELBOURN, A.P.  
Antagonist potency of RX 821002 and its enantiomers at  $\alpha_1$ - and  $\alpha_2$ -adrenoceptors in rats
- 194P BROADLEY, K.J., CHESS-WILLIAMS, R.G. & SHERIDAN, D.J.  
Can supersensitivity following chronic catecholamine depletion be fully explained by an increase in  $\beta$ -adrenoceptor number?
- 195P JONKMAN, F.A.M., MAN, P.W., THOOLEN, M.J.M.C. & VAN ZWIETEN, P.A.  
Effects of  $\beta$ -adrenoceptor agonist and antagonist on clonidine and  $\alpha$ -methyldopa withdrawal syndromes in rats
- 196P DOWNES, C.P., LEWIS, P.E. & STONE, M.A.  
A comparison of the binding of [ $\beta$ H]-(+)-SKF 10047 and [ $\beta$ H]-PCP in rat brain membranes
- 197P CURLE, P.F., GEDDES, C. & PALOMO, T.  
The effect of oxypertine on dopamine, DOPAC and HVA in the rat striatum
- 198P BIZIERE, KATHLEEN, CALASSI, ROSELYNE, CHAMBON, J.P., HALLOT, A. & MICHAUD, J.C.  
SR 41378, a new potential hypnotic drug with anticonvulsant properties

## DEMONSTRATIONS

- 199P KRUK, Z.L., MILLAR, J. & STAMFORD, J.A.  
Voltammetric detection of dopamine released by stimulation of the MFB in the anaesthetised rat
- 200P REES, C., ROBERTS, F., BLAKEMORE, R.B., COTTERELL, P. & MARLOW, S.  
An automated bioassay system using an Apple IIE microcomputer

201P ELSE, ELISABETH, ROBERTS, F.,  
SPARROW, P. & HAMPSHIRE, A.  
A genstat program to calculate dose  
ratios from parallel line assays  
and/or pA<sub>2</sub> values from a Schild plot

202P McCLELLAND, G.R., SEMPLE, J.M.  
SHORTER, J.H. & WATERFIELD, S.  
Use of microprocessor  
technology in a test battery  
for psychopharmacological  
volunteer studies

## C O N T R I B U T I O N S   B Y   T I T L E   O N L Y

203P BAKHLE, Y.S. & GRANTHAM, C.J.  
Pulmonary pharmacokinetics of  
prostaglandin E<sub>2</sub>: a selective  
biochemical marker of pulmonary  
oedema?

LEIGH, PHILIPPA J. & MACDERMOT, J.  
Spare receptors for prostacyclin  
(epoprostenol) on NCB-20 cells

MELLERUP, E.T. & PLENGE, P.  
High affinity binding sites  
for [<sup>3</sup>H]-imipramine and  
[<sup>3</sup>H]-paroxetine in platelet  
and neuronal membranes

LOCK, E.A. The effect of  
probenecid on N-acetyl-S-  
(pentachlorobutadienyl)-L-  
cysteine-induced nephrotoxicity