

COMMUNICATIONS

- | | | | |
|------|--|------|---|
| 204P | BUNCE, K.T. & SPRAGGS, C.F.
Neurogenic anion secretion
by guinea-pig isolated
duodenal mucosa | 212P | BLACK, J.W., LEFF, P. &
SHANKLEY, N.P. Further
analysis of anomalous pK_B
values for muscarinic
antagonists on the mouse
stomach assay |
| 205P | BROSTOFF, J., FLINT, K.C.,
HUDSPITH, B., JOHNSON, N.
McI., LEUNG, K.B.P. &
PEARCE, F.L. Some
properties of mast cells
obtained by human broncho-
alveolar lavage | 213P | EGLEN, R.M., STRACHAN, A.C. &
WHITING, R.L. Action of
physostigmine on inotropic and
chronotropic selectivity of
muscarinic agonists |
| 206P | DONALDSON, J. & HILL, S.J.
Alterations in histamine H_1 -
receptor activity by 1,4-
dithiothreitol in guinea-pig
ileum | 214P | LACEY, G., NEWSOM-DAVIS, J.
VINCENT, A., WHITING, P. &
WRAY, D. The effect of
monoclonal antibodies on the
function of mouse acetyl-
choline receptor |
| 207P | CALDWELL, J. & CHIDGEY, M.A.J.
Dose- and vehicle-related
variation in the disposition
of benzyl acetate in the rat | 215P | BENKELFAT, C., GALZIN, A.M.,
LANGER, S.Z., LOO, H.,
POIRIER, M.F., SECHTER, D. &
ZARIFIAN, E. Reduced B_{max}
of [3H]-imipramine binding to
platelets of depressed patients
free of previous medication
with 5-HT uptake inhibitors |
| 208P | CALDWELL, J., DOLPHIN, C.T. &
SMITH, R.L. The influence of
the immune modulator, polyrI.rC
upon the metabolism of aspirin
in mice | 216P | LANGER, S.Z., SCHOEMAKER, H. &
SEGONZAC, A. [3H]-imipramine
and [3H]-paroxetine binding to
human platelets: clues to a
selectivity paradox from
temperature studies |
| 209P | BENNETT, T., FOULKES, R. &
GARDINER, S.M. Inhibition of
ganglionic transmission reveals
a pressor effect of exogenous
corticosterone acetate in
conscious Long Evans rats | 217P | BLOOMFIELD, J.G., ELLIOTT, J.M.
& RUTTERFORD, M.G. Changes in
[3H]-imipramine binding in
rabbits associated with
pregnancy and oestrogen/
progesterone treatment |
| 210P | BOU, J., FERNANDEZ, A.G.,
JAUREGUI, J.M. & MASSINGHAM, R.
Lack of response of guinea-pig
ileum preparations to
metoclopramide following
ablation of enteric neurones
with Triton X-100 | 218P | HEILIGERS, J., MYLECHARANE,
E.J. & SAXENA, P.R. Mechanism
of tachycardia elicited by
5-hydroxytryptamine in the
spinal cat |
| 211P | DONALD, F.M.S. A non-
adrenergic non-cholinergic (NANC)
excitatory response in frog atria | | |

*The author who intended to present the work is indicated
by an asterisk (*) on the abstract*

- 219P MARSDEN, C.A. & MARTIN, K.F.
RU 24969 decreases 5-HT
release in the SCN by acting
on 5-HT receptors in the SCN
but not the dorsal raphe
- 220P BRILEY, M. & MORET CHANTAL
Allosterism is not needed to
explain complex binding of
[³H]-imipramine in rat
hypothalamus
- 221P JOHNSON, A.M., NELSON, D.R. &
THOMAS, D.R. Effect of
paroxetine and other
5-hydroxytryptamine uptake
inhibitors on central
monoamine uptake *in vitro*
and *ex vivo*
- 222P CONNOR, H.E., FENIUK, W.,
HUMPHREY, P.P.A. &
PERREN, M.J. 5-carboxamido-
tryptamine is a selective
agonist at 5-HT receptors
mediating vasodilation and
tachycardia in the
anaesthetised cat
- 223P HIGGS, G.A. The mechanism
of indomethacin-induced
airway hyper-reactivity
- 224P GRISTWOOD, R.W., OWEN, D.A.A.
& REEVES, M.L.
Phosphodiesterase in the
guinea-pig cardiac ventricle:
specific inhibition of type III
activity by SK&F 94120
- 225P HICKS, P.E., LANGER, S.Z. &
VIDAL, MARIA J.
 α, β -methylene ATP inhibits
the vasoconstriction to
periarterial field stimulation
in SHR, but not WKY tail
arteries *in vitro*
- 226P CAMERON, D., ENGLISH, T.A.H.,
GRISTWOOD, R.W., MORL, C.J.,
OWEN, D.A.A. & WALLWORK, J.
Positive inotropic actions of
SK&F 94120 on human isolated
ventricular myocardium
- 227P BROADLEY, K.J. & WILSON, A.N.A.
Comparison of the effects of
adenosine on atrial and
ventricular cardiac preparations
- 228P PARRATT, J.R. & WAINWRIGHT,
CHERRY L. The effects of
adenosine on arrhythmias
induced by myocardial ischaemia
and reperfusion in dogs
- 229P WRIGHT, D.M. An agonistic
effect of a substance P
antagonist
- 230P JONES, R.S.G. A comparison of
the responses of cingulate
cortical neurones to substance P
and neurokinin A
- 231P CORDER, R., LOWRY, P.J., RAMAGE,
A.G. & WILKINSON, S.J.
Comparison of the haemodynamic
actions of neuropeptide Y,
angiotensin II and noradrenaline
- 232P BLOXHAM, C.A., BRUNDISH, D.E.,
CANDY, J.M., HIRST, B.H., SNELL,
C.R., WEIGHTMAN, D.R. &
WHITFORD, C.A. Distribution of
tritiated somatostatin binding
sites in the human brain
- 233P BRAIN, S.D., GIRGIS, S.,
MACINTYRE, I., MORRIS, H.R.,
TIPPINS, J.R. & WILLIAMS, T.J.
Local oedema induced by
synergism between calcitonin
gene-related peptide and
mediators of increased vascular
permeability
- 234P BOWERY, N.G., HUDSON, A.L. &
PRICE, G.W. Comparative
autoradiographic studies with
[³H]-GABA and [³H]-(-)-baclofen
in rat brain *in vitro*
- 235P LAMB, R.J., LEACH, M.J., MILLER,
A.A. & WHEATLEY, P.L.
Anticonvulsant profile in mice
of lamotrigine, a novel
anticonvulsant

- 236P JOHNSON, A.M. & LOUDON, JULIA M. Interaction of benzodiazepine receptor ligands with ethanol in rodents
- 237P KEMP, J.A., MARSHALL, G.R., WONG, E.H.F. & WOODRUFF, G.N. Pharmacological studies on pitrazepin, a GABA_A receptor antagonist
- 238P BOWERY, N.G., GILL, RAMMY, HUDSON, A.L., IVERSEN, SUSAN D., PRICE, G.W. & THOMAS, S. The location of GABA_B binding sites in the rat hippocampus
- 239P MAIDMENT, N.T. & MARSDEN, C.A. Central dopamine metabolism monitored by *in vivo* voltammetry: effects of acute and chronic neuroleptic administration
- 240P DUBOCOVICH, M.L. & HENSLER, J.G. Modulation of dopamine release at different frequencies of stimulation from rabbit retina by a D₂ dopamine agonist and melatonin
- 241P JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. Thermodynamics of ligand interaction with the dopamine D₂ receptor in native membrane and solubilised environments
- 242P MOLLOY, A.G. & WADDINGTON, J.L. Mechanism of paradoxical blockade of D₂ agonist induced stereotypy by the enantiomers of the D₁ antagonist SK&F 83566
- 243P ADEBANJO, A.O. & ONONIWU, I.M. Preliminary observation on the excitatory transmission to the retractor penis of the giant snail (*Archachatina marginata*)
- 244P BENNETT, G.W., LIGHTON, CELIA & MARSDEN, C.A. The effect of chronic antidepressant treatment on the behavioural response to a TRH analogue (CG 3509)
- 245P GARCHA, H.S., KUMAR, R., NORRIS, E.A., REAVILL, C. & STOLERMAN, I.P. Long-term blockade of nicotine cue by chlorisondamine in rats
- 246P GOWER, A.J. & TRICKLEBANK, M.D. Is the analgesic response to footshock a form of passive avoidance learning?
- 247P DAVIS, A., JENNER, P. & MARSDEN, C.D. Differential induction of climbing behaviour in rats by dopamine agonist drugs
- 248P GONZALEZ, J.P. & STOLZ, J.F. Functional antagonism between subtypes of 5-hydroxytryptamine receptors on morphine antinociception
- 249P STEPHENS, D.N. Tolerance to the antipunishment effects of diazepam in mice
- 250P COSTALL, BRENDA, DOMENEY, ANNETTE M. & NAYLOR, R.J. The amygdala, laterality, and the control of rat locomotor activity
- 251P MIDDLEMISS, D.N., NEILL, J. & TRICKLEBANK, M.D. Subtypes of the 5-HT receptor involved in hypothermia and forepaw treading induced by 8-OH-DPAT
- 252P GILL, RAMMY, IVERSEN, SUSAN, D. & THOMAS, S.R. Anxiolytic action of GABA_A and GABA_B agonists
- 253P GRIEVE, K.L., MURPHY, P.C. & SILLITO, A.M. The actions of VIP and ACH on the visual responses of neurones in the striate cortex

- 254P DAVIES, ALISON M. & ECCLES, R. The effects of nasal airflow and menthol on the nasal electromyographic activity of the anaesthetised cat
- 255P DAVIES, M., ROBERTS, M.H.T. & WILKINSON, L.S. Effects of intravenous ketanserin, methysergide and MDL 72222 on responses to iontophoretically applied 5-HT in the rat brainstem
- 256P DICKINSON, K.E.J., RUDD, R.M., SEVER, P.S. & WINTER, R.J.D. Tissue specific modulation of β -receptor number in chronic hypoxia with an attenuated response to down regulation by salbutamol
- 257P CARPENTER, J.R. Intrinsic activity and potency of guinea-pig tracheal relaxants after different spasmogens *in vitro*
- 258P BLACK, J.W., GERSKOWITCH, V.P., HULL, R.A.D. & LEFF, P. Concentration-ratio analysis of the inotropic effects of phenylephrine in guinea-pig left atrial muscle
- 259P HAMILTON, C.A., JONES, C.R. & REID, J.L. Altered peripheral α_2 -adrenoceptor responses in rabbits with perinephritis hypertension
- 260P DOCHERTY, J.R. & HYLAND, L. An investigation of age-related changes in vascular α -adrenoceptors in the anaesthetised rat
- 261P BROADLEY, K.J., CHESS-WILLIAMS, R.G., SHERIDAN, D.J. & WILLIAMSON, K.L. Relative α - and β -adrenoceptor density determines which receptor mediates the cardiac response to phenylephrine
- 262P HILEY, C.R. & NICHOLS, A.J. α_1 -adrenoceptor reserve and nifedipine sensitivity of noradrenaline pressor responses in rat superior mesenteric arterial bed
- 263P ALLCORN, R.J., CUNNANE, T.C., MUIR, T.C. & WARDLE, KAY A. α, β meATP does not inhibit [3 H]-noradrenaline release in the rabbit ear artery
- 264P DOCHERTY, J.R. & WARNOCK, P. Effects of α -adrenoceptor antagonists on blood pressure in the spontaneously hypertensive rat
- 265P JONES, C.R., REID, J.L., RODGER, I.W. & GIEMBYCZ, M.A. α_2 -adrenoceptor coupling to adenylate cyclase and adrenaline-induced aggregation of human foetal platelets
- 266P CHAPPELL, S.P., GRIFFITH, T.M., HENDERSON, A.H. & LEWIS, M.J. Influence of cholesterol feeding on endothelium-dependent vasomotor response in rabbit aortic strips
- 267P COENE, M.-C., HERMAN, A.G., JORDAENS, F., VAN HOVE, C., VERBEUREN, T.J. & ZONNEKEYN, L. Endothelium-dependent relaxations in isolated arteries of control and hypercholesterolaemic rabbits
- 268P BHASKAR, N.K., FILIPOWICZ, B. & HAWKEY, C.J. Inhibition of human gastric mucosal thromboxane synthesis by WHR2348A
- 269P BULLOCK, G.R., TAYLOR, S.G. & WESTON, A.H. No evidence for an endothelial component in the relaxant effect of hydralazine on rat aorta
- 270P PIPER, PRISCILLA J. & STANTON, A.W.B. Leukotrienes C_4 and D_4 decrease intracranial blood flow in the anaesthetised pig

- 271P CAREY, F. & HAWORTH, D.
Temporal studies of the
formation of cyclo-
oxygenase and lipoxygenase
metabolites in yeast-induced
inflammation
- 272P BILLINGHAM, M.E.J., CAREY,
F., GROWCOTT, J.W. & HUGHES,
C.L. Indomethacin-induced
gastro-intestinal lesions:
protection by salicylate and
relationship to plasma acute
phase proteins
- 273P COLEMAN, R.A., KENNEDY, I. &
SHELDRIK, R.L.G. AH6809,
a prostanoid EP₁-receptor
blocking drug
- 274P RAMPART, M. & WILLIAMS, T.J.
Inhibition of PMN-dependent
oedema formation in rabbit
skin by systemic treatment
with catalase and 15-methyl-
PGE₁
- 275P BAKHLE, Y.S. & PANKHANIA,
J.J. Effects of inhibitors
of prostaglandin (PG)
inactivation on PG synthesis
from exogenous and endogenous
arachidonate in lung
- 276P HENDERSON, B., HIGGS, G.A.,
JACKSON, K.E. & SALMON, J.A.
Eicosanoid production during
the development of antigen-
induced chronic arthritis
- 277P DOLLERY, C.T., HEAVEY, D.J.,
RICHMOND, R., TAYLOR, G.W. &
VIAL, J. Histamine and
peptidoleukotriene release from
immunologically challenged
guinea-pig lung
- 278P LANGER, S.Z. & SCHOEMAKER, H.
[³H]-diltiazem labels a specific
recognition site associated with
the calcium channel in the rat
cerebral cortex
- 279P COLLINS, P., GRIFFITH, T.M.,
HENDERSON, A.H. & LEWIS, M.J.
8-Bromo-cGMP and calcium flux in
arterial smooth muscle
- 280P MEGHJI, P. & NEWBY, A.C.
Dipyridamole, dilazep and
hexobendine inhibit both adenosine
uptake into and release from
neonatal rat heart cells in culture
- 281P BURGESS, R.A., CARTER, A.J.,
GARDINER, D.G. & HIGGINS, A.J.
Amlodipine, a new dihydropyridine
calcium channel blocker with slow
onset and long duration of action
- 282P GRANGER, SUSAN E., HOLLINGSWORTH,
M. & WESTON, A.H. Calcium
antagonist inhibition of responses
of rat uterus to calcium, oxytocin
and potassium
- 283P LAWSON, K. & WEETMAN, D.F.
The rat isolated inferior tarsal
muscle: a new adrenergically
innervated preparation

POSTER COMMUNICATIONS

- 284P DANDONA, P., JEREMY, J.Y. &
MIKHAILIDIS, D.P. Mediation
of prostacyclin synthesis in
the rat penis by muscarinic
receptors
- 285P DODD, N.J., HUMPHREY, P.P.A.,
LUMLEY, P. & WESTON, M.J. Effect
of the thromboxane receptor
blocking drug AH23848 upon
thrombocytopenia induced by
haemodialysis in the anaesthetised
dog

- 286P KEERY, R.J. & LUMLEY, P.
AH 6809, a selective
antagonist at the human
platelet DP-receptor?
- 287P BRIGGS, I., GROWCOTT, J.W.
& JAMIESON, A. Selective
actions of substance P
6-11 on tachykinin 'E'
receptors
- 288P KERWIN, R.W., DAWBARN, D.,
DAVIES, G.J., GRIFFIN, R.,
YACOB, M. & MASERI, A.
Immunohistochemical
localisation of neuropeptide
Y in single nerve fibres in
fresh human heart
- 289P BARNES, N.J.G. & SENIOR,
JUDITH The response of
rat uterine tissue to
oxytocin and prostaglandin
F_{2α} in the presence of
calcium channel antagonists
- 290P LINGFORD-HUGHES, A.R., CLARK,
C.R. & HUGHES, J.
Cholecystokinin receptor
activation in the pancreas:
evidence for an involvement
of protein kinase C
- 291P BAILEY, C.C. & KITCHEN, I.
Development of proenkephalin
products in rat striatum and
the inhibitory effects of
lead exposure
- 292P HOLT, D.J., HUNT, W.B. &
WILKINSON, J. The nature
of substance P receptors in
the rat gastric corpus strip
- 293P HOWLETT, G.J. & MCCARTHY, P.S.
On the role of α₂-adrenoceptor
agents in the morphine
abstinence syndrome
- 294P COWAN, A., MOSBERG, H.I.,
PORRECA, F. & ZHU, X.Z.
Direct dependence studies in
rats with agents selective for
different subtypes of opioid
receptor
- 295P BLACKMAN, D.E., MCCARTHY, P.S. &
NAYLOR, V.J.H. Buprenorphine:
demonstration of morphine-like
but not of N-allylnormetazocine-
like stimulus generalization
- 296P BENSRETI, M.M., GONZALEZ, J.P.,
MCCLEARY, W.L. & SEWELL, R.D.E.
An examination of the
thermoregulatory effects of
meptazinol and its quaternarized
derivative
- 297P JACKSON, HELEN C. & SEWELL, R.D.E.
μ-opioid receptors: a role in the
control of appetite in
non-deprived rats?
- 298P BADAWY, A.A.-B. & NORMAN, SUSAN
The mechanism of enhancement of
rat liver tryptophan pyrrolase
activity by acute morphine
administration
- 299P PATERSON, J.R., STEVENSON, I.H. &
FEELY, J. Metabolism of H₂-
antagonists by a flavin-
containing monooxygenase
- 300P KELLAWAY, I.W., SMITH, A.,
TAYLOR, G. & WOOLFREY, S.G.
Absorption from liposomes
administered to the rat lung
- 301P BRIGHT, J.E. & MARRS, T.C. The
treatment of experimental cyanide
poisoning
- 302P ALI, H., KICZINSKA, J. &
NICHOLLS, P.J. Induction of
methaemoglobin by
aminogluthethimide in the mouse
- 303P ALLEN, E.M. & NICHOLLS, P.J.
Tissue distribution of [¹⁴C]-
pentobarbitone in rats with
experimental chronic renal
failure
- 304P BIRCH, N.J., COLEMAN, I.P.L. &
KARIM, A.R. Lithium
distribution in a three
compartment system of guinea-pig
gastrointestinal tract: effects
of drugs

- 305P GRABOWSKI, P.S., KITTINGHAM, N.R., MAGGS, J.L. & PARK, B.K. The formation and elimination of dinitrophenyl-protein conjugates *in vivo* in the rat and rabbit
- 306P AL-ASADY, S.A.H., LENNARD, M.S., SHAW, L., TUCKER, G.T. & WOODS, H.F. Covalent binding of propranolol to rat and human liver microsomes: relation to inhibition of lignocaine metabolism
- 307P ROBERTS, F. Measuring the dissociation constant of a partial agonist from its interaction with a full agonist
- 308P CHAPPLE, D.J. & DONOGHUE, S. On-line analysis of cardiovascular data using a mini-computer system
- 309P FOZARD, J.R., HUMPHREYS, ANNE, ROUND, ALISON & WALLIS, D.I. Further studies on the action of MDL 72222 on responses to 5-HT in rabbit nodose and superior cervical ganglia
- 310P FENIUK, W., HUMPHREY, P.P.A. & HUNT, A.A.E. The haemodynamic profile and mechanism of the hypotensive action of 5-carboxamido-tryptamine in conscious dogs
- 311P HEAL, D.J., METZ, A. & PHILPOT, JOANNE. 5,7-dihydroxytryptamine lesioning increases both 5-HT₂-mediated behaviour and cortical 5-HT₂ receptor number in mice
- 312P GREGG, C.N. & OSBORNE, R.H. Evidence for the presence of 5-HT₂ receptors on the rat fundic strip preparation
- 313P ASKAM, V., SMITH, J.A. & WILSON, J.F. *In vitro* and *in vivo* activity of a novel melatonin analogue
- 314P PATEL, S. & SLATER, P. Serotonin receptor subtypes in rat basal forebrain and their role in nucleus accumbens-evoked activity
- 315P MIDDLEMISS, D.N. [³H]-8-OH-DPAT does not bind to the 5-HT autoreceptor in rat striatum
- 316P LAWANG, A. & SAXENA, P.R. Pharmacological comparison between 5-hydroxytryptamine (5-HT) and 5-carboxamide tryptamine (5-CT)
- 317P LEES, I.W. & PAYNE, A.N. Isometric measurement of cat trachealis muscle tension *in situ*
- 318P ENNIS, CHRISTINE Comparison of the α_2 -adrenoceptors which modulate noradrenaline release in rabbit and rat occipital cortex
- 319P DETTMAR, P.W. & SMEATON, LYNDIA, A. The regulation of gastric acid secretion in the rat *in vivo*; a role for α_2 -adrenoceptors?
- 320P BROADLEY, K.J., CHESS-WILLIAMS, R.G., ROBERTS, LOUISE & SHERIDAN, D.J. The α -adrenoceptor mediated responses of the guinea-pig aorta and ileum: effect of temperature
- 321P PACIOREK, P.M. & SHEPPERSON, N.B. Estimates of the antagonist potency of WY 26392 against various α_2 -adrenoceptor agonists in the pithed rat
- 322P DETTMAR, P.W. & LORD, J.A.H. Effect of selected α -adrenoceptor agents on responses of rat isolated gastric mucosa to electrical field stimulation

- 323P BLOOMFIELD, J.G., ELLIOTT, J.M. & RUTTERFORD, M.G. Changes in [^3H]-yohimbine binding in rabbits associated with oestrogen/progesterone treatment and pregnancy
- 324P BROADLEY, K.J., ROACH, A.G. & WILLIAMSON, K.L. The α -adrenoceptor-mediated components of the responses to adrenaline and phenylephrine of rat isolated atria
- 325P ANGELO-KHATTAR, M. & THULESIUS, O. The effect of indomethacin and diclofenac sodium on ureteral contraction *in vivo* and *in vitro*
- 326P CARON, M.G., DICKINSON, K.E.J., LEEB-LUNDBERG, L.M.F., LEFKOWITZ, R.J., PETERS, J.R. & STRASSER, R.H. Desensitisation of rat pineal β -adrenoceptors
- 327P ADAMS, A.P., JONES, R.M. & WALI, F.A. Potentiation by verapamil of gallamine and pancuronium-induced blockade at the chick neuromuscular junction
- 328P ARMSTRONG, J.M. & FERRANDON, P. The effect of nicardipine on cardiac function and high energy phosphate metabolism in the rat working heart *in vitro*
- 329P ALPS, B.J., BROWN, C.M., CALDER, C. & KILPATRICK, A.T. Nicardipine, a calcium entry blocker, protects striatal dopamine in periods of cerebral ischaemia
- 330P CLARKE, B., PATMORE, L. & WHITING, R.L. Comparative inotropic effects of calcium modulators on guinea-pig and rat myocardium
- 331P ABEL, MARGARET & HOLLINGSWORTH, M. Tolerance to salbutamol on the rat uterus *in vivo* compared with nifedipine and diltiazem
- 332P CHAPPELL, S., HENDERSON, A.H. & LEWIS, M.J. Myocardial reoxygenation damage can be circumvented
- 333P BERESFORD, A.P., HUMPHREY, M.J. & STOPHER, D.A. Amlodipine, a calcium channel blocker with pharmacokinetic properties novel to dihydropyridines
- 334P AKHTAR-KHAVARI, FARZANEH, KHOYI, M.A. & REZAEI, EFFAT Effects of KCl, noradrenaline and adenosine triphosphate on ^{45}Ca influx in guinea-pig vas deferens
- 335P DODD, M.G. & MACHIN, I. Anti-hypertensive effect of amlodipine, a novel dihydropyridine calcium channel blocker
- 336P AKHTAR-KHAVARI, FARZANEH, KHOYI, M.A. & REZAEI, EFFAT ^{45}Ca uptake in the rat vas deferens: effects of duration of depolarization and chemical denervation
- 337P NATOFF, I.L., BREWSTER, M., PATEL, A.T., KLEVANS, L. & WENGER, J. Effect of indomethacin on the antihypertensive and sympathetic inhibitory activities of ACE inhibitors in the rat
- 338P NEDERGAARD, O.A. Pre- and postjunctional effects of pinacidil on sympathetic neuroeffector transmission in rabbit blood vessels
- 339P EL MURADI, E.M.A. & MCCURRIE, JANICE R. Comparison of dilator activity in rat hepatic portal vein and rat mesenteric arteries

- 340P LONG, C.J. & STONE, T.W. Adenosine retardation of adrenoceptor resensitisation in the prostatic rat vas deferens
- 341P EDWARDS, D.H., GRIFFITH, T.M., HENDERSON, A.H., LEWIS, M.J. & RYLEY, H.C. Endothelium-dependent relaxation is inhibited by a high molecular weight protein fraction of whole human plasma
- 342P COLLINS, P., GRIFFITH, T.M., HENDERSON, A.H. & LEWIS, M.J. Endothelium and calcium flux in rabbit aortic preparations
- 343P DAVIES, J.M., HENSBY, C.N., LUGINBUHL, B. & WILLIAMS, K.I. Stimulation and inhibition of endothelial-dependent relaxations of rat aortic strips
- 344P EDWARDS, D.H., GRIFFITH, T.M., HENDERSON, A.H., LEWIS, M.J. & NEWBY, A.C. Production of endothelium derived relaxant factor is both ATP and calcium dependent
- 345P KAGEY-SOBOTKA, A., LICHTENSTEIN, L.M., ORCHARD, M.A. & PROUD, D. Supernatants from stimulated platelets induce histamine release from human basophils
- 346P GHELANI, A.M. & RADZIWIWONIK, H. Effect of cimetidine, timoprazole and atropine on pentagastrin-induced gastric acid secretion in the anaesthetised ferret
- 347P JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. Solubilisation of dopamine D₂ receptors from human putamen using the zwitterionic detergent CHAPS
- 348P BRADBURY, AMANDA J., COSTALL, BRENDA, JENNER, P., KELLY, M. ELIZABETH, MARSDEN, C.D. & NAYLOR, R.J. Neurotoxic actions of MPTP in the mouse: modification by monoamine oxidase inhibitors
- 349P HONG, M., JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. Effects of one month's administration of amine depleting drugs and neuroleptics to rats on striatal dopamine receptor function
- 350P BRADBURY, AMANDA J., COSTALL, BRENDA, DOMENEY, ANNETTE M., JENNER, P., MARSDEN, C.D. & NAYLOR, R.J. The neurotoxic action of 1-methyl-4-phenylpyridine (MPP⁺) on the nigrostriatal dopamine system of the rat
- 351P ATKINSON, D.J. & ATTERWILL, C.K. Effect of serum factors on sodium-pump activity and DNA synthesis in cultured cerebellar neural cells
- 352P BARASI, S., CLATWORTHY, ANDREA, DUGGAL, K.N., GONZALEZ, J.P. & SEWELL, R.D.E. Blockade of the antinociceptive effect of intrathecal dopamine agonists in naive and supersensitive rats
- 353P COSTALL, BRENDA, NAYLOR, R.J. & TAN, CONNIE, C.W. Dopamine D₁ and D₂ receptor agonists reduce gastric secretion in the rat
- 354P COSTALL, BRENDA, DOMENEY, ANNETTE M., FITTON, JULIE C. & NAYLOR, R.J. Antagonism by lithium of cyclic changes in locomotor activity induced by dopamine infused into rat nucleus accumbens
- 355P ADEBANJO, A.O. & ONONIWU, I.M. A novel isolated *in vitro* preparation of the retractor penis from the giant African snail (*Archachatina marginata*)

- 356P BRADSHAW, C.M., MORLEY, M.J. & SZABADI, E. Failure of N-2-chlorethyl-N-ethyl-2-bromobenzylamine (SDP4) to affect positively reinforced operant behaviour
- 357P HILL, S.J., MASON, R. & REFFIN, D. Differential effect of chronic antidepressant administration on entrained circadian wheel-running behaviour in the mouse
- 358P FLETCHER, A. & FORSTER, E.A. The use of p-chloroamphetamine-induced behaviour in rodents as an *in vivo* screen for 5-HT uptake inhibitors
- 359P FEELY, M.P., GENT, J.P., HAIGH, J.R.M. & MEHTA, A. A comparison of tolerance to the anticonvulsant effect of clobazam and its N-desmethyl metabolite in mice
- 360P DEWHURST, D.G. & COLLINS, G.G.S. Excitatory effects of catechol on synaptic transmission in the rat olfactory cortex slice
- 361P ADDAE, J.I. & STONE, T.W. Are there two functionally different NMDLA receptors in rat cortex?
- 362P RIBEIRO, J.A. & SEBASTIAO, A.M. The effects of forskolin and papaverine on nerve conduction in the presence of tetrodotoxin
- 363P WUSTEMAN, MONICA, REYNOLDS, G.P. & MARTIN, I.L. Flunitrazepam and muscimol binding to post-mortem brain tissue in epilepsy
- 364P DEWHURST, D.G. Sensitivity of catechol-induced sensory myoclonic jerks to valproate and diazepam
- 365P FLETCHER, A. & FORSTER, E.A. Monoamine depletion facilitates leptazol-induced tonic seizures
- 366P MILLER, A.A. & WHEATLEY, P.L. Anticonvulsant action of lamotrigine, phenytoin and phenobarbitone on electrically-induced after-discharge
- 367P CAVALHEIRO, E.A., MELDRUM, B.S. & TURSKI, L. Effect of intranigral 2-amino-7-phosphonoheptanoate and N-methyl-D-aspartate on seizures produced by pilocarpine in rats
- 368P CHAPMAN, A.G., FAINGOLD, C.L. & HART, G.P. Regional amino acid levels in audiogenic seizure susceptible rats during control and seizure conditions
- 369P LITTLE, H.J., NUTT, D.J., STANFORD, S.C. & TAYLOR, S.C. Adrenoceptor numbers increase after kindling with the benzodiazepine receptor ligand FG 7142
- 370P MELDRUM, B.S., TURSKI, L. & WATKINS, J.C. Anticonvulsant action of γ -D-glutamylamino-methylsulphonic acid in mice
- 371P ABDUL, R., STOLZ, J. & NICHOLLS, P.J. Effects of the anticonvulsant drug beclamide on behavioural models of central monoaminergic systems
- 372P CRESPI, F., KEANE, P.E. & MORRE, M. Effect of valproate on striatal ascorbic acid, DOPAC and 5-HIAA in rats as measured by voltammetry
- 373P COLLINS, J.F., CONNICK, J.H. & STONE, T.W. Absence of uptake and binding of radiolabelled quinolinic acid in rat brain
- 374P ROBERTS, P.J., SCHWARCZ, R. & SHARPE, J.A. Do L-glutamate binding sites on human erythrocyte plasma membranes provide a model for CNS excitatory amino acid receptors?

- 375P EVANS, R.H. Effect of prolonged treatment of primary afferent C-fibres with maximal doses of kainate
- 376P ALABASTER, V.A., DAVEY, M.J. & GREENGRASS, P.M. Selectivity of doxazosin for α_1 -adrenoceptors
- 377P MACINTYRE, D.E. & ROSSI, A.G. Inhibition of agonist-induced Ca^{2+} flux in human neutrophils by tumour promoting phorbol esters
- 378P LINSLEY, R.M. & BATY, J.D. *In vitro* studies on the acetylation of sulphamethazine by human whole blood
- 379P DONG, Y.J. & WADSWORTH, R.M. Comparison of effect of nifedipine and nisoldipine on the human isolated uterine artery preparation
- 380P BRIGGS, I. & FITTON, JULIE C. Opioids act on μ receptors to reduce dorsal root potential amplitude in rat isolated spinal cord
- 381P BLACKBURN, T.P., COX, B. & HEYWOOD, B. Fenfluramine-induced hyperthermia - an *in vivo* model for the evaluation of drugs active at 5-HT₂ receptors
- 382P BLACKBURN, T.P., BORKOWSKI, K.R. & FRIEND, J. κ -opioid diuretic effects of tifluadom mediated in the periphery?
- 383P BRIET, C., CASTRO, B., GUEUDET, CHRISTIANE, MARTINEZ, J. & WORMS, P. Contralateral turning induced by intrastriatal injection of sulphated CCK-8: antagonism by CCK-27-32NH₂
- 384P BIZIERE, KATHLEEN, BROCHARD, JOELLE, CHAMBON, J.P., HALLOT, A. & RODIER, D. CM 40907, a new potential antiepileptic drug with a broad spectrum of anticonvulsant activities
- 385P BIZIERE, KATHLEEN, GUEUDET, CHRISTIANE & WORMS, P. Turning induced by intrastriatal injections in conscious mice: a useful screening model for dopaminomimetic drugs
- 386P LAWSON, K. & WEETMAN, F. High doses of indanidine release adrenaline from the rat adrenal glands
- 387P BALLS, M., FRY, J.R. & WARREN, M. Effect of dexamethasone on 7-alkoxycoumarin-0-dealkylase activity of rat hepatocytes in primary culture

D E M O N S T R A T I O N S

- 388P MAGUIRE, JANET J., MARSHALL, R.W. & WOODRUFF, G.N. A microcomputer method to aid *in vitro* screening of novel compounds for pharmacological activity
- 389P FOSTER, R.W. & HOLLINGSWORTH, M. Microcomputer integration of tension development, a versatile aid to concentration-response data collection and analysis

390P DEMPSTER, J. A set of computer programs for electrophysiological analysis of end plate current characteristics

391P SLATER, P. A microcomputer-based image analyser for receptor autoradiography

392P MARSHALL, R.W. & SPRIGGS, T.L.B. A versatile microcomputer system to automate *in vitro* pharmacological experiments

CONTRIBUTIONS BY TITLE ONLY

393P BREWSTER, M., GEROLD, M., KLEVANS, L.R., NATOFF, I.L. PATEL, A.T. & WENGER, J.J. The antihypertensive activity of the angiotensin I-converting enzyme inhibitor cilazapril (Ro 31-2848)

BLABER, L.C., FRYER, ALISON, D. & MACLAGAN JENNIFER. Neuronal muscarinic receptors attenuate vagally-induced constriction of feline bronchial smooth muscle

HEILIGERS, J., MYLECHARANE, E.J., SAXENA, P.R. & TIO, R. Mediation of cat urinary bladder contractions by 5-hydroxytryptamine via the M- and 5-HT₂ type 5-HT receptors

SHEEHAN, M.J. & HAYES, A.G. Opioid receptors in the hamster vas deferens

DAVIES, J.A., MARSHALL, R.W. & SPARKS, M. A microcomputer system for long-term monitoring and analysis of locomotor activity