

Edited for the British Pharmacological Society by

J.F. Mitchell (*Chairman*)

G.M. Lees (*Secretary*)

Margaret Day (*Press Editor*)

C.V. Wedmore (*Assistant Press Editor*)

EDITORIAL BOARD

N.J.M. Birdsall
London
A.T. Birmingham
Nottingham
A.G.H. Blakeley
Leicester
N.G. Bowery
Harlow
C.M. Bradshaw
Manchester
J.B. Caldwell
London
B.A. Callingham
Cambridge
J.A.J.H. Critchley
Edinburgh
Maureen M. Dale
London
J.C. Foreman
London
M.C. Harris
Birmingham
G. Henderson
Cambridge
C.R. Hiley
Cambridge
R.G. Hill
Cambridge
J.R.S. Hoult
London
P.P.A. Humphrey
Ware
L. Iversen
Harlow
D.H. Jenkinson
London
P.G. Jenner
London
W.E. Lindup
Liverpool
R. McBurney
Newcastle
J.C. McGrath
Glasgow

D.S. McQueen
Edinburgh
C.A. Marsden
Nottingham
R.J. Marshall
Newhouse
D.A.A. Owen
Welwyn Garden City
M.E. Parsons
Welwyn Garden City
Priscilla J. Piper
London
N.L. Poyser
Edinburgh
T.W. Robbins
Cambridge
G.C.K. Roberts
London
T.L.B. Spriggs
Cardiff
T.W. Stone
London
E. Szabadi
Manchester
D.A. Terrar
Oxford
D.R. Tomlinson
Nottingham
E.M. Vaughan Williams
Oxford
R.M. Wadsworth
Glasgow
D.I. Wallis
Cardiff
D.F. Weetman
Sunderland
T.J. Williams
Harrow
G.N. Woodruff
Harlow
J.M. Young
Cambridge

CORRESPONDING EDITORS

P.R. Adams
Galveston, U.S.A.
J. Axelrod
Bethesda, U.S.A.
C. Bell
Melbourne, Australia
F.E. Bloom
La Jolla, U.S.A.
A.L.A. Boura
Clayton, Australia
P.B. Dews
Boston, U.S.A.
T. Godfraind
Brussels, Belgium
L.I. Goldberg
Chicagoo, U.S.A.
S.Z. Langer
Paris, France
R.A. Lewis
Harvard, U.S.A.
E. Muscholl
Mainz, Germany
M. Otsuka
Tokyo, Japan
R.H. Roth
New Haven, U.S.A.
M. Schachter
Alberta, Canada
S.H. Snyder
Baltimore, U.S.A.
L. Szekeres
Szeged, Hungary
B. Uvnas
Stockholm, Sweden
P.A. Van Zwieten
Amsterdam, Netherlands
G. Velo
Verona, Italy
M.B.H. Youdim
Haifa, Israel

Papers will be considered for publication on all aspects of pharmacology, including chemotherapy.

The British Journal of Pharmacology is published monthly by the Scientific & Medical Division, The Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 2XS. Telephone: Basingstoke 29242. ISSN 0007 - 1188.

Registered Office: 4 Little Essex Street, London WC2R 3LF.

Manuscripts (two copies) should be sent to Dr G. M. Lees, Editorial Office, University of Aberdeen, Marischal College, Aberdeen AB9 1AS. Authors should consult the instructions inside the back cover.

The journal is covered by *Current Contents* and *Excerpta Medica*.

Annual subscription UK £155.00; USA & Canada, US \$390, Airmail US \$460; Rest of world, £175, Airmail £225 (or equivalent in any other currency). (Orders must be accompanied by remittance. Prices correct at time of publication.)

Cheques should be made payable to Macmillan Journals Limited. All circulation, subscription or general enquiries should be sent to: The Macmillan Press Ltd, Farndon Road, Market Harborough, Leicestershire, LE16 9NR, UK.

Overseas subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment.

Second Class postage paid at New York, NY.
US Mailing Agent: Expeditors of the Printed Word Ltd, 515 Madison Avenue, New York, NY 10022.

Enquiries concerning advertising space and rates should be addressed to: David R. Guthrie, Advertising Dept., The Macmillan Press Ltd, Brunel Road, Houndmills, Basingstoke, Hampshire, England RG21 2XS. Telephone: 0256 29242.

Publisher: Harry Holt.

Production & Editorial Services: Isobel Munday.
Advertising & Promotion Services: David R. Guthrie.

Circulation Services: A.L. Clark.

© Copyright: Scientific & Medical Division, The Macmillan Press Ltd, 1984. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by The Macmillan Press Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of £1.00 per copy, plus £0.10 per page is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA.

0007 - 1188/84 \$1.00 + \$0.10

INDEX TO VOLUME 86

AUTHOR INDEX

A

- AALKJAER, C., MULVANY, M.J. & NYBORG, N.C.B. Atrial natriuretic factor causes specific relaxation of rat renal arcuate arteries, **86**, 447
- ADVENIER, C. & FRESLON, J.-L. The guinea-pig isolated bronchus for the *in vitro* study of small calibre airway reactivity, **86**, 367
- ALI, B.H. Effect of some monoamine oxidase inhibitors on the thiamin status of rabbits, **86**, 869
- ALLELY, M.C. & UNGAR, A. Interactions of β -adrenoceptor antagonists and thyroid hormones in the control of heart rate in the dog, **86**, 393
- ALLEN, S.L., BEECH, D.J., FOSTER, R.W., MORGAN, G.P. Electrophysiological and other aspects of the relaxant action of isoprenaline in guinea-pig isolated trachealis, **86**, 843
- ALLEN, S.L., FOSTER, R.W., SMALL, R.C. & TOWART, R. The effects of the dihydropyridine Bay K 8644 in guinea-pig isolated trachealis, **86**, 171
- AMBLER, J., BUTLER, K.D., KU, E.C., MAGUIRE, E.D., SMITH, J.R. & WALLIS, R.B. CGS 12970: a novel long acting thromboxane synthetase inhibitor, **86**, 497
- AMERINI, S., CARBONIN, P., CERBAI, E., GIOTTI, A., MUGRILLI, A. & PAHOR, M. Electrophysiological mechanisms for the antiarrhythmic action of mexiletine on digitalis-, reperfusion- and reoxygenation-induced arrhythmias, **86**, 805
- ANWYL, R. & ROWAN, M.J. Frequency-dependent block of field potentials in the rat hippocampal slice caused by tricyclic antidepressants, **86**, 201
- BENTLEY, G.A. & COPELAND, I.W. The effect of chronic haloperidol treatment on some cardiovascular parameters in cats, **86**, 737
- BERTHON, B., CAPIOD, T. & CLARET, M. Effects of noradrenaline, vasopressin and angiotensin on the Na-K pump in rat isolated liver cells, **86**, 151
- BLABER, L.C., FRYER, A.D. & MACLAGAN, J. Neuronal muscarinic receptors attenuate vagally-induced contraction of feline bronchial smooth muscle, **86**, 723
- BLACK, J.W. & SHANKLEY, N.P. Pharmacological analysis of muscarinic receptors coupled to oxyntic cell secretion in the mouse stomach, **86**, 601
- , Pharmacological analysis of the muscarinic receptors involved when McN-A 343 stimulates acid secretion in the mouse isolated stomach, **86**, 609
- , The isolated stomach preparation of the mouse: a physiological unit for pharmacological analysis, **86**, 571
- BLACK, J.W., LEFF, P. & SHANKLEY, N.P. Further analysis of anomalous pK_B values for histamine H_2 -receptor antagonists on the mouse isolated stomach assay, **86**, 581
- , Pharmacological analysis of the pentagastrin-tiotidine interaction in the mouse isolated stomach, **86**, 589
- BRADSHAW, C.M., SHERIDAN, R.D. & SZABADI, E. Excitatory neuronal responses to dopamine in the cerebral cortex: involvement of D_2 but not D_1 dopamine receptors, **86**, 483
- BRAIN, S.D. & WILLIAMS, T.J. Inflammatory oedema induced by synergism between calcitonin gene-related peptide (CGRP) and mediators of increased vascular permeability, **86**, 855
- BRASS, E.P. & GARRITY, M.J. Effect of nonsteroidal anti-inflammatory drugs on glycogenolysis in isolated hepatocytes, **86**, 491
- BRAZELL, M.P., MARSDEN, C.A., NISBET, A.P. & ROUTLEDGE, C. The 5-HT₁ receptor agonist RU-24969 decreases 5-hydroxytryptamine (5-HT) release and metabolism in the rat frontal cortex *in vitro* and *in vivo*, **86**, 209
- BROUGHTON PIPKIN, F. & CHINNERY, E. The effect of a calcium antagonist, nitrendipine, on the responses of isolated strips of human, chorionic plate artery to prostaglandins E_2 and E_1 , **86**, 705
- BROUGHTON-SMITH, N.K. & WHITTLE, B.J.R. Increased metabolism of arachidonic acid in an immune model of colitis in guinea-pigs, **86**, 439
- BROWN J., MARSHALL, R.J. & WINSLOW, E. Effects of selective channel blocking agents on contractions and action potentials in K^+ -depolarized guinea-pig atria, **86**, 7
- BULLOCK, G.R., LEPRÁN, I., PARRATT, J.R., SZEKERES, L. & WAINWRIGHT, C.L. Effects of a combina-

B

- BAKHLE, Y.S., MONCADA, S., DE NUCCI, G. & SALMON, J.A. Differential release of eicosanoids by bradykinin, arachidonic acid and calcium ionophore A23187 in guinea-pig isolated perfused lung, **86**, 55
- BARNES, P.J., CUSS, F.M. & PALMER, J.B. The effect of airway epithelium on smooth muscle contractility in bovine trachea, **86**, 691
- BARTHÓ, L., PETHÓ, G. & RÓNAI, Z. Theophylline-sensitive modulation of non-cholinergic excitatory neurotransmission in the guinea-pig ileum, **86**, 315
- BAUMGARTNER, A., DRACK, E., HALTER, F. & SCHEURER, U. Effects of pinaverium bromide and verapamil on the motility of the rat isolated colon, **86**, 89
- BEECH, D.J. *see* ALLEN, S.L., **86**, 843
- BENNETT, A., MELHUISE, P.B. & STAMFORD, I.F. Carbenoxolone and deglycerryhized liquorice have little or no effect on prostanoid synthesis by rat gastric mucosa, **86**, 693

tion of metoprolol and dazmegrel on myocardial infarct size in rats, **86**, 235

BUTLER, K.D. *see* AMBLER, J., **86**, 497

BYRNE, N.G. & LARGE, W.A. Evidence for two mechanisms of depolarization associated with α_1 -adrenoceptor activation in the rat anococcygeus muscle, **86**, 705

BYRNE, N.G., HIRST, G.D.S. & LARGE, W.A. Electrophysiological analysis of the nature of adrenoceptors in the rat basilar artery during development, **86**, 217

C

CAPIOD, T. *see* BERTHON, B., **86**, 151

CARAMONA, M.M. & SOARES-DA-SILVA, P. The effects of chemical sympathectomy on dopamine, noradrenaline and adrenaline content in some peripheral tissues, **86**, 351

CHANCE, E., PACIOREK, P.M., TODD, M.H. & WATERFALL, J.F. Comparison of the cardiovascular effects of meptazinol and naloxone following haemorrhagic shock in rats and cats, **86**, 43

CHAOULOFF, F., ELGHOZI, J.L., GUEZENNEC, Y. & LAUDE, D. Effects of conditioned running on plasma, liver and brain tryptophan and on brain 5-hydroxytryptamine metabolism of the rat, **86**, 33

CHAPAL, J., LOUBATIERES-MARIANI, M.M., PETIT, P. & ROYE, M. Evidence for an A_2 -subtype adenosine receptor on pancreatic glucagon secreting cells, **86**, 565

CHEUNG, D.W. & MACKAY, M.J. The effects of sodium nitroprusside and 8-bromo-cyclic GMP on electrical and mechanical activities of the rat tail artery, **86**, 117

CHINNERY, E. *see* BROUGHTON PIPKIN, F., **86**, 705

CLAGUE, R.U., EGLEN, R.M., STRACHAN, A.C. & WHITING, R.L. Action of agonists at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163

CLARET, M. *see* BERTHON, B., **86**, 151

COATS, R.A. The effects of adrenoceptor agonists and antagonists on plasma potassium concentration in anaesthetized guinea-pigs, rabbits and rats, **86**, 827

COKER, S.J. & PARRATT, J.R. AH23848, a thromboxane antagonist, suppresses ischaemia and reperfusion-induced arrhythmias in anaesthetized greyhounds, **86**, 259

COOK, N.S. & HOF, R.P. Cardioprotection by the calcium antagonist PN 200-110 in the absence and presence of cardiodepression, **86**, 181

COPELAND, L.W. *see* BENTLEY, G.A., **86**, 739

CORRADETTI, R., KING, A.E., NISTRI, A., ROVIRA, C. & SIVILOTTI, L. Pharmacological characterization of D-aminophosphonovaleric acid antagonism of amino acid and synaptically evoked excitations on frog motoneurons *in vitro*: an intracellular study, **86**, 19

CURTIS, M.J., MACLEOD, B.A. & WALKER, M.J.A. The effects of ablations in the central nervous system on arrhythmias induced by coronary occlusion in the rat, **86**, 663

CUSS, F.M. *see* BARNES, P.J., **86**, 691

CUTHBERT, A.W., KIRKLAND, S.C. & MACVANISH, L.J. Kinin effects on ion transport in monolayers of HCA-7 cells, a line from human colonic adenocarcinoma, **86**, 3

D

DE BELLEROCHE, J. & GARDINER, I.M. Muscarinic receptors discriminated by pirenzepine are involved in the regulation of neurotransmitter release in rat nucleus accumbens, **86**, 505

DE NUCCI, G. *see* BAKHLE, Y.S., **86**, 55

DELGADO, C., TAMARGO, J. & TEJERINA, T. Electrophysiological effects of propafenone in untreated and propafenone-pretreated guinea-pig atrial and ventricular muscle fibres, **86**, 765

DIEZ, J., TARMARGO, J. & VALENZUELA, C. Negative inotropic effect of somatostatin in guinea-pig atrial fibres, **86**, 547

DOCHERTY, J.R. & HYLAND, L. No evidence for differences between pre- and post-junctional α_2 -adrenoceptors, **86**, 335

DOCHERTY, J.R. & WARNOCK, P. An investigation of α -adrenoceptor responsiveness in the vas deferens of spontaneously hypertensive rats, **86**, 327

DRAKE, E. *see* BAUMGARTNER, A., **86**, 89

E

EGLEN, R.M. *see* CLAGUE, R.U., **86**, 163

EKBLAD, E., HÅKANSON, F. & WAHLESTEDT, C. Galanin: neuromodulatory and direct contractile effects on smooth muscle preparations, **86**, 241

ELGHOZI, J.L. *see* CHAOULOFF, F., **86**, 33

EMMS, H. & LEWIS, G.P. Sex and hormonal influences on platelet sensitivity and coagulation in the rat, **86**, 557

F

FAGG, G.E. & LANTHORN, T.H. Cl^-/Ca^{2+} -dependent L-glutamate binding sites in synaptic membranes do not correspond to 2-amino-4-phosphonobutanoate-sensitive receptors, **86**, 743

FENIUK, W., HUMPHREY, P.P.A., PERREN, M.J. & WATTS, A.D. A comparison of 5-hydroxytryptamine receptors mediating contraction in rabbit aorta and dog saphenous vein: evidence for different receptor types obtained by use of selective agonists and antagonists, **86**, 697

FILE, S.E. & PELLOW, S. The effects of triazolobenzodiazepines in two animal tests of anxiety and in the holeboard, **86**, 729

FINET, M., GODFRAIND, T. & KHOURY, G. The positive inotropic action of the nifedipine analogue, Bay K 8644, in guinea-pig and rat isolated cardiac preparations, **86**, 27

FLAVAHAN, N.A., GRANT, T.L., GREIG, J. & McGRATH, J.C. Analysis of α -adrenoceptor-mediated, and other, components in the sympathetic vasopressor responses of the pithed rat, **86**, 265

FOREMAN, J.C., NORRIS, D.B., RISING, T.J. & WEBBER, S.E. The binding of [3H]-tiotidine to homogenates of guinea-pig lung parenchyma, **86**, 475

FOREMAN, J.C., RISING, T.J. & WEBBER, S.E. A study of the histamine H_2 -receptor mediating relaxation of the parenchymal lung strip preparation of the guinea-pig, **86**, 465

- FOSTER, R.W. *see* ALLEN, S.L., **86**, 171
 —, *see* ALLEN, S.L., **86**, 843
 FREDHOLM, B.B., LINDGREN, E. & LINDSTRÖM, K. Treatment with N-ethylmaleimide selectively reduces adenosine receptor-mediated decreases in cyclic AMP accumulation in rat hippocampal slices, **86**, 509
 FRESLON, J-L. *see* ADVENIER, C., **86**, 367
 FRYER, A.D. *see* BLABER, L.C., **86**, 723
 FUDER, H., MUSCHOLL, E. & WOLF, K. Cholinesterase activity and exposure to acetylcholine as factors influencing the muscarinic inhibition of [³H]-noradrenaline overflow from guinea-pig isolated atria, **86**, 905
 FUJINUMA, S., KAMIKAWA, Y. & SHIMO, Y. Pharmacological characterization of the histamine receptor in the isolated muscularis mucosae of the guinea-pig oesophagus, **86**, 619
 FUKUDA, H., HOSOKI, E., ISHIDA, Y. & MORITOKIM, H. Opioid receptor types on adrenergic nerve terminals of rabbit ear artery, **86**, 539

G

- GARCHA, G., IMRIE, P.R., MARLEY, E. & THOMAS, D.V. [¹⁴C]- β -phenylethylamine, its distribution after administration by various routes to cats, and the effects of monamine oxidase inhibitors, **86**, 877
 GARDINER, I.M. *see* DE BELLEROCHE, J., **86**, 505
 GARRITY, M.J. *see* BRASS, E.P., **86**, 491
 GATER, P.R., HAYLETT, D.G. & JENKINSON, D.H. Neuromuscular blocking agents inhibit receptor-mediated increases in the potassium permeability of intestinal smooth muscle, **86**, 861
 GODFRAIND, T. *see* FINET, M., **86**, 27
 GRANT, T.L. *see* FLAVAHAN, N.A., **86**, 265
 GRANT, T.L., McGRATH, J.C. & O'BRIEN, J.W. The influence of blood gases on α_1 - and α_2 -adrenoceptor-mediated pressor responses in the pithed rat, **86**, 63
 GRIEG, J. *see* FLAVAHAN, N.A., **86**, 265
 GRIMA, M., SCHWARTZ, J., SPACH, M.-O. & VELLY, J. [³H]-tetracaine binding on rat synaptosomes and sodium channels, **86**, 125
 GUEZENNEC, Y. *see* CHAOULOFF, F., **86**, 33

H

- HÅKANSON, R. *see* EKBLAD, E., **86**, 241
 HALTER, F. *see* BAUMGARTNER, A., **86**, 89
 HAMILTON, C.A., REID, J.L. & VINCENT, J. Pharmacokinetic and pharmacodynamic studies with two-adrenoceptor antagonists, doxazosin and prazosin in the rabbit, **86**, 79
 HANDLEY, S.L. & SINGH, L. Modulation of 5-hydroxytryptamine-induced head twitch response by drugs acting at GABA and related receptors, **86**, 287
 HARRIS, J.B., POLLARD, S. & TESSERAUX, I. The effects of *Anemonia sulcata* toxin II on vertebrate skeletal muscle, **86**, 275
 HARVEY, J., HOLGATE, S.T., PETERS, B.J., ROBINSON, C. & WALKER, J.R. Oxidative transformation of arachidonic acid in human dispersed lung cells: disparity between the utilization of endogenous substrate, **86**, 417

- HASHIMOTO, T., HIRATA, M. & ITO, Y. A role for inositol 1,4,5-triphosphate in the initiation of agonist-induced contractions of dog tracheal smooth muscle, **86**, 191
 HAYES, A.G., SHEEHAN, M.J. & TYERS, M.B. Determination of receptor selectivity of opioid agonists in guinea-pig ileum and mouse vas deferens by use of β -funaltrexamine, **86**, 899
 HAYLETT, D.G. *see* GATER, P.R., **86**, 861
 HENRY, P.J., LULICH, K.M. & PATERSON, J.W. Experimental testing of Mackay's model for functional antagonism in the isolated costo-uterus of the rat, **86**, 131
 HICKS, P.E., LANGER, S.Z. & MACRAE, A.D. Differential blocking actions of idazoxan against the inhibitory effects of 6-flouronoradrenaline and clonidine in the rat vas deferens, **86**, 141
 HINDLEY, S.W., HOBBS, A., PATERSON, I.A. & ROBERTS, M.H.T. The effects of methyl β -carboline-3-carboxylate on social interaction and locomotor activity when microinjected into the nucleus raphe dorsalis of the rat, **86**, 753
 HIRATA, M. *see* HASIMOTO, T., **86**, 191
 HIRST, G.D.S. *see* BYRNE, N.G., **86**, 217
 HOBBS, A. *see* HINDLEY, S.W., **86**, 753
 HOF, R.P. *see* COOK, N.S., **86**, 181
 HOLGATE, S.T. *see* HARVEY, J., **86**, 417
 HOLZER, P. Stimulation and inhibition of gastrointestinal propulsion induced by substance P and substance K in the rat, **86**, 305
 HOSOKI, E. *see* FUKUDA, H., **86**, 539
 HOULT, J.R.S. & NOURSHARGH, S. Phorbol myristate acetate enhances human polymorphonuclear neutrophil release of granular enzymes but inhibits chemokinesis, **86**, 533
 HUGHES, B. & PARRATT, J.R. The effects of the protease inhibitor, aprotinin, on the course of shock induced by endotoxin in cats, **86**, 399
 HUMPHREY, P.P.A. *see* FENIUK, W., **86**, 697
 HYLAND, L. *see* DOCHERTY, J.R., **86**, 335

I

- IMRIE, P.R. *see* GARCHA, G., **86**, 877
 INOUE, M., MATSUO, T. & OGATA, N. Possible involvement of K⁺-conductance in the action of γ -aminobutyric acid in the guinea-pig hippocampus, **86**, 515
 ISHADA, M. & SHINOZAKI, H. TI-233 as a glutamate channel blocker at the crayfish neuromuscular junction, **86**, 105
 ISHIDA, Y. *see* FUKUDA, H., **86**, 539
 ISHIKAWA, S. Actions of ATP and α , β -methylene ATP on neuromuscular transmission and smooth muscle membrane of the rabbit and mesenteric arteries, **86**, 777
 ISHIKAWA, S., KOMORI, K., NAGAO, T. & SUZUKI, H. Effects of diltiazem on electrical responses evoked spontaneously or by electrical stimulation in the antrum smooth muscle cells of the guinea-pig stomach, **86**, 789
 ITO, Y. *see* HASIMOTO, T., **86**, 191
 IZUMA, H. Changes in the mechanical properties of the longitudinal and circular muscle tissues of the rat myometrium during gestation, **86**, 247

J

- JENKINSON, D.H. *see* GATER, P.R., **86**, 861
 JOHNSON, H.G. & MCNEE, M.L. Adenosine-induced secretion in the canine trachea: modification by methylxanthines and adenosine derivatives, **86**, 63
 JONES, D.R., PENNER, S.B. & SMYTH, D.D. Dietary and pharmacological alterations in endogenous angiotensin II: effect on noradrenaline pressor responsiveness in the rat, **86**, 889

K

- KAMIKAWA, Y. *see* FUJINUMA, S., **86**, 619
 KHOURY, G. *see* FINET, M., **86**, 27
 KING, A.E. *see* CORRADETTI, R., **86**, 19
 KIMURA, I., KIMURA, M. & KIMURA, M. Modification by dantrolene, procaine and suxamethonium of caffeine-induced changes in aequorin luminiscence transients and twitch tensions of directly-stimulated diaphragm muscle of the mouse, **86**, 319
 KIMURA, M. *see* KIMURA, I., **86**, 319
 KIRKLAND, S.C. *see* CUTHBERT, A.W., **86**, 3
 KLOCKGETHER, T., PARDOWITZ, I., SCHWARZ, M., SONTAG, K.-H. & TURSKI, L. Evaluation of the muscle relaxant properties of a novel β -carboline, ZK 93423 in rats and cats, **86**, 357
 KOBAYASHI, M., OHIZUMI, Y. & TASUMOTO, T. The mechanism of action of maitotoxin in relation to Ca^{2+} movements in guinea-pig and rat cardiac muscles, **86**, 385
 KOMORI, K. *see* ISHIKAWA, S., **86**, 789
 KU, E.C. *see* AMBLER, J., **86**, 497

L

- LANGER, S.Z. *see* HICKS, P.E., **86**, 141
 LANTHORN, T.H. *see* FAGG, G.E., **86**, 743
 LARGE, W.A. *see* BYRNE, N.G., **86**, 217
 —, *see* BYRNE, N.G., **86**, 705
 LAUDE, D. *see* CHAOUOFF, F., **86**, 33
 LEE, C.-M. Potentiation by cholinceptor agonists of contractions to field stimulation of rat vas deferens, **86**, 671
 LEFF, P. *see* BLACK, J.W., **86**, 581
 —, *see* BLACK, J.W., **86**, 589
 LEPRÁN, I. *see* BULLOCK, G.R., **86**, 235
 LEPRÁN, I., PARRATT, J.R., SZEKERES, L. & WAINWRIGHT, C.L. The effects of metoprolol and dazmegrel, alone and in combination, on arrhythmias induced by coronary artery occlusion in conscious rats, **86**, 229
 LEWIS, G.P. *see* EMMS, H., **86**, 557
 LIM, S.P. & MUIR, T.C. Mechanisms underlying the electrical and mechanical responses of the guinea-pig internal anal sphincter to field stimulation and to drugs, **86**, 427
 LINDGREN, E. *see* FREDHOLM, B.B., **86**, 509
 LINDSTRÖM, K. *see* FREDHOLM, B.B., **86**, 509
 LOUBATIERES-MARIANI, M.M. *see* CHAPAL, J., **86**, 565
 LULICH, K.M. *see* HENRY, P.J., **86**, 131
 LÜLLMANN, H. & SCHWARZ, B. Effects of amino-

glycoside antibiotics on bound calcium and contraction in guinea-pig atria, **86**, 799

M

- McCULLOCH, M.W., PAPANICOLAOU, M. & RAND, M.J. Evidence for autoinhibition of stimulation-induced noradrenaline release from vasa deferentia of guinea-pig and rat, **86**, 455
 McGRATH, J.C. *see* FLAVAHAN, N.A., **86**, 265
 —, *see* GRANT, T.L., **86**, 63
 MACKAY, M.J. *see* CHEUNG, D.W., **86**, 117
 MACLEOD, B.A. *see* CURTIS, M.J., **86**, 663
 MACLAGAN, J. *see* BLABER, L.C., **86**, 723
 MCNEE, M.L. *see* JOHNSON, H.G., **86**, 63
 MACRAE, A.D. *see* HICKS, P.E., **86**, 141
 MACVINISH, L.J. *see* CUTHBERT, A.W., **86**, 3
 MAGUIRE, E.D. *see* AMBLER, J., **86**, 497
 MARLEY, E. *see* GARCHA, G., **86**, 877
 MARSDEN, C.A. *see* BRAZELL, M.P., **86**, 209
 MARSHALL, R.J. *see* BROWN, J., **86**, 7
 MATSUO, T. *see* INOUE, M., **86**, 515
 MELAMED, E. & YODIM, M.B.H. Prevention of dopaminergic toxicity of MPTP in mice by phenylethylamine, a specific substrate of type B monoamine oxidase, **86**, 529
 MELUISH, P.B. *see* BENNETT, A., **86**, 693
 MILLER, R.C. & STOCLET, J.-C. Modulation by endothelium of contractile responses in rat aorta in absence and presence of flunarizine, **86**, 655
 MIYAHARA, H. & SUZUKI, H. Effects of tyramine on noradrenaline outflow and electrical responses induced by field stimulation in the perfused rabbit ear artery, **86**, 405
 MONCADA, S. *see* BAKHLE, Y.S., **86**, 55
 MORGAN, G.P. *see* ALLEN, S.L., **86**, 843
 MORITOKI, H. *see* FUKUDA, H., **86**, 539
 MORTON, A.J. The effect of reserpine treatment on the extraneuronal uptake of [^3H]-isoprenaline into rat atria, **86**, 287
 MUIR, T.C. *see* LIM, S.P., **86**, 427P
 MULVANY, M.J. *see* AALKJAER, C., **86**, 447
 MURAKOSHI, T., SUZUE, T. & TAMAI, S. A pharmacological study on respiratory rhythm in the isolated brainstem-spinal cord preparation of the newborn rat, **86**, 85
 MUSCHOLL, E. *see* FUDER, H., **86**, 905
- N
- NAGAO, T. *see* ISHIKAWA, S., **86**, 789
 NAKAJIMA, T., NOMOTO, K., OHFUNE, Y., SHIRATORI, Y., TAKEMOTO, T., TAKEUCHI, H. & WATANABE, K. Effects of glutamic acid analogues on identifiable giant neurones, sensitive to β -hydroxy-L-glutamic acid, of an African giant snail (*Achatina fulica* Férussac) **86**, 645
 NISBET, A.P. *see* BRAZELL, M.P., **86**, 209
 NISTRI, A. *see* CORRADETTI, R., **86**, 19
 NOMOTO, K. *see* NAKAJIMA, T., **86**, 645
 NORRIS, D.B. *see* FOREMAN, J.C., **86**, 475

NOURSHARGH, S. *see* HOULT, J.R.S., **86**, 533
 NYBORG, N.C.B. *see* AALKJAER, C., **86**, 447

O

O'BRIEN, J.W. *see* GRANT, T.L., **86**, 63
 OGATA, N. *see* INOUE, M., **86**, 515
 OHFUNE, Y. *see* NAKAJIMA, T., **86**, 645
 CHIZUMI, Y. *see* KOBAYASHI, M., **86**, 385
 OTTENHOF, M., UFKES, J.G.R. & VAN ROOIJ, H.H.
 The effect of prednisolone and ketotifen on the antigen-
 induced bronchoconstriction and mediator release in rat
 isolated lungs, **86**, 627

P

PACIOREK, P.M. *see* CHANCE, E., **86**, 43
 PALMER, J.B. *see* BARNES, P.J., **86**, 691
 PAPANICOLAOU, M. *see* MCCULLOCH, M.W., **86**, 455
 PARDOWITZ, I. *see* KLOCKGETHER, T., **86**, 357
 PARRATT, J.R. *see* BULLOCK, G.R., **86**, 235
 —, *see* COKER, S.J., **86**, 259
 —, *see* HUGHES, B., **86**, 399
 —, *see* LEPRÁN, I., **86**, 229
 PATERSON, I.A. *see* HINDLEY, S.W., **86**, 753
 PATERSON, J.W. *see* HENRY, P.J., **86**, 131
 PELLOW, S. *see* FILE, S.E., **86**, 729
 PENNER, S.B. *see* JONES, D.R., **86**, 889
 PERREN, M.J. *see* FENIUK, W., **86**, 697
 PETERS, B.J. *see* HARVEY, J., **86**, 417
 PETHÓ, G. *see* BATHÓ, L., **86**, 315
 PETIT, P. *see* CHAPAL, J., **86**, 565
 POLLARD, S. *see* HARRIS, J.B., **86**, 275

R

RAND, M.J. *see* MCCULLOCH, M.W., **86**, 455
 REEVES, J.J. & STABLES, R. Effects of indomethacin,
 piroxicam and selected prostanoids on gastric acid secre-
 tion by rat isolated gastric mucosa, **86**, 677
 REID, J.L. *see* HAMILTON, C.A., **86**, 79
 RICCIOPPO NETO, F. & SPERELAKIS, N. Effects of
 lidocaine, procaine, procainamide and quinidine on elec-
 trophysiological properties of cultured embryonic chick
 hearts, **86**, 817
 RISING, T.J. *see* FOREMAN, J.C., **86**, 465
 —, *see* FOREMAN, J.C., **86**, 475
 ROBERTS, M.H.T. *see* HINDLEY, S.W., **86**, 753
 ROBINSON, C. *see* HARVEY, J., **86**, 417
 RÓNAI, Z. *see* BARTHÓ, L., **86**, 315
 ROUTLEDGE, C. *see* BRAZELL, M.P., **86**, 209
 ROVIRA, C. *see* CORRADETTI, R., **86**, 19
 ROWAN, M.J. *see* ANWYL, R., **86**, 201
 ROYE, M. *see* CHAPAL, J., **86**, 565

S

SALMON, J.A. *see* BAKHLE, Y.S., **86**, 55
 SCHEURER, U. *see* BAUMGARTNER, A., **86**, 89

SCHWARTZ, J. *see* GRIMA, M., **86**, 125
 SCHWARZ, B. *see* LÜLLMANN, H., **86**, 799
 SCHWARZ, M. *see* KLOCKGETHER, T., **86**, 357
 SHANKLEY, N.P. *see* BLACK, J.W., **86**, 571
 —, *see* BLACK, J.W., **86**, 581
 —, *see* BLACK, J.W., **86**, 589
 —, *see* BLACK, J.W., **86**, 601
 —, *see* BLACK, J.W., **86**, 609
 SHEEHAN, M.J. *see* HAYES, A.G., **86**, 899
 SHERIDAN, R.D. *see* BRADSHAW, C.M., **86**, 483
 SHIMO, Y. *see* FUJINUMA, S., **86**, 619
 SHINOZAKI, H. *see* ISHADA, M., **86**, 105
 SHIRAKAWA, O. & TANAKA, C. Molecular charac-
 terization of mucaric receptor subtypes in bovine
 cerebral cortex by radiation inactivation and molecular
 exclusion h.p.l.c. **86**, 375
 SHIRATORI, Y. *see* NAKAJIMA, T., **86**, 645
 SIVILOTTI, L. *see* CORRADETTI, R., **86**, 19
 SINGH, L. *see* HANDLEY, S.L., **86**, 287
 SKOLNICK, P., WEISSMAN, B.A. & YODIM, M.B.H.
 Monoaminergic involvement in the pharmacological ac-
 tions of buspirone, **86**, 637
 SMALL, R.C. *see* ALLEN, S.L., **86**, 171
 —, *see* ALLEN, S.L., **86**, 843
 SMITH, J.R. *see* AMBLER, J., **86**, 497
 SMYTH, D.D. *see* JONES, D.R., **86**, 889
 SOARES-DA-SILVA, P. *see* CARAMONA, M.M., **86**, 351
 SONTAG, K.H. *see* KLOCKGETHER, T., **86**, 357
 SPACH, M.-O. *see* GRIMA, M., **86**, 125
 SPERELAKIS, N. *see* RICCIOPPO NETO, F., **86**, 817
 STABLES, R. *see* REEVES, J.J., **86**, 677
 STAMFORD, I.F. *see* BENNETT, A., **86**, 693
 STOCLET, J.-C. *see* MILLER, R.C., **86**, 655
 STRACHAN, A.C. *see* CLAGUE, R.U., **86**, 163
 SUNDLER, F. *see* EKBLAD, E., **86**, 241
 SUZUE, T. *see* MURAKOSHI, T., **86**, 95
 SUZUKI, H. *see* ISHIKAWA, S., **86**, 789
 —, *see* MIYAHARA, H., **86**, 405
 SZABADI, E. *see* BRADSHAW, C.M., **86**, 483
 SZEKERES, L. *see* BULLOCK, G.R., **86**, 235
 —, *see* LEPRÁN, I., **86**, 229
 SZEKERES, L., UDVARY, É. & VÉGH, Á. Importance of
 myocardial blood flow changes in the protective action of
 diltiazem in a new model of myocardial ischaemia, **86**, 341

T

TAKEMOTO, T. *see* NAKAJIMA, T., **86**, 645
 TAKEUCHI, H. *see* NAKAJIMA, T., **86**, 645
 TAMAI, S. *see* MURAKOSHI, T., **86**, 95
 TAMARGO, J. *see* DELGADO, C., **86**, 765
 —, *see* DIEZ, J., **86**, 547
 TANAKA, C. *see* SHIRAKAWA, O., **86**, 375
 TEJERINA, T. *see* DELGADO, C., **86**, 765
 TESSERAUX, I. *see* HARRIS, J.B., **86**, 275
 THOMAS, D.V. *see* GARCHA, G., **86**, 877
 TODD, M.H. *see* CHANGE, E., **86**, 43
 TOWART, R. *see* ALLEN, S.L., **86**, 171
 TURSKI, L. *see* KLOCKGETHER, T., **86**, 357
 TYERS, M.B. *see* HAYES, A.G., **86**, 899

U

- UDVARY, É. *see* SZEKERES, L., **86**, 341
 UFKES, J.G.R. *see* OTTENHOF, M., **86**, 627
 UNGAR, A. *see* ALLELY, M.C., **86**, 393

V

- VALENZUELA, C. *see* DIEZ, J., **86**, 547
 VAN ROOIJ, H.H. *see* OTTENHOF, M., **86**, 627
 VÉGH, Á. *see* SZEKERES, L., **86**, 341
 VELLY, J. *see* GRIMA, M., **86**, 125
 VINCENT, J. *see* HAMILTON, C.A., **86**, 79

W

- WAHLESTEDT, C. *see* EKBLAD, E., **86**, 241
 WAINWRIGHT, C.L. *see* BULLOCK, G.R. **86**, 235
 —, *see* LEPRÁN, I., **86**, 229
 WALKER, J.R. *see* HARVEY, J., **86**, 417
 WALKER, M.J.A. *see* CURTIS, M.J., **86**, 663
 WALLACE, J.L. & WHITTLE, B.J.R. Acceleration of

recovery of gastric epithelial integrity by 16,16-dimethyl
 prostaglandin E₂, **86**, 837

- WALLIS, R.B. *see* AMBLER, J., **86**, 497
 WARNOCK, P. *see* DOCHERTY, J.R., **86**, 327
 WATANABE, H. *see* NAKAJIMA, T., **86**, 645
 WATERFALL, J.F. *see* CHANCE, E., **86**, 43
 WATTS, A.D. *see* FENIUK, W., **86**, 697
 WEBBER, S.E. *see* FOREMAN, J.C., **86**, 465
 —, *see* FOREMAN, J.C., **86**, 475
 WEISSMAN, B.A. *see* SKOLNICK, P., **86**, 637
 WHITING, R.L. *see* CLAGUE, **86**, 183
 WHITTLE, B.J.R. *see* BROUGHTON-SMITH, N.K., **86**,
 439
 —, *see* WALLACE, J.L., **86**, 837
 WILLIAMS, T.J. *see* BRAIN, S.D., **86**, 855
 WINSLOW, E. *see* BROWN, J., **86**, 7
 WOLF, K. *see* FUDER, H., **86**, 905

Y

- YASUMOTO, T. *see* KOBAYASHI, M., **86**, 385
 YODIM, M.B.H. *see* MELAMED, E., **86**, 529
 —, *see* SKOLNICK, P., **86**, 637

SUBJECT INDEX

A

- Abnormal automaticity**, barium- or strophanthidin-induced, effect of mexiletine in sheep cardiac Purkinje fibres, **86**, 805
- 3-Acetoxy-N-methyl piperidine methiodide**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- Acetylcholine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , contractile effects on guinea-pig isolated bronchi, **86**, 367
 - , effect of exposure time on the muscarinic inhibition of [³H]-NA overflow from guinea-pig atria, **86**, 905
 - , effect on mechanical properties of longitudinal and circular muscle tissues of rat myometrium during gestation, **86**, 247
 - , effect on production of inositol 1,4,5-triphosphate in smooth muscle cells of dog trachea, **86**, 191
 - , effect on respiratory frequency in brainstem-spinal cord preparation of newborn rat, **86**, 95
 - , interactions with Bay K 8644 in guinea-pig trachealis, **86**, 171
 - , potentiation of contractions to field stimulation of rat vas deferens, **86**, 671
- Achatina fulica Férussac**, effects of glutamic acid analogues on identifiable giant neurones, **86**, 645
- Acidosis**, effect on pressor responses to xylazine in pithed rat, **86**, 69
- Action potentials**, effect of propafenone in guinea-pig atrial and ventricular muscle fibres, **86**, 765
- , effect of somatostatin in guinea-pig atrial fibres, **86**, 547
 - , isoprenaline-induced in K⁺-depolarized guinea-pig atria, **86**, 7
- Adenocarcinoma**, human colonic, effects of kinin on ion transport in monolayers of HCA-7 cells, **86**, 3
- Adenosine**, effect on longitudinal contractions of guinea-pig ileum due to field stimulation, **86**, 315
- , induction of mucus secretion in dog trachea, modification by methylxanthines and adenosine derivatives, **86**, 63
- Adenosine analogues**, effect on glucagon secretion *in vitro* in rat isolated pancreas, **86**, 565
- Adenosine derivatives**, modification of adenosine-induced mucus secretion in dog trachea, **86**, 63
- Adenosine receptor binding**, effect of treatment with N-ethylmaleimide in feline cortical membranes, **86**, 509
- Adenosine A₂ receptor**, evidence for involvement in pancreatic glucagon secretion in rat, **86**, 565
- Adenosine triphosphate**, action on neuromuscular transmission and smooth muscle membrane of guinea-pig and rabbit mesenteric arteries, **86**, 777
- Adenylate cyclase**, effect of N-ethylmaleimide on the ability of phenylisopropyladenosine to induced inhibition, **86**, 509
- Adinazolam**, effects in animal tests of anxiety and in the holeboard, **86**, 729
- Adrenaline**, effect on ACh-induced contractions in guinea-pig isolated bronchi, **86**, 367
- Adrenoceptor agonists**, effects on plasma potassium concentration in anaesthetized guinea-pig, rabbit and rats, **86**, 827
- β-Adrenoceptor agonists**, effect on ACh-induced contractions in guinea-pig isolated bronchi, **86**, 367
- Adrenoceptor antagonists**, effects on plasma potassium concentration in anaesthetized guinea-pig, rabbit and rats, **86**, 827
- α-Adrenoceptor antagonists**, pharmacokinetic and pharmacodynamic studies in rabbits, **86**, 79
 - β-Adrenoceptor antagonists**, interactions with thyroid hormones in control of heart rate in the dog, **86**, 393
- Adrenoceptors**, investigation of their nature by electrophysiological analysis in basilar arteries in neonatal rats, **86**, 217
- , role in reduction of arrhythmias induced by coronary occlusion in rats, **86**, 663
- β-Adrenoceptors**, central, modulation by haloperidol in cats, **86**, 737
- , investigation into responsiveness in vas deferens of spontaneously hypertensive rats, **86**, 327
 - , mediation of vasoconstriction in response to adrenal stimulation in pithed rats, **86**, 265
 - , role in depolarization of smooth muscle membrane in rabbit ear artery by tyramine, **86**, 405
- α₁-Adrenoceptors**, mediation of fast and slow components of depolarization produced by NA in rat anococcygeus muscle, **86**, 711
- α₂-Adrenoceptors**, identification of subclasses by idazoxan in rat vas deferens, **86**, 141
- , pre- and post-junctional effects of agonists and antagonists in pithed rat preparation and human saphenous vein, **86**, 335
- Adrenal medulla**, effects of chemical sympathectomy on catecholamine concentrations, **86**, 351
- , stimulation-produced vasopressor response with α₁ and α₂-adrenoceptor mediated components in pithed rat, **86**, 265
- Adrenaline**, mediation of pressor responses in pithed rat, influence of blood gases, **86**, 69
- Aequorin luminescence transients**, modification by dantrolene, procaine or suxamethonium in mouse diaphragm muscle, **86**, 319
- African giant snail**, effects of glutamic acid analogues on identifiable giant neurones, **86**, 645
- AH23848**, effect on ischaemia and reperfusion-induced arrhythmias in anaesthetized greyhounds, **86**, 259
- Alkalosis**, effect on pressor responses to phenylephrine in pithed rat, **86**, 69

- Allo- α -hydroxy-L-glutamic acid**, effects on giant neurones of African giant snail, **86**, 645
- α -Allo-kainic acid**, effect on giant neurones of African giant snail, **86**, 645
- Alprazolam**, effects in animal tests of anxiety and in the hole board, **86**, 729
- Amidephrine**, effect on isometric contraction in vas deferens of spontaneously hypertensive and normotensive rats, **86**, 327
- , pre- and post-junctional potency in pithed rats and human saphenous vein in presence in absence of prazosin, **86**, 335
- Amino-oxyacetic acid**, effect on 5-hydroxytryptophan-induced head-twitch response in mice, **86**, 297
- 2-Amino-4-phosphonobutanoate-sensitive receptors**, lack of correspondence with L-glutamate binding sites, **86**, 743
- α -Aminobutyric acid**, effect on respiratory frequency in brainstem-spinal cord preparations of newborn rat, **86**, 95
- , possible involvement of potassium conductance in its action in guinea-pig hippocampus, **86**, 515
- γ -Aminobutyric acid receptors**, modulation of head twitch response to 5-hydroxytryptophan, **86**, 297
- Aminoglycoside antibiotics**, effect on bound calcium and contraction in guinea-pig atria, **86**, 799
- D-Aminophosphonovaleric acid**, effect on excitatory amino acid-induced depolarizations in frog motoneurons, **86**, 19
- 3-Aminopropanesulphonic acid**, effect on 5-hydroxytryptophan-induced head-twitch in mice, **86**, 297
- Anal sphincter**, guinea-pig, mechanisms underlying the electrical and mechanical responses to field stimulation and to drugs, **86**, 427
- Anemonia sulcata toxin II**, effects on vertebrate skeletal muscle, **86**, 275
- Angiotensin**, effects on sodium-potassium pump in rat isolated liver cells, **86**, 151
- Angiotensin II**, alteration in rats by captopril or changes in sodium intake, effect on NA pressor responsiveness in rats, **86**, 889
- Anococcygeus muscle**, rat, evidence for two mechanisms of depolarization associated with α_1 -adrenoceptor activation, **86**, 711
- Anorexia**, induction by monoamine oxidase inhibitors in rabbits, **86**, 869
- Antiarrhythmic agents**, effect on electrical properties of cultured embryonic chick hearts, **86**, 817
- Antidepressants**, tricyclic, effect on field potentials in rat hippocampal slices, **86**, 201
- Anti-IgE**, activation of eicosanoid release from human dispersed lung cells, **86**, 417
- Anti-inflammatory drugs**, effect on glycogenolysis in isolated rat hepatocytes, **86**, 491
- Anti-ulcer activity**, mechanism of carbenoxolone and deglycyrrhized liquorice in rat gastric mucosa *ex vivo*, **86**, 693
- Anxiety**, effect of methyl β -carboline-3-carboxylate microinjections into raphé nucleus, **86**, 753
- , effectiveness of triazolobenzodiazepines in animal anxiety tests and in the holeboard, **86**, 729
- Anxiogenic activity**, of methyl β -carboline-3-carboxylate injected into raphé nucleus of the rat, **86**, 753
- Anxiolytic activity**, of triazolobenzodiazepines in animal tests of anxiety and in the holeboard, **86**, 729
- Aorta**, rabbit, identification of receptor subtype mediating contractions, **86**, 697
- , rat, modulation by endothelium of contractile responses in absence and presence of flunarizine, **86**, 655
- Apamin**, effect on electrical and mechanical responses of guinea-pig trachealis cells to isoprenaline, **86**, 843
- , effect on electrical responses of guinea-pig anal sphincter to field stimulation, **86**, 427
- , effect on hyperkalaemic response in guinea-pig and rabbit but not in rat, **86**, 827
- , effect on rubidium efflux and increases in efflux induced by bradykinin or amidephrine in guinea-pig taenia caecum, **86**, 861
- Apratinin**, effects on endotoxin-induced shock in cats, **86**, 399
- Arachidonic acid**, effect on release of eicosanoids in guinea-pig isolated perfused lung, **86**, 55
- , increased metabolism in an immune model of colitis in guinea-pigs, **86**, 439
- , oxidative transformation in human dispersed lung cells, **86**, 417
- Arecaidine propargyl ester**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- Arecoline**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , potentiation of contractions to field stimulation of rat vas deferens, **86**, 671
- Arrhythmias**, coronary artery occlusion-induced, effect of CNS ablations in rats, **86**, 663
- , digitalis-, reperfusion- and reoxygenation-induced, electrophysiological mechanisms for the antiarrhythmic action of mexiletine, **86**, 805
- Arrhythmogenic effects**, induction in rat isolated cardiac myocytes by maitotoxin, **86**, 385
- Aspartate**, induction of depolarizations in frog motoneurons, effect of D-aminophosphonovaleric acid *in vitro*, **86**, 19
- Aspirin**, effect on histamine agonist-induced contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- Asthma**, role of bronchial epithelium in pathogenesis of bronchial hyperresponsiveness, **86**, 685
- Atacurium**, effect on receptor-mediated increases in potassium permeability of intestinal smooth muscle, **86**, 861
- Atria**, guinea-pig, actions of agonists and antagonists at muscarinic receptors *in vitro*, **86**, 163
- , guinea-pig, effect of aminoglycoside antibiotics on bound calcium and contraction, **86**, 799
- , guinea-pig, electrophysiological effects of propafenone, **86**, 765
- , guinea-pig, influence of cholinesterase activity and exposure time to acetylcholine on muscarinic inhibition of NA overflow, **86**, 905
- , -guinea-pig and rat, positive inotropic effects of Bay K 8644, **86**, 27
- Atrial fibres**, guinea-pig, negative inotropic effects of somatostatin, **86**, 547
- Atrial natriuretic factor**, induction of relaxation in rat renal arcuate arteries, **86**, 447
- Atropine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , effect on actions of substance P and substance K on gastrointestinal propulsion in the rat, **86**, 305

- , effect on dimaprit-induced relaxation of guinea-pig lung strip, **86**, 465
- , effect on electrical and mechanical responses of guinea-pig anal sphincter to field stimulation, **86**, 427
- , effect on histamine agonist-induced contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- , effect on 5-methylfurmethide concentration-effect curves in isolated mouse stomach, **86**, 601
- Atropine-sensitive muscarinic receptor**, activation by cholinergic agonists in rat vas deferens, **86**, 671
- Autoinhibition**, of stimulation-induced NA release from guinea-pig and rat vas deferens, **86**, 455

B

- Baclofen**, effect on 5-hydroxytryptophan-induced head twitch response in mice, **86**, 297
- Basilar artery**, neonatal rat, electrophysiological analysis of the nature of adrenoceptors, **86**, 217
- Bay K 8644**, effects in guinea-pig isolated trachealis, **86**, 171
- , effects on isometric contraction in vas deferens of spontaneously hypertensive and normotensive rats, **86**, 327
- , positive inotropic effects in guinea-pig and rat isolated cardiac tissue, **86**, 27
- Benzodiazepine receptor**, site of action of ZK 93423 in rats and cats, **86**, 357
- Bepridil**, effect on contractions and action potentials in K^+ -depolarized guinea-pig atria, **86**, 7
- Bethanechol**, action at muscarinic receptor present on ileum and atria *in vitro*, **86**, 163
- Bicuculline**, effect on biphasic response of guinea-pig hippocampal cells to GABA, **86**, 515
- Binding**, of [3H]-tiotidine to homogenates of guinea-pig lung parenchyma, **86**, 475
- Blood coagulation**, effect of sex and hormonal influences in rats, **86**, 557
- Blood flow**, myocardial, importance of changes in protective action of diltiazem in a new model of myocardial ischaemia, **86**, 341
- Blood gases**, influence on α_1 - and α_2 -adrenoceptor-mediated pressor responses in the pithed rat, **86**, 69
- Blood pressure**, effects of chronic haloperidol treatment in cats, **86**, 737
- , effect of meptazinol or naloxone in rats and cats following haemorrhagic shock, **86**, 43
- , influence of blood gases on α -adrenoceptor-mediated responses in the pithed rat, **86**, 69
- Body weight**, effect on the accumulation of [3H]-isoprenaline in rat atria, **86**, 287
- , effects of monoamine oxidase inhibitors in rabbits, **86**, 869
- Bradykinin**, effect on release of eicosanoids in guinea-pig isolated perfused lung, **86**, 55
- , induction of oedema in rabbit, potentiation by calcitonin gene-related peptide, **86**, 855
- Brain**, rat, effect of running or food deprivation on tryptophan levels and 5-HT metabolism, **86**, 33
- Brainstem-spinal cord preparations**, pharmacological study of respiratory frequency in newborn rat, **86**, 95

- Bronchi**, guinea-pig isolated, *in vitro* study of small calibre airway reactivity, **86**, 367
- Bronchoconstriction**, antigen-induced, effect of prednisolone and ketotifen in rat isolated lungs, **86**, 627
- Burimamide**, effect on [3H]-tiotidine binding to homogenates of guinea-pig lung parenchyma, **86**, 475
- , estimation of pK_B values on gastric and guinea-pig isolated right atrium assays, **86**, 581
- Buspirone**, monoaminergic involvement in pharmacological actions, **86**, 637

C

- C5a des Arg**, induction of oedema in rabbit, potentiation by calcitonin gene-related peptide, **86**, 855
- Caffeine**, induction of changes in aequorin luminescence and twitch tensions in mouse diaphragm muscle, **86**, 319
- Calcitonin gene-related peptide**, potentiation of oedema induced by mediators of increased vascular permeability, **86**, 855
- Calcium**, changes in storage in myometrial cells during gestation in rat, **86**, 247
- , effect of aminoglycoside antibiotics in guinea-pig atria, **86**, 799
- , effect of depletion on actions of NA, vasopressin and angiotensin on Na-K pump in rat isolated liver cells, **86**, 151
- , effect of differing concentrations on inotropic responses evoked by Bay K 8644 in guinea-pig and rat cardiac preparations, **86**, 27
- , effect of levels on potentiating effect of carbachol on contractions to field stimulation in rat vas deferens, **86**, 671
- , effects of variation of extracellular concentrations on negative inotropic effects of somostatin in guinea-pig atrial fibres, **86**, 547
- , effects on respiratory frequency in isolated brainstem-spinal cord preparation of newborn rat, **86**, 95
- , modulation by endothelium of mobilization for contraction in the rat aorta, effect of flunarizine, **86**, 655
- , role in aequorin luminescence and twitch tensions in mouse diaphragm muscle, modification by skeletal muscle relaxants, **86**, 316
- , stored in tracheal smooth muscle cells, effect of inositol 1,4,5-triphosphate, **86**, 191
- Calcium activated potassium permeability**, effect of neuromuscular blocking agents and apamin in guinea-pig intestinal smooth muscle, **86**, 861
- Calcium antagonists**, cardioprotective effects in the absence and presence of cardiodepression in rabbit heart model, **86**, 181
- , effect on contractions and action potentials in K^+ -depolarized guinea-pig atria, **86**, 7
- , effect on electrical responses in stomach smooth muscle of the guinea-pig, **86**, 789
- , effect on responses of isolated human chorionic plate artery to prostaglandins E_2 and E_1 , **86**, 705
- Calcium channels**, effects of pinaverium bromide and verapamil in rat colon, **86**, 89
- Calcium fluxes**, effect of Bay K 8644 in guinea-pig isolated trachealis, **86**, 171

- Calcium movements**, involvement in the mechanism of action of maitotoxin in guinea-pig and rat cardiac muscles, **86**, 385
- Captopril**, alteration of endogenous angiotensin II, effect on NA pressor responsiveness in rat, **86**, 889
- Carbachol**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , potentiation of contractions to field stimulation of rat vas deferens, **86**, 671
- , use in experimental testing of Mackay's model for functional antagonism, **86**, 131
- Carbenoxolone**, effect on prostanoid synthesis by rat gastric mucosa *ex vivo*, **86**, 693
- β -Carbolines**, evaluation of muscle relaxant properties in rats and cats, **86**, 357
- 5-Carboxamidotryptamine**, effect on contractile responses to 5-HT in rabbit aorta and dog saphenous vein, **86**, 697
- Cardiac muscles**, guinea-pig and rat, the mechanism of action of maitotoxin in relation to calcium movements, **86**, 385
- Cardiac myocytes**, induction of arrhythmogenic effects by maitotoxin in rats, **86**, 385
- Cardiodepression**, effect on cardioprotective effects of PN 200-110 in rabbit heart model, **86**, 181
- Cardiovascular reflexes**, effect of chronic haloperidol treatment in cats, **86**, 737
- Central nervous system ablations**, effect on arrhythmias induced by coronary occlusion in the rat, **86**, 663
- Cerebral cortex**, bovine, molecular characterization of muscarinic receptor subtype by radiation inactivation and molecular exclusion h.p.l.c., **86**, 375
- , rat, excitatory neuronal responses to dopamine, **86**, 483
- Chemical sympathectomy**, effects on dopamine, NA and Ad content in some peripheral tissues, **86**, 351
- Chemokinesis**, effects of phorbol esters in human polymorphonuclear leukocytes, **86**, 533
- p-Chloroamphetamine**, blockade of 5-HT uptake in rats, **86**, 637
- Cholinergic transmission**, effects of diltiazem in guinea-pig stomach smooth muscle, **86**, 789
- Cholinesterase**, effect of inhibition of activity on muscarinic inhibition of [3 H]-NA overflow from guinea-pig isolated atria, **86**, 905
- Chronotropic responses**, positive, induction in guinea-pig isolated right atria by maitotoxin, **86**, 385
- , to isoprenaline, effect of propafenone in guinea-pig atrial and ventricular muscle fibres, **86**, 765
- Cimetidine**, effect on histamine agonist-induced contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- , effect on [3 H]-tiotidine binding to homogenates of guinea-pig lung parenchyma, **86**, 475
- , estimation of pK_B values on gastric and guinea-pig isolated right atrium assays, **86**, 581
- Cirazoline**, pre- and post-junctional potency in pithed rats and human saphenous vein in presence and absence of prazosin, **86**, 335
- Clonidine**, effect on isometric contraction in vas deferens of spontaneously hypertensive and normotensive rats, **86**, 327
- , inhibitory effects in rat vas deferens, blockade by idazoxan, **86**, 141
- , pre- and post-junctional potency in pithed rats and human saphenous vein in presence and absence of prazosin, **86**, 335
- Clorgyline**, effect on [14 C]- β -phenylethylamine distribution in cats, **86**, 877
- , effect on thiamin status of rabbits, **86**, 869
- Cobalt**, effect on maitotoxin-induced inotropic effects and tissue Ca content of guinea-pig left atria, **86**, 385
- Cocaine**, effect on the accumulation of [3 H]-isoprenaline into rat atria, **86**, 287
- , effect on the actions of phenoxybenzamine on stimulation induced changes in guinea-pig and rat vas deferens, **86**, 455
- , effect on the actions of tyramine on NA outflow and electrical responses induced by field stimulation in perfused rabbit ear artery, **86**, 405
- Colitis**, immune model, investigation of arachidonic acid metabolism in guinea-pigs, **86**, 439
- Colon**, guinea-pig, increased arachidonic acid metabolism in an immune model of colitis, **86**, 439
- , rat isolated, effects of pinaverium bromide and verapamil on motility, **86**, 89
- Contractile forces**, effect of aminoglycoside antibiotics in guinea-pig atria, **86**, 799
- Contractile responses**, induced by phenylephrine or prostaglandin $F_{2\alpha}$ in rat aorta, effect of endothelium, **86**, 655
- , stimulation-induced in guinea-pig and rat vas deferens, effect of phenoxybenzamine or idazoxan, **86**, 455
- Contractility**, effect of airway epithelium on smooth muscle of bovine trachea, **86**, 685
- , rabbit heart model, effect of PN 200-110, **86**, 181
- Contractions**, agonist-induced, role of inositol 1,4,5-triphosphate in the initiation of agonist-induced contractions in dog tracheal smooth muscle, **86**, 191
- , induced by histamine agonists in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- , induced by NA, phenylephrine, potassium chloride and clonidine, effect of sodium nitroprusside and 8-bromocyclic GMP in rat tail, **86**, 117
- , isoprenaline-induced in potassium – depolarized guinea-pig atria, effect of selective channel blocking drugs, **86**, 7
- , spontaneous or evoked, effect of neuromuscular blocking agents and apamin on the inhibitory effects of amidephrine or bradykinin, **86**, 861
- , stimulation-induced in rabbit ear artery ring segments, effects of opioid peptides, **86**, 539
- Coronary artery occlusion**, in addition to constriction of left circumflex branch, new model for myocardial ischaemia, **86**, 341
- , induction of arrhythmias, effects of metoprolol and dazmegrel alone or in combination in rats, **86**, 229
- Costo-uterine muscle**, rat, experimental testing of Mackay's model for functional antagonism, **86**, 131
- Cyclo-oxygenase inhibitors**, effect on gastric acid secretion by rat isolated gastric mucosa, **86**, 677

D

- Dantrolene**, effect on caffeine-induced changes in aequorin luminescence transients and twitch tensions of mouse diaphragm, **86**, 319
- Dazmegrel**, alone and in combination with metoprolol, effects on myocardial infarct size in rats, **86**, 235
- , alone or in combination with metoprolol, effects on

- ventricular arrhythmias induced by coronary artery occlusion in conscious rats, **86**, 229
- Depolarizations**, fast and slow components produced by NA in rat anococcygeus muscle, **86**, 711
- , involvement of adenosine triphosphate in the generation in rabbit mesenteric artery smooth muscle, **86**, 777
- Deprenyl**, effect on [^{14}C]- β -phenylethylamine distribution in cats, **86**, 877
- , effect on thiamin status of rabbits, **86**, 869
- Desipramine**, effect on field potentials in rat hippocampal slices, **86**, 201
- , effect on running-induced changes in plasma, liver and brain tryptophan levels in the rat, **86**, 33
- 1-2-4-Diaminobutyric acid**, effect of 5-hydroxytryptophan-induced head-twitch response in mice, **86**, 297
- Diaphragm**, mouse, modification by dantrolene, procaine and suxamethonium of caffeine-induced changes in aequorin luminescence or twitch tensions in muscle, **86**, 319
- Diazepam**, effect on 5-hydroxytryptophan-induced head-twitch response in mice, **86**, 297
- , muscle relaxant properties of ZK 93423 in rat and cat spine, **86**, 357
- Dibekacin**, effect on bound calcium and contraction in guinea-pig atria, **86**, 799
- Diet**, alteration of endogenous angiotensin II, effect on NA pressor responsiveness in rats, **86**, 889
- Digitalis**, induction of arrhythmias, electrophysiological mechanisms for the anti-arrhythmic action of mexiletine, **86**, 805
- 3,4-Dihydroxyphenylglycol**, effects of ATP and α,β -methylene ATP on overflow in rabbit mesenteric artery, **86**, 777
- , effects of tyramine on outflow induced by field stimulation in perfused rabbit ear artery, **86**, 405
- Diltiazem**, effect in new model for myocardial ischaemia, importance of myocardial blood flow, **86**, 341
- , effect on electrical responses evoked spontaneously or by electrical stimulation in the antrum smooth muscles cells of guinea-pig stomach, **86**, 789
- , interactions with Bay K 8644 in guinea-pig trachealis, **86**, 171
- Dimaprit**, effect on [^3H]-tiotidine binding to homogenates of guinea-pig lung parenchyma, **86**, 475
- , production of relaxation in strips of guinea-pig parenchyma, **86**, 465
- 5-N,N-dimethyl-5-hydroxytryptamine**, effect on contractile responses to 5-HT in rabbit aorta and dog saphenous vein, **86**, 697
- 16,16-Dimethyl prostaglandin E₂**, effects of pre-treatment on recovery of gastric mucosal 'barrier' parameters after ethanol-induced damage in rats, **86**, 837
- Diphenhydramine**, effect on histamine agonist-induced contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- 4-Diphenyl-acetoxy-N-methyl piperidine methiodide**, action at muscarinic receptors present on ileum and atria, **86**, 163
- Domoic acid**, effects on giant neurones of African giant snail, **86**, 645
- Dopamine**, effect on respiratory frequency in brainstem-spinal cord preparation of newborn rat, **86**, 95
- , excitatory responses of single neurones in rat cerebral cortex, **86**, 483

- Dopamine behavioural syndrome**, effect of buspirone, MJ-13805 and MJ-13653 in rats, **86**, 637
- Dopamine neurones**, prevention of toxic effects of N-methyl-4-phenyl-1,2,5,6-tetrahydropyridine by phenylethylamine in mice, **86**, 529
- Dopamine receptors**, involvement in excitatory neuronal responses to dopamine in rat cerebral cortex, **86**, 483
- Doxazosin**, cardiovascular effects in the rabbit, **86**, 79
- Dynorphin**, effect on stimulation-induced contractions of rabbit ear artery ring segments, **86**, 539

E

- Ear artery**, rabbit, effects of tyramine on NA outflow and electrical responses induced by field stimulation, **86**, 405
- , rabbit, identification of opioid receptor subtypes, **86**, 539
- Electrical responses**, field stimulation-induced, effects of tyramine in perfused rabbit ear artery, **86**, 405
- Electromyogram**, assessment of muscle relaxant properties of ZX 93423 in rats and cats, **86**, 357
- Electrophysiological properties**, of cultured embryonic chick hearts, effects of local anaesthetics, **86**, 817
- Electrophysiological responses**, of guinea-pig isolated trachealis to isoprenaline, **86**, 843
- Electrophysiology**, analysis of the nature of adrenoceptors in rat basilar artery during development, **86**, 217
- Elevated plus maze test**, effectiveness of triazolo-benzodiazepines in rats, **86**, 729
- Endorphine**, effect on stimulation-induced contractions of rabbit ear artery ring segments, **86**, 539
- Endothelium**, modulation of contractile responses in rat aorta in absence and presence of flunarizine, **86**, 655
- Endotoxin shock**, effects of aprotinin in cats, **86**, 399
- Enkephalin**, [Met^5] and [Leu^5], effects on respiratory frequency in brainstem-spinal cord preparations of newborn rat, **86**, 95
- Enkephalins**, effect on stimulation-induced contractions of rabbit ear artery ring segments, **86**, 539
- Epithelial integrity**, acceleration of recovery in rat gastric epithelium by 16,16-dimethyl prostaglandin E₂, **86**, 837
- Epithelium**, airway, effect on sensitivity to and contractile responses to histamine, 5-HT ACh, potassium or field stimulation in bovine trachea, **86**, 685
- Erythro-L-tricholomic acid**, effects on giant neurones of African giant snail, **86**, 645
- Erythrocyte transketolase activity**, effect of MAO inhibitors and thiamin antagonists in rabbits, **86**, 869
- Escherichia coli endotoxin**, induction of shock, effects of aprotinin in cats, **86**, 399
- Ethanol**, induction of damage to gastric mucosa, acceleration of recovery by 16,16-dimethyl prostaglandin E₂ in rats, **86**, 837
- Ethyl- β -carboline-3-carboxylate**, effect on 5-hydroxytryptophan induced head-twitch response in mice, **86**, 297
- 5-N-ethyl-5-hydroxytryptamine**, effect on contractile responses to 5-HT in rabbit aorta and dog saphenous vein, **86**, 697
- 5'-N-ethylcarboxamidoadenosine**, effects on glucagon secretion *in vitro* in isolated rat pancreas, **86**, 565
- Ethylketocyclazocine**, effect on stimulation-induced contractions of rabbit ear artery ring segments, **86**, 539

- N-ethylmaleimide**, reduction of adenosine receptor mediated decreases in cyclic AMP accumulation in rat hippocampal slices, **86**, 509
- Excitatory amino acids**, induction of depolarizations in frog motoneurons, effect of D-aminophosphono-valeric acid *in vitro*, **86**, 19
- , use to compare the pharmacological properties of L-glutamate binding and synaptic responses in rat brain, **86**, 743
- Excitatory junction potentials**, effects of ATP and α,β -methylene ATP in rabbit and guinea-pig mesenteric arteries, **86**, 777
- , field stimulation-induced, effects of tyramine in perfused rabbit ear artery, **86**, 405
- Excitatory postsynaptic potentials**, effect on tricyclic antidepressants in rat hippocampal slices, **86**, 201
- Exploratory behaviour**, effects of triazolobenzodiazepines in rats, **86**, 729
- Extraneuronal uptake**, of isoprenaline, effect of reserpine in rat atria, **86**, 287

F

- Famotidine**, estimation of pK_B values on gastric and guinea-pig isolated right atrium assays, **86**, 581
- Fenoterol**, effect on ACh-induced contractions in guinea-pig isolated bronchi, **86**, 367
- , use in experimental testing of Mackay's model for functional antagonism, **86**, 131
- Field potentials**, effect of tricyclic antidepressants in rat hippocampal slice, **86**, 201
- Field stimulation**, membrane potential responses in rat isolated anococcygeus muscle, **86**, 711
- Flunarizine**, effect on contractions induced by phenylephrine and prostaglandin $F_{2\alpha}$ in rat aorta, **86**, 655
- 6-Fluoronoradrenaline**, inhibitory effects, blockade by idazoxan in rat vas deferens, **86**, 141
- Food deprivation**, effect on plasma, liver and brain tryptophan and on brain 5-HT metabolism in the rat, **86**, 33
- N-formyl-methionyl-leucyl-phenylalanine**, induction of human polymorphonuclear leukocyte chemokinesis and release of granular enzymes, effects of phorbol esters, **86**, 533
- , induction of oedema in rabbit, potentiation by calcitonin gene-related peptide, **86**, 855
- Forskolin**, effect on ion transport in human colonic carcinoma cells, **86**, 3
- , production of relaxation in strips of guinea-pig parenchyma, **86**, 465
- β -Funaltrexamine**, determination of receptor selectivity of opioid agonists in guinea-pig ileum and mouse vas deferens, **86**, 899
- Functional antagonism**, experimental testing of Mackay's model in isolated costo-uterus of the rat, **86**, 131
- [α -(2-(3-furylmethyl)-5,9-dimethyl-2'-hydroxy-6,7-benzomorphan)]** *see* Mr 2266

G

- Galanin**, effects on smooth muscle preparations, **86**, 241
- Gallamine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , antagonist activity at neuronal muscarinic receptors attenuating parasympathetic nerve activity in cat lung, **86**, 723
- Gastric acid**, effect of histamine H_2 -receptor antagonists on secretion in mouse isolated stomach, **86**, 581
- , effect of indomethacin, piroxicam and prostanoids on secretion by rat isolated gastric mucosa, **86**, 677
- , effect of inhibitors on secretion in an isolated stomach preparation of the mouse, **86**, 571
- , gastric-stimulated secretion, role of endogenous histamine, **86**, 589
- , role of muscarinic acetylcholine receptors on secretion in isolated mouse stomach, **86**, 601
- , stimulation of secretion in mouse isolated stomach by McN-A 343, pharmacological analysis of muscarinic receptors, **86**, 609
- Gastric epithelium**, effects of 16,16-dimethyl prostaglandin E_2 on recovery of 'barrier' parameters after ethanol-induced damage in rats, **86**, 837
- Gastric mucosa**, rat, effect of carbenoxolone and deglycyrhized liquorice on prostanoic acid synthesis *ex vivo*, **86**, 693
- Gastric mucosal barrier**, effects of 16,16-dimethyl prostaglandin E_2 on recovery after ethanol induced damage, **86**, 837
- Gastrointestinal propulsion**, effect of substance P and substance K in the rat, **86**, 305
- Gentamicin**, effects on bound calcium and contraction in guinea-pig atria, **86**, 799
- Gestation**, effects on mechanical properties of longitudinal and circular muscle tissues of rat myometrium, **86**, 247
- Giant neurones**, effects of glutamic acid analogues in African giant snail, **86**, 645
- Glucagon**, effect of 5'-N-ethylcarboxamidoadenosine on secretion *in vitro* in isolated rat pancreas, **86**, 565
- β -Glucuronidase**, effect of phorbol esters on release in human polymorphonuclear leukocytes, **86**, 533
- Glutamate**, effects on giant neurones of African giant snails, **86**, 645
- , effects on respiratory frequency in brainstem-spinal cord preparation of newborn rat, **86**, 95
- , induction of depolarizations in frog motoneurons, effect of D-aminophosphonovaleric acid *in vitro*, **86**, 19
- , induction of responses in crayfish neuromuscular junction, effect of TI-233, **86**, 105
- L-Glutamate binding sites**, lack of correspondence with 2-amino-4-phosphonobutanoate-sensitive receptors in rat brain synaptic membranes, **86**, 743
- Glutamate channels**, blockade by TI-233 on crayfish neuromuscular junction, **86**, 105
- Glycine**, effect on respiratory frequency in brain-stem-spinal cord preparations of newborn rat, **86**, 95
- Glycogen**, reduction of depletion by a combination of metoprolol and dazmegrel after the onset of ischaemia in rats, **86**, 235
- Guanethidine**, effect on actions of substance P and substance K on gastrointestinal propulsion in the rat, **86**, 305
- , effect on the actions of tyramine on NA outflow and electrical responses induced in rabbit ear artery by field stimulation, **86**, 405
- Guanosine 3',5'-monophosphate**, 8-bromo-cyclic, effects on electrical and mechanical activities of the rat tail artery, **86**, 117

H

- Haemodynamic effects**, induction by endotoxin in cats, effects of aprotinin, **86**, 299
- Haemorrhagic shock**, comparison of cardiovascular effects of meptazinol and naloxone in rats and cats, **86**, 43
- Haloperidol**, effect of chronic treatment on some cardiovascular parameters in cats, **86**, 739
- , effect on excitatory responses of phenylephrine or LY 171555 in rat cerebral cortex, **86**, 483
- Harmaline**, effect on thiamin status of rabbits, **86**, 869
- Head-twitch**, 5-hydroxytryptophan-induced, modulation by drugs acting at GABA and related receptors, **86**, 297
- Heart rate**, effect of chronic haloperidol treatment in cats, **86**, 737
- , effect of meptazinol or naloxone in rats and cats following haemorrhagic shock, **86**, 43
 - , interactions of β -adrenoceptor antagonists and thyroid hormones in control in dogs, **86**, 393
- Hearts**, guinea-pig isolated, electrophysiological mechanisms for the antiarrhythmic action of mexiletine, **86**, 805
- Hepatocytes**, rat, effects of NA, vasopressin and angiotensin on Na-K pump, **86**, 151
- , rat, effects of nonsteroidal anti-inflammatory drugs on glycogenolysis, **86**, 491
- Hexamethonium**, effect on electrical and mechanical response of guinea-pig anal sphincter to field stimulation, **86**, 427
- Hippocampus**, guinea-pig, possible involvement of potassium conductance in the action of GABA, **86**, 515
- , rat, frequency-dependent blockade of field potentials in slices, **86**, 201
- Hippocampal slices**, investigation of correspondence between L-glutamate binding sites in synaptic membranes and 2-amino-4-phosphonobutanoate-sensitive receptors, **86**, 743
- , rat, treatment with N-ethylmaleimide selectively reduces adenosine receptor-mediated decrease in cyclic AMP accumulation, **86**, 509
- Histamine**, contractile effects on guinea-pig isolated bronchi, **86**, 367
- , effect of prednisolone and ketotifen on release in rat isolated lungs, **86**, 627
 - , effect on respiratory frequency in brainstem-spinal cord preparation of newborn rat, **86**, 95
 - , effect on the hydrolysis of phosphatidylinositol-4,5-bisphosphate or phosphatidic acid in dog tracheal smooth muscle, **86**, 191
 - , effect on [3 H]-tiotidine binding to homogenates of guinea-pig lung parenchyma, **86**, 475
 - , induction of contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
 - , interactions with Bay K 8644 in guinea-pig trachealis, **86**, 171
 - , role in control of gastric acid secretion in isolated stomach preparation of the mouse, **86**, 571
- Histamine receptor**, pharmacological characterization in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- Histamine H_2 -receptor**, analysis of anomalous pK_B values on mouse isolated stomach assay, **86**, 581
- , effect of agonists and antagonists on binding of [3 H]-tiotidine to homogenates of guinea-pig lung parenchyma, **86**, 475

- , mediation of relaxation of parenchymal lung strip preparation of the guinea-pig, **86**, 465
- Holeboard tests**, effects of triazolobenzodiazepines in rats, **86**, 729
- Hormonal influences**, effect on platelet sensitivity and coagulation in the rat, **86**, 557
- Hydrallazine**, induction of relaxation in renal and coronary vessels of the rat, **86**, 447
- 6-Hydroxydopamine**, alone and in combination with pargyline, effect on catecholamine concentrations in cat peripheral tissues, **86**, 351
- , blockade of tyramine-induced increase in NA outflow in perfused rabbit ear artery, **86**, 405
- 5-Hydroxytryptamine**, contractile effects on guinea-pig isolated bronchi, **86**, 367
- , effect of conditioned running or food deprivation on brain metabolism in rats, **86**, 33
 - , effect of prednisolone and ketotifen on release in rat isolated lungs, **86**, 627
 - , effect of RU-24969 on release and metabolism in rat frontal cortex *in vivo* and *in vitro*, **86**, 209
 - , effect on hydrolysis of phosphatidylinositol-4, 5-bisphosphate of phosphatidic acid in dog tracheal smooth muscle, **86**, 191
 - , effect on respiratory frequency in brainstem-spinal cord preparation of newborn rat, **86**, 95
- 5-Hydroxytryptamine receptors**, comparison of subtypes mediating contraction in rabbit aorta and dog saphenous vein, **86**, 697
- 5-Hydroxytryptamine₁ receptors**, involvement in the autoregulation of 5-HT release and metabolism, **86**, 209
- 5-Hydroxytryptamine₂-receptors**, displacement of ligand by buspirone, MJ-13805 and MJ-13653 in rats, **86**, 637
- 5-Hydroxytryptamine syndrome**, effect of buspirone MJ-13805 and MJ-13653 in rats, **86**, 637
- 5-Hydroxytryptophan**, induction of head-twitch response, modulation by drugs acting at GABA and related receptors, **86**, 297
- Hyperkalaemia**, induction by adrenoceptor agonists in guinea-pig, rabbit and rat, **86**, 827
- Hypertension**, effect on α -adrenoceptor responsiveness in rat vas deferens, **86**, 327
- Hyperthyroidism**, effect of β -adrenoceptor blockade in dogs, **86**, 393
- Hypervolaemia**, haemorrhage-induced, effects of meptazinol and naloxone in rats and cats, **86**, 43

I

- DL-Ibotenic acid**, effects on giant neurones of African giant snail, **86**, 645
- Ibuprofen**, effect on glycogenolysis in isolated rat hepatocytes, **86**, 491
- Idazoxan**, differential blocking against the effects of 6-fluoronoradrenaline and clonidine in rat vas deferens, **86**, 141
- , effect on stimulation-induced NA release from guinea-pig and rat vas deferens, **86**, 455
- Ileum**, guinea-pig, actions of agonists and antagonists at muscarinic receptors *in vitro*, **86**, 163
- , guinea-pig, determination of receptor selectivity of

- opioid agonists using β -funaltrexamine, **86**, 899
- , guinea-pig, theophylline-sensitive modulation of non-cholinergic excitatory transmission, **86**, 315
- Imidazoleacetic acid**, effect on 5-hydroxytryptophan-induced head-twitch in mice, **86**, 297
- Imipramine**, effect on field potentials in rat hippocampal slice, **86**, 201
- Impromidine**, production of relaxation in strips of guinea-pig parenchyma, **86**, 465
- Indomethacin**, effect on action of epithelium on smooth muscle contractility in bovine trachea, **86**, 685
- , effects on gastric acid secretion by rat isolated gastric mucosa, **86**, 677
- , effect on glycogenolysis in isolated rat hepatocytes, **86**, 491
- , effect on histamine agonist-induced contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- Inflammation**, dinitrochlorobenzene-induced, model for investigation of arachidonic acid metabolism in guinea-pigs, **86**, 439
- , role of eicosanoids in mediation in lung tissue, **86**, 417
- Inflammatory oedema**, induced by synergism between calcitonin gene-related peptide and mediators of increased vascular permeability, **86**, 855
- Inhibitory junction potential**, effect of diltiazem in guinea-pig stomach smooth muscle, **86**, 789
- Inositol 1,4,5-triphosphate**, role in the initiation of the agonist-induced contractions of dog tracheal smooth muscle, **86**, 191
- Inotropism**, negative, induction by somatostatin in guinea-pig atrial fibres, **86**, 547
- , positive, induction in guinea-pig isolated left atria and rat ventricle strips by maitotoxin, **86**, 385
- , positive, to Bay K 8644 in guinea-pig and rat isolated cardiac preparations, **86**, 27
- Intestinal smooth muscle**, guinea-pig, inhibition of receptor-mediated increases in potassium permeability by neuromuscular blocking agents, **86**, 861
- Intracerebral dialysis**, measurement of 5-HT release and metabolism in rat frontal cortex, **86**, 209
- Ion transport**, effect of kinin in monolayers of HCA-7 cells, **86**, 3
- Ionic environment**, effect on electrical and mechanical responses of guinea-pig anal sphincter to field stimulation, **86**, 427
- Ionophore A23187**, activation of eicosanoid release from human dispersed lung cells, **86**, 417
- , effect on release of eicosanoids in guinea-pig isolated perfused lung, **86**, 55
- Iproniazid**, effect on thiamin status of rabbits, **86**, 869
- Isoprenaline**, effect on ACh-induced contractions in guinea-pig isolated bronchi, **86**, 367
- , electrophysiological and other aspects of relaxant action in guinea-pig isolated trachealis, **86**, 843
- , electrophysiological responses of neonatal rat basilar artery, **86**, 217
- [³H]-isoprenaline**, effect of reserpine on extraneuronal uptake into rat atria, **86**, 287
- 4-Isopropyl-1-[N₂-(5,6-dimethyl-amino-naphthalene-1-sulphonyl)-L-arginyl]-piperidine** *see* TI-233

K

- α -Kainic acid**, effect on giant neurones of African giant snail, **86**, 645
- Ketanserin**, effect on contractile effects of 5-HT in rabbit aorta and dog saphenous vein, **86**, 697
- Ketotifen**, effect on antigen-induced bronchoconstriction and mediator release in rat isolated lungs, **86**, 627
- Kidney**, cat, effects of chemical sympathectomy on catecholamine concentrations, **86**, 351
- , rat, effect of captopril or altered sodium intake on responsiveness to NA, **86**, 889
- Kinins**, effects on endotoxin shock in cats, **86**, 399
- , effects on ion transport in monolayers of HCA-7 cells, **86**, 3

L

- Lactate**, effect of MAO inhibitors and thiamin antagonists on blood levels in rabbit, **86**, 869
- Left circumflex branch**, effect of constriction in the model for myocardial ischaemia, protective action of diltiazem, **86**, 341
- Leucocytes**, levels in pithed rats before and after occlusion, **86**, 663
- Leukotriene B₄**, induction of oedema in rabbit, potentiation by calcitonin gene-related peptide, **86**, 855
- Leukotrienes**, effect of bradykinin, arachidonic acid and ionophore A23187 on release in guinea-pig isolated lung, **86**, 55
- , formation in an immune-mediated colitis in guinea-pig, **86**, 439
- , production in human dispersed lung cells, **86**, 417
- Lidocaine**, effect on electrophysiological properties of cultured embryonic chick hearts, **86**, 817
- Lipolysis**, effect of changes on plasma, liver and brain tryptophan and brain 5-HT metabolism in rats, **86**, 33
- Liquorice**, deglycyrrhized, effect on prostanoid synthesis by rat gastric mucosa, *ex vivo*, **86**, 693
- Liver**, rat, effect of running or food deprivation on tryptophan levels, **86**, 33
- Liver cells**, rat isolated, effects of NA, vasopressin and angiotensin on sodium-potassium pump, **86**, 151
- Local anaesthetics**, binding on rat synaptosomes and sodium channels, **86**, 125
- , effect on electrophysiological properties of cultured embryonic chick hearts, **86**, 817
- Locomotor activity**, effects of microinjection of methyl β -carboline-3-carboxylate into raphe nucleus of the rat, **86**, 753
- , effects of triazolobenzodiazepines in rats, **86**, 729
- Lung**, cat, neuronal muscarinic receptors attenuate vagally-induced contraction of smooth muscle, **86**, 729
- , guinea-pig, binding of [³H]-tiotidine to homogenates of parenchyma, **86**, 475
- , guinea-pig, study of histamine H₂ receptor mediating relaxation of parenchymal strips, **86**, 465
- , guinea-pig isolated, differential release of eicosanoids by bradykinin, arachidonic acid and calcium ionophore A23187, **86**, 55
- , human, oxidative transformation in human dispersed lung cells, **86**, 417

- , rats isolated, effect of prednisolone and ketotifen on the antigen-induced bronchoconstriction and mediator release, **86**, 627
- L 171555**, effect on single neurones in rat cerebral cortex, **86**, 483
- Lysozyme**, effect of phorbol esters on release in human polymorphonuclear leukocytes, **86**, 533

M

- Mackay's model**, experimental model for functional antagonism in isolated costo-uterus of the rat, **86**, 131
- Magnesium**, effect on respiratory frequency in isolated brainstem-spinal cord preparation of newborn rat, **86**, 95
- Maitotoxin**, mechanism of action in relation to calcium movements in guinea-pig and rat cardiac muscles, **86**, 385
- McN-A-343**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , stimulation of acid secretion in mouse isolated stomach, pharmacological analysis of muscarinic acetylcholine receptors, **86**, 609
- Mebanazine**, effects on [¹⁴C]- β -phenylethylamine distribution in cats, **86**, 877
- Mechanical responses**, of guinea-pig isolated trachealis to isoprenaline, **86**, 843
- Meclofenamate**, effect on glycogenolysis in isolated rat hepatocytes, **86**, 491
- Membrane characteristics**, of guinea-pig anal sphincter in response to field stimulation and drugs, **86**, 427
- Membrane potentials**, effect of atrial natriuretic factor in rat renal arcuate arteries, **86**, 447
- , effect of Bay K 8644 in guinea-pig isolated trachealis, **86**, 171
- , effect of sodium nitroprusside and 8-bromo-cyclic GMP in rat tail artery, **86**, 117
- Mepacrine**, effect on action of epithelium on smooth muscle contractility in bovine trachea, **86**, 685
- Meptazinol**, cardiovascular effects following haemorrhagic shock in rats and cats, **86**, 43
- 3-Mercaptopropionic acid**, effect on 5-hydroxytryptophan-induced head twitch response in mice, **86**, 297
- Mesenteric arteries**, cat effects of chemical sympathectomy on catecholamine concentrations, **86**, 351
- , guinea-pig and rabbit, action of ATP and α, β -methyl ATP on neurotransmission and smooth muscle membrane, **86**, 777
- Metergoline**, effect on RU-24969-induced decrease in 5-HT release and metabolism in rat frontal cortex, **86**, 209
- Methacholine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- 5-Methoxy-3(1,2,3,6-tetrahydro-4-pyridinyl)-1H-indole** *see* RU-24969
- N-methyl-D-aspartate**, induction of depolarizations in frog motoneurones, effect of D-aminophosphono-valeric acid *in vitro*, **86**, 19
- Methyl β -carboline-3-carboxylate**, effect on social interaction and locomotor activity when microinjected into raphe nucleus, **86**, 753
- 2-Methyl histamine**, induction of contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- 4-Methyl histamine**, effect on [³H]-tiotidine binding to homogenates of guinea-pig lung parenchyma, **86**, 475
- , induction of contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- , production of relaxation in strips of guinea-pig parenchyma, **86**, 465
- N-methyl-4-phenyl-1,2,5,6-tetrahydropyridine**, dopaminergic toxicity, prevention by phenylethylamine in mice, **86**, 529
- N-methylatropine**, effect on gastric acid secretion in isolated stomach preparation of the mouse, **86**, 571
- , effect on 5-methylfurmethide concentration-effect curves in isolated mouse stomach, **86**, 601
- α, β -Methylene adenosine triphosphate**, actions on neuromuscular transmission and smooth muscle membrane of the rabbit and guinea-pig mesenteric arteries, **86**, 777
- , effect on nerve-mediated pressor response after α -adrenoceptor blockade or reserpine pretreatment, **86**, 265
- Methylxanthines**, modification of adenosine-induced mucus secretion in dog trachea, **86**, 63
- Metiamide**, effect on [³H]-tiotidine binding to homogenates of guinea-pig lung parenchyma, **86**, 475
- , estimation of pK_B values on gastric and guinea-pig isolated right atrium assays, **86**, 581
- Metoprolol**, alone and in combination with dazmegrel, effect on myocardial infarct size in rats, **86**, 235
- , alone or in combination with dazmegrel, effects on ventricular arrhythmias induced by coronary artery occlusion in conscious rats, **86**, 229
- Mexiletine**, effect on contractions and action potentials in potassium-depolarized guinea-pig atria, **86**, 7
- , electrophysiological mechanisms for antiarrhythmic action in guinea-pig isolated hearts, **86**, 805
- Microelectrophoresis**, evaluation of the contribution of D₁ and D₂ dopamine receptors to excitatory neuronal responses of rat cerebral cortex to dopamine, **86**, 483
- Migraine**, role of β -phenylethylamine, **86**, 877
- MJ-13653**, effect on 5-HT and dopamine behavioural syndromes in rats, **86**, 637
- MJ-13805**, effect on 5-HT and dopamine behavioural syndromes in rats, **86**, 637
- Molecular exclusion high performance liquid chromatography**, characterization of muscarinic receptor subtypes in bovine cerebral cortex, **86**, 375
- Monoamine oxidase activity**, effect of buspirone in rats, **86**, 637
- Monoamine oxidase inhibitors**, effect on [¹⁴C]- β -phenylethylamine distribution in cats, **86**, 877
- , effect on thiamin status of rabbits, **86**, 869
- Monoamine oxidase-B substrates**, effect on dopaminergic toxicity of N-methyl-4-phenyl-1,2,5,6-tetrahydropyridine in mice, **86**, 529
- Morphine**, effect on the actions of opioid peptides on contractions in rabbit ear artery, **86**, 539
- Motility**, effects of pinaverium bromide and verapamil in rat colon, **86**, 89
- Mr 2266**, effect on the actions of opioid peptides on contractions in rabbit ear artery, **86**, 539
- Mucus secretion**, adenosine-induced in the dog trachea, modification by methylxanthines and adenosine derivatives, **86**, 63

- Muscarine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- Muscarinic acetylcholine receptor agonists**, effect on NA overflow from guinea-pig isolated atria, **86**, 905
- , potentiation of contractions to field stimulation of rat vas deferens, **86**, 671
- Muscarinic acetylcholine receptors**, action of agonists and antagonists on ileum and atria *in vitro*, **86**, 163
- , effect of inhibition on NA overflow from guinea-pig isolated atria, **86**, 905
- , involvement in the regulation of neurotransmitter release in rat nucleus accumbens, **86**, 505
- , molecular characterization of subtypes in bovine cerebral cortex by radiation inactivation and molecular exclusion h.p.l.c., **86**, 375
- , neuronal, attenuation of vagally-induced contraction of feline bronchial smooth muscle, **86**, 723
- , pharmacological analysis of the involvement in McN-A343 stimulated acid secretion in mouse isolated stomach, **86**, 609
- , pharmacological analysis on oxyntic cells of mouse isolated stomach gastric acid assay, **86**, 601
- Muscimol**, effect on 5-hydroxytryptophan-induced head twitch in mice, **86**, 297
- Muscle**, mouse diaphragm, modification by dantrolene, procaine and suxamethonium of caffeine-induced changes in aequorin luminescence transients and twitch tensions, **86**, 319
- Muscle relaxants**, evaluation in rats and cats, **86**, 357
- Myenteric plexus**, guinea-pig, theophylline-sensitive modulation of non-cholinergic excitatory neuro-transmission, **86**, 315
- Myocardial infarct**, effect of metoprolol alone and in combination with dazmegrel on size in rats, **86**, 235
- Myocardial ischaemias**, effects of AH23848 in anaesthetized dogs, **86**, 259
- , importance of myocardial blood flow in changes in protective action of diltiazem, **86**, 341
- , induction of arrhythmias, effect of CNS ablations in rats, **86**, 663
- , study of the cardioprotective effects of PN 200-110 in the Langendorff rabbit heart model, **86**, 181
- Myometrium**, rat, changes in the mechanical properties of longitudinal and circular muscle tissues during gestation, **86**, 247
- N**
- Nadolol**, interactions with thyroid hormones in the control of heart rate in the dog, **86**, 393
- Naloxone**, cardiovascular effects following haemorrhagic shock in rats and cats, **86**, 43
- , effect on running-induced changes in plasma tryptophan in the rat, **86**, 33
- , effect on the actions of opioid peptides on contractions in rabbit ear artery, **86**, 539
- Naproxen**, effect on glycogenolysis in isolated rat hepatocytes, **86**, 491
- Nerve volley**, effect of tricyclic antidepressant drugs in rat hippocampal slices, **86**, 201
- Neurokinin A** *see* Substance K
- Neuromuscular blocking agents**, effect on receptor-mediated increases in potassium permeability of intestinal smooth muscle, **86**, 861
- Neuromuscular junction**, crayfish, effects of TI-233 as a glutamate channel blocker, **86**, 105
- Neuromuscular transmission**, effect of ATP and α,β -methylene ATP in rabbit and guinea-pig mesenteric arteries, **86**, 777
- Neuropeptides**, effects on smooth muscle preparations, **86**, 241
- Neuroregulators**, effects on giant neurones of African giant snails, **86**, 645
- Neurotransmission**, non-cholinergic excitatory, theophylline-sensitive in guinea-pig ileum, **86**, 315
- Neurotransmitter release**, discrimination by pirenzepine of muscarinic receptors involved in regulation in rat nucleus accumbens, **86**, 505
- Neutrophil**, human polymorphonuclear, effects of phorbol esters on enzyme release and chemokinesis, **86**, 533
- Nicotinic acid**, effect on running-induced changes in plasma, liver and brain tryptophan and brain 5-HT metabolism in the rat, **86**, 33
- Nifedipine**, effect on actions of Bay K 8644 in guinea-pig and rat isolated cardiac tissue, **86**, 27
- , effect on contractions and action potentials in potassium-depolarized guinea-pig atria, **86**, 7
- , interactions with Bay K 8644 in guinea-pig isolated trachealis, **86**, 171
- Nisoldipine**, effect on contractions and action potentials in potassium-depolarized guinea-pig atria, **86**, 7
- Nitrendipine**, effect on responses of isolated strips of human chorionic plate artery to prostaglandins E₂ and E₁, **86**, 705
- Non-adrenergic, non-cholinergic nerves**, electrical basis of inhibitory response in guinea-pig anal muscle, **86**, 427
- Noradrenaline**, effect of acetylcholine of overflow from guinea-pig isolated atria, **86**, 905
- , effect of ATP and α,β -methylene ATP on overflow in rabbit mesenteric artery, **86**, 777
- , effect of carbachol on release from rat vas deferens, **86**, 671
- , effect of tyramine on outflow induced by field stimulation in perfused rabbit ear artery, **86**, 405
- , effect on ACh-induced contractions in guinea-pig isolated bronchi, **86**, 367
- , effect on respiratory frequency in brainstem-spinal cord preparations of newborn rat, **86**, 95
- , effect on sodium-potassium pump in rat isolated liver cells, **86**, 151
- , electrophysiological responses of neonatal rat basilar artery, **86**, 217
- , membrane potential responses in rat isolated anococcygeus muscle, **86**, 711
- , responsiveness of rats, effect of alteration of angiotensin II levels by changes in sodium intake or captopril, **86**, 889
- , stimulation-induced release from guinea-pig and rat vas deferens, evidence for autoinhibition, **86**, 455
- Normorphine**, effect on the actions of opioid peptides on contractions in rabbit ear artery, **86**, 539
- Nucleus accumbens**, rat, antagonistic effects of pirenzepine on oxotremorine induced facilitation of dopamine release, **86**, 505

O

- Oedema**, inflammatory, induced by synergism between calcitonin gene-related peptide and mediators of increased vascular permeability, **86**, 855
- Oesophagus**, guinea-pig, pharmacological characterization of the histamine receptor in isolated muscularis mucosae, **86**, 619
- Omeprazole**, effect on gastric acid secretion in isolated stomach preparation of the mouse, **86**, 571
- Opioid peptides**, effect on stimulation-induced contractions of rabbit ear artery ring segments, **86**, 539
- Opioid receptor agonists**, determination of selectivity in guinea-pig ileum and mouse vas deferens using β -funaltrexamine, **86**, 899
- Opioid receptors**, identification of subtypes on rabbit ear artery, **86**, 539
- Oral contraceptives**, effect on platelet sensitivity and coagulation in the rat, **86**, 557
- Org 6001**, effect on contractions and action potentials in potassium-depolarized guinea-pig atria, **86**, 7
- Oscillatory afterpotentials**, effect of mexiletine in sheep cardiac Purkinje fibres, **86**, 805
- Ovarian hormones**, effect on platelet sensitivity and coagulation in the rat, **86**, 557
- Oxazoles**, effects on giant neurones in African giant snail, **86**, 645
- Oxmetidine**, estimation of pK_B values on gastric and guinea-pig isolated right atrium assays, **86**, 581
- Oxotremorine**, action at muscarinic receptor present on ileum and atria *in vitro*, **86**, 163
- , use in experimental testing of Mackay's model for functional antagonism, **86**, 131
- Oxyntic cells**, pharmacological analysis of muscarinic acetylcholine receptors in mouse stomach, **86**, 601
- Oxythiamin**, effect on erythrocyte transketolase activity, lactate and pyruvate concentrations and thiamin pyrophosphate effect in rabbits, **86**, 869

P

- Pancuronium**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , effect on receptor-mediated increases in potassium permeability of intestinal smooth muscle, **86**, 861
- Pargyline**, in combination with 6-OHDA, effect on catecholamine concentrations in cat peripheral tissues, **86**, 351
- Pentagastrin**, interaction with tiotidine, pharmacological analysis in mouse isolated stomach, **86**, 589
- Pentobarbitone**, effect on 5-hydroxytryptophan-induced head twitch response in mice, **86**, 297
- Pentylentetrazol**, effect on 5-hydroxytryptophan-induced head-twitch response in mice, **86**, 297
- pH**, effect on respiratory frequency in brainstem-spinal cord preparations of newborn rat, **86**, 95
- Phenoxybenzamine**, effect on pre- and post-junctional potency of xylazine in pithed rats and human saphenous vein, **86**, 335
- , effect on stimulation-induced NA release from guinea-pig and rat vas deferens, **86**, 455
- Phentolamine**, action on the effects of tyramine on NA

- outflow and electrical responses induced in rabbit ear artery by field stimulation, **86**, 405
- , effect on electrical and mechanical responses of guinea-pig anal sphincter to field stimulation, **86**, 427
- , effect on electrophysiological responses of neonatal rat basilar artery to NA or isoprenaline, **86**, 217
- , effect on pre- and post-junctional potency of xylazine in pithed rats and human saphenous vein, **86**, 335
- Phenylephrine**, effect on single neurones in rat cerebral cortex, **86**, 483
- , induction of contractile responses in rat aorta, effect of endothelium, **86**, 655
- , mediation of pressor responses in pithed rat, influence of blood gases, **86**, 69
- Phenylethylamine**, prevention of dopaminergic toxicity of N-methyl-4-phenyl-1,2,5,6-tetrahydropyridine in mice, **86**, 529
- [¹⁴C]- β -phenylethylamine**, distribution in cats after different routes of administration, effects of monoamine oxidase inhibitors, **86**, 877
- L-Phenylisopropyladenosine**, effect of N-ethylmaleimide on binding in feline cortical membranes, **86**, 509
- Phorbol esters**, effect of human polymorphonuclear neutrophil release of granular enzymes and on chemokinesis, **86**, 533
- Phosphino amino acids**, use to compare the pharmacological properties of L-glutamate binding and synaptic responses in rat brain, **86**, 743
- Physical exercise**, effect on plasma, liver and brain tryptophan and on brain 5-HT metabolism of the rat, **86**, 33
- Picrotoxin**, effect on biphasic response of guinea-pig hippocampal cells to GABA, **86**, 515
- , effect on 5-hydroxytryptophan-induced head-twitch response in mice, **86**, 297
- Pilocarpine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , agonist activity at neuronal muscarinic receptors attenuating parasympathetic nerve activity in cat lung, **86**, 723
- , potentiation of contractions to field stimulation of rat vas deferens, **86**, 671
- Pinaverium bromide**, effect on rat colonic motility, **86**, 89
- Pirenzepine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- , antagonism of oxotremorine-induced facilitation of dopamine release in rat nucleus accumbens, **86**, 505
- , effect on 5-methylfurfurmethide concentration-effect curves in mouse isolated stomach, **86**, 601
- , interaction with McN-A 343 in mouse isolated stomach, **86**, 609
- Piretanide**, reversal of short circuit current responses of human colonic carcinoma cells induced by forskolin, **86**, 3
- Piroxicam**, effects on gastric acid secretion by rat isolated gastric mucosa, **86**, 677
- , effect on glycogenolysis in isolated rat hepatocytes, **86**, 491
- Plasma**, guinea-pig, rabbit and rat, effects of adrenoceptor agonists and antagonists on potassium concentration, **86**, 827
- Platelet activating factor**, induction of oedema in rabbit, potentiation by calcitonin gene-related peptide, **86**, 855
- Placenta**, human, effects of nitrendipine on responses of

- isolated strips of chorionic plate artery to prostaglandins E₂ and E₁, **86**, 705
- Plasma**, rat, effect of running or food deprivation on tryptophan levels, **86**, 33
- Platelets**, rat, levels before and after coronary occlusion, **86**, 663
- , rat, effects of sex and hormonal influences on sensitivity, **86**, 557
- , rat, lack of effect of CGS 12970 on aggregation, **86**, 497
- PN 200-110**, cardioprotective effects in the absence and presence of cardiodepression, **86**, 181
- Population spikes**, effect of tricyclic antidepressants in rat hippocampal slices, **86**, 201
- Potassium**, effects of adrenoceptor agonists and antagonists on plasma concentrations in anaesthetized guinea-pigs, rabbit and rats, **86**, 827
- , effect of different concentrations on action of reserpine on extraneuronal uptake of [³H]-isoprenaline into rat atria, **86**, 287
- , effect on mechanical properties of longitudinal and circular muscle tissues of rat myometrium during gestation, **86**, 247
- , effect on respiratory frequency in isolated brainstem-spinal cord preparation of newborn rat, **86**, 95
- , serum levels in pithed rats before and after coronary occlusion, **86**, 663
- Potassium channel inhibitors**, effect on electrical and mechanical responses of guinea-pig trachealis cells to isoprenaline, **86**, 843
- Potassium chloride**, interactions with Bay K 8644 in guinea-pig trachealis, **86**, 171
- , contractile effects on guinea-pig isolated bronchi, **86**, 367
- Potassium conductance**, possible involvement in the action of γ -aminobutyric acid in guinea-pig hippocampus, **86**, 515
- Potassium permeability**, inhibition of receptor-mediated increases by neuromuscular blocking agents and apamin in guinea-pig taenia caecum, **86**, 861
- Prazosin**, action on the effects of tyramine on NA outflow and electrical responses induced in rabbit ear artery by field stimulation, **86**, 405
- , cardiovascular effects in the rabbit, **86**, 79
- , effect on α_1 -adrenoceptor mediated component of vasoconstriction in pithed rat, **86**, 265
- , effect on excitatory responses of phenylephrine or LY-171555 in rat cerebral cortex, **86**, 483
- , effect on potentiation of contractions to field stimulation of rat vas deferens, **86**, 671
- , effect on pre- and post-junctional potency of xylazine in pithed rats and human saphenous vein, **86**, 335
- Prednisolone**, effect on antigen-induced broncho-constriction and mediator release in rat isolated lungs, **86**, 627
- Pressor responses**, α -adrenoceptor-mediated, influence of blood gases in the pithed rat, **86**, 69
- , to NA, effect of alterations in endogenous angiotensin II by changes in sodium intake and captopril in the rat, **86**, 889
- Procaine**, effect on caffeine-induced changes in aequorin luminescence transients and twitch tensions of mouse diaphragm, **86**, 319
- , effect on electrical and mechanical responses of guinea-pig trachealis cells to isoprenaline, **86**, 843
- , effect on electrophysiological properties of cultured embryonic chick hearts, **86**, 817
- Procainamide**, effect on electrophysiological properties of cultured embryonic chick hearts, **86**, 817
- Propafenone**, electrophysiological effects in guinea-pig atrial and ventricular muscle fibres, **86**, 765
- Propranolol**, effect on dimaprit-induced relaxation of guinea-pig lung strip, **86**, 465
- , effect on maitotoxin-induced inotropic effects in guinea-pig left atria, **86**, 385
- , interactions with thyroid hormones in the control of heart rate in the dog, **86**, 393
- Prostacyclin**, ischaemia-induced release, effect of AH23848 in anaesthetized dogs, **86**, 259
- Prostaglandin F_{2α}**, contractile effects on guinea-pig isolated bronchi, **86**, 367
- , contractile effects on rat aorta, effect of endothelium, **86**, 655
- , effect on the hydrolysis of phosphatidylinositol or phosphatidic acid in dog tracheal smooth muscle, **86**, 191
- Prostaglandin E analogues**, effect on gastric acid secretion by rat isolated gastric mucosa, **86**, 677
- Prostaglandin E₁**, responses of isolated human chorionic plate artery, effect of nitrendipine, **86**, 705
- Prostaglandin E₂**, effect on ibuprofen-stimulated glycogenolysis in isolated rat hepatocytes, **86**, 491
- , responses of isolated human chorionic plate artery, effect of nitrendipine, **86**, 705
- Prostaglandins**, effect of bradykinin, arachidonic acid or ionophore A23187 on release in guinea-pig isolated lung, **86**, 55
- , effect of carbenoxolone and deglycyrrhized liquorice on synthesis by rat gastric mucosa *ex vivo*, **86**, 693
- , formation in an immune mediated colitis in guinea-pig, **86**, 439
- , production in human dispersed lung cells, **86**, 417
- Protein kinase C**, involvement in neutrophil functions, **86**, 533
- Purkinje fibres**, sheep heart, effects of mexiletine on automaticity and oscillatory afterpotentials, **86**, 805
- Pyramidal cell**, responses to GABA in guinea-pig, **86**, 515
- 2-Pyridylethylamine**, induction of contractions in guinea-pig parenchymal strips, effects of histamine H₂ receptor agonists and forskolin, **86**, 465
- , induction of contractions in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- Pyriethiamin**, effect on erythrocyte transketolase activity, lactate and pyruvate concentrations and thiamin pyrophosphate effect in rabbits, **86**, 869
- Pyrrolidines**, effects on giant neurones of African giant snails, **86**, 645
- Pyruvate**, effect of MAO inhibitors and thiamin antagonists on blood levels in rabbit, **86**, 869

Q

- Quinidine**, effect on contractions and action potentials in potassium-depolarized guinea-pig atria, **86**, 7
- , effect on electrophysiological properties of cultured embryonic chick hearts, **86**, 817
- L-Quisqualic acid**, effects on giant neurones of African giant snail, **86**, 645

R

- R-55669**, effect on RU-24969-induced decrease in 5-HT release and metabolism in rat frontal cortex, **86**, 209
- Radiation inactivation**, characterization of muscarinic receptor subtypes in bovine cerebral cortex, **86**, 375
- Ranitidine**, effect on [^3H]-tiotidine binding to homogenates of guinea-pig lung parenchyma, **86**, 475
- , estimation of pK_B values on gastric and guinea-pig isolated right atrium assays, **86**, 581
- Raphé nucleus**, rat, effects of microinjections of methyl β -carboline-3-carboxylate on social interaction and locomotor activity, **86**, 753
- Rauwolscine**, effect on α_2 -adrenoceptor mediated component of vasoconstriction in pithed rats, **86**, 265
- , effect on pre- and post-junctional potency of xylazine in pithed rats in human saphenous vein, **86**, 335
- Regional blood flow**, comparison of effects of meptazinol and naloxone following haemorrhagic shock in rats and cats, **86**, 43
- , effect of PN 200-110 following ischaemia in rabbit heart model, **86**, 181
- Renal arteries**, cat, effects of chemical sympathectomy on catecholamine concentrations, **86**, 351
- Renal resistance vessels**, rat, induction of relaxation by atrial natriuretic factor, **86**, 447
- Reperfusion**, induction of arrhythmias, effect of AH23848 in anaesthetized dogs, **86**, 259
- , induction of arrhythmias, electrophysiological mechanisms for anti-arrhythmic action of mexiletine, **86**, 805
- Reserpine**, effect on maitotoxin-induced inotropic effects in guinea-pig left atria, **86**, 385
- , effect on responses of pithed rat to prazosin plus rauwolscine, **86**, 265
- , effect on the extraneuronal uptake of [^3H]-isoprenaline into rat atria, **86**, 287
- Respiratory rhythm**, pharmacological study in isolated brainstem-spinal cord preparation of newborn rat, **86**, 95
- Ritanserin** *see* R-55669
- Ro05-4864**, effect on 5-hydroxytryptophan-induced head-twitch response in mice, **86**, 297
- Ro15-1788**, effect on 5-hydroxytryptophan-induced head-twitch response in mice, **86**, 297
- , effect on social interaction and locomotor activity after microinjection into raphe nucleus, **86**, 753
- , reversal of the effects of ZK 93423 in rats and cats, **86**, 357
- RU-24969**, effect on 5-HT release and metabolism in rat frontal cortex *in vitro* and *in vivo*, **86**, 209
- Rubidium**, effect of neuromuscular blocking agents and apamin on resting efflux in guinea-pig taenia caecum, **86**, 861
- Running**, effects on plasma, liver and brain typtophan and on brain 5-HT metabolism of the rat, **86**, 33

S

- Salbutamol**, effect on ACh-induced contractions in guinea-pig isolated bronchi, **86**, 367
- Saphenous vein**, dog, identification of receptor subtype mediating contractions, **86**, 697
- , human, lack of evidence for differences between pre- and post-junctional α_2 -adrenoceptors, **86**, 335
- Scopolamine**, antagonism of oxotremorine-induced facilitation of dopamine release in rat nucleus accumbens, **86**, 505
- Sea anemone**, effect of toxin ATX-II on vertebrate skeletal muscle, **86**, 275
- Secoverine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- Sex**, effect on platelet sensitivity and coagulation in the rat, **86**, 557
- Sisomicin**, effects on bound calcium and contraction in guinea-pig atria, **86**, 799
- Skeletal muscle**, vertebrate, effects of sea anemone toxin ATX-II, **86**, 275
- SKF 38393**, effect on single neurones in rat cerebral cortex, **86**, 483
- Slow depolarization**, field stimulation-induced, effects of tyramine in perfused rabbit ear artery, **86**, 405
- Slow releasing substance of anaphylaxis**, effect of prednisolone and ketotifen on release in rat isolated lungs, **86**, 627
- Slow wave**, effects of diltiazem in stomach smooth muscle of guinea-pig, **86**, 789
- Smooth muscle**, bovine trachea, effect of airway epithelium on contractility, **86**, 685
- , rat myometrium, changes in mechanical properties during gestation, **86**, 247
- Smooth muscle membrane**, guinea-pig and rabbit, actions of ATP and α,β -methylene ATP, **86**, 777
- Smooth muscle preparations**, effect of galanin, **86**, 241
- Social interaction**, effects of microinjection of methyl β -carboline-3-carboxylate into raphé nucleus of the rat, **86**, 753
- Social interaction test**, effectiveness of triazolo-benzodiazepines in rats, **86**, 729
- Sodium**, effects of different concentrations on negative inotropic effects of somatostatin in guinea-pig atrial fibres, **86**, 547
- , effects of different concentrations on the action of reserpine on extraneuronal uptake of [^3H]-isoprenaline into rat atria, **86**, 287
- Sodium channels**, slow, blockade by local anaesthetic antiarrhythmics in cultured embryonic chick hearts, **86**, 817
- , [^3H]-tetracaine binding in rats, **86**, 125
- Sodium flux**, effect of atrial natriuretic factor in rat renal arcuate arteries, **86**, 447
- Sodium intake**, alteration of endogenous angiotensin II, effect on CA pressor responsiveness in rats, **86**, 889
- Sodium nitroprusside**, effect on electrical and mechanical activities of rat tail arteries, **86**, 117
- , induction of relaxation in rat resistance vessels, **86**, 447
- Sodium-potassium pump**, effects of NA, vasopressin and angiotensin in rat isolated liver cells, **86**, 151
- Sodium thiocyanate**, effect on gastric acid secretion in isolated stomach preparation of the mouse, **86**, 571
- Somatostatin**, negative inotropic effect in guinea-pig atrial fibres, **86**, 547
- Sotalol**, interactions with thyroid hormones in the control of heart rate in the dog, **86**, 393
- Spasm**, induction in guinea-pig isolated trachealis by Bay K 8644 in the presence of indomethacin, **86**, 171
- Spike potential**, spontaneous or electrically evoked, effect of diltiazem in guinea-pig stomach smooth muscle, **86**, 789

- Spinal cord**, cat and rat, evaluation of muscle relaxant properties of ZK 93423, **86**, 357
- Spinal motoneurons**, frog, pharmacological characterization of D-aminophosphonovaleric acid antagonism of amino acid and synaptically evoked excitations *in vitro*, **86**, 19
- Spiperone**, effect on contractile responses to 5-HT in rabbit aorta and dog saphenous vein, **86**, 697
- Stercuronium**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- Stomach**, mouse isolated, pharmacological analysis of muscarinic acetylcholine receptors coupled to oxyntic cell secretion, **86**, 601
- , mouse isolated, pharmacological analysis of the muscarinic acetylcholine receptors involved when McN-A 343 stimulates acid secretion, **86**, 609
- , mouse isolated, pharmacological analysis of pentagastrin-tiotidine interaction, **86**, 589
- Stomach smooth muscle**, guinea-pig, effects of diltiazem on spike potential generated spontaneously or by electrical stimulation, **86**, 798
- Suberyldicholine**, action at muscarinic receptors present on ileum and atria *in vitro*, **86**, 163
- Substance P**, effect on gastrointestinal propulsion in the rat, **86**, 305
- , effect on respiratory frequency in brainstem-spinal cord preparation of newborn rat, **86**, 95
- , induction of oedema in rat skin, potentiation by calcitonin gene-related peptide, **86**, 855
- Substance K**, effect on gastrointestinal propulsion in the rat, **86**, 305
- Succinylcholine**, effect on caffeine-induced changes in aequorin luminescence transients and twitch tension of mouse diaphragm muscle, **86**, 319
- Suxamethonium**, effect on caffeine-induced changes in aequorin luminescence transients and twitch tensions of mouse diaphragm, **86**, 319
- Sympathetic nervous system**, pithed rat, analysis of the α -adrenoceptor-mediated, and other, components in vasopressor responses, **86**, 265
- , stimulation, analysis of α -adrenoceptor-mediated and other components in vasopressor responses of pithed rats, **86**, 265
- Synaptic receptors**, 2-amino-4-phosphonobutanoate-sensitive, ligand selectivity, **86**, 743
- Synaptosomes**, rat, [3 H]-tetracaine binding, **86**, 125
- T**
- Tail artery**, rat, effect of sodium nitroprusside and 8-bromocyclic GMP on electrical and mechanical activities, **86**, 117
- Temperature**, effect on respiratory frequency in brainstem-spinal cord of newborn rat, **86**, 95
- Terbutaline**, effect on ACh-induced contractions in guinea-pig isolated bronchi, **86**, 367
- [3 H]-tetracaine**, binding on rat synaptosomes and sodium channels, **86**, 125
- Tetraethylammonium**, contractile effects on guinea-pig isolated bronchi, **86**, 367
- , effect on electrical and mechanical responses of guinea-pig trachealis cells to isoprenaline, **86**, 843
- , interactions with Bay K 8644 in guinea-pig isolated trachealis, **86**, 171
- Tetrodotoxin**, effect on contractions and action potentials in potassium-depolarized guinea-pig atria, **86**, 7
- , effect on electrical and mechanical responses of guinea-pig anal sphincter to field stimulation, **86**, 427
- , effect on gastric acid secretion in isolated stomach preparation of the mouse, **86**, 571
- , effect on histamine agonist-induced contractile responses in isolated muscularis mucosae of guinea-pig oesophagus, **86**, 619
- , effect on maitotoxin-induced intropic effects in guinea-pig left atria, **86**, 385
- , effect on tyramine-induced increase in NA outflow in perfused rabbit ear artery, **86**, 405
- Theophylline**, modulation of non-cholinergic excitatory neurotransmission in the guinea-pig ileum, **86**, 315
- Thiamin status**, effect of monoamine oxidase inhibitors in rabbits, **86**, 869
- Thrombocytopenia**, lack of effect of CGS 12970 in guinea-pigs or rats, **86**, 497
- Thromboxane A₂**, ischaemia-induced release, effects of AH 23848 in anaesthetized dogs, **86**, 259
- Thromboxane B₂**, effect of CGS 12970 on production *in vitro* in human platelets, **86**, 497
- Thromboxane synthetase**, inhibition by CGS 12970, **86**, 497
- Thyroid hormones**, interactions with β -adrenoceptor antagonists in the control of heart rate in the dog, **86**, 393
- Thyrotropin releasing hormone**, effect on respiratory frequency in brainstem-spinal cord preparations of newborn rat, **86**, 95
- TI-233**, effect on glutamate-induced and nerve evoked synaptic responses in crayfish neuro-muscular junction, **86**, 105
- Tiotidine**, effect on gastric acid secretion in isolated stomach preparation of the mouse, **86**, 571
- , interaction with pentagastrin, pharmacological analysis in mouse isolated stomach, **86**, 589
- [3 H]-tiotidine**, binding to homogenates of guinea-pig lung parenchyma, **86**, 475
- Tracer microspheres**, assessment of regional blood flow, **86**, 181
- Trachea**, bovine, effect of airway epithelium on smooth muscle contractility, **86**, 685
- , dog, modification by methylxanthines and adenosine derivatives of adenosine-induced mucous secretion, **86**, 63
- , dog, role for inositol 1,4,5-triphosphate in the initiation of agonist-induced contractions of dog trachea smooth muscle, **86**, 191
- , guinea-pig, electrophysiological and other aspects of the relaxant action of isoprenaline, **86**, 843
- , guinea-pig isolated, effects of Bay K 8644, **86**, 171
- Tranylcypromine**, effect on thiamin status of rabbits, **86**, 869
- Trasylol** *see* **Aprotinin**
- Triazolobenzodiazepines**, effects in animal tests of anxiety and in the holeboard, **86**, 729
- Tryptophan**, effect of conditioned running or food deprivation on plasma, liver and brain levels, **86**, 33
- Tubocurarine**, effect on receptor-mediated increases in potassium permeability of intestinal smooth muscle, **86**, 861
- Twitch tension**, modification by dantrolene, procaine or suxamethonium in mouse diaphragm muscle, **86**, 319

Tyramine, effects on NA outflow and electrical responses induced by field stimulation in perfused rabbit ear artery, **86**, 405

U

U-43,465, effects in animal anxiety tests and in the holeboard, **86**, 729

UK 14304, effect on isometric contraction in vas deferens of spontaneously hypertensive and normotensive rats, **86**, 327

V

Valine, effect on brain tryptophan levels in runners and food deprived rats, **86**, 33

Vas deferens, guinea-pig, evidence for autoinhibition of stimulation-induced NA release, **86**, 455

—, mouse, determination of receptor selectivity of opioid agonists using β -funaltrexamine, **86**, 899

—, rat, differential blocking actions of idazoxan against the effects of 6-fluoronoradrenaline and clonidine, **86**, 141

—, rat, investigation of α -adrenoceptor responsiveness in hypertension, **86**, 327

—, rat, potentiation by cholinergic agonists of contractions to field stimulation, **86**, 671

Vascular smooth muscle, effects of sodium nitroprusside and 9-bromo-cyclic GMP in rat tail artery, **86**, 117

Vasopressin, effect on sodium-potassium pump in rat isolated liver cells, **86**, 151

Vasopressor responses, analysis of the α -adrenoceptor-mediated, and other, components in rat sympathetic nervous system, **86**, 265

Ventricle, guinea-pig and rat, positive inotropic effects of Bay K 8644, **86**, 27

—, left cat, effect of chemical sympathectomy on catecholamine concentrations, **86**, 351

Ventricular arrhythmias, effects of AH23848 in anaesthetized dogs, **86**, 259

—, induced by coronary artery occlusion, effects of metoprolol and dazmegrel alone or in combination in rats, **86**, 229

Ventricular fibrillation, effects of AH 23848 in anaesthetized dogs, **86**, 259

—, effect of metoprolol alone or in combination with dazmegrel in conscious rats, **86**, 229

Ventricular muscle fibres, guinea-pig, electro-physiological effects of propafenone, **86**, 765

Verapamil, effect on maitotoxin-induced inotropic effects and tissue calcium content of guinea-pig left atria, **86**, 385

—, effect on rat colonic motility, **86**, 89

—, interactions with Bay K 8644 in guinea-pig isolated trachealis, **86**, 171

Voltammetry, measurement of decrease in extracellular 5-hydroxyindoleacetic acid in rat frontal cortex, **86**, 209

W

Water balance, effect on action of reserpine on extraneuronal uptake of [3 H]-isoprenaline into rat atria, **86**, 287

X

Xylazine, effect on isometric contraction in vas deferens of spontaneously hypertensive and normotensive rats, **86**, 327

—, mediation of pressor responses, influence of blood gases, **86**, 69

—, pre- and post-junctional potency in pithed rats and human saphenous vein in presence and absence of prazosin, **86**, 335

Y

YM 11170, effect on [3 H]-tiotidine binding to homogenates of guinea-pig lung parenchyma, **86**, 475

Yohimbine, effect on pre- and post-junctional potency of xylazine in pithed rats and human saphenous vein, **86**, 335

Z

ZK 93423, evaluation of muscle relaxant properties in rats and cats, **86**, 357

MEETINGS CALENDAR

28 February–1 March 1986

British Opioid Colloquium, Nottingham, UK. (Dr A.G. Hayes, Dept of Neuropharmacology, Glaxo Group Research Ltd, Ware, Herts, UK.)

19–22 March 1986

2nd World Conference on Inflammation, Monte Carlo, Monaco. (Prof. A. Bertelli, Institute of Pharmacology, University of Pisa, Via Roma 55, 56100 Pisa, Italy.)

25 March 1986

Toxicology Testing without Animals, London, UK. (Hon. Secretary, Society of Chemical Industry, Biotechnology Computer Systems Ltd, Cleveland House, Church Path, Chiswick, London W4 5HR, UK.)

9–11 April 1986

British Pharmacological Society, Bath, UK. (Dr A.R. Green, MRC Clinical Pharmacology Unit, Radcliffe Infirmary, Oxford, OX2 6HE.)

11–12 April 1986

Meeting of Bristol University graduates in Pharmacology, Bristol, UK. (Dr G.L. Collingridge, Dept of Pharmacology, The Medical School, University of Bristol, Bristol BS8 1TD, UK.)

17 April 1986

Society for Drug Research Meeting on Chemistry and Pharmacology of Dopamine Receptor Agents and Antagonists, London, UK. (Mrs B. Cavilla, Institute of Biology, 20 Queensberry Place, London SW7 2DZ, UK.)

25 April 1986

Meeting on Novel Sites of Action for Psychotropic Drugs, London, UK. (Mrs P.J. Rowden, Dept of Clinical Pharmacology, Wellcome Research Laboratories, Langley Court, Beckenham, Kent, UK.)

26–30 May 1986

International Meeting on Diuretics, Naples, Italy. (Antonio Del Canton M.D., Dept of Nephrology, Second Faculty of Medicine, Via S. Pansini, 80131 Naples, Italy.)

1–5 June 1986

15th Aharon Katzir-Katchalsky Conference on Molecular Neurobiology, Maidstone, UK. (Ruth Goldstein, Katzir Centre, Weizmann Institute, 76 100 Rehovot, Israel.)

3–6 June 1986

VI International Conference on Prostaglandins and Related Compounds, Florence, Italy. (Secretary, Fondazione Giovanni Lorenzini, Via Monte Napoleone 23, 20121 Milan, Italy.)

8–13 June 1986

3rd Congress of the International Society for Biomedical Research on Alcoholism, Helsinki, Finland. (Ms Sari Salo, 3rd ISBRA Congress, Alko Ltd, POB 350, SF-00101, Helsinki, Finland.)

1–4 July 1986

International Symposium in honour of Luigi Sabbatani on Calcium Ion: Membrane Transport and Cellular Regulation, Padova-Venezia, Italy. (Dr S. Luciani, Dept of Pharmacology, University of Padova, Largo E. Meneghetti, 2, 35131 Padova, Italy.)

2–4 July 1986

British Pharmacological Society, Amsterdam, Netherlands. (Dr A.R. Green, MRC Clinical Pharmacology Unit, Radcliffe Infirmary, Oxford, OX2 6HE.)

2–6 July 1986

Inaugural meeting of European Behavioural Pharmacology Society, Antwerp, Belgium. (Dr F.C. Colpaert, Janssen Pharmaceutica, B-2340 Barse, Belgium.)

3–4 July 1986

Joint Symposium of British and West German Neurochemical Groups on Molecular Structure in the Nervous System, Cambridge, UK. (Dr J. Belleruche, Dept of Biochemistry, Charing Cross & Westminster Medical School, Fulham Palace Road, London W6 8RF, UK.)

6–11 July 1986

Workshop on Basic Pharmacokinetics, Manchester, UK. (Prof. M. Rowland, Dept of Pharmacy, University of Manchester, Manchester M13 9PL, UK.)

9–12 July 1986

Conference on Axonal Transport, Calgary, Canada. (M.A. Bisby, Dept of Medical Physiology, University of Calgary, Calgary, Alberta, Canada T2N 4N1.)

21–23 July 1986

Substance P and Neurokinins, Montreal, Canada. (Dr J.L. Henry, Dept of Physiology, McGill University, 3655 Drummond Street, Montreal, Quebec, Canada, H3G Y6.)

27 July–1 August 1986

III World Convention on Clinical Pharmacology and Therapeutics. (Secretariat, CPT-86, c/o Stockholm Convention Bureau, Box 1617, S-111 86 Stockholm, Sweden.)

1–2 August 1986

3rd Annual Scientific Meeting of the Skin Pharmacology

Society, Stockholm, Sweden. (Dr O. Hagermark, Dept of Dermatology, Karolinska sjukhuset, S-104 01 Stockholm 60, Sweden.)

1–5 September 1986

British Association for the Advancement of Science, Bristol, UK. (Contact to be announced.)

10–12 September 1986

British Pharmacological Society, Hatfield, UK. (Dr A.R. Green, MRC Clinical Pharmacology Unit, Radcliffe Infirmary, Oxford OX2 6HE.)

22–26 September 1986

6th European Symposium on Quantitative Structure–Activity Relationships, Porturose, Yugoslavia. (Prof. D. Hadži, Boris Kidrič Institute of Chemistry, POB 30, 61115 Ljubljana, Yugoslavia.)

16–17 October 1986

Meeting on the Psychopharmacology of Dependence, London, UK. (Mrs P.J. Rowden, Dept of Clinical Pharmacology, Wellcome Research Laboratory, Langley Court, Beckenham, Kent, UK.)

16 December 1986

Society for Drug Research Meeting on Nucleoside Chemistry and Biology, London, UK. (Mrs B. Cavilla, Institute of Biology, 20 Queensbury Place, London.)

5–10 April 1987

New Directions in Affective Disorders, Jerusalem, Israel. (Secretariat, 12 Schlomzion Hamalka Str., Jerusalem 94146, Israel.)

14–19 June 1987

6th International Catecholamine Symposium, Jerusalem, Israel. (Prof R. Haim, Belmaker, PO Box 983, Jerusalem 91009, Israel.)

19–21 August 1987

Satellite Symposium of IUPHAR Congress. Amino Acid Transmitters, Canberra, Australia. (Prof. D.R. Curtis, Dept of Pharmacology, JCSMR, GPO Box 334, Canberra City, A.C.T. 2601, Australia.)

INSTRUCTIONS TO AUTHORS

Whilst every effort is made by the publishers and editorial committee to see that no inaccurate or misleading data, opinion or statement appears in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned. Accordingly the publishers and the editorial committee and their respective employees, officers and agents accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Papers will be considered for publication in all fields of pharmacology.

Before submitting a manuscript, authors must note the following points since failure to comply with instructions will lead to either delay or rejection of the manuscript. Overseas authors may find it helpful to seek advice from a Corresponding Editor in their country before submitting a manuscript for consideration.

1. **Manuscripts** (2 copies) should be sent to Dr G.M. Lees, Editorial Office, University of Aberdeen, Marischal College, Aberdeen AB9 1AS. The manuscript must be typed in double spacing on one side of paper, not larger than A4 (210 × 297 mm). There should be a separate title page with the names of authors (in alphabetical order) and their appropriate addresses. One first name of each author may be included.

2. **Style** Papers must be submitted in the style of the journal (see any recent issue of the journal) and in accordance with the Instructions to Authors published in *Br. J. Pharmac.* (1984), **81**, 3–10. (Copies of these instructions may be obtained from Dr Lees.)

3. **Statement** The manuscript must be accompanied by the following statement: 'This manuscript has not been nor will be published in whole or in part by any other journal.' The statement may be included as part of the accompanying letter which must be signed by all authors. No paper will be accepted without this statement and the signature of each author.

4. **Summary** (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.

5. **Short title** A short (running) title of not more than 50 letters and spaces should be submitted. This may be typed on the title page.

6. **Figures** These should not be larger than A4 (210 × 297 mm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:

○ ● □ ■ △ ▲ ▽ ▼ ◇ ◆ + ×

Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction. Each figure legend should be typed on a separate sheet of paper.

7. **Tables** These should generally have not more than 85 characters to a line (counting spaces between columns as 4 characters) and never more than 110 characters to a line. Each table should be typed on a separate sheet of paper.

8. **References** These must be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the most recent edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number (where appropriate), the town of origin then the name of publisher. Where citation is made to a paper 'in press' the paper should if possible, accompany the manuscript, as an aid to the editor and referee.

9. **Short Communications** These will be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text including references and only one figure or table. The summary should be a single paragraph. A statement must be included.

10. **Key Words** Up to ten key words or phrases of two to three words should be displayed on the title page.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. If reprints will not be available from the author, a note to this effect may be added at the end of the text.

British Journal of Pharmacology

VOLUME 86 NUMBER 4 DECEMBER 1985

PAPERS

- 765 DELGADO, C., TAMARGO, J. & TEJERINA, T. Electrophysiological effects of propafenone in untreated and propafenone-pretreated guinea-pig atrial and ventricular muscle fibres
- 777 ISHIKAWA, S. Actions of ATP and α,β -methylene ATP on neuromuscular transmission and smooth muscle membrane of the rabbit and guinea-pig mesenteric arteries
- 789 ISHIKAWA, S., KOMORI, K., NAGAO, T. & SUZUKI, H. Effects of diltiazem on electrical responses evoked spontaneously or by electrical stimulation in the antrum smooth muscle cells of the guinea-pig stomach
- 799 LÜLLMANN, H. & SCHWARZ, B. Effects of aminoglycoside antibiotics on bound calcium and contraction in guinea-pig atria
- 805 AMERINI, S., CARBONIN, P., CERBAI, E., GIOTTI, A., MUGELLI, A. & PAHOR, M. Electrophysiological mechanisms for the antiarrhythmic action of mexiletine on digitalis-, reperfusion- and reoxygenation-induced arrhythmias
- 817 RICCIOPPO NETO, F. & SPERELAKIS, N. Effects of lidocaine, procaine, procainamide and quinidine on electrophysiological properties of cultured embryonic chick hearts
- 827 COATS, R.A. The effects of adrenoceptor agonists and antagonists on plasma potassium concentration in anaesthetized guinea-pigs, rabbits and rats
- 837 WALLACE, J.L. & WHITTLE, B.J.R. Acceleration of recovery of gastric epithelial integrity by 16, 16-dimethyl prostaglandin E₂
- 843 ALLEN, S.L., BEECH, D.J., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. Electrophysiological and other aspects of the relaxant action of isoprenaline in guinea-pig isolated trachealis
- 855 BRAIN, S.D. & WILLIAMS, T.J. Inflammatory oedema induced by synergism between calcitonin gene-related peptide (CGRP) and mediators of increased vascular permeability
- 861 GATER, P.R., HAYLETT, D.G. & JENKINSON, D.H. Neuromuscular blocking agents inhibit receptor-mediated increases in the potassium permeability of intestinal smooth muscle
- 869 ALI, B.H. Effect of some monoamine oxidase inhibitors on the thiamin status of rabbits
- 877 GARCHA, G., IMRIE, P.R., MARLEY, E. & THOMAS D.V. [¹⁴C]- β -phenethylamine, its distribution after administration by various routes to cats, and the effects of monoamine oxidase inhibitors
- 889 JONES, D.R., PENNER, S.B. & SMYTH, D.D. Dietary and pharmacological alterations in endogenous angiotensin II: effect on noradrenaline pressor responsiveness in the rat
- 899 HAYES, A.G., SHEEHAN, M.J. & TYERS, M.B. Determination of the receptor selectivity of opioid agonists in the guinea-pig ileum and mouse vas deferens by use of β -funaltrexamine
- 905 FUDER, H., MUSCHOLL, E. & WOLF, K. Cholinesterase activity and exposure time to acetylcholine as factors influencing the muscarinic inhibition of [³H]-noradrenaline overflow from guinea-pig isolated atria
- 915 VOLUME INDEX
- 937 CUMULATIVE CONTENTS
- MEETINGS CALENDAR