

VOLUME 86

DECEMBER 1985

British Journal of Pharmacology

PROCEEDINGS SUPPLEMENT

PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY

UNIVERSITY OF EDINBURGH

9th–11th September 1985

INDEX TO PROCEEDINGS SUPPLEMENTS TO VOLUMES 84, 85 and 86

AUTHOR INDEX

- ABBIATI, G.A. *see* IBBA, M., 86, 706P
 ABBIATI, G.A., IBBA, M., RESTELLI, G.V. & TESTA, R. Tolerance study on denzimol, a new anticonvulsant agent, compared to phenobarbital and carbamazepine in mice, 86, 659P
- ABBRACCHIO, M.P., BERTI, F., CATTABENI, F., DAFFONCHIO, L., FANO, M. & OMINI, C. Role of arachidonic acid metabolites in pulmonary beta-adrenergic desensitization: *in vitro* and *ex vivo* studies, 86, 653P
- ABBRACCHIO, M.P., LOMBARDELLI, G. & CATTABENI, F. Adenosine modulation of the dopaminergic transmission in striatum, 86, 582P
- ABDUL, R., STÖLZ, J. & NICHOLLS, P.J. Effects of the anticonvulsant drug beclamide on behavioural models of central monoaminergic systems, 85, 371P
- ABEL, M. & HOLLINGSWORTH, M. Tolerance to salbutamol on the rat uterus *in vivo* compared with nifedipine and diltiazem, 85, 331P
- ACCOMAZZO, M.R. *see* PUGLISI, L., 86, 646P
- ADAMI, M. *see* CORUZZI, G., 86, 639P
- ADAMS, A.P., JONES, R.M. & WALI, F.A. Potentiation by verapamil of gallamine and pancuronium-induced blockade at the chick neuromuscular junction, 85, 327P
- ADAMS, M. *see* BOARDER, M.R., 86, 482P
- ADDAE, J.I. & STONE, T.W. Apparent desensitisation of excitatory amino acid receptors in rat cortex, 84, 91P
- - - Are there two functionally different NMDA receptors in rat cortex? 85, 361P
- ADEBANJO, A.O. & ONONIWU, I.M. A novel isolated *in vitro* preparation of the retractor penis from the giant African snail (*Archachatina marginata*), 85, 355P
- - - Preliminary observation on the excitatory transmission to the retractor penis of the giant snail (*Archachatina marginata*), 85, 243P
- ADHAM, N. & TEMPLETON, D. Enhanced K⁺ release in rat parotid slices following chronic parasympathetic denervation, 86, 756P
- AGBACK, H., BERRY, C.N., HOULT, J.R.S., MCCARTHY, T.M. & PHILLIPS, J.A. Ph CL 28A: highly potent inhibitor of prostaglandin 15-hydroxy-dehydrogenase lacking effects on prostaglandin synthetase, 84, 43P
- AGOZZINO, S., BELLAVITE, O., CREMONESI, P. & SARRET, M. Cardiac protective activity with L-arginine methyl ester against ischemia and reperfusion-induced arrhythmias in the rat, 86, 716P
- AHTEE, L., ATTILA, L.M.J. & ETEMADZADEH, E. Retardation of cerebral dopamine depletion in mice treated repeatedly with morphine, 84, 11P
- AIRD, S.A. & NOTARIANNI, L.J. Pharmacokinetics of D-penicillamine and its disulphide in rats, 86, 796P
- AKHTAR-KHAVARI, F., KHOYI, M.A. & REZAEI, E. ⁴⁵Ca uptake in the rat vas deferens: effects of duration of depolarization and chemical denervation, 85, 336P
- - - Effects of KCl, noradrenaline and adenosine triphosphate on ⁴⁵Ca influx in guinea-pig vas deferens, 85, 334P
- AL-ASADY, S.A.H., LENNARD, M.S., SHAW, L., TUCKER, G.T. & WOODS, H.F. Covalent binding of propranolol to rat and human liver microsomes: relation to inhibition of lignocaine metabolism, 85, 306P
- AL-DAHAN, M. & THOMAS, P.J. The effects of sex steroids upon muscarinic binding in rat brain, 86, 605P
- AL-AHAHIR, H.A.R. & ZEITLIN, I.J. Bile acids activate human colonic tissue kallikrein-like amidase, 86, 481P
- AL-KAZWINI, S.J., CRAIG, R.K., HOLMAN, J.J. & MARSHALL, I. Human and rat calcitonin gene related peptides

- (CGRP) are vasodilators in coronary and mesenteric vasculature, 86, 544P
- AL-KAZWINI, S.J., CRAIG, R.K. & MARSHALL, I. Human and rat calcitonin gene related peptides (CGRP) act post-junctionally in the mouse vas deferens, 86, 679P
- ALABASTER, V.A., DAVEY, M.J. & GREENGRASS, P.M. Selectivity of doxazosin for α_1 -adrenoceptors, 85, 376P
- ALI, H., KICZINSKA, J. & NICHOLLS, P.J. Induction of methaemoglobin by aminoglutethimide in the mouse, 85, 302P
- ALI, S.M., LONGSTAFF, A., O'NEIL, G.S. & RAMAN, V. Enhancement by verapamil of presynaptic inhibitory effect of GABA on sympathetic transmission in rat anococcygeus muscle, 86, 470P
- ALLCORN, R.J., CUNNANE, T.C., MUIR, T.C. & WARDLE, K.A. α , β meATP does not inhibit [3 H]-noradrenaline release in the rabbit ear artery, 85, 263P
- ALLAN, G. & HUGHES, B. The effect of graded increases in haemoglobin-oxygen affinity on myocardial function in isolated rabbit hearts, 86, 616P
- ALLAN, G., CAMBRIDGE, D., LEE-TSANG-TAN, L., VAN WAY, C. & WHITING, M.V. Protective action of allopurinol in an experimental model of haemorrhagic shock with reperfusion, 86, 439P
- ALLEN, E.M. & NICHOLLS, P.J. Tissue distribution of [14 C]-pentobarbitone in rats with experimental chronic renal failure, 85, 303P
- ALPS, B.J., BROWN, C.M., CALDER, C. & KILPATRICK, A.T. Nicardipine, a calcium entry blocker, protects striatal dopamine in periods of cerebral ischaemia, 85, 329P
- - - The effect of unilateral occlusion on the electroencephalograph of the mongolian gerbil, 86, 669P
- AMMENDOLA, D., DE SARRO, A., NACCARI, F., GERMANA, G., ROTIROTI, D. & NISTICO, G. Crop-sac stimulatory effects of cholinergic mechanisms in pigeons, 86, 660P
- ANAND, H., COLLINS, J.F. & ROBERTS, P.J. Kainic acid binding in the rat cerebellum: effects of novel kainate analogues, 86, 473P
- ANAND, H., LOPEZ-COLOME, A. & ROBERTS, P. J. Excitatory amino acid induced changes in chick retinal cyclic GMP levels, 84, 184P
- ANDERSON, A.J. & HARVEY, A.L. Electrophysiological actions of facilitatory toxins from mamba venoms on mammalian neuromuscular junctions, 86, 588P
- ANDERSON, R.A. & MITCHELL, R. Uptake and release of [3 H] GABA from nerve terminals in neurointermediate pituitary gland, 84, 5P
- ANDREANI, A., RAMBALDI, M., LELLI, G., BOSSA, R. & GALATULAS, I. Synthesis and antitumour activity of alkylating agents related to a local anaesthetic (1), 86, 771P
- ANDREWS, M., HEWICK, D.S. & STEVENSON, I.H. The redistribution of digoxin after treatment with digoxin-specific Fab fragments in guinea pigs, 84, 125P
- ANGELO-KHATTAR, M. & THULESIUS, O. The effect of indomethacin and diclofenac sodium on ureteral contraction in vivo and in vitro, 85, 325P
- ANGELICI, O. see SCHIAVONE, A., 86, 798P
- ANGELICO, P. see IBBA, M., 86, 706P
- ANGELUCCI, L. see GHIRARDI, O., 86, 683P
- - - see MACCARI, F., 86, 800P
- ANTONELLI, T., BEANI, L., BIANCHI, C., RANDO, S., SIMONATO, M. & TANGANELLI, S. The cortical acetylcholine release is increased and the GABA out-flow is reduced during morphine withdrawal, 86, 535P
- ANTONETTI, F., MARTELLI, F. & BORRELLI, F. Orgotein effect on doxorubicin-induced cardiac lipid peroxidation in mice, 86, 714P
- - - Restoration by orgotein of rat cardiac cell beating inhibited by doxorubicin, 86, 715P
- ARAM, J.A. & LODGE, D. N-methylaspartate antagonists block epileptiform discharges in rat cortical slices maintained in magnesium-free medium, 86, 538P
- ARBILLA, S., BENKIRANE, S. & LANGER, S. Z. α_2 -adrenoceptor mediated inhibition by β -phenylethylamine of [3 H]-5-HT release from rat hippocampal slices, 86, 413P
- ARBILLA, S., DEPOORTERE, H., GEORGE, P. & LANGER, S.Z. Pharmacological profile of zolpidem: a novel hypnotic agent, 86, 432P
- ARBUTHNOTT, G., UNGERSTEDT, U. & WALKER, R. The effects of nomifensine on dopamine release into a dialysis fibre implanted in the neostriatum of anaesthetised rat, 84, 10P

- ARKLE, S., IVERSEN, L.L., MICHALEK, R., POAT, J.A. & TEMPLETON, D. The effect of isoprenaline on the secretory response to substance P in the rat parotid salivary gland, 86, 701P
- ARMSTRONG, J.M. & DUMEZ, D. Nicardipine lowers coronary and total peripheral vascular resistance in anaesthetised dogs, 84, 174P
- ARMSTRONG, J.M. & FERRANDON, P. Biphasic effect of Bayer k 8644 (calcium entry facilitator) on the efficiency of the rat working heart *in vitro*, 86, 718P
- - - Nicardipine: beneficial effect on cardiac function and energy conservation during coronary reperfusion of the rat working heart, 86, 503P
- - - The effect of nicardipine on cardiac function and high energy phosphate metabolism in the rat working heart, *in vitro*, 85, 328P
- ARMSTRONG, J.M. & LEFOURNIER, C. Calcium entry blocking agents: comparative potency using rat aorta and taenia caecum preparation *in vitro*, 84, 173P
- ARMSTRONG, R., JONES, R.L. & TYMKEWYCZ, P. M. The nature of arachidonic acid-induced aggregation of rat platelets, 84, 147P
- ARSENI, A. *see* MACCARI, F., 86, 800P
- ASCIOTI, C. *see* DE SARRO, G.B., 86, 676P
- ASKAM, V., SMITH, J.A. & WILSON, J.F. *In vitro* and *in vivo* activity of a novel melatonin analogue, 85, 313P
- ATKINSON, D.J. & ATTERWILL, C.K. Effect of serum factors on sodium-pump activity and DNA synthesis in cultured cerebellar neural cells, 85, 351P
- ATTERWILL, C.K. *see* ATKINSON, D.J., 85, 351P
- ATTERWILL, C.K. & GALLO, V. Effects of serum and thyroid hormone on the voltage-dependent Na⁺ uptake of cultured cerebellar neural cells, 84, 149P
- ATTERWILL, C.K., CONYBEARE, G., HARLAND, R. & LESLIE, G.B. Toxicity of orally administered tri-iodothyronine (T₃) in rats, 84, 124P
- ATTILA, L.M.J. *see* AHTEE, L., 84, 11P
- AVKIRAN, M. & WOODWARD, B. Effects of desipramine and yohimbine on plasma catecholamines and coronary ligation induced arrhythmias in the anaesthetised rat, 86, 615P
- AWARA, W., HILLIER, K. & JONES, D. Do endogenous prostaglandin E₂ and thromboxane A₂ modulate the mitogen-induced proliferation of peripheral blood lymphocytes? 86, 429P
- BABBINI, M., BARTOLETTI, M., GAIARDI, M., BACCHI, A. & GUBELLINI, C. Effects of feeding conditions on the cueing properties of morphine, 86, 707P
- BACCARO, C., FAILLI, P., FRANCONI, F., GIOTTI, A. & MONTORSI, L. Cardio-protective activity *in vitro* of L-arginine methylester during cardiac hypoxia and reoxygenation, 86, 621P
- BACCHI, A. *see* BABBINI, M., 86, 707P
- BACK, D.J. & RIVIERE, J.H. Inhibition of hepatic drug metabolism by quinoline derivatives *in vitro*, 86, 801P
- BADAWY, A.A.-B & NORMAN, S. The mechanism of enhancement of rat liver tryptophan pyrrolase activity by acute morphine administration, 85, 298P
- BAGUST, J. *see* IBRAHIM, N., 86, 471P
- BAILEY, C.C. & KITCHEN, I. Development of proenkephalin products in rat striatum and the inhibitory effects of lead exposure, 85, 291P
- BAILEY, S.J. & HOLZER, P. A tachykinin antagonist inhibits the substance P-induced accumulation of inositol bisphosphate in guinea-pig small intestine, 86, 410P
- BAKER, M.K., JENNER, P. & MARSDEN, C. D. Excitatory amino acid agonists and antagonists alter K⁺-evoked, but not basal, release of [³H]-dopamine from rat striatal slices, 84, 181P
- BAKHLE, Y.S. & GRANTHAM, C.J. Pulmonary pharmacokinetics of prostaglandin E₂: a selective biochemical marker of pulmonary oedema? 84, 203P
- BAKHLE, Y.S. & PANKHANIA, J.J. Effects of inhibitors of prostaglandin (PG) inactivation on PG synthesis from exogenous and endogenous arachidonate in lung, 85, 275P
- BAKHLE, Y.S., MONCADA, S., DE NUCCI, G. & SALMON, J.A. Differential release of eicosanoids by various stimuli in guinea pig isolated lung, 84, 38P
- - - Ovalbumin-induced eicosanoid release in guinea-pig isolated lungs perfused via the pulmonary artery and via the trachea, 86, 423P
- BALDINI, L. *see* DECORTI, G., 86, 794P

- BALDUINI, W. see CANTONI, O., 86, 563P
BALFOUR, D.J.K. & BENWELL, M.E.M.
Stereospecific binding of L-tryptophan to rat cortex - a ligand for tryptophan uptake sites? 84, 94P
- BALFOUR, D.J.K. & COPLAND, A.M.
Behavioural and adrenocortical responses to diazepam in two designs of elevated x-maze apparatus, 86, 711P
- - - The role of chronic stress in the development of diazepam dependence, 84, 72P
- BALFOUR, D.J.K. & GRAHAM, C.A. A comparison of the effects of nicotine and diazepam of rat behaviour in an elevated x-maze, 86, 591P
- BALLS, M., FRY, J.R. & WARREN, M.
Effect of dexamethasone on 7-alkoxycoumarin-0-dealkylase activity of rat hepatocytes in primary culture, 85, 387P
- BARASI, S., BENSRETI, M.M., DUGGAL, K.N., GONZALEZ, J.P. & SEWELL, R.D.E.
Antinociceptive activity of intravenous and intrathecal dopamine agonists in naive and supersensitive rats, 84, 166P
- BARASI, S., CLATWORTHY, A., DUGGAL, K.N., GONZALEZ, J.P. & SEWELL, R.D.E.
Blockade of the antinociceptive effect of intrathecal dopamine agonists in naive and supersensitive rats, 85, 352P
- BARBARO, A.M. see CANTELLI FORTI, G., 86, 554P
- BARBER, H.E., HAWKSWORTH, G.M. & WALKER, K.A.
Theophylline disposition in rats with adjuvant-induced arthritis, 84, 120P
- BARLOW, R.B. A poor man's molecular graphics, 86, 819P
- BARNES, A. & GOADBY, P. The use of thromboxane receptor antagonists to determine the involvement of TxA_2 in guinea-pig anaphylaxis, 86, 804P
- BARNES, J.C., COSTALL, B. & NAYLOR, R.J.
Hyperactivity induced by dopamine from rat nucleus accumbens can be modulated by glycine, 86, 695P
- BARNES, N.J.G. & SENIOR, J. The response of rat uterine tissue to oxytocin and prostaglandin $F_{2\alpha}$ in the presence of calcium channel antagonists, 85, 289P
- BARNES, N.J.G., COSTALL, B. & NAYLOR, R.J.
Infusion of MPTP into cell body and terminal areas of the nigrostriatal pathway in primate brain, 86, 708P
- BARNES, N.J.G., COSTALL, B., DOMENEY, M. & NAYLOR, R.J.
Increased locomotor activity caused by dopamine infused into the nucleus accumbens of primate brain, 86, 468P
- BARNETT, D.B. see SWART, S.S., 84, 63P
- BARNETT, K. & PIPER, P.J. The release of leukotrienes from large and small airways of guinea-pig and man, 86, 642P
- BARTOLETTI, M. see BABBINI, M., 86, 707P
- BARTOLI KLUGMANN, F. see DECORTI, G., 86, 794P
- BARTOLINI, A., GALLI, A., GIOTTI, A., GIULIANI, S., MALMBERG-AIELLO, P., PATACCHINI, R. & RENZI, G.
Bicuculline: a GABA_A antagonist with other pharmacological actions, 86, 547P
- BARTOLINI, D. see SOLDANI, G., 86, 640P
- BARTOLINI, L. see VANNUCCHI, M.G., 86, 606P
- BASA, M. see DECORTI, G., 86, 794P
- BARWELL, C.J. Hordenine (N,N-dimethyl tyramine) is a selective substrate for monoamine oxidase B from rat liver, 86, 476P
- BARWELL, C.J. & HEIKKILA, R.E. MPTP demethylation by microsomes from mice and guinea-pig liver, 86, 477P
- BARZAGHI, F. & GALLIANI, G. Effect of scopolamine on a one-trial passive avoidance task in the mouse, 86, 661P
- BATES, R.F.L., BROWN, J.F., BUCKLEY, G. A., McARDLE, C.A., STRETTLE, R.J. & WOOD, D.A.R. Inhibition of indomethacin-induced gastric erosions in the mouse by intracerebroventricularly administered salmon calcitonin, 86, 809P
- BATTY, I., KENDALL, D.A. & NAHORSKI, S. R. Endogenous acetylcholine mediates inositol phospholipid hydrolysis induced by depolarizing stimuli in cerebral cortex slices, 84, 108P
- BATY, J.D. see LINSLEY, R.M., 85, 378P
- - - see LINSLEY, R.M., 86, 797P
- BAX, N.D.S., TUCKER, G.T., LENNARD, M. S. & WOODS, H.F. Impairment of lignocaine clearance by propranolol - major contribution of enzyme inhibition, 84, 137P
- BEAHON, S.J., CASSON, I.F. & McLEAN, W. G. The effects of diabetic rat and human serum on the polymerisation of brain tubulin, 84, 81P
- BEALES, D. see HUE, D.P., 84, 121P

- BEANI, L. *see* ANTONELLI, T., 86, 535P
- BEANI, L., BIANCHI, C. & SINISCALCHI, A.
Opposite effects of 5-HT on the ^3H CH
efflux from guinea-pig striatal slices,
86 664
- BEATTIE, D.T., CUNNANE, T.C. & MUIR, T.C.
Effects of Ca^{2+} -entry blockers on
spontaneous and electrically-evoked
release of transmitter from guinea
pig vas deferens nerves, 84, 29P
- BECKERINGH, J.J., THOOLEN, M.J.M.C.,
TIMMERMANS, P.B.M.W.M. & VAN ZWIETEN,
P.A. Influence of phenoxybenzamine,
nifedipine and D 600 on vasoconstrict-
ion elicited by enantiomers of SK&F
89748A, 84, 177P
- BELLAVITE, O. *see* AGOZZINO, S., 86,
716P
- BENAVIDES, J., BURGEVIN, M.C., DOBLE, A.,
LE FUR, G. & UZAN, A. A role for
peripheral-type benzodiazepine binding
sites in regulatine K^{+} -evoked $^{45}\text{Ca}^{++}$
uptake in a rat pituitary cell line,
86, 440P
- BENKELFAT, C., GALZIN, A.M. LANGER, S.Z.,
LOO, H., POIRIER, M.F., SECHTER, D. &
ZARIFIAN, E. Reduced B_{max} of [^3H]-
imipramine binding to platelets of
depressed patients free of previous
medication with 5-HT uptake inhibitors,
85, 215P
- BENKIRANE, S. *see* ARBILLA, S., 86, 413P
- BERNARDINI, F., FRANCONI, F., GIOTTI, A.,
MATUCCI, R. & STENDARDI, I. Binding of
 ^3H nitrendipine during hypoxia and
subsequent re-oxygenation, 86, 623P
- BENNETT, A. *see* CAPASSO, F., 86, 650P
- BENNETT, G.W., GREEN, A.R., LIGHTON, C. &
MARSDEN, C.A. The effect of repeated
electroconvulsive shock on the behaviour-
al response to a TRH analogue (CG 3509),
86, 455P
- BENNETT, G.W., LIGHTON, C. & MARSDEN, C.A.
The effect of chronic antidepressant
treatment on the behavioural response to
a TRH analogue (CG 3509), 85, 244P
- - - The effect of 5,7-dihydroxytryptamine
on amitriptyline-induced increases in
brain and spinal cord levels of TRH, 86,
673P
- BENNETT, T., FOULKES, R. & GARDINER, S.M.
Inhibition of ganglionic transmission
reveals a pressor effect of exogenous
corticosterone acetate in conscious
Long Evans rats, 85, 209P
- BENOIT, E., CARRATU, M.R., DUBOIS, J.M. &
MITOLO-CHIEPPA, D. Effects of ketamine
on the frog node of ranvier, 86, 665P
- BENOIT, E., CARRATU, M.R., DUBOIS, J.M.,
MITOLO-CHIEPPA, D. & PREZIOSI, P. Block
of nerve activity by etomidate, 86, 549P
- BENSRETI, M.M., GONZALEZ, J.P.,
MCCLEARY, W.L. & SEWELL, R.D.E.
An examination of the thermoregul-
atory effects of meptazinol and its
quaternarized derivative, 85,
296P
- BENTHAM, J.M., HIGGINS, A.J. &
WOODWARD, B. Changes in lysophos-
pholipids and phospholipase A_2
activity during ischaemia in the
isolated rat heart, 86, 810P
- BENWELL, M.E.M. *see* BALFOUR, D.J.K.,
84, 94P
- BENYON, R.C., CHURCH, M.K., HOLGATE,
S.T. & HUGHES, P.J. Methyltransf-
erase inhibitors may inhibit
histamine release by elevating
cyclic AMP in mast cells and
basophils, 86, 407P
- BERESFORD, A.P., HUMPHREY, M.J. &
STOPHER, D.A. Amlodipine, a
calcium channel blocker with
pharmacokinetic properties novel
to dihydropyridines, 85, 333P
- BERETTERA, C. *see* ESPOSITO, E.,
86, 677P
- BERNARDINI, C. *see* DEL TACCA, M.,
86, 638P
- - - *see* SOLDANI, G., 86, 640P
- BERNARDINI, C., CORSANO, E., DEL
TACCA, M. & SOLDANI, G. Alpha-2
agonists and antagonists and
gastric acid secretion, 86, 781P
- BERRIDGE, T.L., GADIE, B., LANE, A.C.,
ROACH, A.G., STRACHAN, D.A.,
TULLOCH, I.F. & WELBOURN, A.P.
Antagonist potency of RX 821001 and
its enantiomers at α_1 - and α_2 -
adrenoceptors in rats, 84, 193P
- BERRIE, C.P., BIRDSALL, N.J.M.,
HULME, E.C., KEEN, M. & STOCKTON,
J.M. pirenzepine binding to
solubilized muscarinic receptors
from rat cerebral cortex and
myocardium, 84, 4P
- BERRINO, L. *see* MARMO, E., 86,
626P
- BERRY, C.N. *see* AGBACK, H., 84,
43P
- BETTONI, G., BRYANT, S.H., CONTE-
CAMERINO, D., FERRANNINI, E.,
PERSICHELLA, M. & TORTORELLA, V.
Stereoselectivity of chloride
channel studied in rat skeletal
muscle by chiral analogues of
myotonia inducers, 86, 774P
- BERTACCINI, G. *see* CORUZZI, G., 86,
639P
- BERTACCINI, G., CORUZZI, G. & POLI, E.
Effect of calcium antagonists with
different site of action on the

- duodenal muscle, 86, 641P
- BERTELLI, A. see SCHINETTI, M.L., 86, 562P
- BERTI, C., KHAN, G. & NISTRI, A. Effects of acetylcholine on synaptic transmission in the frog optic tectum, 86, 668P
- BERTI, F. see ABBRACCHIO, M.P., 86, 653P
- - - see FOLCO, G.C., 86, 645P
- BERTI, F., BORSA, L., BRUNELLI, G., DAFFONCHIO, L., FABBRI, L., HERNANDEZ, A. & OMINI, C. Relationship between prostaglandin D₂ and cholinergic system on tracheal smooth muscle, 86, 773P
- BERTOLASI, V. see BOREA, P.A., 86, 666P
- BEST, R., LEWIS, D.A. & PATEL, R. The effect of some non-steroidal anti-inflammatory drugs on leucocyte function, 86, 520P
- BHALLA, P., GURDEN, M.F. & KENNEDY, I. Studies on the adenosine receptors in dog coronary artery, 86, 438P
- BHASKAR, N.K., FILIPOWICZ, B. & HAWKEY, C. J. Inhibition of human gastric mucosal thromboxane synthesis by WHR2348A, 85, 268P
- BIAGI, G.L. see CANTELLI FORTI, G., 86, 554P
- BIANCHETTI, A. see CROCI, T., 86, 782P
- - - see MIRANDA, G.F., 86, 689P
- BIANCHETTI, A., LAVEZZO, A., PICERNO, N., MANZONI, L. & MANARA, L. Effects of cimetidine, ranitidine and the new H₂ receptor antagonist CM 57755 on drug metabolism in rats, 86, 790P
- BIANCHI, C. see ANTONELLI, T., 86, 535P
- - - see BEANI, L., 86, 664P
- BIELLA, G., BRAGA, P.C., GROPPETTI, A. & PARENTI, M. Effects of acetylsalicylate on serotonin and opiates in rat CNS: correlation to drugs' antinociception, 86, 531P
- BILLINGHAM, M.E.J., CAREY, F., GROWCOTT, J. W. & HUGHES, C.L. Indomethacin-induced gastro-intestinal lesions: protection by salicylate and relationship to plasma acute phase proteins, 85, 272P
- BIRCH, N.J., COLEMAN, I.P.L. & KARIM, A.R. Bidirectional fluxes and factors affecting the movement of lithium in isolated jejunal mucosa of guinea pig, 84, 23P
- - - Lithium distribution in a three compartment system of guinea pig gastrointestinal tract: effects of drugs, 85, 304P
- - - Lithium transport in guinea-pig isolated jejunal mucosa, 84, 78P
- BIRDSALL, N.J.M. see BERRIE, C.P., 84, 4P
- BIRY, P. see PIERI, L., 86, 592P
- BIZIERE, K., BOUGAULT, I., KAN, J.P., MOUGET-GONJOT, C., MONS, G. & WORMS, P. Effect of two amino-pyridazine derivatives on both forms of monoamine oxidase in rat brain, 86, 417P
- BIZIERE, K., BROCHARD, J., CHAMBON, J.P., HALLOT, A. & RODIER, D. CM 40907, a new potential anti-epileptic drug with a broad spectrum of anticonvulsant activities, 85, 384P
- BIZIERE, K., CALASSI, R., CHAMBON, J. P., HALLOT, A. & MICHAUD, J.C. SR 41378, a new potential hypnotic drug with anticonvulsant properties, 84, 198P
- BIZIERE, K., CALASSI, R., PERIO, A. & TERRANOVA, J.P. Anti-anxiety activity of SR 41378 a new non-benzodiazepine hypnotic, 84, 146P
- BIZIERE, K., CHEVALLIER, E., KAN, J. P., WERMUTH, C.G. & WORMS, P. Neuropharmacological profile of SR 95191, a new atypical anti-depressant drug with MAOI and dopaminomimetic activities, 86, 404P
- BIZIERE, K., GUEUDET, C. & WORMS, P. Turning induced by intrastriatal injections in conscious mice: a useful screening model for dopaminomimetic drugs, 85, 385P
- - - Turning induced by intrastriatal injection of GABA-mediated inhibition of dopaminergic function, 84, 55P
- BOARDER, M.R., MARRIOTT, D.B. & ADAMS, M. Response of neuroblastoma hybrid cells to phosphodiesterase inhibitors and PGE₁: changes in cyclic AMP and opioid peptides, 86, 482P
- BOFFA, G. see GIAMMATTEO, D., 86, 727P
- BÖHM, E., MUSCHOLL, E., & RACKE, K. Naloxone increases electrically evoked dopamine release preferentially in the neural lobe of the rat neurointermediate lobe (nil), 86, 534P
- BONANNO, G., GEMIGNANI, A., MAURA, G. & RAITERI, M. Changes of sensitivity of presynaptic alpha-2 adrenoreceptors in rat brain after long-term clonidine administration, 86, 548P
- BONANNO, G., MARCHI, M. & RAITERI, M. The release of endogenous dopamine from superfused rat striatal synaptosomes is potentiated by acetylcholine, 84, 190P

- BOND, R.A. see CHARLTON, K.G., 84, 57P
- BOND, R.A., CHARLTON, K.G., & CLARKE, D.E.
Further characterization of the pre-
junctional inhibitory 5-HT₁ receptor in
rat kidney, 86, 401P
- - - Inhibition of the cholinergic twitch
response in guinea pig ileum: evidence
for a receptor to clonidine distinct
from 2 sites, 84, 14P
- BONETTI, E.P., BURKARD, W.P., GABL, M. &
MOHLER, H. The partial inverse
benzodiazepine agonist Ro 15-4513
antagonizes acute ethanol effects in
mice and rats, 86, 463P
- BONGIANNI, F., CARLA, V., MORONI, F. &
PELLEGRINI, D. Ca⁺⁺-channel inhibitors
prevent morphine withdrawal syndrome in
rats, 86, 529P
- BONGRANI, S. see FERRARI, R., 86, 722P
- - - see SCHIANTARELLI, P., 86, 732P
- BONIFAZI, V. see DEL TACCA, M., 86,
638P
- BOOBIS, A.R., DAVIES, D.S., MCQUADE, J. &
SESARDIC, D. Specificity of isozymes
of cytochrome P-450 determined by
inhibitory monoclonal antibodies, 86,
511P
- BOOBIS, A.R., TEE, L.B.G., HAMPDEN, C.E.,
HUGGETT, A.C. & DAVIES, D.S.
Comparative ability of man to activate
paracetamol to its hepatotoxic metabol-
ite, 84, 138P
- BORGHI-CIRRI, M.B., GIANNELLA, E.,
MANNAIONI, P.F., MASINI, E. & RUCCI, L.
Effects of vidian nerve stimulation and
resection on histamine content in
human nasal sinus mucosa, 86, 775P
- BOREA, P.A. see CANTELLI FORTI, G.,
86, 554P
- BOREA, P.A., GILLI, G., BERTOLASI, V. &
FERRETTI, V. A stereochemical model
accounting for receptor binding
affinity and intrinsic activity of
 β -carbolines, 86, 666P
- BORELLA, F. see DI GIULIO, A.M., 86,
527P
- BORKOWSKI, K.R. see BLACKBURN, T.P.,
85, 382P
- BORKOWSKI, K.R. & PORTER, M. Reduced
 β -adrenoceptor-mediated vasodilation
in spontaneously hypertensive rats,
84, 158P
- BORNSTEIN, J.C., LEES, G.M. & MCBAIN, C.
J. Comparative effects of "calcium
antagonists" on inhibitory junction
potentials of circular muscle of
guinea-pig ileum, 86, 724P
- BORRELLI, F. see ANTONETTI, F., 86,
714P, 715P
- BORSA, L. see BERTI, F., 86, 773P
- BOSSA, R. see ANDREANI, A., 86,
771P
- BOSSA, R., DASDIA, T., GALATULAS, I.
& ZUNINO, F. Calcium antagonists
and sensitivity to anthracyclines
in resistant P388 leukaemia, 86,
772P
- BOTARELLI, M. see PACIFICI, L., 86,
728P
- BOTTOMLEY, K.M.K., RISING, T.J. &
STEWART, A. Relative efficacies of
histamine H₂-receptor agonists in
the guinea pig right atrium, 84,
47P
- BOU, J., FERNANDEZ, A.G., JAUREGUI, J.
M. & MASSINGHAM, R. Lack of respon-
se of guinea-pig ileum preparations
to metaclopramide following
ablation of enteric neurones with
Triton X-100, 85, 210P
- BOUCHENAF, O. & LIVINGSTON, A.
Autoradiographic localisation of
[³H]-clonidine and [³H]-prazosin in
the spinal cord of the sheep, 86,
518P
- BOUGAULT, I. see BIZIERE, K., 86,
417P
- BOUTAL, L.E., FOSTER, M.R., GEISOW,
H.P. & SKIDMORE, I.F. Inhibition
of ¹¹¹indium labelled platelet
deposition by aspirin, prostacyclin
and the thromboxane antagonist,
AH23848, 86, 802P
- BOVA, S., DEVETTO, P., CARGNELLI, G.
& LUCIANI, S. Effect of amiloride
on vascular smooth muscle
contraction and inhibition of
sodium calcium exchange, 86, 624P
- BOVA, S., FERRARI, M., PADRINI, R.,
PIOVAN, D. & CARGNELLI, G. Has
the inhibition of Na⁺/Ca⁺⁺
exchanges by amrinone relevance in
the vascular effect of the drug?
86, 720P
- BOWERY, N.G., GILL, R., HUDSON, A.L.,
IVERSEN, S.D., PRICE, G.W. &
THOMAS, S. The location of GABA_B
binding sites in the rat hippo-
campus, 85, 238P
- BOWERY, N.G., HUDSON, A.L. & PRICE, G.
W. Comparative autoradiographic
studies with [³H]-GABA and [³H]-(-)
-baclofen in rat brain in vitro,
85, 234P
- BOWMAN, A., GILLESPIE, J.S. & SOARES-
DA-SILVA, P. The relaxant effect
on the rabbit aorta of the inhibi-
tory factor from the bovine retract-
or penis is not endothelium
dependent, 84, 19P

- BOWMER, C.J., COLLIS, M.G. & YATES, M.S. Effect of 8-phenyltheophylline on glycerol-induced acute renal failure in the rat, 84, 131P
- BOWMER, C.J., DEAN, H.G., SILBERSTEIN, D.J. & YATES, M.S. Effect of acute renal failure on the pharmacokinetics and biliary excretion of [^3H]-N-acetylprocainamide ethobromide in the rat, 84, 132P
- BOYCE, S., JENNER, P. & MARSDEN, C.D. Alterations in brain dopamine receptor function following chronic administration of L-dopa, bromocriptine or pergolide to rats, 86, 632P
- BOYLE, F.C. & OHIA, S.E. Changes in catecholamine inhibitory effects in the rat isolated uterus induced by ovariectomy and cyclo-oxygenase inhibition, 84, 42P
- - - Specificity of enhancement of β -adrenergic responses by cyclo-oxygenase inhibition in the rat isolated uterus, 86, 648P
- BLABER, L.C., FRYER, A.D. & MACLAGAN, J. Neuronal muscarinic receptors attenuate vagally-induced constriction of feline bronchial smooth muscle, 85, 393P
- BLACK, J.W., GERSKOWITCH, V.P., HULL, R.A. D. & LEFF, P. Concentration-ratio analysis of the inotropic effects of phenylephrine in guinea-pig left atrial muscle, 85, 258P
- BLACK, J.W., LEFF, P. & SHANKLEY, N.P. Further analysis of anomalous pK_B values for muscarinic antagonists on the mouse stomach assay, 85, 212P
- BLACKBURN, T.P., BORKOWSKI, K.R. & FRIEND, J. κ -opioid diuretic effects of tifluadom mediated in the periphery? 85, 382P
- BLACKBURN, T.P., COX, B. & HEYWOOD, B. Fenfluramine-induced hyperthermia - an *in vivo* model for the evaluation of drugs active at 5-HT₂ receptors, 85, 381P
- BLACKBURN, T.P., GLEN, J.B., HUNTER, S.C. & WOOD, P. Adrenocortical function in rats during anaesthesia with etomidate, methohexitone or propofol, 86, 497P
- BLACKHAM, A., NORRIS, A.A. & WOOD, B.E. Role of neutrophils and arachidonic acid metabolites in experimental models of ear inflammation in mice, 86, 786P
- BLACKMAN, D.E., MCCARTHY, P.S. & NAYLOR, V.J.H. Buprenorphine: demonstration of morphine-like but not of N-allylnormetazocine-like stimulus generalization, 85, 295P
- BLAKE, J., EVANS, R.H. & SMITH, D.A.S. Effect of nicotine on motoneurons in the rat hemisectioned spinal cord preparation, 86, 396P
- BLAKEMORE, R.C., BROWN, T.H., CHENERY, R.J., DURANT, G.J., GANELLIN, C.R., PARSONS, M.E., RASMUSSEN, A.C. & RAWLINGS, D.A. SK&F 93574 a potent and long acting histamine H₂-receptor antagonist for intravenous administration, 86, 570P
- BLAKEMORE, R.C., GRISTWOOD, R.W., OWEN, D.A.A. & PARSONS, M.E. SK&F 94120 a selective PDE 111 inhibitor potentiates isoprenaline inotropic but not chronotropic responses in the guinea-pig heart, 86, 630P
- BLOOMFIELD, J.G., ELLIOTT, J.M. & EVANS, D.J. Platelet [^3H]-imipramine and [^3H]-yohimbine binding are reduced in Cushing's disease, 86, 402P
- BLOOMFIELD, J.G., ELLIOTT, J.M. & RUTTERFORD, M.G. Changes in [^3H]-imipramine binding in rabbits associated with pregnancy and oestrogen/progesterone treatment, 85, 217P
- - - Changes in [^3H]-yohimbine binding in rabbits associated with oestrogen/progesterone treatment and pregnancy, 85, 323P
- BLOXHAM, C.A., BRUNDISH, D.E., CANDY, J.M., HIRST, B.H., SNELL, C.R., WEIGHTMAN, D.R. & WHITFORD, C.A. Distribution of tritiated somatostatin binding sites in the human brain, 85, 232P
- BLURTON, P.A. & WOOD, M.D. Complex inhibition of [^3H]-5-HT binding by spiperone and mianserin, 84, 98P
- BRADBURY, A.J., COSTALL, B., DOMENEY, A.M., JENNER, P., MARSDEN, C.D. & NAYLOR, R.J. The neurotoxic action of 1-methyl-4-phenylpyridine (MPP⁺) on the nigrostriatal dopamine system of the rat, 85, 350P
- BRADBURY, A.J., COSTALL, B., DOMENEY, A.M., JENNER, P., MARSDEN, C.D., NAYLOR, R.J. & TAN, C.C.W. The neurotoxic actions of MPP⁺ in the rat are not confined to dopamine and the substantia nigra, 86, 691P
- BRADBURY, A.J., COSTALL, B., JENNER, P. G., KELLY, M.E., MARSDEN, C.D. & NAYLOR, R.J. Benztropine antagonises the neurotoxic actions of MPTP in the mouse, 86, 526P
- - - Loss of striatal and limbic dopamine after a single treatment of

- mice with MPTP, 86, 685P
- - - Neurotoxic actions of MPTP in the mouse: modification by monoamine oxidase inhibitors, 85, 348P
 - BRADBURY, A.J., GUNNING, S.J., NAYLOR, R. J. & TAN, C.C.W. Drug action on serotonin mechanisms can enhance field stimulation-induced contraction of stomach smooth muscle, 86, 738P
 - BRADLEY, H.A., SCOTT, N.C. & WOODBURN, M. M.P. Chlordiazepoxide increases tolerance to the respiratory depressant effects of morphine in the mouse, 86, 767P
 - BRADSHAW, C.M., MORLEY, M.J. & SZABADI, E. Failure of N-2-chlorethyl-N-ethyl-2-bromobenzylamine (DSP4) to affect positively reinforced operant behaviour, 85, 356P
 - - - Lack of effect of N-2-chloroethyl-N-2-bromo-benzylamine (DSP4) on performance in an operant discrimination procedure, 86, 419P
 - - - Neuronal responses to acetylcholine and carbachol in the cerebral cortex: involvement of M₁ muscarinic receptors, 86, 395P
 - BRADSHAW, C.M., SHERIDAN, R.D. & SZABADI, E. Is the excitatory neuronal response to dopamine mediated by D₁ or D₂ dopamine receptors in the cerebral cortex? 84, 1P
 - BRAGA, P.C. see BIELLA, G., 86, 531P
 - BRAIN, S.D., GIRGIS, S., MACINTYRE, I., MORRIS, H.R., TIPPINS, J.R. & WILLIAMS, T.J. Local oedema induced by synergism between calcitonin gene-related peptide and mediators of increased vascular permeability, 85, 233P
 - BRECKENRIDGE, A.M., COLEMAN, M.D., EDWARDS, G., HOWELLS, R.E., MIHALY, G.W. & WARD, S.A. The sustained release of pyrimethamine base and pyrimethamine pamoate from a biodegradable injectable drug preparation, 86, 405P
 - BREWSTER, M. see NATOFF, I.L., 85, 337P
 - BREWSTER, M., GEROLD, M., KLEVANS, L.R., NATOFF, I.L., PATEL, A.T. & WENGER, J.J. The antihypertensive activity of the angiotensin 1-converting enzyme inhibitor cilazapril (Ro 31-2848), 85, 393P
 - BREZENOFF, H.E. see SQUADRITO, F., 86, 629P
 - BRIET, C., CASTRO, B., GUEUDET, C., MARTINEZ, J. & WORMS, P. Contralateral turning induced by intrastriatal injection of sulphated CCK-8: antagonism by CCK-27-32NH₂, 85, 383P
 - BRIGGS, I. & FITTON, J.C. Opioids act on μ receptors to reduce dorsal root potential amplitude in rat isolated spinal cord, 85, 380P
 - BRIGGS, I., GROWCOTT, J.W. & JAMIESON, A. Selective actions of substance P 6-11 on tachykinin 'E' receptors, 85, 287P
 - BRIGHT, J.E. & MARRS, T.C. Methaemoglobinemia produced by ρ -amino-propionophenone and ρ -aminooctanoylphenone, 86, 740P
 - - - The treatment of experimental cyanide poisoning, 85, 301P
 - BRILEY, M. & MORET, C. Allosterism is not needed to explain complex binding of [³H]-imipramine in rat hypothalamus, 85, 220P
 - BRILEY, M., CARILLA, E. & FABRE, M. Comparative binding studies with [³H]-methyltrienolone and [³H]-mibolerone, two synthetic ligands for the androgen receptor, 84, 127P
 - BRILEY, M., CHOPIN, P., FILE, S.E. & PELLOW, S. Validation of a test of anxiety in the rat based on exploratory activity in a plus-maze, 86, 456P
 - BRISTOW, D.R., CAMPBELL, M.M., IVERSEN, L.L., KEMP, J.A., MARSHALL, G.R., WATLING, K.J. & WONG, E.H.F. 2-amino-thiazoline-4-acetic acid - a novel, specific GABA_A receptor agonist, 86, 430P
 - BROADLEY, K.J. & WILLIAMSON, K.L. Examination of α -adrenoceptors of rat isolated atria, 84, 160P
 - BROADLEY, K.J. & WILSON, A.N.A. Comparison of the effects of adenosine on atrial and ventricular cardiac preparations, 85, 227P
 - - - Effects of dipyrindamole and deoxycoformycin on the action of adenosine in guinea-pig cardiac tissues, 86, 441P
 - - - Is the antagonism by adenosine of responses to both isoprenaline and histamine in guinea-pig isolated atria mediated through cAMP? 84, 176P
 - - - The response of the guinea-pig heart to isoprenaline and its proposed modulation by endogenous adenosine, 86, 721P
 - BROADLEY, K.J., CHESS-WILLIAMS, R.G. & SHERIDAN, D.J. Can supersensitivity following chronic catecholamine depletion be fully explained by an increase in β -adrenoceptor number? 84, 194P

- - - ³H prazosin binding during ischaemia and reperfusion in the guinea-pig langendorff heart, 86, 759P
- BROADLEY, K.J., CHESS-WILLIAMS, R.G., ROBERTS, L. & SHERIDAN, D.J. The α -adrenoceptor mediated responses of the guinea-pig aorta and ileum: effect of temperature, 85, 320P
- BROADLEY, K.J., CHESS-WILLIAMS, R.G., SHERIDAN, D.J. & WILLIAMSON, K.L. Relative α - and β -adrenoceptor density determines which receptor mediates the cardiac response to phenylephrine, 85, 261P
- BROADLEY, K.J., ROACH, A.G. & WILLIAMSON, K.L. Positive inotropic and chronotropic effects of noradrenaline which cannot be explained by α - or β -adrenoceptor stimulation, 86, 699P
- - - The α -adrenoceptor-mediated components of the responses to adrenaline and phenylephrine of rat isolated atria, 85, 324P
- BROADHURST, A.M. & WYLLIE, M.G. Different displacement profiles of alpha-adrenoceptor agonists and antagonists versus ³H-rauwolscine binding in rat cerebral cortex, 86, 614P
- BROCHARD, J. see BIZIERE, K., 85, 384P
- BROCK, J.A.C. see MCKILLOP, C.M., 84, 123P
- BROSTOFF, J., FLINT, K.C., HUDSPITH, B., JOHNSON, N. MCL., LEUNG, K.B.P. & PEARCE, F.L. Some properties of mast cells obtained by human broncho-alveolar lavage, 85, 205P
- BROWN, C.M. see ALPS, B.J., 85, 329P; 86, 669P
- BROWN, C.M., DUNCAN, G.P., MCKENNIFF, M.G., PATMORE, L. & WHITING, R.L. Characterisation of β -adrenoceptors on cultured human embryonic lung cells, 86, 766P
- BROWN, C.M., DYE, A.D., GOODWIN, K., KILPATRICK, A.T. & WHITING, R.L. Sodium alters the kinetics associated with neuronal uptake of 5-hydroxytryptamine, 86, 600P
- BROWN, F. & MITCHELL, P. B-HT 920 is a dopamine agonist causing little or no motor hyper-activity, but is it a selective autoreceptor agonist? 84, 185P
- BROWN, J.F. see BATES, R.F.L., 86, 809P
- BROWN, J.R., HUNTER, J.C. & JORDAN, C.C. Characterisation of tachykinin receptors in the marmoset ileum and colon, 86, 696P
- BROWN, K.A., WILBOURN, B., FERRIE, J. & DUMONDE, D.C. Effect of non-steroidal anti-inflammatory drugs (NSAID) on the adhesion of human leucocytes to cultured endothelium, 86, 425P
- BROWN, M.J. & HARLAND, D. Involvement of dopamine receptors and α_2 -adrenoceptors in the hypotensive effect of B-HT 958 in the rat, 84, 64P
- BROWN, R.F.R., DRAWBAUGH, R.B. & MARRS, T.C. Effects of repeated subcutaneous administration of paraquat, 86, 729P
- BROWN, T.H. see BLAKEMORE, R.C., 86, 570P
- BROWNE, J.L. & PILCHER, C.W.T. Nociceptive effects of GABA-ergic agents in socially crowded rats, 86, 483P
- BRUNDISH, D.E. see BLOXHAM, C.A., 85, 232P
- BRUNELLI, G. see BERTI, F., 86, 773P
- BRUNELLESCHI, S., CONTI, A., FANTOZZI, R., LODOVICI, M., MANNAIONI, P.F. & MASINI, E. Paracetamol-induced histamine release from rat peritoneal mast cells after *in vitro* activation by monooxygenases, 86, 574P
- BRUNELLESCHI, S., FANTOZZI, R., GIOTTI, A., LEDDA, F. & MIAN, M. Inhibition of human neutrophil activity by calcium entry blockers, 86, 575P
- BRUNELLESCHI, S., FANTOZZI, R., MANNAIONI, P.F. & MASINI, E. Neutrophil-mediated histamine release from mast cells: a role for oxygen radicals, 86, 576P
- BRYANT, S.H. see BETTONI, G., 86, 774P
- BRYANT, S.H., CONTE-CAMERINO, D., FRANCONI, F., GIOTTI, A. & MAMBRINI, M. Lack of antagonism by taurine on chloride channel block by anthracene-9-carboxylic acid in rat skeletal muscle, 86, 586P
- BUCKETT, W.R. & DIGGORY, G.L. Noradrenaline turnover: drug-induced changes evaluated using a new HPLC-ECD assay for free MHPG in mouse brain, 86, 414P
- BUCKETT, W.R. & LUSCOMBE, G.P. Anomalous "depressant" activity of trazodone and related halogenated phenylpiperazines in a putative model of depression, 86, 590P
- - - Effect of selective and non-selective monoamine oxidase inhibitors on the P,P'-DDT-induced behavioural response in mice, 86, 478P

- - - Turn preference does not influence the response of mice in putative models of depression and anxiety, 86, 713P
- BUCKETT, W.R., FLETCHER, C., HINDS, M. & MASON, R. Subsensitivity of cerebellar Purkinje cells to ionophoresed noradrenaline induced by chronic administration of dothiepin, 86, 466P
- BUCKLEY, G.A. see BATES, R.F.L., 86, 809P
- BULLOCH, J.M., MCGRATH, J.C. & MCKEAN, C. E. Comparison of α_2 -adrenoceptor-mediated pressor responses in pithed rats and rabbits, 86, 745P
- BULLOCK, G.R., TAYLOR, S.G. & WESTON, A. H. No evidence for an endothelial component in the relaxant effect of hydralazine on rat aorta, 85, 269P
- BUNCE, K.T. Stimulation of gastric non-parietal secretion by prostaglandin F₂ in the rat and cat, 86, 815P
- BUNCE, K.T. & CLAYTON, N.M. The effect of the prostaglandin endoperoxide analogue, U46619, on gastric mucosal ulceration and non-parietal secretion in the rat, 86, 421P
- BUNCE, K.T. & SPRAGGS, C.F. Neurogenic anion secretion by guinea-pig isolated duodenal mucosa, 85, 204P
- BURGES, R.A., CARTER, A.J., GARDINER, D.G. & HIGGINS, A.J. Amlodipine, a new dihydropyridine calcium channel blocker with slow onset and long duration of action, 85, 281P
- BURGEVIN, M.C. see BENAVIDES, J., 86, 440P
- BURKARD, W.P. see BONETTI, E.P., 86, 463P
- BURLEIGH, D.E. & TROUT, S.J. Substance P contractions of guinea pig taenia caeci by a direct action on smooth muscle, 84, 165P
- BUSHFIELD, M., DRUMMOND, A.H. & MACINTYRE, A.E. Direct and indirect effects of ADP on platelet cytosolic free calcium, 84, 28P
- BUSHFIELD, M., MCNICOL, A. & MACINTYRE, D. E. Differential inhibition of platelet receptor-activated functional responses and transduction processes by cAMP, 86, 577P
- BUSS, D.C. see WATT, A.H., 84, 140P
- BUTLER, K.D., DAVIES, J.A., MENYS, V.C., SHAND, R.A. & WALLIS, R.B. The kinetics of platelet and fibrin (ogen) deposition on to damaged rabbit carotid arteries *in vivo*, 86, 556P
- BYFORD, A.J., DAVIDSON, J., FOSTER, D. & GOADBY, P. Effects of changes in calcium and phosphate concentrations on the responses of isolated cardiac muscle to inotropic drugs, 86, 725P
- CACIAGLI, F. see CICCARELLI, R., 86, 672P
- - - see DI IORIO, P., 86, 583P
- CAGIANO, R., SALES, G.D. RENNA, G., MARTELLI, C., RACAGNI, G. & CUOMO, V. Ultrasonic vocalization in rat pups: effects of early postnatal exposure to haloperidol, 86, 789P
- CAIRNDUFF, B., GRAHAM, W.C., JOHNSON, M.A., MEECHAM, K.G. & SMITH, G. The use of software for the BBC microcomputer to facilitate behavioural screening tests, 86, 525P
- CALABRESE, S. see CICCARELLI, R., 86, 672P
- CALASSI, R. see BIZIERE, K., 84, 146P, 198P
- CALDER, C. see ALPS, B.J., 85, 329P; 86, 669P
- CALDWELL, J. & CHIDGEY, M.A.J. Dose- and vehicle-related variation in the disposition of benzyl acetate in the rat, 85, 207P
- CALDWELL, J., FARMER, P.B., SANGSTER, S.A. & SUTTON, J.D. The fate of eugenol in the rat and its variation with dose, 84, 24P
- CALDWELL, J., CHIDGEY, M.A.J. & KENNEDY, J.F. The absorption and disposition of topically-applied benzyl acetate in the rat, 86, 512P
- CALDWELL, J., DOLPHIN, C.T. & SMITH, R. L. The influence of the immune modulator, polyrl.rC upon the metabolism of aspirin in mice, 85, 208P
- CALLEJA, C., DELGADO, C. & TAMARGO, J. Effect of propafenone on the electro-physiological properties of sheep ventricular muscle and purkinje fibres, 84, 172P
- CALLEN, T.S. see RUSSELL, N.J.W., 86, 788P
- CALLEN, T.S., COX, B., JAMIESON, A., MAJOR, J.S., OLDHAM, A.A. RUSSELL, N.J.W., SCOTCHER, K.P. Effects of inhibitors of the renin-angiotensin system on carrageenin-induced oedema in rats, 86, 750P
- CALLINGHAM, B.A. MAZEL, P. & PORTER, J.C. Some properties of amine oxidase activities in the rat intestine, 86, 553P
- CAMBRIDGE, D. see ALLAN, G., 86, 439P

- CAMERON, D., ENGLISH, T.A.H., GRISTWOOD, R. W., MORL, C.J., OWEN, D.A.A. & WALLWORK, J. Positive inotropic actions of SK&F 94120 on human isolated ventricular myocardium, 85, 226P
- CAMPBELL, M.M. see BRISTOW, D.R., 86, 430P
- CANDELETTI, S. see SPAMPINATO, S., 86 528P
- CANDUSSIO, L. see DECORTI, G., 86, 794P
- CANDY, J.M. see BLOXHAM, C.A., 85, 232P
- CANDY, J.M., COURT, J.A. & HOBAN, R.P. Role of M₁ muscarinic receptors in K⁺ facilitation of phosphatidylinositol hydrolysis, 86, 607P
- CANDY, J.M., COURT, J.A. & SMITH, C.J. Enhancement of the phosphatidylinositol response by raised extracellular potassium in rat cerebral cortex, 84, 61P
- CANDY, J.M., PERRY, R.H. & YATES, M. Autoradiographic localisation of 5-HT and imipramine binding sites in the raphe nuclei of the human brain, 84, 90P
- CANDY, J.M. SNELL, C.R. & WHITFORD, C.A. Distribution of high affinity ³H-somatostatin binding sites in the rat brain, 86, 551P
- CANEVARI, A., PACIFICO, P., DI ROCCO, A., CUGURRA, F., GIGLIO, C. & NADALINI, V.F. Human vas deferens motility following in vitro and in vivo administration of atropine and diazepam, 86, 776P
- CANFIELD, S.P. & WHITE, J.P.N. Contribution of mucus to luminal alkalinisation in an isolated rat duodenum preparation, 84, 80P
- CANTELLI FORTI, G., GUERRA, M.C., BARBARO, A.M., HRELIA, P., BIAGI, G.L. & BOREA, P. A. Relationship between lipophilic character and urinary excretion in rats of a series of nitroheterocyclic compounds, 86, 554P
- CANTONI, O., SESTILI, P., PIEDIMONTE, G., BALDUINI, W., CRISTALLI, G., GRIFANTINI, M. & CATTABENI, F. The effect of deazaadenosine derivatives on cell growth, nucleic acids and protein synthesis in cultured cells, 86, 563P
- CAPARROTTA, L. see FASSINA, G., 86, 584P
- CAPASSO, F., TAVARES, I.A., TSANG, R., RENNIE, J.A. & BENNETT, A. Synthesis of arachidonate products by rat and human colon. Effects of intestinal secretagogues, 86, 650P
- CAPUTI, A.P. see SQUADRITO, F., 86, 629P
- CARENZI, A. see SALA, R., 86, 603P
- CAREY, F. see BILLINGHAM, M.E.J., 85, 272P
- CAREY, F. & FORDER, R.A. Development and characterisation of a radioimmunoassay for leukotriene B₄, 84, 34P
- CAREY, F. & HAWORTH, D. Effect of the EP1 receptor antagonist SC-19220 in a model of yeast and PGE₂ induced hyperalgesia and oedema, 86, 656P
- - Effect of the mixed cyclo-oxygenase/5-lipoxygenase inhibitor, BW755C in a model of yeast-induced inflammation, 86, 652P
- - Temporal studies of the formation of cyclo-oxygenase and lipoxygenase metabolites in yeast-induced inflammation, 85, 271P
- CARFAGNA, N. & MORETTI, A. Effect of ergoline derivatives on dopamine turnover in rat brain, 86, 670P
- CARGNELLI, G. see BOVA, S., 86, 624P, 720P
- CARGNONI, A. see GIAMMATTEO, D., 86, 727P
- CARILLA, E. see BRILEY, M., 84, 127P
- CARLA, V. see BONGIANNI, F., 86, 529P
- CARLSON, R.P., CHANG, J. & LEWIS, A.J. Does leukotriene B₄ play a role in urate-induced synovitis in dogs? 86, 521P
- CARMIGNANI, M. see PREZIOSI, P., 86, 542P
- CARON, M.G., DICKINSON, K.E.J., LEEB-LUNDBERG, L.M.F., LEFKOWITZ, R.J., PETERS, J.R. & STRASSER, R.H. Desensitisation of rat pineal β -adrenoceptors, 85, 326P
- CARPENEDO, F. see FLOREANI, M., 86, 726P
- CARPENTER, J.R. Intrinsic activity and potency of guinea-pig tracheal relaxants after different spasmogens in vitro, 85, 257P
- CARRARA, M.C., CARROLL, M.A. MCGIFF, J.C. & SCHWARTZMAN, M. Cytochrome P450-dependent arachidonate metabolites in renomedullary cells from the thick ascending limb of hypertensive rabbits, 84, 39P
- CARRATU, M.R. see BENOIT, E., 86, 549P, 665P
- CARROLL, M.A. see CARRARA, M.C., 84, 39P
- CARTER, A.J. see BURGESS, R.A., 85, 281P

- CASSISI, M. see MIRANDA, G.F., 86, 689P
 CASSON, I.F. see BEAHON, S.J., 84, 81P
 CASTELLETTI, L. see MEMO, M., 86, 543P
 CASTELLO, R. see CESERANI, R., 86, 780P
 CASTRO, B. see BRIET, C., 85, 383P
 CATTABENI, F. see ABBRACCHIO, M.P., 86, 582P, 653P
 - - - see CANTONI, O., 86, 563P
 CATTANEO, C. see CROCI, T., 86, 782P
 CAVALHEIRO, E.A., MELDRUM, B.S. & TURSKI, L. Effect of intranigral 2-amino-7-phosphonoheptanoate and N-methyl-D-aspartate on seizures produced by pilocarpine in rats, 85, 367P
 CAVERO, I. & HICKS, P.E. Effects of alfuzosin and idazoxan on nerve mediated contractions in the rabbit isolated urethra, 86, 612P
 - - - Studies on the transient hypotensive effects of fenoldopam, a DA₁ dopamine receptor agonist, in rats, 86, 436P
 CAVERO, I. & THIRY, C. Method for the electrical stimulation of postganglionic cardioaccelerator sympathetic nerve fibres in pithed rats, 84, 182P
 CAVERO, I., HICKS, P.E. & LEFEVRE-BORG, F. α_1 -adrenoceptor antagonist effects on alfuzosin in rabbit and dog lower urinary tract, 86, 416P
 - - - Cardiovascular profile of quinpirole, a selective and specific DA₂-dopamine receptor agonist, in rats, 86, 618P
 CAVERO, I., HICKS, P.E., LANGER, S.Z. & LEFEVRE-BORG, F. Cardiovascular synergistic action between diltiazem and alfuzosin under *in vivo* and *in vitro* conditions, 84, 16P
 CAVERO, I., LEFEVRE-BORG, F. & MANOURY, Ph. Pharmacological profile of cicloprolol, a compound which behaves as an agonist and an antagonist at β_1 -adrenoceptors, 84, 31P
 CAVICCHINI, E., see SPAMPINATO, S., 86, 528P
 CAVICCHIOLI, L., CONSOLAZIONE, A. & LEON, A. Dopamine receptor neuroplasticity can be affected by GM₁ ganglioside treatment, 86, 671P
 CECONI, C. see GIAMMATTEO, D., 86, 727P
 CERRITO, F. see PREZIOSI, P., 86, 542P
 CESERANI, R. see GROSSONI, M., 86, 628P
 CESERANI, R., VAGHI, F., CASTELLO, R., TOTI, D., LAZZARINI, A.M., SCARPONI, U. & deCASTIGLIONE, R. Antisecretory and antiulcer effect of a potent H₂-antagonist: FCE 23067, 86, 780P
 CHAMBERS, S.D., CHURCH, M.K. & HUGHES, P.J. Adenosine enhancement of A23187 induced 5-hydroxytryptamine release from rat mast cells is not P₁- or P₂-purinoceptor mediated, 86, 400P
 CHAMBON, J.P. see BIZIERE, K., 84, 198P; 85, 384P
 CHANG, J. see CARLSON, R.P., 86, 521P
 CHAPMAN, A.G., FAINGOLD, C.L. & HART, G.P. Regional amino acid levels in audiogenic seizure susceptible rats during control and seizure conditions, 85, 368P
 CHAPMAN, J.B. & CUTLER, M.G. Sodium valproate: effects on development, social behaviour and seizure susceptibility in the offspring of gerbils, 86, 540P
 CHAPPELL, S.P., GRIFFITH, T.M., HENDERSON, A.H. & LEWIS, M.J. Influence of cholesterol feeding on endothelium-dependent vasomotor response in rabbit aortic strips, 85, 266P
 CHAPPELL, S.P., HENDERSON, A.H. & LEWIS, M.J. Myocardial reoxygenation damage can be circumvented, 85, 332P
 CHAPPLE, D.J. & DONOGHUE, S. On-line analysis of cardiovascular data using a mini-computer system, 85, 308P
 CHARLTON, K.G. see BOND, R.A., 84, 14P; 86, 401P
 CHARLTON, K.G., BOND, R.A. & CLARKE, D.E. Evidence for a prejunctional inhibitory 5-HT₁ receptor in rat kidney, 84, 57P
 CHEETHAM, S.C., CROMPTON, M.R., KATONA, C.L.E., HORTON, R.W., PARKER, S.J. & REYNOLDS, G.P. GABA_A and benzodiazepine binding sites in the cortex of depressed suicide victims, 86, 593P
 CHENERY, R.J. see BLAKEMORE, R.C., 86, 570P
 CHENERY, R.J., EMERY, S., NORMAN, S. J. & OLDDHAM, H.G. The effect of cimetidine and ranitidine on paracetamol glucuronidation and sulphation in cultured rat hepatocytes, 84, 164P
 CHESSE-WILLIAMS, R.G. see BROADLEY, K.J., 84, 194P; 85, 261P, 320P; 86, 759P
 CHEVALLIER, E. see BIZIERE, K., 86, 404P
 CHIDGEY, M.A.J. see CALDWELL, J., 85, 207P; 86, 512P
 CHINETTI, L. see PUGLISI, L., 86, 646P

- CHITRANUKROH, A., COOK, P. & JAMES, I. The effect of nicardipine, a calcium entry blocker, on paracetamol induced injury in mice, 86, 602P
- CHOLERTON, S. & PARK, B.K. The pharmacological response to vitamin K₁ in the anticoagulated rat, 86, 406P
- CHOPIN, P. see BRILEY, M., 86, 456P
- CHRISTIE, G., KITTINGHAM, N.R., MAGGS, J.L. & PARK, B.K. The role of glutathione in the disposition of 2,4-dinitro-fluorobenzene in the rat, 86, 799P
- CHURCH, M.K. see BENYON, R.C., 86, 407P
- - - see CHAMBERS, S.D., 86, 400P
- CHURCH, M.K. & FEATHERSTONE, R.L. An examination of interactions between substance P and other agonists in airway smooth muscle, 86, 484P
- CHURCH, M.K., HOLGATE, S.T., NORN, S. & PAO, G.J.-K. Bacteria-induced histamine release from human dispersed lung and tonsillar mast cells, 86, 509P
- CIABATTONI, G. see PREZIOSI, P., 86, 649P
- CICCARELLI, R. see DI IORIO, P., 86, 583P
- CICCARELLI, R., DI IORIO, P., LONGHI, O. N., CALABRESE, S. & CACIAGLI, F. Relationship between electrically-induced adenosine release and cAMP levels in rat striatal primary cultures, 86, 672P
- CIUFFI, M., FRANCHI-MICHELI, S., LUZZI, S. & ZILLETTI, L. Functional activity of GABA receptors in myenteric plexus from morphine tolerant guinea-pigs, 86, 637P
- CIVELLI, M. see NICOSIA, S., 86, 647P
- CLAGUE, R.U., EGLIN, R.M., STRACHAN, A.C. & WHITING, R.L. Comparison of cholinergic activity of suberyldicholine with that of carbachol *in vitro*, 84, 155P
- CLAGUE, R.U., FINLAYSON, J.R. & WHITING, R.L. Central α_2 -adrenoceptor function following acute and chronic dosing with imiloxan, 84, 154P
- CLARK, B.F., COLLIER, A., MATTHEWS, D.M. & TYMKEWYCZ, P.M. Changes in platelet function in diabetes mellitus with improvement of glycaemic control, 86, 795P
- CLARK, C.R. see LINGFORD-HUGHES, A.R., 85, 290P
- CLARKE, B., PATMORE, L. & WHITING, R.L. Comparative inotropic effects of calcium modulators on guinea-pig and rat myocardium, 85, 330P
- - - Mechanism of positive inotropic action of trifluoperazine in guinea-pig ventricular muscle, 86, 760P
- CLARKE, D.E. see BOND, R.A., 84, 14P; 86, 401P
- - - see CHARLTON, K.G., 84, 57P
- CLATWORTHY, A. see BARASI, S., 85, 352P
- CLAYTON, N.M. see BUNCE, K.T., 86, 421P
- COATES, W.J., EDEN, R.J., EMMETT, J. C., GRISTWOOD, R.W., OWEN, D.A.A., SLATER, R.A., TAYLOR, E.M. & WARRINGTON, B.H. SK&F 94120, a novel agent with positive inotropic and vasodilator activity, 84, 22P
- COENE, M.-C., HERMAN, A.G., JORDAENS, F., VAN HOVE, C., VERBEUREN, T.J. & ZONNEKEYN, L. Endothelium-dependent relaxations in isolated arteries of control and hypercholesterolaemic rabbits, 85, 267P
- COKER, S.J., KANE, K.A., PARRATT, J. R. & WILLIAMS, F.M. The effects of nicergoline an α -adrenoceptor blocking drug on ischaemia and reperfusion-induced arrhythmias in anaesthetised dogs, 84, 30P
- COLEMAN, I.P.L. see BIRCH, N.J., 84, 23P, 78P; 85, 304P
- COLEMAN, M.D. see BRECKENRIDGE, A. M., 86, 405P
- COLEMAN, R.A., DENYER, L.H. & SHELDRIK, R.L.G. The influence of protein binding on the potency of the prostanoid EP₁-receptor blocking drug, AH6809, 86, 803P
- COLEMAN, R.A., KENNEDY, I. & SHELDRIK, R.L.G. AH6809, a prostanoid EP₁-receptor blocking drug, 85, 273P
- COLES, D.J., ELLIS, C.E., HOLMES, S. W., TRIM, J.L. & WILSON, K.L. The effects of angiotensin converting enzyme inhibitors on the action of diuretics in the rat, 86, 748P
- COLLIER, A. see CLARK, B.F., 86, 795P
- COLLINGRIDGE, G.L., HERRON, C.E. & WILLIAMSON, R. A selective N-methyl-D-aspartate antagonist reduces convulsant-induced epileptiform activity in rat hippocampal slices, 86, 474P
- COLLINS, G.G.S. see DEWHURST, D.G., 85, 360P; 86, 663P
- COLLINS, J.F. see ANAND, H., 86, 473P
- COLLINS, J.F., CONNICK, J.H. & STONE, T.W. Absence of uptake and binding of radiolabelled quinolinic acid in rat brain, 85, 373P

- COLLINS, P., GRIFFITH, T.M., HENDERSON, A.H. & LEWIS, M.J. 8-Bromo-cGMP and calcium flux in arterial smooth muscle, 85, 279P
- - - Endothelium and calcium flux in rabbit aortic preparations, 85, 342P
- COLLIS, M.G. see BOWMER, C.J., 84, 131P
- CONNICK, J.H. see COLLINS, J.F., 85, 373P
- CONNICK, J.H. & STONE, T.W. The effect of quinolinic acid and the kynurenines on the uptake of [^3H]-D-aspartic acid in rat brain, 84, 92P
- CONNOR, H.E., FENIUK, W., HUMPHREY, P.P. A. & PERREN, M.J. 5-carboxamido-tryptamine is a selective agonist at 5-HT receptors mediating vasodilation and tachycardia in the anaesthetised cat, 85, 222P
- CONOLAN, S., QUINN, M.J. & TAYLOR, D.A. Peripheral 5-HT₂ receptor activation following administration of tryptamine derivatives in rats, 86, 399P
- CONSOLAZIONE, A. see CAVICCHIOLI, L., 86, 671P
- CONSTANTI, A. & WILLIAMS, S.H. Pharmacological determination of the pA₂ for pirenzepine using a mammalian in vitro brain slice preparation, 86, 394P
- CONTE-CAMERINO, D. see BRYANT, S.H., 86, 586P
- - - see BETTONI, G., 86, 744P
- CONTI, A. see BRUNELLESCHI, S., 86, 574P
- CONTI, G. see DI CARLO, F., 86, 560P
- CONYBEARE, G. see ATTERWILL, C.K., 84, 124P
- COOK, P. see CHITRANUKROH, A., 86, 602P
- COOK, P.J. & JAMES, I.M. The effect of age on the acute response to diazepam, 84, 135P
- COOPER, S.J. & ESTALL, L. Intrinsic actions of Rol15-1788 and CGS 8216: hyperphagia and anorexia-induced in non-deprived rats consuming a palatable diet, 84, 96P
- COOPER, S.J. & GILBERT, D.B. The D₁ receptor antagonist, SCH 23390, and sultopride, have distinctive effects in a salt preference test, 84, 143P
- COOPER, S.J. & JACKSON, A. Hyperphagia induced by K opiate agonists in non-deprived rats: dissociation from a diuretic effect, 84, 75P
- COPLAND, A.M. see BALFOUR, D.J.K., 84, 72P; 86, 711P
- CORBETT, A.D., GILLAN, M.G.C., KOSTERLITZ, H.W. & PATERSON, S.J. Binding and pharmacological profile of a highly selective ligand for the κ -opioid receptor - U-69, 593, 86, 704P
- CORDER, R., LOWRY, P.J., RAMAGE, A.G. & WILKINSON, S.J. Comparison of the haemodynamic actions of neuropeptide Y, angiotensin 11 and nor-adrenaline, 85, 231P
- CORRADETTI, R. see VANNUCCHI, M.G., 86, 606P
- CORSANO, E. see BERNARDINI, C., 86, 781P
- CORSINI, A. see OLIVA, D., 86, 805P
- CORUZZI, G. see BERTACCINI, G., 86, 641P
- CORUZZI, G., ADAMI, M. & BERTACCINI, G. Regulation of resting acid secretion in the rat isolated fundus, 86, 639P
- COSTALL, B. see BARNES, J.C., 86, 695P
- - - see BARNES, N.J.G., 86, 468P, 708P
- - - see BRADBURY, A.J., 85, 348P, 350P; 86, 526P, 685P, 691P
- COSTALL, B., DOMENEY, A.M., HUI, SIU-CHUN G., NAYLOR, R.J. & OGLE, C.W. Acute and long-term changes in locomotor activity related to the continuity of dopamine receptor stimulation, 86, 690P
- COSTALL, B., DOMENEY, A.M. & NAYLOR, R.J. The amygdala, laterality, and the control of rat locomotor activity, 85, 250P
- COSTALL, B., DOMENEY, A.M., FITTON, J. C. & NAYLOR, R.J. Antagonism by lithium of cyclic changes in locomotor activity induced by dopamine infused into rat nucleus accumbens, 85, 354P
- COSTALL, B., GUNNING, S.J., NAYLOR, R. J. & SIMPSON, K.H. Antagonism by atropine and glycopyrrolate of metoclopramide-facilitated gastric emptying, 86, 757P
- COSTALL, B., NAYLOR, R.J. & TAN, C.W. Dopamine D₁ and D₂ receptor agonists reduce gastric secretion in the rat, 85, 353P
- COTTERELL, D.J. & DUBOCOVICH, M.L. Bay K-8644 increases calcium uptake in the presence of isoproterenol and KCL in rabbit cardiomyocytes, 86, 657P
- COURT, J.A. see CANDY, J.M., 84, 61P; 86, 607P
- COWAN, A. & HEYMAN, J. Bombesin is a potent antinociceptive agent in mouse writhing and tail flick tests, 86, 485P

- COWAN, A., MOSBERG, H.I., PORRECA, F. & ZHU, X.Z. Direct dependence studies in rats with agents selective for different subtypes of opioid receptor, 85, 294P
- COX, B. see BLACKBURN, T.P., 85, 381P
- - - see CALLEN, T.S., 86, 750P
- COX, H.M., MUNDAY, K.A., PLEVIN, R. & POAT, J.A. A study of bradykinin binding to rat jejunal epithelial cell membranes, 86, 486P
- COX, H.M., MUNDAY, K.A., POAT, J.A. & SHARMA, R.P. A novel angiotensin 11 analogue with high affinity for epithelial 125 I-angiotensin 11 binding sites, 86, 487P
- COX, R.T.L. & WALKER, R.J. The inhibition of an acetylcholine-induced calcium current in cell F-1 of *Helix aspersa* by adenosine, 86, 449P
- CRAIG, R.K. see AL-KAZWINI, S.J., 86, 544P, 679P
- CREMA, G. see PAROLARO, D., 86, 619P
- CREMONESI, P. see AGOZZINO, S., 86, 716P
- CRESPI, F., KEANE, P.E. & MORRE, M. Effect of valproate on striatal ascorbic acid, DOPAC and 5-HIAA in rats as measured by voltammetry, 85, 372P
- CRISPINO, A. see DI CARLO, F., 86, 560P
- CRISTALLI, G. see CANTONI, O., 86, 563P
- CRIVELLARI, M.T. see FOLCO, G.C., 86, 645P
- CROCI, T., BIANCHETTI, A., CATTANEO, C. & MANARA, L. Morphine or loperamide-induced constipation in mice: comparative antagonism by SR 58002 C and naloxone, 86, 782P
- CROME, R., HEARSE, D.J., MAGUIRE, M.E. & MANNING, A.S. Dissociation between reperfusion arrhythmias and increases in ventricular α_1 receptor density in the anaesthetised rat, 86, 498P
- CROME, R., HEARSE, D.J. & MANNING, A.S. Reperfusion arrhythmias and time-response relationships: modification by drugs in the anaesthetised rat, 86, 418P
- CROMPTON, M.R. see CHEETHAM, S.C., 86, 593P
- CROMWELL, O. see MACKAY, J.A., 86, 526P
- CROMWELL, O., SHAW, R.J., WALSH, G.M. & KAY, A.B. Inhibition of leukotriene C_4 and B_4 generation by human eosinophils and neutrophils, 86, 427P
- CROOK, T., SOUHAMI, R.L. & MCLEAN, A.E.M. DNA cross links in sensitive leukaemia cells exposed to cyclophosphamide activated by rat hepatocytes *in vitro*, 84, 128P
- CROSS, A.J., SKAN, W.J. & SLATER, P. 3 H D-aspartic acid labels excitatory amino acid uptake sites in human brain, 86, 686P
- - - Excitatory amino acid binding sites in human cerebellum, 86, 475P
- CROW, T.J., FARMERY, S.M., OWEN, F. & POULTER, M. Iodinated somatostatin binding to human brain membranes: a comparison of controls and Alzheimer type dementia patients, 84, 8P
- CUNNANE, T.C. see ALLCORN, R.J., 85, 263P
- - - see BEATTIE, D.T., 84, 29P
- CUOMO, V. see CAGIANO, R., 86, 789P
- CURELLO, S. see GIAMMATTEO, D., 86, 727P
- CURLE, P.F., GEDDES, C. & PALOMO, T. The effect of oxyptertine on dopamine, DOPAC and HVA in the rat striatum, 84, 197P
- CUTHILL, S. see SKETT, P., 86, 555P
- CUTLER, M.G. see CHAPMAN, J.B., 86, 540P
- CUTLER, M.G., HIGGINS, C.A. & MOORE, M.R. Pharmacological effects of Δ -aminolaevulinic acid and Γ -aminobutyric acid in isolated preparations of rabbit jejunum, 86, 680P
- D'MELLO, A. see DAVIES, M., 84, 126P
- D'MELLO, A. & WIECZOREK, W.J. Effects of calcium removal on response of lung parenchymal strips to KCl, histamine, carbachol or antigen, 84, 151P
- DAFFONCHIO, L. see ABBRACCHIO, M.P., 86, 653P
- - - see BERTI, F., 86, 773P
- DALTON, D.W., FENIUK, W. & HUMPHREY, P.P.A. An analysis of the cardiovascular effects of 5-hydroxytryptamine in conscious docs-salt hypertensive rats, 86, 595P
- - - The mechanism of the hypotensive action of 5-carboxamidotryptamine in conscious docs-salt hypertensive rats, 86, 737P
- DALY, C.J., MCGRATH, J.C., MUIR, A.G. B. & O'BRIEN, J.W. Ca^{++} -dependence of noradrenaline-induced contraction in rat aortic smooth muscle, 86, 723P
- DANDONA, P., JEREMY, J.Y. & MIKHAILIDIS, D.P. Mediation of prostacyclin synthesis in the penis by muscarinic receptors, 85, 284P
- DASDIA, T. see BOSSA, R., 86, 772P
- DAVEY, M.J. see ALABASTER, V.A., 85, 376P

- DAVIDSON, J. see BYFORD, A.J., 86, 725P
- DAVIES, A.M. & ECCLES, R. The effects of nasal airflow and menthol on the nasal electromyographic activity of the anaesthetised cat, 85, 254P
- DAVIES, C.L. & HEAL, D.J. A simplified HPLC method for 3-methoxytyramine: correlation with behavioural activity in rats, 84, 54P
- DAVIES, D.S. see BOOBIS, A.R., 84, 138P; 86, 511P
- DAVIES, G.J. see KERWIN, R.W., 85, 288P
- DAVIES, J.A. see BUTLER, K.D., 86, 556P
- DAVIES, J.A., MARSHALL, R.W. & SPARKS, M. A microcomputer system for long-term monitoring and analysis of locomotor activity, 85, 393P
- DAVIES, J.M., HENSBY, C.N., LUGINBUHL, B. & WILLIAMS, K.I. Stimulation and inhibition of endothelial-dependent relaxations of rat aortic strips, 85, 343P
- DAVIES, M. & D'MELLO, A. The effects of drugs on sexual function, 84, 126P
- DAVIES, M. & ROBERTS, M.H.T. The effects of the 5HT 1A ligand, 8-OH-DPAT, applied iontophoretically to rat brainstem neurones, 86, 594P
- DAVIES, M., ROBERTS, M.H.T. & WILKINSON, L.S. Effects of intravenous ketanserin, methysergide and MDL 72222 on responses to iontophoretically applied 5-HT in the rat brainstem, 85, 255P
- DAVIES, M.W. see KEYSELL, G.R., 86, 513P
- DAVIES, P. & ROBERTS, F. Fitting a logistic curve to dose response curves using ALLFIT on an Apple IIe, 84, 175P
- DAVIES, S.W. & ROBERTS, P.J. Effects of intracerebro-ventricular kainic acid on acetylcholinesterase-containing neurones in rat hippocampus, 86, 450P
- DAVIS, A.S., JENNER, P. & MARSDEN, C.D. Apomorphine induces grooming behaviour in rats pretreated with sulpiride, 86, 434P
- - - Differential induction of climbing behaviour in rats by dopamine agonist drugs, 85, 247P
- DAWBARN, D. see KERWIN, R.W., 85, 288P
- DE CASTIGLIONE, R. see CESERANI, R., 86, 780P
- DE GORI, N. see VACCA, M., 86, 793P
- DE JONGE, A. see VAN CHARLDORP, K., 84, 178P
- DE LA HUNT, M.N., HILLIER, K., JEWELL, R., PLATT, K. & KARRAN, S.J. Dietary oil modifies duodenal and gastric prostaglandin synthesis in the rat, 86, 428P
- DE NUCCI, G. see BAKHLE, Y.S., 84, 38P; 86, 423P
- DE SARRO, A. see AMMENDOLA, D., 86, 660P
- DE SARRO, G.B., ASCIOTI, C., FROIO, F., LIBRI, V. & NISTICO, G. Locus coeruleus: site of sedation and sleep induced by clonidine, 86, 676P
- DEAN, H.G. see BOWMER, C.J., 84, 132P
- DEBETTO, P. see BOVA, S., 86, 624P
- - - see FLOREANI, M., 86, 726P
- DECORTI, G., BARTOLI KLUGMANN, F., CANDUSSIO, L., BASA, M., MALLARDI, F., GRILL, V., BALDINI, L. Effect of polyethylene glycol 400 on adriamycin induced histamine release, 86, 794P
- DEIGHTON, N.M., HAMILTON, C.A., JONES, C.R. & REID, J.L. Acute agonist regulation of α_2 -adrenoceptors in vitro in the rabbit, 86, 741P
- DEL CARMINE, R. see PREZIOSI, P., 86, 542P
- DEL COCO, M. see IORIO, P., 86, 583P
- DEL TACCA, M. see BERNARDINI, C., 86, 781P
- - - see SOLDANI, G., 86, 640P
- DEL TACCA, M., POLLONI, A., SOLDANI, G., BERNARDINI, C., GIANNETTI, A. & BONIFAZI, V. The influence of pirenzepine on gastrin and somatostatin portal levels in dogs, 86, 638P
- DELGADO, C., GARCIA, A., TAMARGO, J. & VALENZUELA, C. Effect of Bay K8644 in guinea-pig atrial and ventricular muscle fibres, 84, 171P
- DELGADO, C., TAMARGO, J., TEJERINA, T. & VALENZUELA, C. Effects of 5-hydroxy-propafenone on guinea-pig atrial and ventricular muscle fibres, 86, 499P
- DELLA BELLA, D. see SALA, R., 86, 603P
- DELLA CORTE, L., SGARAGLI, G.P., TIPTON, K.F. & VALOTI, M. Purification of intestinal peroxidase and its activities towards xenobiotics, 86, 557P
- DEMPSTER, J. A set of computer programs for electrophysiological analysis of end plate current characteristics, 85, 390P
- - - see PRIOR, C., 86, 585P
- DEMPSTER, J., PRIOR, C., HENDERSON, F. & MARSHALL, I.G. Changes in quantal content produced by endplate channel blocking drugs as assessed by analysis of driving function, 86, 675P

- DENNIS, T. & SCATTON, B. Nature of the facilitatory influence of GABA on central noradrenergic transmission, 84, 93P
- DENYER, L.H. see COLEMAN, R.A., 86, 803P
- DEPOORTERE, H. see ARBILLA, S., 86, 432P
- DERVINIS, A. see MUTH, E., 86, 452P
- DESTA, B. & SENIOR, J. The effect of streptozotocin-induced diabetes on the blood flow to the reproductive organs, 86, 791P
- DETTMAR, P.W. & LORD, J.A.H. Effect of selected α -adrenoceptor agents on responses of rat isolated gastric mucosa to electrical field stimulation, 85, 322P
- DETTMAR, P.W. & SMEATON, L.A. The regulation of gastric acid secretion in the rat *in vivo*; a role for α_2 -adrenoceptors? 85, 319P
- DETTMAR, P.W., DOWNING, O.A., ROACH, A.G., WILLIAMS, R.J. & WILSON, K.A. Stimulation of fluid transport in rat jejunum by noradrenaline - an attempt to characterise receptors, 86, 519P
- DETTMAR, P.W., KELLY, J. & MACDONALD, A. α_1 - and α_2 -adrenoceptor-mediated effects of noradrenaline in rat gastric fundus, 86, 613P
- - - Effect of UK-14,304 on nerve-induced responses in rat gastric fundus, 86, 491P
- DEWHURST, D.G. Sensitivity of catechol-induced sensory myoclonic jerks to valproate and diazepam, 85, 364P
- DEWHURST, D.G. & COLLINS, G.G.S. Excitatory effects of catechol on synaptic transmission in the rat olfactory cortex slice, 85, 360P
- - - Inhibitory effects of catechol on synaptic transmission in the rat olfactory cortex slice, 86, 663P
- DI CARLO, F., RACCA, S., CRISPINO, A., CONTI, G., GIUBERTONI, M. & PORTALEONE, P. Effect of medroxyprogesterone acetate on cAMP phosphodiesterase activity in rat mammary tumors, 86, 560P
- DI CHIARA, G. see IMPERATO, A., 86, 532P
- DI GIULIO, A.M., BORELLA, F., PARENTI, M., MANTEGAZZA, P., HONG, J.F., ZANONI, R. & GORIO, A. Peripheral nerve lesions cause peptidergic alterations in the spinal cord, 86, 527P
- DI IORIO, P. see CICCARELLI, R., 86, 672P
- DI IORIO, P., CICCARELLI, R., LONGHI, O.N. DEL COCO, M. & CACIAGLI, F. Frequency-dependent interactions between adenosine and transmitter releases electrically evoked, from rat brain slices, 86, 583P
- DI MONTE, D., GRANT, M.H., JERNSTROM, B. & NORKENSKJOLD, M. Cytotoxicity of menadione and benzo(A)pyrene-3,6-quinone in cultured human fibroblasts, 86, 559P
- DI ROCCO, A. see CANEVARI, A., 86, 776P
- DI SIMPLICIO, P., IGNESTI, G., PIRISINO, R. & BIANCHI, G.P. Properties of plasma SH groups in experimental inflammation in rat, 86, 777P
- DICKINSON, K.E.J. see CARON, M.G., 85, 326P
- DICKINSON, K.E.J., MCKERNAN, R.M., MILES, C.M. & SEVER, P.S. Heterogeneity of soluble splenic α_2 -adrenoceptors, 86, 492P
- DICKINSON, K.E.J., RUDD, R.M., SEVER, P. S. & WINTER, R.J.D. Tissue specific modulation of β -receptor number in chronic hypoxia with an attenuated response to down regulation by salbutamol, 85, 256P
- DIGGORY, G.L. see BUCKETT, W.R., 86, 414P
- DOBLE, A. see BENAVIDES, J., 86, 440P
- DOCHERTY, J.R. Altered cardiovascular responsiveness in the aged rat, 86, 627P
- DOCHERTY, J.R. & HYLAND, L. Age-related changes in pre- and post-junctional α -adrenoceptors in human saphenous vein, 84, 144P
- - - An investigation of age-related changes in vascular α -adrenoceptors in the anaesthetised rat, 85, 260P
- - - 5-hydroxytryptamine receptors in the human saphenous vein, 86, 735P
- DOCHERTY, J.R. & SAWYER, R. Involvement of vascular α_2 -adrenoceptors in blood pressure control in the anaesthetised spontaneously hypertensive rat, 84, 145P
- DOCHERTY, J.R. & WARNOCK, P. Effects of α -adrenoceptor antagonists on blood pressure in the spontaneously hypertensive rat, 85, 264P
- DODD, M.G. & MACHIN, I. Anti-hypertensive effect of amlodipine, a novel dihydropyridine calcium channel blocker, 85, 335P
- - - Lack of role of angiotensin-11 in orthostatic blood pressure control, 86, 488P

- DODD, N.J., HUMPHREY, P.P.A., LUMLEY, P. & WESTON, M.J. Effect of the thromboxane receptor blocking drug AH23848 upon thrombocytopenia induced by haemodialysis in the anaesthetised dog, 85, 285P
- DODDS, M.G., DOLAMORE, P.G. & LOUITTIT, J.B. The relaxant effects of an atrial peptide and nitroprusside on rat vascular muscle depend on spasmogen concentration, 86, 730P
- DOLAMORE, P.G. see DODDS, M.G., 86, 730P
- DOLLERY, C.T., HEAVEY, D.J., RICHMOND, R., TAYLOR, G.W. & VIAL, J. Histamine and peptidoleukotriene release from immunologically challenged guinea-pig lung, 85, 277P
- DOLPHIN, A.C. & PRESTWICH, S.A. Pertussis toxin reverses adenosine inhibition of glutamate release from cerebellar neurones in culture, 86, 526P
- DOLPHIN, C.T. see CALDWELL, J., 85, 208P
- DOMENEY, A.M. see BARNES, N.J.G., 86, 468P
- - - see BRADBURY, A.J., 85, 350P; 86, 691P
- - - see COSTALL, B., 85, 354P; 86, 690P
- DONALD, F.M.S. A non-adrenergic non-cholinergic (NANC) excitatory response in frog atria, 85, 211P
- DONALDSON, J. & HILL, S.J. Alterations in histamine H_1 -receptor activity by 1,4-dithiothreitol in guinea-pig ileum, 85, 206P
- - - Histamine-stimulated accumulation of (3H)-inositol phosphates in guinea-pig cerebellum and ileal smooth muscle, 86, 568P
- DONG, Y.J. & JONES, R.L. Highly specific action of the prostacyclin mimetic ZK 96480 on smooth muscle preparations, 86, 807P
- DONG, Y.J. & WADSWORTH, R.M. Comparison of effect of nifedipine and nisoldipine on the human isolated uterine artery preparation, 85, 379P
- DONOGHUE, S. see CHAPPLE, D.J., 85, 308P
- DOUGLAS, J.S. see MUTH, E., 86, 452P
- DOWLING, E.J., JASANI, M.K., PARKE, D.V., PETERS, R.F. & SYMONS, A.M. Characterisation of ex-vivo luminol-amplified chemiluminescence accompanying the initiation of foot-pad oedema in the Koch model, 84, 79P
- - - Free radicals, lipid peroxidation and prostaglandins during the development and maintenance of foot-pad oedema in the Koch model, 84, 35P
- DOWNES, C.P., LEWIS, P.E. & STONE, M.A. A comparison of the binding of $\angle^3H$ -(+)SKF 10047 and $\angle^3H$ -PCP in rat brain membranes, 84, 196P
- DOWNING, O.A. see DETTMAR, P., 86, 519P
- DOWNING, O.A., MARRIOTT, J.F. & WILSON, K.A. Changes in verapamil sensitivity of rat aorta exposed to chronic hypoxia and normoxia, 84, 163P
- - - The use of verapamil to analyse alterations in Ca^{2+} activation of rat aorta during and following an acute hypoxic episode, 86, 504P
- DOWNING, O.A., STEIN, W.K. & WILSON, K.A. A diltiazem sensitive component of pressor responses of pithed rats to cirazoline, 86, 717P
- DOXEY, J.C., GADIE, B., LANE, A.C., ROACH, A.G., TULLOCH, I.F., VIRDEE, N.K. & WALKER, D.S. Pharmacological profile of aptazapine: a comparison with mianserin and idazoxan, 86, 747P
- DRAGO, L. see OLIVA, D., 86, 805P
- DRAWBAUGH, R.B. see BROWN, R.F.R., 86, 729P
- DREW, G.M. & HILDITCH, A. The effects of ($\pm$)3-PPP and its enantiomers at peripheral neuronal dopamine receptors in the cat heart, 86, 617P
- DRUMMOND, A.H. see BUSHFIELD, M., 84, 28P
- DRUMMOND, A.H., MACINTYRE, D.E., MCNICOL, A. & ROSSI, A. 12-O-tetradecanoylphorbol-13-acetate (TPA) inhibits agonist-induced phosphoinositide metabolism and Ca^{2+} flux in human platelets, 84, 27P
- DUBOCOVICH, M.L. see COTTERELL, D.J., 86, 657P
- DUBOCOVICH, M.L. & HENSLER, J.G. Modulation of dopamine release at different frequencies of stimulation from rabbit retina by a D_2 dopamine agonist and melatonin, 85, 240P
- DUBOCOVICH, M.L., EELLS, J.T. & HENSLER, J.G. Release of 3H -dopamine from rabbit retina by different depolarizing stimuli: effect of melatonin, 86, 533P
- DUBOIS, J.M. see BENOIT, E., 86, 549P, 665P
- DUCE, I.R. & SCOTT, R.H. Interactions of dihydro-avermectin B_{1a} , GABA and ibotenic acid on locust (*Schistocerca*

- gregaria) muscle, 86, 431P
- DUGGAL, K.N. see BARASI, S., 84, 166P; 85, 352P
- DUMONDE, D.C. see BROWN, K.A., 86, 425P
- DUNCAN, G.P. see BROWN, C.M., 86, 766P
- DUNCKER, D.J., SAXENA, P.R. & VERDOUW, P. D. 5-hydroxytryptamine causes tachycardia in pigs by acting on receptors unrelated to 5-HT₁-, 5-HT₂- or M-type, 86, 596P
- DURANT, G.J. see BLAKEMORE, R.C., 86, 570P
- DURANT, N.N., LAMBERT, J.J. & PETERS, J.A. The mechanism of action of cholinergic antagonists; chromaffin cells, 86, 609P
- DUVAL, N., HICKS, P.E. & LANGER, S.Z. Effects of pirenzepine and MDL 72222 on contractions of the cat nictitating membrane to muscarinic agonists, 86, 764P
- DYE, A.D. see BROWN, C.M., 86, 600P
- EELLS, J.T. see DUBOCOVICH, M.L., 86, 533P
- EBENEZER, I.S. Propranolol pretreatment reverses the depressant effect of arginine-8 vasopressin on the spontaneous activity of rats, 84, 77P
- - - Vasopressin alone produces passive avoidance behaviour in a typical memory experiment, 84, 107P
- ECCLES, R. see DAVIES, A.M., 85, 254P
- EDEN, R.J. see COATES, W.J., 84, 22P
- EDWARDS, D.H., GRIFFITH, T.M., HENDERSON, A.H., LEWIS, M.J. & NEWBY, A.C. Production of endothelium derived relaxant factor is both ATP and calcium dependent, 85, 344P
- EDWARDS, D.H., GRIFFITH, T.M., HENDERSON, A.H., LEWIS, M.J. & RYLEY, H.C. Endothelium-dependent relaxation is inhibited by a high molecular weight protein fraction of whole human plasma, 85, 341P
- EDWARDS, G. see BRECKENRIDGE, A.M., 86, 405P
- EGLÉN, R.M. see CLAGUE, R.U., 84, 155P
- EGLÉN, R.M. & WHITING, R.L. Is the muscarinic receptor present on the vascular endothelium atypical? 84, 13P
- EGLÉN, R.M., FRASER, S. & WHITING, R.L. Muscarinic receptor subtypes in the ileum, atria and taenia caecum of the guinea-pig, 86, 744P
- EGLÉN, R.M., MICHEL, A.D. & WHITING, R.L. M1 muscarinic receptor selectivity of McN-A-343 may not be due to receptor heterogeneity, 86, 610P
- EGLÉN, R.M., PARK, K.C. & WHITING, R.L. Analysis of the muscarinic agonist action of arecaidine propargyl ester, 86, 397P
- - - Analysis of the positive chronotropic action of 5HT on the isolated guinea-pig atria, 86, 658P
- EGLÉN, R.M., STRACHAN, A.C. & WHITING, R.L. Action of physostigmine on inotropic and chronotropic selectivity of muscarinic agonists, 85, 213P
- EL MURADI, E.M.A. & MCCURRIE, J.R. Comparison of dilator activity in rat hepatic portal vein and rat mesenteric arteries, 85, 339P
- ELLIOTT, J.M. see BLOOMFIELD, J.G., 85, 217P, 323P; 86, 402P
- ELLIS, C.E. see COLES, D.J., 86, 748P
- ELSE, E., ROBERTS, F., SPARROW, P. & HAMPSHIRE, A. A genstat program to calculate dose ratios from parallel line assays and/or pA₂ values from a Schild plot, 84, 201P
- EMERY, S. see CHENERY, R.J., 84, 164P
- EMMETT, J.C. see COATES, W.J., 84, 22P
- ENGEL, G., HOYER, D., KALKMAN, H. & WICK, M.B. Pharmacological similarity between the 5-HT-D-receptor on the guinea-pig ileum and the 5-HT₂ binding site, 84, 106P
- ENGELS, F., OOSTING, R.S. & NIJKAMP, F.P. Modulation of guinea pig tracheal beta-adrenoceptor function by pulmonary macrophages, 86, 604P
- ENNIS, C. Comparison of the α_2 -adrenoceptors which modulate noradrenaline release in rabbit and rat occipital cortex, 85, 318P
- ENGLAND, P.J. & SHAHID, M. Effects of forskolin on cardiac contractile protein phosphorylation, 86, 508P
- ENGLAND, P.J., GRISTWOOD, R.W., LEIGH, B.K., OWEN, D.A.A. & REEVES, M.L. Specific inhibition of type 111 phosphodiesterase activity, comparison with positive inotropic potency, 86, 631P
- ENGLISH, T.A.H. see CAMERON, D., 85, 226P
- ESPOSITO, E. see ROMANDINI, S., 86, 702P
- ESPOSITO, E., BERETTERA, C., ROMANDINI, S. & SAMANIN, R. Nefopam analgesia and cerebral monoamines, 86, 677P
- ESTALL, L. see COOPER, S.J., 84, 96P

- ETEMADZADEH, E. see AHTEE, L., 84, 11P
- EVANS, D.J. see BLOOMFIELD, J.G., 86, 402P
- - - Effect of prolonged treatment of primary afferent C-fibres with maximal doses of kainate, 85, 375P
- EVANS, R.H. see BLAKE, J., 86, 396P
- EVIS, M.J., KANE, K.A., MOORE, M.R. & PARRATT, J.R. Effects of chronic low level lead treatment and hypertension on the severity of coronary artery ligation induced arrhythmias, 84, 32P
- FABRE, M. see BRILEY, M., 84, 127P
- FABBRI, L. see BERTI, F., 86, 773P
- FAILLI, P. see BACCARO, C., 86, 621P
- FAINGOLD, C.L. see CHAPMAN, A.G., 85, 368P
- FAINGOLD, C.L., MELDRUM, B.S. & MILLAN, M. H. Blockade of audiogenic seizure susceptibility by focal injection into the inferior colliculus of an excitant amino acid antagonist, 84, 95P
- FAN, T.-P.D. & LEWIS, G.P. Mechanism of cyclosporin A-induced inhibition of prostanoid synthesis by macrophages, 84, 46P
- FAN, T.-P.D., KALMAR, L. & LEWIS, G.P. Arachidonic acid metabolites in an air-pouch model of acute inflammation in the rat, 84, 33P
- FANO, M. see ABBRACCHIO, M.P., 86, 653P
- FANTOZZI, R. see BRUNELLESCHI, S., 86, 574P, 575P, 576P
- FARMER, P.B. see CALDWELL, J., 84, 24P
- FARMERY, S.M. see CROW, T.J., 84, 8P
- FARRANT, M. & WEBSTER, R.A. Effects of Ro 15-1788 on caudate-evoked inhibition of neurones in the rat substantia nigra, 84, 183P
- FASEHUN, O.A., JENNETT, S.M., MCGRATH, J. C. & UGWU, A.C. What is a suitable O₂ tension for smooth muscle in vitro? 86, 753P
- FASSINA, G., CAPARROTTA, L., FROLDI, G. & POJA, R. (-)N⁶-phenylisopropyladenosine competitively inhibits bay K8644, calcium agonist, on isolated guinea-pig atria, 86, 584P
- FAULKNER, D. see MACLAGAN, J., 86, 608P
- FEATHERSTONE, R.L. see CHURCH, M.K., 86, 484P
- FEATHERSTONE, R.L. & MORTON, I.K.M. An examination of the mechanisms of the spasmogenic effects of tachykinins on smooth muscle, 84, 142P
- - - The use of functional antagonism in the determination of fundamental parameters for tachykinin-receptor interactions, 84, 141P
- FEATHERSTONE, R.L., FOSBRAEY, P. & MORTON, I.K.M. Use of tachykinin antagonists against eledoisin-evoked neurotransmitter release, 86, 489P
- FEELY, J. see PATERSON, J.R., 85, 299P
- FEELY, M.P., GENT, J.P., HAIGH, J.R.M. & MEHTA, A. A comparison of tolerance to the anticonvulsant effect of clobazam and its N-desmethyl metabolite in mice, 85, 359P
- FENIUK, W. see CONNOR, H.E., 85, 222P
- FENIUK, W. see DALTON, D.W., 86, 737P
- FENIUK, W., HUMPHREY, P.P.A. & HUNT, A. A.E. The haemodynamic profile and mechanism of the hypotensive action of 5-carboxamido-tryptamine in conscious dogs, 85, 310P
- FERNANDEZ, A.G. see BOU, J., 85, 210P
- FERRANDON, P. see ARMSTRONG, J.M., 85, 328P; 86, 503P, 718P
- FERRANNINI, E. see BETTONI, G., 86, 774P
- FERRARI, M. see BOVA, S., 86, 720P
- FERRARI, R. see GIAMMETTEO, D., 86, 727P
- FERRARI, R., RADDINO, R., BONGRANI, S., & SCHIANTARELLI, P. Protective effect of nicardipine against myocardial ischaemia and reperfusion in isolated rabbit hearts, 86, 722P
- FERRETTI, V. see BOREA, P.A., 86, 666P
- FERRI, S. see SPAMINATO, S., 86, 528P
- FERRIE, J. see BROWN, K.A., 86, 425P
- FERTI, C. see GROSSONI, M., 86, 628P
- FIGLIOMENI, B., FUSCO, M., VANTINI, G. & GORIO, A. Alterations of 5-HT bulbo spinal system induced by 5,7-HT: effects of monosialoganglioside GM₁, 86, 681P
- FILE, S.E. see BRILEY, M., 86, 456P
- FILE, S.E. & PELLOW, S. Effects of two ligands for peripheral benzodiazepine binding sites on anxiety and stress in rat, 84, 104P
- - - The benzodiazepine receptor antagonist Ro 15-1788 has anxiogenic activity in four animal tests of anxiety, 84, 103P

- FILE, S.E. & WILKS, L.J. Behavioural indices of withdrawal following a single dose of sodium phenobarbitone, 86, 457P
- FILIPOWICZ, B. see BHASKAR, N.K., 85, 268P
- FILIPPELLI, A. see MARMO, E., 86, 626P
- FILIPPELLI, W. see MARMO, E., 86, 626P
- FINLAYSON, J.R. see CLAGUE, R.U., 84, 154P
- FITTON, J.C. see BRIGGS, I., 85, 380P
- - - see COSTALL, B., 85, 354P
- FITZGERALD, M.F. & PARENTE, L. The release of paf-acether and lyso-paf from sensitized guinea-pig lungs, 86, 573P
- FITZGERALD, M.F., HENDERSON, B., HIGGS, G. A., PARENTE, L. & PETTIPHER, E.R. The levels of PAF and lyso-PAF in the joint fluids of rabbits with antigen-induced arthritis, 86, 422P
- FLEMING, W.W. & HAWTHORN, M.H. Does chronic reserpine pretreatment induce supersensitivity to catecholamines in guinea-pig left atria? 86, 437P
- FLETCHER, A. & FORSTER, E.A. Monoamine depletion facilitates leptazol-induced tonic seizures, 85, 365P
- - - The use of p-chloroamphetamine-induced behaviour in rodents as an in vivo screen for 5-HT uptake inhibitors, 85, 358P
- FLETCHER, C. see BUCKETT, W.R., 86, 466P
- FLINT, K.C. see BROSTOFF, J., 85, 205P
- FLINT, O.P., ORTON, T.C. & GIRLING, L.R. In vitro inhibition of chondrogenesis in cultured rat embryo limb cells by thalidomide, 84, 122P
- FLOREANI, M., SANTI SONCIN, E., SCANFERLATO, R., DEVETTO, P. & CARPENEDO, F. Cardiac effects of 2 methyl-1-4 naftoquinone (menadione), 86, 726P
- FLYNN, S.B., GRISTWOOD, R.W., OWEN, D.A.A. & ROTHUL, A.L. The cardiac electrophysiological effects of methimazole pre-treatment in the rat, 86, 442P
- FOLCO, G.C. see NICOSIA, S., 86, 647P
- - - see OLIVA, D., 86, 805P
- FOLCO, G.C., GALLI, G., MAGNI, F., VIGANO, T., CRIVELLARI, M.T. & BERTI, F. Modulation of eicosanoid formation in human lung parenchyma, 86, 645P
- FOONG, W.C. & GREEN, K.L. Effect of intra-articular yttrium 90 or chlorambucil on an experimental arthritis, 86, 522P
- FORD, A.P.D.W. & MARSDEN, C.A. Influence of anaesthetics on striatal dopamine metabolism in vivo, 86, 692P
- FORDER, R.A. see CAREY, F., 84, 34P
- FOREMAN, J.C., NORRIS, D.B., RISING, T. J. & WEBBER, S.E. Histamine stimulation of adenylate cyclase in guinea pig lung parenchyma homogenates, 84, 48P
- FORSTER, E.A. see FLETCHER, A., 85, 358P, 365P
- FORTUNE, D.H., IRELAND, S.J. & TYERS, M.B. 5-hydroxytryptamine-induced hyperpolarisations of the rat isolated superior cervical ganglia and vagus nerve, 84, 49P
- FOSBRAEY, P. see FEATHERSTONE, R.L., 86, 489P
- FOSBRAEY, P., MORTON, I.K.M. & NEWMAN, C.M. The effect of pertussis toxin pretreatment on μ - and κ -opioid modulation of neurotransmitter output, 86, 705P
- FOSTER, D. see BYFORD, A.J., 86, 725P
- FOSTER, M.R. see BOUTAL, L.E., 86, 802P
- FOSTER, R.W. & HOLLINGSWORTH, M. Microcomputer integration of tension development, a versatile aid to concentration-response data collection and analysis, 85, 389P
- FOSTER, R.W., SMALL, R.C., TOWART, R. & WESTON, A.H. Effects of the dihydropyridine BAY K8644 on guinea-pig isolated trachealis, 84, 17P
- FOULKES, R. see BENNETT, T., 85, 209P
- FOZARD, J.R. & KILBINGER, H. 8-OH-DPAT inhibits transmitter release from guinea-pig enteric cholinergic neurones by activating 5-HT_{1A} receptors, 86, 601P
- FOZARD, J.R. & MCDERMOTT, I. The cardiovascular response to 8-hydroxy-2-2(di-n-propylamino)-tetralin (8-OH-DPAT) in the rat, 84, 69P
- FOZARD, J.R. & MIR, A. Evidence for a centrally mediated cardiovascular response to 8-hydroxy-2-(di-n-propylamino)-tetralin (8-OH-DPAT) in the rat, 84, 167P
- FOZARD, J.R., GOWER, A.J. & MIR, A.K. Effect of neurochemical lesions on the cardiovascular responses to 8-hydroxy-2-(DI-N-Propylamino)-tetralin (8-OH-DPAT) in rats, 86, 736P
- FOZARD, J.R., HUMPHREYS, A., ROUND, A. & WALLIS, D.I. Further studies on the action of MDL 72222 on responses to 5-HT in rabbit nodose and superior cervical ganglia, 85, 309P

- FRANCHI-MICHELI, S. see CIUFFI, M., 86, 637P
- FRANCONI, F. see BACCARO, C., 86, 621P
- - - see BENNARDINI, F., 86, 623P
- - - see BRYANT, S.H., 86, 586P
- FRANKISH, N.H. A low cost system for on-line analysis of cardiovascular data, 86, 762P
- FRASER, S. see EGLE, R.M., 86, 744P
- FRENCH, A.M. & HENDERSON, D. Potentiation of the NANC response in rat vas deferens by α_2 -adrenoceptor agonists, 86, 510P
- FRENCH, A.M., HENDERSON, D.J. & JEFFERSON, G.C. Effects of alloxan diabetes on alpha adrenoceptor sensitivity in rat vas deferens, 86, 746P
- FRIEND, J. see BLACKBURN, T.P., 85, 382P
- FROIO, F. see DE SARRO, G.B., 86, 676P
- FROLDI, G. see FASSINA, G., 86, 584P
- FRY, J.R. see BALLS, M., 85, 387P
- FRY, J.R. & KAMALI, F. Effects of probenecid on paracetamol metabolism and excretion in man, 84, 139P
- - - Inhibition of paracetamol glucuronidation in rat liver microsomes by probenecid, 84, 134P
- FRY, J.R. & PATERSON, P. Influence of lipid solubility on the glucuronidation and sulphation of nitrophenols in rat isolated hepatocytes, 84, 133P
- FRYER, A.D. see BLABER, L.C., 85, 393P
- - - see MACLAGAN, J., 86, 608P
- FUMAGALLI, R. see OLIVA, D., 86, 805P
- FURCHGOTT, R.F., JOTHIANANDAN, D., MARTIN, W. & VILLANI, G.M. Depression of contractile responses by spontaneously released EDRF in rat aorta, 86, 565P
- FURMAN, B.L. see MCKECHNIE, K., 84, 119P
- FURMAN, B.L. & MCMILLAN, M. Does B.pertussis vaccine increase insulin secretion by antagonism of endogenous catecholamines? 84, 12P
- FUSCO, M. see FIGLIOMENI, B., 86, 681P
- GABL, M. see BONETTI, E.P., 86, 463P
- GADIE, B. see BERRIDGE, T.L., 84, 193P
- - - see DOXEY, J.C., 86, 747P
- GADIE, B. & TULLOCH, I.F. Comparison of the mydriatic actions of α_1 - and α_2 -adrenoceptor agonists in the anaesthetized rat, 86, 742P
- - - Proconvulsant action of α_2 -adrenoceptor antagonists in mice: possible involvement of α_1 -adrenoceptors, 84, 192P
- GAIRDI, M. see BABBINI, M., 86, 707P
- GALATULAS, I. see ANDREANI, A., 86, 771P
- - - see BOSSA, R., 86, 772P, 779P
- GALLI, A. Effects of various enzymatic treatments on glycine-displaceable [3 H]strychnine binding to synaptic membranes of rat spinal cord, 86, 682P
- - - see BARTOLINI, A., 86, 547P
- GALLI, G. see FOLCO, G.C., 86, 645P
- GALLIANI, G. see BARZAGHI, F., 86, 661P
- GALLO, V. see ATTERWILL, C.K., 84, 149P
- GALLOWAY, D.J., GEORGE, W.D., MCINTYRE, R. & ZEITLIN, I.J. Intestinal kallikrein and carcinogenesis in rat colon: effect of diet and aprotinin, 86, 490P
- GALZIN, A.M. see BENKELFAT, C., 85, 215P
- GANELLIN, C.R. see BLAKEMORE, R.C., 86, 570P
- GARCHA, H.S., KUMAR, R., NORRIS, E.A., REAVILL, C. & STOLERMAN, I.P. Long-term blockade of nicotine cue by chlorisondamine in rats, 85, 245P
- GARCIA, A. see DELGADO, C., 84, 171P
- GARCIA-SEVILLA, J.A. & ZUBIETA, J.K. Activation and desensitization of presynaptic alpha-2 adrenoceptors after inhibition of neuronal uptake, 86, 580P
- GARDINER, D.G. see BURGESS, R.A., 85, 281P
- GARDINER, S.M. see BENNETT, T., 85, 209P
- GARDNER, C. & TWISSELL, D.J. Evaluation of inhibitors of the renin-angiotensin system in the conscious marmoset (*Callithrix jacchus*), 86, 620P
- GEDDES, C. see CURLE, P.F., 84, 197P
- GEISOW, H.P. see BOUTAL, L.E., 86, 802P
- GEMIGNANI, A. see BONANNO, G., 86, 548P
- GENT, J.P. see FEELY, M.P., 85, 359P
- GEORGE, P. see ARBILLA, S., 86, 432P
- GEORGE, W.D. see GALLOWAY, D.J., 86, 490P
- GERMANA, G. see AMMENDOLA, D., 86, 660P
- GEROLD, M. see BREWSTER, M., 85, 393P
- GERSKOWITCH, V.P. see BLACK, J.W., 85, 258P

- GESCHER, A., HARPUR, E.S. & PEARSON, P.G. Strain differences in the hepatotoxicity of N-methylformamide in mice, 86, 514P
- GESCHER, A., HARPUR, E.S., KESTELL, P. & PEARSON, P.G. Strain differences in the metabolism of N-methylformamide in mice, 86, 515P
- GHELANI, A.M. & RADZIWIWNIK, H. Effect of cimetidine, timoprazole and atropine on pentagastrin-induced gastric acid secretion in the anaesthetised ferret, 85, 346P
- - - Intragastric pH-metry in the anaesthetised ferret: effect of cimetidine, timoprazole and omeprazole, 86, 784P
- GHIRARDI, O., MILANO, S., PESCHECHERA, A., RAMACCI, M.T. & ANGELUCCI, L. Learning and brain monoamines in aging rats: effect of chronic treatment with acetyl-L-carnitine, 86, 683P
- GIACHETTI, A. see SCHIAVONE, A., 86, 798P
- GIACHETTI, D. see MANTOVANI, P., 86, 778P
- GIAGNONI, G. see PAROLARO, D., 86, 619P
- GIAMMATTEO, D., CECONI, C., CURELLO, S., BOFFA, G., CARGNONI, A. & FERRARI, R. Effect of L-carnitine, acetyl-L-carnitine and L-propionil-carnitine on lipid peroxidation of cardiac mitochondria, 86, 727P
- GIANNELLA, E. see BORGHI-CIRRI, M.B., 86, 775P
- GIANNETTI, A. see DEL TACCA, M., 86, 638P
- GIBSON, A. & MANNING, M. A uterine-type oxytocin receptor in the male mouse anococcygeus, 86, 678P
- GIEMBYCZ, M.A. see JONES, C.R., 85, 265P
- GIEMBYCZ, M.A. & RODGER, I.W. Is a reduction in tissue cyclic amp responsible for leukotriene D₄-induced tension development in guinea-pig lung parenchyma? 86, 651P
- GIGLIO, C. see CANEVARI, A., 86, 776P
- GILBERT, D.B. see COOPER, S.J., 84, 143P
- GILL, R. see BOWERY, N.G., 85, 238P
- GILL, R., IVERSEN, S.D. & THOMAS, S.R. Anxiolytic action of GABA_A and GABA_B agonists, 85, 252P
- GILLAN, M.G.C. see CORBETT, A.D., 86, 704P
- GILLESPIE, J.S. see BOWMAN, A., 84, 19P
- GILLI, G. see BOREA, P.A., 86, 666P
- GIOTTI, A. see BACCARO, C., 86, 621P
- - - see BARTOLINI, A., 86, 547P
- - - see BENNARDINI, F., 86, 623P
- - - see BRUNELLESCHI, S., 86, 575P
- - - see BRYANT, S.H., 86, 586P
- GIRGIS, S. see BRAIN, S.D., 85, 233P
- GIRLING, L.R. see FLINT, O.P., 84, 122P
- GIUBERTONI, M. see DI CARLO, F., 86, 560P
- GIULIANI, S. see BARTOLINI, A., 86, 547P
- GLEN, J.B. see BLACKBURN, T.P., 86, 497P
- GOADBY, P. see BARNES, A., 86, 804P
- - - see BYFORD, A.J., 86, 725P
- GODFREY, P.P., MCCLUE, S.J., MINCHIN, M.C.W. & YOUNG, M.M. 8-OH-DPAT stimulates inositol phospholipid breakdown in rat brain slices and rabbit platelets, 86, 446P
- - - Ru 24969, a 5-HT₁ agonist, stimulates inositol phospholipid breakdown in rat brain slices, 84, 112P
- GONZALEZ, J.P. see BARASI, S., 84, 116P; 85, 352P
- - - see BENSRETI, M.M., 85, 296P
- GONZALEZ, J.P. & STOLZ, J.F. Behavioural effects of 5-HT₁ and 5-HT₂ agonists on naloxone-precipitated morphine abstinence, 86, 444P
- - - Functional antagonism between subtypes of 5-hydroxytryptamine receptors on morphine antinociception, 85, 248P
- GONZALEZ, J.P., ROONEY, K.F., SEWELL, R.D.E. & SPENCER, P.S.J. Antinociception produced by a stereoisomer of sulpiride combined with a dopamine D-1 agonist, 86, 709P
- GOODWIN, G.M. & HEAL, D.J. DSP-4 lesioning abolishes the enhanced monoamine-mediated behaviour following repeated electroconvulsive shock, 84, 53P
- GOODWIN, K. see BROWN, C.M., 86, 600P
- GORELLI, B. see MANTOVANI, P., 86, 778P
- GORI, E. see PAROLARO, D., 86, 619P
- GORIO, A. see DI GIULIO, A.M., 86, 527P
- - - see FIGLIOMENI, B., 86, 681P
- - - see TESSARI, F., 86, 622P
- GOWER, A.J. see FOZARD, J.R., 86, 736P
- GOWER, A.J. & TRICKLEBANK, M.D. Is the analgesic response to footshock a form of passive avoidance

- learning? 85, 246P
- GROPPETTI, A. see BIELLA, G., 86, 531P
- GROSSONI, M., UKMAR, G., FERTI, C., MONGELLI, N. & CESERANI, R. FCE 22509, a stable carboprostacyclin analogue: antiaggregant, cardiovascular and respiratory activity, 86, 628P
- GROWCOTT, J.W. see BILLINGHAM, M.E.J., 85, 272P
- - - see BRIGGS, I., 85, 287P
- GRABOWSKI, P.S., KITTERINGHAM, N.R., MAGGS, J.L. & PARK, B.K. The formation and elimination of dinitrophenyl-protein conjugates in vivo in the rat and rabbit, 85, 305P
- GRAHAM, C.A. see BALFOUR, D.J.K., 86, 591P
- GRAHAM, D. & SCOTT, N.C. Effect of reserpine and cocaine on sensitivity of pre- and post-junctional adrenoceptors in rat vas deferens, 86, 758P
- GRAHAM, D., HABERT, E. & LANGER, S.Z. Solubilization of the serotonin transporter complex of rat cerebral cortex, 86, 403P
- GRAHAM, D., HABERT, E., LANGER, S.Z. & TAHRAOUI, L. Initial characterization of [^3H]paroxetine binding in rat cortical membranes, 84, 58P
- GRAHAM, W.C. see CAIRNDUFF, B., 86, 525P
- GRAHAM, W.C., MEECHAM, K.G. & PITTAWAY, K.M. The antinociceptive effect of cholecystokinin (26-33) in the mouse, 86, 409P
- GRAHAME-SMITH, D.G. & O'SHAUGHNESSY, K. M. Evidence that inhibition of brain protein synthesis inhibits striatal dopamine release, 84, 50P
- GRANGER, S.E., HOLLINGSWORTH, M. & WESTON, A.H. Calcium antagonist inhibition of responses of rat uterus to calcium, oxytocin and potassium, 85, 282P
- GRANT, M.H. see DI MONTE, D., 86, 559P
- GRANT, T.L. & MCGRATH, J.C. Influence of angiotensin 11 on pressor responses to α -adrenoceptor agonists in the pithed rat, 86, 752P
- GRANTHAM, C.J. see BAKHLE, Y.S. 84, 203P
- GREEN, A.R. see BENNETT, G.W., 86, 455P
- GREEN, A.R. & VINCENT, N.D. GABA synthesis rate and release in rat brain following repeated electroconvulsive shock, 86, 541P
- GREEN, A.R., HAYES, C., METZ, A., MINCHIN, M.C.W., WILLIAMS, H. & VINCENT, N.D. Decreased GABA synthesis in regions of rat brain following a seizure, 84, 88P
- GREEN, A.R., MINCHIN, M.C.W. & VINCENT, N.D. GABA release in rat brain following a seizure, 84, 89P
- GREEN, K.L. see FOONG, W.C., 86, 522P
- GREEN, K.L. & SAPRA, M. Effect of topical salbutamol on epidermal proliferation, 86, 502P
- GREEN, P.G. & KITCHEN, I. Displacement of [^3H]alfentanil from plasma protein binding sites by di-isopropylfluorophosphate, 86, 558P
- GREEN, S.E., HODGES, H.M. & SUMMERFIELD, A. Effects of chlordi-azepoxide and ethanolamine-O-sulphate on discrimination learning and performance in rats, 84, 74P
- GREENGRASS, P.M. see ALABASTER, V.A. 85, 376P
- GREENWOOD, D.T., KELLY, E., MARSHALL, P.W. & MITCHELL, K. Failure of vilixazine to inhibit tyramine induced pressor responses in the anaesthetised rat, 86, 479P
- GREGG, C.N. & OSBORNE, R.H. Evidence for the presence of 5-HT₂ receptors on the rat fundic strip preparation, 85, 312P
- GREGORY, C.Y., MCNAMEE, P.M., MARKHAM, A. & MORGAN, R.M. The effect of heavy metals on the biosynthesis of prostaglandins D₂, E₂ and F₂ in rabbit kidney, 86, 812P
- GRIEVE, K.L., MURPHY, P.C. & SILLITO, A.M. The actions of VIP and ACH on the visual responses of neurones in the striate cortex, 85, 253P
- GRIFANTINI, M. see CANTONI, O., 86, 563P
- GRIFFIN, R. see KERWIN, R.W., 85, 288P
- GRIFFITH, T.M. see CHAPPELL, S.P., 85, 266P
- - - see COLLINS, P., 85, 279P, 342P
- - - see EDWARDS, D.H., 85, 341P, 344P
- GRIFFITHS, E.C. & WIDDOWSON, P.S. Involvement of other neurotransmitters in TRH-induced wet dog shaking, 86, 458P
- GRILL, V. see DECORTI, G., 86, 794P
- GRISTWOOD, R.W. see BLAKEMORE, R.C., 86, 630P
- - - see CAMERON, D., 85, 226P
- - - see COATES, W.J., 84, 22P
- - - see ENGLAND, P.J., 86, 631P

- - - see FLYNN, S.B., 86, 442P
- GRISTWOOD, R.W., OWEN, D.A.A. & REEVES, M. L. Phosphodiesterase in the guinea-pig cardiac ventricle: specific inhibition of type III activity by SK&F 94120, 85, 224P
- GUBELLINI, C. see BABBINI, M., 86, 707P
- GUERRA, M.C. see CANTELLI FORTI, G., 86, 554P
- GUEUDET, C. see BIZIERE, K., 84, 55P; 85, 385P
- - - see BRIET, C., 85, 383P
- GUIDOBONO, F., NETTI, C., SIBILIA, V., VILLA, I. & PECILE, A. Calcitonin inhibition of prolactin release induced by serotonergic drugs, 86, 687P
- GUNNING, S.J. see BRADBURY, A.J., 86, 738P
- - - see COSTALL, B., 86, 757P
- GURDEN, M.F. see BHALLA, P., 86, 438P
- GURNEY, A.M., NERBONNE, J.M. & LESTER, H. A. Photodestruction of nifedipine reveals multiple mechanisms of antagonist action, 84, 18P
- GUTH, P.H., OREN-WOLMAN, N. & WHITTLE, B. J.R. Vasoconstrictor activity of leukotriene C₄ and epoxy-methano PGH₂ in the rat gastric submucosa, 84, 37P
- HABERT, E. see GRAHAM, D., 84, 58P; 86, 403P
- HAIGH, C.G., KAFY, A.M.L. & LEWIS, D.A. The action of putrescine on superoxide production from stimulated polymorphonuclear leucocytes, 86, 516P
- HAIGH, J.R.M. see FEELY, M.P., 85, 359P
- HALL, J.M. & MORTON, I.K.M. Is inhibitory regulation of adenylate cyclase involved in the action of spasmogens on intestinal smooth muscle? 86, 731P
- HALLOT, A. see BIZIERE, K., 84, 198P; 85, 384P
- HALLIDAY, J. & IVESON, C.D. Similar effects of acetylcholine and adenosine on cyclic GMP levels in guinea-pig atria, 84, 150P
- HAMILTON, C.A. see DEIGHTON, N.M., 86, 741P
- HAMILTON, C.A., JONES, C.R. & REID, J.L. Altered peripheral α_2 -adrenoceptor responses in rabbits with perinephritis hypertension, 85, 259P
- HAMILTON, T.C., WEIR, S.W. & WESTON, A.H. Comparison of the effects of BRL34915 and verapamil on rat portal vein, 86, 443P
- HAMPDEN, C.E. see BOOBIS, A.R., 84, 138P
- HAMPSHIRE, A. see ELSE, E., 84, 201P
- HAND, J.M. see MUTH, E., 86, 452P
- HANDLEY, S.L. & SINGH, L. GABA_A agonists potentiate and baclofen antagonises the L-5-HTP head-twitch, 84, 86P
- HANDLEY, S.L., MITHANI, S. & SINGH, L. Locus coeruleus lesions do not affect diazepam- or α -adrenergic-modulation of operant conflict, 84, 87P
- HARLAND, R. see ATTERWILL, C.K., 84, 124P
- - - see BROWN, M.J., 84, 64P
- HARPUR, E.S. see GESCHER, A., 86, 514P, 515P
- HART, G.P. see CHAPMAN, A.G., 85, 368P
- HART, S.L. & YADAV, N.K. Involvement of acetylcholine and noradrenaline in stress induced antinociception, 86, 662P
- HARTLEY, J.E., STEPHENS, R.J. & THOMPSON, A.M. The effects of drugs on the quantity of food consumed by mice under novel and familiar conditions, 84, 82P
- HARVEY, A.L. see ANDERSON, A.J., 86, 588P
- - - see JONES, S.V.P., 86, 587P
- HAWKEY, C.J. see BHASKAR, N.K., 85, 268P
- HAWKSWORTH, G.M. see BARBER, H.E., 84, 120P
- HAWORTH, D. see CAREY, F., 85, 271P; 86, 652P, 656P
- HAWTHORN, M.H. see FLEMING, W.W., 86, 437P
- HAYES, A.G. see SHEEHAN, M.J., 84, 68P; 85, 393P
- HAYES, A.G., SHEEHAN, M.J. & TYERS, M. B. Evaluation of and opioid agonists in the guinea-pig paw pressure test, 86, 703P
- HAYES, C. see GREEN, A.R., 84, 88P
- HEADLEY, P.M. & O'SHAUGHNESSY, C.T., 86, 700P
- HEAL, D.J. see DAVIES, C.L., 84, 54P
- - - see GOODWIN, G.M., 84, 53P
- HEAL, D.J., METZ, A. & PHILPOT, J. 5,7-dihydroxytryptamine lesioning increases both 5-HT₂-mediated behaviour and cortical 5-HT₂ receptor number in mice, 85, 311P
- HEAPY, C.G. see RUSSELL, N.J.W., 84, 180P
- HEARSE, D.J. see CROME, R., 86, 418P, 498P
- HEAVEY, D.J. see DOLLERY, C.T., 85, 277P

- HEIKKILA, R.E. see BARWELL, C.J., 86, 477P
- HEILIGERS, J., MYLECHARANE, E.J. & SAXENA, P.R. Mechanism of tachycardia elicited by 5-hydroxytryptamine in the spinal cat, 85, 218P
- HEILIGERS, J., MYLECHARANE, E.J., SAXENA, P.R. & TIO, R. Mediation of cat urinary bladder contractions by 5-hydroxytryptamine via the M- and 5-HT₂ type 5-HT receptors, 85, 393P
- HELLEWELL, P.G. & WILLIAMS, T.J. Inhibition of allergic inflammation by PAF antagonists in the rabbit, 86, 572P
- HENDERSON, A.H. see CHAPPELL, S.P., 85, 266P, 332P
- HENDERSON, A.H. see COLLINS, P., 85, 279P, 342P
- HENDERSON, A.H. see EDWARDS, D.H., 85, 341P, 344P
- HENDERSON, B. see FITZGERALD, M.F., 86, 422P
- HENDERSON, B., HIGGS, G.A., JACKSON, K.E. & SALMON, J.A. Eicosanoid production during the development of antigen-induced chronic arthritis, 85, 276P
- HENDERSON, D.J. see FRENCH, A.M., 86, 510P, 746P
- HENDERSON, F. see DEMPSTER, J., 86, 675P
- - - see PRIOR, C., 86, 585P
- HENDRIE, C.A. Naloxone antagonism of the morphine withdrawal syndrome, 84, 51P
- HENSBY, C.N. see DAVIES, J.M., 85, 343P
- HENSBY, C.N., SEED, M.P. & WILLIAMS, K.I. Effects of oxytocic drugs on prostaglandin synthesis by human pregnant myometrium, 86, 806P
- HENSLER, J.G. see DUBOCOVICH, M.L., 85, 240P; 86, 533P
- HERDON, H., NAHORSKI, S.R. & STRUPISH, J. Differences between endogenous and radiolabelled catecholamine release from superfused rat brain slices, 84, 170P
- HERMAN, A.G. see COENE, M.-C., 85, 267P
- HERNANDEZ, A. see BERTI, F., 86, 773P
- HERRON, C.E. see COLLINGRIDGE, G.L., 86, 474P
- HEWICK, D.S. see ANDREWS, M., 84, 125P
- HEYMAN, J. see COWAN, A., 86, 485P
- HEYWOOD, B. see BLACKBURN, T.P., 85, 381P
- HIBERT, M. & MIDDLEMISS, D.N. Stereoselective antagonism at the 5-HT autoreceptor by the optical isomers of methiothepin, 84, 65P
- HICKS, P.E. see CAVERO, I., 84, 16P; 86, 416P, 436P, 612P, 618P
- - - see DUVAL, N., 86, 764P
- HICKS, P.E., LANGER, S.Z. & NAJAR, M. Is idazoxan a partial agonist at presynaptic inhibitory α_1 -receptors in SHR tail arteries? 84, 67P
- HICKS, P.E., LANGER, S.Z. & VIDAL, M. J. α, β -methylene ATP inhibits the vasoconstriction to periarterial field stimulation in SHR, but not WKY tail arteries in vitro, 85, 225P
- HIGGINS, A.J. see BENTHAM, J.M., 86, 810P
- - - see BURGESS, R.A., 85, 281P
- HIGGINS, C.A. see CUTLER, M.G., 86, 680P
- HIGGS, G.A. The mechanism of indomethacin-induced airway hyper-reactivity, 85, 223P
- - - see FITZGERALD, M.F., 86, 422P
- - - see HENDERSON, B., 85, 276P
- HILDITCH, A. see DREW, G.M., 86, 617P
- HILEY, C.R. & NICHOLS, A.J. α_1 -adrenoceptor reserve and nifedipine sensitivity of noradrenaline pressor responses in rat superior mesenteric arterial bed, 85, 262P
- - - Effects of intravenous and intrasplenic infusions of glucagon on cardiac output and its distribution in the rat, 84, 157P
- HILL, S.J. see DONALDSON, J., 85, 206P; 86, 568P
- HILL, S.J., MASON, R. & REFFIN, D. Differential effect of chronic antidepressant administration on entrained circadian wheel-running behaviour in the mouse, 85, 357P
- HILLIER, K. see AWARA, W., 86, 429P
- - - see DE LA HUNT, M.N., 86, 428P
- HINDS, M. see BUCKETT, W.R., 86, 466P
- HINSON, J.P. see PORTER, I.D., 86, 507P
- HIRST, B.H. see BLOXHAM, C.A., 85, 232P
- HOBAN, R.P. see CANDY, J.M., 86, 607P
- HODGES, H.M. see GREEN, S.E., 84, 74P
- HOKFELT, T., SHARP, T., UNGERSTEDT, U. & ZETTERSTROM, T. Effect of CCK peptides on dopamine release and metabolism in rat striatum in vivo, 84, 7P
- HOLDEN-DYE, L., POAT, J.A. & WOODRUFF, G.N. SCH 23390 loses its high affinity

- ity for (^3H)-piflutixol binding sites in pig solubilised striatal membranes, 86, 634P
- HOLGATE, S.T. see BENYON, R.C., 86, 407P
- - - see CHURCH, M.K., 86, 509P
- HOLLINGSWORTH, M. see ABEL, M., 85, 331P
- - - see FOSTER, R.W., 85, 389P
- - - see GRANGER, S.E., 85, 282P
- HOLMAN, J.J. see AL-KAZWINI, S.J., 86, 544P
- HOLMAN, R.B. & WIDDOWSON, P.S. The effects of substance P on endogenous dopamine release from rat corpus striatum in vitro, 86, 412P
- HOLMES, S.W. see COLES, D.J., 86, 748P
- HOLMES, S.W. & TRIM, J.L. A re-examination of the actions of prostaglandins E_1 , $\text{F}_{1\alpha}$ and D_2 administered intracerebro-ventricularly to cats, 84, 36P
- HOLT, D.J., HUNT, W.B. & WILKINSON, J. The nature of substance P receptors in the rat gastric corpus strip, 85, 292P
- HOLZER, P. see BAILEY, S.J., 86, 410P
- HONG, J.F. see DI GIULIO, A.M., 86, 527P
- HONG, M., JENNER, P. & MARSDEN, C.D. The interaction of amine-depleting drugs with dopamine receptors in rat brain, 84, 129P
- HONG, M., JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. Effects of one month's administration of amine depleting drugs and neuroleptics to rats on striatal dopamine receptor function, 85, 349P
- HORTON, R.W. see CHEETHAM, S.C., 86, 593P
- HORTON, R.W. & JAZRAWI, S.P. Noradrenergic receptor binding in brain regions of mice susceptible and resistant to audiogenic seizures, 86, 467P
- HORTON, R.W., JENNER, P., MARSDEN, C.D., PRESTWICH, S.A. & RUPNIAK, N.M.J. Alterations in cerebral GABA parameters following treatment of rats for up to 1 year with haloperidol, sulpiride or clozapine, 86, 472P
- HOULT, J.R.S. see AGBACK, H., 84, 43P
- HOULT, J.R.S. & NOURSHARGH, S. Desensitization of human neutrophil cytosolic calcium changes and degranulation to PAF-acether and FMLP, 84, 169P
- HOULT, J.R.S. & PEERS, S.H. Effects of ethanol and mepacrine on arachidonate mobilisation in thrombin and A_{23187} -stimulated platelet phospholipids, 84, 153P
- HOWELLS, R.E. see BRECKENRIDGE, A.M., 86, 405P
- HOWLETT, G.J. & MCCARTHY, P.S. On the role of α_2 -adrenoceptor agents in the morphine abstinence syndrome, 85, 293P
- HOYER, D. see ENGEL, G., 84, 106P
- HRELIA, P. see CANTELLI FORTI, G., 86, 554P
- HU, W.Y. & REIFFENSTEIN, R.J. Acute interactions of ethanol and flurazepam, 86, 768P
- HUDSON, A.L. see BOWERY, N.G., 85, 234P, 238P
- HUDSON, L.P. & REIFFENSTEIN, R.J. Continuous release in vivo of GABA and other amino acids from rat hippocampus into push-pull perfusates, 86, 536P
- HUDSPITH, B. see BROSTOFF, J., 85, 205P
- HUDSPITH, M. & LITTLETON, J.M. Effects of ethanol in vitro and in vivo on K^+ -stimulated production of inositol phosphates by phospholipase C in rat brain slices, 84, 130P
- HUE, D.P., BEALES, D. & MCLEAN, A.E.M. EDTA enters isolated hepatocytes and protects them against paracetamol injury, 84, 121P
- HUGGETT, A.C. see BOOBIS, A.R., 84, 138P
- HUGHES, B. see ALLAN, G., 86, 616P
- HUGHES, C.L. see BILLINGHAM, M.E.J., 85, 272P
- HUGHES, J. see LINGFORD-HUGHES, A.R., 85, 290P
- HUGHES, P.J. see BENYON, R.C., 86, 407P
- - - see CHAMBERS, S.D., 86, 400P
- HUI, SIU-CHUN, G. see COSTALL, B., 86, 690P
- HULL, R.A.D. see BLACK, J.W., 85, 258P
- HULME, E.C. see BERRIE, C.P., 84, 4P
- HUMPHREY, M.J. see BERESFORD, A.P., 85, 333P
- - - see CONNOR, H.E., 85, 222P
- - - see DALTON, D.W., 86, 595P, 737P
- - - see DODD, N.J., 85, 285P
- - - see FENIUK, W., 85, 310P
- HUMPHREYS, A. see FOZARD, J.R., 85, 309P
- HUNT, A.A.E. see FENIUK, W., 85, 310P
- HUNT, W.B. see HOLT, D.J., 85, 292P
- HUNTER, J.C. see BROWN, J.R., 86, 696P
- HUNTER, S.C. see BLACKBURN, T.P., 86, 497P

- HUSSAINI, I. & MOORE, P.K. Fibrinolytic effect of prostanoids in the rat, 86, 813P
- HYLAND, L. see DOCHERTY, J.R., 84, 144P; 85, 260P; 86, 735P
- IBBA, M. see ABBIATI, G.A., 86, 659P
- IBBA, M., ABBIATI, G.A., ANGELICO, P. & TESTA, R. Imipramine enhances the analgesic effect of morphine but not the electroconvulsive shock-induced analgesia in rats, 86, 706P
- IBRAHIM, N., BAGUST, J. & KERKUT, G.A. Differences in responses to GABA of spontaneously active cerebral cells in vitro revealed by inter-spike interval analysis, 86, 471P
- IGNESTI, G. see DI SIMPLICIO, P., 86, 777P
- IMPERATO, A. & DI CHIARA, G. Opposite effects of μ and κ opiate agonists on dopamine release in the N. accumbens and in the caudate of freely moving rats, 86, 532P
- IRELAND, S.J. see FORTUNE, D.H., 84, 49P
- IRVINE, R.F. see POLLOCK, W.K., 86, 655P
- IVERSEN, L.L. see ARKLE, S., 86, 701P
- - - see BRISTOW, D.R., 86, 430P
- IVERSEN, S.D. see BOWERY, N.G., 85, 238P
- - - see GILL, R., 85, 252P
- IVESON, C.D. see HALLIDAY, J., 84, 150P
- JACKSON, A. see COOPER, S.J., 84, 75P
- JACKSON, H.C. & SEWELL, R.D.E. Action of opioid antagonists on meptazinol- and levorphanol-induced hyperphagia, 86, 712P
- - - opioid receptors: a role in the control of appetite in non-deprived rats? 85, 297P
- - - Similar actions of a benzodiazepine agonist and antagonist on ingestive behaviour, 84, 97P
- - - Thiorphan and bestatin: effect on food intake? 86, 459P
- JACKSON, K.E. see HENDERSON, B., 85, 276P
- JAMIESON, A. see BRIGGS, I., 85, 287P
- - - see CALLEN, T.S. 86, 750P
- - - see RUSSELL, N.J.W., 86, 788P
- JAMIESON, A., RUSSELL, N.J.W. & RANCE, M. J. An assessment of the neurogenic component in models of inflammation, 86, 787P
- JAMES, I. see CHITRANUKROH, A., 86, 602P
- JAMES, I.M. see COOK, P.J., 84, 135P
- JANSENS, W.J. & VAN NUETEN, J.M. Amplification by 5-HT of contractions induced with noradrenaline in the isolated kidney of the rat is increased with age, 86, 597P
- JASANI, M.K. see DOWLING, E.J., 84, 35P, 79P
- JAUREGUI, J.M. see BOU, J., 85, 210P
- JAZRAWI, S.P. see HORTON, R.W., 86, 467P
- JEEVANJEE, F., LITTLE, H.J., MARTIN, I. L., NICHOLASS, J.M. & NUTT, D.J. Is FG 7142 mediated kindling due to changes in efficacy at the benzodiazepine/GABA receptor complex? 84, 188P
- JEEVANJEE, F., LITTLE, H.J., NICHOLASS, J.M. & NUTT, D.J. Is chronic administration of the benzodiazepine receptor ligand FG 7142 anxiogenic? 84, 186P
- JEFFERSON, G.C. see FRENCH, A.M., 86, 746P
- JENNER, P. see BAKER, M.K., 84, 181P
- - - see BOYCE, S., 86, 632P
- - - see BRADBURY, A.J., 85, 348P, 350P; 86, 526P, 685P, 691P
- - - see DAVIS, A.S., 85, 247P; 86, 434P
- - - see HONG, M., 84, 129P; 85, 349P
- - - see HORTON, R.W., 86, 472P
- JENNER, P., KELLY, E. & MARSDEN, C.D. Dopamine receptors on non-dopamine nigral neurons may mediate dopamine agonist-induced changes in locomotor activity, 84, 85P
- JENNER, P., KELLY, E., KILPATRICK, G.J., MARSDEN, C.D. & ROSE, S. Behavioural and biochemical consequence of MPTP administration to the common marmoset, 84, 56P
- JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. Solubilisation of dopamine D₂ receptors from human putamen using the zwitterionic detergent CHAPS, 85, 347P
- - - Thermodynamics of ligand interaction with the dopamine D₂ receptor in native membrane and solubilised environments, 85, 241P
- JENNER, P., MARSDEN, C.D. & NOMOTO, M. Alterations in motor behaviour produced by the isomers of 3-PPP in the MPTP-treated marmoset, 86, 710P
- JENNER, P., MARSDEN, C.D. & SIMPSON, M. D.C. Lack of effect of ovine prolactin on specific [³H]-spiperone binding sites in male rat striatum, 86, 469P

- JENNETT, S.M. see FASEHUN, O.A., 86, 753P
- JEREMY, J.Y. see DANDONA, P., 85, 284P
- JERNSTROM, B. see DI MONTE, D., 86, 559P
- JESSUP, C.L., JESSUP, R., JOHNSON, M. & WAYNE, M. ICI 159995; a novel thromboxane A₂ receptor antagonist, 86, 808P
- JESSUP, R. see JESSUP, C.L., 86, 808P
- JEWELL, R. see DE LA HUNT, M.N., 86, 428P
- JOHNSON, A.M. & LOUDON, J.M. Interaction of benzodiazepine receptor ligands with ethanol in rodents, 85, 236P
- JOHNSON, A.M., NELSON, D.R. & THOMAS, D.R. Effect of paroxetine and other 5-hydroxytryptamine uptake inhibitors on central monoamine uptake in vitro and ex vivo, 85, 221P
- JOHNSON, I.R., NICHOLS, C.G. & ROUSE, W. Dependence of Q-A interval upon diastolic blood pressure as well as inotropic state, 86, 763P
- JOHNSON, M. see JESSUP, C.L., 86, 808P
- JOHNSON, M.A. see CAIRNDUFF, B., 86, 525,
- JOHNSON, N. McI. see BROSTOFF, J., 85, 205P
- JONES, C.R. see DEIGHTON, N.M., 86, 741P
- - - see HAMILTON, C.A., 85, 259P
- JONES, C.R., REID, J.L., RODGER, I.W. & GIEMBYCZ, M.A. α_2 -adrenoceptor coupling to adenylate cyclase and adrenaline-induced aggregation of human foetal platelets, 85, 265P
- JONES, D. see AWARA, W., 86, 429P
- JONES, R.L. see ARMSTRONG, R.A., 84, 147P; 86, 643P
- - - see DONG, Y.J., 86, 807P
- JONES, R.L., MACINTYRE, D.E., POLLOK, W.K., SHAW, A.M. & WILSON, N.H. An extreme of thromboxane-like activity, 84, 148P
- JONES, R.M. see ADAMS, A.P., 85, 327P
- JONES, R.S.G. A comparison of the responses of cingulate cortical neurones to substance P and neurokinin A, 85, 230P
- JONES, R.S.G. & OLPE, H-R. Adrenergic inhibition of substance P responses in the cingulate cortex: effects of agonists and antagonists, 84, 2P
- JONES, S.V.P., HARVEY, A.L. & MARSHALL, I. G. The effects of two erythrina alkaloids on endplate currents, 86, 587P
- JONKMAN, F.A.M., MAN, P.W., THOOLEN, M.J. M.C. & VAN ZWIETEN, P.A. Effects of β -adrenoceptor agonist and antagonist on clonidine and α -methyldopa withdrawal syndromes in rats, 84, 195P
- JORDAENS, F. see COENE, M.-C., 85, 267P
- JORDAN, C.C. see BROWN, J.R., 86, 696P
- JOTHIANANDAN, D. see FURCHGOTT, R.F. 86, 565P
- JUSZCZAK, R. & STRANGE, P.G. Preparation of anti-haloperidol antibodies, 84, 110P
- KAFY, A.M.L. see HAIGH, C.G., 86, 516P
- KAGEY-SOBOTKA, A., LICHTENSTEIN, L.M., ORCHARD, M.A. & PROUD, D. Supernatants from stimulated platelets induce histamine release from human basophils, 85, 345P
- KALKMAN, H. see ENGEL, G., 84, 106P
- KALMAR, L. see FAN, T.-P.D., 84, 33P
- KAMALI, F. see FRY, J.R., 84, 134P, 139P
- KAN, J.P. see BIZIERE, K., 86, 404P, 417P
- KANE, K.A. see COKER, S.J., 84, 30P
- - - see EVIS, M.J., 84, 32P
- KARIM, A.R. see BIRCH, N.J., 84, 23P, 78P; 85, 304P
- KARRAN, S.J. see DE LA HUNT, M.N., 86, 428P
- KATONA, C.L.E. see CHEETHAM, S.C., 86, 593P
- KAY, A.B. see CROMWELL, O., 86, 427P
- - - see MACKAY, J.A., 86, 526P
- KEANE, P.E. see CRESPI, F., 85, 372P
- KEEN, M. see BERRIE, C.P., 84, 4P
- KEENAN, A.K., MARTIN, F. & TREACY, M. Irreversible labelling of the TRH receptor in rat pituitary membranes and GH₃ cells, 84, 101P
- KEERY, R.J. & LUMLEY, P. AH 6809, a selective antagonist at the human platelet DP-receptor? 85, 286P
- KELLAWAY, I.W., SMITH, A., TAYLOR, G. & WOOLFREY, S.G. Absorption from liposomes administered to the rat lung, 85, 300P
- KELLY, E. see GREENWOOD, D.T., 86, 479P
- - - see JENNER, P., 84, 56P, 85P
- KELLY, E. & NAHORSKI, S.R. Specific inhibition of D₁-mediated cAMP formation by D₂, muscarinic and opiate receptor stimulation in rat striatum, 86, 633P
- KELLY, J. see DETTMAR, P.W., 86, 491P, 613P
- KELLY, M.E. see BRADBURY, A.J., 85, 348P; 86, 526P, 685P
- KEMP, J.A. see BRISTOW, D.R., 86, 430P

- KEMP, J.A., MARSHALL, G.R., WONG, E.H.F. & WOODRUFF, G.N. Pharmacological studies on pitrazepin, a GABA_A receptor antagonist, 85, 237P
- KENDALL, D.A. see BATTY, I., 84, 108P
- KENDALL, D.A. & NAHORSKI, S.R. Dissociation of cyclic GMP formation and inositol phospholipid hydrolysis in rat brain slices, 86, 545P
- - - Effects of dihydropyridine calcium activators and antagonists on potassium-evoked inositol phospholipid hydrolysis in brain, 86, 526P
- KENNEDY, I. see BHALLA, P., 86, 438P
- - - see COLEMAN, R.A., 85, 273P
- KENNEDY, I. & ROBERTS, F. Comparison of dose-response curves for full and partial agonists, 86, 755P
- KENNEDY, I., WHELAN, C.J. & WRIGHT, G. Further studies on the cardiovascular actions of the leukotrienes in the anaesthetised rat, 86, 523P
- KENNEDY, J.F. see CALDWELL, J., 86, 512P
- KENNY, B.A., MICHEL, A.D. & WHITING, R.L. The effect of dicyclomine and trifluoperazine on muscarinic receptors, 86, 451P
- KERKUT, G.A. see IBRAHIM, N., 86, 471P
- KERWIN, R.W., DAWBARN, D., DAVIES, G.J., GRIFFIN, R., YACOB, M. & MASERI, A. Immunohistochemical localisation of neuropeptide Y in single nerve fibres in fresh human heart, 85, 288P
- KESTELL, P. see GESCHER, A., 86, 515P
- KEYSELL, G.R. & DAVIES, M.W. The effect of pregnancy and lactation on aldrin metabolism in vitro by rat liver, 86, 513P
- KHAN, G. see BERTI, C., 86, 668P
- KHOYI, M.A. see AKHTAR-KHAVARI, F., 85, 334P, 336P
- KICZINSKA, J. see ALI, H., 85, 302P
- KILBINGER, H. see FOZARD, J.R., 86, 601P
- KILPATRICK, A.T. see ALPS, B.J., 85, 329P; 86, 669P
- - - see BROWN, C.M., 86, 600P
- KILPATRICK, G.J. see HONG, M., 85, 349P
- KILPATRICK, G.J. see JENNER, P., 84, 56P; 85, 241P, 347P
- KILPATRICK, I.C. & STANCLIFFE, D. On the transmitter chemistry of the thalamo-striatal pathway in the rat, 86, 408P
- KIRBY, G.C. & MCQUEEN, D.S. Effects of selective 5-hydroxytryptamine agonists on carotid body chemoreceptor discharge in anaesthetized cats, 86, 733P
- KIRKMAN, E. & SCOTT, E.M. The effect of captopril on the baroreceptor reflex in the cat, 84, 21P
- KITCHEN, I. see BAILEY, C.C., 85, 291P
- - - see GREEN, P.G., 86, 558P
- KITTERINGHAM, N.R. see CHRISTIE, G., 86, 799P
- - - see GRABOWSKI, P.S., 85, 305P
- KLEVANS, L.R. see BREWSTER, M., 85, 393P
- - - see NATOFF, I.L., 85, 337P
- KORSTANJE, C., THOOLEN, M.J.M.C. & VAN ZWIETEN, P.A. α_1 -adrenoceptor mediated contraction by B-HT 920 and ST 587 in rat perfused hindquarters, 84, 179P
- KOSHIKAWA, N., SMOKCUM, R.W.J. & STEPHENSON, J.D. Association between down-regulation of cortical 5-HT₂ receptors and waning of a related behavioural response, 84, 113P
- KOSTERLITZ, H.W. see CORBETT, A.D. 86, 704P
- KRUK, Z.L. & STAMFORD, J.A. Nomifensine increases stimulated dopamine release in vivo by an action on the dopamine storage pool: voltammetric evidence, 86, 635P
- KRUK, Z.L., MILLAR, J. & STAMFORD, J.A. Voltammetric detection of dopamine released by stimulation of the MFB in the anaesthetised rat, 84, 199P
- KUMAR, R. see GARCHA, H.S., 85, 245P
- LACEY, G., NEWSOM-DAVIS, J., VINCENT, A., WHITING, P. & WRAY, D. The effect of monoclonal antibodies on the function of mouse acetyl-choline receptor, 85, 214P
- LAL, C. & NAYLOR, I.L. Rat testicular capsule - a tissue for myofibroblast drug sensitivity? 86, 517P
- LAMB, R.J. & MILLER, A.A. Effect of lamotrigine and some known anticonvulsant drugs on visually-evoked after-discharge in the conscious rat, 86, 765P
- LAMB, R.J., LEACH, M.J., MILLER, A.A. & WHEATLEY, P.L. Anticonvulsant profile in mice of lamotrigine, a novel anticonvulsant, 85, 235P
- LAMBERT, J.J. see DURANT, N.N., 86, 609P
- - - see OGG, G.D., 84, 161P
- LAMBERT, J.J., NOONEY, J.M. & PETERS, J.A. (+)-tubocurarine activates the nicotinic channels of bovine chromaffin cells, 84, 62P

- LAMPA, E. see MARMO, E., 86, 626P
- LANE, A.C. see BERRIDGE, T.L., 84, 193P
- - - see DOXEY, J.C., 86, 747P
- LANGER, S.Z. see ARBILLA, S., 86, 413P, 432P
- - - see BENKELFAT, C., 85, 215P
- - - see CAVERO, I., 84, 16P
- - - see DUVAL, N., 86, 764P
- - - see GRAHAM, D., 84, 58P; 86, 403P
- - - see HICKS, P.E., 84, 67P; 85, 225P
- LANGER, S.Z. & SCHOEMAKER, H. [³H]-diltiazem labels a specific recognition site associated with the calcium channel in the rat cerebral cortex, 85, 278P
- LANGER, S.Z., SCHOEMAKER, H. & SEGONZAC, A. Comparative studies on [³H]-paroxetine and [³H]-imipramine binding to human platelets, 84, 59P
- - - [³H]-imipramine and [³H]-paroxetine binding to human platelets: clues to a selectivity paradox from temperature studies, 85, 216P
- LATTA, G., SCHROR, K. & VERHEGGEN, R. Different roles for platelet-derived thromboxane A₂ (TXA₂) in platelet activation and coronary arterial vasoconstriction, 84, 41P
- LATTIMER, N. see MCADAMS, R.P., 86, 494P
- LAVEZZO, A. see BIANCHETTI, A., 86, 790P
- LAWANG, A. & SAXENA, P.R. Pharmacological comparison between 5-hydroxytryptamine (5-HT) and 5-carboxamide tryptamine (5-CT), 85, 316P
- LAWSON, K. & WEETMAN, F. High doses of indanidine release adrenaline from the rat adrenal glands, 85, 386P
- - - The rat isolated inferior tarsal muscle: a new adrenergically innervated preparation, 85, 283P
- LAYCOCK, S.M., SMITH, H. & SPICER, B.A. Rat active peritoneal anaphylaxis, 86, 424P
- LE FUR, G. see BENAVIDES, J., 86, 440P
- LEACH, M.J. see LAMB, R.J., 85, 235P
- LEDDA, F. see BRUNELLESCHI, S., 86, 575P
- LEE-TSANG-TAN, L. see ALLAN, G., 86, 439P
- LEEB-LUNDBERG, L.M.F. see CARON, M.G., 85, 326P
- LEES, G.M. see BORNSTEIN, J.C., 86, 724P
- LEES, I.W. & PAYNE, A.N. α -adrenoceptor mediated contractile effects of adrenaline in cat airways, 86, 611P
- - - Isometric measurement of cat trachealis muscle tension in situ, 85, 317P
- LEFF, P. see BLACK, J.W., 85, 212P, 258P
- LEFEVRE-BORG, F. see CAVERO, I., 84, 16P, 31P; 86, 416P, 618P
- LEFKOWITZ, R.J. see CARON, M.G., 85, 326P
- LEFOURNIER, C. see ARMSTRONG, J.M., 84, 173P
- LEIGH, B.K. see ENGLAND, P.J., 86, 631P
- LEIGH, P.J. see ARMSTRONG, R.A., 86, 643P
- LEIGH, P.J. & MACDERMOT, J. Spare receptors for prostacyclin (epoprostenol) on NCB-20 cells, 84, 203P
- LELLI, G. see ANDREANI, A., 86, 771P
- LENNARD, M.S. see AL-ASADY, S.A.H., 85, 306P
- - - see BAX, N.D.S., 84, 137P
- LEON, A. see CAVICCHIOLI, L., 86, 671P
- LESLIE, G.B. see ATTERWILL, C.K., 84, 124P
- LESTER, H.A. see GURNEY, A.M., 84, 18P
- LEUNG, K.B.P. see BROSTOFF, J., 85, 205P
- LEWIS, A.J. see CARLSON, R.P., 86, 521P
- - - see MUTH, E., 86, 452P
- LEWIS, D.A. see BEST, R., 86, 520P
- - - see HAIGH, D.A., 86, 516P
- LEWIS, G.P. see FAN, T.-P.D., 84, 33P, 46P
- LEWIS, M.J. see CHAPPELL, S.P., 85, 266P, 332P
- - - see COLLINS, P., 85, 279P, 342P
- - - see EDWARDS, D.H., 85, 341P, 344P
- LEWIS, P.E. see DOWNES, C.P., 84, 196P
- LIBERINI, P., MISSALE, C., MEMO, M., PIZZI, M. & SPANO, P.F. D dopamine receptors and the regulation of aldosterone production, 86, 552P
- LIBRI, V. see DE SARRO, G.B., 86, 676P
- LICHTENSTEIN, L.M. see KAGEY-SOBOTKA, A., 85, 345P
- LIGHTON, C. see BENNETT, G.W., 85, 244P; 86, 455P, 673P
- LINGFORD-HUGHES, A.R., CLARK, C.R. & HUGHES, J. Cholecystokinin receptor activation in the pancreas: evidence for an involvement of protein kinase C, 85, 290P
- LINDSAY, R.M. & BATY, J.D. In vitro studies on the acetylation of sulphamethazine by human whole blood, 85, 378P

- LINDSAY, R.M., BATY, J.D. & WAUGH, N.R. The effect of added glucose on the in vitro acetylation of sulphamethazine by human whole blood in healthy and diabetic subjects, 86, 797P
- LITTLE, H.J. see JEEVANJEE, F., 84, 188P
- LITTLE, H.J. & NUTT, D.J. The effects of β -carbolines in infant rats, 86, 464P
- LITTLE, H.J., NUTT, D.J. & TAYLOR, S.C. Kindling with FG 7142 and benzodiazepine-GABA receptor function, 84, 187P
- LITTLE, H.J., NUTT, D.J., STANFORD, S.C. & TAYLOR, S.C. Adrenoceptor numbers increase after kindling with the benzodiazepine receptor ligand FG 7142, 85, 369P
- LITTLE, H.J., STANFORD, S.C. & TAYLOR, S.C. A single dose of the benzodiazepine receptor ligand FG 7142 causes prolonged β -adrenoceptor up-regulation in mouse brain, 86, 769P
- LITTLETON, J.M. see HUDSPITH, M., 84, 130P
- LIVINGSTON, A. see BOUCHENAF, O., 86, 518P
- - - see NOLAN, A.M., 86, 462P
- LOCK, E.A. The effect of probenecid on N-acetyl-S-(pentachlorobutadienyl)-L-cysteine-induced nephrotoxicity, 84, 203P
- LODGE, D. see ARAM, J.A., 86, 538P
- LODGE, D., MARTIN, D. & O'SHAUGHNESSY, C. T. Haloperidol and the actions of N-methylaspartate, ketamine and (+) SKF 10,047 on frog spinal cord, 86, 539P
- LODOVICI, M. see BRUNELLESCHI, S., 86, 574P
- LOESBERG, C., WOUTERSEN-VAN NIJNANTEN, F. M.A. & NIJKAMP, F.P. Dietary effects on guinea-pig bronchial reactivity to histamine, 86, 569P
- LOMBARDELLI, G. see ABBRACCHIO, M.P., 86, 582P
- LONG, C.J. & STONE, T.W. Adenosine retardation of adrenoceptor resensitisation in the prostatic rat vas deferens, 85, 340P
- - - The release of endothelium-derived relaxant factor is calcium-dependent, 84, 152P
- LONG, S.K., O'SHAUGHNESSY, C.T., POAT, J. A. & TURNBULL, M.J. Studies on the effects of cholecystokinin on cyclic AMP efflux from rat striatal slices, 84, 6P
- LONGHI, O.N. see CICCARELLI, R., 86, 672P
- - - see DO IORIO, P., 86, 583P
- LONGMAN, S.D. The effects of enalapril upon blood pressure, plasma and tissue angiotensin converting enzyme (ACE) in the rat, 86, 751P
- LONGSTAFF, A. see ALI, S.M., 86, 470P
- LOO, H. see BENKELFAT, C., 85, 215P
- LOPEZ-COLOME, A.M. see ANAND, H., 84, 184P
- LORD, J.A.H. see DETTMAR, P.W., 85, 322P
- LOUDON, J.M. see JOHNSON, A.M., 85, 236P
- LOUTTIT, J.B. see DODDS, M.G., 86, 730P
- LOWE, K.C. & MCNAUGHTON, D.C. Intra-vascular fluid composition following blood replacement with fluosol-DA in the rat, 84, 116P
- LOWRY, P.J. see CORDER, R., 85, 231P
- LUCIANI, S. see BOVA, S., 86, 624P
- LUGINBUHL, B. see DAVIES, J.M., 85, 343P
- LUMACHI, B. & SCURI, R. Hexaprazol activity on gastric electrical potential fall by ascorbic acid in rat, 86, 783P
- LUMLEY, C.E. & WALKER, S.R. What is the value of animal toxicology studies beyond 6 months? 84, 117P
- LUMLEY, P. see DODD, N.J., 85, 285P
- - - see KEERY, R.J., 85, 286P
- LUSCOMBE, G.P. see BUCKETT, W.R., 86, 478P, 590P, 713P
- MCADAMS, R.P. & WATERFALL, J.F. The effect of cold and restraint on activation of pre- and post-synaptic α -adrenoceptors in the rat, 86, 493P
- MCADAMS, R.P., LATTIMER, N., RHODES, K.F. & WATERFALL, J.F. The effect of age on activation of pre- and postsynaptic α -adrenoceptors in the rat, 86, 494P
- MCALLISTER-WILLIAMS, R.H. & MITCHELL, R. Benzodiazepines regulate coupling to anion channels in only some GABA_A receptor complexes, 84, 60P
- MCARDLE, C.A. see BATES, R.F.L., 86, 809P
- MCBAIN, C.J. see BORNSTEIN, J.C., 86, 724P
- MCCARTHY, P.S. see BLACKMAN, D.E., 85, 292P

- - - see HOWLETT, G.J., 85, 293P
- MCCARTHY, T.M. see AGBACK, H., 84, 43P
- MCCLEARY, W.L. see BENSRETI, M.M., 85, 296P
- MCCLELLAND, G.R., SEMPLE, J.M., SHORTER, J.H. & WATERFIELD, S. Use of micro-processor technology in a test battery for psychopharmacological volunteer studies, 84, 202P
- MCCLUE, S.J. see GODFREY, P.P., 84, 112P; 86, 446P
- MCCURRIE, J.R. see EL MURADI, E.M.A., 85, 339P
- MACDERMOT, J. see ARMSTRONG, R.A., 86, 643P
- - - see LEIGH, P., 84, 203P
- MCDERMOTT, I. see FOZARD, J.R., 84, 69P
- MACDONALD, A. see DETTMAR, P.W., 86, 491P; 613P
- MACDONALD, A. & MCFRATH, J.C. Effects of cocaine on catecholamine-induced inhibition of nerve-induced responses in rat vas deferens, 86, 566P
- MCGIFF, J.C. see CARRARA, M.C., 84, 39P
- MCGRATH, J.C. see BULLOCH, J.M., 86, 745P
- - - see DALY, C.J., 86, 723P
- - - see FASEHUN, O.A., 86, 753P
- - - see GRANT, T.L., 86, 752P
- - - see MACDONALD, A., 86, 566P
- MACINTYRE, D.E. see BUSHFIELD, M., 84, 28P; 86, 577P
- - - see DRUMMOND, A.H., 84, 27P
- - - see JONES, R.L., 84, 148P
- - - see MCNICOL, A., 86, 546P
- MACINTYRE, D.E. & MACMILLAN, L.J.M. Inositol phospholipid hydrolysis and Ca^{2+} flux in the responses of rat platelets to ADP and thrombin, 84, 25P
- - - Rat platelets and cultured promegakaryoblasts share a common purino-receptor, 86, 581P
- MACINTYRE, D.E. & ROSSI, A.G. Inhibition of agonist-induced Ca^{2+} flux in human neutrophils by tumour promoting phorbol esters, 85, 377P
- - - Phosphoinositide metabolism and cytosolic free Ca^{2+} in leukotriene B_4 (LTB_4)-induced activation of human neutrophils, 86, 654P
- MACINTYRE, I. see BRAIN, S.D., 85, 233P
- MCINTYRE, R. see GALLOWAY, D.J., 86, 490P
- MACKAY, J.A., CROMWELL, O. & KAY, A.B. A rapid method for identification of high molecular weight neutrophil chemotactic activity from human lung, 86, 526P
- MCKEAN, C.E. see BULLOCK, J.M., 86, 745P
- MCKECHNIE, K., FURMAN, B.L. & PARRATT, J.R. Effect of antioxidants on endotoxin shock in conscious, unrestrained rats, 84, 119P
- MCKENNIFF, M.G. see BROWN, C.M., 86, 766P
- MCKERNAN, R.M. see DICKINSON, K.E.J., 86, 492P
- MCKILLOP, C.M., BROCK, J.A.C. & RHODES, C. A comparison of the ability of pyrethroids and the veratrum alkaloids to induce cutaneous sensory effects, 84, 123P
- MACLAGAN, J. see BLABER, L.C., 85, 393P
- MACLAGAN, J., FRYER, A.D. & FAULKNER, D. Post-ganglionic neuronal muscarinic receptors in transmurally stimulated guinea-pig trachea, 86, 608P
- MCLEAN, A.E.M. see CROOK, T., 84, 128P
- - - see HUE, D.P., 84, 121P
- MACLEAN, M.R. & UNGAR, A. The interaction of naloxone and captopril on the control of catecholamine release from the adrenal medulla of the dog, 86, 761P
- MCLEAN, W.G. see BEAHON, S.J., 84, 81P
- MACMILLAN, L.J.M. see MACINTYRE, D.E., 84, 25P; 86, 581P
- MCMILLAN, M. see FURMAN, B.L., 84, 12P
- MCMILLAN, R.M. see MASTERS, D.J., 84, 45P
- MCMILLAN, R.M., MASTERS, D.J. & STERLING, W.W. Modulation of leukotriene B_4 biosynthesis in human leukocytes, 84, 44P
- MCNAMEE, P.M. see GREGORY, C.Y., 86, 812P
- MCNAMEE, P.M., MARKHAM, A. & SWEETMAN, A.J. Flufenamic acid inhibits prostaglandin F_2 , E_2 and D_2 biosynthesis in guinea-pig lung, 86, 811P
- - - Flufenamic acid promotes the uptake of calcium across the human red blood cell plasma membrane, 86, 505P
- MCNAUGHTON, D.C. see LOWE, K.C., 84, 116P
- MCNICOL, A. see BUSHFIELD, M., 86, 577P
- - - see DRUMMOND, A.H., 84, 27P
- MCNICOL, A. & MACINTYRE, D.E. Reversal of agonist-induced phosphoinositide hydrolysis in human platelets by cAMP and 1,2-diacylglycerol, 86, 546P

- MCPHERSON, G.A., MOLENAAR, P., MALTA, E. & RAPER, C. Influence of assay buffer on dissociation constants of drugs at subtypes of β -adrenoceptors, 84, 84P
- MCQUADE, J. see BOOBIS, A.R., 86, 511P
- MCQUEEN, D.S. see KIRBY, G.C., 86, 733P
- MCQUEEN, J.K., MARTIN, M.J. & SALAMONE, J. Deoxyglucose uptake in rat cerebral cortex following ibotenic acid lesions of the nucleus basalis magnocellularis, 86, 674P
- MCRITCHIE, B. & MINER, W. Dopamine antagonist activity is not a pre-requisite for increasing gastric emptying in the rat with benzamides, 84, 100P
- MACCARI, F., PESSOTTO, P., ARSENI, A., RAMACCI, M.T. & ANGELUCCI, L. Exogenous L-carnitine is absorbed by the rat intestine at a dose-dependent wide dose range, 86, 800P
- MACHIN, I. see DODD, M.G., 85, 335P; 86, 488P
- MADEDDU, L., SCHEER, H., WANKE, E. & MELDOLESI, J. Ion transport activated by latrotoxin and congeners at the pre-synaptic membrane, 86, 564P
- MAGGS, J.L. see CHRISTIE, G., 86, 799P
- - - see GRABOWSKI, P.S., 85, 305P
- MAGNI, F. see FOLCO, G.C., 86, 645P
- MAGUIRE, J.J., MARSHALL, R.W. & WOODRUFF, G.N. A microcomputer method to aid in vitro screening of novel compounds for pharmacological activity, 85, 388P
- MAGUIRE, M. see SWART, S.S., 84, 63P
- MAGUIRE, M.E. see CROME, R., 86, 498P
- MAIDMENT, N.T. & MARSDEN, C.A. Central dopamine metabolism monitored by in vivo voltammetry: effects of acute and chronic neuroleptic administration, 85, 239P
- MAIN, I.H.M. & WILSON, G.A.M. Effects of forskolin, an adenylate cyclase activator, on gastric acid secretion in the rat, in vivo and in vitro, 86, 426P
- MAJOR, J.S. see CALLEN, T.S., 86, 750P
- MALLARDI, F. see DECORTI, G., 86, 794P
- MALMBERG-AIELLO, P. see BARTOLINI, A., 86, 547P
- MALTA, E. see MCPHERSON, G.A., 84, 84P
- MAMBRINI, M. see BRYANT, S.H., 86, 586P
- MAN, P.W. see JONKMAN, F.A.M., 84, 195P
- MANARA, L. see BIANCHETTI, A., 86, 790P
- - - see CROCI, T., 86, 782P
- MANNAIONI, P.F. see BORGHI-CIRRI, M.B., 86, 775P
- - - see BRUNELLESCHI, S., 86, 574P, 576
- MANNING, A.S. see CROME, R., 86, 418P, 498P
- MANNING, M. see GIBSON, A., 86, 678P
- MANOURY, Ph. see CAVERO, I., 84, 31P
- MANTEGAZZA, P. see DI GIULIO, A.M., 86, 527P
- MANTEGAZZA, P., ROVATI, L.C., SACERDOTE, P. & PANERAI, A.E. Dissociation of tolerance and dependence to morphine: a possible role for cholecystokinin, 86, 530P
- MANTOVANI, M. see NIADA, R., 86, 625P
- MANTOVANI, P., GIACHETTI, D., TADDEI, E. & GORELLI, B. 4-aminopyridine and gastric secretion, 86, 778P
- MANZONI, L. see BIANCHETTI, A., 86, 790P
- MARCHI, M. see BONANNO, G., 84, 190P
- MARKHAM, A. see GREGORY, C.Y., 86, 812P
- - - see MCNAMEE, P.M., 86, 505P, 811P
- MARMO, E., ROSSI, F., LAMPA, E., FILIPPELLI, W., BERRINO, L., FILIPPELLI, A., RUSSO, S., MATERA, C. & MATERA, M.G. Participation of opiate peptidergic, gabaergic and prostaglandin: mechanisms in the cardiovascular effects of clonidine, 86, 626P
- MARRIOTT, D.B. see BOARDER, M.R., 86, 482P
- MARRIOTT, J.F. see DOWNING, O.A., 84, 163P; 86, 504P
- MARRS, T.C. see BRIGHT, J.E., 85, 301P; 86, 740P
- MARRS, T.C. see BROWN, R.F.R., 86, 729P
- MARSDEN, C.A. see BENNETT, G.W., 85, 244P; 86, 455P, 673P
- - - see FORD, A.P.D.W., 86, 692P
- - - see MAIDMENT, N.T., 85, 239P
- MARSDEN, C.A. & MARTIN, K.F. In vivo voltammetric evidence that the 5-HT autoreceptor is not of the 5-HT_{1A} sub-type, 86, 445P
- - - RU 24969 decreases 5-HT release in the SCN by acting on 5-HT receptors in the SCN but not the dorsal raphe, 85, 219P
- MARSDEN, C.A. & ROUTLEDGE, C. Electrical stimulation of rat C1 neurones increases blood pressure and extracellular hypothalamic adrenaline, 86, 415P

- MARSDEN, C.A., MARTIN, K.F. & WEBB, A.J.
Diurnal variation in 5-HT₁ receptor
function, 86, 398P
- MARSDEN, C.D. see BAKER, M.K., 84, 181P
- - - see BOYCE, S., 86, 632P
- - - see BRADBURY, A.J., 85, 348P, 350P;
86, 526P, 685P, 691P
- - - see DAVIS, A., 85, 247P; 86, 434P
- - - see HONG, M., 84, 129P; 85, 349P
- - - see HORTON, R.W., 86, 472P
- - - see JENNER, P., 84, 56P, 85P; 85,
241P, 347P; 86, 469P, 710P
- MARSHALL, G.R. see BRISTOW, D.R., 86,
430P
- - - see KEMP, J.A., 85, 237P
- MARSHALL, I. see AL-KAZWINI, S.J., 86,
544P, 679P
- MARSHALL, I.G. see DEMPSTER, J., 86,
675P
- - - see JONES, S.V.P., 86, 587P
- - - see PRIOR, C., 86, 585P
- MARSHALL, P.W. see GREENWOOD, D.T.,
86, 479P
- MARSHALL, R.W. see DAVIES, J.A., 85,
392P
- - - see MAGUIRE, J., 85, 388P
- MARSHALL, R.W. & SPRIGGS, T.L.B. A
versatile microcomputer system to auto-
mate *in vitro* pharmacological experiments,
85, 392P
- MARTELLI, C. see CAGIANO, R., 86, 789P
- MARTELLI, F. see ANTONETTI, F., 86,
714P, 715P
- MARTIN, D. see LODGE, D., 86, 539P
- MARTIN, F. see KEENAN, A.K., 84, 101P
- MARTIN, I.L. see JEEVANJEE, F., 84,
188P
- - - see WUSTEMAN, M., 85, 363P
- MARTIN, J., SALAICES, M., TAMARGO, J. &
TEJERINA, T. Effects of oxodipine on
vascular smooth muscle fibres, 86, 500P
- MARTIN, K.F. see MARSDEN, C.A., 85,
219P; 86, 398P, 445P
- MARTIN, M.J. see MCQUEEN, J.K., 86,
674P
- MARTIN, W. see FURCHGOTT, R.F., 86,
565P
- MARTIN, W. & SMITH, J.A. Binding of
nitrovasodilators and bovine retractor
penis inhibitory factor by haemoglobin
and methaemoglobin immobilized on
agarose, 86, 567P
- MARTINEZ, J. see BRIET, C., 85, 383P
- MARTIRE, M. see PREZIOSI, P., 86, 542P
- MASERI, A. see KERWIN, R.W., 85, 288P
- MASINI, E. see BORGHI-CIRRI, M.B., 86,
775P
- - - see BRUNELLESCHI, S., 86, 574P,
576P
- MASON, D.F.J. & MEDBAK, S. The effect of
nitroprusside on circulating MET-
enkephalin levels in dogs, 86,
411P
- MASON, R. Characterisation of 5-HT
sensitive neurones in the rat CNS
using ionophoresed 8-OH-DPAT and
ketanserin, 86, 433P
- - - see BUCKETT, W.R., 86, 466P
- - - see HILL, S.J., 85, 357P
- MASON, S.T. β -blockade with propran-
olol causes resistance to extinct-
ion in rats, 84, 76P
- MASSINGHAM, R. see BOU, J., 85,
210P
- MASSOTTI, M. An eeg study of the
inverse benzodiazepine agonists in
the rabbit, 86, 688P
- MASTERS, D.J. see MCMILLAN, R.M.,
84, 44P
- MASTERS, D.J., SPRUCE, K.E., VICKERS,
V.C. & MCMILLAN, R.M. Measurement
of arachidonate metabolism using
cyanopropyl mini-columns: effects
of cyclo-oxygenase and lipoxxygen-
ase inhibitors, 84, 45P
- MATERA, C. see MARMO, E., 86,
626P
- MATERA, M.G. see MARMO, E., 86,
626P
- MATTHEWS, D.M. see CLARK, B.F.,
86, 795P
- MATUCCI, R. see BENNARDINI, F.,
86, 623P
- MAURA, G. see BONANNO, G., 86,
548P
- MAZEL, P. see CALLINGHAM, B.A.,
86, 553P
- MAZZEI, T., MINI, E. & PERITI, P.
5-methyltetrahydrofolate (MeTHF)
enhances fluoropyrimidine cyto-
toxicity against human leukemia
cells *in vitro*, 86, 561P
- MAZZONI, L., MORLEY, J., PAGE, C.P.,
SANJAR, S. Prophylactic anti-
asthma drugs impair the airway
hyper-reactivity that follows
exposure to platelet activating
factor (PAF), 86, 571P
- MEDBAK, S. see MASON, D.F.J., 86,
411P
- MEECHAM, K.G. see CAIRNDUFF, B.,
86, 525P
- - - see GRAHAM, W.C., 86, 409P
- MEHTA, A. see FEELY, M.P., 85,
359P
- MEHTA, H. Effect of thyroxine on
ventricular adenosine triphosphat-
ase activity in guinea-pigs, 86,
792P

- MEGHJI, P. & NEWBY, A.C. Dipyridamole, dilazep and hexobendine inhibit both adenosine uptake into and release from neonatal rat heart cells in culture, 85, 280P
- MELDOLESI, J. see MADEDDU, L., 86, 564P
- MELDRUM, B.S. see CAVALHEIRO, E.A., 85, 367P
- - - see FAINGOLD, C.L., 84, 95P
- MELDRUM, B.S., TURSKI, L. & WATKINS, J.C. Anticonvulsant action of γ -D-glutamyl-amino-methylsulphonic acid in mice, 85, 370P
- MELLERUP, E.T. & PLENCE, P. High affinity binding sites for [3 H]-imipramine and [3 H]-paroxetine in platelet and neuronal membranes, 84, 203P
- MEMO, M. see LIBERINI, P., 86, 552P
- MEMO, M., CASTELLETTI, A., VALERIO, A., MISSALE, C. & SPANO, P.F. Characterization of neurotensin receptors associated with calcium channels and prolactin release in rat pituitary, 86, 543P
- MENYS, V.C. see BUTLER, K.D., 86, 556P
- METZ, A. see GREEN, A.R., 84, 88P
- - - see HEAL, D.J., 85, 311P
- MERLO PICH, E. see ROMANDINI, S., 86, 702P
- MEZZETTI, M. see NICOSIA, S., 86, 647P
- MIAN, M. see BRUNELLESCHI, S., 86, 575P
- MICHALEK, R. see ARKLE, S., 86, 701P
- MICHAUD, J.C. see BIZIERE, K., 84, 198P
- MICHEL, A.D. see EGLIN, R.M., 86, 610P
- - - see KENNY, B.A., 86, 451P
- MICHEL, A.D. & WHITING, R.L. Agonist affinity for α -adrenoceptors, 86, 495P
- - - Analysis of pharmacological concentration-response curves (CRCs) with a BBC microcomputer, 86, 816P
- MICHELETTI, R. see SCHIAVONE, A., 86, 798P
- MIDDLEMISS, D.N. β -adrenoceptor antagonists and blockade of the 5-HT autoreceptor in rat frontal cortex, 84, 189P
- - - [3 H]-8-OH-DPAT does not bind to the 5-HT autoreceptor in rat striatum, 85, 315P
- - - see HIBERT, M., 84, 65P
- MIDDLEMISS, D.N., NEILL, J. & TRICKLEBANK, M.D. Subtypes of the 5-HT receptor involved in hypothermia and forepaw treading induced by 8-OH-DPAT, 85, 251P
- MIHALY, G.W. see BRECKENRIDGE, A.M., 86, 405P
- MIKHAILIDIS, D.P. see DANDONA, P., 85, 284P
- MILANO, S. see GHIRARDI, O., 86, 683P
- MILES, C.M.M. see DICKINSON, K.E.J., 86, 492P
- MILLAN, M.H. see FAINGOLD, C.L., 84, 95P
- MILLAR, J. see KRUK, Z.L., 84, 199P
- MILLER, A.A. see LAMB, R.J., 85, 235P; 86, 765P
- MILLER, A.A. & WHEATLEY, P.L. Anti-convulsant action of labotrigine, phenytoin and phenobarbitone on electrically-induced after-discharge, 85, 366P
- MILLER, R.C., SCHINI, V., SCHOEFFTER, P. & SPEDDING, M. Modification of the effects of BAY K8644 in rat aorta by the endothelium, 84, 20P
- MINCHIN, M.C.W. see GODFREY, P.P., 84, 112P, 446P
- - - see GREEN, A.R., 84, 88P, 89P
- MINER, W. see MCRITCHIE, B., 84, 100P
- MINI, E. see MAZZEI, T., 86, 561P
- MIR, A.K. Cardiovascular responses to nifedipine in combination with β -adrenoceptor antagonists or clonidine in conscious SH rats, 86, 719P
- - - see FOZARD, J.R., 84, 167P; 86, 736P
- MIRANDA, G.F., CASSISI, M. & BIANCHETTI, A. The effect of anorectic agents on cafeteria diet-induced hyperphagia and overweight, 86, 689P
- MISSALE, C. see LIBERINI, P., 86, 552P
- - - see MEMO, M., 86, 543P
- MITCHELL, K. see GREENWOOD, D.T., 86, 479P
- MITCHELL, P. see BROWN, F., 84, 185P
- MITCHELL, R. see ANDERSON, R.A., 84, 5P
- - - see MCALLISTER-WILLIAMS, R.H., 84, 60P
- MITCHELL, R. & OGIER, S.-A. A novel stimulatory action of somatostatin on prolactin secretion, 86, 698P
- MITHANI, S. see HANDLEY, S.L., 84, 87P
- MITOLO-CHIEPPA, D. see BENOIT, E., 86, 549P, 665P
- MITOLO-CHIEPPA, D. see BENOIT, E., 86, 665P
- MOHD YUSOFF, Z. Effects of thyroxine on the frequency-force relationship of isolated and paced left atria of guinea-pigs, 86, 501P
- MOHLER, H. see BONETTI, E.P., 86, 463P
- MOLENAAR, P. see MCPHERSON, G.A., 84, 84P

- MOLLOY, A.G. & WADDINGTON, J.L. Mechanism of paradoxical blockade of D₂ agonist induced stereotypy by the enantiomers of the D₁ antagonist SK&F 83566, 85, 242P
- - - Spontaneous orofacial dyskinesia during long-term depot neuroleptic treatment: interactions with age, 84, 71P
- MONCADA, S. see BAKHLE, Y.S., 84, 38P; 86, 423P
- MONGELLI, N. see GROSSONI, M., 86, 628P
- MONS, G. see BIZIERE, K., 86, 417P
- MONTORSI, L. see BACCARO, C., 86, 621P
- MOORE, M.R. see CUTLER, M.G., 86, 680P
- - - see EVIS, M.J., 84, 32P
- MOORE, P.K. see HUSSAINI, I., 86, 813P
- MORET, C. see BRILEY, M., 85, 220P
- MORETTI, A. see CARFAGNA, N., 86, 670P
- MORGAN, R.M. see GREGORY, C.Y., 86, 812P
- MORICE, A., SCHACHTER, M. & SEVER, P.S. Characterisation of high-affinity binding sites for vasoactive intestinal peptide (VIP) in human lung, 86, 697P
- MORINAN, A. & PARKER, V. Are socially isolated rats anxious? 86, 460P
- - - Evidence for a lack of memory impairment in socially isolated rats, 86, 420P
- MORL, C.J. see CAMERON, D., 85, 226P
- MORLEY, J. see MAZZONI, L., 86, 571P
- MORLEY, M.J. see BRADSHAW, C.M., 85, 356P; 86, 419P
- MORONI, F. see BONGIANNI, F., 86, 529P
- MORRE, M. see CRESPI, F., 85, 372P
- MORRIS, H.R. see BRAIN, S.D., 85, 233P
- MORRISON, K.J. & PERTWEE, R.G. A possible link between delta-9-tetrahydrocannabinol and GABA in mice, 86, 684P
- MORTON, I.K.M. see FEATHERSTONE, R.L., 84, 141P, 142P; 86, 489P
- - - see FOSBRAEY, P., 86, 705P
- - - see HALL, J.M., 86, 731P
- MOSBERG, H.I. see COWAN, A., 85, 294P
- MOSER, P.C. & REDFERN, P.H. Behavioural parameters of 5-HT₁ receptor stimulation do not show circadian variation, 86, 461P
- - - The discriminative stimulus properties of 5-HTP are mediated by the 5-HT₁ receptor, 84, 70P
- MOUGET-GONJOT, C. see BIZIERE, K., 86, 417P
- MUIR, A.G.B. see DALY, C.J., 86, 723P
- MUIR, T.C. see ALLCORN, R.J., 85, 263P
- - - see BEATTIE, D.T., 84, 29P
- MUNDAY, K.A. see COX, H.M., 86, 486P, 487P
- MURPHY, J.J. & RYAN, M.P. The effects of propranolol on ⁸⁶Rb effluxes in rat thymocytes and human peripheral blood lymphocytes, 84, 26P
- MURPHY, P.C. see GRIEVE, K.L., 85, 253P
- MUSCHOLL, E. see BOHM, E., 86, 534P
- MUSCHOLL, E. & RACKE, K. Release of endogenous dopamine and its metabolites from the neurointermediate lobe of the rat hypophysis *in vitro*, 84, 3P
- MUTH, E., LEWIS, A.J., DERVINIS, A., HAND, J.M., ROTHBERG, K. & DOUGLAS, J.S. A comparison of the muscarinic and histamine H₁ receptor binding activities of thiazinamium chloride and its major metabolites, 86, 452P
- MYLECHARANE, E.J. see HEILIGERS, J., 85, 218P, 393P
- NACCARI, F. see AMMENDOLA, D., 86, 660P
- NADALINI, V.F. see CANEVARI, A., 86, 776P
- NAHORSKI, S.R. see BATTY, I., 84, 108P
- - - see HERDON, H., 84, 170P
- - - see KELLY, E., 86, 633P
- - - see KENDALL, D.A., 86, 526P, 545P
- NAHORSKI, S.R. & ROONEY, T.A. Regional differences in agonist and depolarisation-induced inositol phospholipid hydrolysis in rat brain, 86, 667P
- NAHORSKI, S.R. & STRUPISH, J. Dopamine D₂ receptors regulate spontaneous and veratrine-evoked release of endogenous dopamine from striatal slices, 84, 109P
- NAJAR, M. see HICKS, P.E., 84, 67P
- NATOFF, I.L. see BREWSTER, M., 85, 393P
- NATOFF, I.L., BREWSTER, M., PATEL, A. T., KLEVANS, L. & WENGER, J. Effect of indomethacin on the anti-hypertensive and sympathetic inhibitory activities of ACE inhibitors in the rat, 85, 337P
- NAYLOR, I.L. see LAL, C., 86, 517P
- NAYLOR, R.J. see BARNES, J.C., 86, 695P
- - - see BARNES, N.J.G., 86, 468P, 708P
- - - see BRADBURY, A.J., 85, 348P, 350P; 86, 526P, 685P, 691P, 738P
- - - see COSTALL, B., 85, 250P, 353P, 354P; 86, 690P, 757P

- NAYLOR, V.J.H. see BLACKMAN, D.E., 85, 295P
- NAVARRA, P.L. see VACCA, M., 86, 793P
- NEDERGAARD, O.A. Pre- and post-junctional effects of pinacidil on sympathetic neuroeffector transmission in rabbit blood vessels, 85, 338P
- NEILL, J. see MIDDLEMISS, D.N., 85, 251P
- NEILSON, D.G. see OGG, G.D., 84, 161P
- NELSON, D.R. see JOHNSON, A.M., 85, 221P
- NERBONNE, J.M. see GURNEY, A.M., 84, 18P
- NETTI, C. see GUIDOBONO, F., 86, 687P
- NEWBY, A.C. see EDWARDS, D.H., 85, 344P
- - - see MEGHJI, P., 85, 280P
- NEWMAN, C.M. see FOSBRAEY, P., 86, 705P
- NEWSOM-DAVIS, J. see LACEY, G., 85, 214P
- NIADA, R., PORTA, R., MANTOVANI, M., PESCADOR, R. & PRINO, G. Defibrotide's thrombolytic activity on thrombi of different ages in the rabbit, 86, 625P
- NICHOLASS, J.M. see JEEVANJEE, F., 84, 186P, 188P
- NICHOLLS, P.J. see ABDUL, R., 85, 371P
- - - see ALI, H., 85, 302P
- - - see ALLEN, E.M., 85, 303P
- NICHOLS, A.J. see HILEY, C.R., 84, 157P; 85, 262P
- NICHOLS, C.G. see JOHNSON, I.R., 86, 763P
- NICHOLSON, J.K. see TULIP, K., 84, 136P
- NICOSIA, S. see OLIVA, D., 86, 805P
- NICOSIA, S., CIVELLI, M., ROVATI, G.E., OLIVA, D., SAUTEBIN, L., FOLCO, G.C. & MEZZETTI, M. Specific binding of leukotriene C₄ (LTC₄) to membranes from human lung parenchima and bronchi, 86, 647P
- NIGLIO, T. see SAGRATELLA, S., 86, 694P
- NIJKAMP, F.P. see ENGELS, F., 86, 604P
- - - see LOESBERG, C., 86, 569P
- - - see VAN OOSTERHOUT, A.J.M., 86, 785P
- NISTICO, G. see AMMENDOLA, D., 86, 660P
- - - see DE SARRO, G.B., 86, 676P
- NISTRI, A. see BERTI, C., 86, 668P
- NISTRI, A. & SIVILITTI, L. Effects of glycine on synaptic transmission in the frog optic tectum *in vitro*, 86, 537P
- NOE, A. see OLIVA, D., 86, 805P
- NOLAN, A.M., LIVINGSTON, A. & WATERMAN, A. The use of a thermal stimulus device to assess analgesics in the sheep, 86, 462P
- NOMOTO, M. see JENNER, P., 86, 710P
- NOONEY, J.M. see LAMBERT, J.J., 84, 62P
- NORKENSKJOLD, M. see DI MONTE, D., 86, 559P
- NORMAN, S. see BADAWY, A.A.-B., 85, 298P
- NORN, S. see CHURCH, M.K., 86, 509P
- NORRIS, A.A. see BLACKHAM, A., 86, 786P
- NORRIS, D.B. see FOREMAN, J.C., 84, 48P
- NORRIS, E.A. see GARCHA, H.S., 85, 245P
- NOTARIANNI, L.J. see AIRD, S.A., 86, 796P
- NOURSHARGH, S. see HOULT, J.R.S., 84, 169P
- NUTT, D.J. see JEEVANJEE, F., 84, 186P, 188P
- - - see LITTLE, H.J., 84, 187P; 85, 369P; 86, 464P
- O'BOYLE, K.M. & WADDINGTON, J.L. Binding of [³H]-SCH 23390, a selective D-1 dopamine receptor antagonist in human brain, 86, 435P
- - - Striatal [³H]-spiperone binding after long-term depot neuroleptic treatment: interactions with age, 84, 73P
- O'BRIEN, J.W. see DALY, C.J., 86, 723P
- O'NEIL, G.S. see ALI, S.M., 86, 470P
- O'SHAUGHNESSY, C.T. see HEADLEY, P. M., 86, 700P
- - - see LODGE, D., 86, 539P
- - - see LONG, S.K., 84, 6P
- O'SHAUGHNESSY, K.M. see GRAHAME-SMITH, D.G., 84, 50P
- OGIER, S.-A. see MITCHELL, R., 86, 698P
- OGLE, C.W. see COSTALL, B., 86, 690P
- OHIA, S.E. see BOYLE, F.C., 84, 42P; 86, 648P
- OLDHAM, A.A. see CALLEN, T.S., 86, 750P
- OLDHAM, A.A. & SCOTCHER, K.P. Interactions between angiotensin 11, the sympathetic nervous system and blood pressure of the pithed rat, 86, 749P
- OLDHAM, H.G. see CHENERY, R.J., 84, 164P
- OLIVA, D. see NICOSIA, S., 86, 647P

- OLIVA, D., NOE, A., DRAGO, L., CORSINI, A., FUMAGALLI, R., FOLCO, G.C. & NICOSIA, S. 5Z-carbacyclin discriminates between PGI_2 -receptors on vascular smooth muscle cells and platelets: agonist/antagonist properties, 86, 805P
- OLPE, H-R. see JONES, R.S.G. 84, 2P
- OMINI, C. see ABBRACCHIO, M.P., 86, 653P
- - - see BERTI, F., 86, 773P
- ONONIWU, I.M. see ADEBANJO, A.O., 85, 243P, 355P
- OOSTING, R.S. see ENGELS, F., 86, 604P
- ORCHARD, M.A. see KAGEY-SOBOTKA, A., 85, 345P
- OREN-WOLMAN, N. see GUTH, P.H., 84, 37P
- ORTON, T.C. see FLINT, O.P., 84, 122P
- OSBORNE, R.H. Is RU24969 a 5-HT₂ antagonist on the rat fundic strip preparation? 86, 447P
- - - see GREGG, C.N., 85, 312P
- OWEN, D.A.A. see BLAKEMORE, R.C., 86, 630P
- - - see CAMERON, D., 85, 226P
- - - see COATES, W.J., 84, 22P
- - - see ENGLAND, P.J., 86, 631P
- - - see FLYNN, S.B., 86, 442P
- - - see GRISTWOOD, R.W., 85, 224P
- OWEN, F. see CROW, T.J., 84, 8P
- PACIFICI, L., BOTARELLI, M., RAMACCI, M. T. Effect of propionyl-L-carnitine-taurine amide on recovery of cardiac functions as after ischemic hypoxia in rat working heart, 86, 728P
- PACIFICO, P. see CANEVARI, A., 86, 776P
- PACIOREK, P.M. & SHEPPERSON, N.B. Estimates of the antagonist potency of WY 26392 against various α_2 -adrenoceptor agonists in the pithed rat, 85, 321P
- - - Evidence for an indomethacin sensitive α_1 -adrenoceptor mediated modulation of responses in the pithed rat heart, 84, 40P
- PADRINI, R. see BOVA, S., 86, 720P
- PALFREYMAN, M.G. see SLEIGHT, A.J., 86, 480P
- PALMI, M. & SGARAGLI, G.P. Hyperthermia induced in rabbits by AMBD and organic calcium antagonists: its reversal by taurine, 86, 693P
- PALOMO, T. see CURLE, P.F., 84, 197P
- PANERAI, A.E. see MANTEGAZZA, P., 86, 530P
- PANKHANIA, J.J. see BAKHLE, Y.S., 85, 275P
- PAO, G.J-K. see CHURCH, M.K., 86, 509P
- PARENTE, L. see FITZGERALD, M.F., 86, 422P, 573P
- PARENTI, M. see BIELLA, G., 86, 531P
- - - see DI GIULIO, A.M., 86, 527P
- PARK, B.K. see CHOLERTON, S., 86, 406P
- - - see CHRISTIE, G., 86, 799P
- - - see GRABOWSKI, P.S., 85, 305P
- PARK, K.C. see EGLEN, R.M., 86, 397P, 658P
- PARKE, D.V. see DOWLING, E.J., 84, 35P, 79P
- PARKER, S.J. see CHEETHAM, S.C., 86, 593P
- PARKER, V. see MORINAN, A., 86, 420P, 460P
- PAROLARO, D., SALA, M., CREMA, G., GIAGNONI, G. & GORI, E. Periaqueductal gray matter as a site of central inhibition of intestinal motility in the rat, 86, 619P
- PARRATT, J.R. see COKER, S.J., 84, 30P
- - - see EVIS, M.J., 84, 32P
- - - see MCKECHNIE, K., 84, 119P
- PARRATT, J.R. & WAINWRIGHT, C.L. The effects of adenosine on arrhythmias induced by myocardial ischaemia and reperfusion in dogs, 85, 228P
- PARSONS, M.E. see BLAKEMORE, R.C., 86, 570P, 630P
- PATACCHINI, R. see BARTOLINI, A., 86, 547P
- PATEL, A.T. see BREWSTER, M., 85, 393P
- - - see NATOFF, I.L., 85, 337P
- PATEL, R. see BEST, R., 86, 520P
- PATEL, S. & SLATER, P. Serotonin receptor subtypes in rat basal forebrain and their role in nucleus accumbens-evoked activity, 85, 314P
- PATERSON, J.R., STEVENSON, I.H. & FEELY, J. Metabolism of H₂-antagonists by a flavin-containing monooxygenase, 85, 299P
- PATERSON, P. see FRY, J.R., 84, 133P
- PATERSON, S.J. see CORBETT, A.D., 86, 704P
- PATMORE, L. see BROWN, C.M., 86, 766P
- - - see CLARKE, B., 85, 330P; 86, 760P
- PATMORE, L. & WHITING, R.L. Measurement of inotropic responses of cultured heart cells using a video

- tracking device, 86, 817P
- PAYNE, A.N. see LEES, I.W., 85, 317P; 86, 611P
- PEARCE, F.L. see BROSTOFF, J., 85, 205P
- PEARSON, P.G. see GESCHER, A., 86, 514P, 515P
- PECILE, A. see GUIDOBONO, F., 86, 687P
- PEDATA, F. see VANNUCCHI, M.G., 86, 606P
- PEDDER, E.K. & PRINCE, A.K. Ethylcholine mustard aziridinium: inhibition of rat brain synaptosome choline uptake and choline acetyltransferase, 84, 114P
- - - The reaction of O-acetyethylcholine mustard aziridinium with rat brain choline acetyltransferase, 84, 115P
- PEERS, S.H. see HOULT, J.R.S., 84, 153P
- PELLEGRINI, D. see BONGIANNI, F., 86, 529P
- PELLOW, S. see BRILEY, M. 86, 456P
- PELLOW, S. see FILE, S.E., 84, 103P, 104P
- PENINGTON, N.J. & REIFFENSTEIN, R.J. Microiontophoretic application of the hallucinogen dom facilitates facial motor neurone excitation, 86, 550P
- PEPEU, G. see VANNUCCHI, M.G., 86, 606P
- PERIO, A. see BIZIERE, K., 84, 146P
- PERITI, P. see MAZZEI, T., 86, 561P
- PERREN, M.J. see CONNOR, H.E., 85, 222P
- PERRY, R.H. see CANDY, J.M., 84, 90P
- PERSICHELLA, M. see BETTONI, G., 86, 774P
- PERTWEE, R.G. see MORRISON, K.J., 86, 684P
- PESCADOR, R. see NIADA, R., 86, 625P
- PESCHECHERA, A. see GHIRARDI, O., 86, 683P
- PESSOTTO, P. see MACCARI, F., 86, 800P
- PETERS, J.A. see DURANT, N.N., 86, 609P
- - - see LAMBERT, J.J., 84, 62P
- PETERS, J.R. see CARON, M.G., 85, 326P
- PETERS, R.F. see DOWLING, E.J., 84, 35P, 79P
- PETTIPHER, E.R. see FITZGERALD, M.F., 86, 422P
- PHILLIPS, J.A. see AGBACK, H., 84, 43P
- PHILPOT, J. see HEAL, D.J., 85, 311P
- PICERNO, N. see BIANCHETTI, A., 86, 790P
- PIERCE, V. & SHEPPERSON, N.B. Comparison of the cardiovascular effects of central and peripheral administration of indoramin in anaesthetised rats, 84, 162P
- PIEDIMONTE, G. see CANTONI, O., 86, 563P
- PIERI, L., BIRY, P. & WDONWICKI, G. Proconvulsant action of Ro 15-3505, the 7-chloro analogue of Ro 15-1788, on isoniazid convulsions in rats, 86, 592P
- PILCHER, C.W.T. see BROWNE, J.L., 86, 483P
- PIOVAN, D. see BOVA, S., 86, 720P
- PIPER, P.J. see BARNETT, K., 86, 642P
- PIPER, J. & STANTON, A.W.B. Leukotrienes C₄ and D₄ decrease intracranial blood flow in the anaesthetised pig, 85, 270P
- PIPER, P.J. & STEWART, A.G. Platelet-activating factor induces the release of leukotriene-like material from rat isolated, perfused hearts, 86, 814P
- PIRISINO, R. see DI SIMPLICIO, P., 86, 777P
- PITTAWAY, K.M. see GRAHAM, W.C., 86, 409P
- PIZZI, M. see LIBERINI, P., 86, 552P
- PLATT, K. see DE LA HUNT, M.N., 86, 428P
- PLENGE, P. see M ELLERUP, E.T., 84, 203P
- PLEVIN, R. see COX, H.M., 86, 486P
- POAT, J.A. see ARKLE, S., 86, 701P
- - - see COX, H.M., 86, 486P, 487P
- - - see HOLDEN-DYE, L., 86, 634P
- - - see LONG, S.K., 84, 6P
- POIRIER, M.F. see BENKELFAT, C., 85, 215P
- POJA, R. see FASSINA, G., 86, 584P
- POLC, P. Interactions of partial inverse benzodiazepine agonists Ro 15-4513 and FG 7142 with ethanol in rats and cats, 86, 465P
- POLI, E. see BERTACCINI, G., 86, 641P
- POLLOCK, W.K. see JONES, R.L., 84, 148P
- POLLOCK, W.K., IRVINE, R.F., & RINK, T.J. Differential Ca²⁺ sensitivity of arachidonate liberation evoked by collagen and ionomycin in FURA2-loaded human platelets, 86, 655P
- POLLONI, A. see DEL TACCA, M., 86, 638P
- POYSER, N.L. & RILEY, S.C. Effect of actinomycin on prostaglandin F_{2α} output from the guinea-pig uterus

- superfused *in vitro*, 86, 644P
 PORRECA, F. see COWAN, A., 85, 294P
 PORTA, R. see NIADA, R., 86, 625P
 PORTALEONE, P. see DI CARLO, F., 86, 560P
 PORTER, I.D., WHITEHOUSE, B.J., VINSON, G. P. & HINSON, J.P. Effects of increasing potassium ion concentration on steroid secretion from the *in situ* perfused rat adrenal gland, 86, 507P
 PORTER, J.C. see CALLINGHAM, B.A., 86, 553P
 PORTER, M. see BORKOWSKI, K.R., 84, 158P
 POULTER, M. see CROW, T.J., 84, 8P
 PRENTIS, R.A. & WALKER, S.R. Pharmaceutical innovation in the UK (1964-1980), 84, 118P
 PRESTWICH, S.A. see DOLPHIN, A.C., 86, 526P
 - - - see HORTON, R.W., 86, 472P
 PREZIOSI, E. see BENOIT, E., 86, 549P
 - - - see VACCA, M., 86, 793P
 PREZIOSI, P. & CIABATTONI, G. Isolated and ventilated guinea-pig lung: a method for studying drug interaction with cyclooxygenase and lipoxygenase pathways, 86, 649P
 PREZIOSI, P., CERRITO, F., DEL CARMINE, R., CARMIGNANI, M., MARTIRE, M. & VACCA, M. Central norepinephrinergic neurotransmission and adrenocortical activation by hydroxyurea - a new α_2 -blocking agent? 86, 542P
 PRICE, G.W. see BOWERY, N.G., 85, 234P, 238P
 PRINCE, A.K. see PEDDER, E.K., 84, 114P, 115P
 PRINO, G. see NIADA, R., 86, 625P
 PRIOR, C. see DEMPSTER, J., 86, 675P
 PRIOR, C., DEMPSTER, J., HENDERSON, F. & MARSHALL, I.G. Chloramphenicol simultaneously produces endplate ion channel block and slows channel closing rate, 86, 585P
 PROSDOCIMI, M. see TESSARI, F., 86, 622P
 PROUD, D. see KAGEY-SOBOTKA, A., 85, 345P
 PUGLISI, L., CHINETTI, L., ACCOMAZZO, M. R. & SCHATTON, W. Antilipolytic and antiinflammatory action of a new nicotinic acid derivative in the rat, 86, 646P
 QUATTRONE, G. see SQUADRITO, F., 86, 629P
 QUINN, M.J. see CONOLAN, S., 86, 399P
 RACAGNI, G. see CAGIANO, R., 86, 789P
 RACCA, S. see DI CARLO, F., 86, 560P
 RACKÉ, K. see BÖHM, E., 86, 534P
 - - - see MUSCHOLL, E., 84, 3P
 RADDINO, R. see FERRARI, R., 86, 722P
 RADZIWONIK, H. see GHELANI, A.M., 85, 346P; 86, 784P
 RAITERI, M. see BONANNO, G., 84, 190P; 86, 548P
 RAMACCI, M.T. see GHIRARDI, O., 86, 683P
 - - - see MACCARI, F., 86, 800P
 - - - see PACIFICI, L., 86, 728P
 RAMAGE, A.G. Effects of ritanserin and cinanserin on the cardiovascular system of the cat, 86, 598P
 - - - see CORDER, R., 85, 231P
 RAMAN, V. see ALI, S.M., 86, 470P
 RAMBALDI, M. see ANDREANI, A., 86, 771P
 RAMPART, M. & WILLIAMS, T.J. Inhibition of PMN-dependent oedema formation in rabbit skin by systemic treatment with catalase and 15-methyl-PGE₁, 85, 274P
 RANCE, M.J. see JAMIESON, A., 86, 787P
 - - - see RUSSELL, N.J.W., 84, 180P; 86, 788P
 - - - see TRAYNOR, J.R., 84, 52P
 RANDALL, J.I. see RODGERS, R.J., 84, 105P
 RANDO, S. see ANTONELLI, T., 86, 535P
 RAPER, C. see MCPHERSON, G.A., 84, 84P
 RASMUSSEN, A.C. see BLAKEMORE, R.C., 86, 570P
 RAWLINGS, D.A. see BLAKEMORE, R.C., 86, 570P
 REAVILL, C. see GARCHA, H.S., 85, 245P
 REES, C., ROBERTS, F., BLAKEMORE, R.B., COTTERELL, P. & MARLOW, S. An automated bioassay system using an Apple IIe microcomputer, 84, 200P
 REEVES, J.J. & STABLES, R. Antisecretory activity of the prostaglandin endoperoxide analogue, U46619, on the rat isolated gastric mucosa, 86, 524P
 REEVES, M.L. see ENGLAND, P.J., 86, 631P
 - - - see GRISTWOOD, R.W., 85, 224P
 REDFERN, P.H. see MOSER, P., 84, 70P; 86, 461P
 - - - see SLEIGHT, A.J., 86, 480P

- REFFIN, D. see HILL, S.J., 85, 357P
 REGGIANI, A. see SALA, R., 86, 603P
 REID, J.L. see DEIGHTON, N.M., 86, 741P
 - - - see HAMILTON, C.A., 85, 259P
 - - - see JONES, C.R., 85, 265P
 REIFFENSTEIN, R.J. see HU, W.Y., 86, 768P
 - - - see HUDSON, L.P., 86, 536P
 - - - see PENINGTON, N.J., 86, 550P
 RENNA, G. see CAGIANO, R., 86, 789P
 RENNIE, J.A. see CAPASSO, F., 86, 650P
 RENZI, A. see BARTOLINI, A., 86, 547P
 RESTELLI, G.V. see ABBIATI, G.A., 86, 659P
 REYNOLDS, G.P. see CHEETHAM, S.C., 86, 593P
 - - - see WUSTEMAN, M., 85, 363P
 REZAEI, E. see AKHTAR-KHAVARI, F., 85, 334P, 336P
 RHODES, C. see MCKILLOP, C.M., 84, 123P
 RHODES, K.F. see MCADAMS, R.P., 86, 494P
 RHODES, K.F. & WATERFALL, J.F. Differences in the sensitivity of regions of the canine saphenous vein to α_1 and α_2 -adrenoceptor selective agonists, 86, 496P
 RIBEIRO, J.A. & SEBASTIAO, A.M. The effects of forskolin and papaverine on nerve conduction in the presence of tetrodotoxin, 85, 362P
 RICHMOND, R. see DOLLERY, C.T., 85, 277P
 RILEY, S.C. see POYSER, N.L., 86, 644P
 RINK, T.J. see POLLOCK, W.K., 86, 655P
 RISING, T.J. see BOTTOMLEY, K.M.K., 84, 47P
 - - - see FOREMAN, J.C., 84, 48P
 RIVIERE, J.H. see BACK, D.J., 86, 801P
 ROACH, A.G. see BERRIDGE, T.L., 84, 193P
 - - - see BROADLEY, K.J., 85, 324P; 86, 699P
 - - - see DETTMAR, P., 86, 519P
 - - - see DOXEY, J.C., 86, 747P
 ROACH, A.G. & VIRDEE, N.K. Effects of aptazapine, mianserin and idazoxan on pressor responses to α -agonists, tyramine and 5-HT in pithed rats, 86, 743P
 ROBERTS, F. Measuring the dissociation constant of a partial agonist from its interaction with a full agonist, 85, 307P
 - - - see DAVIES, P., 84, 175P
 - - - see ELSE, E., 84, 201P
 - - - see KENNEDY, I., 86, 755P
 ROBERTS, L. see BROADLEY, K.J., 85, 320P
 ROBERTS, M.H.T. see DAVIES, M., 85, 255P; 86, 594P
 ROBERTS, P.J. see ANAND, H., 84, 184P; 86, 473P
 - - - see DAVIES, S.W., 86, 450P
 ROBERTS, P.J., SCHWARCZ, R. & SHARPE, J.A. Do L-glutamate binding sites on human erythrocyte plasma membranes provide a model for CNS excitatory amino acid receptors? 85, 374
 ROBERTSON, D. & SMITH, G.M. The role of products of platelet activation in collagen-induced death in rabbits, 86, 578P
 ROBERTSON, M.J. Endothelium-dependent, calcium-induced relaxation of vascular smooth muscle, 86, 506P
 RODGER, I.W. see GIEMBYCZ, M.A., 86, 651P
 - - - see JONES, C.R., 85, 265P
 RODGERS, R.J. & RANDALL, J.I. Strain differences in behaviourally-induced antinociception and morphine analgesia in male mice, 84, 105P
 RODIER, D. see BIZIERE, K., 85, 384P
 ROMA, A., ARMSTRONG, R.L., JONES, R.L., LEIGH, P.J., MACDERMOT, J. & WILSON, N.H. Novel prostaglandin endoperoxide analogues which block thromboxane receptors and mimic prostacyclin, 86, 643P
 ROMANDINI, S. see ESPOSITO, E., 86, 677P
 ROMANDINI, S., MERLO PICH, E., ESPOSITO, E. & SAMANIN, R. Is the effect of intracerebroventricular 5,7-dihydroxytryptamine on morphine analgesia time-dependent? 86, 702P
 ROMUALDI, P. see SPAMPINATO, S., 86, 528P
 ROONEY, K.F. see GONZALEZ, J.P., 86, 709P
 ROONEY, T.A. see NAHORSKI, S.R., 86, 667P
 ROSE, S. see JENNER, P., 84, 56P
 ROSSI, A.G. see DRUMMOND, A.H., 84, 27P
 - - - see MACINTYRE, D.E., 85, 377P; 86, 654P
 ROSSI, F. see MARMO, E., 86, 626P
 ROTHUL, A.L. see FLYNN, S.B., 86, 442P
 ROTHBERG, K. see MUTH, E., 86, 452P
 ROTIROTI, D. see AMMENDOLA, D., 86, 660P
 ROUND, A. see FOZARD, J.R., 85, 309P

- ROUND, A. & WALLIS, D.I. Selective blockade by ICS 205-930 of 5-HT depolarisations of the rabbit vagal afferent and sympathetic ganglion cells, 86, 734P
- ROUNDING, H.P. & TOWART, R. The effect of nifedipine on bronchoconstriction in the guinea-pig *in vivo*, 84, 15P
- ROUSE, W. see JOHNSON, I.R., 86, 763P
- ROUTLEDGE, C. see MARSDEN, C.A., 86, 415P
- ROUTLEDGE, P.A. see WATT, A.H., 84, 140P
- ROVATI, G.E. see NICOSIA, S., 86, 647P
- ROVATI, L.C. see MANTEGAZZA, P., 86, 530P
- RUCCI, L. see BORGHI-CIRRI, M.B., 86, 775P
- RUDD, R.M. see DICKINSON, K.E.J., 85, 256P
- RUPNIAK, N.M.J. see HORTON, R.W., 86, 472P
- RUSSELL, N.J.W. see CALLEN, T.S., 86, 750P
- - - see JAMIESON, A., 86, 787P
- RUSSELL, N.J.W., HEAPY, C.G. & RANCE, M. J. Naloxone induced desensitisation of perivascular nociceptors in the isolated perfused rabbit ear, 84, 180P
- RUSSELL, N.J.W., JAMIESON, A., CALLEN, T. S. RANCE, M.J. Peripheral opioid receptors, extravasation, neurogenic inflammation, 86, 788P
- RUSSO, S. see MARMO, E., 86, 626P
- RUTTERFORD, M.G. see BLOOMFIELD, J.G., 85, 217P, 323P
- RYAN, M.P. see MURPHY, J.J., 84, 26P
- RYLEY, H.C. see EDWARDS, D.H., 85, 341P
- SACERDOTE, P. see MANTEGAZZA, P., 86, 530P
- SAGRATELLA, S., NIGLIO, T. & SCOTTI DE CAROLIS, A. An investigation on the anticonvulsant activity of phencyclidine and ketamine in rabbits, 86, 694P
- SALA, M. see PAROLARO, D., 86, 619P
- SALA, R., CARENZI, A., REGGIANI, A. & DELLA BELLA, D. Effect of the new β_2 -agonist broxaterol on receptor-mediated lipolysis and pulmonary surfactant release in isolated cell systems, 86, 603P
- SALAICES, M. see MARTIN, J., 86, 500P
- SALES, G.D. see CAGIANO, R., 86, 789P
- SALMON, J.A. see BAKHLE, Y.S., 84, 38P; 86, 423P
- - - see HENDERSON, B., 85, 276P
- SALAMONE, J. see MCQUEEN, J.K., 86, 674P
- SAMANIN, R. see ESPOSITO, E., 86, 677P
- - - see ROMANDINI, S., 86, 702P
- SANGSTER, S.A. see CALDWELL, J., 84, 24P
- SANJAR, S. see MAZZONI, L., 86, 571P
- SANTI SONCIN, E. see FLOREANI, M., 86, 726P
- SAPRA, M. see GREEN, K.L., 86, 502P
- SARRET, M. see AGOZZINO, S., 86, 716P
- SASTRY, B.R. Leupeptin does not block the induction of long-lasting potentiation in hippocampal CA₁ neurones, 86, 589P
- SAUTEBIN, L. see NICOSIA, S., 86, 647P
- SAWYER, R. see DOCHERTY, J.R., 84, 145P
- SAXENA, P.R. An interactive computer programme for data management and parametric and nonparametric statistical analysis, 86, 818P
- - - Heart rate responses to selective agonists of 5-hydroxytryptamine₁ receptors in the spinal cat, 86, 599P
- - - see DUNCKER, D.J., 86, 596P
- - - see HEILIGERS, J., 85, 218P, 393P
- - - see LAWANG, A., 85, 316P
- SCANFERLATO, R. see FLOREANI, M., 86, 726P
- SCARPONI, U. see CESERANI, R., 86, 780P
- SCATTON, B. see DENNIS, T., 84, 93P
- SCHACHTER, M. see MORICE, A., 86, 697P
- SCHATTON, W. see PUGLISI, L., 86, 646P
- SCHEER, H. see MADEDDU, L., 86, 564P
- SCHIANTARELLI, P. see FERRARI, R., 86, 722P
- SCHIANTARELLI, P. & BONGRANI, S. Cardiovascular and bronchodilating properties of trapidil, 86, 732P
- SCHIAVONE, A., ANGELICI, O., MICHELETTI, R. & GIACHETTI, A. M₁ muscarinic antagonists selectively inhibit vagally-induced acid secretion, 86, 798P
- SCHINETTI, M.L. & BERTELLI, A. Effect of anthracyclines on superoxide production and metabolic activity of human neutrophils, 86, 562P
- SCHINI, V. see MILLER, R.C., 84, 20P
- SCHOEFFTER, P. see MILLER, R.C., 84, 20P

- SCHOEMAKER, H. see LANGER, S.Z., 84, 59P; 85, 216P, 278P
- SCHROER, K. see LATTA, G., 84, 41P
- SCHWARCZ, R. see ROBERTS, P.J., 85, 374P
- SCHWARTZMAN, M. see CARRARA, M.C., 84, 39P
- SCOTCHER, K.P. see CALLEN, T.S., 86, 750P
- - - see OLDHAM, A.A., 86, 749P
- SCOTT, E.M. see KIRKMAN, E., 84, 21P
- SCOTT, N.C. see BRADLEY, H.A., 86, 767P
- - - see GRAHAM, D., 86, 758P
- SCOTT, R.H. see DUCE, I.R., 86, 431P
- SCOTTI DE CAROLIS, A. see SAGRATELLA, S., 86, 694P
- SEBASTIAO, A.M. see RIBEIRO, J.A., 85, 362P
- SECHTER, D. see BENKELFAT, C., 85, 215P
- SEED, M.P. see HENSBY, C.N., 86, 806P
- SEGONZAC, A. see LANGER, S.Z., 84, 59P; 85, 216P
- SEMPLE, J.M. see MCCLELLAND, G.R., 84, 202P
- SENIOR, J. see BARNES, N.J.G., 85, 289P
- - - see DESTA, B., 86, 791P
- SESARDIC, D. see BOOBIS, A.R., 86, 511P
- SESTILI, P. see CANTONI, O., 86, 563P
- SEVER, P.S. see DICKINSON, K.E.J., 85, 256P; 86, 492P
- - - see MORICE, A., 86, 697P
- SEWELL, R.D.E. see BARASI, S., 84, 166P; 85, 35P
- - - see BENSRETI, M.M., 85, 296P
- - - see GONZALEZ, J.P., 86, 709P
- SEWELL, R.D.E. see JACKSON, H.C., 84, 97P; 85, 297P; 86, 459P, 712P
- SGARAGLI, G.P. see DELLA CORTE, L., 86, 557P
- - - see PALMI, M., 86, 693P
- SHAHID, M. see ENGLAND, P.J., 86, 508P
- SHAND, R.A. see BUTLER, K.D., 86, 556P
- SHANKLEY, N.P. see BLACK, J.W., 85, 212P
- SHARIF, N.A. Low-affinity substance P receptors modulate TRH-receptor interactions: tissue specificity and effects of other drugs, 84, 66P
- SHARMA, R.P. see COX, H.M., 86, 487P
- SHARP, T., see HOKFELT, T., 84, 7P
- SHARP, T., UNGERSTEDT, U. & ZETTERSTROM, T. Effect of dopamine D-1 receptor selective drugs on dopamine release and metabolism in rat brain in vivo, 84, 191P
- SHARPE, J.A. see ROBERTS, P.J., 85, 374P
- SHAW, A.M. see JONES, R.L., 84, 148P
- SHAW, J.S. Threshold effects: a source of error in pA₂ determinations, 86, 770P
- SHAW, L. see AL-ASADY, S.A.H., 85, 306P
- SHAW, R.J. see CROMWELL, O., 86, 427P
- SHEEHAN, M.J. see HAYES, A.G., 86, 703P
- SHEEHAN, M.J. & HAYES, A.G. Opioid receptors in the hamster vas deferens, 85, 393P
- SHEEHAN, M.J., HAYES, A.G. & TYERS, M. B. Irreversible block of K receptors in the guinea-pig ileum, 84, 68P
- SHELDRIK, R.L.G. see COLEMAN, R.A., 85, 273P; 86, 803P
- SHEPPERSON, N.B. see PACIOREK, P.M., 84, 40P; 85, 321P
- SHERIDAN, D.J. see BROADLEY, K.J., 84, 194P; 85, 261P, 320P; 86, 759P
- SHERIDAN, R.D. see BRADSHAW, C.M., 84, 1P; 86, 395P
- SHORTER, J.H. see MCCLELLAND, G.R., 84, 202P
- SILBERSTEIN, D.J. see BOWMER, C.J., 84, 132P
- SIBILIA, V. see GUIDOBONO, F., 86, 687P
- SILLITO, A.M. see GRIEVE, K.L., 85, 253P
- SIMMONDS, S.H. & STRANGE, P.G. Effect of D₂ dopamine receptor on inositol phospholipid metabolism in anterior pituitary, 84, 111P
- SIMONATO, M. see ANTONELLI, T., 86, 535P
- SIMPSON, K.H. see COSTALL, B., 86, 757P
- SIMPSON, M.D.C. see JENNER, P., 86, 469P
- SINGH, L. see HANDLEY, S.L., 84, 86P, 87P
- SINISCALCHI, A. see BEANI, L., 86, 664P
- SIVILOTTI, L. The frog optic tectum in vitro is a useful preparation for studies on the pharmacology of central transmitters, 84, 102P
- - - see NISTRI, A., 86, 537P
- SKAN, W.J. see CROSS, A.J., 86, 475P, 686P
- SKETT, P. & CUTHILL, S. Influence of vesicle lipid composition of drug metabolism by a reconstituted mixed function oxidase enzyme system, 86, 555P
- SKIDMORE, I.F. see BOUTAL, L.E., 86, 802P
- SKIDMORE, I.F. & VARDEY, C.J. β -adrenoceptor agonists stimulate the release of 5-HT from rat

- serosal mast cells, 86, 448P
- SLATER, P. A microcomputer-based image analyser for receptor autoradiography, 85, 391P
- - - Quantitative autoradiography of [^3H]dynorphin $_1$ -9 binding sites in guinea pig brain, 84, 99P
- - - see CROSS, A.J., 86, 475P, 686P
- - - see PATEL, S., 85, 314P
- SLATER, R.A. see COATES, W.J., 84, 22P
- SLEIGHT, A.J., REDFERN, P.H. & PALFREYMAN, M.G. Pharmacological evidence for the neuronal selectivity of the MAO inhibiting prodrug, MDL 72394, 86, 480P
- SMALL, R.C. see FOSTER, R.W., 84, 17P
- SMEATON, L.A. see DETTMAT, P.W., 85, 319P
- SMITH, A. see KELLAWAY, I.W., 85, 300P
- SMITH, C.J. see CANDY, J.M., 84, 61P
- SMITH, D.A.S. see BLAKE, J., 86, 396P
- SMITH, G. see CAIRNDUFF, B., 86, 525P
- SMITH, G.M. see ROBERTSON, D., 86, 578P
- SMITH, H. see LAYCOCK, S.M., 86, 424P
- SMITH, J.A. see ASKAM, V., 85, 313P
- - - see MARTIN, W., 86, 567P
- SMITH, R.L. see CALDWELL, J., 85, 208P
- SMOKCUM, R.W.J. see KOSHIKAWA, N., 84, 113P
- SNELL, C.R. see BLOXHAM, C.A., 85, 232P
- - - see CANDY, J.M., 86, 551P
- SOARES-DA-SILVA, P. see BOWMAN, A., 84, 19P
- SOLDANI, G. see DEL TACCA, M., 86, 638P
- SOLDANI, G., DEL TACCA, M., BERNARDINI, C. & BARTOLINI, D. Mu and delta but not kappa opioid agonists mediate gastric secretory effects in the dog, 86, 640P
- SOUHAMI, R.L. see CROOK, T., 84, 128P
- SPAMPINATO, S., CANDELETTI, S., CAVICCHINI, E., ROMUALDI, P., SPERONI, E. & FERRI, S. Characterization of antinociceptive profiles of intrathecal dynorphin and calcitonin-related peptides, 86, 528P
- SPANO, P.F. see LIBERINI, P., 86, 552P
- - - see MEMO, M., 86, 543P
- SPARKS, M. see DAVIES, J.A., 85, 393P
- SPARROW, P. see ELSE, E., 84, 201P
- SPEEDING, M. Tissue size is a major factor influencing tissue selectivity studies with nifedipine, 84, 156P
- - - see MILLER, R.C., 84, 20P
- SPENCER, P.S.J. see GONZALEZ, J.P., 86, 709P
- SPERONI, E. see SPAMPINATO, S., 86, 528P
- SPICER, B.A. see LAYCOCK, S.M., 86, 424P
- SPRAGGS, C.F. see BUNCE, K.T., 85, 204P
- SPRUCE, K.E. see MASTERS, D.J., 84, 45P
- SQUADRITO, F., TRIMARCHI, G.R., QUATTRONE, G., BREZENOFF, H.E. & CAPUTI, A.P. Central nervous system (CNS) control of arterial blood pressure in streptozotocin (STZ) diabetic rats, 86, 629P
- STABLES, R. see REEVES, J.J., 86, 524P
- STAMFORD, J.A. Actions of methylphenidate on neurogenic release and uptake of dopamine *in vivo*, 84, 9P
- - - see KRUK, Z.L., 84, 199P; 86, 635P
- STANCLIFFE, D. see KILPATRICK, I.C. 86, 408P
- STANFORD, S.C. see LITTLE, H.J., 85, 369P; 86, 769P
- STANTON, A.W.B. see PIPER, P., 85, 270P
- STEEL, G. see BOUGHTON-SMITH, N.K., 84, 159P
- STEIN, W.K. see DOWNING, O.A., 86, 717P
- STENDARDI, I. see BENNARDINI, F., 86, 623P
- STEPHENS, D.N. Tolerance to the antipunishment effects of diazepam in mice, 85, 249P
- STEPHENS, M.R. see WATT, A.H., 84, 140P
- STEPHENS, R.J. see HARTLEY, J.E., 84, 82P
- STEPHENSON, J.D. see KOSHIKAWA, N., 84, 113P
- STERLING, W.W. see MCMILLAN, R.M., 84, 44P
- STEVENSON, I.H. see OGG, G.D., 84, 161P
- - - see PATERSON, J.R., 85, 299P
- STEVENSON, M. see ANDREWS, M., 84, 125P
- STEWART, A. see BOTTOMLEY, K.M.K., 84, 47P
- STEWART, A.G. see PIPER, P.J., 86, 814P
- STOCKTON, J.M. see BERRIE, C.P., 84, 4P
- STOLERMAN, I.P. see GARCHA, H.S., 85, 245P
- STOLZ, J. see ABDUL, R., 85, 371P
- STOLZ, J.F. see GONZALEZ, J.P., 85, 248P; 86, 444P
- STONE, M.A. see DOWNES, C.P., 84, 196P
- STONE, T.W. see ADDAE, J.I., 84, 91P; 85, 361P
- - - see COLLINS, J.F., 85, 373P
- - - see CONNICK, J.H., 84, 92P
- STONE, T.W. see LONG, C.J., 84, 152P; 85, 340P

- STOPHER, D.A. see BERESFORD, A.P., 85, 333P
- STRACHAN, A.C. see CLAGUE, R.U., 84, 155P
- - - see EGLEN, R.M., 85, 213P
- STRACHAN, D.A. see BERRIDGE, T.L., 84, 193P
- STRANGE, P.G. see JUSZCZAK, R., 84, 110P
- - - see SIMMONDS, S.H., 84, 111P
- STRASSER, R.H. see CARON, M.G., 85, 326P
- STRETTLE, R.J. see BATES, R.F.L., 86, 809P
- STRUPISH, J. see NAHORSKI, S.R., 84, 109P
- SUMMERFIELD, A. see GREEN, S.E., 84, 74P
- SUTTON, J.D. see CALDWELL, J., 84, 24P
- SWEETMAN, A.J. see MCNAMEE, P.M., 86, 505P, 811P
- SWART, S.S., MAGUIRE, M. & BARNETT, D.B. Normal α_2 -adrenoceptor coupling in adrenaline insensitive human platelets, 84, 63P
- SYMONS, A.M. see DOWLING, E.J., 84, 79P
- SZABADI, E. see BRADSHAW, C.M., 84, 1P; 86, 395P, 419P
- SZABADI, E. see BRADSHAW, C.M., 85, 356P
- TADDEI, E. see MANTOVANI, P., 86, 778P
- TAHRAOUI, L. see GRAHAM, D., 84, 58P
- TAMARGO, J. see CALLEJA, C., 84, 172P
- - - see DELGADO, C., 84, 171P; 86, 499P
- - - see MARTIN, J., 86, 500P
- TAN, C.C.W. see BRADBURY, A.J., 86, 691P, 738P
- - - see COSTALL, B., 85, 353P
- TANGANELLI, S. see ANTONELLI, T., 86, 535P
- TAVARES, I.A. see CAPASSO, F., 86, 650P
- TAYLOR, D.A. see CONOLAN, S., 86, 399P
- TAYLOR, E.M. see COATES, W.J., 84, 22P
- TAYLOR, G. see KELLAWAY, I.W., 85, 300P
- TAYLOR, G.W. see DOLLERY, C.T., 85, 277P
- TAYLOR, S.C. see LITTLE, H.J., 84, 187P; 85, 369P; 86, 769P
- TAYLOR, S.G. see BULLOCK, G.R., 85, 269P
- TEE, L.B.G. see BOOBIS, A.R., 84, 138P
- TEJERINA, T. see DELGADO, C., 86, 499P
- - - see MARTIN, J., 86, 500P
- TEMPLETON, D. see ADHAM, N., 86, 756P
- - - see ARKLE, S., 86, 701P
- TESSARI, F., GORIO, A. & PROSDOCIMI, M. Analysis of endogenous noradrenaline outflow from cardiac sympathetic efferent fibres, 86, 622P
- TESTA, R. see ABBIATI, G.A., 86, 659P
- - - see IBBA, M., 86, 706P
- THIRY, C. see CAVERO, I., 84, 182P
- THOMAS, D.R. see JOHNSON, A.M., 85, 221P
- THOMAS, S. see BOWERY, N.G., 85, 238P
- THOMAS, P.J. see AL-DAHAN, M., 86, 605P
- THOMAS, S.R. see GILL, R., 85, 252P
- THOMPSON, A.M. see HARTLEY, J.E., 84, 82P
- THOOLEN, M.J.M.C. see JONKMAN, F.A.M., 84, 195P
- - - see KORSTANJE, C., 84, 179P
- - - see VAN CHARLDORP, K., 84, 178P
- THULESIUS, O. see ANGELO-KHATTAR, M., 85, 325P
- TIMBRELL, J.A. see TULIP, K., 84, 136P
- TIMMERMANS, P.B.M.W.M. see BECKERINGH, J.J., 84, 177P
- TIO, R. see HEILIGERS, J., 85, 393P
- TIPPINS, J.R. see BRAIN, S.D., 85, 233P
- TIPTON, K.F. see DELLA CORTE, L., 86, 557P
- TORTORELLA, V. see BETTONI, G., 86, 774P
- TOTI, D. see CESERANI, R., 86, 780P
- TOWART, R. see FOSTER, R.W., 84, 17P
- - - see ROUNDING, H.P., 84, 15P
- TRAYNOR, J.R. & RANCE, M.J. Unexpected properties of [3 H]-bremazocine binding to rat lumbrosacral spinal cord membranes, 84, 52P
- TREACY, M. see KEENAN, A.K., 84, 101P
- TERRANOVA, J.P. see BIZIERE, K., 84, 146P
- TRICKLEBANK, M.D. see GOWER, A.J., 85, 246P
- - - see MIDDLEMISS, D.N., 85, 251P
- TRIM, J.L. see COLES, D.J., 86, 748P
- - - see HOLMES, S.W., 84, 36P
- TRIMARCHI, G.R. see SQUADRITO, F., 86, 629P
- TROUT, S.J. see BURLEIGH, D.E., 84, 165P
- TSANG, R. see CAPASSO, F., 86, 650P
- TUCKER, G.T. see AL-ASADY, S.A.H., 85, 306P
- - - see BAX, N.D.S., 84, 137P

- TUCKER, J.F. & VON UEXKULL, A. Differential effect of pertussis toxin on the inhibitory actions of adenosine in guinea-pig isolated ileum and trachea, 86, 579P
- TULIP, K., NICHOLSON, J.K. & TIMBRELL, J. A. Studies on the metabolism of N-methylformamide, 84, 136P
- TULLOCH, I.F. see BERRIDGE, T.L., 84, 193P
- - - see DOXEY, J.C., 86, 747P
- - - see GADIE, B., 84, 192P; 86, 742P
- TURNBULL, M.J. see LONG, S.K., 84, 6P
- TURSKI, L. see CAVALHEIRO, E.A., 85, 367P
- - - see MELDRUM, B.S., 85, 370P
- TWISSELL, D.J. see GARDNER, C.J., 86, 620P
- TYERS, M.B. see FORTUNE, D.H., 84, 49P
- - - see HAYES, A.G., 86, 703P
- - - see SHEEHAN, M.J., 84, 68P
- TYMKIEWYCZ, P.M. see ARMSTRONG, R.A., 84, 147P
- - - see CLARK, B.F., 86, 795P
- UGWU, A.C. see FASEHUN, O.A., 86, 753P
- UKMAR, G. see GROSSONI, M., 86, 628P
- UNGAR, A. see MACLEAN, M.R., 86, 761P
- UNGERSTEDT, U. see ARBUTHNOTT, G., 84, 10P
- - - see HOKFELT, T., 84, 7P
- - - see SHARP, T., 84, 191P
- UZAN, A. see BENAVIDES, J., 86, 440P
- VACCA, M. see PREZIOSI, P., 86, 542P
- VACCA, M., NAVARRA, P.L., DE GORI, N. & PREZIOSI, P. Adrenal stimulation or corticosteroid replacement treatments counteract an unique hydroxyurea toxicity in pituitary-ablated rats, 86, 793P
- VACCARI, A. Central high affinity binding of ³H-tyramine, 86, 636P
- VAGHI, F. see CESERANI, R., 86, 780P
- VALENZUELA, C. see DELGADO, C., 84, 171P; 86, 499P
- VALERIO, A. see MEMO, M., 86, 543P
- VALOTI, M. see DELLA CORTE, L., 86, 557P
- VAN CHARLDORP, K., DE JONGE, A., THOOLEN, M.J.M.C., WILFFERT, B. & VAN ZWIETEN, P. A. Selectivity of different muscarinic agonists for receptors in the heart, urinary bladder and sympathetic ganglia in the pithed rat, 84, 178P
- VAN HOVE, C., see COENE, M.-C., 85, 267P
- VAN NUETEN, J.M. see JANSSENS, W.J., 86, 597P
- VAN OOSTERHOUT, A.J.M. & NIJKAMP, F.P. Effect of anterior hypothalamic lesions on anaphylactic contraction and histamine sensitivity of guinea-pig trachea, 86, 785P
- VAN WAY, C. see ALLAN, G., 86, 439P
- VAN ZWIETEN, P.A. see BECKERINGH, J. J., 84, 177P
- - - see JONKMAN, F.A.M., 84, 195P
- - - see KORSTANJE, C., 84, 179P
- - - see VAN CHARLDORP, K., 84, 178P
- VANNUCCHI, M.G., CORRADETTI, R., BARTOLINI, L., PEDATA, F. & PEPEU, G. Chronic caffeine treatment reduces caffeine but not adenosine effects on cortical acetylcholine release, 86, 606P
- VANTINI, G. see FIGLIOMENI, B., 86, 681
- VARDEY, C.J. see SKIDMORE, I.F., 86, 448P
- VERBEUREN, T.J. see COENE, M.-C., 85, 267P
- VERDOUW, P.D. see DUNCKER, D.J., 86, 596P
- VERHEGGEN, R. see LATTA, G., 84, 41P
- VIAL, J. see DOLLERY, C.T., 85, 277P
- VICKERS, V.C. see MASTERS, D.J., 84, 45P
- VIDAL, M.J. see HICKS, P.E., 85, 225P
- VIGANO, T. see FOLCO, G.C., 86, 645P
- VILLA, I. see GUIDOBONO, F., 86, 687P
- VILLANI, G.M. see FURCHGOTT, R.F., 86, 565P
- VINCENT, A. see LACEY, G., 85, 214P
- VINCENT, N.D. see GREEN, A.R., 84, 88P, 89P; 86, 541P
- VINSON, G.P. see PORTER, I.D., 86, 507P
- VIRDEE, N.K. see DOXEY, J.C., 86, 747P
- - - see ROACH, A.G., 86, 743P
- VON UEXKULL, A. see TUCKER, J.F., 86, 579P
- WADDINGTON, J.L. see MOLLOY, A.G., 84, 71P; 85, 242P
- WADDINGTON, J.L. see O'BOYLE, K.M., 84, 73P; 86, 435P
- WADSWORTH, R.M. see DONG, Y.J., 85, 379P
- WAINWRIGHT, C.L. see PARRATT, J.R., 85, 228P

- WALI, F.A. In vitro comparison between the neuromuscular blockade produced by atracurium and tubocurarine in the frog sartorius muscle, 86, 453P
- - - The effect of meptazinol on rat skeletal and smooth muscle, 84, 83P
- - - Verapamil and calcium chelating agents increase the neuromuscular blockade produced by pancuronium in the chick skeletal muscle, 86, 739P
- - - see ADAMS, A.P., 85, 327P
- WALKER, D.S. see DOXEY, J.C., 86, 747P
- WALKER, K.A. see BARBER, H.E., 84, 120P
- WALKER, R. see ARBUTHNOTT, G., 84, 10P
- WALKER, R.J. see COX, R.T.L., 86, 449P
- WALKER, R.J. & WRIGHT, N.J.D. Action of piritanide on acetylcholine responses of central neurones of *Helix aspersa*, 86, 454P
- WALKER, S.R. see LUMLEY, C.E., 84, 117P
- - - see PRENTIS, R.A., 84, 118P
- WALLACE, J.L. see BOUGHTON-SMITH, N.K., 84, 159P
- WALLIS, D.I. see FOZARD, J.R., 85, 309P
- - - see ROUND, A., 86, 734P
- WALLIS, R.B. see BUTLER, K.D., 86, 556P
- WALLWORK, J. see CAMERON, D., 85, 226P
- WALSH, G.M. see CROMWELL, O., 86, 427P
- WANKE, E. see MADEDDU, L., 86, 564P
- WARD, S.A. see BRECKENRIDGE, A.M., 86, 405P
- WARDLE, K.A. see ALLCORN, R.J., 85, 263P
- WARNOCK, P. see DOCHERTY, J.R., 85, 264P
- WARREN, M. see BALLS, M., 85, 387P
- WARRINGTON, B.H. see COATES, W.J., 84, 22P
- WATERFALL, J.F. see MCADAMS, R.P., 86, 493P, 494P
- - - see RHODES, K.F., 86, 496P
- WATERFIELD, S. see MCCLELLAND, G.R., 84, 202P
- WATERMAN, A. see NOLAN, A.M., 86, 462P
- WATKINS, J.C. see MELDRUM, B.S., 85, 370P
- WATLING, K.J. see BRISTOW, D.R., 86, 430P
- WATT, A.H., BUSS, D.C., STEPHENS, M.R. & ROUTLEDGE, P.A. Amiodarone reduces plasma warfarin clearance in man, 84, 140P
- WAUGH, N.R. see LINDSAY, R.M., 86, 797P
- WAYNE, M. see JESSUP, G.L., 86, 808P
- WDONWICKI, G. see PIERI, L., 86, 592P
- WEBB, A.J. see MARSDEN, C.A., 86, 398P
- WEBBER, S.E. see FOREMAN, J.C., 84, 48P
- WEBSTER, R.A. see FARRANT, M., 84, 183P
- WEETMAN, D.F. see LAWSON, K., 85, 283P, 386P
- WEIGHTMAN, D.R. see BLOXHAM, C.A., 85, 232P
- WEIR, S.W. see HAMILTON, T.C., 86, 443P
- WELBOURN, A.P. see BERRIDGE, T.L., 84, 193P
- WENGER, J.J. see NATOFF, I.L., 85, 337P
- - - see BREWSTER, M., 85, 393P
- WERMUTH, C.G. see BIZIERE, K., 86, 404P
- WESTON, A.H. see BULLOCK, G.R., 85, 269P
- - - see FOSTER, R.W., 84, 17P
- - - see GRANGER, S.E., 85, 282P
- - - see HAMILTON, T.C., 86, 443P
- WESTON, M.J. see DODD, N.J., 85, 285P
- WHALLEY, E.T. Vascular permeability actions of kinins, 86, 754P
- WHEATLEY, P.L. see LAMB, R.J., 85, 235P
- - - see MILLER, A.A., 85, 366P
- WHELAN, C.J. see KENNEDY, I., 86, 523P
- WHITE, J.P.N. see CANFIELD, S.P., 84, 80P
- WHITEHOUSE, B.J. see PORTER, I.D., 86, 507P
- WHITFORD, C.A. see BLOXHAM, C.A., 85, 232P
- - - see CANDY, J.M., 86, 551P
- WHITING, M.V. see ALLAN, G., 86, 439P
- WHITING, P. see LACEY, G., 85, 214P
- WHITING, R.L. see BROWN, C.M., 86, 600P, 766P
- - - see CLAGUE, R.U., 84, 154P, 155P
- - - see CLARKE, B., 85, 330P; 86, 760P
- - - see EGLIN, R.M., 84, 13P; 85, 213P; 86, 397P, 610P, 658P, 744P
- - - see KENNY, B.A., 86, 451P
- - - see MICHEL, A.D., 86, 495P, 816P
- - - see PATMORE, L., 86, 817P
- WHITTLE, B.J.R. see BOUGHTON-SMITH, N.K., 84, 159P
- - - see GUTH, P.H., 84, 37P
- WICK, M.B. see ENGEL, G., 84, 106P
- WIDDOWSON, P.S. see GRIFFITHS, E.C., 86, 458P
- - - see HOLMAN, R.B., 86, 412P
- WIECZOREK, W.J. see D'MELLO, A., 84, 151P
- WILBOURN, B. see BROWN, K.A., 86, 425P

- WILFFERT, B. see VAN CHARLDORP, K., 84, 178P
- WILKS, L.J. see FILE, S.E., 86, 457P
- WILKINSON, J. see HOLT, D.J., 85, 292P
- WILKINSON, L.S. see DAVIES, M., 85, 255P
- WILKINSON, S.J. see CORDER, R., 85, 231P
- WILLIAMS, F.M. see COKER, S.J., 84, 30P
- WILLIAMS, H. see GREEN, A.R., 84, 88P
- WILLIAMS, K.I. see DAVIES, J.M., 85, 343P
- - - see HENSBY, C.N., 86, 806P
- WILLIAMS, R.J. see DETTMAR, P., 86, 519P
- WILLIAMS, S.H. see CONSTANTINI, A., 86, 394P
- WILLIAMS, T.J. see BRAIN, S.D., 85, 233P
- - - see HELLEWELL, P.G., 86, 572P
- - - see RAMPART, M., 85, 274P
- WILLIAMSON, K.L. see BROADLEY, K.J., 84, 160P; 85, 261P, 324P; 86, 699P
- WILLIAMSON, R. see COLLINGRIDGE, G.L., 86, 474P
- WILSON, A.N.A. see BROADLEY, K.J., 84, 176P; 85, 227P; 86, 441P, 721P
- WILSON, G.A.M. see MAIN, I.H.M., 86, 426P
- WILSON, J.F. see ASKAM, V., 85, 313P
- WILSON, K. see DETTMAR, P., 86, 519P
- WILSON, K.A. see DOWNING, O.A., 84, 163P; 86, 504P, 717P
- WILSON, K.L. see COLES, D.J., 86, 748P
- WILSON, N.H. see ARMSTRONG, R.A., 86, 643P
- - - see JONES, R.L., 84, 148P
- WINTER, R.J.D. see DICKINSON, K.E.J., 85, 256P
- WONG, E.H.F. see BRISTOW, D.R., 86, 430P
- - - see KEMP, J.A., 85, 237P
- WOOD, B.E. see BLACKHAM, A., 86, 786P
- WOOD, D.A.R. see BATES, R.F.L., 86, 809P
- WOOD, M.D. see BLURTON, P., 84, 98P
- WOOD, P. see BLACKBURN, T.P., 86, 497P
- WOODBURN, M.M.P. see BRADLEY, H.A., 86, 767P
- WOODRUFF, G.N. see HOLDEN-DYE, L., 86, 634P
- - - see KEMP, J.A., 85, 237P
- - - see MAGUIRE, J., 85, 388P
- WOODS, H.F. see AL-ASADY, S.A.H., 85, 306P
- - - see BAX, N.D.S., 84, 137P
- WOODWARD, B. see AVKIRAN, M., 86, 615P
- - - see BENTHAM, J.M., 86, 810P
- WOOLFREY, S.G. see KELLAWAY, I.W., 85, 300P
- WORCEL, M. see HAMON, G., 84, 168P
- WORMS, P. see BIZIERE, K., 84, 55P. 85, 385P; 86, 404P, 417P
- - - see BRIET, C., 85, 383P
- WOUTERSEN-VAN NIJNANTEN, F.M.A. see LOESBERG, C., 86, 569P
- WRAY, D. see LACEY, G., 85, 214P
- WRIGHT, D.M. An agonistic effect of a substance P antagonist, 85, 229P
- WRIGHT, G. see KENNEDY, I., 86, 523P
- WRIGHT, N.J.D. see WALKER, R.J., 86, 454P
- WUSTEMAN, M., REYNOLDS, G.P. & MARTIN, I.L. Flunitrazepam and muscimol binding to post-mortem brain tissue in epilepsy, 85, 363P
- WYLLIE, M.G. see BROADHURST, A.M., 86, 614P
- YACOB, M. see KERWIN, R.W., 85, 288P
- YADAV, N.K. see HART, S.L., 86, 662P
- YATES, M. see CANDY, J.M., 84, 90P
- YATES, M.S. see BOWMER, C.J., 84, 131P, 132P
- YOUNG, M.M. see GODFREY, P.P., 84, 112P; 86, 446P
- ZANONI, R. see DI GIULIO, A.M., 86, 527P
- ZARIFIAN, E. see BENKELFAT, C., 85, 215P
- ZEITLIN, I.J. see AL-DHAHIR, H.A.R., 86, 481P
- - - see GALLOWAY, D.J., 86, 490P
- ZETTERSTROM, T. see HOKFELT, T., 84, 7P
- - - see SHARP, T., 84, 191P
- ZHU, X.Z. see COWAN, A., 85, 294P
- ZILLETI, L. see CIUFFI, M., 86, 637P
- ZONNEKEYN, L. see COENE, M.-C., 85, 267P
- ZUBIETA, J.K. see GARCIA-SEVILLA, J.A., 86, 580P
- ZUNINO, F. see BOSSA, R., 86, 772P

SUBJECT INDEX

- Absorption, 85, 300P
- Abstinence, 85, 294P
- Acetyl-L-carnitine, 86, 683P
- Acetylation, 85, 378P
- Acetylcholine, 84, 150P; 85, 253P; 86, 449P, 454P, 535P, 606P, 668P
- Acetylcholine receptors, 85, 214P
- Acetylcholine release, 84, 108P; 86, 601P, 663P
- Acetylcholinesterase containing neurones, 86, 450P
- O-acetylcholine mustard, 84, 115P
- N-acetylprocainamide ethobromide, 84, 132P
- Acetylsalicylate, 86, 531P
- Actinomycin D, 86, 644P
- Adenosine, 84, 150P, 176P; 85, 227P, 228P, 340P; 86, 400P, 441P, 449P, 563P, 582P, 583P, 606P
- Adenosine, endogenous, 86, 721P
- Adenosine diphosphate, 84, 25P
- Adenosine 3',5'-monophosphate, cyclic, 84, 6P, 28P; 86, 407P, 482P, 546P, 552P, 577P, 651P, 672P
- Adenosine receptors, 86, 438P
- Adenosine release, 86, 672P
- Adenosine transport, 85, 280P
- Adenosine triphosphate, 85, 344P
- Adenosine triphosphatase, 86, 792P
- Adenylate cyclase, 84, 48P; 85, 265P; 86, 426P, 582P, 633P, 700P, 731P, 805P
- Adrenal cortex, 86, 507P
- Adrenal glands, 85, 386P
- Adrenal medulla, 86, 761P
- Adrenal stimulation, 86, 542P
- Adrenaline, 84, 12P; 85, 324P, 386P; 86, 415P
- α -Adrenoceptor activation, 86, 494P
- α_1 -Adrenoceptor activation, 84, 192P
- α_2 -Adrenoceptor agents, 85, 293P
- Adrenoceptor agonists, 84, 2P
- α_1 -Adrenoceptor agonists, 84, 160P
- α_2 -Adrenoceptor agonists, 85, 321P; 86, 781P
- β -Adrenoceptor agonists, 84, 195P
- α -Adrenoceptor antagonists, 85, 264P, 376P
- α_2 -Adrenoceptor antagonists, 84, 145P, 192P, 193P; 86, 542P, 781P
- β -Adrenoceptor antagonists, 84, 76P, 195P; 85, 251P
- β_1 -Adrenoceptor antagonists, 84, 31P
- β -Adrenoceptor binding, 86, 766P
- α -Adrenoceptor blockade, 86, 743P
- β -Adrenoceptor desensitization, 86, 653P
- β_1 -Adrenoceptor partial agonists, 84, 31P
- β -Adrenoceptor responses, 86, 648P
- β -Adrenoceptor up-regulation, 86, 769P
- Adrenoceptors, 85, 261P, 340P, 369P; 86, 627P, 699P, 717P, 769P
- α -Adrenoceptors, 84, 87P, 144P, 167P, 177P, 179P, 193P; 85, 260P, 320P, 322P; 86, 493P, 495P, 496P, 510P, 565P, 611P, 613P, 742P, 746P, 752P, 759P
- α_1 -Adrenoceptors, 84, 40P; 85, 262P; 86, 416P, 498P, 612P
- β -Adrenoceptors, 84, 84P, 158P, 161P, 189P, 194P; 85, 256P, 326P; 86, 448P, 603P, 604P
- α_2 -Adrenoceptors, 84, 14P, 63P, 145P, 154P; 85, 259P, 260P, 265P, 318P, 319P; 86, 413P, 491P, 492P, 580P, 614P, 741P, 745P
- α_1 -Adrenoceptors, presynaptic, 84, 67P
- α_2 -Adrenoceptors, presynaptic, 86, 548P
- Adrenocortical function, 86, 497P, 711P
- Adriamycin, 86, 794P
- Affinity, 84, 84P; 86, 770P
- After discharge, 85, 366P; 86, 765P
- Age, 86, 494P
- Aging, 84, 71P, 72P, 135P; 85, 260P; 86, 627P, 683P
- Agonist affinity, 86, 495P
- AH6809, 85, 273P, 286P; 86, 803P
- AH23848, 85, 285P; 86, 802P
- Airway hyper-reactivity, 85, 223P; 86, 571P, 773P
- Airways, guinea-pig, 86, 604P, 651P
- Airways, human, 86, 647P
- Aldosterone, 86, 552P
- Aldrin, 86, 513P
- Alfentanil, 86, 558P
- Alfuzosin, 84, 16P; 86, 416P, 612P
- Alkylating agents, 86, 771P
- Allfit, 84, 175P
- Allopurinol, 86, 439P
- Alloxan diabetes, 86, 746P
- N-allylnormetazone, 86, 539P
- Alzheimer type dementia, 84, 7P
- Amidarone, 84, 140P

Amiloride, 86, 624P
 Amine oxidases, 86, 553P
 Amine release, 86, 548P
 Amino acid binding sites, 86, 475P
 Amino acid receptors, 85, 361P
 Amino acid release, 86, 536P
 Amino acids, 85, 373P; 86, 475P
 Amino acids, excitatory, 84, 91P; 86, 686P
 2-Amino-7-phosphonoheptanoic acid, 84, 95P
 γ -Aminobutyric acid, 84, 5P, 55P, 93P, 102P; 86, 429P, 431P, 470P, 471P, 472P, 483P, 535P, 541P, 680P, 684P
 γ -Aminobutyric acid, release, 84, 89P
 γ -Aminobutyric acid, synthesis, 84, 88P
 γ -Aminobutyric acid agonists, 84, 86P; 85, 252P; 86, 429P
 γ -Aminobutyric acid antagonists, 85, 237P, 252P
 γ -Aminobutyric acid binding sites, 85, 234P, 238P; 86, 593P
 γ -Aminobutyric acid receptors, 84, 60P; 86, 637P
 Aminoglutetimide, 85, 302P
 Δ -Aminolaevulinic acid, 86, 680P
 Aminophenone, 86, 740P
 Aminopyridazine derivatives, 86, 417P
 Aminopyridines, 86, 778P
 2-Aminothiazoline-4-acetic acid, 86, 430P
 Amitriptyline, 86, 673P
 Amlodipine, 85, 281P, 333P, 335P
 Amnesia, 86, 661P
 Amplification, 86, 597P
 Amrinone, 86, 720P
 Amygdala, 85, 250P
 Anaesthetics, 86, 497P, 692P
 Analeptic response, 86, 455P
 Analgesia, 85, 246P; 86, 462P, 485P, 677P, 702P, 706P
 Anaphylaxis, 86, 424P, 573P, 649P, 785P, 804P
 Androgen receptor, 84, 127P
 Angiotensin II, 86, 487P, 488P, 794P, 752P
 Angiotensin-converting enzyme, 86, 750P, 751P
 Angiotensin converting enzyme inhibitors, 85, 337P; 86, 748P
 Anion channels, 84, 60P
 Anion secretion, 85, 204P
 Anococcygeus muscle, 85, 388P
 Anococcygeus muscle, mouse, 86, 678P
 Anococcygeus muscle, rat, 86, 470P
 Anorectic agents, 86, 689P
 Antagonist affinities, 86, 744P
 Anterior pituitary, 84, 111P
 Anthracyclines, 86, 562P, 772P
 Anti-aggregatory drugs, 86, 628P, 802P
 Anti-asthma drugs, 86, 571P
 Anticholinergics, 86, 757P
 Anticoagulants, 86, 406P
 Anticonvulsants, 85, 235P, 359P, 364P, 366P, 371P, 384P; 86, 474P, 659P, 765P
 Antidepressants, 85, 244P, 357P; 86, 580P
 Antigen-induced arthritis, 86, 422P
 Antihalooperidol antibody, 84, 110P
 Antihypertensives, 85, 335P, 337P
 Anti-idiotypic, 84, 110P
 Anti-inflammatory drugs, 86, 425P, 505P
 Antinociception, 84, 105P, 166P; 85, 248P, 352P; 86, 409P, 662P, 709P
 Antinociceptive tests, 86, 703P
 Antioxidants, 84, 119P
 Antisecretory effects, 86, 780P
 Antitumour activity, 86, 771P
 Antiulcer effects, 86, 780P
 Anxiety, 84, 104P, 186P; 85, 249P; 86, 456P, 460P, 713P
 Anxiogenic agents, 84, 82P, 103P
 Anxiolytic agents, 84, 82P, 146P; 85, 252P
 Aorta, guinea-pig, 86, 720P
 Aorta, rabbit, 84, 19P; 85, 266P, 342P, 343P
 Aorta, rat, 84, 152P, 163P, 173P; 85, 269P; 86, 504P, 723P
 Apomorphine, 86, 434P
 Appetite, 85, 296P
 Aptazapine, 86, 743P, 747P
Archachatina marginata, 85, 243P, 355P
 Arachidonic acid, 84, 33P, 147P; 86, 569P, 650P, 655P, 785P
 Arachidonic acid metabolism, 84, 38P, 39P, 45P; 86, 653P
 Aracaidine propargyl ester, 86, 397P
 L-arginine methylester, 86, 621P, 716P
 Arginine vasopressin, 84, 77P; 85, 270P
 Arrhythmias, 84, 30P, 32P; 85, 228P; 86, 615P, 716P, 810P
 Arterial peptide, 86, 730P
 Arthritis, 84, 120P; 85, 276P; 86, 422P, 522P
 Ascorbic acid, 85, 372P
 D-aspartic acid, 84, 92P
 Aspirin, 85, 208P; 86, 802P
 Assay buffers, 84, 84P
 Atacurium, 86, 453P
 Atria, guinea-pig, 84, 47P, 176P; 85, 227P; 86, 437P, 501P, 658P
 Atria, rat, 84, 160P, 85, 324P; 86, 699P
 Atrial muscle, guinea-pig, 85, 258P; 86, 499P

Atropine, 85, 284P; 86, 776P
 Audiogenic seizures, 85, 368P; 86, 467P
 Automated bioassay, 84, 200P
 Automation, 85, 392P
 Autoradiography, 84, 99P; 85, 391P
 Autoreceptors, 84, 5P, 189P
 Avian species, 86, 660P
 Avidance, 85, 246P

 Baclofen, 85, 234P
 Baroreceptor reflex, 84, 21P
 Basophils, human, 85, 345P; 86, 407P
 Bay K 8644, 84, 17P, 20P, 171P; 86, 584P, 657P, 718P
 BBC computer software, 86, 525P
 Beclamide, 85, 371P
 Behaviour, 85, 311P; 86, 444P, 479P, 525P, 540P
 Behaviour, dopamine mediated, 84, 54P
 Behaviour, monamine-mediated, 84, 53P
 Benextramine, 84, 13P
 Benzamides, 84, 100P
 Benzodiazepine agonist, 84, 97P
 Benzodiazepine antagonists, 86, 592P
 Benzodiazepine binding sites, 86, 593P
 Benzodiazepine contragonist, 84, 97P
 Benzodiazepine receptor, 84, 186P, 187P, 188P
 Benzodiazepine receptor ligands, 85, 236P, 369P
 Benzodiazepines, 84, 60P, 104P; 85, 249P; 86, 440P, 472P, 688P
 Benzyl acetate, 85, 207P; 86, 512P
 Bestatin, 86, 459P
 B-HT 920, 84, 184P
 B-HT 958, 84, 64P
 Bicuculline, 86, 471P, 547P
 Bile acids, 86, 481P
 Binding, 86, 636P, 647P
 Binding sites, 84, 98P; 85, 374P; 86, 551P
 Biosynthesis, 84, 44P
 Blood, human, 85, 378P; 86, 797P
 Blood flow, 84, 157P; 86, 791P
 Blood pressure, 84, 145P; 85, 222P, 264P, 310P; 86, 415P, 436P, 598P, 629P, 717P, 745P, 751P, 762P, 763P
 BM 13,177, 84, 41P
 Body temperature, 85, 296P
 Bombesin, 86, 485P
 Bradykinin, 86, 485P
 Brain asymmetry, 86, 713P
 Brainstem neurones, rat, 86, 594P
 Breast cancer, 86, 560P
 (³H)-bremazocine, 84, 52P
 BRL 34915, 86, 443P
 Bromocriptine, 86, 632P
 Bronchial muscle, 86, 484P
 Bronchoconstriction, 84, 15P; 86, 611P
 Bronchodilation, 86, 732P

 Buprenorphine, 85, 295P
 2-t-Butyl-4-methoxyphenol, 86, 557P

 C-fibres, 85, 375P
 Caffeine, 86, 606P
 Calcitonin, 86, 528P, 809P
 Calcitonin gene-related peptide, 85, 233P; 86, 544P, 679P
 Calcium, 84, 25P, 27P, 142P, 151P, 163P, 169P; 85, 330P, 344P; 86, 505P, 506P, 564P, 639P, 641P, 654P, 655P, 723P, 725P
 Calcium antagonism, 85, 289P; 86, 584P
 Calcium antagonists, 84, 16P, 17P, 18P, 20P, 29P, 156P, 163P, 156P, 173P, 177P; 85, 281P, 282P, 331P; 86, 503P, 575P, 641P, 693P, 717P, 724P, 772P
⁴⁵Calcium, 85, 334P, 336P
 Calcium channels, 85, 278P; 86, 543P, 545P, 667P
 Calcium chelating agents, 86, 739P
 Calcium entry blocker, 85, 329P
 Calcium entry facilitator, 86, 718P
 Calcium flux, 85, 279P, 342P, 377P
 Calcium influx, 84, 171P
 Calcium ionophore A23187, 86, 400P
 Calcium uptake, 86, 440P, 657P
 Calmodulin, 86, 760P
 Capsaicin, 86, 787P
 Captopril, 84, 21P; 86, 761P
 Carbachol, 84, 151P, 155P; 85, 257P
 Carbacyclin, 86, 805P
 Carbamazepine, 85, 384P
 α -Carbolines, 86, 464P, 666P, 769P
 Carboprostacyclin derivative, 86, 628P
 5-Carboxamidotryptamine, 85, 222P, 310P, 316P; 86, 737P
 Carcinogenesis, 86, 490P
 Cardiac cell cultures, 86, 817P
 Cardiac contractility, 86, 726P
 Cardiac functions, 86, 728P
 Cardiac mitochondria, 86, 727P
 Cardiac output, 84, 157P
 Cardiac tissue, guinea-pig, 86, 441P
 Cardioaccelerator nerves, 84, 182P
 Cardiomyocytes, 86, 657P
 Cardiorespiratory activity, 86, 628P
 Cardiovascular actions, 86, 523P, 595P, 618P, 620P, 627P, 719P, 732P
 Cardiovascular regulation, 84, 162P
 Cardiovascular system, rat, 84, 69P, 167P, 178P; 86, 736P
 Carnitines, 86, 727P, 728P, 800P
 Carotid body chemoreceptors, 86, 733P
 Catalase, 85, 274P
 Catechol, 85, 360P, 364P; 86, 663P
 Catecholamine release, 84, 169P
 Catecholamines, 86, 566P, 615P
 Caudate-putamen, 86, 408P

Cell cultures, 86, 563P, 715P, 766P
 Central nervous system, 84, 7P, 191P;
86, 551P, 583P, 619P, 629P
 Cerebellum, rat, 85, 351P; 86, 473P
 Cerebral cortex, 84, 58P, 94P; 85, 361P;
86, 395P, 403P, 471P
 CGS 8216, 84, 96P
 Channel closing rate, 86, 585P
 Chemotaxis, 85, 274P; 86, 520P
 Chemotherapy, 86, 561P
 Chlorambucil, 86, 522P
 Chloramphenicols, 86, 585P, 675P
 Chlordiazepoxide, 84, 74P; 86, 767P
 Chloride channel, 86, 586P, 774P
 Chlorisondamine, 85, 245P
 p-Chloroamphetamine, 85, 358P
 N-2-chloroethyl-N-ethyl-2-
 bromobenzylamine, 85, 356P; 86, 419P,
 736P
 Cholecystokinin, 84, 6P; 85, 383P;
86, 409P, 530P
 Cholecystokinin antagonists, 85, 383P
 Cholecystokinin receptor, 85, 290P
 Cholesterol, 85, 266P
 (³H)-choline, 84, 165P
 Choline acetyltransferase, 84, 114P,
 115P
 Choline uptake, 84, 114P, 115P
 Cholinergic antagonists, 86, 609P
 Cholinergic mechanisms, 86, 660P
 Cholinesterase, 85, 213P
 Chondrogenesis, 84, 122P
 Chromaffin cells, 84, 62P; 86, 609P
 Chronotropic responses, positive, 86,
 658P
 Cicloprolol, 84, 31P
 Cimetidine, 84, 164P
 Cingulate cortical neurones, 85, 230P
 Circadian rhythms, 85, 357P; 86, 398P,
 461P
 CL 28A, 84, 43P
 Climbing behaviour, 85, 247P
 Clobazam, 85, 359P
 Clonidine, 84, 13P, 195P; 86, 548P,
 625P, 676P
³H-clonidine binding, 86, 518P
 CM 40907, 85, 384P
 CM 57373, 86, 689P
 CM 57755, 86, 790P
 Cocaine, 86, 566P
 Cold, 86, 493P
 Collagen, 86, 578P
 Colon, human, 86, 481P, 650P
 Colon, marmoset, 86, 696P
 Colon, rat, 84, 159P, 650P
 Computer analysis, 86, 762P
 Computer systems, 85, 308P
 Concentration-response curve, 86, 816P
 Conflict, 85, 252P
 Constipation, 86, 782P
 Contractions, 85, 317P, 325P; 86,
 501P
 Convulsions, 84, 88P, 89P
 Coronary artery, dog, 86, 438P, 506P
 Coronary artery occlusion, 84, 30P
 Coronary vasospasm, 84, 41P
 Cortex, rabbit, 85, 318P
 Cortex, rat, 85, 318P; 86, 537P
 Cortical cells, 84, 2P
 Cortical neurones, 84, 1P
 Corticosterone, 84, 72P, 507P
 Corticosterone acetate, 85, 209P
 Covalent binding, 86, 514P, 515P
 Creatine, 84, 131P
 Crosslinking, 84, 101P
 Crowding stress, 86, 483P
 Cushing's disease, 86, 402P
 Cyanide, 85, 301P; 86, 740P
 Cyclo-oxygenase, 86, 642P, 647P
 Cyclo-oxygenase inhibition, 84, 42P,
 45P
 Cyclophosphamide, 84, 128P
 Cyclosporin A, 84, 46P
 Cytochrome P450, 84, 39P; 85, 387P;
86, 511P, 513P
 Cytoprotection, 84, 159P; 85, 268P,
 272P
 Cytotoxicity, 86, 559P
 Cutaneous sensory effects, 84, 123P

 Damage, 86, 802P
 Data analysis, 86, 816P
 Dazoxiben, 84, 41P
 DBA/2 mice, 86, 467P
 DDT *see* 1,1,1-trichloro-2,2-bis-p
 (chlorophenyl) ethane
 Deaza-analogues, 86, 563P
 Defibrotide, 86, 625P
 Dementia, 84, 7P
 Demethylation, 86, 477P
 Denervation, 86, 756P
 Denzimol, 86, 659P
 Deoxycormycin, 86, 441P
 Deoxyglucose, 86, 674P
 Dependence, 85, 294P
 Depolarization, 84, 108P; 86, 564P
 Depression, 85, 215P; 86, 590P, 593P,
 713P
 Desensitization, 84, 91P
 Desipramine, 86, 615P
 Dexamethasone, 85, 387P
 Diabetes, 86, 629P, 746P, 791P, 795P,
 797P
 Diabetic serum, 84, 81P
 Diacylglycerol, 86, 546P
 Diazepam, 84, 87P, 135P; 86, 711P,
 776P
 Diazepam dependence, 84, 72P
 Diclofenac sodium, 85, 325P
 Dicyclomine, 86, 451P

Diet, 86, 490P, 568P
 Dietary fats, 86, 428P
 Digitonin, 86, 403P
 Digoxin, 84, 125P
 Dihydro- β -erythroidine, 86, 587P
 Dihydroavermectin B_{1A}, 86, 431P
 Dihydropyridine, 84, 17P, 20P; 85, 281P, 333P
 3,4-Dihydroxyphenylacetic acid, 85, 372P; 86, 632P
 L-dihydroxyphenylalanine rotations, 86, 480P
 5,7-Dihydroxytryptamine, 85, 311P; 86, 673P
 Dilazep, 85, 280P
 Diltiazem, 84, 16P; 85, 331P
 [³H]-diltiazem, 85, 278P
 4-Dimethylaminophenol, 85, 301P
 Dinitrofluorobenzene, 85, 305P; 86, 799P
 Dipyrindamole, 85, 280P; 86, 441P
 Discriminative stimulus, 84, 70P; 86, 707P
 Dissociation constants, 85, 307P
 1,4-Dithiothreitol, 85, 206P
 Diuretics, 84, 75P; 85, 382P; 86, 748P
 DNA cross links, 84, 128P
 DNA synthesis, 85, 351P
 Dopamine, 84, 85P, 197P; 85, 239P, 329P, 383P, 385P; 86, 458P, 468P, 532P, 533P, 534P, 552P, 582P, 635P, 636P, 685P, 692P, 700P, 709P, 710P
 Dopamine agonists, 84, 166P; 85, 240P, 247P, 352P, 353P; 86, 436P, 690P
 Dopamine antagonists, 84, 100P, 103P
 Dopamine autoreceptor agonists, 84, 184P
 Dopamine depletion, 84, 11P
 Dopamine infusion, 86, 695P
 Dopamine metabolism, 86, 670P
 Dopamine metabolites, 84, 3P
 Dopamine neurones, 84, 56P
 Dopamine receptor, supersensitivity, 86, 671P
 Dopamine receptors, 84, 64P, 73P, 129P, 191P; 85, 241P, 242P, 346P, 349P; 86, 434P, 469P, 617P, 633P, 634P
 Dopamine D₁ receptors, 86, 435P
 Dopamine D₂ receptors, 84, 109P, 110P, 111P; 86, 618P
 Dopamine release, 84, 3P, 7P, 9P, 10P, 50P, 109P, 181P, 189P, 191P, 199P; 85, 240P; 86, 412P
 Dopamine uptake, 84, 9P
 Dopaminergic function, 84, 55P
 Dopaminomimetics, 86, 404P
 Dorsal root potentials, 85, 380P
 Dose-response curves, 86, 755P
 Dothiepin, 86, 466P
 Doxazosin, 85, 376P
 Doxorubicin, 86, 714P, 715P
 Driving function, 86, 675P
 Drug discrimination, 84, 74P
 Drug effects, 84, 126P
 Drug metabolism, 84, 24P, 136P, 138P, 139P; 86, 555P, 790P
 Drug-protein conjugates, 86, 799P
 DSP4 *see* N-2-chloroethyl-N-ethyl-2-bromobenzylamine
 Duodenal contractility, 86, 641P
 Duodenum, guinea-pig, 85, 204P
 Duodenum, rat, 84, 80P
 Dynorphin, 84, 99P; 85, 294P; 86, 528P
 Ear, rabbit perfused, 84, 180P
 Eicosanoid production, 85, 276P
 Eicosanoid release, 84, 38P; 86, 423P
 Eicosanoids, 85, 271P; 86, 429P
 Electrical stimulation, 84, 181P; 86, 622P
 Electroconvulsive shock, 84, 53P; 85, 235P; 86, 541P, 544P, 706P
 Electroencephalograph, 86, 669P, 688P
 Electromyographic activity, 85, 254P
 Electrophysiology, 86, 442P
 Elesoisin, 86, 489P
 Elevated X-maze, 86, 591P, 711P
 Embryo, rat, 84, 122P
 Enalapril, 86, 751P
 Endothelium, 84, 13P, 20P, 152P; 85, 269P, 342P; 86, 425P, 506P
 Endothelium-dependent relaxant factor, 85, 266P, 267P, 341P, 343P, 344P; 86, 565P
 Endothelium-dependent relaxation, 84, 19P
 Endotoxin shock, 84, 119P
 Endplate current, 85, 390P; 86, 585P
 Enkephalin, D-Ala²MePhe⁴, Gl¹-ol⁵, 85, 294P, 297P
 Enkephalin, Met-, 86, 411P, 527P
 Enzymatic systems, 86, 726P
 Enzymatic treatments, 86, 682P
 Enzyme inhibition, 84, 137P
 Eosinophils, 86, 426P
 EP₁-receptors, 85, 273P
 Epilepsy, 84, 95P; 85, 363P, 367P, 370P
 Epithelial membranes, 86, 486P, 487P
 Ergolines, 86, 670P
 Erythrocytes, 85, 374P
 β -Erythroidine, 86, 587P
 Errors, 86, 770P
 Ethanol, 84, 153P; 85, 236P; 86, 768P
 Ethanol antagonism, 86, 463P, 465P
 Ethanol tolerance, 84, 130P
 Ethanolamine-O-sulphate, 84, 74P
 Ethylcholine mustard, 84, 114P
 Etomidate, 86, 549P
 Eugenol, 84, 24P

Evoked potentials, 84, 91P
 Excitatory amino acid receptors, 84, 184P
 Excitatory amino acids, 85, 367P, 368P, 370P; 86, 408P
 Excitatory transmission, 85, 360P
 Exploratory activity, 86, 456P
 Extinction, 84, 76P
 Extravasation, 86, 788P

 FAB fragments, 84, 125P
 FAD-monooxygenase, 85, 299P
 Fatty acids, 86, 428P
 Feedback, 84, 109P
 Fenfluramine, 85, 381P; 86, 689P
 Fenildopam, 86, 436P
 Ferret, 85, 346P; 86, 784P
 FG 7142, 84, 186P, 187P, 188P
 Fibrin deposition, 86, 556P
 Fibrinolysis, 86, 813P
 Fibroblasts, human, 86, 559P
 Field potentials, 86, 394P, 538P
 Field stimulation, 86, 738P
 Flufenamic acid, 86, 811P
 Fluid transport, 86, 519P
 Flunitrazepam, 85, 363P
 Fluoropyrimidine, 86, 561P
 Fluosol-DA, 84, 116P
 Flurazepam, 86, 768P
 Food consumption, 84, 82P; 86, 459P
 Food deprivation, 86, 707P
 Foot-pad oedema, 84, 35P
 Forskolin, 85, 362P; 86, 426P; 508P
 Free radicals, 84, 35P, 79P
 Funaltrexamine, 84, 68P
 Functional antagonism, 84, 141P
 Fundus, 85, 312P; 86, 447P

 Gallamine, 85, 327P
 Ganglion cells, rabbit, 86, 734P
 Ganglionic transmission, 85, 209P
 Gastric acid, 86, 570P
 Gastric anti-secretory agents, 85, 346P; 86, 784P
 Gastric emptying, 84, 100P; 86, 757P
 Gastric fundus, rat, 86, 491P, 613P
 Gastric microcirculation, 84, 37P
 Gastric mucosa, 85, 268P, 322P; 86, 524P
 Gastric potential difference, 86, 783P
 Gastric protection, 86, 783P
 Gastric secretion, 85, 319P, 353P; 86, 426P, 524P, 639P, 640P, 778P, 781P, 798P, 815P
 Gastric ulceration, 86, 421P
 Gastrin, 86, 638P
 Gastrointestinal smooth muscle, 86, 807P
 GENSTAT program, 84, 201P

 Gerbils, 86, 540P
 Glucagon, 84, 157
 Glucuronidation, 84, 133P, 134P, 164P
 Glutamate, 84, 181P; 85, 374P
 Glutamic acid dicarboxylase, 86, 472P
 Glutathione, 86, 799P
 Glycine, 86, 536P, 695P
 Glycine receptor, 86, 682P
 GM₁ ganglioside, 86, 671P
 Grooming, 86, 434P
 Growth hormone, 86, 698P
 Guanosine 3',5'-monophosphate, cyclic, 84, 150P, 184P; 86, 545P, 546P
 Guanosine monophosphate, 8-bromo cyclic, 85, 279P

 Haemodynamics, 84, 174P; 85, 231P
 Haemorrhagic shock, 86, 439P
 Haemoglobin, 86, 565P, 567P
 Haemoglobin-oxygen, 86, 616P
 Hallucinogens, 86, 550P
 Haloperidol, 86, 539P, 671P, 789P
 Head-twitch, 84, 86P
 Heart, dog perfused, 86, 616P
 Heart, frog, 85, 211P
 Heart, guinea-pig, 86, 721P, 792P
 Heart, rabbit perfused, 86, 544P
 Heart, rat, 84, 40P; 85, 328P; 86, 503P, 544P, 715P, 718P, 814P
 Heart rate, 86, 599P, 762P
 Heavy metals, 86, 812P
 Helix aspersa, 86, 449P, 454P
 Hepatic drug metabolism, inhibition, 86, 801P
 Hepatic injury, 86, 602P
 Hepatocytes, 84, 121P
 Hepatotoxicity, 84, 138P; 86, 514P
 Hexaprazol, 86, 783P
 Hexobendine, 85, 280P
 High pressure liquid chromatography, 84, 54P; 85, 277P
 Hindlimb, rat perfused, 84, 179P
 Hippocampal neurones, rat, 86, 589P
 Hippocampus, rat, 85, 238P; 86, 450P, 474P, 536P
 Histamine, 84, 47P, 151P, 176P; 85, 205P, 206P, 257P; 86, 484P, 509P, 517P, 568P, 569P, 574P, 775P, 785P, 794P
 Histamine H₂ agonists, 84, 47P
 Histamine antagonists, 86, 570P
 Histamine H₂ antagonists, 85, 299P; 86, 639P, 779P, 780P, 790P
 Histamine H₁ receptors, 85, 206P; 86, 452P
 Histamine release, 85, 345P
 Hordenine, 86, 476P
 Hydralazine, 85, 269P
 8-Hydroxy-2-(di-n-propylamino)tetralin, 84, 69P, 167P; 85, 215P, 315P; 86,

433P, 445P, 446P, 594P, 601P, 736P
 6-Hydroxydopamine, 85, 334P; 86, 736P
 5-Hydroxyindolacetic acid, 85, 372P
 3-(3-Hydroxyphenyl)-N-n-propylpiperidine, 84, 167P; 86, 617P, 710P
 5-Hydroxypropafenone, 86, 499P
 5-Hydroxytryptamine, 84, 49P, 57P, 65P, 90P, 189P; 85, 218P, 309P, 316P; 86, 401P, 433P, 460P, 531P, 594P, 596P, 597P, 658P, 664P, 681P, 687P, 702P, 733P, 734P, 738P
 (³H)-5-hydroxytryptamine, 84, 98P
 5-Hydroxytryptamine agonists, selective, 86, 733P
 5-Hydroxytryptamine antagonists, 86, 550P, 598P
 5-Hydroxytryptamine₂ antagonists, 86, 447P
 5-Hydroxytryptamine autoreceptor, 84, 65P, 315P, 445P, 446P
 5-Hydroxytryptamine₂ binding site, 84, 106P; 85, 311P
 5-Hydroxytryptamine depolarizations, 86, 734P
 5-Hydroxytryptamine receptor blockade, 86, 743P
 5-Hydroxytryptamine receptors, 84, 69P, 167P; 85, 219P, 248P, 314P; 86, 44P, 595P, 737P
 5-Hydroxytryptamine₁ receptors, 84, 58P, 70P; 86, 398P, 401P, 461P, 599P
 5-Hydroxytryptamine_{1A}-receptors, 86, 601P
 5-Hydroxytryptamine₂ receptors, 84, 113P; 85, 311P, 312P, 381P
 5-Hydroxytryptamine-D-receptor, 84, 106P
 5-Hydroxytryptamine release, 86, 400P, 413P, 448P
 5-Hydroxytryptamine transporter complex, 86, 403P
 5-Hydroxytryptamine uptake, 84, 58P; 85, 215P; 86, 600P
 5-Hydroxytryptamine uptake inhibition, 85, 221P, 358P
 5-Hydroxytryptophan, 84, 69P
 Hydroxyurea, 86, 542P, 793P
 Hyperactivity, 86, 544P
 Hypercholesterolaemia, 85, 267P
 Hyperphagia, 84, 75P, 96P; 86, 712P
 Hyperpolarization, 84, 49P
 Hypertension, 84, 32P, 39P; 85, 264P; 86, 488P, 595P, 625P, 719P
 Hyperthermia, 85, 381P
 Hypnotic drugs, 84, 146P, 198P; 86, 431P
 Hypophysectomy, 86, 793P
 Hypoplasia, type II cell, 86, 729P
 Hypotension, 84, 64P; 86, 411P, 737P
 Hypothalamus, 86, 785P

Hypothalamus, rat, 84, 169P
 Hypothermia, 85, 251P; 86, 684P
 Hypoxia, 85, 256P; 86, 504P, 621P, 623P
 Ibotenic acid, 86, 431P, 674P
 ICI 159995, 86, 808P
 ICS 205-930, 86, 734P
 Idazoxan, 84, 67P
 Ileum, guinea-pig, 84, 106P; 86, 579P, 601P, 705P, 724P
 Ileum, marmoset, 86, 696P
 Image analysis, 85, 391P
 Imidazo-pyridine, 86, 432P
 Imiloxan, 84, 154P
 Imipramine, 84, 57P, 59P, 90P; 86, 600P, 706P
³H-imipramine binding, 85, 215P, 216P, 217P, 220P
 In vitro pharmacology, 85, 392P
 In vitro screening, 85, 388P
 In vivo voltammetry, 85, 219P
 Indanidine, 85, 386P
 Indomethacin, 85, 223P, 272P, 325P, 337P
 Indoramin, 84, 162P
 Induction, 85, 387P
 Inferior colliculus, 84, 95P
 Inflammation, 84, 33P, 79P; 85, 233P, 271P; 86, 572P, 646P, 652P, 656P, 750P, 754P, 777P, 786P, 787P, 788P
 Infusion, 86, 690P, 708P
 Ingestive behaviour, 84, 97P
 Inhibitory factor, 84, 19P; 567P
 Inhibitory junction potentials, 86, 724P
 Inhibitory neurotransmission, 86, 431P
 Injury, 86, 556P
 Inositol phosphates, 84, 130P; 86, 410P, 568P, 607P
 Inositol phospholipids, 84, 25P, 108P, 111P, 112P; 86, 545P, 667P
 Inotropic effects, 84, 22P; 85, 258P; 86, 631P, 760P, 763P, 817P
 Insulin secretion, 84, 12P
 Integration, 85, 389P
 Intestinal absorption, 86, 800P
 Intestinal motility, 86, 619P
 Intestinal smooth muscle, 86, 731P
 Intestine, rat, 86, 553P, 577P
 Intracerebral dialysis, 86, 415P
 Intravascular fluid, 84, 116P
 Intralaminar thalamus, 86, 408P
 Inverse agonists, 86, 688P
 Ion channel block, 86, 585P, 587P
 Ionic currents, 86, 549P, 665P
 Ischaemias, 85, 22P, 329P; 86, 669P, 716P, 722P, 810P
 Ischaemic hypoxia, 86, 728P
 Isolation, 86, 420P, 460P

Isoprenaline, 84, 158P, 176P; 86, 701P, 721P
 D-isopropylfluorophosphate, 86, 558P
 Jejunum, guinea-pig, 84, 23P, 78P
 Jejunum, rabbit, 86, 680P
 Jejunum, rat, 86, 485P, 519P
 Kainic acid, 85, 370P, 375P; 86, 450P
 Kainic acid binding, 86, 473P
 Kallikrein, 86, 481P, 490P
 Kelocyanor, 85, 301P
 Ketamine, 86, 665P, 694P
 Ketanserin, 85, 255P, 312P; 86, 399P, 433P, 771P
 Ketocaine derivatives, 86, 771P
 Kidney, rat, 86, 597P
 Kidney, rabbit, 86, 812P
 Kinins, 86, 754P
 Kindling, 84, 186P, 187P, 188P; 85, 369P
 Kynurenines, 84, 92P
 Lamotrigine, 85, 235P, 366P; 86, 765P
 Laterality, 85, 250P
 α -Latrotoxin receptors, 86, 564P
 Lead, 84, 32P; 85, 291P
 Leptazol, 85, 365P
 Leucocytes, 84, 44P; 86, 424P, 425P, 520P
 Leukaemia, 84, 128P
 Leukotriene B₄, 84, 34P, 43P; 86, 521P
 Leukotriene C₄, 85, 270P; 86, 647P
 Leukotriene D₄, 85, 270P; 86, 651P
 Leukotrienes, 84, 37P; 85, 277P; 86, 427P, 642P, 649P, 652P, 656P, 814P
 Leukotrienes, cat, 86, 523P
 Leupeptin, 86, 589P
 Levorphanol, 86, 712P
 Ligand binding, 86, 451P, 495P, 605P, 697P, 704P, 741P
 Lignocaine, 84, 137P; 85, 306P
 Lipid peroxidation, 86, 714P, 727P
 Lipid solubility, 84, 133P
 Lipolysis, 86, 603P, 646P
 Lipophilicity, 86, 554P
 Liposomes, 85, 300P
 Lipxygenase inhibitors, 84, 45P; 86, 427P
 Lithium, 84, 23P, 78P, 304P, 354P
 Liver, mouse, 86, 477P
 Locomotor activity, 85, 250P, 314P; 85, 354P, 357P; 86, 468P, 690P
 Locus coeruleus, 84, 87P, 93P; 86, 676P
 Locust, 86, 431P
 Logistic curves, 84, 175P
 Luminal alkalisation, 84, 80P
 Lung, guinea-pig, 84, 38P, 48P; 86, 423P, 573P, 642P, 649P, 811P
 Lung, human, 86, 642P, 645P, 697P, 766P
 Lung parenchymal strips, 86, 653P
 LY 171555, 84, 1P
 Lymphocytes, human, 84, 26P; 86, 429P
 Lyso-platelet activating factor, 86, 422P
 Macrophages, 84, 46P; 86, 604P
 Marmoset, 84, 56P
 Mast cells, 86, 509P, 775P
 Mast cells, human, 85, 205P
 Mast cells, rat, 86, 400P, 407P, 448P, 574P, 576P
 Mathematical treatment, 86, 755P
 McN-A-343, 86, 610P
 MDL 72222, 85, 255P, 309P, 764P
 Medroxyprogesterone, 86, 560P
 Megakaryoblasts, 86, 581P
 Melanophore, 85, 313P
 Melatonin, 85, 240P, 313P; 86, 533P
 Membrane lipids, 86, 555P
 Memory, 84, 107P; 85, 246P; 86, 420P
 Menadione, 86, 726P
 Menthol, 85, 254P
 Mepacrine, 84, 153P
 Meptazinol, 84, 83P; 85, 296P; 86, 712P
 Mepyramine, 86, 568P
 Mesentery, perfused rat, 86, 544P
 Metabolism, 85, 299P; 86, 515P
 Methaemoglobin, 85, 302P; 86, 740P
 Methiothepin, 84, 65P
 3-Methoxy-4-dihydroxyphenylethyleneglycol assay, 86, 414P
 3-Methoxytyramine, 84, 54P
 N-methyl-D-aspartate, 85, 361P; 86, 474P
 N-methyl-D-aspartate antagonists, 86, 538P
 N-Methyl-D-aspartate receptor, 85, 373P
 1-Methyl-4-phenyl-1,2,5,6-tetrahydropyridine, 84, 56P; 85, 348P, 477P; 86, 477P, 685P, 708P, 710P
 1-Methyl-4-phenylpyridine, 85, 350P
 1-Methyl-4-phenylpyridine neurotoxicity, 86, 691P
 α -Methyl-p-tyrosine, 84, 11P
 α,β -methylene adenosine triphosphate, 85, 225P, 263P
 N-methylformamide, 84, 136P; 86, 514P, 515P
 Methylphenidate, 84, 9P
 5-Methyltetrahydrofolate, 86, 561P
 Methyltransferase inhibitors, 86, 407P
³H-methyltrienolone, 84, 127P
 Methysergide, 85, 255P
 Metoclopramide, 85, 210P; 86, 738P, 757P
 Midazolam, 85, 245P
³H-mibolerone, 84, 127P
 Microelectrophoresis, 86, 395P
 Microcomputers, 85, 388P, 389P, 390P,

391P, 392P; 86, 525P, 816P, 818P, 819P
 Microprocessors, 84, 202P
 Mitochondrial function, 86, 722P/
 Mitogen-induced proliferation, 86, 429P
 Molecular graphics, 86, 819P
 Monoamine depletors, 84, 129P
 Monoamine oxidase, 86, 417P
 Monoamine oxidase inhibitors, 85, 348P;
86, 404P, 478P, 479P
 Monoamine oxidase specificity, 86, 476P
 Monoamines, 85, 365P, 371P; 86, 677P,
 683P
 Monoclonal antibodies, 85, 214P; 86,
 511P
 Morphine, 84, 11P, 105P; 85, 248P,
 298P; 86, 530P, 702P, 706P, 707P, 767P
 Morphine abstinence, 85, 293P; 86, 444P
 Morphine tolerance, 86, 530P
 Morphine withdrawal, 84, 51P; 86, 528P,
 535P
 Motoneurons, 86, 396P
 Motor activity, 84, 77P, 85P; 86, 710P
 Mucus, 84, 80P
 Muscarinic acetylcholine antagonists,
85, 212P
 Muscarinic acetylcholine receptor
 subtypes, 85, 213P; 86, 610P, 798P
 Muscarinic acetylcholine receptors,
84, 4P, 13P, 178P, 190P; 85, 213P;
86, 395P, 397P, 451P, 452P, 605P, 607P,
 608P, 633P, 667P, 744P, 764P
 Muscimol, 85, 363P
 Mydriasis, 86, 742P
 Myenteric plexus, guinea-pig, 86, 637P
 Myocardial function, 86, 616P, 621P,
 630P
 Myocardial ischaemia, 86, 578P, 759P
 Myocardium, 85, 332P
 Myoclonic jerks, 85, 364P
 Myofibroblast, 86, 516P

 Naloxone, 84, 51P, 180P; 86, 485P, 534P,
 761P
 Narcotic agonists, 86, 782P
 Nefopam, 86, 677P
 Neophobia, 86, 420P
 Neostriatum, rat, 84, 10P
 Nerve conduction, 85, 362P
 Nervous tissue, cultured, 86, 672P
 Neuroblastoma, 86, 482P
 Neurogenic control, 85, 204P
 Neurogenic inflammation, 86, 787P, 788P
 Neurointermediate lobe, rat, 84, 3P, 5P;
86, 534P
 Neurokinin A, 85, 230P
 Neuroleptic drugs, 84, 71P, 73P; 85,
 239P, 349P; 86, 471P
 Neuromuscular blockade, 85, 327P
 Neuromuscular junction, 85, 214P, 587P,
 588P
 Neuromuscular transmission, 86, 779P
 Neuronal inhibition, 84, 183P
 Neuronal tissue, 84, 49P
 Neuropeptide Y, 85, 231P, 288P
 Neuropeptides, 84, 7P; 86, 787P
 Neurotensin, 86, 543P, 619P
 Neurotoxicity, 85, 348P, 350P; 86,
 685P
 Neurotransmitters, 84, 61P; 86, 489P
 Neutrophils, 84, 169P; 85, 377P; 86,
 562P, 575P, 576P, 654P, 786P
 Nicardipine, 84, 174P; 85, 328P, 329P;
86, 503P, 602P, 722P
 Nicergoline, 84, 30P
 Nicotine, 85, 245P; 86, 396P, 591P
 Nicotinic acetylcholine receptors, 84,
 62P
 Nicotinic acid derivatives, 86, 646P
 Nifedipine, 84, 15P, 18P, 156P; 85,
 331P, 379P; 86, 719P
 Nigrostriatal neurones marmoset, 86,
 708P, 710P
 Nigrostriatal system, 85, 350P
 Nimodipine, 86, 528P
 Nisoldipine, 85, 379P
³H-nitrendipine binding, 86, 623P
 Nitroheterocyclic compounds, 86, 554P
 Nitrophenols, 84, 133P
 Nitroprusside, 86, 730P
 Nitrovasodilators, 86, 567P
 Nociception, 84, 180P; 86, 483P, 528P
 Node of Ranvier, 86, 549P, 665P
 Nodose ganglion, 85, 309P
 Nomifensine, 84, 10P; 86, 635P
 Non-adrenergic non cholinergic nerves,
85, 211P, 292P
 Non-steroidal anti-inflammatory drugs,
86, 520P
 Nonparametric analysis, 86, 818P
 Noradrenaline, 85, 356P; 86, 466P,
 519P, 547P, 613P, 622P, 662P, 699P,
 723P, 753P
 Noradrenaline release, 84, 57P; 85,
 263P, 317P; 86, 400P
 Noradrenaline turnover, 84, 93P
 Noradrenaline uptake, 86, 747P
 Noradrenergic binding, 86, 467P
 Noradrenergic drugs, 86, 414P
 Noradrenergic lesions, 84, 53P
 Nose, cat, 85, 254P
 Novel receptor, 86, 596P
 Nucleus accumbens, marmoset, 86, 468P
 Nucleus accumbens, rat, 85, 354P; 86,
 695P
 Nucleus basalis, 86, 674P

 Oedema, 85, 233P, 274P; 86, 572P
 Oestrogen, 85, 323P
 Olfactory cortex, rat, 85, 360P; 86,
 663P

On-line analysis, 85, 308P
 Operant behaviour, 85, 356P; 86, 419P
 Opioid agonists, 84, 75P; 86, 532P, 703P
 Opioid antagonists, 86, 712P
 κ -opioid binding site, 84, 52P, 86, 704P
 Opioid peptides, 86, 482P
 Opioid receptor subtypes, 84, 68P, 99P; 85, 295P, 296P; 86, 640P
 Opioid receptors, 85, 294P
 Opioid receptors, peripheral, 86, 788P
 Opioids, 85, 380P; 86, 531P, 700P, 705P
 Optic tectum, frog, 84, 102P; 86, 537P, 668P
 Oral dyskinesias, 84, 71P
 Orgotein, 86, 714P, 715P
 Orthostatic blood pressure control, 86, 488P
 Ovalbumin, 86, 423P
 Ovariectomy, 84, 42P
 Oxidases, 86, 555P
 Oxodipine, 86, 500P
 Oxygen, 86, 753P
 Oxygen consumption, 86, 772P
 Oxygen radicals, 86, 576P
 Oxyptertine, 84, 129P, 197P
 Oxytocin, 85, 289P, 806P
 Oxytocin, 86, 806P

 pA2, 84, 201P
 Pain, 85, 271P
 Pancuronium, 85, 327P
 Papaverine, 85, 362P
 Papillary muscle, 85, 330P
 Paracetamol, 84, 121P, 134P, 138P; 86, 574P, 602P
 Parametric analysis, 86, 818P
 Paraquat, 86, 729P
 Parasympathetic nerves, pulmonary, 86, 608P
 Paroxetine, 85, 221P; 86, 403P
 Paroxetine binding, 85, 216P
 Parkinson's disease, 86, 632P
 Parotid slices, 86, 756P
 Paroxetine, 84, 58P, 59P
 Partial agonists, 85, 307P; 86, 770P
 Passive avoidance behaviour, 84, 107P; 86, 661P
 Patch clamp, 86, 609P
 d-Pencillamine, 86, 795P
 Penicillamine disulphide, 86, 796P
 Penicillin, 86, 694P
 Penis, rat, 85, 284P
 Pentobarbitone, 85, 303P
 Pergolide, 86, 632P
 Perinephritis hypertension, 85, 259P
 Peripheral nerve lesions, 86, 527P
 Peripheral nervous system, 85, 293P; 86, 617P
 Peroxidase, 86, 557P
 Peroxidation, 84, 79P
 Pertussis vaccine, 84, 12P
 Pertussis toxin, 86, 579P, 705P
 Pharmaceutical innovation, 84, 118P
 Pharmacokinetics, 84, 132P; 85, 333P; 86, 554P, 796P
 Phenobarbitone withdrawal, 86, 457P
 Phencyclidine, 84, 196P; 86, 694P
 Phenylephrine, 85, 258P; 85, 261P; 324P
 α -Phenylethylamine, 86, 413P
 (-)N⁶-phenylisopropyladenosine, 86, 584P
 Phenylpiperazine, 86, 590P
 8-Phenyltheophylline, 84, 131P
 pH-metry, 86, 784P
 Phorbol ester, 85, 377P
 Phosphate, 86, 725P
 Phosphate metabolism, 85, 328P
 Phosphatidylinositol, 84, 61P; 86, 607P
 Phosphodiesterase, 85, 224P; 86, 560P, 630P, 631P
 Phosphoinositides, 84, 27P, 112P; 86, 654P
 Phospholipase C, 84, 130P, 153P
 Phospholipids, 86, 810P
 Photodestruction, 84, 18P
 Picrotoxin, 86, 547P
 Pifluthixol, 86, 634P
 Pinacidil, 85, 338P
 Pineal gland, rat, 85, 326P
 Pirenzepine, 84, 4P; 86, 394P, 638P, 764P
 Piretanide, 86, 454P
 Pithed rabbits, 86, 745P
 Pithed rats, 86, 744P, 745P, 749P
 Pitrzepin, 85, 237P
 Pituitary cell line, 86, 440P
 Plasma binding, 86, 558P
 Plasma SH groups, 86, 777P
 Platelet activating factor, 84, 169P; 86, 422P; 86, 571P, 573P, 814P
 Platelet activating factor antagonists, 86, 572P
 Platelet aggregation, 84, 147P, 148P; 86, 741P
 Platelets, 84, 59P; 85, 265P; 86, 577P
 Platelets, human, 84, 28P, 63P; 85, 215P, 286P, 345P; 86, 402P, 546P, 643P, 655P, 802P
 Platelets, rabbit, 86, 556P
 Platelets, rabbit, 86, 578P
 Platelets, rat, 86, 581P
 Polyethylene glycol 400, 86, 794P
 Polymerisation, 84, 81P
 Polymorphonuclear leucocytes, 86, 516P
 PolyI.rC, 85, 208P
 Portal vein, rat, 86, 443P
 Post junctional actions, 86, 679P

Post mortem human brain tissue, 85, 363P; 86, 593P
 Potassium, 84, 61P; 86, 507P
 Potassium chloride, 85, 282P, 334P, 336P
 Potassium facilitation, 86, 607P
 Potassium release, 86, 756P
 Potassium transport, 84, 26P
 Prazosin, 84, 160P
³H-Prazosin binding, 86, 518P
 Potassium, 86, 507P
 Potassium chloride, 85, 334P, 336P
 Pregnancy, 85, 217P, 323P, 513P, 806P
 Pressor responses, 86, 399P, 479P
 Primates, 86, 620P
 Probenecid, 84, 134P
 Proconvulsant action, 84, 192P; 86, 592P
 Prodrug, 86, 480P
 Proenkephalin, 85, 291P
 Progesterone, 85, 323P
 Prolactin, 86, 469P, 543P, 660P, 686P, 698P
 Propafenone, 84, 172P
 Propofol, 86, 497P
 Propranolol, 84, 26P, 76P, 137P, 139P, 161P, 195P; 85, 305P
 Propranolol glycol, 84, 161P
 Prostacyclin, 85, 284P; 86, 643P, 795P, 802P, 805P, 813P
 Prostacyclin analogues, 86, 807P
 Prostaglandin D₂, 85, 286P; 86, 773P
 Prostaglandin E₁, 15-methyl, 85, 274P
 Prostaglandin E₁, 6-oxo-, 86, 813P
 Prostaglandin E₂, 85, 257P
 Prostaglandin F₂, 86, 644P, 815P
 Prostaglandin 15-hydroxydehydrogenase, 84, 43P
 Prostaglandin inactivation, 85, 275P
 Prostaglandin synthetase, 84, 43P
 Prostaglandin synthesis, 85, 275P
 Prostaglandins, 84, 35P, 36P, 37P, 159P; 86, 421P, 428P, 645P, 652P, 656P, 806P, 810P, 812P
 Prostanoid antagonists, 85, 273P
 Prostanoid receptors, 86, 803P
 Prostanoid synthesis, 84, 46P
 Protein binding, 86, 803P
 Protein conjugates, 85, 305P
 Protein kinase C, 85, 290P
 Protein synthesis, 84, 50P
 Protein phosphorylation, 86, 508P
 Psoriasis, 86, 502P
 Psychopharmacological studies, 84, 202P
 Pulmonary fibrosis, 86, 729P
 Pulmonary smooth muscle, 86, 808P
 Purines, 85, 340P
 Purinoceptors, 86, 579P, 581P
 Purkinje fibres, 84, 172P
 Putamen, human, 85, 346P
 Putrescine, 86, 516P
 Pyrethroids, 84, 123P
 Pyrimethamine pamoate, 86, 405P
 Q-A interval, 86, 763P
 Quantal content, 86, 675P
 Quaternarization, 85, 296P
 Quinoline derivatives, 86, 801P
 Quinolinic acid, 84, 92P; 85, 373P
 Quinones, 86, 559P
 Quinpirole, 86, 618P
 Radioimmunoassay, 84, 34P; 85, 277P, 313P
 Radioligand binding, 84, 98P, 196P
 Ranitidine, 84, 164P
 Raphe nucleus, human, 84, 90P
 Raphe nucleus, rat, 86, 691P
 Rauwolscine, 86, 614P
 Receptor binding, 84, 188P; 86, 402P
 Receptor numbers, 84, 194P
 Receptor occupation, 86, 755P
 Receptor sensitivity, 86, 757P
 Receptor solubilization, 85, 346P
 Receptors, 85, 391P
 Red blood cells, human, 86, 505P
 Reflex milk-ejection, 85, 229P
 Regeneration, 86, 681P
 Regional sensitivity, 86, 496P
 Relaxant factor, 84, 152P
 Reoxygenation, 85, 332P; 86, 621P
 Reperfusion, 86, 759P
 Reperfusion arrhythmias, 86, 418P, 498P
 Reperfusion damage, 85, 332P
 Reperfusion injury, 86, 439P
 Reserpine, 86, 437P, 757P
 Resistance vessels, 85, 339P
 Restraint, 86, 493P
 Retina, chick, 84, 184P
 Retina, rabbit, 86, 533P
 Retractor penis, 85, 243P, 355P
 Ro 15-1788, 84, 95P, 103P, 183P
 Ro 15-3505, 86, 592P
 Ro 15-4513, 86, 463P, 465P
 RX 821002, 84, 192P
 RU 24969, 84, 112P; 86, 398P, 447P
 Ryanodine, 85, 330P
 Salbutamol, 85, 256P, 331P; 86, 502P
 Salicylate, 85, 272P
 Salivary amylase, 86, 701P
 Salmon calcitonin, 86, 686P
 Salt preference, 84, 143P
 Saphenouse vein, dog, 86, 496P
 Saphenous vein, human, 86, 734P
 Sartorius muscle, frog, 86, 453P
 SCH 23390, 84, 143P; 86, 434P, 435P, 634P
 Schild plot, 84, 201P
 Scopolamine, 86, 661P
 Secretagogues, 86, 650P

Sedatives, 86, 768P
 Seizures, 84, 187P; 85, 365P; 86, 540P
 Selectivity, 85, 376P; 86, 610P
 Serum, 84, 149P
 Serum bovine albumin SH group, 86, 777P
 Sex steroids, 86, 605P
 Sexual function, 84, 126P
 SH depleting agents, 86, 777P
 SH rats, 84, 158P
 Sheep, 86, 462P
 SK&F 83566, 85, 242P
 SK&F 93574, 86, 570P
 SK&F 94120, 84, 22P; 85, 224P, 226P; 86, 630P, 631P
 Skeletal muscle, 86, 774P
 Skeletal muscle, chick, 86, 739P
 Skeletal muscle, rat, 84, 83P; 86, 586P
 SKF 10047, 84, 196P; 86, 539P
 SKF 38393, 84, 1P; 86, 434P
 Skin, 86, 502P
 Skinner box, 86, 683P
 Sleep, 86, 676P
 Small intestine, guinea-pigs, 86, 410P
 Smooth muscle, guinea-pig, 84, 142P
 Smooth muscle, rabbit, 84, 156P
 Smooth muscle, rat, 84, 83P; 86, 753P
 Smooth muscle contractions, 86, 624P
 Sodium, 86, 600P
 Sodium/calcium exchange, 86, 624P, 720P
 Sodium pump, 85, 351P
 Sodium uptake, 84, 149P
 Sodium urate, 86, 521P
 Solubilization, 84, 4P, 101P; 86, 403P
 Somatostatin, 84, 7P; 86, 638P
 Somatostatin analogues, 86, 698P
 Somatostatin receptors, 85, 232P; 86, 551P
 Spasmogens, 84, 179P; 86, 731P
 Specificity, 85, 287P
 Spinal cat, 86, 599P
 Spinal cord, 86, 527P; 681P
 Spinal cord, frog, 86, 539P
 Spinal cord, rat, 84, 52P; 85, 229P, 380P; 86, 396P
 Spinal cord, sheep, 86, 518P
 Spiperone, 86, 469P, 614P
 Spleen, human and rabbit, 86, 492P
 Spontaneous behaviour, 86, 532P
 SR 41378, 84, 146P, 198P
 SR 58002 C, 86, 782P
 SR 95191, 86, 404P
 Stereochemistry, 86, 666P
 Stereospecificity, 86, 774P
 Stereotyped behaviour, 85, 242P; 86, 434P
 Stimulus generalization, 85, 295P
 Strain differences, 84, 105P
 Streptozotocin-induced diabetes, 86, 629P
 Stress, 84, 72P, 104P
 Striatum, 84, 181P; 86, 632P
 Striatum, guinea-pig, 86, 664P
 Striatum, mice, 85, 385P
 Striatum, rat, 84, 6P, 55P, 169P, 197P; 85, 291P; 86, 412P
 Structure-activity relationships, 86, 666P
 Strychnine, 86, 537P, 682P
 Subpallidum, 85, 314P
 Subsensitivity, 86, 466P
 Substance P, 84, 2P, 165P; 85, 230P; 86, 410P, 412P, 484P, 527P, 701P
 Substance P 6-11' 85, 287P
 Substance P antagonists, 85, 229P, 292P
 Substance P receptors, 84, 66P; 85, 292P
 Substantia nigra, rat, 84, 85P, 183P; 85, 367P
 Suicide victims, 86, 593P
 Sulphamethazine, 85, 378P; 86, 797P
 Sulphation, 84, 133P
 Sulpiride, 86, 434P
 Sulpiride isomers, 86, 709P
 Sultopride, 84, 143P
 Superior cervical ganglion, 85, 309P
 Superior mesenteric arterial bed, 85, 262P
 Superoxide, 86, 516P, 562P
 Supersensitivity, 84, 194P, 320P; 86, 437P
 Superyldicholine, 84, 155P
 Suprachiasmatic nucleus, rat, 85, 219P; 86, 445P, 446P
 Surfactant release, 86, 603P
 Sustained release, 86, 405P
 Sympathetic nerve activity, preganglionic, 86, 598P
 Sympathetic nervous system, 86, 748P
 Synaptic transmission, 86, 589P, 663P, 668P
 Synaptosomes, superfused, 84, 190P
 Synovitis, 86, 521P
 Tachykinin antagonists, 86, 410P, 489P
 Tachykinin receptors, 84, 141P; 85, 287P; 86, 696P
 Tachykinins, 84, 142P
 Tachyphylaxis, 86, 436P
 Taenia, guinea-pig, 84, 165P, 173P
 Tail arteries, rat, 84, 67P; 85, 225P
 Tardive dyskinesia, 86, 472P
 Tarsal muscle, rat, 85, 283P
 Taurine, 86, 586P
 Testicular capsule, rat, 86, 516P
 Tetrabenazine, 84, 129P
 Tetracosactrin, 86, 793P
 12-O-Tetradecanoyl-phorbol-13-acetate, 84, 27P

Δ -9-Tetrahydrocannabinol, 86, 684P
 Thalidomide, 84, 122P
 Theophylline, 84, 120P
 Thermoregulation, 85, 296P; 86, 693P
 Thiazinamium chloride, 86, 452P
 Thiorphan, 86, 459P
 Thrombin, 84, 25P
 Thrombolysis, 86, 625P
 Thromboxane A₂, 84, 41P; 86, 808P
 Thromboxane analogues, 84, 148P
 Thromboxane receptor agonists, 84, 184P
 Thromboxane receptor antagonists, 84, 147P; 85, 285P; 86, 643P, 804P
 Thromboxane synthesis, 85, 268P
 Thromboxanes, 84, 37P
 Thrombus evolution, experimental, 86, 625P
 Thymocytes, 84, 26P
 Thyroid, rat, 86, 442P
 Thyroid hormone, 84, 149P
 Thyrotropin releasing hormone, 86, 458P, 673P
 Thyrotropin releasing hormone analogue, 86, 544P
 Thyrotropin-releasing hormone-induced behaviour, 85, 244P
 Thyrotropin-releasing hormone receptors, 84, 66P, 101P
 Thyroxine, 86, 501P, 792P
 Tifluadom, 84, 68P; 85, 382P
 TN-1, 86, 508P
 α -Tochopherol, 84, 119P
 Tolerance, 85, 249P, 359P; 86, 530P, 637P, 659P
 Toxicity, 86, 768P
 Toxicology, 84, 117P; 86, 406P
 Toxins, 86, 588P
 Trachea, cat, 86, 611P
 Trachea, guinea-pig, 85, 257P; 86, 579P, 608P
 Trachealis, cat, 85, 317P
 Transduction, 86, 577P
 Transmitter release, 84, 29P; 85, 338P; 86, 583P, 588P
 Transport, 84, 23P, 78P
 Trapidil, 86, 732P
 Trazodine, 86, 590P
 Tri-iodothyronine, 84, 124P
 1,1,1-trichloro-2,2-bis(p-chlorophenyl) ethane-induced behaviour, 86, 478P
 Trifluoperazine, 86, 451P, 760P
 Triton X-100, 85, 210P
 Tryptamine derivatives, 86, 399P
 L-tryptophan, 84, 94P
 Tryptophan pyrrolase, 85, 298P
 Tubocurarine, 84, 62P; 86, 453P
 Tubulin, 84, 81P
 Turning, 85, 385P
 Tyramine, 86, 479P, 636P
 U46619, 86, 524P
 U-69,593, 86, 704P
 UK-14, 304, 86, 491P
 Ulcers, gastric, 86, 421P, 809P
 Ultrasonic vocalization, 86, 789P
 Uptake sites, 86, 686P
 Ureter, sheep, 85, 325P
 Urethra, rabbit, 86, 612P
 Urinary bladder, rabbit and dog, 86, 416P
 Uterine artery, human, 85, 379P
 Uterus, rat, 84, 42P; 85, 282P, 289P, 331P; 86, 644P, 648P, 791P
 Vagotomy, 86, 778P
 Valproate, 85, 372P; 86, 540P
 Vas deferens, guinea-pig, 84, 29P
 Vas deferens, human, 86, 776P
 Vas deferens, mouse, 86, 679P
 Vas deferens, rat, 85, 336P, 340P; 86, 510P, 566P, 580P, 746P, 757P
 Vascular muscle, rat, 85, 339P
 Vascular permeability, 86, 754P
 Vascular resistance, peripheral, 85, 231P
 Vascular smooth muscle, 86, 808P
 Vascular smooth muscles, rat, 86, 500P, 752P
 Vasoactive intestinal peptide, 85, 253P, 697P
 Vasoconstriction, 84, 177P
 Vasoconstriction, cerebral, 85, 270P
 Vasodilators, 84, 20P, 22P; 85, 338P, 339P
 Vasodilation, 86, 730P
 Vasopressin, 84, 107P
 Ventricle, human, 85, 226P
 Ventricular muscle, 85, 227P; 86, 499P
 Ventral tegmental nucleus, 86, 691P
 Verapamil, 85, 326P; 86, 443P, 470P, 504P, 528P, 739P
 Veratrum alkaloids, 84, 123P
 Video tracking, 86, 817P
 Vidian nerve, 86, 775P
 Viloxazine, 86, 479P
 Visual cortex, 85, 253P
 Vitamin K₁, 86, 406P
 Voltammetry, 84, 9P, 199P; 86, 635P, 692P
 Volunteer studies, 84, 202P
 Warfarin, 84, 140P
 Wet dog shakes, 84, 113P; 86, 458P
 Withdrawal syndrome, 84, 51P
 Wy 26392, 85, 321P
 Xylazine, 86, 510P

Yttrium 90, 86, 522P

Yohimbine, 86, 734P

³H -yohimbine binding, 85, 323P

Zolpidem, 86, 432P