

British Journal of Pharmacology

SHORT COMMUNICATION

- 287 LAMBRECHT, G. & PARNHAM, M.J. Kadsurenone distinguishes between different platelet activating factor receptor subtypes on macrophages and polymorphonuclear leucocytes

PAPERS

- 291 BENOIT, E., CARRATU, M.R., DUBOIS, J.M. & MITOLO-CHIEPPA, D. Mechanism of action of ketamine in the current and voltage clamped myelinated nerve fibre of the frog
- 299 HATTORI, Y., HAZAMA, S., KANNO, M. & NAKAO, Y. Inotropic effects of Ca^{2+} channel agonist and antagonists in neuraminidase-treated left atria of rats
- 307 BIRDSALL, N.J.M., HULME, E.C. & KEEN, M. The binding of pirenzepine to digitonin-solubilized muscarinic acetylcholine receptors from the rat myocardium
- 317 DELGADO, C., MANZANARES, J., TAMARGO, J. & VALENZUELA, C. Electrophysiological effects of amoxapine in untreated and in amoxapine-pretreated rat atria
- 327 BERRY, C.N., GRIFFITHS, R.J., HOULT, J.R.S., MOORE, P.K. & TAYLOR, G.W. Identification of 6-oxo-prostaglandin E_1 as a naturally occurring prostanoid generated by rat lung
- 337 BRYAN, L.J., O'DONNELL, S.R. & WILLIAMS, A.M. The effects of thyroxine treatment of rats on neuronal and extraneuronal uptake and metabolism of catecholamines in the heart
- 345 AGRAWAL, S.G. & EVANS, R.H. The primary afferent depolarizing action of kainate in the rat
- 357 BARNES, V.F. & HEAVEY, D.J. Effect of prostaglandin D_2 on histamine-induced weals in human skin
- 361 BROWN, M.J. & HARLAND, D. B-HT 958 lowers blood pressure and heart rate in the rat through stimulation of dopamine receptors
- 371 CHO, C.H. & OGLE, C.W. The inhibitory action of 5-hydroxytryptamine on gastric secretory function in rats
- 379 LOGRANO, M.D. & REIBALDI, A. Receptor-responses in fresh human ciliary muscle
- 387 HESTER, R.K., SATAKE, N., SHIBATA, S., UEDA, S. & YAMAHARA, J. The mode of vasorelaxant action of 2-aminoisoquinoline, 1.3 (2H.4H)-dione, a novel 'intracellular calcium inhibitor
- 395 IBENGWE, J.K. & SUZUKI, H. Changes in mechanical responses of vascular smooth muscles to acetylcholine, noradrenaline and high-potassium solution in hypercholesterolemic rabbits
- 403 HALLBERG, H. Central β -adrenoceptors can modulate 5-hydroxytryptamine-induced tremor in rats
- 409 RAFUSE, P.E. & SMITH, P.A. α_2 -Adrenergic hyperpolarization is not involved in slow synaptic inhibition in amphibian sympathetic ganglia
- 417 CONNOR, H.E., FENIUK, W., HUMPHREY, P.P.A. & PERREN, M.J. 5-Carboxamidotryptamine is a selective agonist at 5-hydroxytryptamine receptors mediating vasodilatation and tachycardia in anaesthetized cats
- 427 ABIKO, Y., FUKUSHI, Y., HAGA, N. & MATSUMURA, H. Attenuation by isosorbide dinitrate of coronary occlusion-induced acidosis in the dog myocardium
- 433 PIERCE, V., SHEPPERSON, N.B., TODD, M.H. & WATERFALL, J.F. Investigation into the cardio regulatory properties of the α_1 -adrenoceptor blocker indoramin
- 443 CHAND, N., DIAMANTIS, W. & SOFIA, R.D. Modulation of *in vitro* anaphylaxis of guinea-pig isolated tracheal segments by azelastine, inhibitors of arachidonic acid metabolism and selected antiallergic drugs

MEETINGS CALENDAR