

Edited for the British Pharmacological Society by

J.F. Mitchell (*Chairman*)

G.M. Lees (*Secretary*)

Margaret Day (*Press Editor*)

C.V. Wedmore (*Assistant Press Editor*)

EDITORIAL BOARD

T. Bennett
Nottingham
N.J.M. Birdsall
London
C.M. Bradshaw
Manchester
G. Burnstock
London
J.B. Caldwell
London
B.A. Callingham
Cambridge
J.A.J.H. Critchley
Edinburgh
M. Maureen Dale
London
R.J. Flower
Bath
J.C. Foreman
London
A.R. Green
London
M.C. Harris
Birmingham
G. Henderson
Cambridge
C.R. Hiley
Cambridge
R.G. Hill
Cambridge
J.R.S. Hoult
London
P.P.A. Humphrey
Ware
L.L. Iversen
Harlow
D.H. Jenkinson
London
P.G. Jenner
London
W.E. Lindup
Liverpool
D. Lodge
London
R. McBurney
Newcastle

J.C. McGrath
Glasgow
D.S. McQueen
Edinburgh
C.A. Marsden
Nottingham
R.J. Marshall
Newhouse
S.R. Nahorski
Leicester
D.A.A. Owen
Welwyn Garden City
M.E. Parsons
Welwyn Garden City
Priscilla J. Piper
London
N.L. Poyser
Edinburgh
T.W. Robbins
Cambridge
M. Spedding
Edinburgh
T.L.B. Spriggs
Cardiff
T.W. Stone
London
E. Szabadi
Manchester
D.A. Terrar
Oxford
D.R. Tomlinson
Nottingham
E.M. Vaughan Williams
Oxford
R.M. Wadsworth
Glasgow
D.I. Wallis
Cardiff
D.F. Weetman
Sunderland
T.J. Williams
Harrow
G.N. Woodruff
Harlow
J.M. Young
Cambridge

CORRESPONDING EDITORS

P.R. Adams
Galveston, U.S.A.
J. Axelrod
Bethesda, U.S.A.
C. Bell
Melbourne, Australia
F.E. Bloom
La Jolla, U.S.A.
A.L.A. Boura
Clayton, Australia
P.B. Dews
Boston, U.S.A.
T. Godfraind
Brussels, Belgium
L.I. Goldberg
Chicago, U.S.A.
S.Z. Langer
Paris, France
R.A. Lewis
Harvard, U.S.A.
E. Muscholl
Mainz, Germany
M. Otsuka
Tokyo, Japan
R.H. Roth
New Haven, U.S.A.
M. Schachter
Alberta, Canada
S.H. Snyder
Baltimore, U.S.A.
L. Szekeres
Szeged, Hungary
B. Uvnas
Stockholm, Sweden
P.A. Van Zwieten
Amsterdam, Netherlands
G. Velo
Verona, Italy
M.B.H. Youdim
Haifa, Israel

Papers will be considered for publication on all aspects of pharmacology, including chemotherapy.

The British Journal of Pharmacology is published monthly by the Scientific & Medical Division, The Macmillan Press Ltd, Houndmills, Basingstoke, Hampshire RG21 2XS. Telephone: Basingstoke 29242. ISSN 0007 - 1188.

Registered Office: 4 Little Essex Street, London WC2R 3LF.

Manuscripts (two copies) should be sent to Dr G. M. Lees, Editorial Office, University of Aberdeen, Marischal College, Aberdeen AB9 1AS. Authors should consult the instructions inside the back cover.

The journal is covered by *Current Contents* and *Excerpta Medica*.

Annual subscription UK £175; USA & Canada, US \$410, Airmail US \$500; Rest of world, £199, Airmail £275 (or equivalent in any other currency). (Orders must be accompanied by remittance. Prices correct at time of publication.)

Cheques should be made payable to Macmillan Journals Limited. All circulation, subscription or general enquiries should be sent to: The Macmillan Press Ltd, Farndon Road, Market Harborough, Leicestershire, LE16 9NR, UK.

Overseas subscribers may make payments into UK Post Office Giro Account No. 519 2455. Full details must accompany the payment.

Second Class postage paid at New York, NY. US Mailing Agent: Expeditors of the Printed Word Ltd, 515 Madison Avenue, New York, NY 10022.

Enquiries concerning advertising space and rates should be addressed to: David R. Guthrie, Advertising Dept., The Macmillan Press Ltd, Brunel Road, Houndmills, Basingstoke, Hampshire, England RG21 2XS. Telephone: 0256 29242.

Publisher: Harry Holt.

Production & Editorial Services: Isobel Munday.

Advertising: David R. Guthrie.

Promotion: Alison Beverstock.

Circulation Services: A.L. Clark.

© Copyright: Scientific & Medical Division, The Macmillan Press Ltd, 1986. All rights of reproduction are reserved in respect of all papers, articles, illustrations, etc., published in this journal in all countries of the world.

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by The Macmillan Press Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of £1.00 per copy, plus £0.10 per page is paid directly to CCC, 21 Congress St., Salem, MA 01970, USA.

0007 - 1188/86 \$1.00 + \$0.10

INDEX TO VOLUME 87

AUTHOR INDEX

A

- ABIKO, Y., FUKUSHI, Y., HAGA, N. & MATSUMURA, H. Attenuation by isosorbide dinitrate of coronary occlusion-induced acidosis in the dog myocardium, **87**, 427
- ABRAHAMSSON, T. The β_1 - and β_2 -adrenoceptor stimulatory effects of alprenolol, oxprenolol and pindolol: a study in the isolated right atrium and uterus of the rat, **87**, 657
- AGRAWAL, S.G. & EVANS, R.H. The primary afferent depolarizing action of kainate in the rat, **87**, 345
- ALBERT, J., LINGLE, C.J., MARDER, E. & O'NEIL, M.B. A GABA-activated chloride-conductance not blocked by picrotoxin on spiny lobster neuromuscular preparations, **87**, 771
- ALLEN, S.L., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. The relaxant action of nicorandil in guinea-pig isolated trachealis, **87**, 109
- ARMSTRONG, R.A., JONES, R.L., MACDERMOT, J. & WILSON, N.H. Prostaglandin endoperoxide analogues which are both thromboxane receptor antagonists and prostacyclin mimetics, **87**, 543
- ASHOORI, F., HIDAKA, H. & TOMITA, T. Carbachol-induced contraction in the circular muscle of guinea-pig stomach in calcium-free solution **87**, 15
- AULT, B. & WANG, C.M. Adenosine inhibits epileptiform activity arising in hippocampal area CA3, **87**, 685

B

- BACCARO, C., BENNARDINI, F., DINI, G., FRANCONI, F., GIOTTI, A., MATUCCI, R. & MINUTI, P. Cardiac hypoxia and subsequent reoxygenation: sensitivity to L-arginine methylester, **87**, 649
- BAILEY, S.J., FEATHERSTONE, R.L., JORDAN, C.C. & MORTON, I.K.M. An examination of the pharmacology of two substance P antagonists and the evidence for tachykinin receptor subtypes, **87**, 79
- BAKHLE, Y.S., MORTON, I.K.M., STRAUGHAN, D.W. & WEBSTER, R.A. Third report on the organization of pharmacology in Great Britain, **87**, 463
- BARNES, V.F. & HEAVEY, D.J. Effect of prostaglandin D_2 on histamine-induced weals in human skin, **87**, 357
- BARRETT, V.J., LEFF, P., MARTIN, G.R. & RICHARDSON, P.J. Pharmacological analysis of the interaction between Bay K 8644 and 5-HT in rabbit aorta, **87**, 487
- BARRIGÓN, S. & TAMARGO, J. The effect of oxytocin on contractile responses and ^{45}Ca movements in rat isolated aortic strips, **87**, 763
- BARROW, S.E., DOLLERY, C.T., HEAVEY, D.J., HICKLING, N.E., TITTER, J.M. & VIAL, J. Effect of

vasoactive peptides on prostacyclin synthesis in man, **87**, 243

- BENOIT, E., CARRATU, M.R., DUBOIS, J.M. & MITOLOCHIEPPA, D. Mechanism of action of ketamine in the current and voltage clamped myelinated nerve fibre of the frog, **87**, 291
- BERNARDINI, F. *see* BACCARO, C., **87**, 649
- BERRY, C.N., GRIFFITHS, R.J., HOULT, J.R.S., MOORE, P.K. & TAYLOR, G.W. Identification of 6-oxo-prostaglandin E_1 as naturally occurring prostanoid generated by rat lung, **87**, 327
- BIRDSALL, N.J.M., HULME, E.C. & KEEN, M. The binding of pirenzepine to digitonin-solubilized muscarinic acetylcholine receptors from the rat myocardium, **87**, 307
- BOLTON, T.B. & CLAPP, L.H. Endothelial-dependent relaxant actions of carbachol and substance P in arterial smooth muscle, **87**, 713
- BRADLEY, P.B., HUMPHREY, P.P.A. & WILLIAMS, R.H. Evidence for the existence of 5-hydroxytryptamine receptors, which are not of the 5-HT $_2$ type mediating contraction of isolated basilar artery, **87**, 3
- BRINDLEY, G.S. Pilot experiments on the actions of drugs injected into the human corpus cavernosum penis, **87**, 495
- BROUGHTON PIPKIN, F. & WALLACE, C.P. The effect of enalapril (MK421), an angiotensin converting enzyme inhibitor, on the conscious pregnant ewe and her foetus, **87**, 533
- BROWN, B.S., GORCZYNSKI, R.J., REYNOLDS, R.D. & SHAFFER, J.E. Comparison of the parasympatholytic activity of ACC-9358 and disopyramide, **87**, 87
- BROWN, E.A., GRIFFITHS, R., HARVEY, C.A. & OWEN, D.A.A. Pharmacological studies with SK&F 93944 (temelastine), a novel histamine H_1 -receptor antagonist with negligible ability to penetrate the central nervous system, **87**, 569
- BROWN, M.J. & HARLAND, D. B-HT 958 lowers blood pressure and heart rate in the rat through stimulation of dopamine receptors, **87**, 361
- BRYAN, L.J., O'DONNELL, S.R. & WILLIAMS, A.M. The effects of thyroxine treatment of rats on neuronal and extraneuronal uptake and metabolism of catecholamines in the heart, **87**, 337

C

- CANGA, L. & STERIN-BORDA, L. Hypersensitivity to methoxamine in atria isolated from streptozotocin-induced diabetic rats, **87**, 147
- CARPENTER, F.G. Micturition in naive and morphine-

- dependent rats, **87**, 725
- CARRATU, M.R. *see* BENOIT, E., **87**, 291
- CHAND, N., DIAMANTIS, W. & SOFIA, R.D. Modulation of *in vitro* anaphylaxis of isolated tracheal segments of guinea-pig by azelastine, inhibitors of arachidonic acid metabolism and selected antiallergic drugs, **87**, 443
- CHANG, C.C., HONG, S.J. & KO, J.-L. Mechanisms of the inhibition by neostigmine of tetanic contraction in mouse diaphragm, **87**, 757
- CHO, C.H. & OGLE, C.W. The inhibitory action of 5-hydroxytryptamine on gastric secretory function in rats, **87**, 371
- CHOO, L.K., MITCHELSON, F. & VONG, Y.M. Interaction of some muscarinic agonists and antagonists at the prejunctional muscarinic receptor in the rabbit ear artery preparation, **87**, 733
- CHURCH, M.K., HUGHES, P.J. & VARDEY, C.J. Studies on the receptor mediating cyclic AMP-independent enhancement by adenosine of IgE-dependent mediator release from rat mast cells, **87**, 233
- CLAPP, L.H. *see* BOLTON, T.B., **87**, 713
- CONNOR, H.E., FENIUK, W., HUMPHREY, P.P.A. & PERREN, M.J. 5-Carboxamidotryptamine is a selective agonist at 5-hydroxytryptamine receptors mediating vasodilation and tachycardia in anaesthetized cats, **87**, 417
- COX, H.M., MUNDAY, K.A. & POAT, J.A. Identification of selective, high affinity [¹²⁵I]-angiotensin and [¹²⁵I]-bradykinin binding sites in rat intestinal epithelia, **87**, 201
- CRESPI, F., KEANE, P.E. & MORRE, M. Anaesthesia abolishes the effect of valproate on extracellular 5-HIAA, DOPAC and ascorbate as measured in rat striatum by differential pulse voltammetry, **87**, 279
- D**
- DAUGHERTY, A., FRAYN, K.N., REDFERN, W.S. & WOODWARD, B. The role of catecholamines in the production of ischaemia-induced ventricular arrhythmias in the rat *in vivo* and *in vitro*, **87**, 265
- DAVIS, A.S., JENNER, P. & MARSDEN, C.D. A comparison of motor behaviours in groups of rats distinguished by their climbing response to apomorphine, **87**, 129
- DELGADO, C., MANZANARES, J., TAMARGO, J. & VALENZUELA, C. Electrophysiological effects of amoxapine in untreated and in amoxapine-pretreated rat atria, **87**, 317
- DEWHURST, D.G. Non involvement of γ -aminobutyric acid in catechol-induced seizures, **87**, 167
- DIAMANTIS, W. *see* CHAND, N., **87**, 443
- DINI, G. *see* BERNARDININ, F., **87**, 649
- DOLLERY, C.T. *see* BARROW, S.E., **87**, 243
- DONALDSON, J. & HILL, S.J. Selective enhancement of histamine H₁-receptor responses in guinea-pig ileal smooth muscle by 1,4-dithiothreitol, **87**, 183
- DONG, Y.J. & WADSWORTH, R.M. Effects of Bay K 8644 on ⁴⁵Ca uptake and efflux and on contraction in the rabbit aorta, **87**, 139
- DONG, Y.L., JONES, R.L. & WILSON, N.H. Prostaglandin E receptor subtypes in smooth muscle: agonist activities of stable prostaglandin analogues, **87**, 97
- DORIGO, P. & MARAGNO, I. Interaction of amrinone with endogenous adenosine in guinea-pig atria, **87**, 623
- DOWNES, H., EDELSTEIN, R.A. & TAYLOR, S.M. Mechanisms of intrinsic tone in bullfrog lung: relaxant effects of indomethacin, ouabain and potassium, **87**, 579
- DUBOIS, J.M. *see* BENOIT, E., **87**, 291
- DUSTING, G.J. & L.I., D.M.F. Catecholamine release and potentiation of thromboxane A₂ production by nicotine in the greyhound, **87**, 29
- E**
- EDDELSTEIN, R.A. *see* DOWNES, H., **87**, 579
- EMMS, H. & LEWIS, G.P. The roles of prostaglandin endoperoxides, thromboxane A₂ and adenosine diphosphate in collagen-induced aggregation in man and rat, **87**, 109
- EVANS, R.H. *see* AGRAWAL, S.G., **87**, 345
- F**
- FEATHERSTONE, R.L. *see* BAILEY, S.J., **87**, 79
- FEATHERSTONE, R.L., FOSBRAEY, P. & MORTON, I.K.M. A comparison of the effects of three substance P antagonists on tachykinin-stimulated [³H]-acetylcholine release in the guinea-pig ileum, **87**, 73
- FENIUK, W. *see* CONNOR, H.E., **87**, 417
- FENNESSY, M.R., STEWART, A.G. & THOMPSON, D.C. Aerosolized and intravenously administered leukotrienes effects on the bronchoconstrictor potency of histamine in the guinea-pig, **87**, 741
- FLOWER, R.J., PARENTE, L., PERSICO, P. & SALMON, J.A. A comparison of the acute inflammatory response in adrenalectomized and sham-operated rats, **87**, 57
- FOREMAN, J.C., NORRIS, D.B., RISING, T.J. & WEBBER, S.E. A study of the H₂-receptor for histamine stimulating adenylate cyclase in homogenates of guinea-pig lung parenchyma, **87**, 37
- FÖRSTERMANN, U., HERTTING, G. & NEUFANG, B. The role of endothelial and non-endothelial prostaglandins in the relaxation of isolated blood vessels of the rabbit induced by acetylcholine and bradykinin, **87**, 521
- FOSBRAEY, P. *see* FEATHERSTONE, R.L., **87**, 73
- FOSTER, R.W. *see* ALLEN, S.L., **87**, 109
- FOZARD, J.R., PALFREYMAN, M.G., ROBIN, M. & ZREIKA, M. Selective inhibition of monoamine oxidase type B by MDL 72145 increases the central effects of L-DOPA without modifying its cardiovascular effects, **87**, 257
- FRANCONI, F. *see* BACCARO, C., **87**, 649
- FRAYN, K.N. *see* DAUGHERTY, A., **87**, 265
- FUKUSHI, Y. *see* ABIKO, Y., **87**, 427
- G**
- GARDINER, P.J. Characterization of prostanoid relaxant/inhibitory receptors (ψ) using a highly selective agonist, TR4979, **87**, 45
- GIESSEN, W.J. VAN DER, SCHOUTSEN, B., TIJSSEN, J.G.P. & VERDOUW, P.D. Iloprost (ZK 36374) enhan-

- ces recovery of regional myocardial function during reperfusion after coronary artery occlusion in the pig, **87**, 23
- GIOTTI, A. *see* BACCARO, C. **87**, 649
- GOLDIE, R.G., PAPADOMITRIOU, J.M., PATERSON, J.W., RIGBY, P.J., SELF, H.M. & SPINA, D. Influence of the epithelium on responsiveness of guinea-pig isolated trachea to contractile and relaxant agonists, **87**, 5
- GORCZYNSKI, R.J. *see* BROWN, B.S., **87**, 87
- GRANGER, S.E., HOLLINGSWORTH, M. & WESTON, A.H. Effects of calcium entry blockers on tension development and calcium influx in rat uterus, **87**, 147
- GRIFFITHS, R. *see* BROWN, E.A., **87**, 569
- GRIFFITHS, R.J. *see* BERRY, C.N., **87**, 327
- GRYGLEWSKI, R.J., MONCADA, S. & PALMER, R.M.J. Bioassay of prostacyclin and endothelium-derived relaxing factor (EDRF) from porcine aortic endothelial cells, **87**, 685

H

- HAGA, N. *see* ABIKO, Y., **87**, 427
- HALLBERG, H. Central β -adrenoceptors can modulate 5-hydroxytryptamine-induced tremor in rats, **87**, 403
- HARDY, C.C., HOLGATE, S.T. & ROBINSON, C. Evidence against the formation of 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ following inhalation of prostaglandin D_2 in man, **87**, 563
- HARLAND, D. *see* BROWN, M.J., **87**, 361
- HARVEY, C.A. *see* BROWN, E.A., **87**, 569
- HATTORI, Y., HAZAMA, S., KANNO, M. & NAKAO, Y. Inotropic effect of Ca^{2+} channel agonist and antagonists in neuraminidase-treated left atria of rats, **87**, 299
- HAZAMA, S. *see* HATTORI, Y., **87**, 299
- HEAVEY, D.J. *see* BARNES, V.F., **87**, 357
- , *see* BARROW, S.E., **87**, 243
- HERTTING, G. *see* FÖRSTERMANN, U., **87**, 521
- HESTER, R.K. STAKE, N., UEDA, S. & YAMAHARA, J. The mode of vasorelaxant action of 2-aminoiso-quinoline, 1,3(2H,4H)-dione, a novel 'intracellular' calcium inhibitor, **87**, 387
- HICKLING, N.E. *see* BARROW, S.E., **87**, 243
- HIDAKA, H. *see* ASHOORI, F., **87**, 15
- HILL, S.J. *see* DONALDSON, J., **87**, 183
- HIRASAWA, N., OHUCHO, K., SUGIO, K., TSURUFUJI, S., WATANABE, M. & YOSHINO, S. Vascular permeability responses and the role of prostaglandin E_2 in an experimental allergic inflammation of air pouch type in rats, **87**, 751
- HOF, R.P. Vasopressin induced myocardial depression is neurally mediated and not due to impaired coronary blood flow, **87**, 611
- HOLCK, M. & OSTERRIEDER, W. Inhibition of the myocardial Ca^{2+} inward current by the class 1 antiarrhythmic agent, cibenzoline, **87**, 705
- HOLGATE, S.T. *see* HARDY, C.C., **87**, 563
- HOLLINGSWORTH, M. *see* GRANGER, S.E., **87**, 147
- HOLROYDE, M.C. The influence of epithelium on the responsiveness of guinea-pig isolated trachea, **87**, 501
- HOMEIDA, A.M. Evidence for the presence of oxytocin in the corpus luteum of the goat, **87**, 673
- HONDA, K., SATAKE, T., TAKAGI, K. & TOMITA, T.

- Effects of relaxants on electrical and mechanical activities in the guinea-pig tracheal muscle, **87**, 665
- HONG, S.J. *see* CHANG, C.C., **87**, 757
- HOULT, J.R.S. *see* BERRY, C.N., **87**, 327
- HUANG, X.D., LEE, A.Y.S., WONG, T.M., ZHAN, C.Y. & ZHAO, Y.Y. Naloxone inhibits arrhythmias induced by coronary artery occlusion and reperfusion in anaesthetized dogs, **87**, 475
- HUMPHREY, P.P.A. *see* BRADLEY, P.B., **87**, 3
- , *see* CONNOR, H.E., **87**, 417

I

- IBENGWE, J.K. & SUZUKI, H. Changes in mechanical responses of vascular smooth muscles to acetylcholine, noradrenaline and high potassium solution in hypercholesterolemic rabbits, **87**, 395

J

- JENNER, P. *see* DAVIS, A.S., **87**, 129
- JOHNSTON, H. & MAJEWSKI, H. Prejunctional β -adrenoceptors in rabbit pulmonary artery and mouse atria: effect of α -adrenoceptor blockade and phosphodiesterase inhibition, **87**, 553
- JONES, R.L. *see* ARMSTRONG, R.A. **87**, 543
- , *see* DONG, Y.L., **87**, 97
- JORDAN, C.C. *see* BAILEY, S.J. **87**, 79
- JORDAN, V.C., KOCH, R., MITTAL, S. & SCHNEIDER, M.R. Oestrogenic and antioestrogenic action in a series of triphenylbut-1-enes: modulation of prolactin synthesis *in vitro*, **87**, 211

K

- KANNO, M. *see* HATTORI, Y., **87**, 299
- KAWAI, T. & WATANABE, M. Blockade of Ca-activated K conductance by apamin in rat sympathetic neurones, **87**, 225
- KEANE, P.E. *see* CRESPI, F., **87**, 279
- KEMP, J.A., MARSHALL, G.R. & WOODRUFF, G.N. Quantitative evaluation of the potencies of GABA-receptor agonists and antagonists using the rat hippocampal slice preparation, **87**, 677
- KISARA, K., SAKURADA, S., SAKURADA, T., SASAKI, Y., SATO, T., SUZUKI, K. & WATANABE, H. Dermorphin analogues containing D-kytorphin: structure-antinociceptive relationships in mice, **87**, 183
- KO, J.-L. *see* CHANG, C.C., **87**, 757
- KOCH, R. *see* JORDAN, V.C., **87**, 211
- KOSKINEN, L.-O. D. Effect of low intravenous doses of TRH, acid-TRH and cyclo(His-Pro) on cerebral and peripheral blood flows, **87**, 509

L

- LAMBRECH, G. & PARNHAM, M.J. Kadsurenone distinguishes between different platelet activating factor receptor subtypes on macrophages and polymorphonuclear

leucocytes, **87**, 287

- LEE, A.Y.S. *see* HUANG, X.D., **87**, 475
 LEFF, P. *see* BARRETT, V.J., **87**, 487
 LEWIS, G.P. *see* EMMS, H., **87**, 109
 LI, D.M.F. *see* DUSTING, G.J., **87**, 29
 LINGLE, C.J. *see* ALBERT, J., **87**, 771
 LIPE, S. & SUMMERS, R.J. Autoradiographic analysis of the distribution of β -adrenoceptors in the dog splenic vasculature, **87**, 595
 LOGRANO, M. & REIBALDI, A. Receptor-responses in fresh human ciliary muscle, **87**, 379

M

- MACDERMOT, J. *see* ARMSTRONG, R.A., **87**, 543
 MAGYAR, K., NGUYEN, T.T., TÖRÖK, T.L. & TÓTH, P.T. The action of excess potassium and calcium on ouabain-evoked [3 H]-noradrenaline release from the rabbit pulmonary artery, **87**, 63
 MAJEWSKI, H. *see* JOHNSTON, H. **87**, 553
 MANZANARES, J. *see* DELGADO, C., **87**, 317
 MARAGNO, I. *see* DORIGO, P., **87**, 623
 MARDER, E. *see* ALBERT, J., **87**, 771
 MARSDEN, C.D. *see* DAVIS, A.S., **87**, 129
 MARSHALL, G.R. *see* KEMP, J.A., **87**, 677
 MARTIN, G.R. *see* BARRETT, V.J., **87**, 487
 MATSUMURA, H. *see* ABIKO, Y., **87**, 427
 MATUCCI, R. *see* BACCARO, C., **87**, 649
 MILLER, L., SHAW, J.S. & WHITING, E.M. The contribution of intrinsic activity to the actions of opioids *in vitro*, **87**, 595
 MINUTI, P. *see* BACCARO, C., **87**, 649
 MITCHELSON, F. *see* CHOO, L.K., **87**, 733
 MITOLO-CHIEPPA, D. *see* BENOIT, E., **87**, 291
 MONCADA, S. *see* GRYGLEWSKI, R.J., **87**, 685
 MOORE, P.K. *see* BERRY, C.N., **87**, 327
 MORGAN, G.P. *see* ALLEN, S.L., **87**, 109
 MORRE, M. *see* CRESPI, F., **87**, 279
 MORTON, I.K.M. *see* BAILEY, S.J., **87**, 79
 —, *see* BAKHLE, Y.S., **87**, 463
 —, *see* FEATHERSTONE, R.L., **87**, 73
 MUNDAY, K.A. *see* COX, H.M., **87**, 201
 MURAMATSU, I. Evidence for sympathetic, purinergic transmission in the mesenteric artery of the dog, **87**, 478

N

- NAKAO, Y. *see* HATTORI, Y., **87**, 299
 NEUFANG, B. *see* FÖRSTERMANN, U., **87**, 521
 NGUYEN, T.T. *see* MAGYAR, K., **87**, 63
 NORRIS, D.B. *see* FOREMAN, J.C., **87**, 37

O

- O'DONNELL, S.R. *see* BRYAN, L.J., **87**, 337
 O'NEIL, M.B. *see* ALBERT, J., **87**, 771
 OCHUCHO, K. *see* HIRASAWA, N., **87**, 751
 OGLE, C.W. *see* CHO, C.H., **87**, 371
 OWEN, D.A.A. *see* BROWN, E.A., **87**, 569

P

- PALFREYMAN, M.G. *see* FOZARD, J.R., **87**, 257
 PALMER, R.M.J. *see* GRYGLEWSKI, R.J., **87**, 685
 PAPADIMITRIOU, J.M. *see* GOLDIE, R.G., **87**, 5
 PARENTE, L. *see* FLOWER, R.J., **87**, 57
 PARNHAM, M.J. *see* LAMBRECHT, G., **87**, 28
 PARRATT, J.R. & SITSAPESAN, R. Stereospecific antiarrhythmic effect of opioid receptor antagonists in myocardial ischaemia, **87**, 621
 PATERSON, J.W. *see* GOLDIE, R.G., **87**, 5
 PERREN, M.J. *see* CONNOR, H.E., **87**, 417
 PERSICO, P. *see* FLOWER, R.J., **87**, 57
 PIERCE, V., SHEPPERSON, N.B., TODD, M.H. & WATERFALL, J.F. Investigation into the cardio-regulatory properties of the α_1 -adrenoceptor blocker indoramin, **87**, 433
 POAT, J.A. *see* COX, H.M., **87**, 201

R

- RAFUSE, P.E. & SMITH, P.A. α_2 -Adrenergic hyperpolarization is not involved in slow synaptic inhibition in amphibian sympathetic ganglia, **87**, 409
 REDFERN, W.S. *see* DAUGHERTY, A., **87**, 265
 REIBALDI, A. *see* LOGRANO, M., **87**, 379
 RENYI, L. The effect of selective 5-hydroxytryptamine uptake inhibitors on 5-methoxy-N, N-dimethyltryptamine-induced ejaculation in the rat, **87**, 639
 REYNOLDS, R.D. *see* BROWN, B.S., **87**, 87
 RICHARDSON, P.J. *see* BARRETT, V.J., **87**, 487
 RIGBY, P.J. *see* GOLDIE, R.G., **87**, 5
 RISING, T.J. *see* FOREMAN, J.C., **87**, 37
 RISING, T.J. & STEWARD, A. The determination of receptor constants for histamine H_2 -agonists in the guinea-pig isolated right atrium using an irreversible H_2 -antagonists, **87**, 211
 RITTER, J.M. *see* BARROW, S.E., **87**, 243
 ROBIN, M. *see* FOZARD, J.R., **87**, 257
 ROBINSON, C. *see* HARDY, C.C., **87**, 563

S

- SAKURADA, S. *see* KISARA, K., **87**, 183
 SALMON, J.A. *see* FLOWER, R.J., **87**, 57
 SASAKI, Y. *see* KISARA, K., **87**, 183
 SATAKE, N. *see* HESTER, R.K., **87**, 387
 SATAKE, T. *see* HONDA, K., **87**, 665
 SATO, T. *see* KISARA, K., **87**, 183
 SCHOUTSEN, B. *see* GIESSEN, W.J. VAN DER, **87**, 23
 SCHRÖR, K. & THIEMERMANN, C. Treatment of acute myocardial ischaemia with a selective antagonist of thromboxane receptors (BM 13.177), **87**, 631
 SELF, H.M. *see* GOLDIE, R.G., **87**, 5
 SHAW, J.S. *see* MILLER, L., **87**, 595
 SHEPPERSON, N.B. *see* PIERCE, V., **87**, 433
 SHIBATA, S. *see* HESTER, R.K., **87**, 387
 SITSAPESAN, R. *see* PARRATT, J.R., **87**, 621
 SMALL, R.C. *see* ALLEN, S.L., **87**, 109
 SMITH, P.A. *see* RAFUSE, P.E., **87**, 409
 SOFIA, R.D. *see* CHAND, N., **87**, 443

SPINA, D. *see* GOLDIE, R.G., 87, 5
 STERIN-BORDA, L. *see* CANGA, L., 87, 147
 STEWARD, A. *see* RISING, T.J., 87, 211
 STEWART, A.G. *see* FENNESSY, M.R., 87, 741
 STORY, D.F. & ZIOGAS, J. Role of the endothelium on the facilitatory effects of angiotensin I and angiotensin II on noradrenergic transmission in the caudal artery of the rat, 87, 249
 STRAUGHAN, D.W. *see* BAKHLE, Y.S., 87, 463
 SUGIO, K. *see* HIRASAWA, N., 87, 751
 SUMMERS, R.J. *see* LIPE, S. 87, 595
 SUZUKI, H. *see* IBENGWE, J.K., 87, 395
 SUZUKI, K. *see* KISARA, K., 87, 183

T

TAKAGI, K. *see* HONDA, K., 87, 665
 TAMARGO, J. *see* BARRIGÓN, S., 87, 763
 —, *see* DELGADO, C., 87, 317
 TAYLOR, G.W. *see* BERRY, C.N., 87, 327
 TAYLOR, S.M. *see* DOWNES, H., 87, 579
 THIEMERMANN, C. *see* SCHRÖR, K., 87, 631
 THOMPSON, D.C. *see* FENNESSY, M.R., 87, 741
 TIJSEN, J.G.P. *see* GIESSEN, W.J. VAN DER, 87, 23
 TODD, M.H. *see* PIERCE, V., 87, 433
 TOMITA, T. *see* ASHOORI, F., 87, 15
 —, *see* HONDA, K., 87, 665
 TÖRÖK, T.L. *see* MAGYAR, K., 87, 63
 TOTH, P.T. *see* MAGYAR, K., 87, 63
 TSURUFUJI, S. *see* HIRASAWA, N., 87, 751

U

UEDA, S. *see* HESTER, R.K., 87, 387

V

VALENZUELA, C. *see* DELGADO, C., 87, 317
 VARMA, D.R. & YUE, T.L. Adrenoceptor blocking

properties of atropine-like agents anisodamine and anisodine on brain and cardiovascular tissues of rats, 87, 587
 VERDOUW, P.D. *see* GIESSEN, W.J. VAN DER, 87, 23
 VIAL, J. *see* BARROW, S.E., 87, 243
 VONG, Y.M. *see* CHOO, L.K., 87, 733

W

WADSWORTH, R.M. *see* DONG, Y.J. 87, 139
 WALLACE, C.P. *see* BROUGHTON PIPKIN, F., 87, 533
 WANG, C.M. *see* AULT, B., 87, 685
 WATANABE, H. *see* KISARA, K., 87, 183
 WATANABE, M. *see* HIRASAWA, N., 87, 751
 —, *see* KAWAI, T., 87, 225
 WATERFALL, J.F. *see* PIERCE, V., 87, 433
 WEBBER, S.E. *see* FOREMAN, J.C., 87, 37
 WEBSTER, R.A. *see* BAKHLE, Y.S. 87, 463
 WESTON, A.H. *see* GRANGER, S.E., 87, 147
 WILLIAMS, A.M. *see* BRYAN, L.J., 87, 337
 WILLIAMS, R.H. *see* BRADLEY, P.B., 87, 3
 WILSON, N.H. *see* DONG, Y.L., 87, 97
 WONG, T.M. *see* HUANG, X.D., 87, 475
 WOODRUFF, G.N. *see* KEMP, J.A., 87, 677
 WOODWARD, B. *see* DAUGHERTY, A., 87, 265

Y

YAMAHARA, J. *see* HESTER, R.K., 87, 387
 YOSHINO, S. *see* HIRASAWA, N., 87, 751
 YUO, T.L. *see* VARMA, D.R., 87, 587

Z

ZHAN, C.Y. *see* HUANG, X.D., 87, 475
 ZHOA, Y.Y. *see* HUANG, X.D., 87, 475
 ZIOGAS, J. *see* STORY, D.F., 249
 ZREIKA, M. *see* FOZARD, J.R., 87, 257

SUBJECT INDEX

A

- A23187**, induction of relaxations in vascular smooth muscle, effect of endothelial damage, **87**, 713
- , release of prostacyclin and prostaglandin E_2 from pig aortic endothelial cells, bioassay, **87**, 685
- ACC-9358**, parasympatholytic activity, **87**, 87
- Accelerometer**, measurement of tremor in rats, **87**, 403
- Acetylcholine**, contractile effect in guinea-pig isolated trachea, effect of epithelium, **87**, 5
- , changes in mechanical responses of vascular smooth muscles in hypercholesterolemic rabbits, **87**, 395
- , effect of epithelium removal on sensitivity of guinea-pig isolated trachea, **87**, 501
- , effect of substances P antagonists on tachykinin-stimulated release in guinea-pig ileum, **87**, 73
- , induction of relaxation in rabbit isolated arteries, role of endothelial and non-endothelial prostaglandins, **87**, 521
- , interactions with antagonists at prejunctional muscarinic receptor in rabbit ear artery, **87**, 733
- Acetylcholinesterase**, effect of inhibition on fade of tetanic contraction in mouse, **87**, 757
- Acidosis**, coronary occlusion-induced in dog myocardium, attenuation by isosorbide dinitrate, **87**, 427
- Action potentials**, effect of amoxapine in untreated and amoxapine-pretreated rat atria, **87**, 317
- Adenosine**, effect of epithelium removal on sensitivity of guinea-pig isolated trachea, **87**, 501
- , endogenous, effect on actions of amrinone in guinea-pig atria, **87**, 623
- , enhancement of 5-HT release and potentiation of cyclic adenosine response to antigen challenge in rat mast cells, **87**, 233
- , inhibition of epileptiform activity arising in hippocampal area CA3, **87**, 695
- Adenosine deaminase**, effect on burst potentials in rat hippocampus, **87**, 695
- Adenosine 3',5'-monophosphate**, cyclic, effect of EP 035 and EP 157 on levels in human platelet rich plasma, **87**, 543
- , cyclic, potentiation by adenosine of response to antigen challenge in rat mast cells, **87**, 233
- , dibutylryl cyclic, effect on electrical and mechanical activities in guinea-pig tracheal muscle, **87**, 665
- Adenosine receptors**, characters in rat mast cells, **87**, 233
- Adenosine triphosphatase**, sodium-potassium, lack of involvement in potassium-induced relaxation of bullfrog hemilungs, **87**, 579
- Adenosine triphosphate**, induction of relaxations in arterial smooth muscle, **87**, 713
- , ventricular concentrations after coronary artery occlusion in the pig, effect of iloprost, **87**, 23
- Adenylate cyclase**, effects of forskolin and histamine H_2 - agonists on activity in guinea-pig lung, **87**, 37
- Adrenalectomy**, effect on acute inflammatory response in rats, **87**, 57
- Adrenaline**, effect on dog coronary responses to arachidonate and contractions of bioassay tissues, **87**, 29
- , effect on electrical and mechanical activities in guinea-pig tracheal muscle, **87**, 665
- , induction of hyperpolarization, effect of propranolol, sotalol, prazosin, phentolamine yohimbine and idazoxan in the presence of desmethylinipramine in amphibian sympathetic ganglia, **87**, 416
- Adrenergic mechanisms**, role in production of ischaemia-induced ventricular arrhythmias in rat *in vivo* and *in vitro*, **87**, 265
- β -Adrenoceptor agonists**, effect on electrical and mechanical activities in guinea-pig tracheal muscle, **87**, 665
- Adrenoceptor antagonists**, effect on the inhibitory action of 5-HT on histamine-induced gastric acid output, **87**, 371
- α -Adrenoceptor antagonists**, effect on prejunctional β -adrenoceptors in rabbit pulmonary artery and mouse atria, **87**, 553
- β -Adrenoceptor partial agonists**, β_1 - and β_2 -adrenoceptor stimulatory effects in rat right atrium and uterus, **87**, 657
- Adrenoceptors**, blockade by anisodamine and anisodine in rat brain and cardiovascular tissues, **87**, 587
- α -Adrenoceptors**, role in ability of nicotine to potentiate thromboxane A_2 release from circulating platelets and blood cells in greyhounds, **87**, 29
- α_2 -Adrenoceptors**, role in adrenaline-induced hyperpolarization in amphibian sympathetic ganglia, **87**, 409
- , role in effects of B-HT 958 on blood pressure and heart rate in the rat, **87**, 361
- β -Adrenoceptors**, autoradiographic analysis of distribution in dog splenic vasculature, **87**, 603
- , modulation of 5-HT-induced tremor in rats, **87**, 403
- , prejunctional, in rabbit pulmonary artery and mouse atria, effect of α -adrenoceptor blockade and phosphodiesterase inhibition, **87**, 553
- β_2 -Adrenoceptors**, distribution in human ciliary muscle and affinity of atropine and propranolol, **87**, 379
- Aerosol administration**, effect on the action of leukotrienes on bronchoconstrictor potency of histamine in guinea-pig, **87**, 741
- After-hyperpolarization**, effect of apamin in rat sympathetic neurones, **87**, 225
- AHR-602**, interaction with antagonists at the prejunctional muscarinic receptor in rabbit ear artery, **87**, 733
- Air pouch**, vascular permeability responses and the role of prostaglandin E_2 in an experimental allergic inflammation in rats, **87**, 751
- Airways**, effect of histamine on reactivity after aerosol or intravenous administration of leukotrienes in guinea-

- pig, 87, 741
- , localization of prostanoid 'ψ' receptor using TR4979, 87, 37
- Alaproclate**, effect on 5-HT syndrome and ejaculation in the rat, 87, 639
- Allergic inflammation**, effect on vascular permeability, pouch fluid volume and prostaglandin E₂ in rat air pouch, 87, 751
- Alprenolol**, β₁- and β₂-adrenoceptor stimulatory effects in right atrium and uterus of rat, 87, 657
- 2-Amino-6-(p-chlorobenzyl)-4H-5, 6, 7, 8-tetrahydrothiazolo-(5, 4-d)azepine** *see* B-HT 958
- γ-Aminobutyric acid**, activation of chloride conductance, lack of blockade by picrotoxin in spiny lobster neuromuscular preparations, 87, 771
- , lack of involvement in catechol-induced seizures in rats and mice, 87, 167
- , potency in rat nervous system, 87, 677
- γ-Aminobutyric acid receptor agonists**, potency at rat hippocampal slice preparation, 87, 677
- γ-Aminobutyric acid receptor antagonists**, potency at rat hippocampal slice preparation, 87, 677
- Aminoguanidine**, effect on potentiation of responses to histamine by 1,4-dithiothreitol in guinea-pig smooth muscle, 87, 191
- N-(6-aminoheptyl)-5-chloro-1-naphthlene sulphonamide** *see* W-7
- 2-Aminoisoquinoline, 1.3(2H.4H)-dione**, vasorelaxant action in rabbit aorta, 87, 387
- Amoxapine**, electrophysiological effect in untreated and in amoxapine-pretreated rat atria, 87, 317
- Amrinone**, interaction with endogenous adenosine in guinea-pig atria, 87, 623
- Anaesthesia**, abolition of the effect of valproate on extracellular 5-HIAA, DOPAC and ascorbate as measured in rat striatum by differential pulse voltammetry, 87, 279
- Anaphylaxis**, modulation in isolated tracheal segments of guinea-pig by azelastine, arachidonic acid metabolism inhibitors and antiallergic drugs, 87, 443
- Angiotensin**, induction of contractions, effect of atropine, tetrodotoxin, phentolamine and propranolol in human ciliary muscle, 87, 379
- Angiotensin I**, role of the endothelium on facilitatory effects on noradrenergic transmission in the caudal artery of the rat, 87, 249
- Angiotensin II**, effect on prostacyclin synthesis in man, 87, 243
- , role of the endothelium on facilitatory effects on noradrenergic transmission in the rat, 87, 249
- [¹²⁵I]-angiotensin II**, identification of selective, high affinity binding sites in rat intestinal epithelia, 87, 201
- Angiotensin converting enzyme inhibitor**, effect on conscious pregnant ewe and her foetus, 87, 533
- Angiotensin receptors**, location on human ciliary muscle, 87, 379
- Anisodamine**, muscarinic ACh receptor antagonism and adrenoceptor antagonism in brain and cardiovascular tissues of rats, 87, 587
- Antiarrhythmic drugs**, inhibition of calcium inward currents in guinea-pig myocardium, 87, 705
- Antiarrhythmic effects**, of naloxone, 87, 475
- Anticonvulsant activity**, endogenous adenosine in rat, 87, 695
- Antinociception**, induced by dermorphin analogues, structure activity relationships in mice, 87, 183
- Antioestrogen action**, of triphenyl-l-enes in primary cell cultures of rat pituitary glands, 87, 217
- Aorta**, rabbit, mode of vasorelaxant action of 2-aminoisoquinoline, 1.3(2H.4H)-dione, 87, 387
- , rabbit, pharmacological analysis of interaction between Bay K 8644 and 5-HT, 87, 487
- , rat isolated effect of oxytocin on contractile responses and ⁴⁵calcium fluxes, 87, 763
- Apamin**, blockade of Ca-activated K conductance in rat sympathetic neurones, 87, 225
- , effect on relaxant action of nicorandil in guinea-pig trachealis, 87, 117
- Apomorphine**, factors affecting the climbing response in rats, 87, 129
- Arachidonic acid**, generation of thromboxane A₂ in an extracorporeal circuit of blood from greyhounds and assay on blood-bathed bioassay cascade of various tissues, 87, 29
- Arecaidine propargyl ester**, interactions with antagonists at the prejunctional muscarinic receptor in rabbit ear artery, 87, 733
- L-Arginine methylester**, effect on hypoxia-reoxygenation in guinea-pig isolated heart, 87, 649
- Arginine vasopressin**, effect on prostacyclin synthesis in man, 87, 243
- Arrhythmias**, coronary artery occlusion and reperfusion induced, effect of naloxone, 87, 475
- Artery**, guinea-pig, endothelial-dependent relaxant action of carbachol and substance P in smooth muscle, 87, 713
- , rabbit ear, interaction on some muscarinic agonists and antagonists at the prejunctional muscarinic acetylcholine receptor, 87, 733
- Ascorbate**, effect of anaesthesia on extracellular levels in rat striatum measured by differential pulse voltammetry, 87, 279
- Aspirin**, effect on platelet aggregation and thromboxane B₂ formation induced by collagen in man and rat, 87, 109
- Asthma**, formation of 13,14-dihydro-15-keto-prostaglandin F_{2α} following inhalation of prostaglandin D₂ in man, 87, 563
- , role of epithelium in airway hyperreactivity, 87, 501
- Atria**, guinea-pig, interaction of amrinone with endogenous adenosine, 87, 623
- , guinea-pig right, determination of receptor constants for histamine H₂-agonists using EI309, 87, 211
- , guinea-pig right, study of the effects of ACC9358 or disopyramide on spontaneous beating, 87, 87
- , mouse isolated, effect of isoprenaline on stimulation-induced outflow of radioactivity in the presence of ICI 63, 197 or phentolamine, 87, 553
- , rat, electrophysiological effects of amoxapine and in amoxapine-pretreated animals, 87, 317
- , rat isolated, hypersensitivity to methoxamine in streptozotocin-induced diabetes, 87, 157
- , rat left, inotropic effect of Ca²⁺ channel agonist and antagonist in neuraminidase-treated animals, 87, 299
- , rat right isolated, β-stimulator effects of β-adrenoceptor partial agonists, 87, 657
- Atropine**, adrenoceptor antagonist properties in rat brain and cardiovascular tissues, 87, 587
- , effect on mechanical responses of human ciliary muscle

- to various stimuli, **87**, 379
- , antagonism of carbachol-induced contractions in human ciliary muscles, **87**, 379
- , interaction with agonists at the prejunctional muscarinic receptor in rabbit ear artery, **87**, 733
- Autoradiography**, analysis of distribution of β -adrenoceptors in dog splenic vasculature, **87**, 603
- , localization of ^{125}I -iodocyanopindolol binding sites in guinea-pig isolated trachea, **87**, 5
- Azelastine**, antianaphylactic activity in guinea-pig isolated trachea, **87**, 443

B

- B-HT 958** effect on blood pressure and heart rate in rat, **87**, 361
- Baclofen**, effect in crustacean neuromuscular preparations, **87**, 771
- , potency in rat nervous system, **87**, 677
- Basilar artery**, rabbit, mediation of contraction by 5-HT₁-like receptors, **87**, 3
- Bay K 8644**, effects on ^{45}Ca uptake and efflux and on contraction in rabbit aorta, **87**, 139
- , interaction with 5-HT in rabbit aorta, pharmacological analysis, **87**, 487
- Behavioural responses**, to amoxapine treatment in rats, **87**, 317
- Betaxolol**, characterization of β -adrenoceptor subtypes in dog splenic vasculature, **87**, 603
- Bethanechol**, interaction with antagonists at the prejunctional muscarinic receptor in rabbit ear artery, **87**, 733
- Bicuculline**, antagonism of effects of isoguvacine and mucimol in rat central nervous system, **87**, 677
- , effect in crustacean neuromuscular preparations, **87**, 771
- Bioassay**, identification of 6-oxo-prostaglandin E₁ as a naturally occurring prostanoid generated by rat lung, **87**, 327
- , release of prostacyclin and endothelium-derived relaxing factor from porcine aortic endothelial cells, **87**, 685
- Blood flow**, cerebral, effect of low intravenous thyrotrophin-releasing hormone and its metabolites, **87**, 509
- , peripheral, effect of thyrotrophin-releasing hormone and its metabolites, **87**, 509
- BM 13.177**, treatment of acute myocardial ischaemia in cats, **87**, 631
- Bradycardia**, B-HT 958-induced in rats, **87**, 361
- , comparison of effects of prazosin and indoramin in rats, **87**, 433
- Blood vessels**, rabbit isolated, relaxation induced by ACh and bradykinin, role of endothelial and non-endothelial prostaglandins, **87**, 521
- Bradykinin**, effect on prostacyclin synthesis in man, **87**, 243
- , induction of relaxation in rabbit isolated arteries, role of endothelial and non-endothelial prostaglandins, **87**, 521
- , release of prostaglandins and endothelium-derived relaxing factor from pig aortic endothelial cells, bioassay, **87**, 685
- [^{125}I]-bradykinin, identification of selective, high affinity binding sites in rat intestinal epithelia, **87**, 201
- Brain**, rat, adrenoceptor blocking properties of anisodamine and anidine, **87**, 587
- p-Bromophenacyl bromide**, antianaphylactic activity in

- guinea-pig isolated trachea, **87**, 443
- Bronchoconstriction**, histamine-induced, effect of aerosol or intravenous administration of leukotrienes in guinea-pig, **87**, 741
- , 5-HT-induced in anaesthetized cats, **87**, 417
- BW 755**, antianaphylactic activity in guinea-pig isolated trachea, **87**, 443

C

- Cadmium**, effect on slow inhibitory postsynaptic potential in amphibian sympathetic ganglia, **87**, 409
- Calcium**, activation of potassium conductance, blockade by apamin in rat sympathetic neurones, **87**, 225
- , effect of excess amounts on ouabain-evoked [^3H]-noradrenaline release from the rabbit pulmonary artery, **87**, 63
- , effect of withdrawal on carbachol-induced contractions of circular muscle of guinea-pig stomach, **87**, 15
- , intracellular inhibition by 2-aminoisoquinoline, 1.3(2H.4H)-dione in rabbit aorta, **87**, 387
- ^{45}Ca** , effect of Bay K 8644 on uptake and efflux in rabbit aorta, **87**, 139
- Calcium channels**, differentiation using Bay K 8644, **87**, 487
- , effect of Bay K 8644 on opening in rabbit aorta, **87**, 139
- Calcium currents**, inhibition by cibenzoline in guinea-pig myocardium, **87**, 705
- Calcium entry blockers**, effect on tension development and calcium influx in rat uterus, **87**, 147
- Calcium fluxes**, effect of oxytocin in rat isolated aortic strips, **87**, 763
- Calmodulin antagonists**, effect on carbachol-induced contractions in circular muscle of guinea-pig stomach in presence and absence of Ca, **87**, 15
- Carbachol**, endothelium-dependent relaxant actions in arterial smooth muscle, **87**, 713
- , induction of contraction, effects of ACC-9358 or dipyramide in guinea-pig ileum, **87**, 87
- , induction of contractions, effects of atropine, tetrodotoxin, phentolamine and propranolol in human ciliary muscle, **87**, 379
- , induction of contractions in circular muscle of guinea-pig stomach in presence and absence of Ca, **87**, 15
- , induction of contractions in guinea-pig isolated trachea, influence of epithelium, **87**, 5
- , interaction with antagonists at the prejunctional muscarinic receptor in rabbit ear artery, **87**, 733
- 5-Carboxamidotryptamine**, agonist at 5-HT receptors mediating vasodilatation and tachycardia in anaesthetized cats, **87**, 417
- , induction in rat isolated basilar artery, mediated by 5-HT receptors, **87**, 3
- Carboxyheptylimidazole**, effect on collagen-induced-platelet aggregation and thromboxane B₂ formation in man and rat, **87**, 109
- Cardiovascular effects**, induced by enalapril in pregnant ewe and her foetus, **87**, 533
- , of amoxapine in rats, **87**, 317
- , of L-DOPA, increased by selective inhibition of MAO B by MDL 72145, **87**, 257
- Cardiovascular tissues**, rat, adrenoceptor blocking properties of anisodamine and anisidine, **87**, 587

- Carrageenin pleurisy**, effect of adrenalectomy on response in rats, **87, 57**
- Catechol**, induction of seizures in rats and mice, non involvement of GABA, **87, 167**
- Catecholamines**, effect of thyroxine on neuronal and extra-neuronal uptake and metabolism in rat heart, **87, 337**
—, role in the production of ischaemia-induced ventricular arrhythmias in the rat *in vivo* and *in vitro*, **87, 265**
- Catechol-O-methyltransferase**, effect of thyroxine in rat heart, **87, 337**
- Caudal artery**, rat, role of endothelium on the facilitatory effects of angiotensin I or II on noradrenergic transmission, **87, 249**
- Central effects**, of L-DOPA, increase by selective inhibition of MAO B by MDL 72145, **87, 257**
- Central nervous system**, lack of effect of temelastine a histamine H₁-receptor antagonist, **87, 569**
—, rat, quantitative evaluation of potencies of GABA-receptor agonists and antagonists, **87, 677**
- Chemoluminescence**, Paf-induced, effect of kadsurenone in guinea-pig peritoneal macrophages and pig peripheral leucocytes, **87, 287**
- Chloride conductance**, GABA-activated, lack of blockade by picrotoxin in spiny lobster neuro-muscular preparations, **87, 771**
- 2-Chloroadenosine**, effect on epileptiform activity arising in hippocampal area CA3 in the rat, **87, 695**
- Cholinoceptors** *see* Muscarinic acetylcholine receptors; Nicotinic acetylcholine receptors
- Cibenzoline**, inhibition of calcium inward currents in guinea-pig myocardium, **87, 705**
- Ciliary muscle**, human, receptor-responses, **87, 379**
- Cinnarizine**, effect on tension development and calcium influx in rat uterus, **87, 147**
- Citalopram**, effect on 5-HT syndrome and ejaculation in the rat, **87, 639**
- Clenbuterol**, effect on 5-HT-induced tremor in rats, **87, 403**
- Climbing**, induction in rats by apomorphine, comparison of motor behaviours, **87, 129**
- Collagen**, induction of platelet aggregation in man and rat, role of prostaglandin endoperoxides, thromboxane A₂ and adenosine diphosphate, **87, 109**
- Contractile functions**, effect of removal of sialic acid from cardiac sarcolemma in rat left atria, **87, 299**
- Contractions**, carbachol-induced, effects of ACC-9358 or disopyramide in guinea-pig ileum, **87, 87**
—, carbachol-induced in circular muscle of guinea-pig stomach, effect of Ca withdrawal, **87, 15**
—, 5-HT-induced, potentiation by Bay K 8644, **87, 487**
—, 5-HT receptor mediated in rabbit isolated basilar artery, **87, 3**
—, nonadrenergic component, evoked by transmural electrical stimulation in anaesthetized dogs, **87, 478**
—, oxytocin-induced in rat isolated aortic strips, **87, 763**
- Converting enzyme inhibitor**, effect on the angiotensin I facilitatory effects in presence and absence of endothelium in rat caudal artery of the rat, **87, 249**
- Coronary artery occlusion**, induction of arrhythmias in anaesthetized dogs, effect of naloxone, **87, 475**
- Coronary blood flow**, measurement after vasopressin administration in open chested rabbits, **87, 611**
- Coronary occlusion**, induction of acidosis in dog myocardium, attenuation by isosorbide dinitrate, **87, 427**
- Corpus luteum**, goat, evidence for presence of oxytocin, **87, 673**
- Creatine phosphate**, ventricular concentrations after coronary artery occlusion in the pig, effect of iloprost, **87, 23**
- Creatine phosphate/creatine phosphokinase**, effect on collagen-induced platelet aggregation and thromboxane B₂ formation in man and rat, **87, 109**
- Creatine phosphokinase-specific activity**, attenuation of loss by BM 13.177, **87, 631**
- [¹²⁵I]-cyanopindolol**, binding to dog splenic vasculature, **87, 603**
- Cyclo (His-Pro)**, effect on cerebral and peripheral blood flows, **87, 509**
- Cyclo-oxygenase inhibitors**, effects on atrial responses to methoxamine in streptozotocin-induced diabetic rats, **87, 157**
- Cyclohexyladenosine**, effect on epileptiform activity arising in hippocampal area CA3 in the rat, **87, 695**

D

- Darodipine**, effect on vasopressin-induced coronary constriction and cardiodepression in open chest rabbits, **87, 611**
- Depolarization**, evoked by kainate in dorsal roots from immature rats, **87, 345**
- Dermorphin**, and its analogues, antinociceptive-structure relationships in mice, **87, 183**
- Des-amino-D-vasopressin**, effect on prostacyclin synthesis in man, **87, 243**
- Desmethylinipramine**, effect on adrenaline-induced hyperpolarization in amphibian sympathetic ganglia, **87, 409**
- Diabetes**, streptozotocin-induced, hypersensitivity to methoxamine in rat isolated atria, **87, 157**
- Diaphragm**, mouse, mechanism of neostigmine-inhibition of tetanic contraction, **87, 757**
- Diazepam**, effect on catechol-induced seizures in rats and mice, **87, 167**
- Diclofenac sodium** effect on vascular permeability responses and accumulated pouch fluid volume in rat air pouch, **87, 751**
- Digitonin**, solubilization of muscarinic acetylcholine receptors in rat myocardium, binding of pirenzepine, **87, 307**
- 3,4-Dihydroxyphenylacetic acid**, effect of anaesthesia on extracellular levels in rat striatum measured by differential pulse voltammetry, **87, 279**
- L-Dihydroxyphenylalanine**, action of MAO B inhibition by MDL 72145 on central and cardiovascular effects, **87, 257**
- Diltiazem**, effect on tension development and calcium influx in rat uterus, **87, 147**
—, inotropic effect in neuraminidase-treated left atria of rats, **87, 299**
- Dimaprit**, determination of receptor constants in guinea-pig isolated right atrium using E1309, **87, 211**
- (E)-2-(3,4-dimethoxyphenyl)-3-fluorallyamine** *see* MDL 72145
- Diphenhydramine**, antianaphylactic activity in guinea-pig isolated trachea, **87, 443**
- 4-Diphenyl acetoxy-N-methylpiperidine methiodide**, interaction with agonists at the prejunctional muscarinic receptor in rabbit ear artery, **87, 733**
- Dipyridamole**, effect on epileptiform activity arising in hip-

- pocampal area CA3 of the rat, 87, 695
- , effect on guinea-pig atria, antagonism by amrinone, 87, 623
- Disodium cromoglycate**, antianaphylactic activity in guinea-pig isolated trachea, 87, 443
- Disopyramide**, parasympatholytic activity, 87, 87
- Dithiobis-(2-nitrobenzoic acid)**, reversal of potentiation elicited by 1,4-dithiothreitol in guinea-pig ileal smooth muscle, 87, 191
- 1,4-Dithiothreitol**, selective enhancement of histamine H_1 - receptor responses in guinea-pig ileal smooth muscle, 87, 191
- Dopamine pathways**, effect of 6-hydroxytryptamine lesions on contralateral turning responses to L-DOPA in rats, 87, 257
- Dopamine receptors**, role in effects of B-HT 958 on blood pressure and heart rate in the rat, 87, 361

E

- E1309**, use in determination of histamine receptor constants for histamine H_2 -agonists in guinea-pig right isolated atrium, 87, 211
- Ear artery**, rabbit, interaction of some muscarinic agonists and antagonists at the prejunctional muscarinic acetylcholine receptor, 87, 733
- Eicosanoids**, comparison of levels in inflammatory exudates from adrenalectomized and sham-operated rats, 87, 57
- Ejaculation**, effect of selective 5-HT uptake inhibitors in the rat, 87, 639
- Electrical stimulation**, generation of contractions, effect of atropine, tetrodotoxin, phentolamine and propranolol in human ciliary muscle, 87, 379
- Electrocardiogram**, effect of BM 13.177 on ST-segment in cats, 87, 631
- Eledoisin**, antagonist effects of substance P antagonists in isolated smooth preparations, 87, 79
- , induction of [3H]-ACh release from guinea-pig ileum, 87, 75
- Enalapril**, effect on conscious pregnant ewe and her foetus, 87, 533
- Endothelium**, effect of removal on role of prostaglandins in relaxation of rabbit isolated arteries induced by ACh and bradykinin, 87, 521
- , effect of vasoactive peptides on prostacyclin synthesis in man, 87, 243
- , effect on mechanical responses of vascular smooth muscle to ACh, NA and high K solution in hypercholesterolemic rabbits, 87, 395
- , pig, bioassay of prostacyclin and endothelium-derived relaxing factor release, 87, 685
- , role in the facilitatory effects of angiotensin I and II on noradrenergic transmission in the caudal artery of the rat, 87, 249
- Endothelium-derived relaxing factor**, mediation of prostaglandin-sensitive ACh relaxation of rabbit isolated arteries, 87, 521
- , bioassay of release from porcine aortic endothelial cells, 87, 685
- EP 035**, action as a thromboxane receptor antagonist and prostacyclin mimetic, 87, 543
- EP 157**, action as a thromboxane receptor antagonist and

- prostacyclin mimetic, 87, 543
- Epileptiform activity**, induced by bicuculline in hippocampal area CA3, inhibition by adenosine, 87, 695
- Epithelium**, influence on the responsiveness of guinea-pig isolated trachea, 87, 501
- , influence on responsiveness of guinea-pig isolated trachea to contractile and relaxant agonists, 87, 5
- Erection**, induced by injection of drugs into human corpus cavernosum penis, 87, 495
- 5'-(N-ethyl)carboxamidoadenosine**, effect on epileptiform activity arising in hippocampal area CA3 in the rat, 87, 695
- Extraneuronal uptake**, of catecholamines in rat heart, effect of thyroxine treatment, 87, 337

F

- Fluoxetine**, effect on 5-HT syndrome and ejaculation in the rat, 87, 639
- Foetus**, sheep, effect of maternal ingestion of enalapril, 87, 533
- Forskolin**, effect on adenylate cyclase activity in guinea-pig lung homogenates, 87, 37
- , effect on electrical mechanical activities in guinea-pig tracheal muscle, 87, 665
- , relaxant effects in guinea-pig isolated trachea, influence of epithelium, 87, 5
- FPL 55712**, antianaphylactic activity in guinea-pig isolated trachea, 87, 443

G

- Gallamine**, interaction with agonists at the prejunctional muscarinic receptor in rabbit ear artery, 87, 733
- Gallopamil**, effect on tension development and calcium influx in rat uterus, 87, 147
- Gas chromatography/mass spectroscopy**, identification of 6-oxo-prostaglandin E_1 as a naturally occurring prostanoïd generated by rat lung, 87, 327
- Gastric secretory function**, inhibitory action of 5-HT in rats, 87, 371
- Glucocorticoids**, blockade of inflammatory response and reduction of eicosanoid release in adrenalectomized and sham-operated rats, 87, 57
- L-Glutamate**, activation of kainate receptors on primary afferent C-fibres in rats, 87, 345
- Great Britain**, third report on the organisation of pharmacology, 87, 463
- Guanethedine**, blockade of nonadrenergic component of electrically evoked contraction in dog mesenteric artery, 87, 478
- N-(2-guandinoethyl)-5-isoquinoline sulphonamide** *see* HA - 1004
- Guanine proteins**, association with soluble muscarinic acetylcholine receptors from rat heart, effect on pirenzepine affinities, 87, 307

H

- Haemoglobin**, effect on relaxations induced by vascular relaxants in smooth muscle, 87, 713

- HA-1004**, effect on carbachol-induced contractions in circular muscle of guinea-pig stomach in the presence and absence of Ca, **87, 15**
- Heart**, guinea-pig, interactions of amrinone with endogenous adenosine, **87, 623**
- , guinea-pig isolated, cardiac hypoxia and subsequent reoxygenation, sensitivity to L-arginine methylester, **87, 649**
- , rat, 5-HT- and 5-carboxamidotryptamine-induced changes in anaesthetized cats, **87, 417**
- Hippocampus**, rat, bicuculline-induced epileptiform activity, inhibition by adenosine, **87, 695**
- , rat, potency of GABA receptor agonists and antagonists in rat nervous system, **87, 677**
- Histamine**, bronchoconstrictor potency after administration of leukotrienes by aerosol or intravenously in guinea-pig, **87, 741**
- , determination of receptor constants in guinea-pig isolated right atrium using E1309, **87, 211**
- , effect on adenylate cyclase activity in guinea-pig lung homogenates, **87, 37**
- , enhanced sensitivity of guinea-pig isolated trachea after epithelium removal, **87, 501**
- , induction of skin weals on human skin, effect of prostaglandin D₂, **87, 357**
- , potency in inducing contractions in guinea-pig isolated trachea, effect of epithelium, **87, 5**
- , potentiation of responses in guinea-pig ileal smooth muscle by 1,4-dithiothreitol, **87, 191**
- Histamine H₁-receptor antagonist**, CNS penetration, **87, 569**
- Histamine H₁-receptors**, selective enhancement of responses in guinea-pig ileal smooth muscle by 1,4-dithiothreitol, **87, 191**
- Histamine H₂-receptor**, stimulation of adenylate cyclase in guinea-pig lung, **87, 37**
- Histamine H₂-receptor constants**, determination for histamine H₂-agonists in guinea-pig isolated right atrium using E1309, **87, 211**
- 9-Hydroxyprostaglandin dehydrogenase**, assay of activity in rat lung, **87, 327**
- 5-Hydroxyindoleacetic acid**, effect of anaesthesia on extracellular levels in rat striatum measured by differential pulse voltammetry, **87, 279**
- 5-Hydroxytryptamine**, enhanced sensitivity of guinea-pig isolated trachea after removal of epithelium, **87, 501**
- , enhanced release from rat mast cells, studies on receptor involved, **87, 233**
- , induction of contractions in rat isolated basilar artery, mediation by 5-HT receptors, **87, 3**
- , induction of tremor in rats, modulation by central β -adrenoceptors, **87, 403**
- , inhibitory action on gastric secretory function in rats, **87, 371**
- , interaction with Bay K 8644 in rabbit aorta, pharmacological analysis, **87, 487**
- 5-Hydroxytryptamine behavioural syndrome**, effect of selective 5-HT uptake inhibitors in the rat, **87, 639**
- 5-Hydroxytryptamine receptors**, mediation of bronchoconstriction, vasodilatation, vasodepression and tachycardia in anaesthetized cats, characterization, **87, 417**
- , mediation of contraction in rabbit isolated basilar artery, **87, 3**
- 5-Hydroxytryptamine uptake inhibitors**, effect on 5-HT syndrome and ejaculation in rats, **87, 639**
- L-5-Hydroxytryptophan**, induction of tremor in pargyline- and carbidopa-pretreated rats, **87, 403**
- Hypercholesterolemia**, effect on mechanical responses of vascular smooth muscle to ACh, NA and high K solution, **87, 395**
- Hypotension**, B-HT 958-induced in rats, **87, 361**
- , comparison of effects of prazosin and indoramin in rats, **87, 433**
- Hypoxia**, effect of L-arginine methylester in guinea-pig isolated heart, **87, 649**

I

- ICI 80205**, effects on smooth muscle preparations sensitive to prostaglandin E₂, **87, 97**
- ICI 81008**, agonist activity on prostaglandin F receptor in rat stomach fundus, **87, 97**
- ICI 63,197**, effect on action of isoprenaline on stimulation-induced outflow of radioactivity in rabbit isolated pulmonary artery, **87, 553**
- ICI 118, 551**, characterization of β -adrenoceptor subtypes in dog splenic vasculature, **87, 603**
- , effect on clenbuterol-induced enhancement of 5-HT-induced tremor in rats, **87, 403**
- Idazoxan**, effect on adrenaline-induced hyperpolarization, slow inhibitory postsynaptic potential and hyperpolarizing phase of responses to methacholine in amphibian sympathetic ganglia, **87, 409**
- , effect on coronary responses of dogs to nicotine and on responses of bioassay tissues, **87, 29**
- Ileum**, guinea-pig, contribution of intrinsic activity to the action of opioids, **87, 595**
- , guinea-pig, effects of dermorphin analogues on electrically-induced contractions, **87, 183**
- , guinea-pig, selective enhancement of histamine H₁-receptor responses by 1,4-dithiothreitol, **87, 191**
- Ileum**, guinea-pig, study of the effects of ACC-9358 or disopyramide on carbachol-induced contractions, **87, 87**
- Iloprost**, effect on regional myocardial function during reperfusion after coronary artery occlusion in the pig, **87, 23**
- , effects on smooth muscle preparations sensitive to prostaglandin E₂, **87, 97**
- Imipramine**, effect in human cavernosum penis, **87, 495**
- Impromidine**, determination of receptor constants in guinea-pig isolated right atrium using E1309, **87, 211**
- , effect on adenylate cyclase activity in guinea-pig lung homogenates, **87, 37**
- Indomethacin**, effect on relaxation of rabbit isolated arteries induced by ACh and bradykinin, **87, 521**
- , effect on vascular permeability responses and accumulated pouch fluid volume in rat air pouch, **87, 751**
- , inhibition of release of prostanoids from rat lung, **87, 327**
- , relaxant effects on intrinsic tone in bullfrog lung, **87, 579**
- Indoramin**, investigation of cardioregulatory properties in rats, **87, 433**
- Intotropism**, action of amrinone, effect of adenosine or 8-phenyltheophylline in guinea-pig atria, **87, 623**
- , induced by Ca²⁺ channel agonist and antagonists in

- neuraminidase-treated left atria of rats, 87, 299
- , induced by methoxamine in rat isolated atria with streptozotocin-induced diabetes, 87, 157
- Intestinal epithelia**, rat, identification of selective, high affinity ^{125}I -angiotensin II and ^{125}I -bradykinin binding sites, 87, 201
- Intravenous administration**, effect on the action of leukotrienes on bronchoconstrictor potency of histamine in guinea-pig, 87, 741
- Intrinsic activity**, contributors to the action of opioids *in vitro*, 87, 595
- , of β -adrenoceptor partial agonists in rat uterus and right atrium, 87, 657
- Ischaemia**, induction of ventricular arrhythmias in the rat *in vivo* and *in vitro*, role of catecholamines, 87, 265
- Iso-guvacine**, potency in rat central nervous system, 87, 677
- Isoprenaline**, effect on electrical and mechanical activities in guinea-pig tracheal muscle, 87, 665
- , effect of epithelium removal on sensitivity of guinea-pig isolated trachea, 87, 501
- , effect on stimulation-induced outflow of radioactivity in rabbit isolated pulmonary artery, effect of ICI 63,197 or phentolamine, 87, 553
- , relaxant effects in guinea-pig isolated trachea, influence of epithelium, 87, 5
- Isosorbide dinitrate**, attenuation of coronary occlusion-induced acidosis in the dog myocardium, 87, 427

K

- K8644**, inotropic effect in neuraminidase-treated left atria of rats, 87, 299
- Kadsurenone**, distinguishing between different platelet activating factor subtypes on macrophages and polymorphonuclear leucocytes, 87, 287
- Kainate**, primary afferent depolarizing action in the rat, 87, 345
- Kainate receptors**, activation by L-glutamate on primary afferent C-fibres, 87, 345
- Kassinin**, antagonism by substance P antagonists in smooth muscle preparations, 87, 79
- Ketamine**, effect on frog isolated node of Ranvier, studies under current and voltage clamp conditions, 87, 291
- Ketanserine**, effect on arachidonate-induced contractions in artery strips, 87, 29
- , effect on cardiovascular effects of 5-HT and 5-carboxamidotryptamine in anaesthetized cats, 87, 417
- , effect on 5-HT-induced contractions in rat isolated basilar artery, 87, 3
- Ketotifen**, antianaphylactic activity in guinea-pig isolated trachea, 87, 443
- Kojic amine**, potency in rat nervous system, 87, 677

L

- Lactate dehydrogenase**, effect of L-arginine methyl-ester on release in guinea-pig isolated heart, 87, 649
- Lanthanum method**, measurement of Ca^{2+} influx into rat uterus, 87, 147
- Leucocytes**, pig, effect or kadsurenone on Paf-induced aggregation, 87, 287

- Leukotriene B₄**, comparison of levels in inflammatory exudates from adrenalectomized and sham-operated rats, 87, 57
- Leukotrienes**, administered by aerosol or intravenously, effects on bronchoconstrictor potency of histamine in guinea-pig, 87, 741
- Ligand binding**, effect of EP 035 and EP 157 to prostacyclin receptors on human platelet membrane, 87, 543
- Lipocortins**, physiological role in homeostatic response of animals to noxious stimuli, 87, 57
- Lipoxygenase inhibitors**, effect on atrial responses to methoxamine in streptozotocin-induced diabetic rats, 87, 157
- Locomotor activity**, induction by apomorphine, differences in climbing and non-climbing rats, 87, 129
- Lung**, bullfrog, mechanisms of intrinsic tone, effects of indomethacin, ouabain and potassium, 87, 579
- , guinea-pig, effect of histamine H₂-agonists on adenylate cyclase activity, 87, 37
- , rat, identification of 6-oxo-prostaglandin E₁ as a naturally occurring prostanoid, 87, 327
- Lysosomes**, effect of L-arginine methylester on fragility in guinea-pig isolated cardiac tissue, 87, 649

M

- McN-A-343**, interaction with antagonists at the prejunctional muscarinic receptor in rabbit ear artery, 87, 733
- Macrophages**, guinea-pig peritoneal, effect of kadsurenone on platelet activating factor-induced chemiluminescence, 87, 287
- Mast cells**, rat, studies on the receptor mediating cyclic AMP-independent enhancement by adenosine of IgE-dependent mediator release, 87, 233
- MDL 72145**, inhibition of MAO type B increases central effects of L-DOPA without modifying its cardiovascular effects, 87, 257
- Mechanical responses**, of vascular smooth muscles to ACh, NA and high K solution in hypercholesterolemic rabbits, 87, 395
- Membrane potential**, effects of relaxants in guinea-pig tracheal muscle, 87, 665
- Mepyramine**, effect on histamine stimulation of adenylate cyclase activity in guinea-pig lung homogenates, 87, 37
- Mesenteric artery**, dog, evidence for sympathetic purinergic transmission, 87, 478
- Methacholine**, induction of hyperpolarization, effect of propranolol, sotalol, prazosin, phentolamine, idazoxan and α -methylnoradrenaline in amphibian sympathetic ganglia, 87, 409
- , induction of slowing of spontaneous beating in guinea-pig isolated right atria, effects of ACC-9358 or diopyramide, 87, 87
- , interaction with antagonists at the prejunctional muscarinic receptor in rabbit ear artery, 87, 733
- Methiothepin**, effect on cardiovascular effects of 5-HT and 5-carboxamidotryptamine in anaesthetized cats, 87, 417
- Methoxamine**, hypersensitivity in atria isolated from streptozotocin-induced diabetic rats, 87, 157
- 5-Methoxy-N,N-dimethyltryptamine**, induction of ejaculation and 5-HT syndrome, effect of 5-HT uptake inhibitors in rats, 87, 639
- α,β -Methylene adenosine triphosphate**, blockade of nonadren-

- ergic component of electrically evoked contraction in dog mesenteric artery, **87, 478**
- 4-Methylhistamine**, determination of receptor constants in guinea-pig isolated right atrium using E1309, **87, 211**
- , effect on adenylate cyclase activity in guinea-pig lung homogenates, **87, 37**
- α -Methylnoradrenaline**, production of hyperpolarization in the presence of desmethylinipramine in amphibian sympathetic ganglia, **87, 409**
- Methysergide**, effect on cardiovascular effects of 5-HT and 5-carboxamidotryptamine in anaesthetized cats, **87, 417**
- , induction of contraction in rat isolated basilar artery, mediation by 5-HT receptors, **87, 3**
- Metoprolol**, effect on clenbuterol-induced enhancement of 5-HT-induced tremor in rats, **87, 403**
- Microspheres**, measurement of coronary blood flow on open-chest rabbits after vasopressin administration, **87, 611**
- Micturition**, in naive and morphine-dependent rats, **87, 725**
- MK421** *see* **Enalapril**
- Monoamineoxidase**, effect of thyroxine on activity in rat heart, **87, 337**
- Monoamineoxidase type B**, inhibition by MDL 72145 increases central effects of L-DOPA without modifying its cardiovascular effects, **87, 257**
- Morphine**, comparison of structure activity relationships with dermorphin analogues in conscious mice and guinea-pig isolated ileum, **87, 183**
- , effect on micturition in rats, **87, 725**
- Motor behaviours**, in rats distinguished by their climbing response to apomorphine, **87, 129**
- (–)-**Mr1452**, antiarrhythmic effect on myocardial ischaemia, **87, 621**
- (+)-**Mr1453**, antiarrhythmic effects on myocardial ischaemia, **87, 621**
- Muscarinic acetylcholine receptor agonists**, interactions with antagonists at receptor in rabbit ear artery preparations, **87, 733**
- Muscarinic acetylcholine receptors**, blockade by anisodine and anidodamine, **87, 587**
- , digitonin-solubilized, binding of pirenzepine in rat myocardium, **87, 307**
- , distribution in human ciliary muscle and affinity of atropine and propranolol, **87, 379**
- , prejunctional, rabbit ear artery, interaction of some muscarinic agonists and antagonists, **87, 733**
- Muscimol**, effect in neuromuscular preparations from spiny lobster, **87, 771**
- , potency in rat central nervous system, **87, 677**
- Muscle**, crustacean, GABA-activated chloride-conductance not blocked by picrotoxin, **87, 771**
- Muscle relaxants**, effect on electrical and mechanical activities in guinea-pig tracheal muscle, **87, 665**
- Myenteric plexus**, guinea-pig, effect of substance P antagonists on tachykinin-stimulated [3 H]-ACh release, **87, 75**
- Myocardial contractility**, measurement after vasopressin administration in open-chested rabbits, **87, 611**
- Myocardial function**, effect of iloprost during reperfusion after coronary artery occlusion in the pig, **87, 23**
- Myocardial ischaemia**, effect of isosorbide dinitrate in dogs, **87, 427**
- , stereospecific antiarrhythmic effects of opioid receptor antagonists, **87, 621**
- , treatment with BM 13.177 in cats, **87, 631**
- Myocardium**, dog, attenuation of ischaemia-induced acidosis by isosorbide dinitrate, **87, 427**
- , guinea-pig, inhibition of inward calcium currents by cibenzoline, **87, 705**
- , rat, binding of pirenzepine to digitonin-solubilized muscarinic acetylcholine receptors, **87, 307**

N

- Naftidrofuryl**, effect in human corpus cavernosum penis, **87, 495**
- Naloxone**, effect on antinociceptive effects of dermorphin analogues, **87, 183**
- , inhibition of arrhythmias induced by coronary artery occlusion and reperfusion in anaesthetized dogs, **87, 475**
- Naringenin**, inhibition of 6-oxo-prostaglandin E_1 release from rat lung, **87, 327**
- Neostigmine**, mechanism of inhibition of tetanic contraction in the mouse diaphragm, **87, 757**
- Neuraminidase**, effect of treatment on the contractile functions and inotropic responses of rat left atria to Ca^{2+} channel agonist and antagonists, **87, 299**
- Neuromuscular transmission**, effect of acetylcholinesterase inhibition in mouse, **87, 757**
- Neuronal uptake**, of catecholamine in rat heart, effect of thyroxine treatment, **87, 337**
- Nicorandil**, relaxant action in guinea-pig trachealis, **87, 117**
- Nicotine**, effect on arachidonate-induced contractions of bioassay tissues, **87, 29**
- , potentiation of thromboxane A_2 release in greyhound blood, role of catecholamine release, **87, 29**
- Nifedipine**, antagonism of ^{45}Ca uptake stimulated by K^+ and Na and on the stimulant effect of Bay K 8644, **87, 139**
- , effect on tension development and calcium influx in rat uterus, **87, 147**
- , inotropic effect in neuraminidase-treated left atria of rats, **87, 299**
- Nigrostriatal tract lesions**, effect on contralateral turning responses to L-DOPA in rats, **87, 257**
- Nitroglycerine**, relaxant effects in guinea-pig isolated trachea, influence of epithelium, **87, 5**
- Node of Ranvier**, frog isolated, mechanism of action of ketamine under current and voltage clamp condition, **87, 291**
- Nonadrenergic contraction**, evoked by electrical stimulation, blockade by α,β -methylene ATP and guanethidine, **87, 478**
- Noradrenaline**, changes in mechanical responses of vascular smooth muscle in hypercholesterolemic rabbits, **87, 395**
- , effect on electrical and mechanical activities in guinea-pig tracheal muscle, **87, 665**
- , falls in plasma concentrations associated with B-HT 958-induced hypotension and bradycardia in the rat, **87, 361**
- , induction of contractions in rabbit aorta, effects of Bay K 8644, **87, 139**
- , induction of tension, effect of carbachol and substance P in arterial smooth muscle, **87, 713**
- [3 H]-**noradrenaline**, effect of excess potassium and calcium on ouabain-evoked release from rabbit pulmonary artery, **87, 63**
- Noradrenergic transmission**, role of endothelium on the

facilitatory effects of angiotensin I or II in rat caudal artery, **87**, 249

Nordihyguaiaretic acid, antianaphylactic activity in guinea-pig isolated trachea, **87**, 443

—, inhibition of ACh-induced relaxation in rabbit isolated arteries, **87**, 521

O

Oedema, role of prostaglandin E₂ in formation, **87**, 751

Oestradiol, effect on antioestrogenic actions of triphenylbut-1-enes in primary cultures of rat pituitary glands, **87**, 211

Oestrogen action, of triphenyl-1-enes in primary cell cultures of rat pituitary glands, **87**, 217

Opioid partial agonists, actions *in vitro*, **87**, 595

Opioid receptor antagonists, stereospecific antiarrhythmic effect in myocardial ischaemia, **87**, 621

Opioids, contribution of intrinsic activity, action in five field-stimulated isolated tissue models, **87**, 595

Ouabain, relaxant effects on intrinsic tone in bullfrog lung, **87**, 579

Oxotremorine, interactions with antagonists at prejunctional muscarinic receptor in rabbit ear artery, **87**, 733

Oxprenolol, β_1 - and β_2 -adrenoceptor stimulatory effects in right atrium and uterus of the rat, **87**, 657

Oxytocin, effect on contractile responses and transmembrane Ca fluxes in rat isolated aortic strips **87**, 763

—, presence in corpus luteum of non-pregnant goats, **87**, 673

Oxytocin antagonists and antiserum, effect on release of prostaglandin F_{2 α} from corpus luteum of non-pregnant goat **87**, 673

P

Pafenolol, effect on atrial responses of rat to β -adrenoceptor partial agonists **87**, 657

Papavarine, effect in human cavernosum penis **87**, 495

Parasympatholytic activity, of ACC-9358 and disopyramide, **87**, 87

Parkinson's disease, effect of selective inhibition of MAO B by MDL 72145 on central and cardiovascular effects of L-DOPA in an animal model, **87**, 257

Penis, human, investigation of erectile mechanisms within the corpora cavernosum, **87**, 495

Permeability, role of epithelium removal in development of hyperreactivity in guinea-pig airway, **87**, 501

Pharmacologists, Great Britain, number and distribution, **87**, 463

Pharmacology, third report on the organisation in Great Britain, **87**, 463

Phenobarbitone, effect on catechol-induced seizures in rats and mice, **87**, 167

Phenoxybenzamine, effect in human corpus cavernosum penis, **87**, 495

—, effect on coronary responses of dogs to adrenaline and nicotine and on responses of bioassay tissues, **87**, 29

Phentolamine, effect in human corpus cavernosum penis, **87**, 495

—, effect on action of isoprenaline on stimulation-induced outflow of radioactivity in rabbit isolated pulmonary artery, **87**, 553

—, effect on adrenaline-induced hyperpolarization, slow

inhibitory postsynaptic potential and hyperpolarizing phase of response to methacholine in amphibian sympathetic ganglia, **87**, 409

—, effect of mechanical responses of human ciliary muscle to various stimuli, **87**, 379

L-Phenylisopropyladenosine, effect on epileptiform activity arising in hippocampal area CA3 in the rat, **87**, 695

8-Phenyltheophylline, effect on inotropic action of amrinone in guinea-pig atria **87**, 623

Phosphodiesterase inhibitors, effect on prejunctional β -adrenoceptors in rabbit pulmonary artery and mouse atria **87**, 553

Phospholipase A₂, inhibition by glucocorticoids of activity **87**, 57

Physalaemin, antagonism by substance P antagonists in smooth muscle preparations **87**, 79

Picrotoxin, antagonism of effects of isoguvacine in rat central nervous system **87**, 677

—, effect on GABA-activated chloride-conductance in crustacean neuromuscular preparations **87**, 771

Pilocarpine, interaction with antagonists at the prejunctional muscarinic receptor in rabbit ear artery **87**, 733

Pindolol, β_1 - and β_2 -adrenoceptor stimulatory effects in right atrium and uterus of the rat **87**, 657

Pirenzepine, binding to digitonin-solubilized muscarinic acetylcholine receptors from the rat myocardium **87**, 307

—, interaction with agonists at the prejunctional muscarinic receptor in rabbit ear artery **87**, 733

Pitrazepin, antagonism of effects of isoguvacine in rat central nervous system **87**, 677

Platelet aggregation factor receptors, characterization by kadsurenone in macrophages and polymorphonuclear leucocytes **87**, 287

Platelets, cat, effect of BM 13.177 on secretion in cats *ex vivo* **87**, 631

—, human, effect of EP 035 and EP 157 on aggregation **87**, 543

—, prostacyclin mimetic action of prostaglandin endoperoxide analogues **87**, 543

—, role of prostaglandin endoperoxides, thromboxane A₂ and adenosine diphosphate in collagen-induced aggregation in man and rat **87**, 109

Potassium, Ca-activated conductance, blockade by apamin in rat sympathetic neurones **87**, 225

—, effect of excess amounts on ouabain-evoked [³H]-noradrenaline release from the rabbit pulmonary artery **87**, 63

—, effect of high levels on mechanical responses of vascular smooth muscles in hypercholesterolemic rabbits **87**, 395

—, induction of contractions, effect of atropine, tetrodotoxin, phentolamine and propranolol in human ciliary muscle **87**, 379

—, induction of contractions in guinea-pig isolated trachea, influence of epithelium **87**, 5

—, induction of contractions in rabbit aorta, effects of Bay K 8644 **87**, 139

Potassium, induction of tension, effect of carbachol and substance P in arterial smooth muscle **87**, 713

—, relaxant effects on intrinsic tone in bullfrog lung **87**, 579

Potassium channel inhibitors, effect on the relaxant action of nicorandil in guinea-pig isolated trachealis **87**, 117

Potassium chloride, effect of epithelium removal on sensitivity of guinea-pig isolated trachea **87**, 501

- Pouch volume**, effect of allergic inflammation in rat air pouch 87, 751
- Prazosin**, comparison with indoramin of cardioregulatory properties in rats 87, 433
- , effect on adrenaline-induced hyperpolarization, slow inhibitory postsynaptic potential and hyperpolarizing phase of response to methacholine in amphibian sympathetic ganglia 87, 409
- Pregnancy**, effect of enalapril on ewe and her foetus 87, 533
- Primary afferent C fibres**, activation of kainate receptors by L-glutamate in the rat 87, 345
- Procaine**, blockade of Na and ketamine-induced late Na currents in current and voltage clamped myelinated nerve fibres of the frog 87, 291
- , effect on relaxant action of nicorandil in guinea-pig trachealis 87, 117
- Prolactin**, effect of triphenylbut-1-enes on synthesis *in vitro*, 87, 217
- Propranolol**, effect on adrenaline-induced hyperpolarization, slow inhibitory postsynaptic potential and hyperpolarizing phase of response to methacholine in amphibian sympathetic ganglia, 87, 409
- , effect on mechanical responses of human ciliary muscles to various stimuli, 87, 379
- , effect on relaxant action of nicorandil in guinea-pig trachealis, 87, 117
- , effect on stimulation of adenylate cyclase activity in guinea-pig lung homogenates, 87, 37
- Prostacyclin**, bioassay of release from porcine aortic endothelial cells, 87, 685
- , effect of vasoactive peptides on synthesis in man, 87, 243
- , involvement of release in the action of methoxamine in atria isolated from streptozotocin-induced diabetics, 87, 157
- Prostacyclin analogues**, agonist activities in smooth muscle preparations sensitive to prostaglandin E₂, 87, 97
- , effect on regional myocardial function during reperfusion after coronary artery occlusion in the pig, 87, 23
- Prostacyclin mimetic action**, of EP 035 and EP 157 in human platelet rich plasma, 87, 543
- Prostaglandin D₂**, effect on histamine-induced weals in human skin, 87, 357
- , metabolism to 13, 14-dihydro-15-keto-prostaglandin F₂ following inhalation in man, 87, 563
- Prostaglandin E₁**, 11-deoxy-, effects on smooth muscle preparations sensitive to prostaglandin E₂, 87, 97
- , 6-oxo-, identification as a naturally occurring prostanoid generated by rat lung, 87, 327
- Prostaglandin E₂**, effect of allergic inflammation in rat air pouch on release, 87, 751
- , effects of 5-HT and indomethacin on gastric glandular mucosal content, 87, 371
- , 16,16-dimethyl-, effects on smooth muscle preparations sensitive to prostaglandin E₂, 87, 97
- Prostaglandin F_{2α}**, 13, 14-dihydro-15-keto-, formation following inhalation of prostaglandin D₂ in man, 87, 563
- , release from corpus luteum of non-pregnant goat, 87, 673
- Prostaglandin H₂**, 11, 9-epoxymethano-, induction of contractions in rabbit aorta, effects of Bay K 8644, 87, 139
- Prostaglandin endoperoxides**, role in collagen-induced platelet aggregation in man and rat, 87, 109
- Prostaglandin E receptors**, characterization of subtypes in smooth muscle preparations, 87, 97
- Prostaglandin F receptor**, localization in rat stomach fundus, 87, 97
- Prostaglandin synthesis**, role in intrinsic tone characteristic of bullfrog lung, 87, 579
- Prostaglandins**, endothelial and non-endothelial, role in the relaxation of isolated blood vessels of the rabbit, 87, 521
- Prostanoid 'ψ' receptors**, characterization using TR4979, 87, 45
- Pulmonary artery**, rabbit, action of excess potassium and calcium on ouabain evoked release of [³H]-noradrenaline, 87, 63
- , rabbit isolated, effect of isoprenaline on stimulation-induced outflow of radioactivity in the presence of ICI 63, 197 or phentolamine, 87, 553
- Pupil diameter**, rat, effect of ACC-9358 and disopyramide, 87, 87
- Purinoceptor agonists**, suppression of epileptiform activity in rat hippocampus, 87, 695
- Purinoceptor antagonists**, effect on adenosine mediated enhancement of antigen-induced 5-HT release, 87, 233

R

- Radioimmunoassay**, determination of prostaglandin formation in rabbit isolated arteries, 87, 521
- Rearing**, induction by apomorphine in climbing rats, 87, 129
- Relaxation**, drug-induced, effect of endothelial damage in vascular smooth muscle, 87, 713
- , effect of muscle relaxants in guinea-pig tracheal muscle, 87, 665
- Relaxing factor**, effect of epithelial damage in asthma, development of hyperreactivity in guinea-pig airway, 87, 501
- Renin-angiotensin system**, effect of enalapril in pregnant ewe and her foetus, 87, 533
- Reoxygenation**, effect of L-arginine methylester in guinea-pig isolated heart, 87, 649
- Routes of administration**, effect on the action of leukotrienes on bronchoconstrictor potency of histamine in guinea-pig, 87, 741
- ⁸⁶Rubidium⁺**, effect of nicorandil on efflux from muscle strips of guinea-pig trachea, 87, 117

S

- Schultz-Dale phenomenon**, effect of azelastine, arachidonic acid metabolism inhibitors and antiallergic drugs in guinea-pig isolated trachea, 87, 443
- Secoverine**, interaction with agonists at the prejunctional muscarinic receptor in rabbit ear artery, 87, 733
- Seizures**, catechol-induced, non involvement of GABA in rats and mice, 87, 167
- SG75**, induction of relaxations in arterial smooth muscle, 87, 713
- Sialic acid**, effect of removal from cardiac sarcolemma on contractile functions and on inotropic responses in rat left atria, 87, 299
- SKF 91488**, effect on potentiation of responses to histamine by 1,4-dithiothreitol in guinea-pig smooth muscle, 87, 191

SKF 93944 see Temelastine

Skin, human, effect of prostaglandin D₂ on histamine-induced weals, **87**, 357

Slow wave amplitude, effect of relaxants in guinea-pig tracheal muscle, **87**, 665

Smooth muscle, bullfrog hemilungs, mechanisms of intrinsic tone, relaxant effects of indomethacin, ouabain and potassium, **87**, 579

—, characterization of prostaglandin E receptor subtypes, **87**, 97

—, effect of injection of drugs into human corpus cavernosum penis, **87**, 495

—, Vascular endothelial-dependent relaxant actions of carbachol and substance P, **87**, 713

—, vascular, mechanical responses to ACh, NA and high K solution in hypercholesterolemic rabbits, **87**, 395

—, thromboxane receptor antagonist activity of prostaglandin endoperoxide analogues, **87**, 543

Sodium current, effect of ketamine in current and voltage clamped myelinated nerve fibre of the frogs, **87**, 291

Sodium pump, site of sodium-calcium competition and possible potassium-calcium competition, **87**, 63

Sodium thioglycolate, effect on release of prostaglandin F_{2α} from corpus luteum of non-pregnant goat, **87**, 673

Solubilization, by digitonin of muscarinic acetylcholine receptors in rat myocardium, pirenzepine binding, **87**, 307

Sotalol, effect on adrenaline-induced hyperpolarization, slow inhibitory postsynaptic potential and hyperpolarizing phase of response to methacholine in amphibian sympathetic ganglia, **87**, 409

Spleen, dog, autoradiographic analysis of distribution of β-adrenoceptors, **87**, 603

SQ 22,536, opposition of inhibitory action of EP 035 or EP 157 on platelet aggregation, **87**, 543

Steroselectivity, antiarrhythmic effect of opioid receptor antagonists in myocardial ischaemia, **87**, 621

Stereotypy, induction by apomorphine, difference in climbing and non-climbing rats, **87**, 129

Stomach muscle, guinea-pig, carbachol-induced contractions in presence and absence of Ca, **87**, 15

Substance P, endothelium-dependent relaxant actions in arterial smooth muscle, **87**, 713

Substance P antagonists, effectiveness against tachykinins in smooth muscle systems, **87**, 79

—, effects on tachykinin-stimulated [³H]-ACh release in guinea-pig ileum, **87**, 73

Sulpiride, inhibition of B-HT-induced hypotension and bradycardia in the rat, **87**, 361

Sympathetic neurones, rat, blockade of Ca-activated K conductance by apamin, **87**, 225

Sympathetic nervous system, amphibian, lack of involvement of α₂-adrenergic hyperpolarization in slow synaptic inhibition, **87**, 409

Sympathetic purinergic transmission, in dog mesenteric artery, **87**, 478

Synaptic inhibition, slow, effects of propranolol, sotalol, prazosin, phentolamine, idazoxan and cadmium in amphibian sympathetic ganglia, **87**, 416

Systolic wall, pig heart, effect of iloprost on thickening during myocardial ischaemia, **87**, 23

T

Tachykinin receptors, classification of subtypes on isolated smooth muscle preparations, **87**, 79

Tamoxifen, effect in primary cultures of rat pituitary gland cells, modulation of prolactin synthesis, **87**, 217

Temelastine, pharmacological studies, lack of CNS penetration, **87**, 569

Tension, spontaneous and KCl-induced, effects of calcium entry blockers in rat uterus, **87**, 147

Terbutaline, effect on electrical and mechanical activities in guinea-pig tracheal muscle, **87**, 665

—, effect on 5-HT-induced tremor in rats, **87**, 403

Tetanic contractions, mechanism of neostigmine inhibition in mouse diaphragm, **87**, 757

Tetraethylammonium, effect on relaxant action of nicorandil in guinea-pig trachealis, **87**, 117

4,5,6,7-Tetrahydroisoxazole, potency in rat central nervous system, **87**, 677

Tetramethylammonium, interaction with antagonists at the prejunctional muscarinic receptor in rabbit ear artery, **87**, 733

Tetrodotoxin, effect on mechanical responses of human ciliary muscle to various stimuli, **87**, 379

Theophylline, antagonism of adenosine inhibition of epileptiform activity arising in hippocampal area CA3 of the rat, **87**, 695

—, antianaphylactic activity in guinea-pig isolated trachea, **87**, 443

—, effect on electrical and mechanical activities in guinea-pig tracheal muscle, **87**, 665

—, relaxant effects in guinea-pig isolated trachea, influence of epithelium, **87**, 5

Thromboxane A₂, potentiation of release by nicotine in dogs, role of catecholamine release, **87**, 29

—, role in collagen-induced platelet aggregation in man and rat, **87**, 109

—, role in myocardial ischaemia, **87**, 631

Thromboxane B₂, comparison of levels in inflammatory exudates from adrenalectomized and sham-operated rats, **87**, 57

Thromboxane receptor antagonism, action of EP 035 and EP 157 in isolated smooth muscle preparations, **87**, 543

Thromboxane receptor antagonists, treatment of acute myocardial ischaemia in cats, **87**, 631

Thymoxine, effect in human cavernosum penis, **87**, 495

Thyrotrophin-releasing hormone, effect on cerebral and peripheral blood flow, **87**, 509

Thyroxine, effect on neuronal and extraneuronal uptake and metabolism of catecholamines in the rat heart, **87**, 337

Tiaprofenic acid, effect on vascular permeability responses and accumulated pouch fluid volume in a rat air pouch, **87**, 751

Time-dependency, effects of 5-HT uptake blockers on 5-HT syndrome and ejaculation, **87**, 639

Tobacco smoking, involvement in catecholamine release and potentiation of thromboxane A₂ release, **87**, 29

Tolerance, to morphine, effect on micturition in rats, **87**, 725

TR4979, characterization of prostanoid 'ψ' receptors, **87**, 37

Trachea, guinea-pig, effect of epithelium on sensitivity, **87**, 501

—, guinea-pig, effects of relaxants on electrical and mechanical activities, **87**, 665

- , guinea-pig, influence of epithelium on responsiveness to contractile and relaxant agonists, **87**, 5
- , guinea-pig, relaxant action of nicorandil, **87**, 117
- Tracheal segments**, guinea-pigs, modulation of *in vitro* anaphylaxis by azelastine, inhibitors of arachidonic acid metabolism and selected antiallergic drugs, **87**, 443
- Treadwheel activity**, induction by apomorphine in climbing rats, **87**, 129
- Tremor**, 5-HT-induced, modulation in rats by β -adrenoceptors, **87**, 403
- Triphenylbut-1-enes**, oestrogenic and antioestrogenic actions in primary cultures of rat pituitary gland cells, **87**, 211
- Tumidity**, induced by injection of drugs into human corpus cavernosum, **87**, 495

U

- UK-38485**, abolition of arachidonate-induced contractions in artery strips, **87**, 29
- Urinary bladder**, effect of morphine sulphate on contractions to stimulation of motor nerves, **87**, 725
- Uterus**, rat, effects of calcium entry blockers on tension development and calcium influx, **87**, 147
- , rat, β -stimulatory effects of β -adrenoceptor partial agonists, **87**, 657

V

- Vagus nerve**, role in the 5-HT inhibitory action on gastric secretory function in rats, **87**, 371
- , stimulation, induction of bradycardia, effects of ACC-9358 and disopyramide, **87**, 87
- Valproate**, effect on catechol-induced seizures in rats and mice, **87**, 167
- , effect on extracellular 5-HIAA, DOPAC and ascorbate in rat striatum, effect of anaesthesia, **87**, 279
- Vas deferens**, rat, rabbit and mouse, contribution of intrinsic activity to the action of opioids, **87**, 595
- Vasopressin**, induction of myocardial depression, neural mediation, **87**, 611
- Ventricular arrhythmias**, ischaemia-induced in rats *in vivo* and *in vitro*, role of catecholamines, **87**, 265
- Ventricular fibrillation**, in anaesthetized dogs, abolition by naloxone, **87**, 475

- Vascular permeability**, effect of allergic inflammation in rat air pouch, **87**, 751
- Vascular resistance**, effect of 5-HT and 5-carboxamidotryptamine in anaesthetized cats, **87**, 417
- Ventricular tachycardia**, in anaesthetized dogs, abolition by naloxone, **87**, 475
- Verapamil**, effect in human cavernosum penis, **87**, 495
- , inotropic effect in neuraminidase-treated left atria of rats, **87**, 299
- Voiding responses**, in naive and morphine-dependent rats, **87**, 725
- Voltammetry**, measurement of effects of anaesthesia on extracellular levels in rat striatum of 5-HIAA, DOPAC and ascorbate, **87**, 279

W

- W-7**, effect on carbachol-induced contractions in circular muscle of guinea-pig stomach in the presence and absence of Ca, **87**, 15
- Weals**, histamine-induced in human skin, effect of prostaglandin D₂, **87**, 357
- Wedensky inhibition**, neostigmine-induced in mouse, **87**, 757
- (+)-WIN 44,441-2, antiarrhythmic effects on myocardial ischaemia, **87**, 621
- (-)-WIN 44,441-3, antiarrhythmic effects on myocardial ischaemia, **87**, 621

Y

- Yohimbine**, effect on adrenaline-induced hyperpolarization, slow inhibitory postsynaptic potential and hyperpolarizing phase of responses to methacholine in amphibian sympathetic ganglia, **87**, 409

Z

- Zimeldine**, effect on 5-HT syndrome and ejaculation in the rat, **87**, 639
- ZK 36374** *see* **Iloprost**
- ZK 96480**, effects on smooth muscle preparations sensitive to prostaglandin E₂, **87**, 97

MEETINGS CALENDAR

11–12 April 1986

Meeting of Bristol University graduates in Pharmacology, Bristol, UK. (Dr G.L. Collingridge, Dept of Pharmacology, The Medical School, University of Bristol, Bristol BS8 1TD, UK.)

17 April 1986

Society for Drug Research Meeting on Chemistry and Pharmacology of Dopamine Receptor Agents and Antagonists, London, UK. (Mrs B. Cavilla, Institute of Biology, 20 Queensberry Place, London SW7 2DZ, UK.)

25 April 1986

Meeting on Novel Sites of Action for Psychotropic Drugs, London, UK. (Mrs P.J. Rowden, Dept of Clinical Pharmacology, Wellcome Research Laboratories, Langley Court, Beckenham, Kent, UK.)

26–30 May 1986

International Meeting on Diuretics, Naples, Italy. (Antonio Del Canton M.D., Dept of Nephrology, Second Faculty of Medicine, Via S. Pansini, 80131 Naples, Italy.)

1–5 June 1986

15th Aharon Katzir-Katchalsky Conference on Molecular Neurobiology, Maidstone, UK. (Ruth Goldstein, Katzir Centre, Weizmann Institute, 76 100 Rehovot, Israel.)

3–6 June 1986

VI International Conference on Prostaglandins and Related Compounds, Florence, Italy. (Secretary, Fondazione Giovanni Lorenzini, Via Monte Napoleone 23, 20121 Milan, Italy.)

8–13 June 1986

3rd Congress of the International Society for Biomedical Research on Alcoholism, Helsinki, Finland. (Ms Sari Salo, 3rd ISBRA Congress, Alko Ltd, POB 350, SF-00101, Helsinki, Finland.)

1–4 July 1986

International Symposium in honour of Luigi Sabbatani on Calcium Ion: Membrane Transport and Cellular Regulation, Padova-Venezia, Italy. (Dr S. Luciani, Dept of Pharmacology, University of Padova, Largo E. Meneghetti, 2, 35131 Padova, Italy.)

2–6 July 1986

Inaugural meeting of European Behavioural Pharmacology Society, Antwerp, Belgium. (Dr F.C. Colpaert, Janssen Pharmaceutica, B-2340 Barse, Belgium.)

3–4 July 1986

Joint Symposium of British and West German Neurochemical Groups on Molecular Structure in the Nervous System,

Cambridge, UK. (Dr J. Bellerocche, Dept of Biochemistry, Charing Cross & Westminster Medical School, Fulham Palace Road, London W6 8RF, UK.)

6–11 July 1986

Workshop on Basic Pharmacokinetics, Manchester, UK. (Prof. M. Rowland, Dept of Pharmacy, University of Manchester, Manchester M13 9PL, UK.)

9–12 July 1986

Conference on Axonal Transport, Calgary, Canada. (M.A. Bisby, Dept of Medical Physiology, University of Calgary, Calgary, Alberta, Canada T2N 4N1.)

13–16 July 1986

British Association for Psychopharmacology, Summer Meeting, Cambridge, UK. (Dr Barry Everitt, Dept of Anatomy, Downing Street, Cambridge CB2 3D7, UK.)

21–23 July 1986

Substance P and Neurokinins, Montreal, Canada. (Dr J.L. Henry, Dept of Physiology, McGill University, 3655 Drummond Street, Montreal, Quebec, Canada, H3G Y6.)

27 July–1 August 1986

III World Convention on Clinical Pharmacology and Therapeutics. (Secretariat, CPT-86, c/o Stockholm Convention Bureau, Box 1617, S-111 86 Stockholm, Sweden.)

1–2 August 1986

3rd Annual Scientific Meeting of the Skin Pharmacology Society, Stockholm, Sweden. (Dr O. Hagermark, Dept of Dermatology, Karolinska sjukhuset, S-104 01 Stockholm 60, Sweden.)

1–5 September 1986

British Association for the Advancement of Science, Bristol, UK. (Contact to be announced.)

22–26 September 1986

6th European Symposium on Quantitative Structure–Activity Relationships, Porturose, Yugoslavia. (Prof. D. Hadži, Boris Kidrič Institute of Chemistry, POB 30, 61115 Ljubljana, Yugoslavia.)

16–17 October 1986

Meeting on the Psychopharmacology of Dependence, London, UK. (Mrs P.J. Rowden, Dept of Clinical Pharmacology, Wellcome Research Laboratory, Langley Court, Beckenham, Kent, UK.)

16 December 1986

Society for Drug Research Meeting on Nucleoside Chemistry and Biology, London, UK. (Mrs B. Cavilla, Institute of Biology, 20 Queensbury Place, London.)

5-10 April 1987

New Directions in Affective Disorders, Jerusalem, Israel.
(Secretariat, 12 Schlomzion Hamalka Str., Jerusalem 94146, Israel.)

14-19 June 1987

6th International Catecholamine Symposium, Jerusalem, Israel. (Prof R. Haim, Belmaker, PO Box 983, Jerusalem 91009, Israel.)

19-21 August 1987

Satellite Symposium of IUPHAR Congress. Amino Acid Transmitters, Canberra, Australia. (Prof. D.R. Curtis, Dept of Pharmacology, JCSMR, GPO Box 334, Canberra City, A.C.T. 2601, Australia.)

INSTRUCTIONS TO AUTHORS

Whilst every effort is made by the publishers and editorial committee to see that no inaccurate or misleading data, opinion or statement appears in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned. Accordingly the publishers and the editorial committee and their respective employees, officers and agents accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Papers will be considered for publication in all fields of pharmacology.

Before submitting a manuscript, authors must note the following points since failure to comply with instructions will lead to either delay or rejection of the manuscript. Overseas authors may find it helpful to seek advice from a Corresponding Editor in their country before submitting a manuscript for consideration.

1. **Manuscripts** (2 copies) should be sent to Dr G.M. Lees, Editorial Office, University of Aberdeen, Marischal College, Aberdeen AB9 1AS. The manuscript must be typed in double spacing on one side of paper, not larger than A4 (210 × 297 mm). There should be a separate title page with the names of authors (in alphabetical order) and their appropriate addresses. One first name of each author may be included.

2. **Style** Papers must be submitted in the style of the journal (see any recent issue of the journal) and in accordance with the Instructions to Authors published in *Br. J. Pharmac.* (1984), **81**, 3–10. (Copies of these instructions may be obtained from Dr Lees.)

3. **Statement** The manuscript must be accompanied by the following statement: 'This manuscript has not been nor will be published in whole or in part by any other journal.' The statement may be included as part of the accompanying letter which must be signed by all authors. No paper will be accepted without this statement and the signature of each author.

4. **Summary** (2 copies) This should be a short summary of results and conclusions arranged in numbered paragraphs.

5. **Short title** A short (running) title of not more than 50 letters and spaces should be submitted. This may be typed on the title page.

6. **Figures** These should not be larger than A4 (210 × 297 mm) and may be in the form of original drawings, recorded tracings or high quality photographic prints made from them. Negative prints of kymograph tracings (black on white) should be provided and both ordinates and abscissae should be calibrated. Lettering on figures should be inserted in pencil. Symbols which are to appear in figures or legends should be chosen from the following:

○ ● □ ■ △ ▲ ▽ ▼ ◇ ◆ + ×

Photographs and photomicrographs should be printed on glossy paper and should be larger than the size required for reproduction. Each figure legend should be typed on a separate sheet of paper.

7. **Tables** These should generally have not more than 85 characters to a line (counting spaces between columns as 4 characters) and never more than 110 characters to a line. Each table should be typed on a separate sheet of paper.

8. **References** These must be collected in alphabetical order at the end of the paper. They should include the authors' names, year of publication (in brackets), title of article, title of publication (abbreviated in accordance with the most recent edition of the *World List of Scientific Periodicals*), volume number and first and last page numbers. References to books should, in addition, include the names of editors, the edition number (where appropriate), the town of origin then the name of publisher. Where citation is made to a paper 'in press' the paper should if possible, accompany the manuscript, as an aid to the editor and referee.

9. **Short Communications** These will be accepted if they merit priority publication and do not require revision. They may contain up to 1,200 words of text including references and only one figure or table. The summary should be a single paragraph. A statement must be included.

10. **Key Words** Up to ten key words or phrases of two to three words should be displayed on the title page.

Two page proofs will be supplied, one of which may be retained by the authors. The other should be corrected immediately and returned to the Press Editor. Corrections should be kept to a minimum.

Twenty-five reprints will be supplied to the authors free of charge. Additional reprints can be purchased. A reprint order form, which should be returned promptly, will be sent out with the proofs. If reprints will not be available from the author, a note to this effect may be added at the end of the text.

British Journal of Pharmacology

VOLUME 87

NUMBER 4

APRIL 1986

SHORT COMMUNICATIONS

- 621 PARRATT, J.R. & SITSAPESAN, R. Stereospecific antiarrhythmic effect of opioid receptor antagonists in myocardial ischaemia

PAPERS

- 623 DORIGO, P. & MARAGNO, I. Interaction of amrinone with endogenous adenosine in guinea-pig atria
- 631 SCHRÖR, K. & THIEMERMANN, C. Treatment of acute myocardial ischaemia with a selective antagonist of thromboxane receptors (BM 13.177)
- 639 RÉNYI, L. The effect of selective 5-hydroxytryptamine uptake inhibitors on 5-methoxy-N,N-dimethyltryptamine-induced ejaculation in the rat
- 649 BACCARO, C., BENNARDINI, F., DINI, G., FRANCONI, F., GIOTTI, A., MATUCCI, R. & MINUTI, P. Cardiac hypoxia and subsequent reoxygenation: sensitivity to L-arginine methylester
- 657 ABRAHAMSSON, T. The β_1 - and β_2 -adrenoceptor stimulatory effects of alprenolol, oxprenolol and pindolol: a study in the isolated right atrium and uterus of the rat
- 665 HONDA, K., SATAKE, T., TAKAGI, K. & TOMITA, T. Effects of relaxants on electrical and mechanical activities in the guinea-pig tracheal muscle
- 673 HOMEIDA, A.M. Evidence for the presence of oxytocin in the corpus luteum of the goat
- 677 KEMP, J.A., MARSHALL, G.R. & WOODRUFF, G.N. Quantitative evaluation of the potencies of GABA-receptor agonists and antagonists using the rat hippocampal slice preparation
- 685 GRYGLEWSKI, R.J., MONCADA, S. & PALMER, R.M.J. Bioassay of prostacyclin and endothelium-derived relaxing factor (EDRF) from porcine aortic endothelial cells
- 695 AULT, B. & WANG, C.M. Adenosine inhibits epileptiform activity arising in hippocampal area CA3

- 705 HOLCK, M. & OSTERRIEDER, W. Inhibition of the myocardial Ca^{2+} inward current by the class I antiarrhythmic agent, cibenzoline

- 713 BOLTON, T.B. & CLAPP, L.H. Endothelial-dependent relaxant actions of carbachol and substance P in arterial smooth muscle

- 725 CARPENTER, F.G. Micturition in naive and morphine-dependent rats

- 733 CHOO, L.K., MITCHELSON, F. & VONG, Y.M. Interaction of some muscarinic agonists and antagonists at the prejunctional muscarinic receptor in the rabbit ear artery preparation

- 741 FENNESSY, M.R., STEWART, A.G. & THOMPSON, D.C. Aerosolized and intravenously administered leukotrienes: effects on the bronchoconstrictor potency of histamine in the guinea-pig

- 751 HIRASAWA, N., OHUCHI, K., SUGIO, K., TSURUFUJI, S., WATANABE, M. & YOSHINO, S. Vascular permeability responses and the role of prostaglandin E_2 in an experimental allergic inflammation of air pouch type in rats

- 757 CHANG, C.C., HONG, S.J. & KO, J.-L. Mechanisms of the inhibition by neostigmine of tetanic contraction in the mouse diaphragm

- 763 BARRIGÓN, S. & TAMARGO, J. The effect of oxytocin on contractile responses and ^{45}Ca movements in rat isolated aortic strips

- 771 ALBERT, J., LINGLE, C.J., MARDER, E. & O'NEIL, M.B. A GABA-activated chloride-conductance not blocked by picrotoxin on spiny lobster neuromuscular preparations

781 VOLUME INDEX

CUMULATIVE CONTENTS

MEETINGS CALENDAR