

British Journal of Pharmacology

SHORT COMMUNICATIONS

- 621 PARRATT, J.R. & SITSAPESAN, R. Stereospecific antiarrhythmic effect of opioid receptor antagonists in myocardial ischaemia

PAPERS

- 623 DORIGO, P. & MARAGNO, I. Interaction of amrinone with endogenous adenosine in guinea-pig atria
- 631 SCHRÖR, K. & THIEMERMANN, C. Treatment of acute myocardial ischaemia with a selective antagonist of thromboxane receptors (BM 13.177)
- 639 RÉNYI, L. The effect of selective 5-hydroxytryptamine uptake inhibitors on 5-methoxy-N,N-dimethyltryptamine-induced ejaculation in the rat
- 649 BACCARO, C., BENNARDINI, F., DINI, G., FRANCONI, F., GIOTTI, A., MATUCCI, R. & MINUTI, P. Cardiac hypoxia and subsequent reoxygenation: sensitivity to L-arginine methylester
- 657 ABRAHAMSSON, T. The β_1 - and β_2 -adrenoceptor stimulatory effects of alprenolol, oxprenolol and pindolol: a study in the isolated right atrium and uterus of the rat
- 665 HONDA, K., SATAKE, T., TAKAGI, K. & TOMITA, T. Effects of relaxants on electrical and mechanical activities in the guinea-pig tracheal muscle
- 673 HOMEIDA, A.M. Evidence for the presence of oxytocin in the corpus luteum of the goat
- 677 KEMP, J.A., MARSHALL, G.R. & WOODRUFFE, G.N. Quantitative evaluation of the potencies of GABA-receptor agonists and antagonists using the rat hippocampal slice preparation
- 685 GRYGLEWSKI, R.J., MONCADA, S. & PALMER, R.M.J. Bioassay of prostacyclin and endothelium-derived relaxing factor (EDRF) from porcine aortic endothelial cells
- 695 AULT, B. & WANG, C.M. Adenosine inhibits epileptiform activity arising in hippocampal area CA3

- 705 HOLCK, M. & OSTERRIEDER, W. Inhibition of the myocardial Ca^{2+} inward current by the class I antiarrhythmic agent, cibenzoline

- 713 BOLTON, T.B. & CLAPP, L.H. Endothelial-dependent relaxant actions of carbachol and substance P in arterial smooth muscle

- 725 CARPENTER, F.G. Micturition in naive and morphine-dependent rats

- 733 CHOO, L.K., MITCHELSON, F. & VONG, Y.M. Interaction of some muscarinic agonists and antagonists at the prejunctional muscarinic receptor in the rabbit ear artery preparation

- 741 FENNESSY, M.R., STEWART, A.G. & THOMPSON, D.C. Aerosolized and intravenously administered leukotrienes: effects on the bronchoconstrictor potency of histamine in the guinea-pig

- 751 HIRASAWA, N., OHUCHI, K., SUGIO, K., TSURUFUJI, S., WATANABE, M. & YOSHINO, S. Vascular permeability responses and the role of prostaglandin E_2 in an experimental allergic inflammation of air pouch type in rats

- 757 CHANG, C.C., HONG, S.J. & KO, J.-L. Mechanisms of the inhibition by neostigmine of tetanic contraction in the mouse diaphragm

- 763 BARRIGÓN, S. & TAMARGO, J. The effect of oxytocin on contractile responses and ^{45}Ca movements in rat isolated aortic strips

- 771 ALBERT, J., LINGLE, C.J., MARDER, E. & O'NEIL, M.B. A GABA-activated chloride-conductance not blocked by picrotoxin on spiny lobster neuromuscular preparations

- 781 VOLUME INDEX

CUMULATIVE CONTENTS

MEETINGS CALENDAR

British Journal of Pharmacology

CONTENTS

VOLUME 87 NUMBER 1 JANUARY 1986

SHORT COMMUNICATION

- 3 BRADLEY, P.B., HUMPHREY, P.P.A. & WILLIAMS, R.H. Evidence for the existence of 5-hydroxytryptamine receptors, which are not of the 5-HT₂ type, mediating contraction of rabbit isolated basilar artery

PAPERS

- 5 GOLDIE, R.G., PAPADIMITRIOU, J.M., PATERSON, J.W., RIGBY, P.J., SELF, H.M. & SPINA, D. Influence of the epithelium on responsiveness of guinea-pig isolated trachea to contractile and relaxant agonists
- 15 ASHOORI, F., HIDAKA, H. & TOMITA, T. Carbachol-induced contraction in the circular muscle of guinea-pig stomach in calcium-free solution
- 23 VAN DER GIESSEN, W.J., SCHOUTSEN, B., TIJSSEN, J.G.P. & VERDOUW, P.D. Iloprost (ZK 36374) enhances recovery of regional myocardial function during reperfusion after coronary artery occlusion in the pig
- 29 DUSTING, G.J. & LI, D.M.F. Catecholamine release and potentiation of thromboxane A₂ production by nicotine in the greyhound
- 37 FOREMAN, J.C., NORRIS, D.B., RISING, T.J. & WEBBER, S.E. A study of the H₂-receptor for histamine stimulating adenylate cyclase in homogenates of guinea-pig lung parenchyma
- 45 GARDINER, P.J. Characterization of prostanoid relaxant/inhibitory receptors (ψ) using a highly selective agonist, TR4979
- 57 FLOWER, R.J., PARENTE, L., PERSICO, P. & SALMON, J.A. A comparison of the acute inflammatory response in adrenalectomized and sham-operated rats
- 63 MAGYAR, K., NGUYEN, T.T., TÖRÖK, T.L. & TÓTH, P.T. The action of excess potassium and calcium on ouabain-evoked [³H]-noradrenaline release from the rabbit pulmonary artery
- 73 FEATHERSTONE, R.L., FOSBRAEY, P. & MORTON, I.K.M. A comparison of the effects of three substance P antagonists on tachykinin-stimulated [³H]-acetylcholine release in the guinea-pig ileum
- 79 BAILEY, S.J., FEATHERSTONE, R.L., JORDAN, C.C. & MORTON, I.K.M. An examination of the pharmacology of two substance P antagonists and the evidence for tachykinin receptor subtypes
- 87 BROWN, B.S., GORCZYNSKI, R.J., REYNOLDS, R.D. & SHAFFER, J.E. Comparison of the parasympatholytic activity of ACC-9358 and disopyramide
- 97 DONG, Y.J., JONES, R.L. & WILSON, N.H. Prostaglandin E receptor subtypes in smooth muscle: agonist activities of stable prostacyclin analogues
- 109 EMMS, H. & LEWIS, G.P. The roles of prostaglandin endoperoxides, thromboxane A₂ and adenosine diphosphate in collagen-induced aggregation in man and the rat
- 117 ALLEN, S.L., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. The relaxant action of nicorandil in guinea-pig isolated trachealis
- 129 DAVIS, A.S., JENNER, P. & MARSDEN, C.D. A comparison of motor behaviours in groups of rats distinguished by their climbing response to apomorphine
- 139 DONG, Y.J. & WADSWORTH, R.M. Effects of Bay K 8644 on ⁴⁵Ca uptake and efflux and on contraction in the rabbit aorta
- 147 GRANGER, S.E., HOLLINGSWORTH, M. & WESTON, A.H. Effects of calcium entry blockers on tension development and calcium influx in rat uterus
- 157 CANGA, L. & STERIN-BORDA, L. Hypersensitivity to methoxamine in atria isolated from streptozotocin-induced diabetic rats
- 167 DEWHURST, D.G. Non-involvement of γ -aminobutyric acid in catechol-induced seizures
- 175 BOWMAN, A., GILLESPIE, J.S. & SOARES-DASILVA, P. A comparison of the action of the endothelium-derived relaxant factor and the inhibitory factor from the bovine retractor penis on rabbit aortic smooth muscle
- 183 KISARA, K., SAKURADA, S., SAKURADA, T., SASAKI, Y., SATO, T., SUZUKI, K. & WATANABE, H. Dermorphin analogues containing D-kyotorphin: structure-antinociceptive relationships in mice
- 191 DONALDSON, J. & HILL, S.J. Selective enhancement of histamine H₁-receptor responses in guinea-pig ileal smooth muscle by 1,4-dithiothreitol
- 201 COX, H.M., MUNDAY, K.A. & POAT, J.A. Identification of selective, high affinity [¹²⁵I]-angiotensin and [¹²⁵I]-bradykinin binding sites in rat intestinal epithelia

- 211 RISING, T.J. & STEWARD, A. The determination of receptor constants for histamine H₂-agonists in the guinea-pig isolated right atrium using an irreversible H₂-antagonist
- 217 JORDAN, V.C., KOCH, R., MITTAL, S. & SCHNEIDER, M.R. Oestrogenic and antioestrogenic actions in a series of triphenylbut-1-enes: modulation of prolactin synthesis *in vitro*
- 225 KAWAI, T. & WATANABE, M. Blockade of Ca-activated K conductance by apamin in rat sympathetic neurones
- 233 CHURCH, M.K., HUGHES, P.J. & VARDEY, C.J. Studies on the receptor mediating cyclic AMP-independent enhancement by adenosine of IgE-dependent mediator release from rat mast cells
- 243 BARROW, S.E., DOLLERY, C.T., HEAVEY, D.J., HICKLING, N.E., RITTER, J.M. & VIAL, J. Effect of vasoactive peptides on prostacyclin synthesis in man
- 249 STORY, D.F. & ZIOGAS, J. Role of the endothelium on the facilitatory effects of angiotensin I and angiotensin II on noradrenergic transmission in the caudal artery of the rat
- 257 FOZARD, J.R., PALFREYMAN, M.G., ROBIN, M. & ZREIKA, M. Selective inhibition of monoamine oxidase type B by MDL 72145 increases the central effects of L-DOPA without modifying its cardiovascular effects
- 265 DAUGHERTY, A., FRAYN, K.N., REDFERN, W.S. & WOODWARD, B. The role of catecholamines in the production of ischaemia-induced ventricular arrhythmias in the rat *in vivo* and *in vitro*
- 279 CRESPI, F., KEANE, P.E. & MORRE, M. Anaesthesia abolishes the effect of valproate on extracellular 5-HIAA, DOPAC and ascorbate as measured in rat striatum by differential pulse voltammetry

VOLUME 87 NUMBER 2 FEBRUARY 1986

SHORT COMMUNICATION

- 287 LAMBRECHT, G. & PARNHAM, M.J. Kadsurenone distinguishes between different platelet activating factor receptor subtypes on macrophages and polymorphonuclear leucocytes

PAPERS

- 291 BENOIT, E., CARRATU, M.R., DUBOIS, J.M. & MITOLO-CHIEPPA, D. Mechanism of action of ketamine in the current and voltage clamped myelinated nerve fibre of the frog
- 299 HATTORI, Y., HAZAMA, S., KANNO, M. & NAKAO, Y. Inotropic effects of Ca²⁺ channel agonist and antagonists in neuraminidase-treated left atria of rats
- 307 BIRDSALL, N.J.M., HULME, E.C. & KEEN, M. The binding of pirenzepine to digitonin-solubilized muscarinic acetylcholine receptors from the rat myocardium
- 317 DELGADO, C., MANZANARES, J., TAMARGO, J. & VALENZUELA, C. Electrophysiological effects of amoxapine in untreated and in amoxapine-pretreated rat atria
- 327 BERRY, C.N., GRIFFITHS, R.J., HOULT, J.R.S., MOORE, P.K. & TAYLOR, G.W. Identification of 6-oxo-prostaglandin E₁ as a naturally occurring prostanoid generated by rat lung
- 337 BRYAN, L.J., O'DONNELL, S.R. & WILLIAMS, A.M. The effects of thyroxine treatment of rats on neuronal and extraneuronal uptake and metabolism of catecholamines in the heart
- 345 AGRAWAL, S.G. & EVANS, R.H. The primary afferent depolarizing action of kainate in the rat
- 357 BARNES, V.F. & HEAVEY, D.J. Effect of prostaglandin D₂ on histamine-induced weals in human skin
- 361 BROWN, M.J. & HARLAND, D. B-HT 958 lowers blood pressure and heart rate in the rat through stimulation of dopamine receptors
- 371 CHO, C.H. & OGLE, C.W. The inhibitory action of 5-hydroxytryptamine on gastric secretory function in rats
- 379 LOGRANO, M.D. & REIBALDI, A. Receptor-responses in fresh human ciliary muscle
- 387 HESTER, R.K., SATAKE, N., SHIBATA, S., UEDA, S. & YAMAHARA, J. The mode of vasorelaxant action of 2-aminoisoquinoline, 1,3 (2H,4H)-dione, a novel 'intracellular calcium inhibitor
- 395 IBENGWE, J.K. & SUZUKI, H. Changes in mechanical responses of vascular smooth muscles to acetylcholine, noradrenaline and high-potassium solution in hypercholesterolemic rabbits
- 403 HALLBERG, H. Central β -adrenoceptors can modulate 5-hydroxytryptamine-induced tremor in rats
- 409 RAFUSE, P.E. & SMITH, P.A. α_2 -Adrenergic hyperpolarization is not involved in slow synaptic inhibition in amphibian sympathetic ganglia
- 417 CONNOR, H.E., FENIUK, W., HUMPHREY, P.P.A. & PERREN, M.J. 5-Carboxamidotryptamine is a selective agonist at 5-hydroxytryptamine receptors mediating vasodilatation and tachycardia in anaesthetized cats
- 427 ABIKO, Y., FUKUSHI, Y., HAGA, N. & MATSUMURA, H. Attenuation by isosorbide dinitrate of coronary occlusion-induced acidosis in the dog myocardium

- 433 PIERCE, V., SHEPPERSON, N.B., TODD, M.H. & WATERFALL, J.F. Investigation into the cardioregulatory properties of the α_1 -adrenoceptor blocker indoramin

- 443 CHAND, N., DIAMANTIS, W. & SOFIA, R.D. Modulation of *in vitro* anaphylaxis of guinea-pig isolated tracheal segments by azelastine, inhibitors of arachidonic acid metabolism and selected antiallergic drugs

VOLUME 87 NUMBER 3 MARCH 1986

- 451 **The 40th Anniversary of the publication of the *British Journal of Pharmacology (and Chemotherapy)***
Editorial: J.F. MITCHELL
- 453 Title page of the first issue of *Br. J. Pharmac. Chemother.*, March 1946
- 455 Contents of the first issue of *Br. J. Pharmac. Chemother.*
- 457 Foreword to the first issue of *Br. J. Pharmac. Chemother.* by Sir Henry Dale
- 461 An appreciation of Dr Raymond Ing F.R.S., Founding Secretary of the *British Journal of Pharmacology*. G.S. DAWES
- 463 Third Report on the Organization of Pharmacology in Great Britain. Y.S. BAKHLE, I.K.M. MORTON, D.W. STRAUGHAN & R.A. WEBSTER

SHORT COMMUNICATIONS

- 475 HUANG, X.D., LEE, A.Y.S., WONG, T.M., ZHAN, C.Y. & ZHAO, Y.Y. Naloxone inhibits arrhythmias induced by coronary artery occlusion and reperfusion in anaesthetized dogs
- 478 MURAMATSU, I. Evidence for sympathetic, purinergic transmission in the mesenteric artery of the dog
- 481 BRUNS, C., MARMÉ, D. & OSSWALD, H. Stereospecific inhibition of 5-HT-induced increase of intracellular free calcium by (+)- and (-)-desmethoxy-verapamil in human platelets
- 483 DONOSO, M.V., HUIDOBRO-TORO, J.P. & ST PIERRE, S. Gastrointestinal neurotensin receptors: contribution of the aromatic hydroxyl group in position 11 to peptide potency

PAPERS

- 487 BARRETT, V.J., LEFF, P., MARTIN, G.R. & RICHARDSON, P.J. Pharmacological analysis of the interaction between Bay K8644 and 5-HT in rabbit aorta
- 495 BRINDLEY, G.S. Pilot experiments on the actions of drugs injected into the human corpus cavernosum penis
- 501 HOLROYDE, M.C. The influence of epithelium on the responsiveness of guinea-pig isolated trachea
- 509 KOSKINEN, L.-O.D. Effect of low intravenous doses of TRH, acid-TRH and cyclo(His-Pro) on cerebral and peripheral blood flows

- 521 FÖRSTERMANN, U., HERTTING, G. & NEUFANG, B. The role of endothelial and non-endothelial prostaglandins in the relaxation of isolated blood vessels of the rabbit induced by acetylcholine and bradykinin
- 533 BROUGHTON PIPKIN, F. & WALLACE, C.P. The effect of enalapril (MK421), an angiotensin converting enzyme inhibitor, on the conscious pregnant ewe and her foetus
- 543 ARMSTRONG, R.A., JONES, R.L., MACDERMOT, J. & WILSON, N.H. Prostaglandin endoperoxide analogues which are both thromboxane receptor antagonists and prostacyclin mimetics
- 553 JOHNSTON, H. & MAJEWSKI, H. Prejunctional β -adrenoceptors in rabbit pulmonary artery and mouse atria: effect of α -adrenoceptor blockade and phosphodiesterase inhibition
- 563 HARDY, C.C., HOLGATE, S.T. & ROBINSON, C. Evidence against the formation of 13,14-dihydro-15-keto-prostaglandin $F_{2\alpha}$ following inhalation of prostaglandin D_2 in man
- 469 BROWN, E.A., GRIFFITHS, R., HARVEY, C.A. & OWEN, D.A.A. Pharmacological studies with SK&F 93944 (temelastine), a novel histamine H_1 -receptor antagonist with negligible ability to penetrate the central nervous system
- 579 DOWNES, H., EDELSTEIN, R.A. & TAYLOR, S.M. Mechanisms of intrinsic tone in bullfrog lung: relaxant effects of indomethacin, ouabain and potassium
- 587 VARMA, D.R. & YUE, T.L. Adrenoceptor blocking properties of atropine-like agents anisodamine and anisodine on brain and cardiovascular tissues of rats
- 595 MILLER, L., SHAW, J.S. & WHITING, E.M. The contribution of intrinsic activity to the action of opioids *in vitro*
- 603 LIPE, S. & SUMMERS, R.J. Autoradiographic analysis of the distribution of β -adrenoceptors in the dog splenic vasculature
- 611 HOF, R.P. Vasopressin induced myocardial depression is neurally mediated and not due to impaired coronary blood flow

SHORT COMMUNICATIONS

- 621 PARRATT, J.R. & SITSAPESAN, R. Stereospecific antiarrhythmic effect of opioid receptor antagonists in myocardial ischaemia

PAPERS

- 623 DORIGO, P. & MARAGNO, I. Interaction of amrinone with endogenous adenosine in guinea-pig atria
- 631 SCHRÖR, K. & THIEMERMANN, C. Treatment of acute myocardial ischaemia with a selective antagonist of thromboxane receptors (BM 13.177)
- 639 RÉNYI, L. The effect of selective 5-hydroxytryptamine uptake inhibitors on 5-methoxy-N,N-dimethyltryptamine-induced ejaculation in the rat
- 649 BACCARO, C., BENNARDINI, F., DINI, G., FRANCONI, F., GIOTTI, A., MATUCCI, R. & MINUTI, P. Cardiac hypoxia and subsequent reoxygenation: sensitivity to L-arginine methylester
- 657 ABRAHAMSSON, T. The β_1 - and β_2 -adrenoceptor stimulatory effects of alprenolol, oxprenolol and pindolol: a study in the isolated right atrium and uterus of the rat
- 665 HONDA, K., SATAKE, T., TAKAGI, K. & TOMITA, T. Effects of relaxants on electrical and mechanical activities in the guinea-pig tracheal muscle
- 673 HOMEIDA, A.M. Evidence for the presence of oxytocin in the corpus luteum of the goat
- 677 KEMP, J.A., MARSHALL, G.R. & WOODRUFF, G.N. Quantitative evaluation of the potencies of GABA-receptor agonists and antagonists using the rat hippocampal slice preparation
- 685 GRYGLEWSKI, R.J., MONCADA, S. & PALMER, R.M.J. Bioassay of prostacyclin and endothelium-derived relaxing factor (EDRF) from porcine aortic endothelial cells

- 695 AULT, B. & WANG, C.M. Adenosine inhibits epileptiform activity arising in hippocampal area CA3
- 705 HOLCK, M. & OSTERRIEDER, W. Inhibition of the myocardial Ca^{2+} inward current by the class I antiarrhythmic agent, cibenzoline
- 713 BOLTON, T.B. & CLAPP, L.H. Endothelial-dependent relaxant actions of carbachol and substance P in arterial smooth muscle
- 725 CARPENTER, F.G. Micturition in naive and morphine-dependent rats
- 733 CHOO, L.K., MITCHELSON, F. & VONG, Y.M. Interaction of some muscarinic agonists and antagonists at the prejunctional muscarinic receptor in the rabbit ear artery preparation
- 734 FENNESSY, M.R., STEWART, A.G. & THOMPSON, D.C. Aerosolized and intravenously administered leukotrienes: effects on the bronchoconstrictor potency of histamine in the guinea-pig
- 751 HIRASAWA, N., OHUCHI, K., SUGIO, K., TSURUFUJI, S., WATANABE, M. & YOSHINO, S. Vascular permeability responses and the role of prostaglandin E_2 in an experimental allergic inflammation of air pouch type in rats
- 757 CHANG, C.C., HONG, S.J. & KO, J.-L. Mechanisms of the inhibition by neostigmine of tetanic contraction in the mouse diaphragm
- 763 BARRIGÓN, S. & TAMARGO, J. The effect of oxytocin on contractile responses and ^{45}Ca movements in rat isolated aortic strips
- 771 ALBERT, J., LINGLE, C.J., MARDER, E. & O'NEIL, M.B. A GABA-activated chloride-conductance not blocked by picrotoxin on spiny lobster neuromuscular preparations
- 781 **VOLUME INDEX**