British Journal of Pharmacology

- 717 SKOVGAARD JENSEN, M. & LAMBERT, J.D.C. Electrophysiological studies in cultured mouse CNS neurones of the actions of an agonist and an inverse agonist at the benzodiazepine receptor
- 733 BRASCH, H. Influence of the optical isomers (+)- and (-)-naloxone on beating frequency, contractile force and action potentials of guinea-pig isolated cardiac preparations
- 741 BARNES, P.J., BROWN, M.J., DOLLERY, C.T., FULLER, R.W., HEAVEY, D.J. & IND, P.W. Histamine is released from skin by substance P but does not act as the final vasodilator in the axon reflex
- 747 QUASTEL, D.M.J. & SAINT, D.A. Modification of motor nerve terminal excitability by alkanols and volatile anaesthetics
- 757 ARTALEJO, C.R. & GARCIA, A.G. Effects of Bay K 8644 on cat adrenal catecholamine secretory responses to A23187 or ouabain
- 767 ANGUS, J.A., COCKS, T.M. & SATOH, K. α₂-Adrenoceptors and endothelium-dependent relaxation in canine large arteries
- 779 CANO, J-P., GUILLEN, J-C., JOUVE, R., LANGLET, F., PUDDU, P-E., ROLLAND, P-H. & SERRADIMIGNI, A. Molsidomine prevents post-ischaemic ventricular fibrillation in dogs
- 791 PROSTRAN, M. & VARAGIĆ, V.M. The effect of forskolin on the isometric contraction of the isolated hemidiaphragm of the rat
- 799 SILINSKY, E.M. & VOGEL, S.M. The effects of an adenylate cyclase inhibitor on the electrophysiological correlates of neuromuscular transmission in the frog
- 807 BLAKELEY, A.G.H., MATHIE, A. & PETERSEN, S.A. Interactions between the effects of yohimbine, clonidine and [Ca]_o on the electrical response of the mouse vas deferens
- 815 VARMA, D.R. Investigation of the maternal to foetal serum concentration gradient of dexamethasone in the
- 821 KARAKI, H., SATAKE, N. & SHIBATA, S. Mechanism of barium-induced contraction in the vascular smooth muscle of rabbit aorta

- 827 RÉNYI, L. The effects of monoamine oxidase inhibitors on the ejaculatory response induced by 5-methoxy-N,Ndimethyltryptamine in the rat
- 837 DONOSO, M.V., HUIDOBRO-TORO, J.P. & KULLAK, A. Involvement of calcium channels in the contractile activity of neurotensin but not acetylcholine: studies with calcium channel blockers and Bay K 8644 on the rat fundus
- 847 CORDINGLEY, G.E. & WEIGHT, F.F. Non-cholinergic synaptic excitation in neostriatum: pharmacological evidence for mediation by a glutamate-like transmitter
- 857 BOLGER, G.T. & SKOLNICK, P. Novel interactions of cations with dihydropyridine calcium antagonist binding sites in brain
- 867 HAYES, A.G., SKINGLE, M. & TYERS, M.B. Reversal by β-funaltrexamine of the antinociceptive effect of opioid agonists in the rat
- 873 AMÉDÉE, T., MIRONNEAU, C. & MIRONNEAU, J. Isolation and contractile responses of single pregnant rat myometrial cells in short-term primary culture and the effects of pharmacological and electrical stimuli
- 881 AKAIKE, N. & WAKITA, Y. The electrogenic Napump and spontaneous contraction of the hypokalemic rat duodenum
- 889 KIRBY, G.C. & McQUEEN, D.S. Characterization of opioid receptors in the cat carotid body involved in chemosensory depression in vivo
- 899 EDWARDS, D., GOOD, D.M., GRANGER, S.E., HOLLINGSWORTH, M., ROBSON, A., SMALL, R.C. & WESTON, A.H. The spasmogenic action of oxytocin in the rat uterus – comparison with other agonists
- 909 DOLIN, S.J. & LITTLE, H.J. Augmentation by calcium channel antagonists of general anaesthetic potency in mice
- 915 HASHIMOTO, K. & MITSUHASHI, H. Effects of OPC-8212, a new positive inotropic agent, on canine ventricular arrhythmias
- 923 SAWYNOK, J., SWEENEY, M.I. & WHITE, T.D. Classification of adenosine receptors mediating antinociception in the rat spinal cord

- 931 HAMID-BLOOMFIELD, S. & WHITTLE, B.J.R. Prostaglandin D₂ interacts at thromboxane receptor-sites on guinea-pig platelets
- 937 CALIXTO, J.B. & YUNES, R.A. Effect of a crude extract of *Mandevilla velutina* on contractions induced by bradykinin and [des-Arg⁹]-bradykinin in isolated vessels of the rabbit
- 943 BORKOWSKI, K.R. & KELLY, E. The effect of adrenal demedullation on cardiovascular responses to environmental stimulation in conscious rats
- 947 VOLUME INDEX
 CUMULATIVE CONTENTS
 CALENDAR

British Journal of Pharmacology

CONTENTS

VOLUME 88 NUMBER 1 MAY 1986

SHORT COMMUNICATIONS

- 3 HOULT, J.R.S. & PHILLIPS, J.A. Kinin-induced prostaglandin release in rat colon does not display serosal/ mucosal 'sidedness' after epithelial removal
- 6 BYRNE, N.G. & LARGE, W.A. The effect of α,β-methylene ATP on the depolarization evoked by noradrenaline (γ-adrenoceptor response) and ATP in the immature rat basilar artery

- 9 DUNCKER, D.J., HARTOG, J.M., HUGENHOLTZ, P.G., SAXENA, P.R. & VERDOUW, P.D. The effects of nisoldipine (Bay K 5552) on cardiovascular performance and regional blood flow in pigs with or without βadrenoceptor blockade
- 19 BEIL, W., HACKBARTH, I. & SEWING, K.-Fr. Mechanism of gastric antisecretory effect of SCh 28080
- 25 GWILT, M. & WRAY, D. The effect of chronic neostigmine treatment on channel properties at the rat skeletal neuromuscular junction
- 33 ADVENIER, C. NALINE, E. & RENIER, A. Effects of Bay K 8644 on contraction of the human isolated bronchus and guinea-pig isolated trachea
- 41 O'DONNELL, S.R. & WANSTALL, J.C. Thyroxine treatment of aged or young rats demonstrates that vascular responses mediated by β-adrenoceptor subtypes can be differentially regulated
- 51 DUBOCOVICH, M.L. & HENSLER, J.G. Modulation of [3H]-dopamine released by different frequencies of stimulation from rabbit retina
- 63 CHRISTOPHE, J., DE NEEF, P., ROBBERECHT, P. & WAELBROECK, M. Propylbenzilylcholine mustard is selective for rat heart muscarinic receptors having a low affinity for agonists
- 71 HASHIMOTO, Y., HORI, R., OKUMURA, K. & YASUHARA, M. Pharmacokinetics and antiarrhythmic activity of ajmaline in rats subjected to coronary artery occlusion
- 79 FARQUHAR, R., LESLIE, G.C. & PART, N.J. How is ventilation maintained in the presence of the muscle relaxant, dantrolene sodium? A study in the anaesthetized rat
- 87 BRADFORD, H.F., CROWDER, J.M. & WHITE, E.J. Inhibitory actions of opioid compounds on calcium fluxes and neurotransmitter release from mammalian cerebral cortical slices
- 95 BOU, J., FERNÁNDEZ, A.G., JAUREGUI, J.M. & MASSINGHAM, R. Involvement of enteric neurones in

- the response of guinea-pig ileum preparations to meto-clopramide
- 103 HAMILTON, T.C., WEIR, S.W. & WESTON, A.H. Comparison of the effects of BRL 34915 and verapamil on electrical and mechanical activity in rat portal vein
- 113 WEIR, S.W. & WESTON, A.H. Effect of apamin on responses to BRL 34915, nicorandil and other relaxants in the guinea-pig taenia caeci
- 121 WEIR, S.W. & WESTON, A.H. The effects of BRL 34915 and nicorandil on electrical and mechanical activity and on ⁸⁶Rb efflux in rat blood vessels
- 129 BENNETT, G.W., GREEN, A.R., LIGHTON, C. & MARSDEN, C.A. Changes in the behavioural response to a TRH analogue following chronic amitriptyline treatment and repeated electroconvulsive shock in the rat
- 141 NORTHOVER, B.J. A protective effect of sulphinpyrazone against coronary occlusion-induced shortening of myocardial refractory periods in the rat
- 149 FITZGERALD, M.F., MONCADA, S. & PARENTE, L. The anaphylactic release of platelet-activating factor from perfused guinea-pig lungs
- 155 GIBSON, A. An oxytocin receptor in anococcygeus muscles isolated from male mice
- 161 BENTLEY, G.A., CULLEN, L.K., REYNOLDSON, J.A. & WIDDOP, R.E. The effect of clonidine on venous haemodynamics in cats and dogs
- 173 AL-KAZWINI, S.J., CRAIG, R.K. & MARSHALL, I. Postjunctional inhibition of contractor responses in the mouse vas deferens by rat and human calcitonin generelated peptides (CGRP)
- 181 FAULKNER, D., FRYER, A.D. & MACLAGAN, J. Postganglionic muscarinic inhibitory receptors in pulmonary parasympathetic nerves in the guinea-pig
- 189 DELCENSERIE, R., DEVAUX, M.A. & SARLES, H. Action of dopamine on the exocrine pancreatic secretion of the intact dog
- 197 GUSTAFSSON, L.E. & WIKLUND, N.P. Adenosinemodulation of cholinergic and non-adrenergic noncholinergic neurotransmission in the rabbit iris sphincter
- 205 BOWMER, C.J., COLLIS, M.G. & YATES, M.S. Effect of the adenosine antagonist 8-phenyltheophylline on glycerol-induced acute renal failure in the rat
- 213 DOLPHIN, A.C. & SCOTT, R.H. Inhibition of calcium currents in cultured rat dorsal root ganglion neurones by (-)-baclofen

- 221 AOKI, K. & ASANO, M. Effects of Bay K 8644 and nifedipine on femoral arteries of spontaneously hypertensive rats
- DOWNES, C.P., LEWIS, P.E. & STONE, M.A. A comparison of the binding of σ opioids and phencyclidine, and the interaction with antipsychotic drugs in rat brain membranes
- 239 McCAIG, D.J. Autonomic responses of the isolated, innervated trachea of the guinea-pig: interaction with autonomic drugs, histamine and 5-hydroxytryptamine
- 249 MOLYVDAS, P-A. & SPERELAKIS, N. Effects of calcium antagonistic drugs on the electrical activity of rabbit sino-atrial node
- 259 ENOMOTO, Y., ITO, K., KAWAGOE, Y., MORIO, Y. & YAMASAKI, Y. Positive inotropic action of saponins on isolated atrial and papillary muscles from the guineapig

- 269 CECI, A., GARATTINI, S., GOBBI, M. & MENNINI, T. Effect of long term amineptine treatment on pre- and postsynaptic mechanisms in rat brain
- 277 ANNO, T., KODAMA, I., SHIBATA, S., TOYAMA, J. & YAMADA, K. Effects of calcium, calcium entry blockers and calmodulin inhibitors on atrioventricular conduction disturbances induced by hypoxia
- 285 DOUGAN, D.F.H., DUFFIELD, A.M., DUFFIELD, P.H. & WADE, D.N. Stereoselective accumulation of hydroxylated metabolites of amphetamine in rat striatum and hypothalamus
- 291 BLACK, J.W. & SHANKLEY, N.P. Pharmacological analysis of the inhibition by pirenzepine and atropine of vagal-stimulated acid secretion in the isolated stomach of the mouse

VOLUME 88 NUMBER 2 JUNE 1986

- 301 BOURA, A.L.A., GUDE, N.M., KING, R.G. & WAL-TERS, W.A.W. Acetylcholine output and foetal vascular resistance of human perfused placental cotyleda
- 307 BURLEIGH, D.E. & TROUT, S.J. Morphine attenuates cholinergic nerve activity in human isolated colonic muscle
- 315 MIHARA, S. & NORTH, R.A. Opioids increase potassium conductance in submucous neurones of guinea-pig caecum by activating δ-receptors
- 323 NARUMIYA, S., OKUMA, M. & USHIKUBI, F. Binding of a radioiodinated 13-azapinane thromboxane antagonist to platelets: correlation with antiaggregatory activity in different species
- 333 ALLAN, G., DONOGHUE, S., FOLLENFANT, M.J. & SAWYER, D.A. BW A256C, a chemically novel class 1 antiarrhythmic agent. A comparison of *in vitro* and *in vivo* activity with other class 1 antiarrhythmic agents
- 345 BERRIDGE, T.L. & ROACH, A.G. Characterization of α-adrenoceptors in the vasculature of the canine nasal mucosa
- 355 CURTIS, M.J., WALKER, M.J.A. & YUSWACK, T. Actions of the verapamil analogues, anipamil and ronipamil, against ischaemia-induced arrhythmias in conscious rats
- 363 CHEUNG, D.W. & MACKAY, M.J. The effects of Bay K 8644 and nifedipine on the neural responses of the rabbit ear artery
- 369 ISHII, K., SATO, Y. & TAIRA, N. Similarity and dissimilarity of the vasoconstrictor effects of Bay K 8644 on coronary, femoral, mesenteric and renal circulations of dogs

- 379 ALLAN, R.D., DICKENSON, H.W., HIERN, B.P., JOHNSTON, G.A.R. & KAZLAUSKAS, R. Isothiouronium compounds as γ aminobutyric acid agonists
- 389 BEIL, W., ELTZE, M., HEINTZE, K., KLEMM, K., RIEDEL, R., SCHUDT, C., SEWING, K.-FR. & SIMON, A. The sulphoxide moiety of substituted benzimidazoles is essential for inhibition of parietal cell K+/H+-ATPase
- 397 DETURCK, K.H. & POHORECKY, L.A. Development of tolerance to the inhibitory effects of ethanol in the rat isolated vas deferens: effect of acute and chronic ethanol administration in vivo
- 405 STÄUBLI, M. & STUDER, H. The effects of amiodarone on the electrocardiogram of the guinea-pig are not explained by interaction with thyroid hormone metabolism alone
- 411 AZUMA, H., ISHIKAWA, M. & SEKIZAKI, S. Endothelium-dependent inhibition of platelet aggregation
- 417 MACK, J.A., NIELSON, C.P., STEVENS, D.L. & VESTAL, R.E. β-Adrenoceptor-mediated modulation of calcium ionophore activated polymorphonuclear leucocytes
- 425 FRIEL, D.D., MILLER, R.J. & WALKER, M.W. Neuropeptide Y: a powerful modulator of epithelial ion transport
- 433 COLLINS, G.G.S. & DEWHURST, D.G. Sites and mechanisms of action of catechol (1,2-dihydroxybenzene) in the rat olfactory cortex slice
- 441 BABA, K., SATAKE, T., TAKAGI, K. & TOMITA, T. Effects of verapamil on the response of the guinea-pig tracheal muscle to carbachol
- 451 BURGEN, A.S.V. The effect of ionic strength on cardiac muscarinic receptors

- 457 BATTISTELLA, A., BOARATO, E. BRUNI, A., MIETTO, L. PALATINI, P. & TOFFANO, G. Apomorphine-induced inhibition of histamine release in rat peritoneal mast cells
- 463 DUQUE, R.E., FANTONE, J.C., KRAMER, C., MARASCO, W.A. & PHAN, S.H. Inhibition of neutrophil activation by p-bromophenacyl bromide and its effects on phospholipase A₂
- 473 ALLEN, S.L., CORTIJO, J., FOSTER, R.W., MOR-GAN, G.P., SMALL, R.C. & WESTON, A.H. Mechanical and electrical aspects of the relaxant action of aminophylline in guinea-pig isolated trachealis
- 485 ROUND, A. & WALLIS, D.I. The depolarizing action of 5-hydroxytryptamine on rabbit vagal afferent and sympathetic neurones in vitro and its selective blockade by ICS 205-930

VOLUME 88 NUMBER 3 JULY 1986

SHORT COMMUNICATION

497 MINER, W.D. & SANGER, G.J. Inhibition of cisplatininduced vomiting by selective 5-hydroxytryptamine Mreceptor antagonism

- 501 AGUILAR, M-J, MORALES-OLIVAS, F.J. & RUBIO, E. Pharmacological investigation into the effects of histamine and histamine analogues on guinea-pig and rat colon in vitro
- 507 LITTLE, H.J., NUTT, D.J. & TAYLOR, S.C. The effects of drugs acting at the GABA_A-receptor/ionophore after chemical kindling with the benzodiazepine receptor ligand FG7142
- 515 BENTLEY, G.A. & STARR, J. The antinociceptive action of some β-adrenoceptor agonists in mice
- 523 BURDYGA, TH.V. & MAGURA, I.S. The effects of local anaesthetics on the electrical and mechanical activity of the guinea-pig ureter
- 531 FUJII, Y., NOMURA, S., OSHITA, Y. & SAKURAI, J. Excitatory effect of Clostridium perfringens alpha toxin on the rat isolated aorta
- 541 CHOW, P. & MATHERS, D. Convulsant doses of penicillin shorten the lifetime of GABA-induced channels in cultured central neurones
- 549 AZUMA, H., ISHIKAWA, M., NAKAJIMA, T., SATOH, A. & SEKIZAKI, S. Calcium-dependent contractile response of arterial smooth muscle to a jellyfish toxin (pCrTX: Carybdea rastonii)
- 561 BONGIANNI, F., CARLA, V., MORONI, F. & PELLEGRINI-GIAMPIETRO, D.E. Calcium channel inhibitors suppress the morphine-withdrawal syndrome in rats
- 569 BINDER, B.R., MAIER, M., RANA, H., STARLIN-GER, M. & ZHEGU, Z. Urinary kallikrein excretion during inhibition of endogenous angiotensin II in the pig
- 577 ABEL, M.H. & HOLLINGSWORTH, M. The effects of long-term infusion of salbutamol, diltiazem and nifedipine on uterine contractions in the ovariectomized, post-partum rat
- 585 LEFF, P. & MARTIN, G.R. Peripheral 5-HT₂-like receptors. Can they be classified with the available antagonists?

- 595 PIPER, P.J. & STEWART, A.G. Coronary vasoconstriction in the rat, isolated perfused heart induced by platelet-activating factor is mediated by leukotriene C₄
- 607 ALABASTER, V.A., KEIR, R.F. & PETERS, C.J. Comparison of potency of α₂-adrenoceptor antagonists in vitro: evidence for heterogeneity of α₂-adrenoceptors
- 615 McQUEEN, D.S. & RIBEIRO, J.A. Pharmacological characterization of the receptor involved in chemoexcitation induced by adenosine
- 621 GOLDIE, R.G., PAPADIMITRIOU, J.M., PATER-SON, J.W., RIGBY, P.J. & SPINA, D. Autoradiographic localization of β-adrenoceptors in pig lung using [125]-iodocyanopindolol
- 629 ITO, Y. & YOSHITOMI, T. Membrane and contractile properties of the dog ciliary muscle
- 639 GOODALL, J., HUGHES, I.E. & MACKAY, D. Quantification of the actions of agonists that simultaneously act on a particular type of receptor and have separate functional interactant properties
- 645 GOODALL, J., HUGHES, I.E. & MACKAY, D. Meptazinol has a similar agonist action on opioid receptors in field-stimulated mouse vas deferens and guinea-pig ileum
- 653 GRIFFITHS, E.C., SLATER, P. & WIDDOWSON, P.S. The hypothermic action of carbachol in the rat brain periaqueductal grey area may involve neurotensin
- 659 GIULIANI, S., MAGGI, C.A. & MELI, A. Differences in cardiovascular responses to peripherally administered GABA as influenced by basal conditions and type of anaesthesia
- 671 CORRADETTI, R., PEDATA, F., PEPEU, G. & VAN-NUCCHI, M.G. Chronic caffeine treatment reduces caffeine but not adenosine effects on cortical acetylcholine release
- 677 FEUERSTEIN, T.J., HERTTING, G., LUPP, A. & NEUFANG, B. False labelling of dopaminergic terminals in the rabbit caudate nucleus: uptake and release of [3H]-5-hydroxytryptamine

- 685 MÜLLER-SCHWEINITZER, E., TAPPARELLI, C. & VICTORZON, M. Functional studies on human veins after storage at -190°C
- 689 JACKSON, H.C. & SEWELL, R.D.E. Characterization of the effects of (±)-meptazinol, its individual enantiomers and N-methyl meptazinol on food consumption in the rat
- 697 BELPAIRE, F.M., BOGAERT, M.G., MUGABO, P. & ROSSEEL, M.T. Binding to serum α₁-acid glycoprotein and effect of β-adrenoceptor antagonists in rats with inflammation
- 707 DANIEL, E.E., JURY, J. & ROBOTHAM, K.H. Receptors for neurotransmitters in opossum oesophagus muscularis mucosa

VOLUME 88 NUMBER 4 AUGUST 1986

- 717 SKOVGAARD JENSEN, M. & LAMBERT, J.D.C. Electrophysiological studies in cultured mouse CNS neurones of the actions of an agonist and an inverse agonist at the benzodiazepine receptor
- 733 BRASCH, H. Influence of the optical isomers (+)- and (-)-naloxone on beating frequency, contractile force and action potentials of guinea-pig isolated cardiac preparations
- 741 BARNES, P.J., BROWN, M.J., DOLLERY, C.T., FULLER, R.W., HEAVEY, D.J. & IND, P.W. Histamine is released from skin by substance P but does not act as the final vasodilator in the axon reflex
- 747 QUASTEL, D.M.J. & SAINT, D.A. Modification of motor nerve terminal excitability by alkanols and volatile anaesthetics
- 757 ARTALEJO, C.R. & GARCIA, A.G. Effects of Bay K 8644 on cat adrenal catecholamine secretory responses to A23187 or ouabain
- 767 ANGUS, J.A., COCKS, T.M. & SATOH, K. α₂-Adrenoceptors and endothelium-dependent relaxation in canine large arteries
- 779 CANO, J-P., GUILLEN, J-C., JOUVE, R., LANGLET, F., PUDDU, P-E., ROLLAND, P-H. & SERRADIMIGNI, A. Molsidomine prevents post-ischaemic ventricular fibrillation in dogs
- 791 PROSTRAN, M. & VARAGIĆ, V.M. The effect of forskolin on the isometric contraction of the isolated hemidiaphragm of the rat
- 799 SILINSKY, E.M. & VOGEL, S.M. The effects of an adenylate cyclase inhibitor on the electrophysiological correlates of neuromuscular transmission in the frog
- 807 BLAKELEY, A.G.H., MATHIE, A. & PETERSEN, S.A. Interactions between the effects of yohimbine, clonidine and [Ca]_o on the electrical response of the mouse vas deferens
- 815 VARMA, D.R. Investigation of the maternal to foetal serum concentration gradient of dexamethasone in the rat
- 821 KARAKI, H., SATAKE, N. & SHIBATA, S. Mechanism of barium-induced contraction in the vascular smooth muscle of rabbit aorta

- 827 RÉNYI, L. The effects of monoamine oxidase inhibitors on the ejaculatory response induced by 5-methoxy-N,Ndimethyltryptamine in the rat
- 837 DONOSO, M.V., HUIDOBRO-TORO, J.P. & KULLAK, A. Involvement of calcium channels in the contractile activity of neurotensin but not acetylcholine: studies with calcium channel blockers and Bay K 8644 on the rat fundus
- 847 CORDINGLEY, G.E. & WEIGHT, F.F. Non-cholinergic synaptic excitation in neostriatum: pharmacological evidence for mediation by a glutamate-like transmitter
- 857 BOLGER, G.T. & SKOLNICK, P. Novel interactions of cations with dihydropyridine calcium antagonist binding sites in brain
- 867 HAYES, A.G., SKINGLE, M. & TYERS, M.B. Reversal by β-funaltrexamine of the antinociceptive effect of opioid agonists in the rat
- 873 AMÉDÉE, T., MIRONNEAU, C. & MIRONNEAU, J. Isolation and contractile responses of single pregnant rat myometrial cells in short-term primary culture and the effects of pharmacological and electrical stimuli
- 881 AKAIKE, N. & WAKITA, Y. The electrogenic Napump and spontaneous contraction of the hypokalemic rat duodenum
- 889 KIRBY, G.C. & McQUEEN, D.S. Characterization of opioid receptors in the cat carotid body involved in chemosensory depression *in vivo*
- 899 EDWARDS, D., GOOD, D.M., GRANGER, S.E., HOLLINGSWORTH, M., ROBSON, A., SMALL, R.C. & WESTON, A.H. The spasmogenic action of oxytocin in the rat uterus – comparison with other agonists
- 909 DOLIN, S.J. & LITTLE, H.J. Augmentation by calcium channel antagonists of general anaesthetic potency in mice
- 915 HASHIMOTO, K. & MITSUHASHI, H. Effects of OPC-8212, a new positive inotropic agent, on canine ventricular arrhythmias
- 923 SAWYNOK, J., SWEENEY, M.I. & WHITE, T.D. Classification of adenosine receptors mediating antinociception in the rat spinal cord
- 931 HAMID-BLOOMFIELD, S. & WHITTLE, B.J.R. Prostaglandin D₂ interacts at thromboxane receptor-sites on guinea-pig platelets

- 937 CALIXTO, J.B. & YUNES, R.A. Effect of a crude extract of *Mandevilla velutina* on contractions induced by bradykinin and [des-Arg⁹]-bradykinin in isolated vessels of the rabbit
- 943 BORKOWSKI, K.R. & KELLY, E. The effect of adrenal demedullation on cardiovascular responses to environmental stimulation in conscious rats
- 947 **VOLUME INDEX CUMULATIVE CONTENTS**