

COMMUNICATIONS

- | | |
|--|--|
| <p>230P BRYSON, S.E., MCKECHNIE, K., PACITTI, N.*, PARRATT, J.R. & RODGER, I.W. Effect of the leukotriene antagonist FPL57231 on the acute phase of endotoxin shock in cats</p> | <p>238P PIPER, PRISCILLA J. & STEWART, A.G.* Evidence of a role for platelet-activating factor in antigen-induced coronary vasoconstriction in guinea-pig perfused hearts</p> |
| <p>231P FITZGERALD, M.F.*, MONCADA, S. & PARENTE, L. The effect of cyclo-oxygenase and lipoxygenase inhibition on the release of PAF-acether in vitro</p> | <p>239P PIPER, PRISCILLA J. & STANTON, A.W.B.* Intracranial circulatory effects of platelet-activating factor and indomethacin in the anaesthetised pig</p> |
| <p>232P GALTON, S.A.*, PIPER, PRISCILLA J. The metabolism of leukotrienes by porcine pulmonary artery</p> | <p>240P HOULT, J.R.S.* & PHILLIPS, J.A. The principal site of kinin-stimulated PGE₂ release in rabbit colon is from subepithelial cells which do not display sidedness</p> |
| <p>233P BARNES, A.* & GOADBY, P. The effect of age on the involvement of thromboxane A₂ in anaphylaxis.</p> | <p>241P ANGELO-KHATTAR, M., THULESIUS, O.* & UGAILY-THULESIUS, L. Prostaglandins affect gap junction recruitment in ovine ureteral smooth muscle</p> |
| <p>234P BAKHLE, Y.S. & GRANTHAM, C.J.* Prevention of pulmonary oedema and altered pulmonary pharmacokinetics induced by α-naphthylthiourea(ANTU) in rat lung</p> | <p>242P CHANDLER, J., CLEMENTS-JEWERY, S., FENSKE, D.*, PACKER, D., ROBSON P & WOODWARD, K. Cyclosporin A inhibits rat neutrophil phospholipase A₂ and possesses anti-inflammatory activity</p> |
| <p>235P BEASLEY, C.R.W.*, CHURCH, M.K., FEATHERSTONE, R.L., HARDY, C.C., HOLGATE, S.T., ROBINSON, C. & VARLEY, J.G. 9α 11β-prostaglandin F₂, a metabolite of PGD₂, is a potent contractile agonist of human airways in vitro and in vivo.</p> | <p>243P HENDERSON, B., HIGGS, G.A., PETTIPHER, E.R.* Effect of interleukin 1 on leukocyte migration and cartilage destruction in vivo</p> |
| <p>236P DREYLING, K.W., LANGE, K., PESKAR, B.A. & PESKAR, B.M. Release of leukotrienes by rat and human gastric mucosa and its pharmacological modification.</p> | <p>244P CAMP, R.D.R.*, CHU, A., CUNNINGHAM, F.M., FINCHAM, N.J., GREAVES M.W. & MORRIS, J. Identification of an interleukin 1 on leukocyte migration and cartilage destruction in vivo</p> |
| <p>237P WALLACE, J.L.* & WHITTLE, B.J.R. Inhibition of PAF-induced gastric mucosal damage by corticosteroids</p> | <p>245P CAREY, F., FORDER, R.A., FRENCH, P & HAWORTH, D. Effect of proinflammatory stimuli on eicosanoid biosynthesis in human blood</p> |

The author who intended to present the work
is indicated by an asterisk (*) on the abstract.

- 246P POLL, C.* & WESTWICK, J. Thrombin induces rapid and transient changes in the permeability of the intact platelet plasma membrane to calcium
- 247P HALLAM, T.J.* & PEARSON, J.D. ATP and bradykinin stimulate increased cytoplasmic calcium concentration in cultured piglet aortic endothelial cells
- 248P ADAMS, M.*, BOARDER, M.R. & MARRIOTT, D. Nicotine-stimulated catecholamine release from bovine adrenal chromaffin cells is not stereospecifically blocked by nicardipine
- 249P ALPS, B.J., BROWN, C.M., CALDER, C. & KILPATRICK, A.T.* Ischaemia-induced falls in brain dopamine and its protection by nicardipine a calcium antagonist
- 250P ALPS, B.J.*, CALDER, C., WILSON, A.D. The effect of nicardipine on "delayed neuronal death" in the ischaemic gerbil hippocampus
- 251P DOWNING, O.A., WATERS, C.M.*, WILSON, A.D. Dissimilarities between the effects of varapamil and hypoxia on rat arteries in vitro
- 252P BEATTIE, D.T.*, CLARK, K.L., SIEW PENG LIM & MUIR, T.C. Action potential conduction and transmitter release from non-adrenergic, non-cholinergic nerves: effects of Ca^{2+} - antagonists
- 253P MACINTYRE, D.E. & ROSSI, A.G.* The effect of perussis toxin on agonist-induced phosphoinositide hydrolysis and changes in cytosolic free Ca^{2+} in human neutrophils
- 254P HO, A.K., KLEIN, D.C., A. LOUISE SUGDEN & SUDGEN, D.* Activators of protein kinase C inhibit α_1 -adrenoceptor responses in rat pinealocytes
- 255P KENDALL, D.A.* & NAHORSKI, S.R. Effect of lithium treatment on agonist-stimulated inositol phospholipid hydrolysis in rat brain slices
- 256P DONALDSON, J.* & HILL, S.J. Potentiation of H_1 -receptor-mediated inositol phospholipid and cyclic AMP responses in guinea pig brain by 1,4-dithiothreitol
- 257P DONALDSON, J. & HILL, S.J.* Effect of 1,4-dithiothreitol on [3H]-mepyramine binding to homogenates of guinea-pig cerebellum and cerebral cortex
- 258P HANNEMANN, H. & SEWING, K.-FR* Ranitidine and famotidine differ in their interaction with the parietal cell histamine H_2 -receptor
- 259P BIETTI, G., DONETTI, A., DURANTI, P. GIACHETTI, A.* & MICHELETTI, R. New chemical probes for the H_2 -receptor
- 260P SVENSJO, E. Increasing doses of histamine cause a protracted increase in micro-vascular permeability in the hamster cheek pouch
- 261P GIACHETTI, A., MICHELETTI, R. & SCHIAVONE, A. AF-DX 116, and M_2 antagonist, discriminates among peripheral muscarine receptors
- 262P BUSHFIELD, M.* & MACINTYRE, D.E. Modulation of PGD_2 -induced cyclic AMP formation in blood platelets by phorbol 12-myristate 13-acetate

- 263P ARMSTRONG, R.A.*, JONES, R.L. & WILSON, N.H. Possible subtypes of prostacyclin receptors in platelets from different species
- 264P FLOWER, R.J. & PEERS, S.H.* The inhibition of platelet aggregation by ambroxol, a mucolytic agent
- 265P SAEED, S.A.* & SURIA, A. Modulation of prostanoid synthesis, arachidonate lipoxigenase and platelet aggregation by dimethylsulphoxide
- 266P BURDET, R., CRISCIONE, L*, POWELL, J. & SIPPOLA, L. Role of the endothelium in vasodilator effects of acetylcholine, histamine, hydralazine and trypsin in resistance vessels
- 267P MARTIN, W.*, MORGAN, R.O., SMITH, J.A. & WHITE, D.G. Haemoglobin inhibits vasodilatation induced by stimulants of soluble but not particulate guanylate cyclase in rabbit aorta
- 268P BUCHAN, P., KIANG, J.G., SMITH, T.W.* & WEI, E.T. A comparison of the inhibitory effects of CRF and opioid agonists on neurogenic plasma extravasation in the rat
- 269P EVANS, R.H. A slow spinal response mediated at NMA receptors
- 270P CHURCH, J.*, DAVIES, S.N. & LODGE D. A correlation between N-methylaspartate antagonist and anticonvulsant properties of PCP/sigma receptor agonist
- 271P LODGE, D. & MARTIN, D. Receptors for quinolinate on cortical and spinal neurones
- 272P DOLPHIN, A.C., FORDA, S.R., & PRESTWICH, S.A.* Adenosine antagonists enhance glutamate release and spontaneous synaptic activity in neuronal cultures
- 273P BLAKE, J.F.*, BROWN, M.W., COLLINGRIDGE & EVANS, R.H. Simple measurement of amino acid-induced polarization of hippocampal CA1 pyramidal neurones in vitro
- 274P RAWLINGS, S.R., REES, H.* & ROBERTS, M.H.T Tolerance between the antinociceptive effects of morphine and stimulation of the anterior pretectal nucleus
- 275P MCQUEEN, D.S. ICI 174864 antagonises met-enkephalin-induced depression of chemosensory discharge in anaesthetized cats
- 276P HAYES, A.G. & SHEEHAN, M.J. Are there multiple opioid receptor types in the rat vas deferens?
- 277P ALMGREN, O., DUKER, G., REID, J.* Methodological aspects of the recording of monophasic action potentials from the perfused guinea-pig heart
- 278P BHALLA, P.*, GURDEN, M.F. & KENNEDY, I. Cardiovascular actions of 5'-N-ethylcarboxamideadenosine (NECA) and L-N⁶-phenylisopropyladenosine (L-PIA) in the anaesthetised rat
- 279P AVKIRAN, M.* & WOODWARD, B. Effects of α_2 -adrenoceptor antagonists on plasma catecholamines and ischaemia-induced arrhythmias in the anaesthetised rat

- 280P MEGHIJI, P.*, MIDDLETON, KATE & NEWBY, A.C. Differential effect on dilazep on adenosine metabolism in the guinea-pig and heart
- 281P ABRAHAMSEN, J.* & NEDERGAARD, O.A. Presynaptic effect of adrenaline stimulation-evoked [3 H]-nor-adrenaline release from rabbit isolated aorta.
- 282P HUGHES, A., MARTIN, G.*, SCHACHTER, M., & SEVER, P. Tolerance to nitroglycerin in isolated rabbit aorta does not alter endothelium dependent relaxation to acetylcholine or A23187
- 283P BENNETT, T., STRANGE, P.G. & WILLIAMS, K.* Alterations in cardiac β -adrenoceptor number after reversible noradrenergic denervation
- 284P DEIGHTON, N.M.*, HAMILTON, C.A., JONES, D.R. & REID, J.L. Chronic agonist regulation of β -adrenoceptors in the rabbit
- 285P PIERCE, VANESSA* & SHEPPERSON, N.B. The effect of central administration of methoxamine, phenylephrine and ST 587 on blood pressure and heart rate in the rat
- 286P BORKOWSKI, K.R., MARSDEN, C.A., MARSHALL, P. & ROUTLEDGE, C.* Evidence for the mediation of the C_1 pressor response by β_2 adrenoceptors
- 287P ARBILLA, SONIA*, LANGER, S.Z., PETRUZZO, PALMINA & VIDAL, MARIA [3 H]-betaxolol is released by electrical stimulation from rat atria but not ventricle: effects of denervation with 6-OHDA
- 288P COKER, SUSAN J. Does ketanserin reduce ischaemia and reperfusion-induced arrhythmias in anaesthetised rats?
- 289P BROWN, N.L.*, WORCEL, M. & ZANIRATO, J. β -adrenoceptor antagonist activity of propafenone in the anaesthetised dog
- 290P GWILT, M.*, HIGGINS, A.J. & WILLIAMS, R.C. The use of rat and guinea pig cardiac action potentials to distinguish subclasses of class III anti-arrhythmic drugs
- 291P PARRATT, J.R. & WAINWRIGHT, CHERRY* The effects of the thromboxane antagonist BM13.77 on ischaemia and reperfusion induced arrhythmias in dogs
- 292P DOWNING, O.A., SMITH, J.W., STUBBS, D.* & WILSON, K.A. α_2 -adrenoceptors in rat femoral vein
- 293P LITTLE, HILARY J. Benzodiazepine agonists and inverse agonists both decrease locomotor activity and body temperature but show mutual antagonism
- 294P HIGGINS, G.A.*, JONES, B.J., OAKLEY, N.R. The effects of discrete injections of muscimol and flurazepam into the dorsal raphe nucleus on two models of anxiety in the rat
- 295P MOREL, E., PERRAULT, G.*, SANGER, D.J. & ZIVKOVIC, B. Diazepam antagonist effects of the pyrazoloquinoline GCS 9896
- 296P SANGER, D.J*, & ZIVKOVIC, B. Differences between the stimulus properties of chlordiazepoxide and zolpidem are revealed by CGS 9896

- 297P JENNER, P.G., KUMAR, R., MARSDEN, C.D., REAVILL, C.* & STOLERMAN, I.P. Characteristics of [³H]-(-)-nicotine binding to rat brain membranes 305P
- 298P GARCHA, H.S., GOLDBERG, S.R., REAVILL, C., RISNER, M.E., STOLERMAN, I.P.* Behavioural effects of the optical isomers of nicotine and nornicotine, and of cotinine, in rats 306P
- 299P ANWYL, R. & ROWAN, M.J.* Serotonergic mechanism for the inhibitory effect of non-benzodiazepine anxiolytics in the rat hippocampal slice 307P
- 300P BENNETT, G.W., FONE, K.C.F.* & MARSDEN, C.A. Prazosin antagonises the wet-dog shake behaviour produced by intrathecal administration of a TRH analogue, CG 3509 308P
- 301P MARSDEN, C.A. & MARTIN, K.F.* 5-HT release and metabolism in rat brain decreased by 8-OH-DPAT (i.v.): involvement of 5-HT and α_2 -adrenoceptors 309P
- 302P HOYER, D. & KALKMAN, H.O.* The α_1 -adrenoceptor antagonist [³H]-WB 4101 labels 5-HT_{1A} receptors with nanomolar affinity 310P
- 303P MASHURANO, MARCELLINA & WADDINGTON, J.L.* Behavioural responses to the D₁ dopamine receptor agonist SK&F 38393 and the D₂ agonist RU24213 alone and in combination 311P
- 304P BARNES, N.J.G.*, COSTALL, BRENDA & NAYLOR, R.J. Hyperresponsiveness to L-dopa following MPTP treatment in the marmoset: modification by deprenyl 312P
- KELLY, E.* & NAHORSKI, S.R. Functional activation of dopamine D₁ and D₂ receptors by endogenously-released dopamine in rat striatum
- DE CALLABOS, M.L.*, JENNER, P. & MARSDEN, C.D. Acute and repeated administration of sulphide alters met- and leu-enkephalin content of rat brain
- CARTER, C.J., DENNIS, T.*, L'HEUREUX, R. & SCATTON, B. Studies of the effects of idazoxan on cortical noradrenaline release in vivo, measured by transcortical dialysis
- BENNETT, P.N., NOTARIANNI, LIDIA J. & WORLOCK, A.J.* Differential distribution of adrenoceptors in the hepatic artery and portal vein of the rat
- BOACHIE-ANSAH, G., KANE, K.A.* & PARRATT, J.R. Effects of adenosine ATP and noradrenaline on normal and mildly "ischaemic" sheep cardiac purkinje action potentials
- BENNETT, G.W., HATTON, R. & JOHNSON, J.V.* Effect of central and systemic administration of a vasopressin V₁ antagonist and recovery of MAP after hypovolaemia in rats
- ITOH, H., LEDERIS, K.* & RIVIER, J. Fish neuropeptide urotensin II contracts rat aorta segments in vitro
- CRAIG, R.K., HOLMAN, J.J.*, MARSHALL, I. & SHEPPERSON, N.B. Comparison of human and rat α -CGRP on blood pressure and heart rate in normotensive and spontaneously hypertensive rats

- 313P ATKINSON, J.*, FOUDA, A.K. & SONNAY, M. Prolonged treatment with captopril attenuates pressor responses to noradrenaline in the pithed spontaneously hypertensive rat (SHR)
- 314P BEVIS, P.J.R., MACINTYRE, I. & ZAIDI*, M. Further evidence for the neural release of plasma calcitonin gene-related peptide
- 315P MASON, D.F.J. & MEDBAK, S. Plasma met-enkephalin and catecholamines responses to artificial hyperventilation in anaesthetised greyhounds.
- 316P BHOOLA, K.D.* & CROTHERS, D.M. Loss of responsiveness to adrenaline by immunologically sensitized guinea-pig tracheal muscle
- 317P ELFELLAH, M.S.*, HAMILTON, C.A. & REID, J.L. Characterisation of β -adrenoceptors in guinea-pig skeletal muscle
- 318P BROADLEY, K.J. Effect of sympathectomy upon α - and β -adrenoceptor sensitivity of the cat nictitating membrane in vivo
- 319P DUNBAR, A.W., MCCLELLAND, C.M. & SANGER, C.J.* BRL 24924: A stimulant of gut motility which is also a potent antagonist of the Bezold-Jarisch reflex in anaesthetised rats
- 320P MCGRATH, J.C. & MACLENNAN, S.J.* Oxygen modifies the potency of 5-HT, and of 5-HT antagonists, in human umbilical artery (HUA)
- 321P ALGATE, D.R., BRAMMER, N.T. & LAWRENCE, D.* Maptazinol-induced diuresis in the water-loaded rat
- 322P DETTMAR, P.W., DOWNING, O.A., ROACH, A.G., WILLIAMS, R.J.* & WILSON, K.A. α_2 -adrenoceptor regulation of electrolyte transport in rat jejunum

POSTER COMMUNICATIONS

- 323P DARMANI, N.A., NICHOLLS, P.J. & STOLZ, J. Effect of beclamide on striatal monoamine levels and turnover
- 324P MOHLER, H., PIERI, L., POLC, P. & SCHERSCHLICHT, R. Stereospecific CNS effects of the GABA-transaminase inhibitor L-cycloserine are potentiated by diazepam
- 325P DEWHURST, D.G. Comparative sensitivity of catechol-induced sensory evoked convulsions to different anticonvulsants
- 326P LITTLE, H.J., NUTT, D.J. & TAYLOR, S.C. Optimising the pentyleneetetrazol infusion method for measuring seizure thresholds
- 327P CROZIER, C.S., HILL, S.J., JENNER, A.J. & MASON, R. Effect of histamine on the release of endogenous noradrenaline and 5-hydroxytryptamine from rat cerebral cortical slices
- 328P BOWKER, H.M., CHAPMAN, A.G. & MELDRUM, B.S. The action of phosphono-2-amino carboxylic acids on release of [3 H]-D-aspartate from hippocampal minislices

- 329P DE SARRO, G.B., MELDRUM, B.S. & PATEL, S. Injection of γ -D-glutamylaminomethylsulphonic acid (GAMS) in substantia nigra protects against generalised and limbic seizures in rats
- 330P DEACON, R. & GARDNER, C.R. Benzodiazepine and 5-HT ligands in a rat conflict test
- 331P BUDHRAM, P., DEACON, R. & GARDNER C.R. Some putative non-sedating anxiolytics in a conditioned licking conflict
- 332P COSTALL, B., HENDRIE, C.A. & KELLY, M.E. The anxiolytic effect of substituted benzamides
- 333P HIGGINS, G.A., JONES, B.J. & OAKLEY, N.R. Buspirone inhibits the metabolism of [3 H]-flunitrazepam in rats
- 334P BARNES, JULIE C, BARNES, N.J.G., COSTALL, BRENDA & NAYLOR, R.J. Acute and chronic consequences of persistent infusions of neuroleptic agents into rat nucleus accumbens
- 335P BARNES, JULIE C, BARNES, N.M, BRADBURY, AMANDA J, COSTALL, BRENDA & FELL, A.F. Asymmetric lesion of the medial raphe nucleus can lead to biochemical disturbances in both hemispheres
- 336P FRITZ, S., SCHNEIDER, H.H., STEPHENS, D.N. & WEIDMANN, R. Tolerance to the anxiolytic action of diazepam in rats
- 337P JENNER, P., MARSDEN, C.D. & ROSE, S. Accumulation of L-DOPA in muscle is enhanced by carbidopa administration
- 338P HONG, M., JENNER, P., MARSDEN, C. D. & ROOTS, E.J. Long term changes in α -adrenoceptors and 5-HT receptors in rat brain induced by amine depleting drugs
- 339P JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. Affinity chromatography of solubilised dopamine D₂ receptors using immobilised dopamine antagonists
- 340P JENNER, P., MARSDEN, C.D., NOMOTO, M. & STAHL, S. Antiparkinsonian activity following subcutaneous or oral administration of (+)-PHNO to MPTP-treated marmosets
- 341P JENNER, P., MARSDEN, C.D., STEWART B.R. Inhibition of pilocarpine-induced purposeless chewing by mianserin suggests central anticholinergic activity
- 342P REDFERN, P.H. & SINEI, K. Effect of chronic administration of mianserin and clomipramine on tryptophan-5-hydroxylase activity in rat brain
- 343P NAHORSKI, S.R. & STRUPISH, J. A direct assay for tyrosine hydroxylation in superfused rat striatal slices
- 344P CRESPI, F. & KEANE, P.E. The effect of diazepam and RO-15-1788 on extracellular ascorbic acid, DOPAC and 5-HIAA in the rat striatum in vivo
- 345P ARBILLA, SONIA, DUBOIS, A., NIDDAM RUTH, LANGER, S.Z. & SCATTON, B. Autoradiographic localisation of [3 H]-zolpidem binding sites in the rat brain
- 346P BOUCHENAF, O. & LIVINGSTON, A. Autoradiographic localisation of [3 H] buprenorphine in the spinal cord of the sheep

- 347P CARTER, C.J., SAVASTA, M. & SCATTON, B. Decreased high-affinity [^{14}C] 2-oxoglutarate uptake in striatal synaptosomes after frontal cortical ablation in the rat
- 348P ALEXANDER, BEVERLEY S., BROADHURST, A.M. & WOOD, M.D. Interaction of rauwolscine with 5-HT binding sites in the rat brain
- 349P FORTUNE, D.H., HAGAN, R.M, HARE, J.R. Localisation and characterisation of [^3H]-5-HT binding sites in the amygdala of rat brain
- 350P CROSS, A.J., CROSSMAN, A.R., MITCHELL, I.J., SKAN, W., SLATER, P. Autoradiography of [^3H]-kainic acid binding sites in brain
- 351P LOGAN, M.J. & MCLEAN, W.G. The effect of acrylamide on the retrograde axonal transport of specific proteins in rat sciatic nerve
- 352P HAMILTON, C.A., MISHRA, N., REID, J.L. The effects of the irreversible antagonist benextramine on α_2 -adrenoceptor ligand binding and responses in rabbit brain
- 353P HERSOM, A.S. & MACKENZIE, J.E. Chronic tricyclic antidepressant treatment does not alter the cardiotoxicity of high doses of idazoxan in the rabbit
- 354P BLACKMAN, D.E., HOWLETT, G.J., MCCARTHY, P.S. & NAYLOR, V.J.H. Motor impairment as a factor affecting drug discrimination trials
- 355P ATTERWILL, C.K., PILLAR, A.M. & PRINCE, A.K. The effects of ethylcholine mustard aziridinium (ECMA) in rat brain reaggregate cultures
- 356P BRAMBILLA, A., GIACHETTI, A., MICHELETTI, R. & PAGANI, F. AF-DX 116, an M_2 cardioselective antagonist, exhibits low antisecretory properties
- 357P HAWCOCK, A.B., LAZARENO, S. & ROBERTS, F.F. Assessment of the muscarinic subtype selectivity of ($\pm$)-3-quinuclidinyl xanthene-9-carboxylate hemioxalate hydrate (QNX)
- 358P ROBERTS, F. & TUTTY, C. Quantification of the effects of muscarinic antagonists on the release of [^3H]-acetylcholine from rat cerebral cortex slices
- 359P CANDY, J.M., FAIRBURN, A.F., JOHNSON, M., PERRY, E.K., PERRY, R.H. & SMITH, C. Hippocampal cholinergic (muscarinic and putative nicotinic) receptors in human cognitive disorders
- 360P GONZALEZ, J.P., ROONEY, K. & STOLZ, J.F. The effect of blockage of 5-HT receptor subtypes on the chronic morphine abstinence syndrome
- 361P GRIFFITHS, E.C., ROBSON, B. & WARD, D.J. Conformational analysis of dynorphins [1-17] and [1-8]
- 362P HART, S.L. & OLUYOMI, A.O. The role of acetylcholine and 5-hydroxytryptamine in a naloxone insensitive model of stress-induced antinociception
- 363P LIVINGSTON, A., NOLAN, A., & WATERMAN, A. The relationship between analgesia induced by, and plasma concentration of, buprenorphine in the sheep
- 364P BLACKBURN, T.P., BORKOWSKI, K.R. & COWAN, A. Studies on the nociceptive properties of morphine and U50,488H in adrenal demedullated rats

- 365P SAEED, S.A. & SURIA, A. Differential effects of anti-psychotic and antidepressant drugs on human platelet aggregation
- 366P GIBSON, M.J., HORTON, R.W., THEODOROU, A.E. & YAMAGUCHI, Y. Effects of ions and GTP on platelet α_2 -adrenoreceptor agonist and antagonist binding
- 367P BUCHHEIT, K.H., ENGEL, G., HAGENBACH, A., HOYER, D., KALKMAN H.O. & SEILER, M.P. The rat isolated stomach fundus strip, a model for 5-HT_{1C} receptors
- 368P FREEMAN, E., OSBORNE, R.H., WILLIAMS, C. RU24969 and 8-OH-DPAT antagonise 5-HT induced contraction of the rat colon and ileum
- 369P DAINITY, I.A., EGLEN, R.M., MCGRATH J.C. & SPEDDING, M. Differences in the relaxant effects of 5-HT, 5-CT and 8-OH-DPAT on rat aorta and guinea-pig ileum
- 370P ENNIS, CHRISTINE The 5-HT auto-receptor in the rat hypothalamus resembles a 5-HT_{1B} receptor
- 371P FOZARD, J.R., KIDD, E.J., NEILL, J. & TRICKLEBANK, M. Further characterisation of the discriminative stimulus induced by 8-hydroxy-2-(di-n-propylamino) tetralin in rats
- 372P GUNNING, S.J. & NAYLOR, R.J. The effects of 5-hydroxytryptamine on guinea-pig stomach muscle in the presence of atropine
- 373P GUNNING, S.J., NAYLOR, R.J. & TATTERSALL, F.D. The actions of metoclopramide and ICS 205-930 on the guinea-pig ileum are dependent on the type of preparation used.
- 374P MINER, W.D., SANGER, G.J. & TURNER D.H. Comparison of the effect of BRL 24924, metoclopramide and domperidone on cisplatin-induced emesis in the ferret
- 375P COSTALL, BRENDA, DOMENEY, ANNETTE M. & NAYLOR, R.J. A model of nausea and emesis in the common marmoset
- 376P BROADHURST, A.M. The effects of clonidine upon exogenous and endogenous noradrenaline release from superfused rat cortical tissue
- 377P PAW, P.J. & PLEECE, S.A. The effect of maprotiline on diethylpropion induced anorexia in the rat
- 378P HERZ, A. & MORRIS, B.J Non- μ , non- δ opiate binding site distribution in rat brain
- 379P ASCIOTTI, C., DE SARRO, G.B., MELDRUM, B.S & NISTICO, G. Calcium entry blockers as anticonvulsant drugs in DBA/2 mice
- 380P CROW, T.J., FARMERY, S.M. & OWEN, F. (3-(¹²⁵I)-iodotyrosyl³) neurotensin binding in post-mortem brain from Alzheimer-type dementia patients and controls
- 381P MIR, A.K. & SPEDDING, M. Palmitoyl carnitine, a lipid metabolite produced in ischaemia, activates Ca²⁺ channels in smooth muscle
- 382P PIPILI, EVA, & ZOUMBOULIS, G. Investigation of the irregular effect of rauwolscine on adrenergic responses of the mesenteric arterial bed of the rat
- 383P COOPER, S.M., MCCLELLAND, CHRISTINE M., MCRITCHIE, B. & TURNER, D.H. BRL 24924: a new and potent gastric motility stimulant

- 384P BEVAN, J.A., LAHER, I., ORIOWO, M.A., YANG, JANE & BEVAN, ROSEMARY D. The contribution of changes in receptor number and affinity to variation in vascular responsiveness to noradrenaline 393P
- 385P MCGRATH, J.C. & UGWU, A.C. Effects of BAY K8644 and nifedipine on isolated perfused rat tail artery under different oxygen tensions 394P
- 386P JEFFRIES, L.M. & TODD, M.H. Effects of BAY K 8644 on blood pressure and heart rate in anaesthetised rats 395P
- 387P BAYDOUN, A.R., MARKHAM, A., MORGAN, R.M. & SWEETMAN, A.J. Nitrendipine inhibits the uptake of calcium into rat heart mitochondria 396P
- 388P CREBA, J.A. & KAROBATH, M. Modulation of depolarization stimulated $^{45}\text{Ca}^{2+}$ uptake in cultured neuronal cells by calcium agonists and antagonists 397P
- 389P HILLIER, K. & WHITE, VALERIE Effects of extracellular Ca^{2+} -contracted human colon 398P
- 390P HUMPHRAY, J.M., REEVES, J.J. & STABLES, R. A comparison of the H_2 -receptor antagonist and anti-secretory effects of famotidine and ranitidine 399P
- 391P BOUGHTON-SMITH, N.K., HAWKEY, C.J., ROSAM, A.C., & WHITTLE, B.J.R. Sulphasalazine inhibits platelet aggregation, and thromboxane formation in human platelets and colon 400P
- 392P BARR, SUSAN M., JONES, R.L., MACINTYRE, D.E., MCNICOL, A. & WILSON, N.H. Is 9,11-epoxymethano PGH_2 (U44069) a partial agonist at the human platelet thromboxane A_2 receptor 401P
- TREVETHICK, M.A., WHELAN, C.J. & WRIGHT, G. Leukotriene-induced relaxation of dog mesenteric artery in vitro during subcutaneous anaphylaxis
- BARR, R.M., BLACK, A.K., FRANCIS, D.M., KORO, O., NUMATA, T. & GREAVES, M.W. Release of prostaglandin D_2 (PGD_2) from human skin in vivo during cutaneous anaphylaxis
- HOLROYDE, M.C. Do leukotrienes mediate hypoxic pulmonary vasoconstriction (HPV) in dogs?
- HOLROYDE, M.C. & MURPHY, I.J. Inhibition of hypoxic pulmonary vasoconstriction (HPV) in rats
- PARRATT, J.R & WAINWRIGHT, CHERRY L. Ventricular arrhythmias induced by local injections of vasoconstrictors following coronary occlusion
- BUNCE, K.T, CLAYTON, N.M. & SHEPPARD, D.N. The effects of prostaglandins on unidirectional sodium fluxes in the ileum of the anaesthetised rat
- MCCRAIG, D.J. & RODGER, I.W. Electrophysiological effects of leukotriene D_4 in guinea-pig airway smooth muscle
- HENDERSON, B., HIGGS, G.A., SALMON, J.A. & VANE, J.R. Is aspirin a pro-drug for salicylate?
- BOTTOMLEY, K.M.K., GRIFFITHS, R.J. NORRIS, D.B., RISING, T.J. & STEWARD, A. Cartilage degradation in a mouse air pouch model
- LAL, C. & NAYLOR, I.L. Granulation tissue induced by croton oil - a suitable model for wound healing?

- 403P AIRD, SHEELAGH A. & NOTARIANNI, LIDIA J. The metabolism of [^{14}C] d-pencillamine in normal and adjuvant arthritic rats 412P BUSS, D.C., ROUTLEDGE, P.A. & WATT A.H. Respiratory effects of intravenous adenosine in neonatal rabbits
- 404P AKINOSI, I.A., WHALLEY, E.T. & WHALLEY, H. Expression of kinin B1 receptors in the rabbit aorta - role of the endothelium 413P BUSS, D.C., ROUTLEDGE, P.A., WATT A.H. Respiratory effects of intravenous adenosine in anaesthetised rabbits before and after carotid nerve section
- 405P BULLER, K.J., HILLIER, K. & SMITH, C.L. Eicosanoid synthesis by normal and ulcerated human duodenal mucosa 414P GREENIDGE, E. & WALI, F.A. Interactions of verapamil, nifedipine and diltiazem with tubocurarine at the rat neuromuscular junction
- 406P FINNEN, M.J., FLOWER, R.J., LASHENKO, A. & WILLIAMS, K.I. Cytochrome P-450 dependent monooxygenase activity and endothelium-dependent relaxation of vascular tissue 415P WALI, F.A. Effect of local anaesthetics on cholinergic responses in the chick isolated tracheal smooth muscle
- 407P FINNEN, M.J., FLOWER, R.J., LASHENKO, A. & WILLIAMS, K.I. Airway epithelium influences responsiveness of guinea-pig tracheal strips 416P BUDHRAM, R., CLEMENTS-JEWERY, S., JOHNSTON, A.M. & THOMSON, T.A. FMLP-induced constriction of airway perfused guinea-pig lungs
- 408P COLEMAN, R.A., NIALS, A.T., SHELDRIK, K.E. & SHELDRIK, R.L. G. A novel and versatile multiple superfusion system: a replacement for the organ bath? 417P EL-MAHDY, N. & NICHOLLS, P.J. Effect of cotton dust extracts on guinea-pig perfused lung
- 409P COLEMAN, R.A. & NIALS, A.T. The characterisation and use of the electrically-stimulated superfused guinea-pig tracheal strip preparation 418P BARTON, H.J. & COLE, T.P. Leukotriene involvement in guinea-pig anaphylactic cutaneous vascular permeability
- 410P BURGESS, M.F., CLARKE, G.D., LAYCOCK, S.M. & SMITH, H. Airway hyperreactivity in rats treated with antigen-coated latex particles 419P GRISTWOOD, R.W., OWEN, D.A.A. & ROTHUL, A.L. The electrophysiological effects of SK&F 94120 a selective PDE III inhibitor on sheep purkinje fibres
- 411P BUSS, D.C., ROUTLEDGE, P.A., WATT, A.H. Effect of aminophylline on respiratory depression produced by intravenous adenosine in neonatal rabbits 420P BROWN, M.J. & HARLAND, D. The effect of idazoxan on blood pressure, and plasma catecholamine concentrations of spontaneously hypertensive rats

- 421P BLACKWELL, C.P., WOODWARD, B. & ZAKARIA, M.N.M. Reperfusion-induced ⁸⁶ rubidium efflux in the isolated rat heart. The role of free radicals
- 422P CATLOW, C.J., GWILT, M., HIGGINS, A.J. & KING, R.C. Real time analysis of intracellular cardiac action potentials using a motorola 68000
- 423P CALDWELL, J. & NUTLEY, B.P. Comparative metabolism of cinnamic acid in rats and mice and its variation with dose
- 424P CHRISTIE, G., COLEMAN, J.W., KITTERINGHAM, N.R., PARK, B.K. & YEUNG, J.H.K. Disposition and immunogenicity of benzylpenicillin
- 425P COLEMAN, J.W., GRABOWSKI, P.S., KITTERINGHAM, N.R., PARK, B.K. & TINGLE, M.D. Disposition and immunogenicity of dinitrophenylated autologous proteins in the rabbit
- 426P FEELY, J., OGG, G.D., PATERSON, J.R. & STEVENSON, I.H. The metabolism of ranitidine by guinea-pig liver microsomes
- 427P EL DEBANI, A.H. & STEVENSON, I.H. Studies on the effects of glipizide on microsomal drug metabolism
- 428P FOSTER, J.E. & HARPUR, E.S. Infusion of gentamicin increases renal clearance of calcium and magnesium in Fischer 344 rats
- 429P ROUND, A.A., WALLIS, D.I. & WEBB, D.B. Electrophysiological in vitro studies with paraquat dichloride
- 430P DAMANHOURI, Z. & NICHOLLS, P.J. Induction of mixed function oxidase activity of rat and mouse liver by aminogluthetimide
- 431P BENNETT, P.N., FORDYCE, KAREN, NOTARIANNI, LIDIA J. Effect of chronic ethinylestradiol pretreatment of paracetamol in the rat
- 432P LAFI, M.A.K. & LEAKE, L.D. Chronic guanethidine denervation reveals dopamine has mixed actions on the rat vas deferens
- 433P NEILL, J.C & SEED, M.P. Evidence that lowered whole blood platelet-activating factor accompanies gestation in normotensive and hypertensive rats
- 434P GIBSON, A., HART, S.L. & WRIGHT, T. Adrenal blood flow and corticosterone production following spinal (T7-T13) stimulation of the pithed rat
- 435P BUCKINGHAM, JULIA C. & COOPER, TERESA A. Effects of modification of adrenergic transmission on hypothalamo-pituitary-adrenocortical (HPA) responses to morphine and naloxone
- 436P WITHERINGTON, P.G. The differential actions of calcitonin gene related peptide on the vascular and capsular smooth muscle of the dog spleen
- 437P ATKINSON, J., FOUDA, A.K. & SONNAY, M. Vasoconstriction of the perfused rat caudal artery is independent of longitudinal tension and flow rate
- 438P BYFIELD, R.A., SWAYNE, G.T.C. & WARNER, T.J. A method for the study of endothelial derived relaxing factor (EDRF) in the isolated perfused rat mesentery

- 439P AL-KAZWINI, S.J., CRAIG, R.K., HOLMAN, J.J. & MARSHALL, I. Different potencies of calcitonin gene-related peptides (CGRP) on the mesenteric vasculature constricted by noradrenaline or potassium
- 440P BRAIN, S.D., MACINTYRE, I., WILLIAMS, T.J. Comparison of the vasodilator activities of human α -CGRP, human β -CGRP, rat α -CGRP and salmon calcitonin
- 441P GOLDBERG, P., HUGHES, A., REDMAN, D., SEVER, P. & THOM, S. Vaso-dilator effect of calcitonin gene related peptide in man
- 442P DONATO DI PAOLA, E., HICKS, P.E. & LORRAIN, JANINE Cardiovascular effects of HAL004 in anaesthetised and pithed rats
- 443P COLDWELL, M.C. & HOWLETT, D.R. BRL 34915 induced potassium channel activation in rabbit isolated mesenteric artery is not calcium dependent
- 444P LUMLEY, P. & ROBERTSON, M.J. Do conditions in vitro, which mimic ischaemia in vivo potentiate the negative inotropic effect of verapamil?
- 445P CLARKE, B., PATMORE, L. & WILSON, J.M. Calcium dependence and the effects of Bay K 8644 and methyl-xanthines on rat and guinea-pig cardiac muscle
- 446P DE BELLEROCHE, J., PORTER, I.D. & STEINER, J.T. Inhibitory effect of nimodipine on the release of GABA from rat cerebral cortex
- 447P FURLONG, B., HENDERSON, A.H., LEWIS, M.J., SMITH, J.A. & WHITE, D. Platelet anti-aggregatory properties of bovine retractor penis muscle extract
- 448P EL MURADI, E.M.A. & MCCURRIE, JANICE R. Effects of experimental conditions on the assessment of dilator activity in isolated blood vessels
- 449P CAVERO, I., HICKS, P.E., LANGER, S.Z., LORRAIN, J., PERROT, P. & SHELVEY, G. Hemodynamic effects of cicloprolol, xamoterol and pindolol in anaesthetised cats
- 450P IBRAHIM, M.E., LUNELL, N.O., MOBERGER, B. & THULESIUS, O. The effect of labetalol on contractility of human myometrium
- 451P ATKINSON, J., BOILLAT, N., FOUDA, A.K. & SONNAY, M. α -adreno-receptors and vasoconstriction of the rat tail artery
- 452P FASEHUM, O.A., JENNETT, S.M. & MCGRATH, J.C. Responses of the isolated rat portal vein to α -adrenoceptor agonists in different O_2 tensions
- 453P CAVERO, I., DONATO DI PAOLA, E., LHOSTE, F. & LORRAIN, J. Effects of pergolide on the transient neurogenic hypertension in dogs deprived of central input to the adrenal glands
- 454P DRAPER, A.J., REDFERN, P.H. & ROBERTS, JANE Hypotension induced by central injection of isoprenaline and clenbuterol: modification by central propranolol
- 455P CAMERON, I., MARKHAM, A., MORGAN, R. & OGLAY, L. The effects of cadmium on the response of the rat anococcygeus preparation to nor-adrenaline and electrical stimulation
- 456P BROOKS, P.B., KELLY, J.S., SMITH, D.A.S. & STONE, T.W. Kynurenic acid reduces medial perforant path quantal size in rat dentate gyrus

- 457P BROWN, J.R., GUARD, S. & JORDAN, C.C. Responses to tachykinins in the tetrodotoxin treated hemi-sectioned neonatal rat spinal cord in vitro
- 458P BAUD, J. & FAGG, G.E. Al acidic amino acid receptors: recognition site specificity
- 459P ELLIOTT, P. Inhibition by catecholamines of Ca spike in rat preganglionic cervical sympathetic nerves
- 460P LEEUWIN, R.S., WERDMULLER, B.F. M. & VAN WILGENBURG, H. Direct effects of diazepam on growth and decay phases of miniature endplate currents in the isolated rat diaphragm preparation
- 461P AULT, B., JOYNER, J.L., OLNEY, M. A. & WANG, C.M. Endogenous adenosine modulates neuronal activity in hippocampal area CA3
- 462P DOXEY, J.C., JOHN, G. & REID, J.L. β_2 -adrenoceptors mediate the insulinotropic and hyperglycaemic actions of isoprenaline in fasted rats
- 463P DETTMAR, P.W., KELLY, J. & MACDONALD, A. α -adrenoceptors in the rat colon
- 464P ADAMS, M. & BOARDER, M.R. Regulation of the cell content and release of opioid peptides and catecholamines in bovine adrenal chromaffin cells
- 465P DETTMAR, P.W., DOWNING, O.A., ROACH, A.G., WILLIAMS, R.J. & WILSON, K.A. β_2 -adrenoceptor regulation of electrolyte transport in rat jejunum
- 466P DRAPER, A.J., MEGHJI, S.A. & REDFERN, P.H. Facilitatory pre-synaptic receptors in the isolated perfused rat mesentery
- 467P NEDERGAARD, O.A. Modulation by isoprenaline of [3 H]-noradrenaline release from rabbit isolated pulmonary artery
- 468P INKPEN, P.M., RUDD, R.M., SEVER, P. S. & WINTER, R.J.D. In vivo recovery of β -adrenoceptors following irreversible blockade in rat model of human hypoxic disease
- 469P VAN WILGENBURG, H. Effect of diazepam on growth and decay phases of miniature endplate currents in the isolated rat diaphragm preparation

CONTRIBUTIONS BY TITLE ONLY

- 470P SMITH, D.A.S. & STONE, T.W. A single element bi-polar stimulating electrode
- PARRATT, J.R. & SITSAPESAN, REBECCA* Stereospecific anti-arrhythmic properties of certain opiate antagonists during myocardial ischaemia in anaesthetised rats
- KRUK, Z.L., MILLAR, J. & STAMFORD, J.A.* Measurement of stimulated dopamine release by vivo voltammetry: the influence of stimulus parameters on drug responses
- BLOOM, S.R., CORDER, R., DAVIES, G.J., DAWBARN, D., KERWIN, R.W.*, MASERI, A. & YACCOUB, M. Studies on neuropeptide Y in human heart