British Journal of Pharmacology

- 627 BRAGE, R., CORTIJO, J., ESPLUGUES, J., ESPLUGUES, J.V., MARTI-BONMATI, E., & RODRIGUEZ, C. Effects of calcium channel blockers on gastric emptying and acid secretion of the rat in vivo
- 635 PARRATT, J.R., SALEH, S. & WATON, N.G. Feline endotoxin shock: effects on tissue histamine and histidine decarboxylase activity
- 641 GRIMA, M., SCHWARTZ, J., SPACH, M.O. & VELLY, J. Anti-anginal arylalkylamines and sodium channels: [³H]-batrachotoxinin-A 20-α-benzoate and [³H]-tetracaine binding
- 647 ALLCORN, R.J., CUNNANE, T.C. & KIRK-PATRICK, K. Actions of α,β-methylene ATP and 6-hydroxydopamine on sympathetic neurotransmission in the vas deferens of the guinea-pig, rat and mouse: support for co-transmission
- 661 ROBERTSON, B. & ROWLAND TAYLOR, W. Effects of γ-aminobutyric acid and (-)-baclofen on calcium and potassium currents in cat dorsal root ganglion neurones in vitro
- 673 GARCIA-SEVILLA, J.A. & ZUBIETA, J.K. Activation and desensitization of presynaptic α₂-adrenoceptors after inhibition of neuronal uptake by antidepressant drugs in the rat vas deferens
- 685 BHATT, J.D. & GULATI, O.D. The role of the sympathetic nervous system in oestrogen-induced hypertension in rats
- 693 PHILLIS, J.W. Potentiation of the depression by adenosine of rat cerebral cortical neurones by progestational agents
- 703 AKIBA, T., MIYAZAKI, M. & TODA, N. Vasodilator actions of TRK-100, a new prostaglandin I₂ analogue
- 713 BARRON, B.A. & HEXUM, T.D. Muscarinic receptor modulation of release of [Met³]enkephalin immunoreactive material and catecholamines from the bovine adrenal gland
- 719 FORREST, M.J., JOSE, P.J. & WILLIAMS, T.J. Kinetics of the generation and action of chemical mediators in zymosan-induced inflammation of the rabbit peritoneal cavity
- 731 ATCHISON, W.D., LUKE, V.S., NARAHASHI, T. & VOGEL, S.M. Nerve membrane sodium channels as the target site of brevetoxins at neuromuscular junctions

- 739 LEIJTEN, P.A.A. & VAN BREEMEN, C. The relationship between noradrenaline-induced contraction and ⁴⁵Ca efflux stimulation in rabbit mesenteric artery
- 749 NAKAYA, H. & TOHSE, N. Electrophysiological effects of acetyl glyceryl ether phosphorylcholine on cardiac tissues: comparison with lysophosphatidylcholine and long chain acyl carnitine
- 759 ABRAHAMS, J.M., BOURA, A.L.A., EVANS, R.G., JOHNSTON, C.I. & OLLEY, J.E. The effects of N-(cyclopropylmethyl)-19-isopentyl-nororvinol (M320), a potent agonist at κ- and μ-opiate receptors, on urine excretion of rats
- 769 SHIMIZU, I. & TODA, N. Alterations with age of the response to vasodilator agents in isolated mesenteric arteries of the beagle
- 779 HILEY, C.R., NICHOLS, A.J. & THOMAS, G.R. Interactions between noradrenaline and α₂-adrenoceptor agonists in the superior mesenteric arterial bed of the rat
- 787 HASHIMOTO, S., TANAKA, C. & TANIYAMA, K. Presynaptic muscarinic and α-adrenoceptor-mediated regulation of GABA release from myenteric neurones of the guinea-pig small intestine
- 793 McCAIG, D.J. Electrophysiology of neuroeffector transmission in the isolated, innervated trachea of the guineapig
- 803 HEAGERTY, A.M., OLLERENSHAW, J.D. & SWALES, J.D. Abnormal vascular phosphoinositide hydrolysis in the spontaneously hypertensive rat
- 809 CARSWELL, H. & YOUNG, J.M. Regional variation in the characteristics of histamine H₁-agonist mediated breakdown of inositol phospholipids in guinea-pig brain
- 819 BULLOCK, G.R., TAYLOR, S.G. & WESTON, A.H. Influence of the vascular endothelium on agonist-induced contractions and relaxations in rat aorta
- 831 CRITCHLEY, J.A.J.H., ELLIS, P., HENDERSON, C.G., UNGAR, A. & WEST, C.P. Muscarinic and nicotinic mechanisms in the responses of the adrenal medulla of the dog and cat to reflex stimuli and to cholinomimetic drugs
- 837 BARLOW, R.B. & SHEPHERD, M.K. A further search for selective antagonists at M₂-muscarinic receptors

- 845 CONZELMANN, U., MEYER, D.K. & SPERK, G. Stimulation of receptors of γ-aminobutyric acid modulates the release of cholecystokinin-like immunoreactivity from slices of rat neostriatum
- 853 ANTONELLI, T., BEANI, L., BIANCHI, C., RANDO, S., SIMONATO, M. & TANGANELLI, S. Cortical acetylcholine release is increased and γ-aminobutyric acid outflow is reduced during morphine withdrawal
- 861 HADHÁZY, P. & MAGYAR, K. Feedback control of arterial smooth muscle tone: the role of prostacyclin
- **865 VOLUME INDEX**

CUMULATIVE CONTENTS

MEETINGS CALENDAR

British Journal of Pharmacology

CONTENTS

VOLUME 89 NUMBER 1 SEPTEMBER 1986

SHORT COMMUNICATIONS

3 CHEUNG, D.W. & FUJIOKA, M. Inhibition of the excitatory junction potential in the guinea-pig saphenous artery by ANAPP₃

- 7 RINGDHAL, B. Dissociation constants and relative efficacies of acetylcholine, (+)- and (-)-methacholine at muscarinic receptors in the guinea-pig ileum
- 15 VACCARI, A. High affinity binding of [3H]-tyramine in the central nervous system
- 27 CHIDECKEL, E.W., FEDAN, J.S. & MIKE, P. Tetrodotoxin-sensitive, K⁺-induced relaxation of guinea-pig isolated trachealis in the presence of Ca²⁺-entry blocking drugs, Ca²⁺-free solution and after polyamine exposure
- 35 DUNCKER, D.J., HEILIGERS, J., MYLE-CHARANE, E.J., SAXENA, P.R. & VERDOUW, P.D. Nimodipine-induced changes in the distribution of carotid blood flow and cardiac output in pentobarbitoneanaesthetized pigs
- 47 KELLY, S.S., MORGAN, G.P. & SMITH, J.W. The origin of (+)-tubocurarine resistance in dystrophic mice
- 55 MORATINOS, J., OLMEDILLA, B., DE PABLOS, I. & VIGUERAS, M.D. α-Adrenoceptor involvement in catecholamine-induced hyperglycaemia in conscious fasted rabbits
- 67 FONE, K.C.F. & WILSON, H. The effects of alfentanil and selected narcotic analgesics on the rate of action potential discharge of medullary respiratory neurones in anaesthetized rats
- 77 DOCHERTY, J.R. & HYLAND, L. An examination of 5-hydroxytryptamine receptors in human saphenous vein
- 83 GIACHETTI, A., GIRALDO, E., LADINSKY, H. & MONTAGNA, E. Binding and functional profiles of the selective M₁ muscarinic receptor antagonists trihexyphenidyl and dicyclomine
- 91 JOHNS, E.J. & MANITIUS, J. An investivation into the α-adrenoceptor mediating renal nerve-induced calcium reabsorption by the rat kidney
- 99 JOHNS, E.J. & MANITIUS, J. A study in the rat of the renal actions of nitrendipine and diltiazem on the adrenergic regulation of calcium and sodium reabsorption
- 109 BHOOLA, K.D. & PAY, S. Opioid inhibition of adenylate cyclase in the striatum and vas deferens of the rat
- BOUCHER, M., DUCHÊNE-MARULLAZ, P. & MOUNDANGA, J.L. Studies on the stereoisomers of β-adrenoceptor antagonists in conscious A-V blocked dogs

- 129 CONOLAN, S., QUINN, M.J. & TAYLOR, D.A. In vivo and in vitro activity of selective 5-hydroxytryptamine, receptor antagonists
- 137 CURTIS, M.J. & WALKER, M.J.A. The mechanism of action of the optical enantiomers of verapamil against ischaemia-induced arrhythmias in the conscious rat
- 149 ALLAN, G., CAMBRIDGE, D., LEE-TSANG-TAN, L., VAN WAY, C.W. & WHITING, M.V. The protective action of allopurinol in an experimental model of haemorrhagic shock and reperfusion
- 157 BARNES, P.J., CADIEUX, A., CARSTAIRS, J.R., GREENBERG, B., POLAK, J.M. & RHODEN, K. Vasoactive intestinal peptide in bovine pulmonary artery: localisation, function and receptor autoradiography
- 163 BRAYDEN, J.E. & LARGE, W.A. Electrophysiological analysis of neurogenic vasodilatation in the isolated lingual artery of the rabbit
- 173 MAY, C.N. & PEART, W.S. Stimulation and suppression of renin release from incubations of rat renal cortex by factors affecting calcium flux
- 183 ALLAN, G., CHAPPLE, D.J. & HUGHES, B. Effects of an increase in haemoglobin O₂ affinity produced by BW12C on myocardial function in the erythrocyte-perfused rabbit heart in vitro and myocardial infarct size in the dog
- 191 KUDO, Y. & OGURA, A. Glutamate-induced increase in intracellular Ca²⁺ concentration in isolated hippocampal neurones
- 199 HURST, P.R. & PEPLOW, P.V. Impairment of protein synthesis in the rat uterus following intrauterine delivery of indomethacin
- 207 KAUMANN, A.J. & LOBNIG, B.M. Mode of action of (-)-pindolol on feline and human myocardium
- 219 MASAKI, M. & SHINOZAKI, H. A new class of potent centrally acting muscle relaxants: pharmacology of oxazolidinones in rat decerebrate rigidity
- 229 GOSHIMA, Y., KUBO, T. & MISU, Y. Biphasic actions of L-DOPA on the release of endogenous noradrenaline and dopamine from rat hypothalamic slices.
- 235 BEATTIE, D.T., CUNNANE, T.C. & MUIR, T.C. Effects of calcium channel antagonists on action potential conduction and transmitter release in the guinea-pig vas deferens
- 245 CORBETT, A.D. & KOSTERLITZ, H.W. Bremazocine is an agonist at κ-opioid receptors and an antagonist at μopioid receptors in the guinea-pig myenteric plexus
- 251 MARSHALL, K. & SENIOR, J. The effect of mepyramine and ranitidine on the oestrogen and antioestrogen stimulated rat uterus

PAPERS

- 259 KITAZAWA, T., KONDO, H. & TEMMA, K. α₂-Adrenoceptor-mediated contractile response to cate-cholamines in smooth muscle strips isolated from rain-bow trout stomach (Salmo gairdneri)
- 267 BARANOWSKI, R., LYNN, B. & PINI, A. The effects of locally applied capsaicin on conduction in cutaneous nerves in four mammalian species
- 277 MARSDEN, C.A. & MARTIN, K.F. Involvement of 5-HT_{1A}-and α₂-receptors in the decreased 5-hydroxytryptamine release and metabolism in rat suprachiasmatic nucleus after intravenous 8-hydroxy-2-(n-dipropylamino) tetralin
- 287 SCHOLTYSIK, G. & WILLIAMS, F.M. Antiarrhythmic effects of DPI 201-106
- 293 ARCHER, T., DANYSZ, W., JONSSON, G., MINOR, B.G. & POST, C. 5-Methoxy-N,N-dimethyltryptamine-induced analgesia is blocked by α-adrenoceptor antagonists in rats
- 299 HALSEY, M.J., WARDLEY-SMITH, B. & WOOD, S. Pressure reversal of alphaxalone/alphadolone and methohexitone in tadpoles: evidence for different molecular sites for general anaesthesia
- 307 SANDSTRÖM, P.-E. Probenecid potentiates the hyperglycaemic effect but reduces the diuretic effect of frusemide in mice
- 313 MACKENZIE, J.E., MARSHALL, R.J. & PARRATT, J.R. The haemodynamic and metabolic effects of tolmesoxide with special reference to impaired myocardial fuction
- 321 RICHARDS, C.D. & STRUPINSKI, K. An analysis of the action of pentobarbitone on the excitatory postsynaptic potentials and membrane properties of neurones in the guinea-pig olfactory cortex
- 327 LIVETT, B.G. & MARLEY, P.D. Effects of opioid peptides and morphine on histamine-induced catecholamine secretion from cultured, bovine adrenal chromaffin cells
- 335 ENGLISH, T.A.H., GRISTWOOD, R.W., OWEN, D.A.A. & WALLWORK, J. Impromidine is a partial histamine H₂-receptor agonist on human ventricular myocardium
- 341 BALFOUR, D.J.K., BENWELL, M.E.M., GRAHAM, C.A. & VALE, A.L. Behavioural and adrenocortical responses to nicotine measured in rats with selective lesions of the 5-hydroxytryptaminergic fibres innervating the hippocampus
- 349 BOUKILI, M.A., BUREAU, M., LAGENTE, V., LEFORT, J., LELLOUCH-TUBIANA, A., MALAN-CHÈRE, E. & VARGAFTIG, B.B. Pharmacological

- modulation of the effects of N-formyl-L-methionyl-L-leucyl-L-phenylalanine in guinea-pigs: involvement of the arachidonic acid cascade
- 361 DETTMAR, P.W. & LORD, J.A.H. The effect of α₂-adrenoceptor agonists on the acid secretory responses of rat isolated gastric mucosa to electrical field stimulation
- 367 KARAKI, H., KISHIMOTO, T., OZAKI, H., SAK-ATA, K., UMENO, H. & URAKAWA, N. Inhibition of calcium channels by harmaline and other harmala alkaloids in vascular and intestinal smooth muscles
- 377 DE SOUZA, R.J., GOODWIN, G.M., GREEN, A.R. & HEAL, D.J. Effect of chronic treatment with 5-HT₁ agonist (8-OH-DPAT and RU 24969) and antagonist (isapirone) drugs on the behavioural responses of mice to 5-HT₁ and 5-HT₂ agonists
- 385 THOMAS, G.P. & TRIPATHI, R.M. Effects of α-adrenoceptor agonists and antagonists on ouabain-in-duced arrhythmias and cardiac arrest in guinea-pig
- 389 PANG, C.C.Y. & TABRIZCHI, R. The effects of noradrenaline, B-HT 920, methoxamine, angiotensin II and vasopressin on mean circulatory filling pressure in conscious rats
- 395 ALLEN, S.L., BOYLE, J.P., CORTIJO, J., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. Electrical and mechanical effects of BRL34915 in guinea-pig isolated trachealis
- 407 FARMER, S.G., FEDAN, J.S., HAY, D.W.P. & RAEBURN, D. The effects of epithelium removal on the sensitivity of guinea-pig isolated trachealis to bronchodilator drugs
- 415 WALLACE, J.L. & WHITTLE, B.J.R. Effects of inhibitors of arachidonic acid metabolism on Paf-induced gastric mucosal necrosis and haemoconcentration
- 423 KARAKI, H., NAGASE, H., OZAKI, H., URAK-AWA, N. & WEISS, G.B. Effects of the calcium channel facilitator, CGP 28, 392, on different modes of contraction in smooth muscle of rabbit and rat aortae and guinea-pig taenia caeci
- 431 AKED, D., FOSTER, S.J., HOWARTH, A., McCOR-MICK, M.E. & POTTS, H.C. The inflammatory response of rabbit skin to topical arachidonic acid and its pharmacological modulation
- 439 BARLOW, R.B. & DAWSON, S. The selectivity of the (-)-and (+)-forms of hyoscine methiodide and of hyoscyamine camphorsulphonate for muscarinic (M₂) receptors

VOLUME 89 NUMBER 3 NOVEMBER 1986

- 447 HERMANSSON, L.-E. & JOHANSSON, P. Postsynaptic α₁- and α₂-adrenoceptors in the vascular system of the herring gull, *Larus argentatus*
- HOLZER, P., HOLZER-PETSCHE, U. & LEANDER,
 S. A tachykinin antagonist inhibits gastric emptying and gastrointestinal transit in the rat
- 461 ANDREWS, P.L.R. & WOOD, K.L. Systemic baclofen stimulates gastric motility and secretion via a central action in the rat
- 469 ASHCROFT, S.J.H., HARRISON, D.E., POJE, M. & ROCIC, B. Structure-activity relationships of alloxanlike compounds derived from uric acid

- 473 HATA, F., ISHIDA H. & KONDO, E. Dopamineinduced amylase secretion from rat parotid salivary gland in vitro: an effect mediated via noradrenergic and cholinergic nerves
- 485 RICE, W.R. & SINGLETON, F.M. P₂-purinoceptors regulate surfactant secretion from rat isolated alveolar Type II cells
- 493 LEFF, P., MARTIN, G.R. & MORSE, J.M. The classification of peripheral 5-HT₂-like receptors using tryptamine agonist and antagonist analogues
- 501 CUMMINGS, S.A., GROSZMANN, R.J. & KAUMANN, A.J. Hypersensitivity of mesenteric veins to 5-hydroxytryptamine-and ketanserin-induced reduction of portal pressure in portal hypertensive rats
- 515 BALLEJO, G., CALIXTO, J.B. & MEDEIROS, Y.S. In vitro effects of calcium entry blockers, chlorpromazine and fenoterol upon human pregnant myometrium contractility
- 525 ALOSACHIE, I. & GODFRAIND, T. Role of cyclic GMP in the modulation by endothelium of the adrenolytic action of prazosin in the rat isolated aorta
- 533 FINET, M. & GODFRAIND, T. Selective inhibition by ethylisopropylamiloride of the positive inotropic effect evoked by low concentrations of ouabain in rat isolated ventricles
- 539 BOURUT, C., CHENU, E., GODENÈCHE, D., MADELMONT, J.-C., MARALT, R., MATHÉ, G. & MEYNIEL, G. Cytostatic action of two nitrosoureas derived from cysteamine
- 547 BLACK, J.W., GERSKOWITCH, V.P., LEFF, P. & SHANKLEY, N.P. Analysis of competitive antagonism when this property occurs as part of a pharmacological resultant

- 557 MARTIN, W., MORGAN, R.O., SMITH, J.A. & WHITE, D.G. Atriopeptin II-induced relaxation of rabbit aorta is potentiated by M & B 22,948 but not blocked by haemoglobin
- 563 MARTIN, W., SMITH, J.A. & WHITE, D.G. The mechanisms by which haemoglobin inhibits the relaxation of rabbit aorta induced by nitrovasodilators, nitric oxide, or bovine retractor penis inhibitory factor
- 573 ARIMURA, H. & IKEMOTO, Y. Action of enflurane on cholinergic transmission in identified *Aplysia* neurones
- 583 LARGE, W.A. & SIM, J.A. A comparison between mechanisms of action of different nicotinic blocking agents on rat submandibular ganglia
- 593 BLACKBURN, T.P., BORKOWSKI, K.R., FRIEND, J. & RANCE, M.J. On the mechanisms of κ-opioidinduced diuresis
- 599 FONTAINE, J., GRIVEGNEE, A.R. & ROBBERE-CHT, P. Evidence against VIP as the inhibitory transmitter in non-adrenergic, non-cholinergic nerves supplying the longitudinal muscle of the mouse colon
- 603 BARRON, E., MARSHALL, R.J., MARTORANA, M. & WINSLOW, E. Comparative antiarrhythmic and electrophysiological effects of drugs known to inhibit calmodulin (TFP, W7 and bepridil)
- 613 BOURA, A.L.A., HODGSON, W.C. & KING, R.G. Changes in cardiovascular sensitivity of alloxan-treated diabetic rats to arachidonic acid
- 619 GIBB, A.J. & MARSHALL, I.G. Nicotinic antagonists produce differing amounts of tetanic fade in the isolated diaphragm of the rat

VOLUME 89 NUMBER 4 DECEMBER 1986

- 627 BRAGE, R., CORTIJO, J., ESPLUGUES, J., ESPLUGUES, J.V., MARTI-BONMATI, E., & RODRIGUEZ, C. Effects of calcium channel blockers on gastric emptying and acid secretion of the rat in vivo
- 635 PARRATT, J.R., SALEH, S. & WATON, N.G. Feline endotoxin shock: effects on tissue histamine and histidine decarboxylase activity
- 641 GRIMA, M., SCHWARTZ, J., SPACH, M.O. & VELLY, J. Anti-anginal arylalkylamines and sodium channels: [³H]-batrachotoxinin-A 20-α-benzoate and [³H]-tetracaine binding
- 647 ALLCORN, R.J., CUNNANE, T.C. & KIRK-PATRICK, K. Actions of α,β-methylene ATP and 6-hydroxydopamine on sympathetic neurotransmission in the vas deferens of the guinea-pig, rat and mouse: support for co-transmission
- 661 ROBERTSON, B. & ROWLAND TAYLOR, W. Effects of γ-aminobutyric acid and (-)-baclofen on calcium and potassium currents in cat dorsal root ganglion neurones in vitro

- 673 GARCIA-SEVILLA, J.A. & ZUBIETA, J.K. Activation and desensitization of presynaptic α₂-adrenoceptors after inhibition of neuronal uptake by antidepressant drugs in the rat vas deferens
- 685 BHATT, J.D. & GULATI, O.D. The role of the sympathetic nervous system in oestrogen-induced hypertension in rats
- 693 PHILLIS, J.W. Potentiation of the depression by adenosine of rat cerebral cortical neurones by progestational agents
- 703 AKIBA, T., MIYAZAKI, M. & TODA, N. Vasodilator actions of TRK-100, a new prostaglandin I₂ analogue
- 713 BARRON, B.A. & HEXUM, T.D. Muscarinic receptor modulation of release of [Met³]enkephalin immunoreactive material and catecholamines from the bovine adrenal gland
- 719 FORREST, M.J., JOSE, P.J. & WILLIAMS, T.J. Kinetics of the generation and action of chemical mediators in zymosan-induced inflammation of the rabbit peritoneal cavity

- 731 ATCHISON, W.D., LUKE, V.S., NARAHASHI, T. & VOGEL, S.M. Nerve membrane sodium channels as the target site of brevetoxins at neuromuscular junctions
- 739 LEIJTEN, P.A.A. & VAN BREEMEN, C. The relationship between noradrenaline-induced contraction and ⁴⁵Ca efflux stimulation in rabbit mesenteric artery
- 749 NAKAYA, H. & TOHSE, N. Electrophysiological effects of acetyl glyceryl ether phosphorylcholine on cardiac tissues: comparison with lysophosphatidylcholine and long chain acyl carnitine
- 759 ABRAHAMS, J.M., BOURA, A.L.A., EVANS, R.G., JOHNSTON, C.I. & OLLEY, J.E. The effects of N-(cyclopropylmethyl)-19-isopentyl-nororvinol (M320), a potent agonist at κ- and μ-opiate receptors, on urine excretion of rats
- 769 SHIMIZU, I. & TODA, N. Alterations with age of the response to vasodilator agents in isolated mesenteric arteries of the beagle
- 779 HILEY, C.R., NICHOLS, A.J. & THOMAS, G.R. Interactions between noradrenaline and α₂-adrenoceptor agonists in the superior mesenteric arterial bed of the rat
- 787 HASHIMOTO, S., TANAKA, C. & TANIYAMA, K. Presynaptic muscarinic and α-adrenoceptor-mediated regulation of GABA release from myenteric neurones of the guinea-pig small intestine
- 793 McCAIG, D.J. Electrophysiology of neuroeffector transmission in the isolated, innervated trachea of the guineapig
- 303 HEAGERTY, A.M., OLLERENSHAW, J.D. & SWALES, J.D. Abnormal vascular phosphoinositide hydrolysis in the spontaneously hypertensive rat

- 809 CARSWELL, H. & YOUNG, J.M. Regional variation in the characteristics of histamine H₁-agonist mediated breakdown of inositol phospholipids in guinea-pig brain
- 819 BULLOCK, G.R., TAYLOR, S.G. & WESTON, A.H.
 Influence of the vascular endothelium on agonist-induced
 contractions and relaxations in rat aorta
- 831 CRITCHLEY, J.A.J.H., ELLIS, P., HENDERSON, C.G., UNGAR, A. & WEST, C.P. Muscarinic and nicotinic mechanisms in the responses of the adrenal medulla of the dog and cat to reflex stimuli and to cholinomimetic drugs
- 837 BARLOW, R.B. & SHEPHERD, M.K. A further search for selective antagonists at M₂-muscarinic receptors
- 845 CONZELMANN, U., MEYER, D.K. & SPERK, G. Stimulation of receptors of γ-aminobutyric acid modulates the release of cholecystokinin-like immunoreactivity from slices of rat neostriatum
- 853 ANTONELLI, T., BEANI, L., BIANCHI, C., RANDO, S., SIMONATO, M. & TANGANELLI, S. Cortical acetylcholine release is increased and γ-aminobutyric acid outflow is reduced during morphine withdrawal
- 861 HADHÁZY, P. & MAGYAR, K. Feedback control of arterial smooth muscle tone: the role of prostacyclin

865 VOLUME INDEX

CUMULATIVE CONTENTS