

VOLUME 89

DECEMBER 1986

British Journal of Pharmacology

PROCEEDINGS SUPPLEMENT

PROCEEDINGS OF THE BRITISH PHARMACOLOGICAL SOCIETY

THE HATFIELD POLYTECHNIC

10th–18th September 1986

INDEX TO PROCEEDINGS SUPPLEMENTS TO VOLUMES 87, 88 and 89

AUTHOR INDEX

- AALDERS, R., BOSEMAN, R., DE JONG, W., HISSINK, M., TEEUWEN, H. & VAN ROSSUM, J. Nicotine intake by smokers of non-ventilated filter cigarettes. A systems dynamics pharmacokinetics approach, 89, 486P
- AALDERS, R.J.W., HAVERKAMO, R.W., MAES, R.A.A., TEEUWEN, H.W.A. & VAN ROSSUM, J.M. Nicotine and cotinine detection in biological fluids and nicotine detection in filters of smoked cigarettes, 89, 703P
- ABRAHAMSEN, J. & NEDERGAARD, O.A. [³H]-Adrenaline release from rabbit isolated aorta evoked by field stimulation, 87, 195P
- - - Presynaptic effect of adrenaline stimulation-evoked [³H]-noradrenaline release from rabbit isolated aorta, 88, 281P
- ABRAHAMSSON, T., NERME, V., SEVERNE, Y. & VAUQUELIN, G. Spontaneous coupling of the β -adrenergic receptor to N₈ in mammalian cardiac membranes, 87, 141P
- ABRAMS, S.M.L., BAKER, L.R.I., DEVENPORT, C.E., JOHNSTON, A., MCDERMOTT, A.M., SMYTHE, M.M. & TURNER, P. Flupirtine pharmacokinetics in renal impairment, 89, 716P
- ABRAMS, S.M.L., JACKSON, S.H.D., JOHNSTON, A. & TURNER, P. Does paracetamol modify frusemide diuresis? 89, 718P
- ABUSREWILL, M., AHMAD, B. & NICHOLLS, P. J. Tolerance to the CNS effects of aminoglutethimide in mice, 89, 832P
- ADAM, A., DAMAS, J. & VRANCKX, R. Trypsin-like activity in salivary glands of the rat, 89, 589P
- ADAMS, M. & BOARDER, M.R. Regulation of the cell content and release of opioid peptides and catecholamines in bovine adrenal chromaffin cells, 88, 464P
- ADAMS, M., BOARDER, M.R. & MARRIOTT, D.B. Nicotine-stimulated catecholamine release from bovine adrenal chromaffin cells is not stereo-specifically blocked by nicardipine, 88, 248P
- - - Modification by forskolin of stimulus secretion coupling in cultured bovine chromaffin cells, 89, 666P
- ADAMS, T., BARNES, N.C., COSTELLO, J. F., PIPER, P.J. & ZAKRZEWSKI, J.T. Metabolism of leukotriene B₄, C₄ and D₄ in human whole blood and plasma, 87, 46P
- ADBEL-AZIZ, A. & TILMISANY, A.K. The effect of the antihistamines diphenhydramine and cyproheptadine on rat anococcygeus muscle, 87, 125P
- ADDAE, J.I. & STONE, T.W. Quisqualate inhibits the effect of N-methyl-D,L-aspartate on the somatosensory evoked potential, 87, 153P
- ADEAGBO, A.S.O. Effect of quinidine and some local anaesthetics on contractile responses of rat anococcygeus muscle, 89, 560P
- ADHAM, N. & TEMPLETON, D. Parasympathetic denervation of the rat parotid gland: an investigation of muscarinic receptors using [³H]-N-methylscopolamine, 89, 652P
- ADHYA, S.A., AL-DUAJI, A.Y., DE BRITO, F.B., WILLIAMS, J.R. & WILLOUGHBY, D.A. Cartilage breakdown in vivo - a new model, 87, 48P
- AGON, P.Y., BLANCQUAERT, J.P., DEMAN, J., KAUFMAN, J.M., VAN HAVER, D. & VERMEULEN, F. Uptake of [¹¹C]-quinidine in dog brain studied by positron emission tomography (PET), 89, 632P
- AHMAD, B. see ABUSREWILL, M., 89, 832P
- AIHARA, H., ARAKI, H. & NOJIRI, M. Effect of minaprine on ischemia-induced amnesia and abnormality in electroencephalogram in mongolian gerbils, 87, 139P
- AIRD, S.A. & NOTARIANNI, L.J. The metabolism of [¹⁴C] d-pencillamine in normal and adjuvant arthritic

- rats, 88, 403P
- AKINOSI, I.A. & WHALLEY, E.T.
Expression of des-Arg⁹-BK sensitive (B1) receptors *in vivo* by captopril, bradykinin and endotoxin, 89, 731P
- AKINOSI, I.A., WHALLEY, E.T. & WHALLEY, H.
Expression of kinin B1 receptors in the rabbit aorta - role of the endothelium, 88, 404P
- AKSOY, A., CRAGOE, E.J., RITTER, J.M. & TAYLOR, G.W.
Action of inhibitors of Na⁺/H⁺ exchange on calcium stimulated prostacyclin synthesis by rat aortic rings, 89, 837P
- AL-DUAIJ, A.Y. *see* ADHYA, S.A., 87, 48P
- - - *see* DE BRITO, F.B., 89, 567P
- - - *see* DE BRITO, F.B., 89, 662P
- ALEXANDER, B.S. & WOOD, M.D.
Stereo-selective interaction of mianserin with 5-HT binding sites in the rat brain, 87, 129P
- ALEXANDER, B.S., BROADHURST, A.M. & WOOD, M.D.
Interaction of rauwolscine with 5-HT binding sites in the rat brain, 88, 348P
- ALEXANDER, B.S., BLURTON, P.A. & WOOD, M.D.
Regional and pharmacological characteristics of multiple [³H]-5-HT binding sites in rat brain membranes, 87, 22P
- ALGATE, D.R., BRAMMER, N.T. & LAWRENCE, D.
Maptazinol-induced diuresis in the water-loaded rat, 88, 321P
- - - Meptazinol-induced diuresis in the water-loaded rat is antagonised by atropine, 89, 738P
- ALI-KODJA, F., BOUGARD, M., PERRAULT, G. & ZIVKOVIC, B.
Effect of serotonin uptake inhibitors on the immobility of mice in the tail suspension test, 87, 130P
- AL-KAZWINI, S.J., CRAIG, R.K., HOLMAN, J.J. & MARSHALL, I.
Different potencies of calcitonin gene-related peptides (CGRP) on the mesenteric vasculature constricted by noradrenaline or potassium, 88, 439P
- ALLAKER, R.P., GREENMAN, J. & OSBORNE, R.H.
Propionate potentiates tryptamine induced contraction of the rat fundic strip, 87, 196P
- ALLAN, G., BULL, D., JONES, H.T., HARDY, G.W. & MILLS, G.
The design of novel angiotensin converting enzyme inhibitors with β -adrenoceptor blocking activity, 89, 607P
- ALLAN, G., CAMBRIDGE, D. & HARDY, G.W.
BW A575C, a novel antihypertensive agent with angiotensin converting enzyme inhibition and β -blocking properties, 89, 487P
- ALLAN, G., CAMBRIDGE, D. & WHITING, M. V.
The cardiac and renovascular effects of BW A575C, a novel angiotensin converting enzyme inhibitor and β -blocker, 89, 488P
- ALLAN, G., DIXON, E.J.A., DONOGHUE, S., FOLLENFANT, M.J. & OLIVER, P.L.
Interactions between the new class 1 antiarrhythmic agent, BW A256C, and lidocaine *in vivo* and *in vitro*, 89, 756P
- ALLEN, A., FOSTER, S.N.E. & PEARSON, J.P.
Interaction of a polyacrylate, carbomer, with gastric mucus and pepsin, 87, 126P
- ALLEN, S.L., BOYLE, J.P., CORTIJO, J., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C.
The relaxant action of BRL 34915 in guinea-pig isolated trachealis, 89, 752P
- ALLEN, S.L., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C.
Aspects of the relaxant action of nicorandil in guinea pig isolated trachealis, 87, 228P
- ALLEN, T.M. & BARNES, J.A.
Characterization of Sendai virus phospholipids and fatty acids - their role in membrane fusion, 87, 51P
- ALMGREN, O., DUKER, G., REID, J.
Methodological aspects of the recording of monophasic action potentials from the perfused guinea pig heart, 88, 277P
- ALOSACHIE, I. & GODFRAIND, T.
Influence of endothelium and cyclic-GMP on α -adrenoceptors, 89, 752P
- ALPS, B.J., BROWN, C.M., CALDER, C. & KILPATRICK, A.T.
Ischaemia-induced falls in brain dopamine and its protection by nicardipine a calcium antagonist, 88, 249P
- ALPS, B.J., BROWN, C.M., DYE, A.C. & KILPATRICK, A.T.
Alteration of calmodulin binding: a consequence of cerebral ischaemia, 87, 95P
- ALPS, B.J., CALDER, C., WILSON, A.D.
The effect of nicardipine on "delayed neuronal death" in the ischaemic gerbil hippocampus, 88, 250P
- ANDREASEN, F. & CHRISTENSEN, J.H.
Differences in contractile response to adrenaline and noradrenaline in pure electrolyte solutions and in the presence of albumin, 87, 76P

- ANDREWS, H.E., BRUCKDORFER, K.R. & JACOBS, M. The effect of low-density lipoproteins on endothelium-dependent relaxation in rabbit aorta, 89, 489P
- ANDREWS, P.L.R., DAVIS, C.J., GRAHAME-SMITH, D.G. & MASKELL, L.B. Apomorphine-induced vomiting in the ferret; anomalies of response to dose and route of administration, 89, 860P
- ANGELO-KHATTAR, M., THULESIUS, O. & UGAILY-THULESIUS, L. Prostaglandins affect gap junction recruitment in ovine ureteral smooth muscle, 88, 241P
- ANWYL, R. & ROWAN, M.J. Serotonergic mechanism for the inhibitory effect of non-benzodiazepine anxiolytics in the rat hippocampal slice, 88, 299P
- - - Tryptamine mimics the excitatory effects of 5-hydroxytryptamine in the rat hippocampal slice, 89, 644P
- APPERLEY, E. & HUMPHREY, P.P.A. The interaction of 5-hydroxytryptamine and methysergide with methiothepin at "5-HT₁-like" receptors in dog saphenous vein, 87, 131P
- ARAKI, H. see AIHARA, H., 87, 139P
- ARAM, J., CHURCH, J., DAVIES, S.N., LODGE, D. & MARTIN, D. Comparison of phencyclidine, thienylcyclohexylpiperidine and MK801 as NMDA antagonists on rat spinal and cortical neurones, 89, 778P
- ARBILLA, S. & LANGER, S.Z. [³H]-zolpidem: a novel non-benzodiazepine ligand with preferential affinity for the BZ₁ receptor subtype, 87, 39P
- - - Receptor mediated modulation of the evoked release of [³H]-betaxolol from rat atria, 89, 754P
- ARBILLA, S., BENKIRANE, S. & LANGER, S. Z. Activation of D₁ dopamine receptors inhibits the evoked release of [³H]-serotonin in the rat substantia nigra, 89, 793P
- ARBILLA, S., DUBOIS, A., NIDDAM, R., LANGER, S.Z. & SCATTON, B. Autoradiographic localisation of [³H]-zolpidem binding sites in the rat brain, 88, 345P
- ARBILLA, S., EON, M-T, LANGER, S.Z. & PETRUZZO, P. Electrically-evoked release of [³H]-betaxolol from rat atrial slices, 87, 80P
- ARBILLA, S., LANGER, S.Z. & NIDDAM, R. Modulation of [³H]-NA & [³H]-ACH release by muscarinic receptors in the rat, differences between occipital cortical, striatal and atrial slices, 87, 30P
- ARBILLA, S., LANGER, S.Z., PETRUZZO, P. & VIDAL, M. [³H]-betaxolol is released by electrical stimulation from rat atria but not ventricle: effects of denervation with 6-OHDA, 88, 287P
- ARBUTHNOTT, G.W., BUTCHER, S.P., FAIRBROTHER, I.S. & KELLY, J.S. *In vivo* microdialysis studies on dopamine release from the striatum evoked by nigrostriatal stimulation, 89, 878P
- - - On the mechanisms underlying amphetamine induced dopamine release: *in vivo* microdialysis studies, 89, 879P
- ARKLE, S., FAIRBROTHER, I., MICHALEK, R. & TEMPLETON, D. Interaction between the effects of substance P and isoprenaline on Ca⁺⁺ metabolism in the isolated rat parotid salivary gland, 89, 590P
- ARMSTRONG, J.M., FERRANDON, P., & LEFOURNIER, C. Nicardipine inhibits cardiovascular stimulation by Bayer K 8644, 87, 96P
- ARMSTRONG, R.A., JONES, R.L. & WILSON, N.H. Possible subtypes of prostacyclin receptors in platelets from different species, 88, 263P
- ARROL, S., CUTLER, M.G. & MOORE, M.R. Pharmacological effects of haem biosynthetic intermediates in isolated intestinal preparations, 89, 852P
- ASCIOTI, C., DE SARRO, G.B., MELDRUM, B.S. & NISTICO, G. Calcium entry blockers as anticonvulsant drugs in DBA/2 mice, 88, 379P
- ASTBURY, P., MONCADA, S., DENUCCI, G., READ, N. & SALMON, J.A. Effect of dexamethasone on bradykinin-induced release of eicosanoids from guinea-pig inflamed lungs, 87, 14P
- ATKINSON, J. Clonidine blocks the pressor effect of electrical stimulation of the C1 area in normotensive rats, 89, 739P
- ATKINSON, J., BOILLET, N., ESSADKI, A., LUTHI, P., MARANDA, B. & SONNAY, M. The blood pressure lowering effect of captopril is related primarily to the plasma renin level, 89, 740P
- ATKINSON, J., BOILLAT, N., FOUADA, A.K. & SONNAY, M. α -adreno-receptors and vasoconstriction of the rat tail artery, 88, 451P
- ATKINSON, J., FOUADA, A.K. & SONNAY, M. Prolonged treatment with captopril

- attenuated pressor responses to nor-adrenaline in the pithed spontaneously hypertensive rat (SHR), 88, 313P
- - Vasoconstriction of the perfused rat caudal artery is independent of longitudinal tension and flow rate, 88, 437P
- ATTERWILL, C.K., BLOOMFIELD, J., BRISTOW, L.J., CATTO, L.C., ELLIOT, J. M. & HEAL, D.J. The influence of thyroid hormone (T_3) on the effects of desipramine on α_2 and β -adrenoceptor function in rat brain, 87, 221P
- ATTERWILL, C.K., BROWN, C.G., CONYBEARE, G. & MEAKIN, J. Diet-restriction of rats decelerates age related changes in serum prolactin levels and CNS dopamine receptor function, 89, 733P
- ATTERWILL, C.K., BROWN, C.G., DICKENS, T.A. & JONES, C.A. Differential effect of tri-iodothyronine enantiomers on pituitary and peripheral deiodinase function in the rat, 89, 732P
- ATTERWILL, C.K., BROWN, C.G. & JONES, C. A. Effects of TRH, histamine and an H_2 -receptor antagonist on TSH release from the superfused rat pituitary gland, 87, 178P
- ATTERWILL, C.K., PILLAR, A.M. & PRINCE, A.K. The effects of ethylcholine mustard aziridinium (ECMA) in rat brain reaggregate cultures, 88, 355P
- AULT, B., JOYNER, J.L., OLNEY, M.A. & WANG, C.M. Endogenous adenosine modulates neuronal activity in hippocampal area CA3, 88, 461P
- AUN, C., CHAN, K., HONGHTON, I.T., SALMON, N.P., THORNTON, J.A. Plasma concentrations of alfentanil in Chinese, Nepalese and Caucasian subjects after intravenous infusion, 89, 747P
- AUSTIN, C.E. & CHESS-WILLIAMS, R. The adrenergic receptors of the young chick heart, 89, 845P
- AUYEUNG, A., GOH, J.W., LI, I.S., MAY, P., PALETTA, M.J. & SASTRY, B.R. Is calcium required for the induction of long-term synaptic potentiation in the hippocampus? 89, 779P
- AVKIRAN, M. & WOODWARD, B. Effects of α_2 -adrenoceptor antagonists on plasma catecholamines and ischaemia-induced arrhythmias in the anaesthetised rat, 88, 279P
- AYRTON, A. see OLDHAM, H.G., 89, 511P
- BADAWY, A.A.-B. The acute effects of lofepramine and desmethylopramine on tryptophan metabolism and disposition in the rat, 89, 859P
- BADIA, A., MORON, A. & VILA, E. Effects of ergotamine on cardiovascular catecholamine receptors in the pithed rat, 89, 689P
- BAGUST, J., GARDNER, C.R., HUSSAIN, S. & WALKER, R.J. Relative potency of γ -aminobutyric acid (GABA) and GABA analogues on cell activity in rat cerebellar slices, 89, 864P
- BAKER, L.R.I. see ABRAMS, S.M.L., 89, 716P
- BAKER, M.K., JENNER, P. & MARSDEN, C.D. Neurotransmitter release interactions in the rat striatum, 89, 875P
- BAKHLE, Y.S. & GRANTHAM, C.J. Prevention of pulmonary pharmacokinetics induced by α -naphthylthiourea (ANTU) in rat lung, 88, 234P
- BAKKER, E.T., BAST, A., RADEMAKER, B., VAN BUUREN, K.J.H. & WEZEL, K. Loss of β -adrenoceptors, present on the smooth muscle of the rat vas deferens without desensitization, 89, 583P
- BALFOUR, D.J.K. & VALE, A.L. Behavioural responses to nicotine measured in rats with selective lesions of the hippocampal 5-HT system, 87, 215P
- BALFOUR, D.J.K., BENWELL, M.E.M. & VALE, A.L. Effects of selective destruction of hippocampal 5-HT input on L-tryptophan uptake and binding, 89, 527P
- BALL, I.J. & NEY, U.M. Enhancement of a delayed hypersensitivity reaction in mice by the lipoxygenase inhibitor AA861, 87, 172P
- BALL, I.J., HAWKES, J.E., NEY, U.M. & WESTMACOTT, D. & WILLIAMS, D. Effects of retinoids in an immune model of inflammation in mice, 89, 814P
- - - Serum amyloid P levels in a delayed type hypersensitivity reaction in mice, 89, 815P
- BANERJEE, D.K., KELNER, K., OFFUT, L., POLLARD, H.B. & YUODIM, M.B.H. Selective regulation of MAO A but not MAO B activity in cultured adrenal medullary endothelial cells by steroids, 87, 67P
- BANNER, S.E., CATTELL, K.J. & OSBORNE, R.H. Characterisation of 5-hydroxytryptamine receptor in the foregut of the locust schistocerca gregaria, 89, 565P
- - - Effects of antagonists on 5-HT and octopamine receptors in the

- foregut of *schistocerca gregaria*, 89, 825P
- BARBER, H.E., BETTS, A.M., HAWKSWORTH, G.M. & PAGE, K.R. Lack of evidence for Na⁺-coupled active transport of melphalan across the rat intestinal epithelium, 87, 124P
- BARIS, C., GRIFFITHS, E.C., ROBSON, B., SZIRTES, T., STARKIE, D. & WARD, D. Studies on two novel TRH analogues, 87, 173P
- BARNES, A. & GOADBY, P. The effect of age on the involvement of thromboxane A₂ in anaphylaxis, 88, 233P
- BARNES, J.A. see ALLEN, J.A., 87, 51P
- BARNES, J.C., BARNES, N.M., BRADBURY, A. J., COSTALL, B. & FELL, A.F. Asymmetric lesion of the medial raphe nucleus can lead to biochemical disturbances in both hemispheres, 88, 335P
- BARNES, J.C., BARNES, N.J.G., COSTALL, B. & NAYLOR, R.J. Acute and chronic consequences of persistent infusions of neuroleptic agents into rat nucleus accumbens, 88, 334P
- BARNES, N.J.G. see BARNES, J.C., 88, 334P
- BARNES, N.J.G., COSTALL, B. & NAYLOR, R.J. Hyperresponsiveness to L-dopa following MPTP treatment in the marmoset: modification by deprenyl, 88, 304P
- BARNES, N.C. see ADAMS, T., 87, 46P
- BARNES, N.M. see BARNES, J.C., 88, 335P
- BARNES, P.J. & CARSTAIRS, J.R. Autoradiographic localization of VIP receptors in guinea-pig and human lung, 87, 174P
- BARNES, P.J. & GRANDORDY, B. Leukotriene C₄ elicits inositol phosphate formation and inhibits adenylate cyclase in guinea pig lung, 89, 783P
- BARNES, P.J., CHUNG, K.F., EVANS, T.W., ROGERS, D.F. Increased airway vascular permeability induced by platelet activating factor: effect of specific antagonism and platelet depletion, 89, 764P
- BARNES, P.J., CUSS, F.M. & GRANDORDY, B. M. Spasmogens and phosphatidylinositol turnover in bovine tracheal smooth muscle, 87, 65P
- BARNES, P.J., DEWAR, A. & ROGERS, D.F. Human bronchial secretion: effect of substance P muscarinic and adrenergic stimulation in vitro, 89, 767P
- BARNES, P.J., GRANDORDY, B., PAGE, C.P., RHODEN, K.J. & ROBERTSON, D.N. PAF-induced bronchial hyper-reactivity: effects on β -adrenoceptor function, 89, 742P
- BARNES, P.J., GREENBERG, B. & RHODEN, K.J. Human pulmonary vasodilation: influence of endothelial cells, 87, 198P
- BARNETT, D.B. & MAGUIRE, M. Comparison of the effects of chronic infusion of xamoterol and isoprenaline on rat ventricular β -adrenoceptors, 87, 223P
- BARNETT, D.B., COOK, N. & NAHORSKI, S. R. Differential agonists interactions with β_2 -adrenoceptors on intact human platelets suggests receptor internalisation, 87, 222P
- BARR, R.M., BLACK, A.K., DOVER, J.S., FRANCIS, D., GREAVES, M.W., KELLY, R. W. & KORO, O. Prostaglandin D₂ release in localised heat urticaria, 87, 103P
- BARR, R.M., BLACK, A.K., FRANCIS, D.M., KORO, O., NUMATA, T. & GREAVES, M.W. Release of prostaglandin D₂ (PGD₂) from human skin in vivo during cutaneous anaphylaxis, 88, 394P
- BARR, S.M., JONES, R.L., MACINTYRE, D. E., MCNICOL, A. & WILSON, N.H. Is 9,11-epoxymethano PGH₂ (U44069) a partial agonist at the human platelet thromboxane A₂ receptor? 88, 392P
- BARRAND, M.A., CALLINGHAM, B.A., HIDER, R.C. & WILKINSON, C.M. Characteristics of the uptake of iron, complexed with the pyrone maltol, into slices of rat small intestine, 87, 47P
- BARRETT, M.L., LEWIS, G.P., WARD, S. & WESTWICK, J. Platelet activating factor modulates interleukin-2-induced proliferation of human T-lymphoblasts, 89, 505P
- BARRON, E., MARTORANA, M., SHAHID, M. & WINSLOW, E. Comparative anti-arrhythmic, electrophysiological and biochemical effects of bepridil and the calmodulin antagonists TFP and W7, 87, 4P
- BARRY, M.G., COLLINS, W.C.J. & FEELY, J. Plasma protein binding of drugs in insulin-dependent diabetes mellitus, 89, 719P
- BARRY, M.G., DUENAS-LAITA, A., FEELY, J. & MacMATHUNA, P. Amiodarone inhibition of hepatic oxidative drug metabolism: an acute and chronic study, 87, 144P
- BARTHELEMY, G., BOUTIN, M.M., BROUSSY, R. & DOUMAUX, P. SR 24870, a novel

- agent with positive inotropic activity, 87, 199P
- BARTHO, L. & LIPPE, I.Th. Evaluation of a new and potent cholecystokinin antagonist on enteric reflexes, 89, 684P
- BARTON, H.J. & COLE, T.P. Leukotriene involvement in guinea-pig anaphylactic cutaneous vascular permeability, 88, 418P
- BARWELL, C.J. & BASMA, C.J. Inhibition of guinea-pig liver monoamine oxidase-B by hordenine (N,N-dimethyltyramine), 87, 145P
- BARWELL, C.J., LAFI, M.A.K. & LEAKE, L. D. Pharmacological action of hordenine (N,N-dimethyl tyramine) on the rat vas deferens, 89, 839P
- BASMA, C.J. see BARWELL, C.J., 87, 145P
- BAST, A., LEURS, R. & TIMMERMAN, H. Comparison of the interaction of orphenadrine and nefopam with cytochrome P-450 and the glutathione-system of rat liver, 89, 697P
- BAST, A., KOLSTEE, J.A., PELDER, A., TIMMERMAN, H. & VAN DER WERF, J.F. Decrease of α_1 -adrenoceptors and H_1 histamine receptors on rat liver plasma membranes after CCl_4 pretreatment, 89, 696P
- BAST, A., KRAMER, K., LEURS, R. & TIMMERMAN, H. Decrease in β -adrenoceptor density during lipid peroxidation, 89, 695P
- BAST, A., TIMMERMAN, H. & ZUIDERVELD, O.P. The prejunctional β -adrenoceptor of the epididymal part in rat vas deferens, 89, 580P
- BAST, A., TIMMERMAN, H., VAN DER GOOT, H. & WIJCKER, J.E. Superoxide dismutase activity of copper (II)-1, 10-phenanthroline and copper (II)-2, 9-dimethyl-1, 10-phenanthroline, 89, 698P
- BASUDE, C.D.K. & NYAZEMA, N.Z. Effect of ivermectin on pentylenetetrazol-induced seizures in mice, 87, 35P
- BATES, R.F.L., BUCKLEY, G.A. & PARKER, J.E. Calcitonin in endotoxin shock, 89, 840P
- BATH, G., GRISTWOOD, R.W., OWEN, D.A.A. & SAMPFORD, K.A. SK&F 94120 and milfrinone, unlike non-defective methylxanthine PDE inhibitors, do not inhibit myocardial A_1 -adenosine response, 87, 181P
- BATINK, H.D., DAVIDESKO, D., DE JONGE, A., DOODS, H.N., MATHY, M.-J. & VAN ZWIETEN, P.A. Effect of N-ethylmaleimide and pertussis toxin on the muscarinic agonist response in rat atrium, 89, 554P
- BATINK, H.D., DAVIDESKO, D., DE JONGE, A., DOODS, H.N., TER HEIDE, R. & VAN ZWIETEN, P.A. The muscarinic receptors of the heart and of the salivary glands may belong to two different subtypes, 89, 749P
- BAUD, J. & FAGG, G.E. Al acidic amino acid receptors: recognition site specificity, 88, 458P
- BAYDOUN, A.R., MARKHAM, A., MORGAN, R. M. & SWEETMAN, A.J. Nitrendipine inhibits the uptake of calcium into rat heart mitochondria, 88, 387P
- - Nitrendipine promotes the release of calcium from rat heart mitochondria, 89, 619P
- BAX, N.D.S., LENARD, M.S., SHAW, L., TUCKER, G.T. & WOODS, H.F. Covalent binding of propranolol to human liver microsomes: biochemical and metabolic studies, 89, 709P
- BAXTER, G.S., COLLIS, M.G. & PALMER, D. B. Investigation of the intracellular effect of adenosine on aortic smooth muscle, 87, 228P
- BHALLA, P., GURDEN, M.F. & KENNEDY, I. Cardiovascular actions of 5'-N-ethylcarboxamideadenosine (NECA) and L-N⁶-phenylisopropyl-adenosine (L-PIA) in the anaesthetised rat, 88, 278P
- BHoola, K.D. & CROTHERS, D.M. Loss of responsiveness to adrenaline by immunologically sensitized guinea-pig tracheal muscle, 88, 316P
- BHoola, K.D., CHAPMAN, I.D. & COOMBS, D.M. The action of diltiazem on the release of renal kallikrein from normal and spontaneously hypertensive rats, 87, 6P
- BEASLEY, C.R.W., CHURCH, M.K., FEATHERSTONE, R.L., HARDY, C.C., HOLGATE, S. T., ROBINSON, C. & VARLEY, J.G. 9α 11β -prostaglandin F_2 , a metabolite of PGD_2 , is a potent contractile agonist of human airways in vitro and in vivo, 88, 235P
- BEATTIE, D.T., CLARK, K.L., SIEW PENG LIM, & MUIR, T.C. Action potential conduction and transmitter release from non-adrenergic, non-cholinergic nerves: effects of Ca^{2+} -antagonists, 88, 252P
- BECKERINGH, J.J., BRODDE, O.-E., MICHEL, M.C. & WANG, X.L. Human platelet β_2 -adrenoceptors underlie similar regulatory mechanisms as lymphocyte β_2 -adrenoceptors, 89, 564P

- BECKERINGH, J.J., MATHY, M.-J. & VAN ZWIETEN, P.A. No difference between α -adrenoceptor agonist induced contraction in endothelium-intact and-denuded ring segments of guinea-pig aorta, 89, 490P
- BEER, M.S., POAT, J.A., IVERSEN, L.L. & STAHL, S.M. A radioligand binding assay to determine β -adrenoceptor selectivity of compounds in the central nervous system, 89, 520P
- BELD, A.J., LAMMERS, J.-W.J., MOURIS, H. G., RODRIGUES de MIRANDA, J.F., VAN GINNEKEN, C.A.M., VAN HERWAARDEN, C.L. A., VAN KOPPEN, C.J. & VERRIJP, C.N. Altered β -adrenoceptor characteristics in airway smooth muscle of a patient with atopic extrinsic asthma, 89, 477P
- BELPAIRE, F.M., BOGAERT, M.G. & CHINDAVIJAK, B. Displacement of drugs from serum α_1 -acid glycoprotein binding sites by SKF 525A, 89, 479P
- BENDER, J., DAVIS, M.G., HARRIS, G. & PULS, W. Evidence for a humoral factor affecting food intake in rats, 89, 873P
- BENEKER, C., DE BOER, E., HARMSSEN, H.J., RAAIJMAKERS, J.A.M. & VAN ROZEN, A.J. The induction of pulmonary autonomic receptor deficiencies by anaphylactic mediators and proteolytic enzymes, 89, 584P
- BENKIRANE, S. see ARBILLA, S., 89, 793P
- BENNETT, G.W. & JOHNSON, J.V. Effect of a vasopressin V_1 antagonist on the BP response to electrical stimulation of the medullary A1 region, 89, 543P
- BENNETT, G.W., FONE, K.C.F. & MARSDEN, C.A. Effects of catecholamine depletion on wet-dog shakes produced by intrathecal administration of a TRH analogue (CG 3509), 89, 530P
- - - Prazosin antagonises the wet-dog shake behaviour produced by intrathecal administration of a TRH analogue, CG 3509, 88, 300P
- BENNETT, G.W., HATTON, R. & JOHNSON, J. V. Effect of central and systemic administration of a vasopressin V_1 antagonist and recovery of MAP after hypovolaemia in rats, 88, 310P
- BENNETT, G.W., LIGHTON, C. & MARSDEN, C. A. The effect of chronic ICV infusion of TRH antibodies on the behavioural response to a TRH analogue (CG 3509), 87, 216P
- BENNETT, P.N., FORDYCE, K. & NOTARIANNI, L.J. Effect of chronic ethinylestradiol pretreatment of paracetamol in the rat, 88, 431P
- BENNETT, P.N., NOTARIANNI, L.J. & WORLOCK, A.J. Differential distribution of adrenoceptors in the hepatic artery and portal vein of the rat, 88, 308P
- BENNETT, T., STRANGE, P.G. & WILLIAMS, K. Alterations in cardiac β - adrenoceptor number after reversible noradrenergic denervation, 88, 283P
- - - Decrease in α_1 -adrenoceptors of chick smooth muscle after irreversible sympathetic denervation, 89, 558P
- - - Identification of α_1 -adrenoceptors in chick expansor secundariorum muscle, 89, 576P
- - - Effects of reversible noradrenergic denervation on α_1 -adrenoceptors of avian smooth muscle, 87, 87P
- BENTHAM, J.M., HIGGINS, A.J. & WOODWARD, B. Effects of lipid amphiphiles on arrhythmogenesis in the anaesthetized cat, 89, 735P
- BENWELL, M.E.M. see BALFOUR, D.J.K., 89, 527P
- BERGE, O.-G., FASMER, O.B., HOLE, K. & JORGENSEN, H.A. Analgesic effects of nefopam at spinal and supraspinal sites, 89, 639P
- BERKENBOOM, G., DESMET, J.M. & FONTAINE, J. Pharmacological study of the adrenoceptors of isolated human coronary arteries, 89, 495P
- BERN, H.A., GIBSON, A. & WALLACE, P. Cardiovascular effects of a fish caudal neuropeptide, urotensin II, in the pithed rat, 87, 175P
- BERRIDGE, T.L., COLLINS, P.D., DOXEY, J.C. & ROACH, A.G. Effect of selective α_1 - and α_2 -adrenoceptor antagonists on glucose-induced hyperinsulinaemia in rats, 89, 671P
- BETTS, A.M. see BARBER, H.E., 87, 124P
- BEVAN, J.A., LAHER, I., ORIOWO, M.A., YANG, J. & BEVAN, R.D. The contribution of changes in receptor number and affinity to variation in vascular responsiveness to noradrenaline, 88, 384P
- BEVAN, P., RAMAGE, A.G. & WOUTERS, W. Investigation of the effects of DU 29373 on the cardiovascular system of the anaesthetized cat, 89, 506P
- BEVAN, P., TULP, M.Th.M. & WOUTERS, W. Are 5-HT_{1A} binding sites relevant for the antihypertensive effects of DU 29373? 89, 637P

- BEVAN, R.D. see BEVAN, J.A., 88, 384P
- BEVIS, P.J.R., MACINTYRE, I. & ZAIDI, M. Further evidence for the neural release of plasma calcitonin gene-related peptide, 88, 314P
- BIETTI, G., DONETTI, A., DURANTI, P., GIACHETTI, A. & MICHELETTI, R. New chemical probes for the H₂-receptor, 88, 259P
- BIGAUD, M. & SPEDDING, M. Inhibition of the effects of endothelial-derived relaxant factor (EDRF) in aorta by palmityl carnitine, 89, 540P
- BINKHORST, G.J., HENRICKS, P.A.J., NIJKAMP, F.P. & VAN DER VLIET, H. Phagocytic cell defence is depressed by stress in calves, 89, 677P
- BIRCH, P.J., HAYES, A.G. & SPRAGGS, C.F. Studies on the delta opioid receptor mediated inhibition of Isc in the isolated guinea pig ileal mucosal preparation, 89, 833P
- BISTER, J.L., COLLIGNON, J.L. & PAQUAY, R. Hormonal, ovarian and behavioural modifications induced by ram teasing at the beginning of the breeding season in the texel ewe, 89, 675P
- BIZIERE, K., BOUGAULT, I., KAN, J.P., MONS, G., RENAULT, A., STEINBERG, R. & WORMS, P. Biochemical profile of a new atypical antidepressant in rodents, SR 95191, 87, 43P
- BIZIERE, K., GUEUDET, C. & WORMS, P. Further evidence for a cholinomimetic activity of minaprine, 87, 31P
- BLACK, A.K. see BARR, R., 87, 103P
- - - see BARR, R.M., 88, 394P
- BLACKBURN, T.P., BORKOWSKI, K.R. & COWAN, A. Studies on the nociceptive properties of morphine and U50, 488H in adrenal demedullated rats, 88, 364P
- BLACKBURN, T.P., BORKOWSKI, K.R. & FRIEND, J. A comparison of clonidine and κ opioid induced diuretic effects, 87, 167P
- BLACKHAM, A., JARRETT, F., NORRIS, A.A. WALSH, L.P. & ZEITLIN, I.J. Studies on experimental immune complex (IC)-induced colitis: effect of prednisolone, 89, 694P
- BLACKMAN, D.E., HOWLETT, G.J., MCCARTHY, P.S. & NAYLOR, V.J.H. Motor impairment as a factor affecting drug discrimination trials, 88, 354P
- BLACKMAN, D.E., MCCARTHY, P.S. & NAYLOR, N.J.H. Contrasting effects of (+) and (-)-N-allyl-normetazocine during drug discrimination trials, 89, 874P
- BLACKWELL, C.P., WOODWARD, B. & ZAKARIA, M.N.M. Reperfusion-induced efflux in the isolated rat heart. The role of free radicals, 88, 421P
- BLAKE, J.F., BROWN, M.W., GRIDGE, C. & EVANS, R.H. Simple measurement of amino acid-induced polarization of hippocampal CA1 pyramidal neurones *in vitro*, 88, 273P
- BLAKELEY, A.G.H., DUNN, P.M. & PETERSEN, S.A. Differences between adrenergic and purinergic inhibition in the mouse vas deferens *in vitro*, 89, 786P
- BLANCQUAERT, J.P. see AGON, P.Y., 89, 632P
- BLANCQUAERT, J.P., LEFEBVRE, R.A. & WILLEMS, J.L. Lack of antiaversive effect of μ - and κ -opioid agonists in conditioned taste aversion in the rat, 89, 517P
- BLOKHUIJZEN, N.J.P., DE WILDT, D.J., DORMANS, J.A. & SANGSTER, B. The Na-paradox: detrimental cardiac effects due to Na repletion in isolated rat hearts, 89, 553P
- BLOOM, S.R., CORDER, R., DAVIES, G.J., DAWBARN, D., KERWIN, R.W., MASERI, A. & YACOB, M. Studies on neuropeptide Y in human heart, 88, 470P
- BLOOMFIELD, J. see ATTERWILL, C.K., 87, 221P
- BLOXHAM, D., BRADSHAW, D. & DODGE, B. Role of interleukin-1 in the effect of retinoids on 'non-responder' collagen arthritic rats, 89, 817P
- BLURTON, P.A. see ALEXANDER, B.S., 87, 22P
- BOACHIE-ANSAH, G., KANE, K.A. & PARRATT, J.R. Effects of adenosine ATP and noradrenaline on normal and mildly "ischaemic" sheep cardiac purkinje action potentials, 88, 309P
- BOARDER, M.R. see ADAMS, M., 88, 248P
- - - see ADAMS, M., 88, 464P
- - - see ADAMS, M., 89, 666P
- BODDEKE, H.W.G.M., HEYNIS, J.B., JONKMAN, F.A.M. & VAN ZWIETEN, P.A. Characterization of calcium entry blockers in isolated guinea-pig heart: cardiodepressant activity of flunarizine, 89, 615P
- - - Protective activity of R 58735 upon ouabain intoxication in anaesthetized guinea-pigs, 89, 597P
- BOGAERT, M.G. see BELPAIRE, F.M., 89, 479P

- BOGAERT, M.G., BUYLAERT, W.A., HUYGHENS, L.P. & ROSSEEL, M.T. Influence of cardiopulmonary resuscitation on the plasma concentrations of the calcium entry blocker nimodipine in the dog, 89, 538P
- BOGAERT, M.G., DUPONT, A.G. & LEFEBRE, R.A. Evidence of pre-synaptic dopamine receptors in the *in situ* perfused rat kidney, 87, 25P
- BOHM, R.O.B., RAHN, K.H., VAN BAAK, M. A., VAN HOOFF, M. The course of blood pressure and of plasma catecholamine levels in subjects with borderline hypertension, 89, 484P
- BOILLAT, N. see ATKINSON, J., 88, 451P
- - - see ATKINSON, J., 89, 740P
- BOLLANDS, A.D. & LOWE, K.C. Comparative effects of emulsified perfluorocarbons on lymphoid tissue in rodents, 89, 664P
- - - Responses of rat lymphoid tissue to a perfluorocarbon blood substitute, 87, 118P
- BOLTON, T.B. & MALLOWS, R.S.E. Effects of stimulants on phosphatidic acid levels in longitudinal smooth muscle from rabbit and guinea-pig small intestine, 87, 64P
- BOM, A.H., SAXENA, P.R. & TE BIESEBEEK, J.D. Mediation of 5-hydroxytryptamine (5-HT)-induced contraction of the rat urinary bladder via 5-HT₂ and 5-HT₃ receptors, 89, 547P
- BONANNO, G., MAURA, G., PITTALUGA, A. & RAITERI, M. Subtypes of the 5-HT₁ receptor regulate [³H]5-HT and endogenous GLU release in rat cerebellum, 89, 529P
- BOND, R.A., CHARLTON, K.G. & CLARKE, D. E. The responses to isoproterenol in the electrically stimulated guinea-pig ileum are not competitively antagonized by propranolol, 89, 557P
- BORKOWSKI, K.R. see BLACKBURN, T.P., 87, 167P
- - - see BLACKBURN, T.P., 88, 364P
- BORKOWSKI, K.R., MARSDEN, C.A., MARSHALL, P. & ROUTLEDGE, C. Evidence for the mediation of the C₁ pressor response by β_2 -adrenoceptors, 88, 286P
- BOSEMAN, R. see AALDERS, R., 89, 486P
- BOSS, H., DIETZE, T. & VAN MEEL, J.C.A. Effects of Bay K 8644 on hemodynamics and regional vascular conductance in rabbits, 89, 605P
- BOSS, H., GERSTENBERG, W., MRWA, U. & VAN MEEL, J.C.A. Effects on some skinned myocardial fibres, 87, 102P
- BOSS, H., MRWA, U. & VAN MEEL, J.C.A. Calcium agonist can differentially influence cardiac contractility and diastolic blood pressure, 87, 97P
- BOTTING, J.H. & OYEKAN, A.O. Inhibition of intravascular platelet aggregation in rat by adrenaline, 89, 752P
- BOTTING, R.M. & KENT, P. Stimulant and antagonistic actions of opiate drugs on the rat vas deferens, 89, 579P
- BOTTOMLEY, K.M.K., GRIFFITHS, R.J., NORRIS, D.B., RISING, T.J. & STEWARD, A. Cartilage degradation in a mouse air pouch model, 88, 401P
- BOUCHENAF, O. & LIVINGSTON, A. Autoradiographic localisation of [³H]-buprenorphine in the spinal cord of the sheep, 88, 346P
- BOUGARD, M. see ALI-KODJA, F., 87, 130P
- BOUGAULT, I. see BIZIERE, K., 87, 43P
- BOUGHTON-SMITH, N.K., HAWKEY, C.J., ROSAM, A.C. & WHITTLE, B.J.R. Sulphasalazine inhibits platelet aggregation, and thromboxane formation in human platelets and colon, 88, 391P
- BOURSON, A., GOWER, A.J. & MIR, A.K. Behavioural effects of BAY K 8644 mediated by central and peripheral mechanisms in the rat, 89, 624P
- - - Central biochemical and behavioural effects of BAY K 8644 in the rat, 89, 625P
- BOUTIN, M.M. see BARTHELEMY, G., 87, 199P
- BOWERY, N.G. & HUDSON, A.L. The distribution of [³H]-MK801 binding sites in rat brain determined by *in vitro* receptor autoradiography, 89, 775P
- BOWERY, N.G. & WILLIAMS, L. GABA_B receptor activation inhibits the increase in nerve terminal Ca⁺⁺ induced by depolarization, 87, 37P
- BOWKER, H.M., CHAPMAN, A.G. & MELDRUM, B.S. The action of ω -phosphono-2-amino carboxylic acids on release of [³H]-D-aspartate from hippocampal minislices, 88, 328P
- BOWMER, C.J., COLLIS, M.G., KELLETT, R. & YATES, M.S. Effect of alkylxanthines on gentamicin-induced acute renal failure, 89, 679P
- BOWMER, C.J., SILBERSTEIN, D.J. & YATES, M.S. Effect of acute renal failure on the pharmacokinetics of

- dibromosulphophthalein and its binding to Y and Z proteins in rat liver, 87, 49P
- BOYCE, S., DEXTER, D.T., JENNER, P. & MARSDEN, C.D. Chronic trifluoperazine treatment does not induce lipid peroxidation in rat cortex, 89, 876P
- BOYCE, S., JENNER, P., MARSDEN, C.D. & REAVILL, C. Repeated L-dopa treatment of circling rats increases rotation without altering dopamine receptor numbers, 87, 197P
- BOYLE, J.P. see ALLEN, S.L., 89, 752P
- BRADBURY, A.J. see BARNES, J.C., 88, 335P
- BRADBURY, A.J., COSTALL, B., GUNNING, S. J., NAYLOR, R.J. & TATTERSALL, F.D. The persistence of field stimulation can dictate the action of neuronal 5-HT antagonists on contractions of guinea-pig ileum, 87, 187P
- BRADBURY, A.J., COSTALL, B., NAYLOR, R.J. & ONAIVI, E.S. A model of asymmetry and circling behaviour following asymmetric lesion of mouse medial raphe nucleus, 87, 214P
- BRADFORD, H.F., COLLINS, J.F., CROUCHER, M.J. & CROWDER, J.M. Excitatory amino acid receptor activation and enhanced Ca^{2+} influx into rat hippocampal slices, 89, 865P
- BRADLEY, C.M. & NICHOLSON, A.N. Central effects of aspirin and paracetamol, and of the centrally acting analgesics, meptazinol and pentazocine, 89, 720P
- BRADSHAW, C.M., MORLEY, M.J. & SZABADI, E. Antagonism by pimozide of the suppressant effect of d-amphetamine on operant behaviour, 87, 24P
- BRADSHAW, D. see BLOXHAM, D., 89, 817P
- BRADSHAW, D., DODGE, B.B., FRANZ, P.H., LEWIS, E.J. & WILSON, S.E. Comparative effects of tenoxicam on type II collagen-induced arthritis in the rat, 89, 816P
- BRADY, H. see BRAYDEN, D., 87, 50P
- BRADY, M.M., CLARKE, R.S.J., GIBSON, F.M. & MIRAKHUR, R.K. Train-of-four fade during onset of neuromuscular block with atracurium, vecuronium, pancuronium and tubocurarine, 89, 472P
- BRAIN, S.D., MACINTYRE, I., MORRIS, H.R., TIPPINS, J.R. & WILLIAMS, T.J. The vasodilator effects of calcitonin gene-related peptide (CGRP) in human skin, 87, 54P
- BRAIN, S.D., MACINTYRE, I., WILLIAMS, T. J. Comparison of the vasodilator activities of human α -CGRP, human β -CGRP, rat α -CGRP and salmon calcitonin, 88, 440P
- BRAMBILLA, A., GIACHETTI, A., MICHELETTI, R. & PAGANI, F. AF-DX 116, an M_2 cardioselective antagonist, exhibits low antiseecretory properties, 88, 356P
- BRAMMER, N.T. see ALGATE, D.R., 88, 321P
- - - see ALGATE, D.R., 89, 738P
- BRAYDEN, D., BRADY, H., FITZGERALD, M.X., MARTIN, U. & RYAN, M.P. Reduced loop-diuretic-sensitive ^{86}Rb influx in red blood cells of cystic fibrosis patients, 87, 50P
- BREIMER, D.D., CURZON, G., DANHOF, M., DINGEMANSE, J. & HUTSON, P.H. Comparative CSF and plasma pharmacokinetics of heptabarbital in individual rats, 89, 657P
- BREIMER, D.D., DANHOF, M., SCHELLENS, J.H.M. Poor metabolizer incidence of sparteine, mephenytoin and nifedipine in a Dutch population as assessed by a cocktail approach, 89, 478P
- BREMER, D.D., DANHOF, M., VAN BREE, J.B.M.M. Concentration-anticonvulsant effect relationships of phenobarbital in rat, 89, 566P
- BREIMER, D.D., DE BOER, A.G., VAN HOOGDALAM, E.J. & VAN KAN, H.J.M. The influence of sodium salicylate on the rectal absorption of cefoxitin sodium administered as bolus or as infusion to rats, 89, 509P
- BREIMER, D.D., LODEWIJKS, M.Th.M., VAN BRUMMELEN, P., VAN HARTEN, J. Pharmacokinetics and haemodynamics of nisoldipine in patients with liver cirrhosis, 89, 482P
- BRENNAN, E. & BRIGGS, R.S. The effect of meptazinol on carbachol-induced phosphoinositide breakdown in rat brain slices, 89, 649P
- BREURKES, R., GOUW, M.A.M., JONKMAN, F.A.M. & VAN ZWIETEN, P.A. Continuous 7-day infusion and withdrawal of verapamil and diltiazem in conscious spontaneously hypertensive rats (SHR), 89, 616P
- BRIGGS, R.S. see BRENNAN, E., 89, 649P
- BRIGHT, J.E. & MARRS, T.C. Kinetics of methaemoglobin production by PAPP or DMAP, 87, 119P
- BRILEY, M., CHOPIN, P. & VEIGNER, M. The "plus-maze test of anxiety": validation in different rat strains and effect of a wide variety of antidepressants, 87, 217P

- BRISTOW, L.J. see ATTERWILL, C.K., 87, 221P
- BRISTOW, L.J., ELLIOT, J.M. & HEAL, D.J. The effects of oestradiol on α_2 and β -adrenoceptor function in rat brain and its influence on the actions of desipramine, 87, 88P
- BROADLEY, K.J. Effect of sympathectomy upon α - and β -adrenoceptor sensitivity of the cat nictitating membrane in vivo, 88, 318P
- BROADHURST, A.M. The effects of clonidine upon exogenous and endogenous noradrenaline release from superfused rat cortical tissue, 88, 376P
- - - see ALEXANDER, B.S., 88, 348P
- BRODDE, O.-E. see BECKERINGH, J.J., 89, 564P
- BRODDE, O.-E., IKEZONE, K., KRETSCH, R., SCHULER, S. & WANG, X.L. Functional β_1 - and β_2 -adrenoceptors in the human heart: quantitative analysis of the regional distribution, 87, 85P
- BRODDE, O.-E., IKEZONO, K., MICHEL, M.C., WANG, X.L. & ZERKOWSKI, H.-R. Effects of isoprenaline on contractile force and on the cyclic AMP level in the isolated human right atrium, 87, 200P
- BRODIE, M.E., BROWN, A.W., OPACKA, J. & PETERSON, D.W. Changes in amino acid levels in hippocampal dialysates associated with early trimethyltin neurotoxicity, 89, 880P
- BROEKKAMP, C.L.E., GOWER, A.J. & VAN DELFT, A.M.L. Vasopressin-peptides, physostigmine and pramiracetam on latent learning in the rat, 89, 728P
- BROOKS, P.B., KELLY, J.S., SMITH, D.A.S. & STONE, T.W. Kynurenic acid reduces medial perforant path quantal size in rat dentate gyrus, 88, 456P
- BROUSSY, R. see BARTHELEMY, G., 87, 199P
- BROWN, A.W. see BRODIE, M.E., 89, 880P
- BROWN, C.G. see ATTERWILL, C.K., 87, 178P
- - - see ATTERWILL, C.K., 89, 732P
- - - see ATTERWILL, C.K., 89, 733P
- BROWN, C.M. see ALPS, B.J., 87, 95P
- - - see ALPS, B.J., 88, 249P
- BROWN, J.R., GUARD, S. & JORDAN, C.C. Responses to tachykinins in the tetrodotoxin treated henisected neonatal rat spinal cord in vitro, 88, 457P
- BROWN, M.J. & HARLAND, D. Acute and chronic effects of idazoxan on blood pressure and plasma catecholamine concentrations of rats, 87, 188P
- - - The effect of idazoxan on blood pressure, and plasma catecholamine concentrations of spontaneously hypertensive rats, 88, 420P
- BROWN, M.W. see BLAKE, J.F., 88, 273P
- BROWN, N.L., WORCEL, M. & ZANIRATO, J. β -adrenoceptor antagonist activity of propafenone in the anaesthetised dog, 88, 289P
- BROWNSTEIN, M.J., DAWBARN, D., EMSON, P.C., HUNT, S.P., WATERS, C.M. & ZAMIR, N. Decreased dynorphin-like immunoreactivity in Huntington's disease, 87, 134P
- BRUCKDORFER, K.R. see ANDREWS, H.E., 89, 489P
- BRUINVELS, J. see FEKKES, D., 89, 476P
- - - see KETELAARS, C.E.J., 89, 627P
- BRYAN, L.J., O'DONNELL, S.R. & WILLIAMS, A.M. The uptake processes that allow access of 5-hydroxytryptamine to monoamine oxidase in the isolated perfused heart of the rat, 87, 18P
- BRYSON, S.E., MCKECHNIE, K., PACITTI, N., PARRATT, J.R. & RODGER, I.W. Effect of the leukotriene antagonist FPL57231 on the acute phase of endotoxin shock in cats, 88, 230P
- BUCHAN, P., KIANG, J.G., SMITH, T.W. & WEI, E.T. A comparison of the inhibitory effects of CRF and opioid agonists on neurogenic plasma extravasation in the rat, 88, 268P
- BUCHHEIT, K.H., ENGEL, G., HAGENBACH, A., HOYER, D., KALKMAN, H.O. & SEILER, M.P. The rat isolated stomach fundus strip, a model for 5-HT_{1C} receptors, 88, 367P
- BUCKINGHAM, J.C. & COOPER, T.A. Effects of modification of adrenergic transmission on hypothalamo-pituitary-adrenocortical (HPA) responses to morphine and naloxone, 88, 435P
- - - The effects of μ - δ - and κ -opioid receptor agonists and antagonists on corticotrophin releasing factor (CRF) secretion, 87, 60P
- BUCKINGHAM, R.E., CLAPHAM, J.C., COLDWELL, M.C., HAMILTON, T.C. & HOWLETT, D.R. Stereospecific mechanism of action of the novel anti-hypertensive agent, BRL 34915, 87, 78P
- BUCKLEY, G.A. see BATES, R.F.L., 89, 840P
- BUDHRAM, R., CLEMENTS-JEWERY, S., JOHNSTON, A.M. & THOMSON, T.A.

- FMLP-induced constriction of airway perfused guinea-pig lungs, 88, 416P
- BUDHRAM, P., DEACON, R. & GARDNER, C.R. Some putative non-sedating anxiolytics in a conditioned licking conflict, 88, 331P
- BULL, D. see ALLAN, G., 89, 607P
- BULLER, K.J., HILLIER, K. & SMITH, C.L. Eicosanoid synthesis by normal and ulcerated human duodenal mucosa, 88, 405P
- BULLOCH, J.M. & McGRATH, J.C. Blockade of vasopressor and vas deferens responses by $\alpha\beta$ -methylene ATP in the pithed rat, 89, 577P
- BULT, H., HERMAN, A.G., JORDAENS, F., PEETERS, F.A.M. & VERBEUREN, T.J. Endothelial desquamation affects the transfer of serotonin from platelets into the blood vessel wall, 89, 548P
- BUNCE, K.T., CLAYTON, N.M. & SHEPPARD, D.N. The effects of prostaglandins on unidirectional sodium fluxes in the ileum of the anaesthetised rat, 88, 398P
- BURCHILL, S.A. & THODY, A.J. Dopaminergic control of tyrosinase activity in hair follicular melanocytes of the C₃H-HeA^{VY} mouse, 89, 592P
- BURDET, R., CRISCIONE, L., POWELL, J. & SIPPOLA, L. Role of the endothelium in vasodilator effects of acetylcholine, histamine, hydralazine and trypsin in resistance vessels, 88, 266P
- BURGESS, M.F., CLARKE, G.D., LAYCOCK, S. M. & SMITH, H. Airway hyperreactivity in rats treated with antigen-coated latex particles, 88, 410P
- BURLEIGH, D.E. & TROUT, S.J. Opioid neuromodulation of cholinergic nerve activity in human and guinea-pig colon, 89, 610P
- BURNSTOCK, G., HOPWOOD, A.M., HOYLE, C. H.V., REILLY, W.M., SAVILLE, V.L., STANLEY, M.D.A. & WARLAND, J.J.I. Reactive blue-2 selectively antagonises the relaxant responses to ATP and its analogues which are mediated by the P_{2Y} purinoceptor, 89, 857P
- BUSHFIELD, M. & MACINTYRE, D.E. Modulation of PGD₂-induced cyclic AMP formation in blood platelets by phorbol 12-myristate 13-acetate, 88, 262P
- BUSHFIELD, M., GIBSON, I.F., MacINTYRE, D.E. & MURDOCH, F.A. Differential effects of phorbol 12-myristate 13-acetate on PGD₂- and PGI₂-induced cyclic AMP formation in platelets, 89, 791P
- BUSHFIELD, M., LUMLEY, P. & MacINTYRE, D.E. Synergistic activation of human platelets in whole blood, 89, 855P
- BUSS, D.C., ROUTLEDGE, P.A., WATT, A. H. Effect of aminophylline on respiratory depression produced by intravenous adenosine in neonatal rabbits, 88, 411P
- - - Intravenous adenosine stimulates respiration in conscious adult rabbits, 87, 182P
- - - Respiratory effects of intravenous adenosine in anaesthetised rabbits before and after carotid nerve section, 88, 413P
- - - Respiratory effects of intravenous adenosine in neonatal rabbits, 88, 412P
- BUTCHER, S.P. see ARBUTHNOTT, G.W., 89, 878P
- - - see ARBUTHNOTT, G.W., 89, 879P
- BUTLER, A., HEWICK, D., JOHNSTON, P., MAHONEY, M. & MCINTOSH, A. The pharmacological consequences of mixing sodium nitroprusside with hydroxocobalamin or thiosulphate, 89, 508P
- BUYLAERT, W.A. see BOGAERT, M.G., 89, 538P
- BYFIELD, R.A., SWAYNE, G.T.C. & WARNER, T.J. A method for the study of endothelial derived relaxing factor (EDRF) in the isolated perfused rat mesentery, 88, 438P
- CALCUTT, C.R., GANELLIN, C.R., GRIFFITHS, R., LEIGH, B.K., MAGUIRE, J.P., MITCHELL, R.C., MYLEK, M.E., PARSONS, M.E., SMITH, I.R. & YOUNG, R.C. SKF 95282 is a potent selective brain-penetrating histamine H₂-receptor antagonist, 89, 773P
- CALDAS, L.Q.A., HICKS, R. & OSHODI, R.O. Contractility of granulation tissue to oxidising agents and ferrochromium metal-fume components, 89, 805P
- CALDER, C. see ALPS, B.J., 88, 249P
- - - see ALPS, B.J., 88, 250P
- CALDWELL, J. & NUTLEY, B.P. Comparative metabolism of cinnamic acid in rats and mice and its variation with dose, 88, 423P
- CALIS, J.I.M., HARTOG, J., JANSZEN, F. H.A. & WOUTERS, W. Cardiovascular effects of the new antihypertensive compound DU 29373, 89, 496P
- CALLINGHAM, B.A. see BARRAND, M.A., 87, 47P

- CALLINGHAM, B.A. & MORTON, A.J. Binding to α -adrenoceptors of the antihypertensive agent, adimolol and its actions on the rat anococcygeus muscle, 87, 189P
- CALLINGHAM, B.A. & WILLIAMS, R.B. Some characteristics of the amine oxidase activities found in tissues of the racehorse, 89, 769P
- CAMBRIDGE, D. see ALLAN, G., 89, 487P
- - - see ALLAN, G., 89, 488P
- CAMERON, I., MARKHAM, A., MORGAN, R. & OGLAY, L. The effects of cadmium on the response of the rat anococcygeus preparation to noradrenaline and electrical stimulation, 88, 455P
- CAMP, R.D.R., CHU, A., CUNNINGHAM, F.M., FINCHAM, N.J., GREAVES, M.W. & MORRIS, J. Identification of an interleukin 1 on leukocyte migration and cartilage destruction in vivo, 88, 244P
- CAMPBELL, D.B., DREW, M., INGS, R.M.J. & RICHARDS, R.P. A safer method to obtain intravenous pharmacokinetic data, 89, 746P
- CANDY, J.M., FAIRBURN, A.F., JOHNSON, M. PERRY, E.K., PERRY, R.H. & SMITH, C. Hippocampal cholinergic (muscarinic and putative nicotinic) receptors in human cognitive disorders, 88, 359P
- CANNELL, R., KELLAM, S., OWSIANKA, A. & WALKER, J.M. Rapid screening of algal cultures for enzyme inhibitors with potential pharmacological activity, 89, 826P
- CAREY, F. & HAWORTH, D. Effect of antiplatelet compounds on eicosanoid formation in vivo following intravenous thrombin challenge, 87, 105P
- CAREY, F., FORDER, R.A., FRENCH, P. & HAWORTH, D. Effect of proinflammatory stimuli on eicosanoid biosynthesis in human blood, 88, 245P
- CAREY, F., HAWORTH, D. & WHALLEY, E.T. Pro-inflammatory effects of cyclic kinin analogues, 89, 806P
- CARMELIET, E., VANHOÛTE, F. & VERBEKE, N. Enantioselective electrophysiological properties of tocainide, 89, 700P
- CARPI, C., GAVIRAGHI, G. & SEMERARO, C. GX 1048 (GR 43659X), a new dihydropyridine calcium antagonist with potent and long-lasting antihypertensive action, 89, 758P
- CARRUTHERS, B. & SILVER, I.A. Regional changes in met-enkephalin-like immunoreactivity in rat brain after temporary cerebral ischaemia, 87, 224P
- CARSON, I.W., COLLIER, P.S., DUNDEE, J. W., HOWARD, P.J., LYONS, S.M., MATHEWS, H.M.L. & ORR, I.A. Pharmacokinetics of midazolam sedation following open heart surgery, 89, 474P
- CARSTAIRS, J.R. see BARNES, P.J., 87, 174P
- CARSWELL, H., GALIONE, A. & YOUNG, J. M. Temperature dependence of histamine-induced inositol phospholipid breakdown in guinea-pig cerebral cortex, 87, 71P
- CARTER, C.J., DENNIS, T., L'HEUREUX, R. & SCATTON, B. Studies of the effects of idazoxan on cortical noradrenaline release in vivo, measured by trans-cortical dialysis, 88, 307P
- CARTER, C.J., SAVASTA, M. & SCATTON, B. Decreased high-affinity [14 C] 2-oxoglutarate uptake in striatal synaptosomes after frontal cortical ablation in the rat, 88, 347P
- CASHIN, C.H., CLEGG, J.B., CLINE, A. & GREENHAM, A. Some observations on the chemotherapy of osteoarthritis in str/ort mice, 89, 812P
- CATLOW, C.J., GWILT, M., HIGGINS, A.J. & KING, R.C. Real time analysis of intracellular cardiac action potentials using a Motorola 68000, 88, 422P
- CATT, L.J. & LONGSTAFF, A. Biphasic inotropic response to histamine in guinea pig right ventricular muscle, 89, 804P
- CATTELL, K.J. see BANNER, S.E., 89, 565P
- - - see BANNER, S.E., 89, 825P
- CATTO, L.C. see ATTERWILL, C.K., 87, 221P
- CAVERO, I., DONATO DI PAOLA, E., LHOSTE, F. & LORRAIN, J. Effects of pergolide on the transient neurogenic hypertension in dogs deprived of central input to the adrenal glands, 88, 453P
- CAVERO, I., FAVENNEC, E. & GROSSET, A. Alfuzosin: an α_1 -adrenoceptor antagonist with promising antidysrhythmic and cardioprotective properties, 87, 191P
- CAVERO, I., HICKS, P.E., LANGER, S.Z., LORRAIN, J., PERROT, P. & SHELVEY, G. Haemodynamic effects of cicloprolol, xamoterol and pindolol in anaesthetised cats, 88, 449P
- CAVERO, I., HICKS, P.E., LECHAIRE, J. & LEFEVRE-BORG, F. Similarity between the haemodynamic profiles of indanidine (Sgd 101/75), M-7 and

- UK-14,304, in pithed rats, 87, 190P
 CHAMBERLAIN, D.A. see HEBER, M.E., 87, 104P
 CHAN, K. see AUN, C., 89, 747P
 CHANDLER, J., CLEMENTS-JEWERY, S., FENSKE, D., PACKER, D., ROBSON, P. & WOODWARD, K. Cyclosporin A inhibits rat neutrophil phospholipase A₂ and possesses anti-inflammatory activity, 88, 242P
 CHAPMAN, A.G. see BOWKER, H.M., 88, 328P
 CHAPMAN, I.D. see BHOOLA, K.D., 87, 6P
 CHARLTON, K.G. see BOND, R.A., 89, 557P
 CHEETHAM, S.C., CROMPTON, M.R., HORTON, R.W. & KATONA, C.L.E. Lower hippocampal, but unchanged cortical, 5HT₂ binding sites in depressed suicide victims, 89, 802P
 CHENERY, R.J. see OLDHAM, H.G., 89, 511P
 CHESSE-WILLIAMS, R. see AUSTIN, C.E., 89, 845P
 CHINDAVIJAK, B. see BELPAIRE, F.M., 89, 479P
 CHOPIN, P. see BRILEY, M., 87, 217P
 CHRISTENSEN, J.H. see ANDREASEN, F., 87, 76P
 CHRISTIE, G., COLEMAN, J.W., KITTERINGHAM, N.R., PARK, B.K. & YEUNG, J.H.K. Disposition and immunogenicity of benzylpenicillin, 88, 424P
 CHU, A. see CAMP, R.D.R., 88, 244P
 CHUNG, K.F. see BARNES, P.J., 89, 764P
 CHURCH, J. see ARAM, J., 89, 778P
 CHURCH, J., DAVIES, S.N. & LODGE, D. A correlation between N-methylaspartate antagonist and anticonvulsant properties of PCP/sigma receptor agonist, 88, 270P
 CHURCH, M.K. see BEASLEY, C.R.W., 88, 235P
 CLACUE, R.U. & WHITING, R.L. 5HT₁ and 5HT₂ receptors in the isolated pig coronary artery preparation, 87, 132P
 CLAPHAM, J.C. see BUCKINGHAM, R.E., 87, 78P
 CLAPHAM, J.C. & WILSON, C. Effects of the novel anti-hypertensive agent BRL 34915 in comparison with nifedipine on rabbit isolated mesenteric artery, 87, 77P
 CLARK, K.L. see BEATTIE, D.T., 88, 252P
 CLARK, M. & FLETCHER, A. Does buspirone elicit feeding by a similar mechanism to that of 8-OH DPAT? 89, 863P
 CLARKE, B. & PATMORE, L. Are dihydropyridine calcium channel antagonists and facilitators vascular smooth muscle selective, 87, 98P
 CLARKE, B., PATMORE, L. & WILSON, J.M. Calcium dependence and the effects of Bay K 8644 and methylxanthines on rat and guinea-pig cardiac muscle, 88, 445P
 CLARKE, D.E. see BOND, R.A., 89, 557P
 CLARKE, G. & WRIGHT, D.M. Do μ - and κ -selective opioids inhibit oxytocin release in the same way? 89, 788P
 - - - Inhibitory effect of U50488H on suckling-evoked oxytocin release is blocked by propranolol, 89, 676P
 CLARKE, G.D. see BURGESS, M.F., 88, 410P
 CLARKE, R.S.J. see BRADY, M.M., 89, 472P
 CLARKE, R.S.J., FEE, J.P., LYNAS, A.G. A. & REID, J.E. Factors influencing cutaneous reactions following atracurium, 89, 471P
 CLAUSTRE, Y., DENNIS, T. & SCATTON, B. Effect of the novel non-benzodiazepine hypnotic zolpidem on cyclic GMP levels and monoamine metabolism in the rat brain, 87, 151P
 CLAYTON, N.M. see BUNCE, K.T., 88, 398P
 CLEGG, J.B. see CASHIN, C.H., 89, 812P
 CLEGG, S. & WHALLEY, E.T. Antagonism of the algescic action of bradykinin on the human blister base, 89, 807P
 CLEMENTS-JEWERY, S. see BUDHRAM, R., 88, 416P
 - - - see CHANDLER, J., 88, 242P
 CLINE, A. see CASHIN, C.H., 89, 812P
 COHEN, A.F., HAMILTON, M.J., PECK, A. W. & YUEN, W.C. Lamotrigine and carbamazepine: comparison on psychomotor performance, 89, 704P
 COHEN, A.F., PECK, A.W. & YUEN, W.C. The effects of dexamphetamine on adaptive tracking in healthy volunteers, 89, 706P
 COKER, S.J. Does ketanserin reduce ischaemia and reperfusion-induced arrhythmias in anaesthetised rats? 88, 288P
 COLDWELL, M.C. see BUCKINGHAM, R.E., 87, 78P
 COLDWELL, M.C. & HOWLETT, D.R. BRL 34915 induced potassium channel activation in rabbit isolated mesenteric artery is not calcium dependent, 88, 443P

- COLE, G., FOWLER, L.J., JOHN, R.A., RICHENS, A., RIMMER, E.M. & WILLIAMS, J. Investigation of the neurotoxicity of the GABA-transaminase inhibitor, vigabatrin in rats, 89, 628P
- COLE, T.P. see BARTON, H.J., 88, 418P
- COLEMAN, J.W. see CHRISTIE, G., 88, 424P
- COLEMAN, J.W., GRABOWSKI, P.S., KITTINGHAM, N.R., PARK, B.K. & TINCLE, M.D. Disposition and immunogenicity of dinitrophenylated autologous proteins in the rabbit, 88, 425P
- COLEMAN, R.A. & NIALS, A.T. The characterisation and use of the electrically-stimulated superfused guinea-pig tracheal strip preparation, 88, 409P
- COLEMAN, R.A., NIALS, A.T., SHELDRICK, K.E. & SHELDRICK, R.L.G. A novel and versatile multiple superfusion system: a replacement for the organ bath? 88, 408P
- COLLIER, P.S. see CARSON, I.W., 89, 474P
- COLLIGNON, J.L. see BISTER, J.L., 89, 675P
- COLLINGE, J. & ROBERTS, C.J.C. Study of the action of cicletanine in hyperuricaemic patients, 89, 710P
- COLLINS, J.F. see BRADFORD, H.F., 89, 865P
- COLLINS, K.J., HARRISON, N.L., MILLER, A. & WHEATLEY, P.L. The antagonism of N-methyl-D-aspartate by ketamine and aminophosphonates: quantitative studies in the rat spinal cord in vitro, 87, 154P
- COLLINS, P.D. see BERRIDGE, T.L., 89, 671P
- COLLINS, W.C.J. see BARRY, M.G., 89, 719P
- COLLIS, M.G. see BAXTER, G.S., 87, 228P
- - - see BOWMER, C.J., 89, 679P
- COLLIS, M.G. & NOWELL, C.G. Investigation of the receptors mediating in vivo vasodilator responses to A.T.P. and adenosine, 89, 847P
- COLSTEE, J.H., DE BIE, J.F.M., TEEUWEN, H.W.A., VAN DEN BROEK, L.G.A.M. & VAN ROSSUM, J.M. Hernandulcin, a natural sweetening agent, synthesis purification and pharmacokinetics of the ($\pm$)-hernandulcin racemate, 89, 725P
- CONINGS, L. & VERBEKE, N. Stereoselective pharmacolinetic behaviour of tocainide enantiomers in man, 89, 701P
- CONNELLY, D.M. & TABERNER, P.V. Chronic alcohol treatment prevents the diabetic obesity syndrome of male CBA mice, 87, 120P
- - - Tissue glucose uptake in diabetic mice during chronic ethanol treatment (CET) and withdrawal, 89, 667P
- CONNICK, J.H. & STONE, T.W. The anticonvulsant β -kainate depresses endogenous glutamate efflux in rat brain slices, 87, 155P
- CONNOR, H. & DREW, G.M. Do adrenaline-containing neurones from the rostral ventrolateral medulla excite pre-ganglionic sympathetic cell bodies? 87, 63P
- CONYBEARE, G. see ATTERWILL, C.K., 89, 733P
- COOK, N. see BARNETT, D.B., 87, 222P
- COOMBES, D.M. see BHOOLA, K.D., 87, 6P
- COONEY, D., HELMREICH, E.J.M. & KEENAN, A.K. The role of the cAMP-dependent protein kinase in phosphorylation of the β -adrenoceptor, 89, 596P
- COOPER, A.J. & NATOFF, I.L. The adrenal medulla obscures sympathetic inhibition by SAR[1]-LEU [8]-All and the ace inhibitor cilazapril in the pithed SH rat, 89, 846P
- COOPER, M., COUGHLAN, J.R., HOLT, S.E. & WYLLIE, J.H. A flexible micro-computer controlled system for in vitro superfusion experiments, 87, 201P
- COOPER, S.M., MCCLELLAND, C.M., MCRITCHIE, B. & TURNER, D.H. BRL 24924: a new and potent gastric motility stimulant, 88, 383P
- COOPER, T.A. see BUCKINGHAM, J.C., 87, 60P
- - - see BUCKINGHAM, J.C., 88, 435P
- CORDER, R. see BLOOM, S.R., 88, 470P
- CORDER, R. & WITHRINGTON, P.G. Actions of VIP and PHI on vascular and capsular smooth muscle of the isolated blood perfused dog spleen, 87, 57P
- CORRY, D.G. see DE BRITO, F.B., 89, 662P
- CORTIJO, J. see ALLEN, S.L., 89, 752P
- COSTALL, B. see BARNES, J.C., 88, 334P
- - - see BARNES, J.C., 88, 335P
- - - see BARNES, N.J.G., 88, 304P
- - - see BRADBURY, A.J., 87, 187P
- - - see BRADBURY, A.J., 87, 214P
- COSTALL, B., DOMENEY, A.M. & NAYLOR, R. J. A model of nausea and emesis in

- the common marmoset, 88, 375P
- COSTALL, B., DOMENEY, A.M., KELLY, M. E. & NAYLOR, R.J. The profile of action of sulpiride as an anti-schizophrenic agent, 89, 642P
- COSTALL, B., HENDRIE, C.A. & KELLY, M. E. The anxiolytic effect of substituted benzamides, 88, 332P
- COSTELLO, J.F. see ADAMS, T., 87, 46P
- COUGHLAN, J.R. see COOPER, M., 87, 201P
- COWAN, A. see BLACKBURN, T.P., 88, 364P
- COWAN, D.A., FRIEND, S., GIBSON, A. & HART, S.L. Effect of chronic treatment with methyl testosterone or methenolone on the sensitivity of mice to morphine, 89, 515P
- COX, B.M., PUTTFARCKEN, P. & WERLING, L.L. Sodium regulation of opioid binding in NG 108-15 neuroblastoma X glioma hybrid cells and 7315c pituitary tumor cells, 87, 168P
- COX, C.M., MASON, R., MEAL, A. & PARKER, T.L. Altered 5-HT sensitivity and synaptic morphology in rat CNS induced by long-term exposure to continuous light, 89, 528P
- COX, R.T.L. & WALKER, R.J. DibutyrylcAMP, forskolin and MDL 12,330A modulate dopamine inhibition and a dopaminergic ipsp in identified helix neurones, 89, 823P
- - Effects of extracellular cations and dibutyrylcAMP on dopamine and octopamine inhibition of identified *Helix* neurones, 87, 166P
- CRAGOE, E.J. see AKSOY, A., 89, 837P
- CRAIG, R.K. see AL-KAZWINI, S.J., 88, 439P
- CRAIG, R.K., HOLMAN, J.J., MARSHALL, I. & SHEPPERSON, N.B. Comparison of human and rat α -CGRP on blood pressure and heart rate in normotensive and spontaneously hypertensive rats, 88, 312P
- CRAIG, R.K., MARSHALL, I., PACIOREK, P. & SHEPPERSON, N.B. Cardiovascular effects of human and rat α -calcitonin gene related peptides in the anaesthetised dog, 87, 55P
- CREBA, J.A. & KAROBATH, M. Modulation of depolarization stimulated $^{45}\text{Ca}^{2+}$ uptake in cultured neuronal cells by calcium agonists and antagonists, 88, 388P
- CREBA, J.A., DOYLE, V.M., HOYER, D. & RUEGG, U.T. Serotonin-2 (5-HT₂) receptor mediated phosphoinositide breakdown and calcium mobilisation in A7r₅ smooth muscle cells, 87, 7P
- CRESPI, F. & KEANE, P.E. The effect of diazepam and RO-15-1788 on extracellular ascorbic acid, DOPAC and 5-HIAA in the rat striatum in vivo, 88, 344P
- CRIPPS, H., IVERSEN, L.L. & POAT, J.A. Forskolin potentiates secretory responses to substance P and isoprenaline in rat parotid glands, 89, 787P
- CRISCIONE, L. see BURDET, R., 88, 266P
- CRITCHLEY, M.A.E. & HANDLEY, S.L. 5-HT₂ receptor antagonist show anxiolytic-like activity in the X-maze, 89, 646P
- CROME, R. & MANNING, A.S. Reperfusion-induced arrhythmias and oxygen-derived free radicals: evidence for involvement of multiple sources, 89, 755P
- CROMPTON, M.R. see CHEETHAM, S.C., 89, 802P
- CROSS, A.J., CROSSMAN, A.R., MITCHELL, I.J., SKAN, W. & SLATER, P. Autoradiography of [³H]-kainic acid binding sites in brain, 88, 350P
- CROSS, A.J., REYNOLDS, G.P. & SLATER, P. Reduction of [³H]-D-aspartate binding to glutamate uptake sites in striatum of Huntington's disease patients, 87, 156P
- CROSS, J.A. & HORTON, R.W. Cortical GABA_B binding is unaltered following chronic oral administration of desmethylinipramine and zimelidine in the rat, 89, 521P
- CROSSMAN, A.R. see CROSS, A.J., 88, 350P
- CROSSMAN, D., MacDERMOT, J., McEWAN, J. & MacINTYRE, I. The action of calcitonin gene related peptide on bovine endothelial cells, 89, 542P
- CROTHERS, D.M. see BHOOLA, K.D., 88, 316P
- CROUCHER, M.J. see BRADFORD, H.F., 89, 865P
- CROW, T.J., FARMERY, S.M. & OWEN, F. (3-[¹²⁵I]-iodotyrosyl³) neurotensin binding in post-mortem brain from Alzheimer-type dementia patients and controls, 88, 380P
- CROWDER, J.M. see BRADFORD, H.F., 89, 865P
- CROWLEY, B.L. & KIRBY, M.J. Further studies with bupropion-induced glucose uptake into the rat isolated hemidiaphragm, 87, 121P

- CROZIER, C.S., HILL, S.J., JENNER, A.J. & MASON, R. Effect of histamine on the release of endogenous noradrenaline and 5-hydroxytryptamine from rat cerebral cortical slices, 88, 327P
- CUNNINGHAM, F.M. see CAMP, R.D.R., 88, 244P
- CUNNINGHAM, F.M., GREAVES, M.W. & WOOLLARD, P.M. Chemokinetic activity of 12(S) and 12(R)-hydroxyeicosatetraenoic acids for human polymorphonuclear leucocytes, 87, 107P
- CURZON, G. see BREIMER, D.D., 89, 657P
- CURZON, G., DOURISH, C.T. & HUTSON, P.H. Neurochemical and pharmacological studies of 8-hydroxy-2-(di-n-propylamino) tetralin (8-OH-DPAT)-induced feeding, 87, 21P
- CURZON, G., DOURISH, C.T. & KENNETT, G.A. The 5-HT agonist 8-OH-DPAT attenuates stress-induced deficits in open field activity and feeding behaviour, 87, 20P
- CURZON, G., LOLIN, Y.I., PATSALOS, P.N. & SOKOMBA, E.N. An investigation of carbamazepine neuropharmacokinetics in individual unrestrained rats using repeated sampling of CSF, 89, 658P
- CUSACK, N.J., HOURANI, S.M.O. & WELFORD, L.A. ATP analogues and the guinea-pig taenia coli: does enzyme breakdown determine pharmacological potency? 87, 83P
- - - ATP analogues and the guinea-pig urinary bladder: pharmacological potency is related to resistance to breakdown by ectoenzymes, 89, 514P
- - - 2-MeS-AMP-PCP and human platelets: implications for the role of adenylate cyclase in ADP-induced aggregation? 87, 84P
- CUSS, F.M. see BARNES, P.J., 87, 65P
- CUTLER, M.G. see ARROL, S., 89, 852P
- DAEMEN, M.J.A.P., THIJSSSEN, H.H.W., VERVOORT-PETERS, H.T.M. Local and systemic effects of direct infusion of S-acenocoumarol into the testis of the conscious rat, 89, 669P
- DAILEY, C., FEELY, M., GENT, J.P., HAIGH, J.R.M. & PULLAR, T. A preliminary evaluation of N-desmethyloclobazam in epilepsy, 89, 705P
- DAINTY, I.A., EGLIN, R.M., MCGRATH, J.C. & SPEDDING, M. Differences in the relaxant effects of 5-HT, 5-CT and 8-OH-DPAT on rat aorta and guinea-pig ileum, 88, 369P
- DAINTY, I.A., MCGRATH, J.C. & SPEDDING, M. A simple, inexpensive method of storage and analysis of data from pharmacological concentration response, 89, 884P
- DAMANHOURI, Z. & NICHOLLS, P.J. Induction of mixed function oxidase activity of rat and mouse liver by aminoglutethimide, 88, 430P
- DAMAS, J. see ADAM, A., 89, 589P
- DANDONA, P. & JEREMY, J.Y. RU38486 antagonises glucocorticoid inhibition of prostacyclin and PGE₂ synthesis by cultured rat gastric and duodenal explants, 89, 502P
- DANHOF, M. see BREIMER, D.D., 89, 478P
- - - see BREIMER, D.D., 89, 566P
- DANHOF, M. see BREIMER, D.D., 89, 657P
- DANHOF, M. see SCHELLENS, J.H.M., 89, 478P
- DARMANI, N.A., NICHOLLS, P.J. & STOLZ, J. Effect of beclamide on striatal monoamine levels and turnover, 88, 323P
- DART, A.M., RIEMERSMA, R.A. & SCHOMIG, A. Noradrenaline release from the anoxic rat heart: mechanisms of release and metabolic prerequisites, 87, 142P
- DASCOMBE, M.J. Effects of ONO-3144 on normal body temperature and fever in rabbits at different ambient temperatures, 87, 108P
- DASHWOOD, M. & JACOBS, M. An autoradiographic study of the α -adrenoceptors in rat aorta in the presence and absence of endothelium, 87, 194P
- DAVIDESKO, D. see BATINK, H.D., 89, 554P
- - - 89, 749P
- DAVIES, C., STANFORD, C., STEINBERG, H. & SYKES, E. Unusual behavioural and binding effects after co-administration of clenbuterol and chlordiazepoxide in mice, 89, 531P
- DAVIES, D.E., DEWLAND, P.M., DONNELL, D., LEWIS, P.A., WILLIAMS, P.E.O. & WOODWARD, A.J. A study of nefopam kinetics after single and multiple oral doses in young and elderly volunteers, 89, 721P
- DAVIES, G.J. see BLOOM, S.R., 88, 470P
- DAVIES, J.A. & HOUSTON, W.A.J. Effect of noradrenaline on potassium-evoked release of endogenous amino acids from rabbit hippocampal slices, 87, 157P

- DAVIES, M. & ROBERTS, M.H.T. Studies with 5-carboxamidotryptamine and ketanserin on rat brainstem neurones, 89, 526P
- DAVIES, S.L., HORTON, R.W., MISTRY, H., THEODOROU, A.E. & YAMAGUCHI, Y. Human platelet α_2 -adrenoceptor binding and function during the menstrual cycle, 89, 801P
- DAVIES, S.N. see ARAM, J., 89, 778P
- - - see CHURCH, J., 88, 270P
- DAVIS, A., DE BOER, Th., JENNER, P. & MARSDEN, C.D. Dopaminergic modulation of D-[³H]-aspartate and [¹⁴C]-acetylcholine release from rat striatal slices, 89, 534P
- DAVIS, C.J. see ANDREWS, P.L.R., 89, 860P
- DAVIS, M.G. see BENDER, J., 89, 873P
- DAVIS, S.S., LOWE, K.C. & SHARMA, S.K. Novel compositions of emulsified perfluorocarbons for biological applications, 89, 665P
- DAVIS, S.S., PALIN, K.J. & WOOLFREY, S. G. The effect of miglyol 812 oil on the gastrointestinal absorption of propranolol in the rat, 89, 849P
- DAVIS, W.G. see MANNION, D., 89, 680P
- DAWBARN, D. see BLOOM, S.R., 88, 470P
- - - see BROWNSTEIN, M.J., 87, 134P
- DAWSON, J. & HANAHOE, T.H.P. The dextran reaction and IgE in the rat, 89, 808P
- DAWSON, K. see KILFEATHER, S.A., 87, 113P
- DE BELLEROCHE, J. see KILFEATHER, S. A., 87, 113P
- DE BELLEROCHE, J., PORTER, I.D. & STEINER, J.T. Inhibitory effect of nimodipine on the release of GABA from rat cerebral cortex, 88, 446P
- DE BIE, J.F.M. see COLSTEE, J.H., 89, 725P
- DE BIE, J.F.M., TEEUWEN, H.W.A. & VAN ROSSUM, J.M. The enterohepatic circulation of phenolphthalein in the dog. A systems dynamics approach, 89, 660P
- DE BOER, A.G. see BREIMER, D.D., 89, 509P
- DE BOER, E. see BENEKER, C., 89, 584P
- DE BOER, H.J., DHASMANA, K.M. & SAXENA, P.R. The tachycardic response to 5-hydroxytryptamine in the spinal guinea-pig, 89, 545P
- DE BOER, Th. see DAVIS, A., 89, 534P
- DE BRITO, F.B. see ADHYA, S.A., 87, 48P
- DE BRITO, F.B., AL-DUAIJ, A.Y., HOLMES, M.J.G., LAW, K.A. & WILLOUGHBY, D.A. Indomethacin, D-penicillamine and dexamethasone on cartilage breakdown by a granulomatous reaction, 89, 567P
- DE BRITO, F.B., CORRY, D.G., AL-DUAIJ, A.Y., MOORE, A.R. & WILLOUGHBY, D.A. Adjuvant induced polyarthritis and the subcutaneous model of synovium, 89, 662P
- DE BRUIJN, E.A., KUPPEN, P.J.K., LEEFLANG, P., SLEE, P. & VAN OOSTEROM, A.T. Constructing *in vitro* AUC's for testing anti-tumour agents with the mean residence time as starting-point, 89, 510P
- DE CALLABOS, M.L., JENNER, P. & MARSDEN, C.D. Acute and repeated administration of sulphide alters met- and leu-enkephalin content of rat brain, 88, 306P
- DE JONG, W. see AALDERS, R., 89, 486P
- DE JONG, W., GIERSEBERGEN, P.L.M. & WIEGANT, V.M. α -Methyldopa dose dependently lowers blood pressure: effect of the opiate receptor antagonist naltrexone, 89, 593P
- DE JONG, W., LAMBRECHTS, A.C. & VAN DEN BUUSE, M. Blood pressure effects of dopamine and bromocriptine in conscious spontaneously hypertensive rats (SHR), 89, 688P
- DE JONG, Y., DE WILDT, D.J., NIJKAMP, F.P. & VAN DE KUIL, A. Pertussis toxin induced hypotension in rats: a non-endotoxic septic shock, 89, 748P
- DE JONGE, A. see BATINK, H.D., 89, 554P
- - - see BATINK, H.D., 89, 749P
- DE JONGE, A., DOODS, H.N., RIESBOS, J. & VAN ZWIETEN, P.A. Heterogeneity of muscarinic binding sites in rat brain, submandibular gland and atrium, 89, 551P
- DE LANGEN, S.D., SPEAR, J.F., LEVINE, J.H. & MOORE, E.N. The effects of acetyl-strophantidine on body surface late potentials in infarcted dogs, 89, 611P
- DE MEY, C., MEINEKE, I. & WESCHE, H. Temelastine does not alter the plasma pharmacokinetics of simultaneously administered antipyrine in man, 89, 724P
- DE OLIVEIRA, A.M. see LANGER, S.Z., 89, 630P
- DE SARRO, G.B. see ASCIOTI, C., 88, 379P

- DE SARRO, G.B., MELDRUM, B.S. & PATEL, S. Injection of γ -D-glutamylamino-methyl-sulphonic acid (GAMS) in substantia nigra protects against generalised and limbic seizures in rats, 88, 329P
- DE SCHEPPER, P.J., LEMMEN, C.M., TEEUWEN, H.W.A., TJANDRAMAGA, T.B., VAN ROSSUM, J.M. & VELTHUIS, R.A. Clinical systems dynamics pharmacokinetics of the metabolic conversion of caffeine into paraxanthine, 89, 702P
- DE SOUZA, R.J., GOODWIN, G.M. & GREEN, A.R. Antidepressant drugs and ECS attenuate the hypothermia and behavioural syndrome following 8-OH-DPAT administration to rats, 89, 523P
- DE SOUZA, R.J., GOODWIN, G.M., GREEN, A.R. & WOOD, A.J. Lithium attenuates both 5-HT₁ and 5-HT₂ receptor-mediated behaviour in the mouse, 87, 66P
- DE WILDT, D.J. see BLOKHUIJZEN, N.J. P., 89, 553P
- DE WILDT, D.J. see DE JONG, Y., 89, 748P
- DEACON, R. see BUDHRAM, P., 88, 331P
- DEACON, R. & GARDNER, C.R. Benzodiazepine and 5-HT ligands in a rat conflict test, 88, 330P
- DEBETS, J.J. see SCHOEMAKER, R.G., 89, 606P
- DECKERS, I.A., HERMAN, A.G. & LAEKEMAN, G.M. Detection of acetylcholine released from guinea-pig ileum, using an adapted cascade system, 89, 651P
- DEEMING, K., MAZZONI, L., MORLEY, J., PAGE, C.P. & SANJAR, S. Prophylactic anti-asthma drugs impair platelet accumulation within the lungs, 87, 73P
- DEIGHTON, N.M., HAMILTON, C.A., JONES, D.R. & REID, J.L. Chronic agonist regulation of β -adrenoceptors in the rabbit, 88, 284P
- DELAHAYE, M., LLOYD, K.G., MAGNIER, G. & PROUTEAU, M. The antiulcer action of GABAmimetics involves more than an anti-secretory mechanism, 87, 79P
- DEMAN, J. see AGON, P.Y., 89, 632P
- DENHAM, M.J., DESHMUKH, A.A., DOBBS, S. M., JORDAN, A., NICHOLSON, P.W. & O'NEILL, C.J.A. Measurement of spontaneous movement during the night: a useful objective assessment of Parkinson's disease? 89, 717P
- DENNIS, T. see CARTER, C.J., 88, 307P
- - - see CLAUSTRE, Y., 87, 151P
- DENNISS, A.R., DOWNEY, J.M., HEARSE, D.J., KINGMA, J.G. Jr & YELLON, D.M. Infarct size limitation with allopurinol and verapamil alone or in combination during 48 hours of coronary artery occlusion, 89, 737P
- DENUCCI, G. see ASTBURY, P., 87, 14P
- DESARMENIEN, M., DESAULLES, E., FELTZ, P., HAMANN, M., MICHAUD, J.C. & MIENVILLE, J.M. Electrophysiological study of pyridazine-GABA derivatives with GABA-A antagonist properties, 87, 150P
- DESAULLES, E. see DESARMENIEN, M., 87, 150P
- DESHMUKH, A.A. see DENHAM, M.J., 89, 717P
- DESMET, J.M. see BERKENBOOM, G., 89, 495P
- DESTA, B. & SENIOR, J. Responses of the uterus to prostaglandin and oxytocin in the diabetic pregnant rat, 89, 670P
- DETTMAR, P.W., DOWNING, O.A., ROACH, A.G., WILLIAMS, R.J. & WILSON, K.A. α_2 -adrenoceptor regulation of electrolyte transport in rat jejunum, 88, 322P
- DETTMAR, P.W., DOWNING, O.A., ROACH, A.G., WILLIAMS, R.J. & WILSON, K.A. β_2 -adrenoceptor regulation of electrolyte transport in rat jejunum, 88, 465P
- DETTMAR, P.W., KELLY, J. & MACDONALD, A. α -adrenoceptors in the rat colon, 88, 463P
- - - Effect of noradrenaline on non-adrenergic, non-cholinergic inhibitory nerve-induced responses in rat gastric fundus, 89, 668P
- - - A non-adrenoceptor mediated effect of some catecholamines in rat gastric fundus, 89, 498P
- DEVENPORT, C.E. see ABRAMS, S.M.L., 89, 716P
- DEWAR, A. see BARNES, P.J., 89, 767P
- DEWHURST, D.G. Comparative sensitivity of catechol-induced sensory evoked convulsions to different anticonvulsants, 88, 325P
- - - Effects of excitatory amino acid antagonist on catechol-induced seizures, 89, 640P
- DEWHURST, D.G. & MEEHAN, A.S. Computer-simulation practical teaching using the BBC microcomputer: properties of nerve, 89, 882P
- - - Microcomputer analysis of sensory-evoked convulsive activity, 89, 881P

- DEWLAND, P.M. see DAVIES, D.E., 89, 721P
- DEXTER, D.T. see BOYCE, S., 89, 876P
- DHASMANA, K.M. see DE BOER, H.J., 89, 545P
- DICKENS, T.A. see ATTERWILL, C.K., 89, 732P
- DICKENSON, A.H. & KNOX, R.J. Intrathecal and systemic opioids alter the excitability of convergent neurones in the rat dorsal horn, 87, 61P
- DICKINSON, S.L., GADIE, B. & TULLOCH, I.F. Differential effects of specific α -adrenoreceptor antagonists on catecholamine mediated behaviour, 89, 872P
- DICKSON, M., MARSHALL, R.J. & SHAHID, M. Compartmentation of cyclic GMP in the rabbit myocardium, 89, 612P
- DIETZE, T. see BOSS, H., 89, 605P
- DIFRANCESCO, G.F., GITTO, M., PETTY, M. & SPEDDING, M. MDL 72567: a dihydropyridine calcium antagonist with reduced propensity to cause reflex tachycardia, 89, 618P
- DIFRANCESCO, G.F., PALFREYMAN, M.G., SPEDDING, M. & ZREIKA, M. Inhibition of MAO in the dog by MDL 72,394 with minimal tyramine potentiation, 89, 685P
- DINGEMANSE, J. see BREIMER, D.D., 89, 657P
- DIXON, E.J.A. see ALLAN, G., 89, 756P
- DOBBS, R.J., LEVI, S., NICHOLSON, P.W. & O'NEILL, C.J.A. Pressure sores in the elderly: lack of inhibition of spontaneous movements during the night by chlormethiazole, 89, 722P
- DOBBS, S.M. see DENHAM, M.J., 89, 717P
- DOCHERTY, J.R. An investigation of age-related changes of β -adrenoceptor mediated responsiveness in the rat, 89, 603P
- - - 5-hydroxytryptamine receptors involved in vasodilatation in the pithed rat, 89, 753P
- - - Prejunctional inhibitory actions of α_1 -adrenoceptor agonists in the rat, 89, 842P
- DOCHERTY, J.R. & SAWYER, R. Usefulness of phenylephrine and sodium nitroprusside in baroreflex assessment, 89, 853P
- DOCHERTY, J.R. & WARNOCK, P. Effects of antagonists of 5-hydroxytryptamine on blood pressure in the anaesthetised SHR, 87, 16P
- - - Prejunctional inhibitory 5-hydroxytryptamine (5-HT) receptors in the rat heart and vas deferens, 89, 843P
- DODGE, B.B. see BLOXHAM, D., 89, 817P
- - - see BRADSHAW, D., 89, 816P
- DOLAMORE, P.G. & LOUITT, J.B. The vascular relaxant effects of an atrial peptide and nitroprusside are partially additive, 87, 176P
- DOLIN, S.J. & LITTLE, H.J. The effects of Bay k 8644 on the general anaesthetic potencies of ethanol and argon, 89, 622P
- DOLIN, S.J., GRANT, A.J., HUNTER, A.B. & LITTLE, H.J. Anticonvulsant profile and whole brain concentrations of nitrendipine and nimodipine, 89, 866P
- DOLIN, S.J., HALSEY, M.J. & LITTLE, H.J. Calcium channel antagonists decrease the ethanol withdrawal syndrome, 87, 40P
- DOLPHIN, A.C. & SCOTT, R.H. Inhibition of calcium currents by the adenosine analogue 2-chloro-adenosine involves GTP binding proteins, 89, 780P
- DOLPHIN, A.C., FORDA, S.R. & PRESTWICH, S.A. Adenosine antagonists enhance glutamate release and spontaneous synaptic activity in neuronal cultures, 88, 272P
- DOMENEY, A.M. see COSTALL, B., 88, 375P
- - - see COSTALL, B., 89, 642P
- DONALDSON, J. & HILL, S.J. Alterations in H_1 -agonist affinity and efficacy induced by 1,4-dithiothreitol in guinea pig ileum, 89, 770P
- - - Effect of 1,4-dithiothreitol on [3H]-mepyramine binding to homogenates of guinea pig cerebellum and cerebral cortex, 88, 257P
- - - Potentiation of H_1 -receptor-mediated inositol phospholipid and cyclic AMP responses in guinea pig brain by 1,4-dithiothreitol, 88, 256P
- DONATO DI PAOLA, E. see CAVERO, I., 88, 453P
- DONATO DI PAOLA, E., HICKS, P.E. & LORRAIN, J. Cardiovascular effects of HAL004 in anaesthetised and pithed rats, 88, 442P
- DONETTI, A. see BIETT, G., 88, 259P
- DONG, Y.J. & WADSWORTH, R.M. Effects of Bay K 8644 on ^{45}Ca uptake in the aorta from hypertensive rabbits, 87, 3P

- DONNELL, D. see DAVIES, D.E., 89, 721P
- DONNELLY, R., ELLIOTT, H.L. & REID, J. L. The combination of nicardipine and enalapril in patients with essential hypertension: a placebo controlled study, 89, 485P
- DONOGHUE, S. see ALLAN, G., 89, 756P
- DOODS, H.N. see BATINK, H.D., 89, 554P
- - - see BATINK, H.D., 89, 749P
- DOODS, N.H. see DE JONGE, A., 89, 551P
- DORMANS, J.A. see BLOKHUIJZEN, N.J.P., 89, 553P
- DOUMAUX, P. see BARTHELEMY, G., 87, 199P
- DOURISH, C.T. see CURZON, G., 87, 20P
- - - see CURZON, G., 87, 21P
- DOVER, J.S. see BARR, R., 87, 103P
- DOWNEY, J.M. see DENNISS, A.R., 89, 737P
- DOWNING, O.A. see DETTMAR, P.W., 88, 322P
- - - see DETTMAR, P.W., 88, 465P
- DOWNING, O.A., HUMPHREYS, A-L, TODD, M. H. & WILSON, K.A. Cirazoline and UK-14,304 reverse ischaemic depression of skeletal muscle contractions, 89, 830P
- DOWNING, O.A., SMITH, J.W., STUBBS, D. & WILSON, K.A. α_2 -adrenoceptors in rat femoral vein, 88, 292P
- DOWNING, O.A., STEIN, W.K. & WILSON, K. A. A differential effect of prazosin on the two phases of egta-resistant contractions of rat aorta to noradrenaline, 89, 841P
- DOWNING, O.A., WATERS, C.M. & WILSON, A. D. Dissimilarities between the effects of varapamil and hypoxia on rat arteries *in vitro*, 88, 251P
- DOWNING, O.A., WILSON, K.A. & WILSON, V. G. Depression of maximum responses of circular portal vein by prazosin, 89, 491P
- DOWNING, S.J., EDWARDS, D. & HOLLINGSWORTH, M. Diltiazem - relationship between concentrations *in vivo* and effects on the rat uterus and cardiovascular system, 89, 620P
- DOXEY, J.C. see BERRIDGE, T.L., 89, 671P
- DOXEY, J.C., GADIE, B., ROACH, A.G., SMITH, C.T.C., STRACHAN, D.A. & TULLOCH, I.F. Agonist and antagonist effects of RX 801080 at α_1 - and α_2 -adrenoceptors in rats, 87, 192P
- DOXEY, J.C., JOHN, G. & REID, J.L. β_2 -adrenoceptors mediate the insulinotropic and hyperglycaemic actions of isoprenaline in fasted rats, 88, 462P
- DOYLE, V.M. see CREBA, J.A., 87, 7P
- DRAPER, A.J., MEGHJI, S.A. & REDFERN, P.H. Facilitatory pre-synaptic receptors in the isolated perfused rat mesentery, 88, 466P
- DRAPER, A.J., REDFERN, P.H. & ROBERTS, J. Hypotension induced by central injection of isoprenaline and clenbuterol: modification by central propranolol, 88, 454P
- DREW, G.M. see CONNOR, H., 87, 63P
- DREW, G.M., FENIUK, W., HUNT, A.A.E. & MULROY, S.C. Vascular α_2 -adrenoceptor function in conscious doca-salt hypertensive rats, 87, 86P
- DREW, M. see CAMPBELL, D.B., 89, 746P
- DREYLING, K.W., LANGE, K., PESKAR, B.A. & PESKAR, B.M. Release of leukotrienes by rat and human gastric mucosa and its pharmacological modification, 88, 236P
- DRITTIJ-REIJNDERS, M.J.H.J., HOEIJMAKERS, J.J.F., THIJSEN, H.H.W. & UITENDAAL, M.P. Vitamin K1,2,3 epoxide reductase in cultured B16 mouse melanoma cells; a possible explanation for warfarin cytotoxicity, 89, 663P
- DRYDEN, W.F. & TAWFIK, N.H. Dietary lipids and the susceptibility to dysrhythmia in the rat heart, 87, 202P
- DUBOIS, A. see ARBILLA, S., 88, 345P
- DUENAS-LAITA, A. see BARRY, M.G., 87, 144P
- DUFF, G.R., GRAHAM, P.A. & WATT, A.H. Comparison of ocular and cardiovascular effects of oral nadolol and topical timolol in patients at risk of glaucoma, 89, 713P
- DUKER, G. see ALMGREN, O., 88, 277P
- DUNBAR, A.W., MCCLELLAND, C.M. & SANGER, C.J. BRL 24924: A stimulant of gut motility which is also a potent antagonist of the Bezold-Jarisch reflex in anaesthetised rats, 88, 319P
- DUNCAN, G.P. & PATMORE, L. Calcium channel antagonist-facilitator competition in cultured embryonic chick cardiac cells, 87, 99P
- DUNCAN, G.P., PATMORE, L. & SPEDDING, M. Positive inotropic effects of palmitoyl carnitine on embryonic chick heart cell aggregates, 89, 757P

- DUNDEE, J.W. see CARSON, I.W., 89, 474P
- DUNN, P.M. see BLAKELEY, A.G.H., 89, 786P
- DUPONT, A.G. see BOGAERT, M.G., 87, 25P
- DUPONT, A.G., LEFEBVRE, R.A. & VANDERNIEPEN, P. Characterization of vascular neuronal dopamine receptors in the rat, 89, 492P
- DUPONT, A.G., VANDERNIEPEN, P. & VANHAELST, L. Blood pressure lowering effect of centrally and peripherally administered apomorphine in anaesthetized rats, 89, 599P
- DURAND, A., FERRANDES, B., GARRIGOU, D. & MORSELLI, P.L. Plasma and brain kinetics of zolpidem, a new hypnotic, in the rat, 89, 730P
- DURANTI, P. see BIETTI, G., 88, 259P
- DUVAL, N., LANGER, S.Z., LEE, C.R. & PETRUZZO, P. Effect of sympathetic nerve stimulation on the release of betaxolol from the heart of the anaesthetized dog, 89, 634P
- DYE, A.C. see ALPS, B.J., 87, 95P
- DZOLJIC, M.R., SAXENA, P.R. & UKPONMWAN, O.E. Activation of "5-HT₁-like" receptors stimulates wakefulness, 89, 522P
- EBENEZER, I.S. The effect of vasopressin on learning motivated by food reward, 87, 218P
- EDEN, R.J., OWEN, D.A.A. & PATEL, B. The lack of effect of sodium L-3,3,5-triiodothyronine on lead 11 ECG signals in conscious cats, 89, 827P
- EDWARDS, D. see DOWNING, S.J., 89, 620P
- EDWARDS, D., FEELY, M., HAIGH, J., PRAKER, S. & PULLAR, T. The effect of cimetidine on the single dose pharmacokinetics of 1,5-benzodiazepines, 89, 723P
- EDWARDS, D., GOOD, D.M., HOLLINGSWORTH, M., ROBSON, A., SMALL, R.C. & WESTON, A.H. Two components to the spasmogenic action of oxytocin in the rat uterus, 87, 90P
- EGAN, T.M. & NORTH, R.A. Pirenzepine has a low affinity for the muscarinic receptor mediating potassium conductance increase in rat nucleus parabrachialis, 87, 228P
- EGLEME, C. & GODFRAIND, T. Role of the endothelium in the potassium-induced relaxation in rat isolated aorta, 89, 659P
- EGLIN, A. & WILLIAMS, B.C. Histamine directly stimulates release of renin cortical cells in vitro, 87, 127P
- EGLIN, R.M. see DAINITY, I.A., 88, 369P
- EGLIN, R.M. & WHITING, R.L. Differential affinities of muscarinic antagonists at ileal and atrial receptors, 87, 33P
- - - Short-term desensitisation and its application to the estimation of agonist affinity constants, 89, 552P
- EGLIN, R.M., MICHEL, A.D. & WHITING, R. L. Non-competitive antagonism exhibited by putative M₁ selective muscarinic antagonists, 89, 655P
- EK, B. & NAHORSKI, S.R. Muscarinic receptor-mediated phosphoinositide metabolism in guinea-pig parotid gland, ileum and cortex, 87, 32P
- EL DEBANI, A.H. & STEVENSON, I.H. Studies on the effects of glipizide on microsomal drug metabolism, 88, 427P
- EL-MAHDY, N. & NICHOLLS, P.J. Effect of cotton bract extract on guinea-pig perfused lung, 89, 809P
- - - Effect of cotton dust extracts on guinea-pig perfused lung, 88, 417P
- EL MURADI, E.M.A. & MCCURRIE, J.R. Effects of experimental conditions on the assessment of dilator activity in isolated blood vessels, 88, 448P
- ELASED, K.M. & NAYLOR, I.L. Croton oil induced myofibroblasts and their sensitivity to 5-hydroxytryptamine - an alternative proposal, 89, 810P
- ELFELLAH, M.S., HAMILTON, C.A. & REID, J.L. Characterisation of β -adrenoceptors in guinea-pig skeletal muscle, 88, 317P
- ELLIOT, J.M. see ATTERWILL, C.K., 87, 221P
- ELLIOT, J.M. see BRISTOW, L.J., 87, 88P
- ELLIOTT, H.L. see DONNELLY, R., 89, 485P
- ELLIOTT, P. Inhibition by catecholamines of Ca spike in rat preganglionic cervical sympathetic nerves, 88, 459P
- ELLIS, D., EMMETT, J.C., FLYNN, S.B., LEESON, P. & UNDERWOOD, A.H. SK&F L-94901 - a novel selective thyromimetic with potent hypocholesterolaemic activity, 89, 829P
- EMMETT, J.C. see ELLIS, D., 89, 829P

- EMSON, P.C. see BROWNSTEIN, M.J., 87, 134P
- ENGEL, G. see BUCHHEIT, K.H., 88, 367P
- ENGELBERGER, W. & PARNHAM, M.J.
Inhibition by ebselen of macrophage eicosanoid generation and lymphocyte proliferation in vitro, 87, 15P
- ENGLAND, P.J., LEIGH, B.K., REEVES, M. L. Identification and selective inhibition of a new phosphodiesterase activity from cat cardiac ventricle, 89, 572P
- ENGLISH, T.A.H., GRISTWOOD, R.W., OWEN, D.A.A., SAMPFORD, K.A. & WALLWORK, J. Effects of dopamine on human ventricular in vitro: comparison with effects of isoprenaline, epinine and ibopamine, 87, 203P
- ENNIS, C. The 5-HT autoreceptor in the rat hypothalamus resembles a 5-HT_{1B} receptor, 88, 370P
- ENNIS, M., GERLAND, W., HEISE, J. & LORENZ, W. Histamine release from guinea pig, human, rabbit and rat mast cells elicited by cremophor el and its derivatives, 89, 569P
- EON, M-T, see ARBILLA, S., 87, 80P
- ESSADKI, A. see ATKINSON, J., 89, 740P
- EVANS, R.H. A slow spinal response mediated at NMA receptors, 88, 269P
- - - see BLAKE, J.F., 88, 273P
- EVANS, T.W. see BARNES, P.J., 89, 764P
- EWINS, C.P., HIGGINS, A.J., LEES, P., MAWHINNEY, I., SEDGWICK, A.D. & TAYLOR, J.B.O. Studies on the pharmacology of phenylbutazone in the horse, 89, 763P
- FAGG, G.E. see BAUD, J., 88, 458P
- FAGOO, M. & GODFRAIND, T. Possible contribution of lignans to the mammalian digitalis-like activity, 89, 602P
- FAIRBURN, A.F. see CANDY, J.M., 88, 359P
- FAIRBROTHER, I. see ARKLE, S., 89, 590P
- FAIRBROTHER, I.S. see ARBUTHNOTT, G.W., 89, 878P
- - - see ARBUTHNOTT, G.W., 89, 879P
- FARMER, S.T. & FEDAN, J.S. Potassium-, methacholine- and histamine-induced relaxations of longitudinal strips of guinea-pig trachea, 87, 93P
- FARMERY, S.M. see CROW, T.J., 88, 380P
- FASEHUN, O.A., JENNETT, S.M. & MCGRATH, J.C. Responses of the isolated rat portal vein to α -adrenoceptor agonists in different O₂ tensions, 88, 452P
- FASMER, O.-G. see BERGE, O.-G., 89, 639P
- FASMER, O.B., HOLE, K. & HUNSKAAR, S. Involvement of central serotonergic pathways in nefopam-induced antinociception, 89, 638P
- FAVENNEC, E. see CAVERO, I., 87, 191P
- FEATHERSTONE, R.L. see BEASLEY, C.R. W., 88, 235P
- FEDAN, J.S. see FARMER, S.T., 87, 93P
- FEE, J.P.H. see CLARKE, R.S.J., 89, 471P
- FEELY, J. see BARRY, M.G., 87, 144P
- - - see BARRY, M.G., 89, 719P
- FEELY, J., OGG, G.D., PATERSON, J.R. & STEVENSON, I.H. The metabolism of ranitidine by guinea-pig liver microsomes, 88, 426P
- FEELY, M. see DAILLEY, C., 89, 705P
- - - see EDWARDS, D., 89, 723P
- FEELY, M., GENT, J.P., HAIGH, J.R.M. & PEAKER, S. Acute clobazam administration induced anticonvulsant tolerance to N-desmethyloclobazam in mice, 89, 643P
- FEKKES, D., BRUINVELS, J. & PEPPLINKHUIZEN, L. Disturbance of serine metabolism and endogenous formation of β -carboline in a group of episodic psychotic patients, 89, 476P
- FELL, A.F. see BARNES, J.C., 88, 335P
- FELTZ, P. see DESARMENIEN, M., 87, 150P
- FENIUK, W. see DREW, G.M., 87, 86P
- FENSKE, D. see CHANDLER, J., 88, 242P
- FERNANDES, L.B., GOLDIE, R.G., PATERSON, J.W., RIGBY, P.J. & SPINA, D. β -Agonist-induced desensitization of guinea-pig tracheal β -adrenoceptors in vitro, 89, 782P
- FERRANDES, B. see DURAND, A., 89, 730P
- FERRANDON, P. see ARMSTRONG, J.M., 87, 96P
- FILE, S.E., McCULLOCH, J. & PRATT, A. Increased local cerebral glucose utilization in limbic regions induced by FG 7142, 89, 871P
- FINCHAM, N.J. see CAMP, R.D.R., 88, 244P
- FINET, M. & GODFRAIND, T. Selective inhibition of high and low affinity inotropic components of ouabain by amiloride derivatives, 89, 600P

- FINNEN, M.J., FLOWER, R.J. & TAYLOR, R. D. The effects of Zn^{++} on pig pancreatic phospholipase A_2 activity and carageenin-induced pleurisy, 89, 744P
- FINNEN, M.J., FLOWER, R.J., LASHENKO, A. & WILLIAMS, K.I. Cytochrome P-450 dependent mono-oxygenase activity and endothelium-dependent relaxation of vascular tissue, 88, 406P
- - - Airway epithelium influences responsiveness of guinea-pig tracheal strips, 88, 407P
- FITZGERALD, M.F., MONCADA, S. & PARENTE, L. The effect of cyclo-oxygenase and lipo-oxygenase inhibition on the release of PAF-acether in vitro, 88, 231P
- FITZGERALD, M.X. see BRAYDEN, D., 87, 50P
- FITZPATRICK, F.T.A. see GREENSTEIN, B. D., 89, 561P
- FLETCHER, A. see CLARK, M., 89, 863P
- FLETCHER, G.H. & STARR, M.S. Intrastriatal SKF 38393 reveals spatial heterogeneity of dopamine D1 receptor-mediated behaviours, 89, 861P
- FLOWER, R.J. see FINNEN, M.J., 88, 406P
- - - see FINNEN, M.J., 88, 407P
- - - see FINNEN, M.J., 89, 744P
- FLOWER, R.J. & PEERS, S.H. The inhibition of platelet aggregation by ambroxol a mucolytic agent, 88, 264P
- FLOWER, R.J., MOON-PARVIN, D., PEERS, S. H., PEPINSKY, B. & TAYLOR, R.D. A novel way for assessing the binding of phospholipase A_2 to substrate, 89, 743P
- FLUCKER, C.J.R., LYLES, G.A. & MARSHALL, C.M.S. Ex vivo inhibition of amino oxidase activities in several rat tissues by MDL 72145, 87, 68P
- FLYNN, S.B. see ELLIS, D., 89, 829P
- FOLKERTS, G. see LOESBERG, C., 89, 499P
- FOLLENFANT, M.J. see ALLAN, G., 89, 756P
- FONE, K.C.F. see BENNETT, G.W., 88, 300P
- - - see BENNETT, G.W., 89, 530P
- FONTAINE, J. see BERKENBOOM, G., 89, 495P
- FONTAINE, J., SCHULMAN, C.C. & WESPES, E. Postjunctional α_1 - and α_2 -like adrenoceptors in human isolated deep dorsal vein of the penis, 89, 493P
- FORDA, S.R. see DOLPHIN, A.C., 88, 272P
- FORDER, R.A. see CAREY, F., 88, 245P
- FORDYCE, K. see BENNETT, P.N., 88, 431P
- FORSYTH, K.M., GALLAGHER, A.P. & POLLOCK, D. Effects of reserpine or 6-hydroxydopamine on responses of mouse and rat vas deferens to field stimulation and drugs, 87, 94P
- FORSYTH, K.M., LESLIE, C.A. & POLLOCK, D. Thyroxine alters pre- and post-synaptic sensitivity in the mouse vas deferens, 89, 828P
- FORTUNE, D.H., HAGAN, R.M. & HARE, J. R. Localisation and characterisation of [3H]-5-HT binding sites in the amygdala of rat brain, 88, 349P
- FOSTER, A.C. & TRIDGETT, R. Tachykinin receptors in rat cerebral cortex: [^{125}I] Bolton-Hunter-labelled -eledoisin and -neurokinin A label a common site, 89, 774P
- FOSTER, A.C., GILL, R. & KEMP, J.A. Protection of N-methyl-D-aspartate-induced neuronal degeneration by systemic administration of MK-801, 89, 870P
- FOSTER, A.C., GRIMWOOD, S. & KEMP, J. A. Electrophysiological and radioligand binding studies of N-methyl-D-aspartate receptors in rat cerebral cortex, 89, 869P
- FOSTER, J.E. & HARPUR, E.S. Infusion of gentamicin increases renal clearance of calcium and magnesium in Fischer 344 rats, 88, 428P
- FOSTER, R.W. see ALLEN, S.L., 87, 228P
- - - see ALLEN, S.L., 89, 752P
- FOSTER, S.N.E. see ALLEN, A., 87, 126P
- FOUDA, A.K. see ATKINSON, J., 88, 313P
- - - see ATKINSON, J., 88, 437P
- - - see ATKINSON, J., 88, 451P
- FOUQUE, F., SCHATTNER, M., SHAW, A., TOUQUI, L. & VARGAFTIG, B.B. Interference of a PAF-acether antagonist with adrenaline-induced activation of human platelets, 89, 765P
- FOWLER, L.J. see COLE, G., 89, 628P
- FOX, J.I. & SHAW, M.A. Oestrogen secretion by progesterone-treated rat ovaries in vitro, 87, 204P
- FOZARD, J.R., KIDD, E.J., NEILL, J. & TRICKLEBANK, M. Further characterisation of the discriminative stimulus induced by 8-hydroxy-2-(di-n-propylamino) tetralin in rats, 88, 371P
- FRAIS, M.A., REYNOLDS, G., SILKE, B., TAYLOR, S.H. & VERMA, S.P. Haemo-

- dynamics of bumetanide in chronic and exercise-induced left heart failure, 89, 745P
- FRANCIS, D.M. see BARR, R.M., 87, 103P
- - - see BARR, R.M., 88, 394P
- FRANZ, P.H. see BRADSHAW, D., 89, 816P
- FRAZER, C.E., RITTER, J.M. & TAYLOR, G. W. pH dependent stimulation by free calcium of prostacyclin synthesis by rat aortic rings, 89, 835P
- FREEDMAN, S.B. Regional differences in muscarinic receptor linked inositol phospholipid hydrolysis, 87, 29P
- FREEMAN, E., OSBORNE, R.H., WILLIAMS, C. RU24969 and 8-OH-DPAT antagonise 5-HT induced contraction of the rat colon and ileum, 88, 368P
- FRENCH, A.M., JEFFERSON, G.C. & MCKEAN, F.M. The effect of temperature on alpha one and alpha two adrenoceptor sensitivity in rat vas deferens, 89, 582P
- FRENCH, P. see CAREY, F., 88, 245P
- FRENKEN, M. & KAUMANN, A.J. Surmountable antagonism by ketanserin of 5-hydroxytryptamine-induced contractions in dog basilar artery, 89, 550P
- FRIEND, J. see BLACKBURN, T.P., 87, 167P
- FRIEND, S. see COWAN, D.A., 89, 515P
- FRITSCH, R., SCHELD, H.H., MULCH, J., TRACH, V., GERSTENBERG, W., VAN MEEL, J.C.A. & HEHRLEIN, W. Effect of pimobendan on calcium sensitivity of skinned fibres isolated from human papillary muscles, 89, 751P
- FRITZ, S., SCHNEIDER, H.H., STEPHENS, D. N. & WEIDMANN, R. Tolerance to the anxiolytic action of diazepam in rats, 88, 336P
- FULLER, R.W., KEMENY, D.M., HOLGATE, S. T., MACDERMOT, J., MORRIS, P.K. & SYKES, D. IgE-dependent stimulation of human alveolar macrophages, 87, 13P
- FURLONG, B., HENDERSON, A.H., LEWIS, M. J., SMITH, J.A. & WHITE, D. Platelet anti-aggregatory properties of bovine retractor penis muscle extract, 88, 447P
- FURMAN, B.L., SIDEY, F.M. & WARDLAW, A. C. Hypoglycaemia and stress-induced hyper-insulinaemia in B. Pertussis infected mice, 87, 52P
- GADIE, B. see DICKINSON, S.L., 89, 872P
- GADIE, B. see DOXEY, J.C., 87, 192P
- GALIONE, A. see CARSWELL, H., 87, 71P
- GALLAGHER, A.P. see FORSYTH, K.M., 87, 94P
- GALLOWAY, D.J., GEORGE, W.D., MCINTYRE, R. & ZEITLIN, I.J. Prostaglandin and carcinogenesis in rat colon: effect of diet and indomethacin, 87, 109P
- GALTON, S.A., PIPER, P.J. The metabolism of leukotrienes by porcine pulmonary artery, 88, 232P
- GALZIN, A.-M., LANGER, S.Z. & PASARELLI, F. Effects of 6-nitroquinoxaline on [³H]-5HT overflow in hypothalamic slices from normal and PCPA treated rats, 87, 17P
- - - Interaction between 5-HT uptake inhibitors and presynaptic inhibitory 5-HT autoreceptors: comparisons of K⁺ and electrical depolarization, 87, 23P
- GALZIN, A.-M., LANGER, S.Z. & TARANGER, M.-A. Effects of methiothepin on the potassium-evoked release of [³H]-NA in rat pineal glands, 89, 533P
- GALZIN, A.-M., LANGER, S.Z., LOO, H., PIMOULE, C., POIRIER, M.-F. & SCHOEMAKER, H. Administration of lithium to healthy volunteers decreases [³H]-5HT uptake without modifying [³H]-IMI binding in blood platelets, 89, 525P
- GANELLIN, C.R. see CALCUTT, C.R., 89, 773P
- GANELLIN, C.R., GRIFFITHS, R., MITCHELL, R.C., SMITH, I.R. & YOUNG, R.C. The design of brain-penetrating H₂ receptor histamine antagonists, 89, 772P
- GARCHA, H.S., GOLDBERG, S.R., REAVILL, C., RISNER, M.E. & STOLERMAN, I.P. Behavioural effects of the optical isomers of nicotine and nornicotine, and of cotinine, in rats, 88, 298P
- GARCI-SEVILLA, J.A. & ULIBARRI, M.I. Spontaneous morphine withdrawal modulates α -2 adrenoceptors in the rat brain, 89, 516P
- GARDNER, C.R. see BAGUST, J., 89, 864P
- - - see BUDHRAM, P., 88, 331P
- - - see DEACON, R., 88, 330P
- GARDNER, C.R. & GUY, A.P. Do agents enhancing GABA receptor-coupled chloride ionophore function have anxiolytic properties? 89, 798P
- GARDNER, C.R. & MANN, G. Incomplete overlap of interoceptive stimuli induced by CL218872 and chlordiazepoxide, 89, 867P

- GARRIGOU, D. see DURAND, A., 89, 730P
 GAVIRAGHI, G. see CARPI, C., 89, 758P
 GAZELEY, M.J.S., LEES, I.W., PAYNE, A.N., WEBBON, P.M. & WOOLLEY, G.E. Anatomical deposition and early distribution of an inhaled radioaerosol in conscious and anaesthetised rats, 87, 122P
 GENARD, J. & KRAMP, R. Excretory effects of torasemide and metabolites, and furosemide after unilateral renal application of i.v. injection in the rat, 89, 678P
 GENT, J.P. see DAILLEY, C., 89, 705P
 - - - see FEELY, M., 89, 643P
 GENT, J.P. & HUGHES, I.E. A pharmacology 'short notes' tutor who works for peanuts and never gets it wrong, 89, 883P
 GEORGE, W.D. see GALLOWAY, D.J., 87, 109P
 GERLAND, W. see ENNIS, M., 89, 569P
 GERSTENBERG, W. see BOSS, H., 87, 102P
 - - - see FRITCHE, R., 89, 751P
 GIACHETTI, A. see BIETTI, G., 88, 259P
 - - - see BRAMBILLA, A., 88, 356P
 GIACHETTI, A., MICHELETTI, R. & SCHIAVONE, A. AF-DX 116, and M₂ antagonist, discriminates among peripheral muscarine receptors, 88, 261P
 GIBSON, A. see BERN, H.A., 87, 175P
 - - - see COWAN, D.A., 89, 515P
 GIBSON, A., HART, S.L. & WRIGHT, T. Adrenal blood flow and corticosterone production following spinal (T7-T13) stimulation of the pithed rat, 88, 434P
 GIBSON, F.M. see BRADY, M.M., 89, 472P
 GIBSON, I.F. see BUSHFIELD, M., 89, 791P
 GIBSON, M.J., HORTON, R.W., THEODOROU, A. E. & YAMAGUCHI, Y. Effects of ions and GTP on platelet α_2 -adrenoreceptor agonist and antagonist binding, 88, 366P
 - - - Platelet α_2 -adrenoreceptors labelled with the agonist [³H]-UK-14,304 and the antagonist [³H]-yohimbine, 87, 89P
 GIERSBERGEN, P.L.M. see DE JONG, W., 89, 593P
 GILL, R. see FOSTER, A.C., 89, 870P
 GILNA, P. & MARTIN, F. Effect of dopamine, nomifensine and TRH infusion on TRH-stimulated prolactin secretion in rats, 87, 165P
 GITTO, M. see DIFRANCESCO, G.F., 89, 618P
 GOADBY, P. see BARNES, A., 88, 233P
 GODFRAIND, T. see ALOSACHIE, I., 89, 752P
 - - - see EGLEME, C., 89, 659P
 - - - see FAGOO, M., 89, 602P
 - - - see FINET, M., 89, 600P
 GODFRAIND, T. & MOREL, N. Contraction and relaxation of microvessels isolated from rat brain, 89, 601P
 - - - Identification of Ca channels in microvessels isolated from rat brain, 89, 507P
 GODFREY, P.P., GRAHAME-SMITH, D.G., MCCLUE, S.J. & YOUNG, M.M. Chronic lithium treatment inhibits 5-hydroxytryptamine and carbachol stimulated phosphoinositide metabolism in rat brain slices, 87, 117P
 GOH, J.W. see AUYEUNG, A., 89, 779P
 GOLDBERG, P., HUGHES, A., REDMAN, D., SEVER, P. & THOM, S. Vasodilator effect of calcitonin gene related peptide in man, 88, 441P
 GOLDBERG, S.R. see GARCHA, H.S., 88, 298P
 GOLDIE, R.G. see FERNANDES, L.B., 89, 782P
 GOLDIE, R.G., PASSARELLI, M.C., PATERSON, J.W., RIGBY, P.J., SELF, G.J. & SPINA, D. Ascorbic acid-dependent binding of [¹²⁵I]-iodocyanopindolol to non- β adrenoreceptor sites in guinea pig trachea, 89, 781P
 GOLDING, J.F. Stimulant effects of cigarette smoking on EEG, 87, 111P
 GONZALEZ, J.P., ROONEY, K.F. & STOLZ, J.F. The effect of blockage of 5-HT receptor subtypes on the chronic morphine abstinence syndrome, 88, 360P
 GOOD, D.M. see EDWARDS, D., 87, 90P
 GOODWIN, G.M. see DE SOUZA, R.J., 87, 66P
 - - - see DE SOUZA, R.J., 89, 523P
 GOUW, M.A.M. see BREURKES, R., 89, 616P
 GOWER, A.J. Cholinergic mediated yawning and analgesia in rats: differential effects of muscarinic agonists and antagonists, 89, 727P
 - - - In vivo α_2 -adrenoceptor antagonist activity of buspirone and its metabolite, 1 (-2 pyrimidy-1) piperazine (IPP) in the rat, 89, 726P
 - - - see BOURSON, A., 89, 624P
 - - - see BOURSON, A., 89, 625P
 - - - see BROEKKAMP, C.L.E., 89, 728P
 GRABOWSKI, P.S. see COLEMAN, J.W., 88, 425P

- GRAHAM, P.A. see DUFF, G.R., 89, 713P
- GRAHAME-SMITH, D.G. see ANDREWS, P. L.R., 89, 860P
- GRAHAME-SMITH, D.G. see GODFREY, P.P., 87, 117P
- GRANDORDY, B.M. see BARNES, P.J., 87, 65P
- - - see BARNES, P.J., 89, 742P
- - - see BARNES, P.J., 89, 783P
- GRANT, A.J. see DOLIN, S.J., 89, 866p
- GRANTHAM, C.J. see BAKHLE, Y.S., 88, 234P
- GRAY, J.A. & GREEN, A.R. Evidence for increased GABA_B receptor function in mouse frontal cortex following antidepressant administration, 89, 799P
- GRAY, J.A., GREEN, A.R. & MOLYNEUX, S. G. Effect of baclofen on the release of endogenous 5-HT from mouse cortex slices, 87, 149P
- GRAY, J.A., HODGES, H., JOSEPH, M.H. & PRESTON, G.C. On the electrochemical discrimination of 5-hydroxyindoles from uric acid in the rat brain in vivo, 87, 135P
- GREAVES, M.W. see BARR, R., 87, 103P
- - - see BARR, R.M., 88, 394P
- - - see CAMP, R.D.R., 88, 244P
- - - see CUNNINGHAM, F.M., 87, 107P
- GREEN, A.R. see DE SOUZA, R.J., 87, 66P
- - - see DE SOUZA, R.J., 89, 523P
- - - see GRAY, J.A., 87, 149P
- - - see GRAY, J.A., 89, 799P
- GREENBERG, B. see BARNES, P.J., 87, 198P
- GREENHAM, A. see CASHIN, C.H., 89, 812P
- GREENMAN, J. see ALLAKER, R.P., 87, 196P
- GREENIDGE, E. & WALI, F.A. Effect of local anaesthetics on tone and mechanical responses of human saphenous vein and bovine coronary artery in vitro, 87, 205P
- - - Interactions of verapamil, nifedipine and diltiazem with tubocurarine at the rat neuromuscular junction, 88, 414P
- GREENIDGE, E., SUER, A.H., TUGWELL, C. & WALI, F.A. Effect of verapamil on uptake of calcium into vascular and tracheal smooth muscle of the rat, 89, 821P
- GREENSTEIN, B.D. & FITZPATRICK, F.T.A. Thymus regeneration in old rats after orchidectomy: effects of various steroids, 89, 561P
- GREENWALD, S.E., LEVER, M.J., MACINTYRE, I., MORRIS, H.R. & TIPPINS, J.R. Human calcitonin gene-related peptide is a potent vasodilator in the pig coronary circulation, 87, 56P
- GRIDGE, C. see BLAKE, J.F., 88, 273P
- GRIFFITHS, A., JONES, D., MERCER, A., RICHENS, A. & WROE, S. The effects of nefopam alone and in combination with ethanol on human performance, ventilatory response to hypercapnia and mood, 89, 707P
- GRIFFITHS, E.C. see BARIS, C., 87, 173P
- GRIFFITHS, E.C., ROBSON, B. & WARD, D. J. Conformational analysis of dynorphins 1-17 and 1-8, 88, 361P
- - - A conformational study of met-enkephalins, 87, 177P
- GRIFFITHS, R. see CALCUTT, C.R., 89, 773P
- - - see GANELLIN, C.R., 89, 772P
- GRIFFITHS, R.J. see BOTTOMLEY, K.M. K., 88, 401P
- GRIMWOOD, S. see FOSTER, A.C., 89, 869P
- GRISTWOOD, R.W. see BATH, G., 87, 181P
- - - see ENGLISH, T.A.H., 87, 203P
- GRISTWOOD, R.W. & OWEN, D.A.A. Effects of rolipram on guinea-pig ventricles in vitro: evidence of an unexpected synergism with SK&F 94120, 87, 91P
- GRISTWOOD, R.W., OWEN, D.A.A. & ROTHUL, A.L. The electrophysiological effects of SK&F 94120 a selective PDE 111 inhibitor on sheep purkinje fibres, 88, 419P
- GRISTWOOD, R.W., RINK, T.J. & SIMPSON, A.W.M. Evidence that it is the elevation of cAMP in a PDE 111 sensitive pool that results in inhibition of platelet excitatory responses, 89, 571P
- - - SK&F 94120, and inotrope-vasodilator inhibits aggregation and secretion of human platelets, 87, 11P
- GRISTWOOD, R.W., SAMPFORD, K.A. & WILLIAMS, T.J. The effect of SK&F 94120, rolipram and M&B 22948 on force of contraction and cyclic nucleotide content of cat myocardium, 89, 573P
- GROSSET, A. see CAVERO, I., 87, 191P
- GROSSET, A. & HICKS, P.E. Evidence for blood vessel selectivity of BRL 34915, 89, 500P
- GROSSET, A., MAITRE, D. & SOURDY, C. Differences between negative inotro-

- pic effects of verapamil, diltiazem and KB 944 in guinea pig papillary muscle, 87, 2P
- GUARD, S. see BROWN, J.R., 88, 457P
- GUEUDET, C. see BIZIERE, K., 87, 31P
- GUIMARAES, S., MOURA, D. & PAIVA, M.Q. Effects of phentolamine on the release of [³H]-(-)- and endogenous noradrenaline by direct electrical stimulation of vasa deferentia, 89, 838P
- GUMBLETON, M., NICHOLLS, P., NORRIS, M. J. Urinary enzyme excretion and the detection of drug-induced renal damage in the rat, 89, 848P
- GUMBLETON, M., NICHOLLS, P.J., NORRIS, M.J. & TAYLOR, G. The influence of anaesthetic agents on the pharmacokinetics of para-aminohippuric acid, 89, 512P
- GUNNING, S.J. see BRADBURY, A.J., 87, 187P
- GUNNING, S.J. & NAYLOR, R.J. The effects of 5-hydroxytryptamine on guinea-pig stomach muscle in the presence of atropine, 88, 372P
- GUNNING, S.J., NAYLOR, R.J. & TATTERSALL, F.D. The actions of metoclopramide and ICS 205-930 on the guinea-pig ileum are dependent on the type of preparation used, 88, 373P
- GURDEN, M.F. see BHALLA, P., 88, 278P
- GURNEY, A.M. & NERBONNE, J.M. Effects of calcium antagonists on neuronal calcium and potassium currents, 87, 100P
- GUY, A.P. see GARDNER, C.R., 89, 798P
- GWILT, M. see CATLOW, C.J., 88, 422P
- GWILT, M., HIGGINS, A.J. & WILLIAMS, R.C. The use of rat and guinea pig cardiac action potentials to distinguish subclasses of class III anti-arrhythmic drugs, 88, 290P
- HAGAN, R.M. see FORTUNE, D.H., 88, 349P
- HAGENBACH, A. see BUCHHEIT, K.H., 88, 367P
- HAGENBACH, A., HOYER, D., KALKMAN, H.O. & SEILER, M.P. N,N dipropyl-5-carboxamidotryptamine (DP-5CT), an extremely potent and selective 5HT_{1A} agonist, 87, 136P
- HAIGH, J. see EDWARDS, D., 89, 723P
- HAIGH, J.R.M. see DAILLEY, C., 89, 705P
- - - see FEELY, M., 89, 643P
- HALL, D.W.R. & VAN DEN HOVEN, W.E. Inhibition of human platelet functions by cyclandelate, 89, 682P
- - - Rat gastric mucosa barrier protection and PGE₂ generation after colloidal bismuth subcitrate (DE-NOL), 89, 693P
- HALL, J.M. & MORTON, I.K.M. Different receptor systems in intestinal smooth muscle vary in their ability to translocate calcium, 87, 206P
- HALL, J.M., McCABE, D.V. & MORTON, I. K.M. A comparison of receptor-effector coupling of histamine and analogues with that of carbachol in the guinea-pig taenia caeci, 89, 609P
- HALL, M.T., MCHARG, A.D. & WADSWORTH, R.M. UK14304 produces both contraction and relaxation in isolated arterial preparations, 87, 193P
- HALLAM, T.J. & PEARSON, J.D. ATP and bradykinin stimulate increased cytoplasmic calcium concentration in cultured piglet aortic endothelial cells, 88, 247P
- HALSEY, M.J. see DOLIN, S.J., 87, 40P
- HAMANN, M. see DE ARMENIEN, M., 87, 150P
- HAMID, S. & WHITTLE, B.J.R. Antagonism of thromboxane and prostaglandin D₂ responses by N-0164 in guinea-pig platelets, 87, 110P
- HAMILTON, C.A. see DEIGHTON, N.M., 88, 284P
- - - see ELFELLAH, M.S., 88, 317P
- HAMILTON, C.A., JARDINE, E. & REID, J. L. At which α -adrenoceptor subtypes does UK 14304 act? 89, 494P
- HAMILTON, C.A., MISHRA, N., REID, J.L. The effects of the irreversible antagonist benextramine on α_2 -adrenoceptor ligand binding and responses in rabbit brain, 88, 352P
- HAMILTON, M.J. see COHEN, A.F., 89, 704P
- HAMILTON, T.C. see BUCKINGHAM, R.E., 87, 78P
- HAMON, G. & WORCEL, M. Vasodilating effects of L-penbutolol: mechanism of action, 87, 183P
- HANAHOE, T.H.P. see DAWSON, J., 89, 808P
- HANAHOE, T.H.P. & LAD, N. The effect of prolonged administration of aspirin on rabbit platelets, 89, 792P
- HANDLEY, S.L. see CRITCHLEY, M.A.E., 89, 646P
- HANDLEY, S.L., SINGH, A. & SINGH, L. Ritanserin reduces morphine- and clonidine-withdrawal tics, 89, 647P

- HANNEMANN, H. & SEWING, K.-FR. Rantidine and famotidine differ in their interaction with the parietal cell histamine H_2 -receptor, 88, 258P
- HARDY, C.C. see BEASLEY, C.R.W., 88, 235P
- HARDY, G.W. see ALLAN, G., 89, 487P
 - - - see ALLAN, G., 89, 607P
- HARE, J.R. see FORTUNE, D.H., 88, 349P
- HARLAND, D. see BROWN, M.J., 87, 188P
 - - - see BROWN, M.J., 88, 420P
- HARMSSEN, H.J. see BENEKER, C., 89, 584P
- HARPUR, E.S. see FOSTER, J.E., 88, 428P
- HARRIS, G. see BENDER, J., 89, 873P
- HARRIS, N.C. & RYALL, R.W. Electrophysiological studies on the site of action of morphine in the spinal cord of the anaesthetised rat, 89, 803P
- HARRISON, N.L. see COLLINS, K.J., 87, 154P
- HARRISON-READ, P.E. Chronic lithium treatment in rats has different effects on motor responses mediated by 5-HT₁ and 5-HT₂ receptors, 87, 219P
- HART, S.L. see COWAN, D.A., 89, 515P
 - - - see GIBSON, A., 88, 434P
- HART, S.L. & OLUYOMI, A.O. The role of acetylcholine and 5-hydroxytryptamine in a naloxone insensitive model of stress-induced antinociception, 88, 362P
- HARTOG, J. see CALIS, J.I.M., 89, 496P
- HASSONI, A.A., KERKUT, G.A. & WALKER, R. J. The action of amidantel and its deacylated derivatives on acetylcholine receptors of central neurones of *helix aspersa*, 89, 824P
- HATTON, R. see BENNETT, G.W., 88, 310P
- HAVERKAMO, R.W. see AALDERS, R.J.W., 89, 703P
- HAWCOCK, A.B. & ROBERTS, F. The interaction between gallamine and atropine on rat atrium, 87, 34P
- HAWCOCK, A.B., LAZARENO, S. & ROBERTS, F. F. Assessment of the muscarinic subtype selectivity of ($\pm$)3-quinuclidinyl xanthene-9-carboxylate hemioxalate hydrate (QNX), 88, 357P
- HAWGOOD, B.J. & KEMPSFORD, R.D. The effects of nicorandil on reperfusion-induced arrhythmias and tissue lactate in the isolated perfused rat heart, 89, 686P
- HAWKES, J.E. see BALL, I.J., 89, 814P
 - - - see BALL, I.J., 89, 815P
- HAWKEY, C.J. see BOUGHTON-SMITH, N.K., 88, 391P
- HAWKSWORTH, G.M. see BARBER, H.E., 87, 124P
- HAWLEY, S.B., NIEVES, A.L., SPADA, C. S. & WOODWARD, D.F. Effects of leukotrienes on eosinophil emigration into conjunctival tissue, 89, 766P
- HAWORTH, D. see CAREY, F., 87, 105P
 - - - see CAREY, F., 88, 245P
 - - - see CAREY, F., 89, 806P
- HAYES, A.G. The effects of δ -opioid receptor agonists on urine-output in the rat, 87, 169P
- HAYES, A.G. see BIRCH, P.J., 89, 833P
- HAYES, A.G. & SHEEHAN, M.J. Are there multiple opioid receptor types in the rat vas deferens? 88, 276P
- HEAL, D.J. see ATTERWILL, C.K., 87, 221P
 - - - see BRISTOW, L.J., 87, 88P
- HEAL, D.J. & PHILPOT, J. An investigation of the influence of central 5-HT function on clonidine-induced hypoactivity in mice, 87, 137P
- HEALD, G., SHORTER, J.H. & TERREY, J. P. Quantitative assessment of the effects of absolute ethanol on the rat gastric mucosa, 87, 226P
- HEARSE, D.J. see DENNISS, A.R., 89, 737P
- HEARSE, D.J. & SALDANHA, C.B.R. Quinacrine inhibits vasodilation caused by 5-HT but not papaverine in the rat isolated heart, 87, 12P
- HEBER, M.E., VINCENT, R. & CHAMBERLAIN, D.A. Effect of labetalol on indices of myocardial necrosis in patients with suspected acute infarction, 87, 104P
- HEHRLEIN, W. see FRITSCH, R., 89, 751P
- HEIJN, M., RUSSEL, F.G.M. & VAN GINNEKEN, C.A.M. Effect of substituted benzoates on the organic anion transport system in isolated dog kidney membrane vesicles, 89, 681P
- HEINEMANN, U. & JONES, R.S.G. Reduction of stimulus evoked post-but not presynaptic calcium influx in rat hippocampus by organic calcium antagonists, 87, 5P
- HEISE, J. see ENNIS, M., 89, 569P
- HELMREICH, E.J.M. see COONEY, D., 89, 596P
- HEAD, G.M. & ROBERTS, N.A. A novel cyclohexanetrione derivative which stimulates the production of prostaglandins by rat polymorpho-nuclear leucocytes (PMN), 89, 836P

- HENDERSON, A.H. see FURLONG, B., 88, 447P
- HENDERSON, A.H., PENNY, W.J., ROUTLEDGE, P.A., SINGH, H. & WATT, A.H. Intravenous adenosine in the assessment of coronary perfusion reserve in man, 89, 712P
- HENDERSON, B., HIGGS, G.A. & PETTIPHER, E.R. Effect of interleukin 1 on leukocyte migration and cartilage destruction in vivo, 88, 243P
- HENDERSON, B., HIGGS, G.A., JACKSON, K. E. & SALMON, J.A. Eicosanoid production during the development of antigen-induced chronic arthritis, 87, 229P
- HENDERSON, B., HIGGS, G.A., SALMON, J. A. & VANE, J.R. Is aspirin a pro-drug for salicylate? 88, 400P
- HENDERSON, G. & HUANG, Y. Potentiation by angiotensin 11 of [³H]-noradrenaline release from the cortex but not the locus coeruleus of the rat, 89, 631P
- HENDERSON, G. & ROGERS, H. Inhibitory actions of μ and κ opioid agonists on the guinea-pig ileum: dependence on stimulus intensity and frequency, 87, 59P
- HENDERSON, G., HILL, R.G. & MCFADZEAN, I. κ -Opioid receptor activation decreases excitatory synaptic input to rat locus coeruleus neurones in vitro, 87, 58P
- HENDRIE, C.A. A single pretreatment with acth prevents the development of tolerance to morphine analgesia in mice, 89, 795P
- - - see COSTALL, B., 88, 332P
- HENRICKS, P.A.J. see BINKHORST, G.J., 89, 677P
- HENRICKS, P.A.J., VAN ESCH, B. & NIJKAMP, F.P. β -adrenoceptor agonists influence H₂O₂ release of guinea pig alveolar macrophages, 89, 568P
- HERDON, H. & NAHORSKI, S.R. D₂ receptor regulation of endogenous dopamine release from striatal slices: effect of uptake inhibitors and synthesis inhibition, 87, 164P
- - - Radiolabelled and endogenous dopamine release from striatal slices: effect of electrical stimulation and regulation by D₂ receptors, 89, 641P
- HERMAN, A.G. see BULT, H., 89, 548P
- - - see DECKERS, I.A., 89, 651P
- HERMAN, A.G. & VERBEUREN, T.J. Comparison of [³H]-noradrenaline- and [³H]-serotonin-release in dog basilar arteries: influence of raubasine and dihydroergocristine, 89, 549P
- HERMAN, A.G., VAN DIEST, M.J. & VERBEUREN, T.J. Are thromboxane or prostaglandin receptors involved in the vascular actions of lipoxigenase metabolites of arachidonic acid? 89, 690P
- HERMANSEN, K., OLESEN, H.O. & PEDERSEN, L.E. The analgesic effect of buprenorphine, etorphine and pethidine in the pig. A randomized double blind cross-over study, 89, 673P
- HERSOM, A.S. & MACKENZIE, J.E. Chronic tricyclic antidepressant treatment does not alter the cardiotoxicity of high doses of idazoxan in the rabbit, 88, 353P
- HERZ, A. & MORRIS, B.J. Non- μ , non- δ opiate binding site distribution in rat brain, 88, 378P
- HEWICK, D. see BUTLER, A., 89, 508P
- HEWITT, G.M., WALKER, R.J. & WANN, K.T. Comparison of the effects of gaba receptor agonists on the somatic muscle receptors of ascaris suum, 89, 789P
- HEYNIS, J.B. see BODDEKE, H.W.G.M., 89, 587P
- - - see BODDEKE, H.W.G.M., 89, 615P
- HICKS, P.E. see CAVERO, I., 87, 190P
- - - see CAVERO, I., 88, 449P
- - - see DONATO DI PAOLA, E., 88, 442P
- - - see GROSSET, A., 89, 500P
- HICKS, R. see CALDAS, L.Q.A., 89, 805P
- HIDER, R.C. see BARRAND, M.A., 87, 47P
- HIGGINS, A.J. see BENTHAM, J.M., 89, 735P
- - - see CATLOW, C.J., 88, 422P
- - - see EWINS, C.P., 89, 763P
- - - see GWILT, M., 88, 290P
- HIGGINS, G.A., JONES, B.J. & OAKLEY, N. R. Buspirone inhibits the metabolism of [³H]-flunitrazepam in rats, 88, 333P
- HIGGINS, G.A., JONES, B.J. & OAKLEY, N. R. The effects of discrete injections of muscimol and flurazepam into the dorsal raphe nucleus on two models of anxiety in the rat, 88, 294P
- HIGGS, G.A. see HENDERSON, B., 87, 229P
- - - see HENDERSON, B., 88, 243P
- - - see HENDERSON, B., 88, 400P
- HILL, R., KEENAN, A.K. & NELIGAN, M. Increased activation of cardiac β -adrenoceptor-linked adenylate

- cyclase in hypertension, 87, 106P
- HILL, R.G. see HENDERSON, G., 87, 58P
- HILL, R.G., HUGHES, J. & JOHNSON, M.A. Cyclo-oxygenase inhibitors affect morphine dependence in guinea pig isolated ileum, 87, 170P
- HILL, S.J. see CROZIER, C.S., 88, 327P
- - - see DONALDSON, J., 88, 256P
- - - see DONALDSON, J., 88, 257P
- - - see DONALDSON, J., 89, 770P
- HILL, S.J. & KENDALL, D.A. Adenosine augments histamine-induced inositol phospholipid hydrolysis in guinea pig cerebral cortical slices, 89, 771P
- HILLIER, K. see BULLER, K.J., 88, 405P
- HILLIER, K. & WHITE, V. Effects of extracellular Ca^{2+} -contracted human colon, 88, 389P
- HISSINK, H. see AALDERS, R., 89, 486P
- HO, A.K., KLEIN, D.C., SUGDEN, A.L. & SUGDEN, D. Activators of protein kinase C inhibit α_1 -adrenoceptor responses in rat pinealocytes, 88, 254P
- HODGES, H. see GRAY, J.A., 87, 135P
- HOEIJMAKERS, J.J.F. see DRITTIJ-REIJNDERS, M.J.H.J., 89, 663P
- HOLE, K. see BERGE, O.-G., 89, 639P
- - - see FASMER, O.B., 89, 638P
- HOLGATE, S.T. see BEASLEY, C.R.W., 88, 235P
- - - see FULLER, R.W., 87, 13P
- HOLLINGSWORTH, M. see DOWNING, S.J., 89, 620P
- - - see EDWARDS, D., 87, 90P
- HOLMAN, J.J. see AL-KAZWINI, S.J., 88, 439P
- - - see CRAIG, R.K., 88, 312P
- HOLMAN, R.B. see WIDDOWSON, P.S., 87, 74P
- HOLMAN, R.B. & WIDDOWSON, P.S. Effect of opiate receptor antagonists on alcohol-induced increase in endogenous dopamine release from rat corpus striatum in vitro, 87, 171P
- HOLMES, M.J.G. see DE BRITO, F.B., 89, 567P
- HOLROYDE, M.C. Do leukotrienes mediate hypoxic pulmonary vaso-constriction (HPV) in dogs? 88, 395P
- HOLROYDE, M.C. & MURPHY, I.J. Inhibition of hypoxic pulmonary vasoconstriction (HPV) in rats, 88, 396P
- HOLT, S.E. see COOPER, M., 87, 201P
- HOLZER, P. & SAMETZ, W. Capsaicin-sensitive afferent neurones involved in gastric mucosal protection, 89, 562P
- HOLZER-PETSCHKE, U., LEMBECK, F. & SEITZ, H. Comparison of the effect of substance P and neurokinin A on the rat stomach in vivo and in vitro, 89, 683P
- HONG, M., JENNER, P., KILPATRICK, G. J. & MARSDEN, C.D. Effects of chronic administration of tetrabenazine, reserpine or chlorpromazine on rat striatal dopamine function, 87, 163P
- HONG, M., JENNER, P., MARSDEN, C.D. & ROOTS, E.J. Long term changes in α -adrenoceptors and 5-HT receptors in rat brain induced by amine depleting drugs, 88, 338P
- HONGHTON, I.T. see AUN, C., 89, 747P
- HOPWOOD, A.M. see BURNSTOCK, G., 89, 857P
- HORNE, A.L. & SIMMONDS, M.A. Antagonism of quisqualate responses by barbiturates, 89, 776P
- HORNE, A.L., SIMMONDS, M.A. & TURNER, J.P. Effect of NMDA antagonists on paroxysmal events induced by zero magnesium and bicuculline, 87, 70P
- HORNE, J.J., LEWIS, D.J.M., SMITH, P. M. & WATT, A.H. Adenosine reproduces epigastric pain in patients with recently symptomatic duodenal ulcer: effect of aminophylline, 89, 714P
- HORTH, C.E. see LOBO, P.J., 89, 813P
- - - see LOBO, P.J., 89, 850P
- HORTON, R.W. see CHEETHAM, S.C., 89, 802P
- - - see CROSS, J.A., 89, 521P
- - - see DAVIES, S.L., 89, 801P
- - - see GIBSON, M.J., 87, 89P
- - - see GIBSON, M.J., 88, 366P
- HOULT, J.R.S. & PHILLIPS, J.A. The principal site of kinin-stimulated PGE_2 release in rabbit colon is from subepithelial cells which do not display sidedness, 88, 240P
- HOULT, J.R.S., NOURSHARGH, S. & WALDEN, F.M. Cyclic AMP phosphodiesterase in human neutrophils: identification and stimulation in intact cells, 87, 81P
- HOURLANI, S.M.O. see CUSACK, N.J., 87, 83P
- - - see CUSACK, N.J., 87, 84P
- - - see CUSACK, N.J., 89, 514P
- HOUSTON, W.A.J. see DAVIES, J.A., 87, 157P
- HOUVENAGHEL, A., SCHRAUWEN, E. & VANDEPLASSCHE, G. Absence of beneficial effects of naloxone and naltrexone in porcine endotoxic

- shock, 89, 674P
- HOWARD, P.J. see CARSON, I.W., 89, 474P
- HOWLETT, D.R. see COLDWELL, M.C., 88, 443P
- HOWLETT, G.J. see BLACKMAN, D.E., 88, 354P
- HOWLETT, M.C. see BUCKINGHAM, R.E., 87, 78P
- HOYER, D. see BUCHHEIT, K.H., 88, 367P
- - - see CREBA, J.A., 87, 7P
- - - see HAGENBACH, A., 87, 136P
- HOYER, D. & KALKMAN, H.O. The α_1 -adrenoceptor antagonist [3 H]-WB 4101 labels 5-HT $_1A$ receptors with nanomolar affinity, 88, 302P
- HOYER, D., PALACIOS, J.M., PAZOS, A. & PROBST, A. Serotonin (5-HT) recognition sites in human brain: evidence for species differences, 87, 19P
- HOYLE, C.H.V. see BURNSTOCK, G., 89, 857P
- HUANG, Y. see HENDERSON, G., 89, 631P
- HUDSON, A.L. see BOWERY, N.G., 89, 775P
- HUDSPITH, M.J. & LITTLETON, J.M. Enhanced effect of BAY k8644 on inositol phospholipid breakdown in brain slices from ethanol dependent rats, 89, 623P
- HUGHES, A. see GOLDBERG, P., 88, 441P
- HUGHES, A., MARTIN, G., SCHACHTER, M., & SEVER, P. Tolerance to nitroglycerin in isolated rabbit aorta does not alter endothelium dependent relaxation to acetylcholine or A23187, 88, 282P
- HUGHES, A., REDMAN, D., SEVER, P. & THOM, S. Fenoldopam vasodilates forearm vasculature by a dopaminergic mechanism, 89, 708P
- HUGHES, I.E. see GENT, J.P., 89, 883P
- HUGHES, J. see HILL, R.G., 87, 170P
- HUISMAN, J.A.M., RAGHOBAR, M., VAN DEN BERG, W.B. & VAN GINNEKEN, C.A.M. A methodological approach to study cellular pharmacokinetics of drugs, 89, 481P
- HUMPHRAY, J.M., REEVES, J.J. & STABLES, R. A comparison of the H $_2$ -receptor antagonist and anti-secretory effects of famotidine and ranitidine, 88, 390P
- HUMPHREY, P.P.A. see APPERLEY, E., 87, 131P
- HUMPHREY, P.P.A., LUMLEY, P. & WHITE, B. P. The agonist action of AH 23848 at guinea pig vascular and airway smooth muscle TP-receptors in vivo, 89, 820P
- HUMPHREYS, A-L. see DOWNING, O.A., 89, 830P
- HUNSKAAR, S. see FASMER, O.B., 89, 638P
- HUNT, A.A.E. see DREW, 87, 86P
- HUNT, G.A. see VAN DALEN, D., 89, 654P
- HUNT, S.P. see BROWNSTEIN, M.J., 87, 134P
- HUNT, W.B., O'HAGAN, D.T. & WILKINSON, J. Adenosine and rebound contractions of the rat gastric corpus to non-adrenergic non-cholinergic nerve stimulation, 89, 819P
- HUNTER, A.B. see DOLIN, S.J., 89, 866P
- HUNTER, A.J., ROBERTS, F. & TUTTY, C.A. Scopolamine impairs performance on the Morris Water Maze in both naive and trained rats, 87, 41P
- HUSSAIN, S. see BAGUST, J., 89, 864P
- HUTSON, P.H. see BREIMER, D.D., 89, 657P
- - - see CURZON, G., 87, 21P
- HUYGHENS, L.P. see BOGAERT, M.G., 89, 538P
- IBRAHIM, M.E., LUNELL, N.O., MOBERGER, B. & THULESIUS, O. The effect of labetalol on contractility of human myometrium, 88, 450P
- IKEZONO, K. see BRODDE, O-E., 87, 85P
- - - see BRODDE, O.-E., 87, 200P
- ILLES, P. & NOREMBERG, W. α_2 -adrenergic inhibitory control of transmitter release in the rabbit mesenteric artery; an electro-physiological study, 89, 497P
- INGS, R.M.J. see CAMPBELL, D.B., 89, 746P
- INKPEN, P.M., RUDD, R.M., SEVER, P.S. & WINTER, R.J.D. In vivo recovery of β -adrenoceptors following irreversible blockade in rat model of human hypoxic disease, 88, 468P
- IRAVANI, M.M., MARSH, V.R. & ZAR, M.A. The effect of neuropeptide Y (NPY) on neurotransmission in rat vas deferens, 89, 578P
- ITOH, H., LEDERIS, K. & RIVIER, J. Fish neuropeptide urotensin 11 contracts rat aorta segments in vitro, 88, 311P
- IVERSEN, L.L. see BEER, M.S., 89, 520P
- - - see CRIPPS, H., 89, 787P

- JACKSON, H.C. & SEWELL, R.D.E. Attenuation of 2-deoxy-D-glucose hyperphagia following chronic administration of a μ - but not a κ - opioid agonist, 89, 672P
- - - Comparison of the food intake and locomotor effects of levallorphan, levorphanol and naltrexone, 87, 220P
- JACKSON, K.E. see HENDERSON, B., 87, 229P
- JACKSON, S.H.D. see ABRAMS, S.M.L., 89, 718P
- JACOBS, M. see ANDREWS, H.E., 89, 489P
- - - see DASHWOOD, M., 87, 194P
- JANDE, M.B. & SHARMA, S.C. The effect of cupric sulphate on compound 48/80 and concanavalin- a induced release of histamine from rat peritoneal mast cells, 89, 570P
- JANSZEN, F.H.A. see CALIS, J.I.M., 89, 496P
- JARDINE, E. see HAMILTON, C.A., 89, 494P
- JARRETT, F. see BLACKHAM, A., 89, 694P
- JEFFERSON, G.C. see FRENCH, A.M., 89, 582P
- JEFFRIES, L.M. & TODD, M.H. Effects of BAY K 8644 on blood pressure and heart in anaesthetised rats, 88, 386P
- JENNER, P. see BAKER, M.K., 89, 875P
- - - see BOYCE, S., 87, 197P
- - - see BOYCE, S., 89, 876P
- - - see CROZIER, C.S., 88, 327P
- - - see DAVIS, A., 89, 534P
- - - see DE CALLABOS, M.L., 88, 306P
- - - see HONG, M., 87, 163P
- - - see HONG, M., 88, 338P
- JENNER, P., KILPATRICK, G.J. & MARSDEN, C.D. Affinity chromatography of solubilised dopamine D₂ receptors using immobilised dopamine antagonists, 88, 339P
- JENNER, P., KUMAR, R., MARSDEN, C.D., REAVILL, C. & STOLERMAN, I.P. Characteristics of [³H]-(-)-nicotine binding to rat brain membranes, 88, 297P
- JENNER, P., MARSDEN, C.D. & ROSE, S. Accumulation of L-DOPA in muscle is enhanced by carbidopa administration, 88, 337P
- JENNER, P., MARSDEN, C.D. & STEWART, B. R. Pharmacological manipulation of pilocarpine-induced purposeless chewing in rats, 89, 794P
- JENNER, P., MARSDEN, C.D. & WELLER, M.E. Detection of [³H]SCH 23390 binding sites in tissue slices from rat brain stem, 89, 877P
- JENNER, P., MARSDEN, C.D., NOMOTO, M. & ROSE, S. Preservation of mesolimbic dopamine function may explain behavioural recovery in the MPTP-treated marmoset, 89, 514P
- JENNER, P., MARSDEN, C.D., NOMOTO, M. & STAHL, S. Antiparkinsonian activity following subcutaneous or oral administration of (+)-PHNO to MPTP-treated marmosets, 88, 340P
- - - Antiparkinsonian activity of (+)-PHNO in the MPTP-treated marmoset following subcutaneous infusion or skin application, 89, 626P
- JENNER, P., MARSDEN, C.D., ROSE, S. & WELLER, M.E. Are there dopamine receptors in the rat superior colliculus? 87, 162P
- JENNER, P., MARSDEN, C.D., STEWART, B. R. Inhibition of pilocarpine-induced purposeless chewing by mianserin suggests central anti-cholinergic activity, 88, 341P
- JENNETT, S.M. see FASEHUM, O.A., 88, 452P
- JEREMY, J.Y. see DANDONA, P., 89, 502P
- JESSUP, C.L., JESSUP, R., JOHNSON, M. & WAYNE, M. ICI 159995; inhibition of bronchoconstriction in the guinea pig, 87, 112P
- JESSUP, R. see JESSUP, C.L., 87, 112P
- JIE, K., VAN BRUMMELEN, P. & VERMEY, P. Comparison of the acute haemodynamic effects of pindolol and labetalol in healthy volunteers, 89, 741P
- JOHN, G. see DOXEY, J.C., 88, 462P
- JOHN, R.A. see COLE, G., 89, 628P
- JOHNS, E.J. A study in the rat of the renal effects of atriopentin III and an attempt to locate its site of action along the nephron, 89, 761P
- JOHNSON, J.V. see BENNETT, G.W., 88, 310P
- - - see BENNETT, G.W., 89, 543P
- JOHNSON, M. see CANDY, J.M., 88, 359P
- - - see JESSUP, C.L., 87, 112P
- JOHNSON, M.A. see HILL, R.G., 87, 170P
- JOHNSTON, A. see ABRAMS, S.M.L., 89, 716P
- - - see ABRAMS, S.M.L., 89, 718P
- JOHNSTON, A.M. see BUDHRAM, R., 88, 416P
- JOHNSTON, H.G. & MAJEWSKI, H. Involvement of cyclic nucleotides in pre-junctional adrenoceptor modulation of noradrenaline release, 89, 790P
- JOHNSTON, P. see BUTLER, A., 89, 508P

- JONES, B.J. see HIGGINS, G.A., 88, 294P
- - - see HIGGINS, G.A., 88, 333P
- JONES, C.A. see ATTERWILL, C.K., 87, 178P
- - - see ATTERWILL, C.K., 89, 732P
- JONES, D. see GRIFFITHS, A., 89, 707P
- JONES, D.R. see DEIGHTON, N.M., 88, 284P
- JONES, H.T. see ALLAN, G., 89, 607P
- JONES, R.L. see ARMSTRONG, R.A., 88, 263P
- - - see BARR, S.M., 88, 392P
- JONES, R.S.G. see HEINEMANN, U., 87, 5P
- JONES, T. & TAYLOR, G. Induction of drug metabolism by phenothiazine drugs: influence of lipophilicity, 87, 146P
- JONKMAN, F.A.M. see BODDEKE, H.W.G.M., 89, 587P
- - - see BODDEKE, H.W.G.M., 89, 615P
- - - see BRUERKES, R., 89, 616P
- JORDAENS, F. see BULT, H., 89, 548P
- JORDAN, A. see DENHAM, M.J., 89, 717P
- JORDAN, C.C. see BROWN, J.R., 88, 457P
- JORGENSEN, H.A. see BERGE, O.-G., 89, 639P
- JOSEPH, M.H. see GRAY, J.A., 87, 135P
- JOYNER, J.L. see AULT, B., 88, 461P
- KALKMAN, H.O. see BUCHHEIT, K.H., 88, 367P
- - - see HAGENBACH, A., 87, 136P
- - - see HOYER, D., 88, 302P
- KAN, J.P. see BIZIEREM, K., 87, 43P
- KANE, K.A. see BOACHIE-ANSAH, G., 88, 309P
- KATONA, C.L.E. see CHEETHAM, S.C., 89, 802P
- KAROBATH, M. see CREBA, J.A., 88, 388P
- KAUFFMAN, G.L., MONCADA, S. & WHITTLE, B. J.R. Prostacyclin prolongs bleeding from the mesenteric artery but not gastric mucosa of the rat, 89, 503P
- KAUFMAN, J.M. see AGON, P.Y., 89, 632P
- KAUMANN, A.J. Further differences between 5-HT receptors of atrium and ventricle in cat heart, 89, 546P
- - - see FRENKEN, M., 89, 550P
- KEANE, P.E. see CRESPI, F., 88, 344P
- KEENAN, A.K. see COONEY, D., 89, 596P
- - - see HILL, R., 87, 106P
- KEERY, R.J. & LUMLEY, P. Does feverfew extract exhibit phospholipase A₂ inhibitory activity *in vivo*? 89, 834P
- KELLAM, S. see CANNELL, R., 89, 826P
- KELLETT, R. see BOWMER, C.J., 89, 679P
- KELLY, E. & NAHORSKI, S.R. Dopamine D₂ antagonist-like effects of intrastriatal pertussis toxin in the rat, 87, 27P
- - - Functional activation of dopamine D₁ and D₂ receptors by endogenously-released dopamine in rat striatum, 88, 305P
- KELLY, E., NAHORSKI, S.R. & ROONEY, T. A. Pertussis toxin differentiates muscarinic stimulation of striatal phosphoinositide hydrolysis and adenylate cyclase inhibition, 87, 228P
- KELLY, J. see DETTMAR, P.W., 88, 463P
- - - see DETTMAR, P.W., 89, 498P
- - - see DETTMAR, P.W., 89, 668P
- KELLY, J.S. see ARBUTHNOTT, G.W., 89, 878P
- - - see ARBUTHNOTT, G.W., 89, 879P
- - - see BROOKS, P.B., 88, 456P
- KELLY, M.E. see COSTALL, B., 88, 332P
- - - see COSTALL, B., 89, 642P
- KELLY, R.W. see BARR, R., 87, 103P
- KELNER, K. see BANERJEE, D.K., 87, 67P
- KEMENY, D.M. see FULLER, R.W., 87, 13P
- KEMP, J.A. see FOSTER, A.C., 89, 869P
- - - see FOSTER, A.C., 89, 870P
- KEMP, J.A. & PRIESTLEY, T. Hyperpolarising responses to N-methyl-D-aspartate(NMDA)-receptor agonists, 89, 777P
- KEMP, J.A., PRIESTLEY, T. & WOODRUFF, G.N. MK-801, a novel, orally active anticonvulsant, is a potent, non-competitive N-methyl-D-aspartate-receptor antagonist, 89, 535P
- KEMPSFORD, R.D. see HAWGOOD, B.J., 89, 686P
- KENDALL, D.A. see HILL, S.J., 89, 771P
- KENDALL, D.A. & NAHORSKI, S.R. Effect of lithium treatment on agonist-stimulated inositol phospholipid hydrolysis in rat brain slices, 88, 255P
- KENNEDY, I. see BHALLA, P., 88, 278P
- KENNETT, G.A. see CURZON, G., 87, 20P
- KENNY, B.A., KILPATRICK, A.T., SPEDDING, M. Changes in [³H]-nitrendipine binding in gerbil cortex following ischaemia, 89, 858P
- KENT, P. see BOTTING, R.M., 89, 579P
- KERKUT, G.A. see HASSONI, A.A., 89, 824P

- KERR, M.B. & SENIOR, J. Systemic and specific regional haemodynamic differences between a normotensive and hypertensive strain of rat, 89, 844P
- KERWIN, R.W. see BLOOM, S.R., 88, 470P
- KETELAARS, C.E.J. & BRUINVELS, J. Is the GABA β receptor participating in the GABA-benzodiazepine relationship? 89, 627P
- KHINDER, J., MARTIN, L., WILSON, K. & YORK, M. Inhibition of histamine-N-methyltransferase by ranitidine analogues, 89, 856P
- KIANG, J.G. see BUCHAN, P., 88, 268P
- KIDD, E.J. see FOZARD, J.R., 88, 371P
- KILFEATHER, S.A., DAWSON, K. & DE BELLEROCHE, J. Lymphocyte β -adrenoceptors and multiple prostaglandin receptors- effects of ageing and smoking, 87, 113P
- KILPATRICK, A.T. see ALPS, B.J., 87, 95P
- - - see ALPS, B.J., 88, 249P
- - - see KENNY, B.A., 89, 858P
- KILPATRICK, G.J. see HONG, M., 87, 163P
- - - see JENNER, P., 88, 339P
- KILPATRICK, I.C., STARR, B.S. & STARR, M.S. The dopamine D₁ receptor agonist SKF 38393 potentiates D₂ motor responding in reserpinesed mice, 89, 862P
- KING, A.E. & NISTRI, A. D-aminophosphonovalerate selectively antagonizes N-methyl-D-aspartate induced currents in voltage clamped motoneurons in vitro, 89, 537P
- KING, R.C. see CATLOW, C.J., 88, 422P
- KINGMA, J.G. Jr. see DENNISS, A.R., 89, 737P
- KIRBY, M.J. see CROWLEY, B.L., 87, 121P
- KITTERINGHAM, N.R. see CHRISTIE, G., 88, 424P
- - - see COLEMAN, J.W., 88, 425P
- KLEIN, D.C. see HO, A.K., 88, 254P
- KLEIN, D.C. & SUGDEN, D. Activators of protein kinase C act at a post-receptor site to amplify β -adrenergic stimulation of pineal cyclic AMP, 89, 785P
- KNORR, A., LAGUNA, C. & STASCH, J.-P. Alteration in Na-handling and volume status by chronic nifedipine treatment in rats with 1-kidney, 1-clip renal hypertension, 89, 760P
- KNOX, R.J. see DICKENSON, A.H., 87, 61P
- KOLSTEE, J.A. see BAST, A., 89, 696P
- KONGOLA, G., RICHENS, A. & WILLIAMS, J. Determination of platelet GABA-transaminase (GABA-T) activity as a means of assessing the effect of GABA-T inhibitors, 89, 563P
- KONIG, E., LOBEL, P., SCHROR, K. & WEISS, P. Stereochemical relationship of organic nitrates for coronary PGI₂ stimulation, vessel tone and platelet function, 87, 114P
- KOOL, D.J. see VEENENDAAL, G.H., 89, 585P
- KORO, O. see BARR, R., 87, 103P
- KORO, O. see BARR, R.M., 88, 394P
- KORSTANJE, C. & VAN ZWIETEN, P.A. Effect of α -adrenoceptor antagonists and calcium entry blocking drugs on vasoconstriction in rat perfused hindquarters in vitro, 89, 617P
- KRAMER, K. see BAST, A., 89, 695P
- KRAMP, R. see GENARD, J., 89, 678P
- KRETSCH, R. see BRODDE, O.-E., 87, 85P
- KRIJZER, F. Effects of antidepressant and neuroleptic drugs on the quantitatively analyzed electroencephalogram of the rat, 89, 635P
- KRIJZER, F. Typical profiles for the antidepressant and neuroleptic drug class based on quantitatively analyzed cortical EEG of the rat, 89, 636P
- KRUK, Z.L., MILLAR, J. & STAMFORD, J. A. Measurement of stimulated dopamine release by vivo voltammetry: the influence of stimulus parameters on drug responses, 88, 470P
- KUMAR, R. see JENNER, P.G., 88, 297P
- KUONEN, D.R., ROBERTS, P.J. & SHARPE, J.A. Solubilisation of an extra-junctional glutamate binding protein from rat brain membranes, 87, 158P
- KUPPERN, P.J.K. see DE BRUIJN, E.A., 89, 510P
- L'HEUREUX, R. see CARTER, C.J., 88, 307P
- LAD, N. see HANAHOE, T.H.P., 89, 792P
- LAEKEMAN, G.M. see DECKERS, I.A., 89, 651P
- LAFI, M.A.K. see BARWELL, C.J., 89, 839P
- LAFI, M.A.K. & LEAKE, L.D. Chronic guanethidine denervation reveals dopamine has mixed actions on the rat vas deferens, 88, 432P

- - - (-) Deprenyl: an α -adrenoceptor antagonist on the rat vas deferens, 87, 147P
- - - Different α -adrenoceptors mediate tonic and rhythmic contractions of the rat vas deferens, 89, 581P
- LAGUNA, C. see KNORR, A., 89, 760P
- LAHER, I. see BEVAN, J.A., 88, 384P
- LAL, C. & NAYLOR, I.L. Granulation tissue induced by croton oil - a suitable model for wound healing? 88, 402P
- - - The role of calcium ions and cAMP in the contractility of myofibroblasts in the rat testicular capsule, 89, 811P
- LAMBERT, J.J., NOONEY, J.M. & PETERS, J. A. A patch clamp study of the cholinergic blocking action chromaffin cells, 87, 28P
- LAMBRECHTS, A.C. see DE JONG, W., 89, 688P
- LAMMERS, J-W.J. see BELD, A.J., 89, 477P
- LANGE, K. see DREYLING, K.W., 88, 236P
- LANGER, S.Z. see ARBILLA, S., 87, 30P
- - - see ARBILLA, S., 87, 39P
- - - see ARBILLA, S., 87, 80P
- - - see ARBILLA, S., 88, 287P
- - - see ARBILLA, S., 88, 345P
- - - see ARBILLA, S., 89, 754P
- - - see ARBILLA, S., 89, 793P
- - - see CAVERO, I., 88, 449P
- - - see DUVAL, N., 89, 634P
- - - see GALZIN, A-M., 87, 17P
- - - see GALZIN, A-M., 87, 23P
- - - see GALZIN, A-M., 89, 525P
- - - see GALZIN, A-M., 89, 533P
- LANGER, S.Z. & SCHOEMAKER, H. High affinity inhibition by ergotamine of [3 H]-8-OH-DPAT binding to hippocampal 5HT_{1A} receptors, 89, 524P
- LANGER, S.Z., DE OLIVEIRA, A.M. & SCHOEMAKER, H. Temperature dependence of substrate interaction with [3 H]-mazindol binding to the noradrenaline transporter, 89, 630P
- LANGER, S.Z., PIMOULE, C., REYNOLDS, G. P. & SCHOEMAKER, H. Dopaminergic denervation does not affect [3 H]-SCH 23390 binding in the rat striatum: similarities to Parkinson's disease, 87, 161P
- LASHENKO, A. see FINNEN, M.J., 88, 406P
- - - see FINNEN, M.J., 88, 407P
- LAW, K.A. see DE BRITO, F.B., 89, 567P
- LAWRENCE, D. see ALGATE, D.R., 88, 321P
- - - see ALGATE, D.R., 89, 738P
- LAYCOCK, S.M. see BURGESS, M.F., 88, 410P
- LAZARENO, S. see HAWCOCK, A.B., 88, 357P
- LEAKE, L.D. see BARWELL, C.J., 89, 839P
- - - see LAFI, M.A.K., 87, 147P
- - - see LAFI, M.A.K., 88, 432P
- - - see LAFI, M.A.K., 89, 501P
- LECHAIRE, J. see CAVERO, I., 87, 190P
- LEDERIS, K. see ITOH, H., 88, 311P
- LEE, C.R. see DUVAL, N., 89, 634P
- LEEFLANG, P. see DE BRUIJN, E.A., 89, 510P
- LEES, I.W. see GAZELEY, M.J.S., 87, 122P
- LEES, I.W. & PAYNE, A.N. Adaptation and use of an ultrasonic nebuliser for inhalational studies in laboratory animals, 87, 225P
- LEES, I.W., PAYNE, A.N., WALLACE, J.L. & WHITTLE, B.J.R. Cardiopulmonary and gastric actions of intravenous PAF in anaesthetized cats, 89, 504P
- LEES, P. see EWINS, C.P., 89, 763P
- LEES, P., MAITHO, T.E. & TAYLOR, J.B.O. Absorption of phenylbutazone in the horse following oral administration, 89, 762P
- LEESON, P. see ELLIS, D., 89, 829P
- LEEUWIN, R.S., MULDER, R., VERSLUJIS-BROERS, J.A.M. & VAN WILGENBURG, H. Evidence for presynaptic muscarinic receptors involved in the effects of F7-toxin on rodent motor end-plate, 89, 556P
- LEEUWIN, R.S., WERDMULLER, B.F.M. & VAN WILGENBURG, H. Direct effects of diazepam on growth and decay phases of miniature endplate currents in the isolated rat diaphragm preparation, 88, 460P
- LEEUWIN, R.S., WERDMULLER, B.F.M., VAN WILGENBURG, H. & ZEEGERS, A. Direct excitatory and inhibitory effects of two benzodiazepines on neuromuscular transmission, 89, 575P
- LEFEVRE, R.A. see BLANCQUAERT, J.P., 89, 517P
- - - see BOGAERT, M.G., 87, 25P
- - - see DUPONT, A.G., 89, 492P
- LEFEVRE-BORG, F. see CAVERO, I., 87, 190P
- LEFF, P., MARTIN, G.R. & MORSE, J. Classification of peripheral 5-HT₂ receptors using agonist and antagonist tryptamine analogues, 89, 752P

- LEFORT, J., MALANCHERE, E., PRETOLANI, M. & VARGAFTIG, B.B. Immunisation induces bronchial hyper-reactivity and increased mediator release from guinea pig lungs, 89, 768P
- LEFOURNIER, C. see ARMSTRONG, J.M., 87, 96P
- LEIGH, B.K. see CLACUTT, C.R., 89, 773P
- - - see ENGLAND, P.J., 89, 572P
- LEMBECK, F. see HOLZER-PETSCH, U., 89, 683P
- LEMMEN, C.M. see DE SCHEPPER, P.J., 89, 702P
- LENARD, M.S. see BAX, N.D.S., 89, 709P
- LESLIE, C.A. see FORSYTH, K.M., 89, 828P
- LEURS, R. see BAST, A., 89, 695P
- - - see BAST, A., 89, 697P
- LEVER, M.J. see GREENWALD, S.E., 87, 56P
- LEVI, S. see DOBBS, R.J., 89, 722P
- LEVINE, J.H. see DE LANGEN, C.D.J., 89, 611P
- LEWIS, D.J.M. see HORNE, J.J., 89, 714P
- LEWIS, E.J. see BRADSHAW, D., 89, 816P
- LEWIS, G.P. see BARRETT, M.L., 89, 505P
- LEWIS, M.J. see FURLONG, B., 88, 447P
- LEWIS, P.A. see DAVIES, D.E., 89, 721P
- LHOSTE, F. see CAVERO, I., 88, 453P
- LI, I.S. see AUYEUNG, A., 89, 779P
- LIGHTON, C. see BENNETT, G.W., 87, 216P
- LINDEYER, E.W., RAGHOEBAR, M., VAN DEN BERG, W.B. & VAN GINNEKEN, C.A.M. In search of a pharmacokinetic model for the association of antibiotics to neutrophils, 89, 661P
- LIPPE, I.Th. see BARTHO, L., 89, 684P
- LITTLE, H.J. Benzodiazepine agonists and inverse agonists both decrease locomotor activity and body temperature but show mutual antagonism, 88, 293P
- - - see DOLIN, S.J., 87, 40P
- - - see DOLIN, S.J., 89, 622P
- - - see DOLIN, S.J., 89, 866P
- LITTLE, H.J., MOLYNEUX, S.G., NUTT, D.J., STANFORD, S.C. & TAYLOR, S.C. The effect of a single dose of FG-7142 on monoamine concentrations in mouse cerebral cortex, 87, 45P
- LITTLE, H.J., NUTT, D.J. & TAYLOR, S.C. Does chronic benzodiazepine administration cause a "withdrawal shift" across the whole benzodiazepine ligand spectrum? 89, 796P
- - - Optimising the pentylenetetrazol infusion method for measuring seizure thresholds, 88, 326P
- LITTLE, H.J., STANFORD, S.C. & TAYLOR, S.C. β -adrenoceptor upregulation after FG7142 is abolished by chronic treatment with the anti-depressant desmethyylimipramine, 89, 800P
- LITTLETON, J.M. see HUDSPITH, M.J., 89, 623P
- LIVINGSTON, A. see BOUCHENAF, O., 88, 346P
- LIVINGSTON, A., NOLAN, A. & WATERMAN, A. The relationship between analgesia induced by, and plasma concentration of, buprenorphine in the sheep, 88, 363P
- LLOYD, K.G. see DELAHAYE, M., 87, 79P
- LLOYD, K.G. & PICHAT, P. Decrease in GABA_B binding in the frontal cortex of olfactory bulbectomized rats, 87, 36P
- LLOYD, K.G., MOREL, E., PERRAULT, G. & ZIVKOVIC, B. GABA-dependent and GABA-independent effects of benzodiazepines and zolpidem, 87, 38P
- LOBBEZOO, M. see VAN DALEN, D., 89, 654P
- LOBEL, P. see KONIG, E., 87, 114P
- LOBO, P.J., HORTH, C.E. & WILSON, K. Effect of plasma protein binding on uptake of some steroids by isolated adipocytes, 89, 850P
- - - Propranolol plasma concentrations and protein binding in rats with adjuvant-induced inflammation, 89, 813P
- LODEWIJKS, M.Th.M. see BREIMER, D.D., 89, 482P
- LODGE, D. see ARAM, J., 89, 778P
- - - see CHURCH, J., 88, 270P
- LODGE, D. & MARTIN, D. Receptors for quinolinate on cortical and spinal neurones, 88, 271P
- LOESBERG, C., FOLKERTS, G., WOUTERSEN-VAN NIJNANTEN, F.M.A. & NIJKAMP, F. P. Dietary effects on β -adrenergic receptor reactivity in guinea-pig trachea, 89, 499P
- LOGAN, M.J. & MCLEAN, W.G. The effect of acrylamide on the retrograde axonal transport of specific proteins in rat sciatic nerve, 88, 351P
- LOLIN, Y.I. see CURZON, G., 89, 658P
- LONG, C.J. & STONE, T.W. Absence of a direct effect of adenosine on skinned aortic fibres, 89, 591P

- - - Evidence against the involvement of adenosine in endothelium mediated responses of rat aorta, 87, 207P
- - - A preferential activity of adenosine against intracellular calcium in rat aorta, 87, 8P
- LONGSTAFF, A. see CATT, L.J., 89, 804P
- LOO, H. see GALZIN, A-M., 89, 525P
- LORENZ, W. see ENNIS, M., 89, 569P
- LORRAIN, J. see CAVERO, I., 88, 449P
- - - see CAVERO, I., 88, 453P
- - - see DONATO DI PAOLA, E., 88, 442P
- LOUTTIT, J.B. see DOLAMORE, P.G., 87, 176P
- LOWE, K.C. see BOLLANDS, A.D., 87, 118P
- - - see BOLLANDS, A.D., 89, 664P
- - - see DAVIS, S.S., 89, 665P
- LUMLEY, P. see BUSHFIELD, M., 89, 855P
- - - see HUMPHREY, P.P.A., 89, 820P
- - - see KEERY, R.J., 89, 834P
- LUMLEY, P. & ROBERTSON, M.J. Do conditions in vitro, which mimic ischaemia in vivo potentiate the negative inotropic effect of verapamil? 88, 444P
- - - The differential potentiation of the effects of calcium channel blockers by conditions in vitro which mimic ischaemia in vivo, 89, 759P
- LUNELL, N.O. see IBRAHIM, M.E., 88, 450P
- LUTHI, P. see ATKINSON, J., 89, 740P
- LYE, R.H., PARSONS, A.A. & WHALLEY, E.T. Effect of iloprost (ZK36374) and prostacyclin on in vitro human cerebral arteries, 89, 691P
- LYLES, G.A. see FLUCKER, C.J.R., 87, 68P
- LYNAS, A.G.A. see CLARKE, R.S.J., 89, 471P
- LYONS, S.M. see CARSON, I.W., 89, 474P
- MCCALLISTER, H.G. see RIDDELL, J.G., 87, 227P
- MCCABE, D.V. see HALL, J.M., 89, 609P
- MCCAFFREY, P.M., RIDDELL, J.G. & SHANKS, R.G. The selectivity partial agonist activity of xamoterol in man measured by its effects in the presence and absence of ICI 118,551, 89, 594P
- MCCAIG, D.J. & RODGER, I.W. Electro-physiological effects of leukotriene D₄ in guinea-pig airway smooth muscle, 88, 399P
- MCCANN, J.P., MCELNAY, J.C., NICHOLLS, D.P., SCOTT, M.G. & STANFORD, C.F. Oral salbutamol does not affect theophylline kinetics, 89, 715P
- MCCARTHY, P.S. see BLACKMAN, D.E., 88, 354P
- - - see BLACKMAN, D.E., 89, 874P
- MCCLELLAND, C.M. see COOPER, S.M., 88, 383P
- - - see DUNBAR, A.W., 88, 319P
- MCCLELLAND, R.J. see RIDDELL, J.G., 87, 227P
- MCCLUE, S.J. see GODFREY, P.P., 87, 117P
- MCCULLAGH, P.J. see RIDDELL, J.G., 87, 227P
- MCCULLOCH, J. see FILE, S.E., 89, 871P
- MCCURRIE, J.R. see EL MURADI, E.M.A., 88, 448P
- MACDERMOT, J. see CROSSMAN, D., 89, 542P
- - - see FULLER, R.W., 87, 13P
- MCDERMOTT, A.M. see ABRAMS, S.M.L., 89, 716P
- MACDONALD, A. see DETTMAR, P.W., 88, 463P
- - - see DETTMAR, P.W., 89, 498P
- - - see DETTMAR, P.W., 89, 668P
- MCDUGALL, H. see MARTIN, K.F., 89, 729P
- MCELNAY, J.C. see MCCANN, J.P., 89, 715P
- MCEWAN, J. see CROSSMAN, D., 89, 542P
- MCFADZEAN, I. see HENDERSON, G., 87, 58P
- MCGRATH, J.C. see BULLOCH, J.M., 89, 577P
- - - see DAINTY, I.A., 88, 369P
- - - see DAINTY, I.A., 89, 884P
- - - see FASEHUN, O.A., 88, 452P
- MCGRATH, J.C. see MACLEMMAM, S.J., 89, 587P
- MCGRATH, J.C. & MACLENNAN, S.J. Oxygen modifies the potency of 5-HT, and of 5-HT antagonists, in human umbilical artery (HUA), 88, 320P
- MCGRATH, J.C. & MUIR, A. Effect of EDRF on contraction of rat aorta by noradrenaline and interaction with an α_2 -adrenoceptor antagonist and a Ca⁺⁺ activator, 89, 687P
- MCGRATH, J.C. & UGWU, A.C. Effects of BAY K8644 and nifedipine on isolated perfused rat tail artery under different oxygen tensions, 88, 385P
- MCHARG, A.D. see HALL, M.T., 87, 193P
- MCHARG, A.D., PARRATT, J.R. & WADSWORTH, R.M. The effect of amlodipine, nifedipine and diltiazem

- on Ca contractions of canine coronary artery rings, 89, 539P
- MCINTOSH, A. see BUTLER, A., 89, 508P
- MACINTYRE, D.E. see BARR, S.M., 88, 392P
- - - see BUSHFIELD, M., 88, 262P
- - - see BUSHFIELD, M., 89, 791P
- - - see BUSHFIELD, M., 89, 855P
- MACINTYRE, D.E. & MCKAY, J. Linoleic acid inhibits thromboxane A₂-induced phosphoinositide hydrolysis and Ca²⁺ flux in human platelets, 87, 10P
- MACINTYRE, D.E. & ROSSI, A.G. The effect of perussis toxin on agonist-induced phosphoinositide hydrolysis and changes in cytosolic free Ca²⁺ in human neutrophils, 88, 253P
- MACINTYRE, I. see BEVIS, P.J.R., 88, 314P
- - - see BRAIN, S.D., 87, 54P
- - - see BRAIN, S.D., 88, 440P
- - - see CROSSMAN, D., 89, 542P
- - - see GREENWALD, S.E., 87, 56P
- MACINTYRE, R. see GALLOWAY, D.J., 87, 109P
- MCKAY, J. see MACINTYRE, D.E., 87, 10P
- MCKEAN, F.M. see FRENCH, A.M., 89, 582P
- MCKECHNIE, K. see BRYSON, S.E., 87, 230P
- MACKENZIE, J.E. see HERSOM, A.S., 88, 353P
- MACKENZIE, J.E., PARRATT, J.R. & SITSAPESAN, R. The antiarrhythmic properties of naloxone and MrZ 2593 (naloxone methobromide) in vivo and in vitro, 89, 613P
- - - The effects of drugs interacting with opioid receptors on ischaemic arrhythmias in anaesthetised rats, 89, 614P
- MCLEAN, W.G. see LOGAN, M.J., 88, 351P
- MACLENNAN, S.J. see MCGRATH, J.C., 88, 320P
- MACLENNAN, S.J. & MCGRATH, J.C. Evidence for "5-HT₁-like" receptors in human umbilical artery (HUA), 89, 587P
- MCMILLAN, R.M., MILLEST, A.J., PROUDMAN, K.E. & TAYLOR, K.B. Evaluation of lipoxxygenase inhibitors ex vivo, 87, 53P
- MCNAMEE, P.M., MARKHAM, A. & SWEETMAN, A.J. Flufenamic acid inhibits prostaglandin F_{2α}, E₂ and D₂ biosynthesis in sensitised guinea-pig lung, 87, 116P
- MCNAMEE, P.M., MARKHAM, A. & SWEETMAN, A.J. Flurenamic acid promotes calcium release from lung mitochondria in non-sensitized and sensitized guinea pigs, 89, 734P
- MCNICOL, A. see BARR, S.M., 88, 392P
- MCQUEEN, D.S. ICI 174864 antagonises met-enkephalin-induced depression of chemosensory discharge in anaesthetized cats, 88, 275P
- MCRITCHIE, B. see COOPER, S.M., 88, 383P
- MACRUM, B.L., NELSON, E.E. & POVZHITKOV, M.M. Beneficial effects of allopurinol on survival and infarct size following coronary artery ligation in the rat, 89, 544P
- MAES, R.A.A. see AALDERS, R.J.W., 89, 703P
- MAGGS, J.L. & PARK, B.K. The metagolism of sorbinil in the rat, 89, 851P
- MAGNIER, G. see DELAHAYE, M., 87, 79P
- MAGUIRE, J.P. see CALCUTT, C.R., 89, 773P
- MAGUIRE, M. see BARNETT, D.B., 87, 223P
- MAHONEY, M. see BUTLER, A., 89, 508P
- MAIN, I.H.M. & WILSON, G.A.M. Modulation of forskolin-induced gastric acid secretion in vitro; potentiation of secretagogue responses by sub-threshold doses, 87, 128P
- MAITHO, T.E. see LEES, P., 89, 762P
- MAITRE, D. see GROSSET, A., 87, 2P
- MAJEWSKI, H. see JOHNSTON, H.G., 89, 790P
- MALANCHERE, E. see LEFORT, J., 89, 768P
- MALLOWS, R.S.E. see BOLTON, T.B., 87, 64P
- MANN, G. see GARDNER, C.R., 89, 867P
- MANNING, A.S. see CROME, R., 89, 755P
- MANNION, D. & DAVIS, W.G. Modification of diuresis by propranolol in the ethanol-anaesthetised rat, 89, 680P
- MARANDA, B. see ATKINSON, J., 89, 740P
- MARKHAM, A. see BAYDOUN, A.R., 88, 387P
- - - see BAYDOUN, A.R., 89, 619P
- - - see CAMERON, I., 88, 455P
- - - see MCNAMEE, P.M., 87, 116P
- - - see MCNAMEE, P.M., 89, 734P
- MARR, J.F. & SMITH, G.M. The effect of platelet-derived substances on

- bronchoconstriction in guinea pigs, 87, 115P
- MARRIOTT, D. see ADAMS, M., 88, 248P
 - - - see ADAMS, M., 89, 666P
- MARRS, T.C. see BRIGHT, J.E., 87, 119P
- MARSDEN, C.A. see BENNETT, G.W., 87, 216P
 - - - see BENNETT, G.W., 88, 300P
 - - - see BENNETT, G.W., 89, 530P
 - - - see BORKOWSKI, K.R., 88, 286P
- MARSDEN, C.A. & MARTIN, K.F. 5-HT release and metabolism in rat brain decreased by 8-OH-DPAT (i.v.): involvement of 5-HT and α_2 -adrenoceptors, 88, 301P
- MARSDEN, C.D. see BAKER, M.K., 89, 875P
 - - - see BOYCE, S., 87, 197P
 - - - see BOYCE, S., 89, 876P
 - - - see DAVIS, A., 89, 534P
 - - - see DE CALLABOS, M.L., 88, 306P
 - - - see HONG, M., 87, 163P
 - - - see HONG, M., 88, 338P
 - - - see JENNER, P., 87, 162P
 - - - see JENNER, P.G., 88, 297P
 - - - see JENNER, P., 88, 337P
 - - - see JENNER, P., 88, 339P
 - - - see JENNER, P., 88, 340P
 - - - see JENNER, P., 88, 341P
 - - - see JENNER, P., 89, 519P
 - - - see JENNER, P., 89, 626P
 - - - see JENNER, P., 89, 794P
 - - - see JENNER, P., 89, 877P
- MARSH, V.R. see IRAVANI, M.M., 89, 578P
- MARSHALL, C.G. & OGDEN, D.C. The concentration-response relationship for carbachol activation of single channels at the frog endplate, 87, 140P
- MARSHALL, C.M.S. see FLUCKER, C.J.R., 87, 68P
- MARSHALL, I. see AL-KAZWINI, S.J., 88, 439P
 - - - see CRAIG, R.K., 87, 55P
 - - - see CRAIG, R.K., 88, 312P
- MARSHALL, P. see BORKOWSKI, K.R., 88, 286P
- MARSHALL, R.J. see DICKSON, M., 89, 612P
- MARTIN, D. see ARAM, J., 89, 778P
 - - - see LODGE, D., 88, 271P
- MARTIN, F. see GILNA, P., 87, 165P
- MARTIN, F. & WHELAN, J. Effect of bombesin on rat prolactin specific mRNA levels in GH₃ cells, 87, 179P
- MARTIN, G. see HUGHES, A., 88, 282P
- MARTIN, G., SCHACHTER, M. & SEVER, P.S. Fluoride-induced contraction in rat aorta, 89, 608P
- MARTIN, G.R. see LEFF, P., 89, 752P
- MARTIN, K.F. see MARSDEN, C.A., 88, 301P
- MARTIN, K.F., MASON, R. & MCDUGALL, H. Electrophysiological evidence that isapirone (TVX Q7821) is a partial agonist at 5-HT_{1A} receptors in the rat hippocampus, 89, 729P
- MARTIN, L. see KHINDER, J., 89, 856P
- MARTIN, U. see BRAYDEN, D., 87, 50P
- MARTIN, W., MORGAN, R.O., SMITH, J.A. & WHITE, D.G. Haemoglobin inhibits vasodilation induced by stimulants of soluble but not particulate guanylate cyclase in rabbit aorta, 88, 267P
- MARTORANA, M. see BARRON, E., 87, 4P
- MASERI, A. see BLOOM, S.R., 88, 470P
- MASHURANO, M. & WADDINGTON, J.L. Behavioural responses to the D₁ dopamine receptor agonist SK&F 38393 and the D₂ agonist RU24213 alone and in combination, 88, 303P
 - - - The topography of behaviours promoted by a selective D-2 dopamine receptor agonist in combination with a selective D-1 agonist, 89, 518P
- MASKELL, L.B. see ANDREWS, P.L.R., 89, 860P
- MASON, D.F.J. & MEDBAK, S. Plasma met-enkephalin and catecholamines responses to artificial hyperventilation in anaesthetised greyhounds, 88, 315P
- MASON, R. Circadian variation in the sensitivity of rat frontal cortical neurones to iontophoresed 5-HT, 87, 138P
 - - - see COX, C.M., 89, 528P
 - - - see CROZIER, C.S., 88, 327P
 - - - see MARTIN, K.F., 89, 729P
- MASSICOTTE, G., PARENT, A., SAINT-LOUIS, J. & SCHIFFRIN, E.L. Decreased *in vivo* and *in vitro* responses to vasoconstrictor agents in pregnant normotensive and spontaneously hypertensive rats, 89, 598P
- MATHEWS, H.M.L. see CARSON, I.W., 89, 474P
- MATHY, M.-J. see BATINK, H.D., 89, 554P
- MATHY, M.-J. see BECKERINGH, J.J., 89, 490P
- MAURA, G. see BONANNO, G., 89, 529P
- MAWHINNEY, I. see EWINS, C.P., 89, 763P
- MAZZONI, L. see DEEMING, K., 87, 73P

- MAY, P. see AUYEUNG, A., 89, 779P
 MEAKIN, J. see ATTERWILL, C.K., 89, 733P
 MEAL, A. see COX, C.M., 89, 528P
 MEDBAK, S. see MASON, D.F.J., 88, 315P
 MEEHAN, A.S. see DEWHURST, D.G., 89, 881P
 - - - see DEWHURST, D.G., 89, 882P
 MEGHJI, P., MIDDLETON, K. & NEWBY, A.C. Differential effect on dilazep on adenosine metabolism in the guinea-pig and heart, 88, 280P
 MEGHJI, S.A. see DRAPER, A.J., 88, 466P
 MEINEKE, I. see DE MEY, C., 89, 724P
 MELDRUM, B.S. see ASCHIOTI, C., 88, 379P
 - - - see BOWKER, H.M., 88, 328P
 - - - see DE SARRO, G.B., 88, 329P
 MELDRUM, B.S., MELLO, L., MILLAN, M. & PATEL, S. Entopeduncular injection of 2-APH or muscimol protects against pilocarpine-induced limbic seizures, 87, 69P
 MELLO, L. see MELDRUM, B.S., 87, 69P
 MERCER, A. see GRIFFITHS, A., 89, 707P
 MEYER, W. & SCHOLZ, H. Inotropic and phosphodiesterase inhibiting effects of pimobendan on human isolated cardiac preparations, 89, 750P
 MICHAUD, J.C. see DESARMENIEN, M., 87, 150P
 MICHEL, A.D. see EGLEN, R.M., 89, 655P
 MICHEL, M.C. see BECKERINGH, J.J., 89, 564P
 - - - see BRODDE, O.-E., 87, 200P
 MICHALEK, R. see ARKLE, S., 89, 590P
 MICHELETTI, R. see BIETTI, G., 88, 259P
 - - - see BRAMBILLA, A., 88, 356P
 - - - see GIACHETTI, A., 88, 261P
 MIDDLETON, K. see MEGHJI, P., 88, 280P
 MIDTBO, K. see REYNOLDS, G., 89, 480P
 MIENVILLE, J.M. see DESARMENIEN, M., 87, 150P
 MIHARA, S. & NORTH, R.A. Receptors for δ opioids, α_2 -agonists and somatostatin are coupled to the same potassium conductance in submucous plexus neurones, 87, 228P
 MILLAN, M. see MELDRUM, B.S., 87, 69P
 MILLAR, J. see KRUK, Z.L., 88, 470P
 MILLER, A.A. see COLLINS, K.J., 87, 154P
 MILLEST, A.J. see MCMILLAN, R.M., 87, 53P
 MILLIGAN, J.G., RIDDELL, J.G. & SHANKS, R.G. Characterization of human placental adrenoceptors, 89, 588P
 MILLS, G. see ALLAN, G., 89, 607P
 MINCHIN, M.C.W. & WOOD, M.D. A convenient procedure for the assay of [3 H]-labelled inositol phosphates, 89, 784P
 MINER, W.D., SANGER, G.J. & TURNER, D. H. Comparison of the effect of BRL 24924, metoclopramide and domperidone on cisplatin-induced emesis in the ferret, 88, 374P
 MIR, A.K. see BOURSON, A., 89, 624P
 - - - see BOURSON, A., 89, 625P
 MIR, A.K. & SPEDDING, M. Palmitoyl carnitine, a lipid metabolite produced in ischaemia, activates Ca^{2+} channels in smooth muscle, 88, 381P
 MIRAKHUR, R.K. see BRADY, M.M., 89, 472P
 MISHRA, N. see HAMILTON, C.A., 88, 352P
 MISTRY, H. see DAVIES, S.L., 89, 801P
 MITCHELL, I.J. see CROSS, A.J., 88, 350P
 MITCHELL, R.C. see CALCUTT, C.R., 89, 773P
 MITCHELL, R.C. see GANELLIN, C.R., 89, 772P
 MOBERGER, B. see IBRAHIM, M.E., 88, 450P
 MOHANTY, G. see SRINIVASAN, S., 89, 559P
 MOHLER, H., PIERI, L., POLC, P. & SCHERSCHLICHT, R. Stereospecific CNS effects of the GABA-transaminase inhibitor L-cycloserine are potentiated by diazepam, 88, 324P
 MOLYNEUX, S.G. see GRAY, J.A., 87, 149P
 - - - see LITTLE, H.J., 87, 45P
 MONCADA, S. see ASTBURY, P., 87, 14P
 - - - see FITZGERALD, M.F., 88, 231P
 - - - see KAUFFMAN, G.L., 89, 503P
 MONS, G. see BIZIERE, K., 87, 43P
 MONTEIRO, E.C. & RIBEIRO, J.A. Influence of adenosine on heart responses to vagal nerve stimulation, 87, 184P
 MOON-PARVIN, D. see FLOWER, R.J., 89, 743P
 MOORE, A.R. see DE BRITO, F.B., 89, 662P
 MOORE, E.N. see DE LANGEN, C.D.J., 89, 611P
 MOORE, M.R. see ARROL, S., 89, 852P
 MOREL, E. see LLOYD, K.G., 87, 38P

- MOREL, E., PERRAULT, G., SANGER, D.J. & ZIVKOVIC, B. Diazepam antagonist effects of the pyrazoloquinoline GCS 9896, 88, 295P
- MOREL, N. see GODFRAIND, T., 89, 507P
- - - see GODFRAIND, T., 89, 601P
- MORGAN, G.P. see ALLEN, S.L., 87, 228P
- - - see ALLEN, S.L., 89, 752P
- MORGAN, R. see CAMERON, I., 88, 455P
- MORGAN, R.M. see BAYDOUN, A.R., 88, 387P
- - - see BAYDOUN, A.R., 89, 619P
- MORGAN, R.O. see MARTIN, W., 88, 267P
- MORINAN, A. & PARKER, V. Anxiolytic effects of chlordiazepoxide in socially isolated rats, 89, 868P
- MORLEY, J. see DEEMING, K., 87, 73P
- MORLEY, M.J. see BRADSHAW, C.M., 87, 24P
- MORON, A. see BADIA, A., 89, 689P
- MORRIS, B.J. see HERZ, A., 88, 378P
- MORRIS, H.R. see BRAIN, S.D., 87, 54P
- - - see GREENWALD, S.E., 87, 56P
- MORRIS, J. see CAMP, R.D.R., 88, 244P
- MORRIS, P.K. see FULLER, R.W., 87, 13P
- MORSE, J. see LEFF, P., 89, 752P
- MORSELLI, P.L. see DURAND, A., 89, 730P
- MORTON, A.J. see CALLINGHAM, B.A., 87, 189P
- MORTON, I.K.M. see HALL, J.M., 87, 206P
- MORTON, I.K.M. see HALL, J.M., 89, 609P
- MOURA, D. see GUIMARAES, S., 89, 838P
- MOURIS, H.G. see BELD, A.J., 89, 477P
- MRWA, U. see BOSS, H., 87, 97P
- - - see BOSS, H., 87, 102P
- MUIR, A. see MCGRATH, J.C., 89, 687P
- MUIR, T.C. see BEATTIE, D.T., 88, 252P
- MULCH, J. see FRITSCH, R., 89, 751P
- MULDER, R. see LEEUWIN, R.S., 89, 556P
- MULROY, S.C. see DREW, G.M., 87, 86P
- MUNBY, J. & WILSON, K.A. Noradrenaline responses of vascular muscle from rats pre-treated with ethinyloestradiol or norethisterone, 89, 822P
- MURDOCH, F.A. see BUSHFIELD, M., 89, 791P
- MURPHY, I.J. see HOLROYDE, M.C., 88, 396P
- MYLEK, M.E. see CALCUTT, C.R., 89, 773P
- NAHORSKI, S.R. see BARNETT, D.B., 87, 222P
- - - see EK, B., 87, 32P
- - - see KENDALL, D.A., 88, 255P
- - - see HERDON, H., 87, 164P
- - - see HERDON, H., 89, 641P
- - - see KELLY, E., 87, 27P
- - - see KELLY, E., 87, 228P
- - - see KELLY, E., 88, 305P
- NAHORSKI, S.R. & STRUPISH, J. A direct assay for tyrosine hydroxylation in superfused rat striatal slices, 88, 343P
- NATOFF, I.L. see COOPER, A.J., 89, 846P
- NAYLOR, I.L. see ELASED, K.M., 89, 810P
- - - see LAL, C., 88, 402P
- - - see LAL, C., 89, 811P
- NAYLOR, R.J. see BARNES, N.J.G., 88, 304P
- - - see BARNES, J.C., 88, 334P
- - - see BRADBURY, A.J., 87, 187P
- - - see BRADBURY, A.J., 87, 214P
- - - see COSTALL, B., 88, 375P
- - - see COSTALL, B., 89, 642P
- - - see GUNNING, S.J., 88, 372P
- - - see GUNNING, S.J., 88, 373P
- NAYLOR, V.J.H. see BLACKMAN, D.E., 88, 354P
- - - see BLACKMAN, D.E., 89, 874P
- NEDERGAARD, O.A. Modulation by isoprenaline of [3 H]-noradrenaline release from rabbit isolated pulmonary artery, 88, 467P
- NEDERGAARD, O.A. see ABRAHAMSEN, J., 87, 195P
- - - see ABRAHAMSEN, J., 88, 281P
- NEILD, T.O. & WADSWORTH, R.M. Electrophysiological properties of the mesenteric artery in the hypertensive rabbit, 87, 1P
- NEILL, J. see FOZARD, J.R., 88, 371P
- NEILL, J.C. & SEED, M.P. Evidence that lowered whole blood platelet-activating factor accompanies gestation in normotensive and hypertensive rats, 88, 433P
- NEILSON, D.G. see OGG, G.D., 87, 143P
- NELIGAN, M. see HILL, R., 87, 106P
- NELSON, E.E. see MACRUM, B.L., 89, 544P
- NERBONNE, J.M. see GURNEY, A.M., 87, 100P
- NERME, V. see ABRAHAMSSON, T., 87, 141P
- NEWBY, A.C. see MEGHIJI, P., 88, 280P
- NEY, U.M. see BALL, I.J., 87, 172P
- - - see BALL, I.J., 89, 814P
- - - see BALL, I.J., 89, 815P
- NIALS, A.T. see COLEMAN, R.A., 88, 408P

- - - see COLEMAN, R.A., 88, 409P
 NICHOLLS, D.P. see MCCANN, J.P., 89, 715P
 NICHOLLS, P. see GUMBLETON, M., 89, 848P
 NICHOLLS, P.J. see AHMAD, B., 89, 832P
 - - - see DAMANHOURI, Z., 88, 430P
 - - - see DARMANI, N.A., 88, 323P
 - - - see EL-MAHDY, N., 88, 417P
 - - - see EL-MAHDY, N., 89, 809P
 - - - see GUMBLETON, M., 89, 512P
 NICHOLLS, P.J. & RAO, S. Aminoglutethimide potentiates the anti-nociceptive activity of meptazinol in mice, 89, 831P
 NICHOLSON, A.N. see BRADLEY, C.M., 89, 720P
 NICHOLSON, A.N. & PASCOE, P.A. Effects of fluoxetine on nocturnal sleep and daytime alertness in man, 89, 473P
 NICHOLSON, P.W. see DENHAM, M.J., 89, 717P
 - - - see DOBBS, R.J., 89, 722P
 NIDDAM, R. see ARBILLA, S., 87, 30P
 - - - see ARBILLA, S., 88, 345P
 NIEVES, A.L. see HAWLEY, S.B., 89, 766P
 NIJKAMP, F.P. see BINKHORST, G.J., 89, 677P
 - - - see DE JONG, Y., 89, 748P
 - - - see HENRICKS, P.A.J., 89, 568P
 - - - see LOESBERG, C., 89, 499P
 - - - see VEENENDAAL, G.H., 89, 585P
 NISTICO, G. see ASCIOTI, C., 88, 379P
 NISTRI, A. see KING, A.E., 89, 537P
 NOJIRI, M. see AIHARA, H., 87, 139P
 NOLAN, A. see LIVINGSTON, A., 88, 363P
 NOMOTO, M. see JENNER, P., 88, 340P
 - - - see JENNER, P., 89, 519P
 - - - see JENNER, P., 89, 626P
 NOONEY, J.M. see LAMBERT, J.J., 87, 28P
 NÖRENBERG, W. see ILLES, P., 89, 497P
 NORMAN, S.J. see OLDHAM, H.G., 89, 511P
 NORRIS, A.A. see BLACKHAM, A., 89, 694P
 NORRIS, D.B. see BOTTOMLEY, K.M.K., 88, 401P
 NORRIS, M.J. see GUMBLETON, M., 89, 512P
 - - - see GUMBLETON, M., 89, 848P
 NORTH, R.A. see EGAN, T.M., 87, 228P
 - - - see MIHARA, S., 87, 228P
 NOTARIANNI, L.J. see AIRD, S.A., 88, 403P
 - - - see BENNETT, P.N., 88, 308P
 - - - see BENNETT, P.N., 88, 431P
 NOURSHARGH, S. see HOULT, J.R.S., 87, 81P
 NOWELL, C.G. see COLLIS, M.G., 89, 847P
 NUMATA, T. see BARR, R.M., 88, 394P
 NUTLEY, B.P. see CALDWELL, J., 88, 423P
 NUTT, D.J. see LITTLE, H.J., 87, 45P
 - - - see LITTLE, H.J., 88, 326P
 - - - see LITTLE, H.J., 89, 796P
 NYAZEMA, N.Z. see BASUDDE, C.D.K., 87, 35P
 O'BOYLE, K.M. & WADDINGTON, J.L. Displacement of [³H]-SCH 23390 binding from human putamen D-1 dopamine receptors by 1-phenyl-3-benzazepines, 87, 26P
 O'DONNELL, S.R. see BRYAN, L.J., 87, 18P
 O'HAGAN, D.T. see HUNT, W.B., 89, 819P
 O'NEILL, C.J.A. see DENHAM, M.J., 89, 717P
 - - - see DOBBS, R.J., 89, 722P
 OAKLEY, N.R. see HIGGINS, G.A., 88, 294P
 - - - see HIGGINS, G.A., 88, 333P
 OFFUT, L. see BANERJEE, D.K., 87, 67P
 OGDEN, D.C. see MARSHALL, C.G., 87, 140P
 OGG, G.D. see FEELY, J., 88, 426P
 OGG, G.D., STEVENSON, I.H. & NEILSON, D.G. The effect of propranolol metabolite naphthoxylactic acid on cardiac β -adrenoceptors, 87, 143P
 OGLEY, L. see CAMERON, I., 88, 455P
 OLDHAM, H.G., STANDRING, P., NORMAN, S.J., AYRTON, A. & CHENERY, R.J. The effect of omeprazole on cytochrome P-450-mediated reactions in rat liver, 89, 511P
 OLESEN, H.O. see HERMANSEN, K., 89, 673P
 OLIVIER, B. see SCHIPPER, J., 89, 648P
 OLIVER, P.L. see ALLAN, G., 89, 756P
 OLNEY, M. see AULT, B., 88, 461P
 OLUYOMI, A.O. see HART, S.L., 88, 362P
 ONAIVI, E.S. see BRADBURY, A.J., 87, 214P
 OPACKA, J. see BRODIE, M.E., 89, 880P
 ORIOWO, M.A. see BEVAN, J.A., 88, 384P

- ORMANDY, G.C. & PRINCE, A.K. Choline carrier activity in rat corpus striatum, hippocampus & cerebral cortex, 89, 650P
- ORR, I.A. see CARSON, I.W., 89, 474P
- OSBORNE, R.H. see ALLAKER, R.P., 87, 196P
- - - see BANNER, S.E., 89, 565P
- - - see BANNER, S.E., 89, 825P
- - - see FREEMAN, E., 88, 368P
- OSHODI, R.O. see CALDAS, L.Q.A., 89, 805P
- OTTENHOF, M. & UFKES, J.G.R. Ketanserin is a strong inhibitor of the anaphylactic bronchoconstriction in the rat, 89, 586P
- OWEN, D.A.A. see BATH, G., 87, 181P
- - - see EDEN, R.J., 89, 827P
- - - see ENGLISH, T.A.H., 87, 203P
- - - see GRISTWOOD, R.W., 87, 91P
- - - see GRISTWOOD, R.W., 88, 419P
- OWEN, F. see CROW, T.J., 88, 380P
- OWSIANKA, A. see CANNELL, R., 89, 826P
- OYEKAN, A.O. see BOTTING, J.H., 89, 752P
- PACIOREK, P. see CRAIG, R.K., 87, 55P
- PACITTI, N. see BRYSON, S.E., 88, 230P
- PACKER, D. see CHANDLER, J., 88, 242P
- PAGANI, F. see BRAMBILLA, A., 88, 356P
- PAGE, C.P. see BARNES, P.J., 89, 742P
- - - see DEEMING, K., 87, 73P
- PAGE, K.R. see BARBER, H.E., 87, 124P
- PAIVA, M.Q. see GUIMARAES, S., 89, 838P
- PALACIOS, J.M. see HOYER, D., 87, 19P
- PALETTA, M.J. see AUYEUNG, A., 89, 779P
- PALFREYMAN, M.G. see DIFRANCESCO, G.F., 89, 685P
- PALIN, K.J. see DAVIS, S.S., 89, 849P
- PALMER, D.B. see BAXTER, G.S., 87, 228P
- PAQUAY, R. see BISTER, J.L., 89, 675P
- PARENT, A. see MASSICOTTE, G., 89, 598P
- PARENTE, L. see FITZGERALD, M.F., 88, 231P
- PARK, B.K. see CHRISTIE, G., 88, 424P
- - - see COLEMAN, J.W., 88, 425P
- - - see MAGGS, J.L., 89, 851P
- PARKE, D.V., PEH, K.H., SACRA, P. & WAN, B.Y.C. Gastro-intestinal action of balsalazide, a novel pro-drug for inflammatory bowel disease, 87, 208P
- PARKER, J.E. see BATES, R.F.L., 89, 840P
- PARKER, T.L. see COX, C.M., 89, 528P
- PARKER, V. see MORINAN, A., 89, 868P
- PARKES, J., PETTINGER, S.J. & TODD, M.H. Cardiovascular responses to five day administration of atenolol in combination with nifedipine in conscious dogs, 87, 133P
- PARNHAM, M.J. see ENGELBERGER, W., 87, 15P
- PARRATT, J.R. see BOACHIE-ANSAH, G., 88, 309P
- - - see BRYSON, S.E., 88, 230P
- - - see MCHARG, A.D., 89, 539P
- - - see MACKENZIE, J.E., 89, 613P
- - - see MACKENZIE, J.E., 89, 614P
- PARRATT, J.R. & SITSAPESAN, R. Stereospecific anti-arrhythmic properties of certain opiate antagonists during myocardial ischaemia in anaesthetised rats, 88, 470P
- PARRATT, J.R. & WAINWRIGHT, C. The effects of the thromboxane antagonist BM13.177 on ischaemia and reperfusion induced arrhythmias in dogs, 88, 291P
- - - Ventricular arrhythmias induced by local injections of vasoconstrictors following coronary occlusion, 88, 397P
- PARSONS, A.A. see LYE, R.H., 89, 691P
- PARSONS, D.N., SCHNEIDER, C. & SMITH, T.W. Peripheral antitussive action of codeine and morphine in the guinea pig, 89, 818P
- PARSONS, M.E. see CALCUTT, C.R., 89, 773P
- PASARELLI, F. see GALZIN, A-M., 87, 17P
- - - see GALZIN, A-M., 87, 23P
- PASCOE, P.A. see NICHOLSON, A.N., 89, 473P
- PASSARELLI, M.C. see GOLDIE, R.G., 89, 781P
- PATEL, B. see EDEN, R.J., 89, 827P
- PATEL, S. see DE SARRO, G.B., 88, 329P
- - - see MELDRUM, B.S., 87, 69P
- PATERSON, J.R. see FEELY, J., 88, 426P
- PATERSON, J.W. see FERNANDES, L.B., 89, 782P
- PATERSON, J.W. see GOLDIE, R.G., 89, 781P
- PATMORE, L. see CLARKE, B., 87, 98P
- - - see CLARKE, B., 88, 445P
- - - see DUNCAN, G.P., 87, 99P
- - - see DUNCAN, G.P., 89, 757P
- PATRA, P.B. & WADSWORTH, R.M. Effects of cannabiniods on neurotransmission in human and rat isolated vas deferens, 87, 209P

- PATSALOS, P.N. see CURZON, G., 89, 658P
- PAW, P.J. & PLEECE, S.A. The effect of maprotiline on diethylpropion induced anorexia in the rat, 88, 377P
- PAYNE, A.N. see GAZELEY, M.J.S., 87, 122P
- - - see LEES, I.W., 87, 225P
- - - see LEES, I.W., 89, 504P
- PAZOS, A. see HOYER, D., 87, 19P
- PEAKER, S. see EDWARDS, D., 89, 723P
- - - see FEELY, M., 89, 643P
- PEARSON, J.D. see HALLAM, T.J., 88, 247P
- PEARSON, J.P. see ALLEN, A., 87, 126P
- PECK, A.W. see COHEN, A.F., 89, 704P
- - - see COHEN, A.F., 89, 706P
- PEDERSEN, L.E. see HERMANSEN, K., 89, 673P
- PEERS, S.H. see FLOWER, R.J., 89, 743P
- - - see FLOWER, R.J., 88, 264P
- PEETERS, F.A.M. see BULT, H., 89, 548P
- PEH, K.H. see PARKE, D.V., 87, 208P
- PELDER, A. see BAST, A., 89, 696P
- PEPINSKY, B. see FLOWER, R.J., 89, 743P
- PEPPLINKHUIZEN, L. see FEKKES, D., 89, 476P
- PENNY, W.J. see HENDERSON, A.H., 89, 712P
- PERRAULT, G. see ALI-KODJA, F., 87, 130P
- - - see LLOYD, K.G., 87, 38P
- - - see MOREL, E., 88, 295P
- PERROT, P. see CAVERO, I., 88, 449P
- PERRY, E.K. see CANDY, J.M., 88, 359P
- PERRY, R.H. see CANDY, J.M., 88, 359P
- PESKAR, B.A. see DREYLING, K.W., 88, 236P
- PESKAR, B.M. see DREYLING, K.W., 88, 236P
- PETERS, J.A. see LAMBERT, J.J., 87, 28P
- PETERSEN, S.A. see BLAKELEY, A.G.H., 89, 786P
- PETERSON, D.W. see BRODIE, M.E., 89, 880P
- PETRUZZO, P. see ARBILLA, S., 87, 80P
- - - see ARBILLA, S., 88, 287P
- - - see DUVAL, N., 89, 634P
- PETTINGER, S.J. see PARKES, J., 87, 133P
- PETTIPHER, E.R. see HENDERSON, B., 88, 243P
- PETTY, M. see DIFRANCESCO, G.F., 89, 618P
- PHILLIPS, J.A. see HOULT, J.R.S., 88, 240P
- PHILPOT, J. see HEAL, D.J., 87, 137P
- PICHAT, P. see LLOYD, K.G., 87, 36P
- PIERCE, V. & SHEPPERSON, N.B. The effect of central administration of methoxamine, phenylephrine and ST 587 on blood pressure and heart rate in the rat, 88, 285P
- PIERI, L. see MOHLER, H., 88, 324P
- PILLAR, A.M. see ATTERWILL, C.K., 88, 355P
- PIMOULE, C. see GALZIN, A-M., 89, 525P
- PIMOULE, C. see LANGER, S.Z., 87, 161P
- PINNOCK, R.D. Action of SCH23390 on neuronal responses to dopamine in the rat substantia nigra slice, 87, 160P
- PIPER, P.J. see ADAMS, T., 87, 46P
- - - see GALTON, S.A., 88, 232P
- PIPER, P.J. & STANTON, A.W.B. Intra-cranial circulatory effects of platelet-activating factor and indomethacin in the anaesthetised pig, 88, 239P
- PIPER, P.J. & STEWART, A.G. Evidence of a role for platelet-activating factor in antigen-induced coronary vaso-constriction in guinea-pig perfused hearts, 88, 238P
- PIPILL, E. & ZOUMBOULIS, G. Investigation of the irregular effect of rauwolfscine on adrenergic responses of the mesenteric arterial bed of the rat, 88, 382P
- PITTALUGA, A. see BONANNO, G., 89, 529P
- PLEECE, S.A. see PAW, P.J., 88, 377P
- POAT, J.A. see BEER, M.S., 89, 520P
- - - see CRIPPS, H., 89, 787P
- POIRIER, M-F. see GALZIN, A-M., 89, 525P
- POLASCIK, T. & WATSON, S.P. Neomycin stimulates secretion and aggregation in saponin-permeabilised human platelets, 89, 854P
- POLC, P. see MOHLER, P., 88, 324P
- POLL, C. & WESTWICK, J. Protein kinase C: a regulator of calcium mobilisation and granule release in human platelets, 87, 82P
- - - Thrombin induces rapid and transient changes in the permeability of the intact platelet plasma membrane to calcium, 88, 246P
- POLLARD, H.B. see BANERJEE, D.K., 87, 67P
- POLLOCK, D. see FORSYTH, K.M., 87, 94P
- - - see FORSYTH, K.M., 89, 828P
- PORTER, I.D. see DE BELLEROCHE, J., 88, 446P
- POVZHITKOV, M.M. see MACRUM, B.L., 89, 544P

- POWELL, J. see BURDET, R., 88, 266P
 PRATT, A. see FILE, S.E., 89, 871P
 PRESTON, G.C. see GRAY, J.A., 87, 135P
 PRESTWICH, S.A. see DOLPHIN, A.C., 88, 272P
 PRETOLANI, M. see LEFORT, J., 89, 768P
 PRIESTLEY, T. see KEMP, J.A., 89, 535P
 PRIESTLEY, T. see KEMP, J.A., 89, 777P
 PRINCE, A.K. see ATTERWILL, C.K., 88, 355P
 - - - see ORMANDY, G.C., 89, 650P
 PROBST, A. see HOYER, D., 87, 19P
 PROUDMAN, K.E. see MCMILLAN, R.M., 87, 53P
 PROUTEAU, M. see DELAHAYE, M., 87, 79P
 PULLAR, T. see DAILLEY, C., 89, 705P
 - - - see EDWARDS, D., 89, 723P
 PULS, W. see BENDER, J., 89, 873P
 PUTTFARCKEN, P. see COX, B.M., 87, 168P
- RAAIJMAKERS, J.A.M. see BENEKER, C., 89, 584P
 RAAIJMAKERS, J.A.M. & TERPSTRA, G.K.
In vitro determination of β -agonistic properties of tulobuterol, a new β_2 -sympathomimetic drug, 89, 595P
 RAAIJMAKERS, J.A.M., TERPSTRA, G.K., VAN ROZEN, A.J. & WASSINK, G.A. The influence of haemophilus influenzae vaccination on rat cholinergic muscarinic pulmonary receptor characteristics, 89, 653P
 RADEMAKER, B. see BAKKER, E.T., 89, 583P
 RAGHOBAR, M. see HUISMAN, J.A.M., 89, 481P
 - - - see LINDEYER, E.W., 89, 661P
 RAHN, K.H. see BOHM, R.O.B., 89, 484P
 RAITERI, M. see BONANNO, G., 89, 529P
 RAMAGE, A.G. see BEVAN, P., 89, 506P
 RANDALL, J.I. see RODGERS, R.J., 87, 42P
 RANDALL, J.I. & RODGERS, R.J. Antinociceptive effects of benzodiazepine inverse agonists: possible relevance for 'defeat' analgesia in male mice? 89, 797P
 RANDHAWA, M.A. & TURNER, P. Buccal drug absorption: a new approach to predict their pH dependent changes in renal excretion, protein binding and lipid membrane passage, 89, 699P
 RAO, S. see NICHOLLS, P.J., 89, 831P
 RAWLINGS, S.R., REES, H. & ROBERTS, M.H. T. Tolerance between the antinociceptive effects of morphine and stimulation of the anterior pretectal nucleus, 88, 274P
 READ, N. see ASTBURY, P., 87, 14P
 REAVILL, C. see BOYCE, S., 87, 197P
 REAVILL, C. see GARCHA, H.S., 88, 298P
 REAVILL, C. see JENNER, P.G., 88, 297P
 REDFERN, P.H. see DRAPER, A.J., 88, 454P
 - - - see DRAPER, A.J., 88, 466P
 REDFERN, P.H. & SINEI, K. Effect of chronic administration of mianserin and clomipramine on tryptophan-5-hydroxylase activity in rat brain, 88, 342P
 REDMAN, D. see GOLDBERG, P., 88, 441P
 - - - see HUGHES, A., 89, 708P
 REES, H. see RAWLINGS, S.R., 88, 274P
 REEVES, J.J. see HUMPHRAY, J.M., 88, 390P
 REEVES, M.L. see ENGLAND, P.J., 89, 572P
 REID, J. see ALMGREN, O., 88, 277P
 REID, J.E. see CLARKE, R.S.J., 89, 471P
 REID, J.L. see DEIGHTON, N.M., 88, 284P
 - - - see DONNELLY, R., 89, 485P
 - - - see DOXEY, J.C., 88, 462P
 - - - see ELFELLAH, M.S., 88, 317P
 - - - see HAMILTON, C.A., 88, 352P
 - - - see HAMILTON, C.A., 89, 494P
 REILLY, W.M. see BURNSTOCK, G., 89, 857P
 RENAULT, A. see BIZIERE, K., 87, 43P
 REYNOLDS, G. see FRAIS, M.A., 89, 745P
 REYNOLDS, G., SILKE, B., VERMA, S.P., SHARMA, S., MIDTBO, K. & TAYLOR, S. H. Haemodynamics dose-response effects of diltiazem in coronary artery disease, 89, 480P
 REYNOLDS, G.P. see CROSS, A.J., 87, 156P
 - - - see LANGER, S.Z., 87, 161P
 RHODEN, K.J. see BARNES, P.J., 87, 198P
 - - - see BARNES, P.J., 89, 742P
 RIBEIRO, J.A. see MONTEIRO, E.C., 87, 184P
 RIBEIRO, J.A. & SEBASTIAO, A.M. Endogenous adenosine modulates transmission at the neuromuscular junction, 87, 185P
 - - - 5'-nucleotidase and neuromuscular transmission, 89, 621P

- RIESBOS, J. see DE JONGE, A., 89, 551P
- RICHARDS, R.P. see CAMPBELL, D.B., 89, 746P
- RICHENS, A. see COLE, G., 89, 628P
- - - see GRIFFITHS, A., 89, 707P
- - - see KONGOLA, G., 89, 563P
- RIDDELL, J.G. see MCCAFFREY, P.M., 89, 594P
- - - see MILLIGAN, J.G., 89, 588P
- RIDDELL, J.G., MCALLISTER, H.G., MCCULLAGH, P.J. & MCCLELLAND, R.J. A microcomputer system to measure forearm blood flow and finger tremor in man, 87, 227P
- RIEMERSMA, R.A. see DART, A.M., 87, 142P
- RIGBY, P.J. see FERNANDES, L.B., 89, 782P
- RIGBY, P.J. see GOLDIE, R.G., 89, 781P
- RIMMER, E.M. see COLE, G., 89, 628P
- RINK, T.J. see GRISTWOOD, R.W., 87, 11P
- - - see GRISTWOOD, R.W., 89, 571P
- RISING, T.J. see BOTTOMLEY, K.M.K., 88, 401P
- RISNER, M.E. see GARCHA, H.S., 88, 298P
- RITTER, J.M. see AKSOY, A., 89, 837P
- - - see FRAZER, C.E., 89, 835P
- RIVIER, J. see ITOH, H., 88, 311P
- ROACH, A.G. see BERRIDGE, T.L., 89, 671P
- - - see DETTMAR, P.W., 88, 322P
- - - see DETTMAR, P.W., 88, 465P
- - - see DOXEY, J.C., 87, 192P
- ROBERTS, C.J.C. see COLLINGE, J., 89, 710P
- ROBERTS, F. see HAWCOCK, A.B., 87, 34P
- - - see HAWCOCK, A.B., 88, 357P
- - - see HUNTER, A.J., 87, 41P
- ROBERTS, F. & TUTTY, C. Quantification of the effects of muscarinic antagonists on the release of [³H]-acetylcholine from rat cerebral cortex slices, 88, 358P
- ROBERTS, J. see DRAPER, A.J., 88, 454P
- ROBERTS, M.H.T. see DAVIES, M., 89, 526P
- - - see RAWLINGS, S.R., 88, 274P
- ROBERTS, N.A. see HEAD, G.M., 89, 836P
- ROBERTS, P.J. see KUONEN, D.R., 87, 158P
- ROBERTSON, D. & SMITH, G.M. Platelet activation induced by coronary artery ligation in the rabbit, 87, 180P
- ROBERTSON, D.N. see BARNES, P.J., 89, 742P
- ROBERTSON, M.J. see LUMLEY, P., 88, 444P
- ROBERTSON, M.J. see LUMLEY, P., 89, 759P
- ROBINSON, C. see BEASLEY, C.R.W., 88, 235P
- ROBSON, A. see EDWARDS, D., 87, 90P
- ROBSON, B. see BARIS, C., 87, 173P
- - - see GRIFFITHS, E.C., 87, 177P
- - - see GRIFFITHS, E.C., 88, 361P
- ROBSON, P. see CHANDLER, J., 88, 242P
- RODGER, I.W. see BRYSON, S.E., 88, 230P
- - - see MCCRAIG, D.J., 88, 399P
- RODGERS, R.J. see RANDALL, J.I., 89, 797P
- RODGERS, R.J. & RANDALL, J.I. Exposure to the scent of an isolated conspecific is sufficient to induce acute analgesia in male mice, 87, 42P
- RODRIGUES DE MIRANDA, J.F. see BELD, A.J., 89, 477P
- ROGERS, D.F. see BARNES, P.J., 89, 764P
- - - see BARNES, P.J., 89, 767P
- ROGERS, H. see HENDERSON, G., 87, 59P
- ROONEY, K.F. see GONZALEZ, J.P., 88, 360P
- ROONEY, K.F., SEWELL, R.D.E., SPENCER, P.S.J. & STOLZ, J.F. [³H]-spiperone binding in mouse striatal membranes following chronic pretreatment with SCH 23390 and haloperidol, 89, 633P
- ROONEY, T.A. see KELLY, E., 87, 228P
- ROOTS, E.J. see HONG, M., 88, 338P
- ROSAM, A.C. see BOUGHTON-SMITH, N.K., 88, 391P
- ROSE, S. see JENNER, P., 87, 162P
- - - see JENNER, P., 88, 337P
- - - see JENNER, P., 89, 519P
- ROSSEEL, M.T. see BOGAERT, M.G., 89, 538P
- ROSSI, A.G. see MACINTYRE, D.E., 88, 253P
- ROSZKOWSKI, A.P. & WALLACH, M.B. Anti-hypertensive effects of RS-93427-007, 89, 501P
- ROSZKOWSKI, A.P., SMITH, D.L. & WILLIS, A.L. Oral activity of the prostacyclin mimetic, RS-93427*, delineated in a new heterologous ex-vivo platelet function assay, 89, 692P
- ROTHAUL, A.L. see GRISTWOOD, R.W., 88, 419P
- ROUND, A.A., WALLIS, D.I. & WEBB, D.B. Electrophysiological in vitro studies with paraquet dichloride, 88, 429P
- ROUTLEDGE, C. see BORKOWSKI, K.R., 88, 286P

- ROUTLEDGE, P.A. see BUSS, D.C., 87, 182P
- - - see BUSS, D.C., 88, 411P
- - - see BUSS, D.C., 88, 412P
- - - see BUSS, D.C., 88, 413P
- - - see HENDERSON, A.H., 89, 712P
- ROUTLEDGE, P.A. & WATT, A.H. Effect of aminophylline on respiratory stimulation and heart rate changes produced by intravenous adenosine boluses in man, 89, 711P
- ROWAN, M.J. see ANWYL, R., 88, 299P
- - - see ANWYL, R., 89, 644P
- RUDD, R.M. see INKPEN, P.M., 88, 468P
- RUEGG, U.T. see CREBA, J.A., 87, 7P
- RUHL, D., SCHOLLENGERGER, S., VAN MEEL, J.C.A. & WOLFRAM, E. Haemodynamic effects of the cardiotonic agent OPC-8212 in dogs, 89, 604P
- RUSSEL, F.G.M. see HEIJN, M., 89, 681P
- RUSSEL, F.G.M., VAN DER LINDEN, P.E.M., VERMEULEN, W.G. & VAN GINNEKEN, C.A.M. Mechanisms of P-aminohippurate uptake in isolated membrane vesicles from the dog kidney, 89, 513P
- RYALL, R.W. see HARRIS, N.C., 89, 803P
- RYAN, M.P. see BRAYDEN, D., 87, 50P
- SACRA, P. see PARKE, D.V., 87, 208P
- SACRA, P., THORNTON, P.C. & WAN, B.Y.C. Pharmacological profile of cicloxolone: a novel anti-viral agent, 87, 9P
- SAEED, S.A. & SURIA, A. Differential effects of anti-psychotic and anti-depressant drugs on human platelet aggregation, 88, 365P
- - - Modulation of prostanoid synthesis, arachidonate lipxygenase and platelet aggregation by dimethylsulphoxide, 88, 265P
- SAINT-LOUIS, J. see MASSICOTTE, G., 89, 598P
- SAINT-LOUIS, J. & SCHIFFRIN, E.L. Vascular receptors for atrial natriuretic peptide in the rat, effect of hypertension on the binding characteristics and biological response, 89, 541P
- SALDANHA, C.B.R. see HEARSE, D.J., 87, 12P
- SALMON, J.A. see ASTBURY, P., 87, 14P
- - - see HENDERSON, B., 87, 229P
- - - see HENDERSON, B., 88, 400P
- SALMON, N.P. see AUN, C., 89, 747P
- SAMETZ, W. see HOLZER, P., 89, 562P
- SAMPFORD, K.A. see BATH, G., 87, 181P
- - - see ENGLISH, T.A.H., 87, 203P
- - - see GRISTWOOD, R.W., 89, 573P
- SANGER, D.J. see MOREL, E., 88, 295P
- SANGER, D.J. & ZIVKOVIC, B. Differences between the stimulus properties of chlordiazepoxide and zolpidem are revealed by CGS 9896, 88, 296P
- SANGER, G.J. see DUNBAR, A.W., 88, 319P
- - - see MINER, W.D., 88, 374P
- SANGSTER, B. see BLOKHUIJZEN, N.J.P., 89, 553P
- SANJAR, S. see DEEMING, K., 87, 73P
- SASTRY, B.R. see AUYEUNG, A., 89, 779P
- SAWYER, R. see DOCHERTY, J.R., 89, 853P
- SAVAGE, A.O. Quinine inhibits contractility of rat anococcygeus muscle, 89, 574P
- SAVASTA, M. see CARTER, C.J., 88, 347P
- SAVILLE, V.L. see BURNSTOCK, G., 89, 857P
- SAXENA, P.R. see BOM, A.H., 89, 547P
- - - see DE BOER, H.J., 89, 545P
- - - see DZOLJIC, M.R., 89, 522P
- SCATTON, B. see ARBILLA, S., 88, 345P
- - - see CARTER, C.J., 88, 307P
- - - see CARTER, C.J., 88, 347P
- - - see CLAUSTRE, Y., 87, 151P
- SCATTON, B. & SERRANO, A. Antagonism by zolpidem of stress-induced increase in dopac levels in the nucleus accumbens, as demonstrated by voltammetry, 87, 152P
- SCHACHTER, M. see HUGHES, A., 88, 282P
- - - see MARTIN, G., 89, 608P
- SCHATTNER, M. see FOUQUE, F., 89, 765P
- SCHELD, H.H. see FRITSCH, R., 89, 751P
- SCHELLENS, J.H.M. see BREIMER, D.D., 89, 478P
- SCHERSCHLICH, R. see MOHLER, H., 88, 324P
- SCHIAVONE, A. see GIACHETTI, A., 88, 261P
- SCHIFFRIN, E.L. see MASSICOTTE, G., 89, 598P
- - - see SAINT-LOUIS, J., 89, 541P
- SCHIPPER, J., OLIVIER, B. & TULP, M.Th. M. Serotonin agonists: neurochemical profile and effects on aggressive behaviour, 89, 648P
- SCHOEMAKER, H. see GALZIN, A-M., 89, 525P
- - - see LANGER, S.Z., 87, 161P
- - - see LANGER, S.Z., 89, 524P
- - - see LANGER, S.Z., 89, 630P
- SCHOEMAKER, R.G., DEBETS, J.J., STRUYKER-BOUDIER, H.A.J. & SMITS, J. F.M. Cardiac function in intact

- conscious rats: effects of positive inotropic agents and coronary artery ligation, 89, 606P
- SCHOLLENGERGER, S. see RUHL, D., 89, 604P
- SCHOLTYSIK, G. & WILLIAMS, F. Antiarrhythmic effects of DPI 201-106, 87, 75P
- SCHOLZ, H. see MEYER, W., 89, 750P
- SCHÖMIG, A. see DART, A.M., 87, 142P
- SCHNEIDER, C. see PARSONS, D.N., 89, 818P
- SCHNEIDER, H.H. see FRITZ, S., 88, 336P
- SCHRAUWEN, E. see HOUVENAGHEL, A., 89, 674P
- SCHROER, K. see KONIG, E., 87, 114P
- SCHULER, S. see BRODDE, O-E., 87, 85P
- SCHULMAN, C.C. see FONTAINE, J., 89, 493P
- SCOTT, M.G. see MCCANN, J.P., 89, 715P
- SCOTT, R.H. see DOLPHIN, A.C., 89, 780P
- SEBASTIAO, A.M. see RIBEIRO, J.A., 87, 185P
- - - see RIBEIRO, J.A., 89, 621P
- SEDGWICK, A.D. see EWINS, C.P., 89, 763P
- SEED, M.P. see NEILL, J.C., 88, 433P
- SEILER, M.P. see BUCHHEIT, K.H., 88, 367P
- - - see HAGENBACH, A., 87, 136P
- SEITZ, H. see HOLZER-PETSCH, U., 89, 683P
- SELF, G.J. see GOLDIE, R.G., 89, 781P
- SEMERARO, C. see CARPI, C., 89, 758P
- SENIOR, J. see DESTA, B., 89, 670P
- - - see KERR, M.B., 89, 844P
- SERRANO, A. see SCATTON, B., 87, 152P
- SEVER, P. see GOLDBERG, P., 88, 441P
- - - see HUGHES, A., 88, 282P
- - - see HUGHES, A., 89, 708P
- SEVER, P.S. see INKPEN, P.M., 88, 468P
- - - see MARTIN, G., 89, 608P
- SEVERNE, Y. see ABRAHAMSSON, T., 87, 141P
- SEWELL, R.D.E. see JACKSON, H.C., 87, 220P
- - - see JACKSON, H.C., 89, 672P
- - - see ROONEY, K.F., 89, 633P
- SEWING, K.-FR. see HANNEMANN, H., 88, 258P
- SHAHID, M. see BARRON, E., 87, 4P
- - - see DICKSON, M., 89, 612P
- SHANKS, R.G. see MCCAFFREY, P.M., 89, 594P
- - - see MILLIGAN, J.G., 89, 588P
- SHARMA, S. see REYNOLDS, G., 89, 480P
- SHARMA, S.C. see JANDE, M.B., 89, 570P
- SHARMA, S.K. see DAVIS, S.S., 89, 665P
- SHARPE, J.A. see KUONEN, D.R., 87, 158P
- SHAW, A. see FOUQUE, F., 89, 765P
- SHAW, L. see BAX, N.D.S., 89, 709P
- SHAW, M.A. see FOX, J.I., 87, 204P
- SHEEHAN, M.J. see HAYES, A.G., 88, 276P
- SHELDRIK, K.E. see COLEMAN, R.A., 88, 408P
- SHELDRIK, R.L. see COLEMAN, R.A., 88, 408P
- SHELVEY, G. see CAVERO, I., 88, 449P
- SHEPPARD, D.N. see BUNCE, K.T., 88, 398P
- SHEPPERSON, N.B. see CRAIG, R.K., 87, 55P
- SHEPPERSON, N.B. see CRAIG, R.K., 88, 312P
- SHEPPERSON, N.B. see PIERCE, V., 88, 285P
- SHORTER, J.H. see HEALD, G., 87, 226P
- SIDEY, F.M. see FURMAN, B.L., 87, 52P
- SIEW PENG LIM see BEATTIE, D.T., 88, 252P
- SILBERSTEIN, D.J. see BOWMER, C.J., 87, 49P
- SILKE, B. see FRAIS, M.A., 89, 745P
- - - see REYNOLDS, G., 89, 480P
- SILVER, I.A. see CARRUTHERS, B., 87, 224P
- SIMMONDS, M.A. see HORNE, A.L., 87, 70P
- - - see HORNE, A.L., 89, 776P
- SIMPSON, A.W.M. see GRISTWOOD, R.W., 87, 11P
- - - see GRISTWOOD, R.W., 89, 571P
- SINEI, K. see REDFERN, P.H., 88, 342P
- SINGH, A. see HANDLEY, S.L., 89, 647P
- SINGH, H. see HENDERSON, A.H., 89, 712P
- SINGH, L. see HANDLEY, S.L., 89, 647P
- SIPPOLA, L. see BURDET, R., 88, 266P
- SITSAPESAN, R. see MACKENZIE, J.E., 89, 613P
- - - see MACKENZIE, J.E., 89, 614P
- - - see PARRATT, J.R., 88, 470P
- SKAN, W. see CROSS, A.J., 88, 350P
- SLATER, P. see CROSS, A.J., 87, 156P
- - - see CROSS, A.J., 88, 350P
- SLEE, P. see DE BRUIJN, E.A., 89, 510P
- SMALL, R.C. see ALLEN, S.L., 87, 228P
- - - see ALLEN, S.L., 89, 752P
- - - see EDWARDS, D., 87, 90P

- SMITH, C. see CANDY, J.M., 88, 359P
 SMITH, C.F.C. see DOXEY, J.C., 87, 192P
 SMITH, C.L. see BULLER, K.J., 88, 405P
 SMITH, D.A.S. see BROOKS, P.B., 88, 456P
 SMITH, D.A.S. & STONE, T.W. A single element bi-polar stimulating electrode, 88, 470P
 SMITH, D.L. see ROSZKOWSKI, A.P., 89, 692P
 SMITH, G.M. see MARR, J.F., 87, 115P
 - - - see ROBERTSON, D., 87, 180P
 SMITH, H. see BURGESS, M.F., 88, 410P
 SMITH, I.R. see CALCUTT, C.R., 89, 773P
 - - - see GANELLIN, C.R., 89, 772P
 SMITH, J.A. see FURLONG, B., 88, 447P
 - - - see MARTIN, W., 88, 267P
 SMITH, J.W. see DOWNING, O.A., 88, 292P
 SMITH, P.M. see HORNE, J.J., 89, 714P
 SMITH, T.W. see BUCHAN, P., 88, 268P
 - - - see PARSONS, D.N., 89, 818P
 SMITS, J.F.M. see SCHOEMAKER, R.G., 89, 606P
 SMYTHE, M.M. see ABRAMS, S.M.L., 89, 716P
 SOARES-DA-SILVA, P. Evidence for a noradrenaline-independent dopamine pool in the dog mesenteric artery, 87, 210P
 SOKOMBA, E.N. see CURZON, G., 89, 658P
 SONNAY, M. see ATKINSON, J., 88, 313P
 - - - see ATKINSON, J., 88, 437P
 - - - see ATKINSON, J., 88, 451P
 - - - see ATKINSON, J., 89, 740P
 SOURDY, C. see GROSSET, A., 87, 2P
 SPADA, C.S. see HAWLEY, S.B., 89, 766P
 SPEAR, J.F. see DE LANGEN, C.D.J., 89, 611P
 SPEDDING, M. The inhibitory effects of local anaesthetics in smooth muscle are not affected by the Ca^{2+} channel activator, Bay K 8644, 87, 101P
 - - - The mechanism of the contractile effects of phorbol esters in smooth muscle is not primarily via Ca^{2+} channel activation, 87, 62P
 - - - see BIGAUD, M., 89, 504P
 - - - see DAINTY, I.A., 88, 369P
 - - - see DAINTY, I.A., 89, 884P
 - - - see DIFRANCESCO, G.F., 89, 618P
 - - - see DIFRANCESCO, G.F., 89, 685P
 - - - see DUNCAN, G.P., 89, 757P
 - - - see KENNY, B.A., 89, 858P
 - - - see MIR, A.K., 88, 381P
 SPENCER, P.S.J. see ROONEY, K.F., 89, 633P
 SPINA, D. see FERNANDES, L.B., 89, 782P
 - - - see GOLDIE, R.G., 89, 781P
 SPRAGGS, C.F. see BIRCH, P.J., 89, 833P
 SRINIVASAN, S. & MOHANTY, G. Effects of six drugs on the conduction properties of isolated frog sciatic nerves, 89, 559P
 STABLES, R. see HUMPHRAY, J.M., 88, 390P
 STAHL, S.M. see BEER, M.S., 89, 520P
 - - - see JENNER, P., 88, 340P
 - - - see JENNER, P., 89, 626P
 STAMFORD, J.A. see KRUK, Z.L., 88, 470P
 STANDRING, P. see OLDHAM, H.G., 89, 511P
 STANFORD, C. see DAVIES, C., 89, 531P
 STANFORD, C.F. see MCCANN, J.P., 89, 715P
 STANFORD, S.C. see LITTLE, H.J., 87, 45P
 - - - see LITTLE, H.J., 89, 800P
 STANFORD, S.C. & WAUGH, J. Acute mild stress causes α -2-adrenoceptor upregulation in rat cerebral cortex, 89, 645P
 STANLEY, M.D.A. see BURNSTOCK, G., 89, 857P
 STANTON, A.W.B. see PIPER, P.J., 88, 239P
 STARKIE, D. see BARIS, C., 87, 173P
 STARR, B.S. see KILPATRICK, I.C., 89, 862P
 STARR, M.S. see FLETCHER, G.H., 89, 861P
 - - - see KILPATRICK, I.C., 89, 862P
 STASCH, J.-P. see KNORR, A., 89, 760P
 STEIN, W.K. see DOWNING, O.A., 89, 841P
 STEINBERG, H. see DAVIES, C., 89, 531P
 STEINBERG, R. see BIZIERE, K., 87, 43P
 STEINER, J.T. see DE BELLEROCHE, J., 88, 446P
 STEVENSON, I.H. see EL DEBANI, A.H., 88, 427P
 - - - see FEELY, J., 88, 426P
 - - - see OGG, G.D., 87, 143P
 STEWARD, A. see BOTTOMLEY, K.M.K., 88, 401P
 STEWART, A.G. see PIPER, P.J., 88, 238P
 STEWART, B.R. see JENNER, P., 88, 341P
 - - - see JENNER, P., 89, 794P

- STEWART, J.M., VAVREK, R.J. & WHALLEY, E.
T. Antagonism of the vascular permeability actions of bradykinin in the rabbit, 87, 211P
- STOLERMAN, I.P. see GARCHA, H.S., 88, 298P
- - - see JENNER, P.G., 88, 297P
- STOLZ, J.F. see DARMANI, N.A., 88, 323P
- - - see GONZALEZ, J.P., 88, 360P
- - - see ROONEY, K.F., 89, 633P
- STONE, T.W. Purine mediation of synaptic inhibition by Ro 15-1788 on rat hippocampal slices, 89, 629P
- - - see ADDAE, J.I., 87, 153P
- - - see BROOKS, P.B., 88, 456P
- - - see CONNICK, J.H., 87, 155P
- - - see LONG, C.J., 87, 8P
- - - see LONG, C.J., 87, 207P
- - - see LONG, C.J., 89, 591P
- - - see SMITH, D.A.S., 88, 470P
- STRACHAN, D.A. see DOXEY, J.C., 87, 192P
- STRANGE, P.G. see BENNETT, T., 87, 87P
- - - see BENNETT, T., 88, 283P
- - - see BENNETT, T., 89, 558P
- - - see BENNETT, T., 89, 576P
- STRUPISH, J. see NAHORSKI, S.R., 88, 343P
- STRUYKER-BOUDIER, H.A.J. see SCHOEMAKER, R.G., 89, 606P
- STUBBS, D. see DOWNING, O.A., 88, 292P
- SUER, A.H. see GREENIDGE, E., 89, 821P
- SUGDEN, A.L. see HO, A.K., 88, 254P
- SUGDEN, D. see HO, A.K., 88, 254P
- - - see KLEIN, D.C., 89, 785P
- SURIA, A. see SAEED, S.A., 88, 265P
- - - see SAEED, S.A., 88, 365P
- SURPRENANT, A. On the mechanism of α_2 -adrenoceptor mediated presynaptic inhibition in guinea-pig submucous plexus neurones, 87, 228P
- SVENSJO, E. Increasing doses of histamine cause a protracted increase in microvascular permeability in the hamster cheek pouch, 88, 260P
- SWAYNE, G.T.C. see BYFIELD, R.A., 88, 438P
- SWEETMAN, A.J. see BAYDOUN, A.R., 88, 387P
- - - see BAYDOUN, A.R., 89, 619P
- - - see MCNAMEE, P.M., 87, 116P
- - - see MCNAMEE, P.M., 89, 734P
- SWIFT, C.G., SWIFT, M.R. & TIPLADY, B. Single dose sedative and haemodynamic effects of mianserin in young and elderly volunteers, 89, 475P
- SWIFT, M.R. see SWIFT, C.G., 89, 475P
- SYKES, D. see FULLER, R.W., 87, 13P
- SYKES, E. see DAVIES, C., 89, 531P
- SZABADI, E. see BRADSHAW, C.M., 87, 24P
- SZIRTES, T. see BARIS, C., 87, 173P
- TABERNER, P.V. see CONNELLY, D.M., 87, 120P
- TABERNER, P.V. see CONNELLY, D.M., 89, 667P
- TARANGER, M.A. see GALZIN, A-M., 89, 533P
- TATTERSALL, F.D. see BRADBURY, A.J., 87, 187P
- - - see GUNNING, S.J., 88, 373P
- TAWFIK, N.H. see DRYDEN, W.F., 87, 202P
- TAYLOR, G. see GUMBLETON, M., 89, 512P
- - - see JONES, T., 87, 146P
- TAYLOR, G.W. see AKSOY, A., 89, 837P
- - - see FRAZER, C.E., 89, 835P
- TAYLOR, J.B.O. see EWINS, C.P., 89, 763P
- - - see LEES, P., 89, 762P
- TAYLOR, K.B. see MCMILLAN, R.M., 87, 53P
- TAYLOR, R.D. see FINNEN, M.J., 89, 744P
- - - see FLOWER, R.J., 89, 743P
- TAYLOR, S.C. see LITTLE, H.J., 87, 45P
- - - see LITTLE, H.J., 88, 326P
- - - see LITTLE, H.J., 89, 796P
- - - see LITTLE, H.J., 89, 800P
- TAYLOR, S.H. see FRAIS, M.A., 89, 745P
- TAYLOR, S.H. see REYNOLDS, G., 89, 480P
- TE BIESEBEEK, J.D. see BOM, A.H., 89, 547P
- TEEJUNWEN, H.W.A. see AALDERS, R., 89, 486P
- - - see AALDERS, R.J.W., 89, 703P
- - - see COLSTEE, J.H., 89, 725P
- - - see DE BIE, J.F.M., 89, 660P
- - - see DE SCHEPPER, P.J., 89, 702P
- TEMPLETON, D. see ADHAM, N., 89, 652P
- - - see ARKLE, S., 89, 590P
- TER HEIDE, R. see BATINK, H.D., 89, 749P
- TERPSTRA, G.K. see RAAIJMAKERS, J.A.M., 89, 595P
- - - see RAAIJMAKERS, J.A.M., 89, 653P
- TERREY, J.P. Studies on the protective actions of sucralfate on the rat gastric mucosa, 87, 123P

- - - see HEALD, G., 87, 226P
- THEODOROU, A.E. see DAVIES, S.L., 89, 801P
- - - see GIBSON, M.J., 87, 89P
- - - see GIBSON, M.J., 88, 366P
- THIJSSSEN, H.H.W. see DAEMEN, M.J.A.P., 89, 669P
- THIJSSSEN, H.H.W. see DRITTIJ-REIJNDERS, M.J.H.J., 89, 663P
- THODY, A.J. see BURCHILL, S.A., 89, 592P
- THOM, S. see GOLDBERG, P., 88, 441P
- - - see HUGHES, A., 89, 708P
- THOMSON, T.A. see BUDHRAM, R., 88, 416P
- THORNTON, J.A. see AUN, C., 89, 747P
- THORNTON, P.C. see SACRA, P., 87, 9P
- THULESIUS, O. see ANGELO-KHATTAR, M., 88, 241P
- THULESIUS, O. see IBRAHIM, M.E., 88, 450P
- TILMISANY, A.K. see ADBEL-AZIZ, A., 87, 125P
- TIMMERMAN, H. see BAST, A., 89, 580P
- - - see BAST, A., 89, 695P
- - - see BAST, A., 89, 696P
- - - see BAST, A., 89, 697P
- - - see BAST, A., 89, 698P
- TINGLE, M.D. see COLEMAN, J.W., 88, 425P
- TIPLADY, B. see SWIFT, C.G., 89, 475P
- TIPPINS, J.R. see BRAIN, S.D., 87, 54P
- - - see GREENWALD, S.E., 87, 56P
- TJANDRAMAGA, T.B. see DE SCHEPPER, P. J., 89, 702P
- TODD, M.H. see DOWNING, O.A., 89, 830P
- - - see JEFFRIES, L.M., 88, 386P
- - - see PARKES, J., 87, 133P
- TOUQUI, L. see FOUQUE, F., 89, 765P
- TRACH, V. see FRITSCH, R., 89, 751P
- TREHERNE, J.M. & YOUNG, J.M. Temperature dependence of the binding of a new quaternary [³H]-ligand to the histamine H₁-receptor, 87, 72P
- TRENDELENBURG, U. see WILSON, V.G., 89, 532P
- TREVETHICK, M.A., WHELAN, C.J. & WRIGHT, G. Leukotriene-induced relaxation of dog mesenteric artery *in vitro* during subcutaneous anaphylaxis, 88, 393P
- TRICKLEBANK, M. see FOZARD, J.R., 88, 371P
- TRIDGETT, R. see FOSTER, A.C., 89, 774P
- TROUT, S.J. see BURLEIGH, D.E., 89, 610P
- TUCKER, G.T. see BAX, N.D.S., 89, 709P
- TUGWELL, C. see GRENIDGE, E., 89, 821P
- TULLOCH, I.F. see DICKINSON, S.L., 89, 872P
- - - see DOXEY, J.C., 87, 192P
- TULP, M.Th.M. see BEVAN, P., 89, 637P
- - - see SCHIPPER, J., 89, 648P
- TURNER, D.H. see COOPER, S.M., 88, 383P
- - - see MINER, W.D., 88, 374P
- TURNER, J.P. Potentiation of the GABA analogue muscimol by physiologically occurring steroids, 87, 148P
- - - see HORNE, A.L., 87, 70P
- TURNER, P. see ABRAMS, S.M.L., 89, 716P
- - - see ABRAMS, S.M.L., 89, 718P
- - - see RANDHAWA, M.A., 89, 699P
- TUTTY, C.A. see HUNTER, A.J., 87, 41P
- - - see ROBERTS, F., 88, 358P
- UFKESM, J.G.R. see OTTERHOF, M., 89, 586P
- UGAILY-THULESIUS, L. see ANGELO-KHATTAR, M., 88, 241P
- UGWU, A.C. see MCGRATH, J.C., 88, 385P
- UITENDAAL, M.P. see DRITTIJ-REIJNDERS, M.J.H.J., 89, 663P
- UKPONMWAN, O.E. see DZOLJIC, M.R., 89, 522P
- ULIBARRI, M.I. see GARCIA-SEVILLA, J. A., 89, 516P
- UNDERWOOD, A.H. see ELLIS, D., 89, 829P
- VALE, A.L. see BALFOUR, D.J.K., 87, 215P
- VALE, A.L. see BALFOUR, D.J.K., 89, 527P
- VAN BAAK, M.A. see BOHM, R.O.B., 89, 484P
- VAN BREE, J.B.M.M. see BREIMER, D.D., 89, 566P
- VAN BRUMMELEN, P. see BREIMER, D.D., 89, 482P
- - - see JIE, K., 89, 741P
- VAN BUUREN, K.J.H. see BAKKER, E.T., 89, 583P
- VAN DALEN, D., HUNT, G.A. & LOBBEZOO, M. Action of secoverine on M₁ and M₂ receptor mediated effects, 89, 654P
- VAN DE KUIL, A. see DE JONG, Y., 89, 748P
- VAN DELFT, A.M.L. see BROEKKAMP, C.L. E., 89, 728P

- VAN DEN BERG, W.B. see HUISMAN, J.A. M., 89, 481P
- - - see LINDEYER, E.W., 89, 661P
- VAN DEN BROEK, L.G.A.M. see COLSTEE, J.H., 89, 725P
- VAN DEN BUUSE, M. see DE JONG, W., 89, 688P
- VAN DEN HOVEN, W.E. see HALL, D.W.R., 89, 682P
- - - see HALL, D.W.R., 89, 693P
- VAN DER GOOT, H. see BAST, A., 89, 698P
- VAN DER LINDEN, P.E.M. see RUSSEL, F. G.M., 89, 513P
- VAN DER NIEPEN, P. see DUPONT, A.G., 89, 492P
- - - see DUPONT, A.G., 89, 599P
- VAN DER VLIET, H. see BINKHORST, G.J., 89, 677P
- VAN DER WERF, J.F. see BAST, A., 89, 696P
- VAN DIEST, M.J. see HERMAN, A.G., 89, 690P
- VAN GINNEKEN, C.A.M. see BELD, A.J., 89, 477P
- - - see HEIJN, M., 89, 681P
- - - see HUISMAN, J.A.M., 89, 481P
- - - see LINDEYER, E.W., 89, 661P
- - - see RUSSEL, F.G.M., 89, 513P
- VAN ESCH, B. see HENRICKS, P.A.J., 89, 568P
- VAN HARTEN, J. see BREIMER, D.D., 89, 482P
- VAN HAVER, D. see AGON, P.Y., 89, 632P
- VAN HERWAARDEN, C.L.A. see BELD, A.J., 89, 477P
- VAN HOOFF, M. see BOHM, R.O.B., 89, 484P
- VAN HOOGDALEM, E.J. see BREIMER, D.D., 89, 509P
- VAN KAN, H.J.M. see BREIMER, D.D., 89, 509P
- VAN KOPPEN, C.J. see BELD, A.J., 89, 477P
- VAN MARLE, J. & VELDSEMA-CURRIE, R.D. Demonstration of hemicholinium-3 high affinity binding sites in rat diaphragm using autoradiography. Effects of dexamethasone, 89, 656P
- VAN MEEL, J.C.A. see BOSS, H., 87, 97P
- - - see BOSS, H., 87, 102P
- - - see BOSS, H., 89, 605P
- - - see FRITSCH, R., 89, 751P
- - - see RUHL, D., 89, 604P
- VAN OOSTEROM, A.T. see DE BRUIJN, E.A., 89, 510P
- VAN ROSSUM, J.M. see AALDERS, R., 89, 486P
- - - see AALDERS, R.J.W., 89, 703P
- - - see COLSTEE, J.H., 89, 725P
- - - see DE BIE, J.F.M., 89, 660P
- - - see DE SCHEPPER, P.J., 89, 702P
- VAN ROZEN, A.J. see BENEKER, C., 89, 584P
- VAN ROZEN, A.J. see RAAIJMAKERS, J.A. M., 89, 653P
- VAN WILGENBURG, H. Effect of diazepam on growth and decay phases of miniature endplate currents in the isolated rat diaphragm preparation, 88, 469P
- - - see LEEUWIN, R.S., 88, 460P
- - - see LEEUWIN, R.S., 89, 556P
- - - see LEEUWIN, R.S., 89, 575P
- VAN ZWIETEN, P.A. see BATINK, H.D., 89, 554P
- - - see BATINK, H.D., 89, 749P
- - - see BECKERINGH, J.J., 89, 490P
- - - see BODDEKE, H.W.G.M., 89, 587P
- - - see BODDEKE, H.W.G.M., 89, 615P
- - - see BRUERKES, R., 89, 616P
- - - see DE JONGE, A., 89, 551P
- - - see KORSTANJE, C., 89, 617P
- VANHAELST, L. see DUPONT, A.G., 89, 599P
- VAN HOUTTE, F. see CARMELIET, E., 89, 700P
- VANE, J.R. see HENDERSON, B., 88, 400P
- VARGAFTIG, B.B. see FOUQUE, F., 89, 765P
- VARGAFTIG, B.B. see LEFORT, J., 89, 768P
- VARLEY, J.G. see BEASLEY, C.R.W., 88, 235P
- VAUQUELIN, G. see ABRAHAMSSON, T., 87, 141P
- VAVREK, R.J. see STEWART, J.M., 87, 211P
- VEENENDAAL, G.H., KOOL, D.J., NIJKAMP, F.P. & DE WILDT, D.J. Mice tracheal β -adrenergic and cholinergic receptor function and its disturbance by bordetella pertussis and its components, 89, 585P
- VEIGNER, M. see BRILEY, M., 87, 217P
- VELDSEMA-CURRIE, R.D. Both glucocorticoids and cyclic AMP processes affect ACh stores in rat diaphragm preparations, in vitro, 89, 555P
- - - see VAN MARLE, J., 89, 656P
- VELTHUIS, R.A. see DE SCHEPPER, P.J., 89, 702P
- VENDEPLASSCHE, G. see HOUVENAGHEL, A., 89, 674P
- VERBEKE, N. see CARMELIET, E., 89, 700P
- - - see CONINGS, L., 89, 701P
- VERBEUREN, T.J. see BULT, H., 89, 548P

- - - see HERMAN, A.G., 89, 549P
- - - see HERMAN, A.G., 89, 690P
- VERMA, S.P. see FRAIS, M.A., 89, 745P
- - - see REYNOLDS, G., 89, 480P
- VERMEULEN, F. see AGON, P.Y., 89, 632P
- - - see RUSSEL, F.G.M., 89, 513P
- VERMEY, P. see JIE, K., 89, 741P
- VERRIJP, C.N. see BELD, A.J., 89, 477P
- VERSLUIJS-BROERS, J.A.M. see LEEUWIN, R.S., 89, 556P
- VERVOORT-PETERS, H.T.M. see DAEMEN, M. J.A.P., 89, 669P
- VIDAL, M. see ARBILLA, S., 88, 287P
- VILA, E. see BADIA, A., 89, 689P
- VINCENT, R. see HEBER, M.E., 87, 104P
- VRANCKX, R. see ADAM, A., 89, 589P

- WADDINGTON, J.L. see MASHURANO, M., 88, 303P
- - - see MASHURANO, M., 89, 518P
- - - see O'BOYLE, K.M., 87, 26P
- WADSWORTH, R.M. see DONG, Y.T., 87, 3P
- - - see HALL, M.T., 87, 193P
- - - see MCHARG, A.D., 89, 539P
- - - see NEILD, T.O., 87, 1P
- - - see PATRA, P.B., 87, 209P
- WAINWRIGHT, C.L. see PARRATT, J.R., 88, 291P
- - - see PARRATT, J.R., 88, 397P
- WALDEN, F.M. see HOULT, J.R.S., 87, 81P
- WALI, F.A. Effect of local anaesthetics on cholinergic responses in the chick isolated tracheal smooth muscle, 88, 415P
- - - see GREENIDGE, E., 87, 205P
- - - see GREENIDGE, E., 88, 414P
- - - see GREENIDGE, E., 89, 821P
- WALKER, J.M. see CANNELL, R., 89, 826P
- WALKER, R.J. see BAGUST, J., 89, 864P
- - - see COX, R.T.L., 87, 166P
- - - see COX, R.T.L., 89, 823P
- - - see HASSONI, A.A., 89, 824P
- - - see HEWITT, G.M., 89, 789P
- WALLACE, J.L. see LEES, I.W., 89, 504P
- WALLACE, J.L. & WHITTLE, B.J.R. Potentiation of ethanol-induced gastric mucosal damage by platelet-activating factor, 87, 92P
- - - Inhibition of PAF-induced gastric mucosal damage by corticosteroids, 88, 237P
- WALLACE, P. see BERN, H.A., 87, 175P
- WALLACH, M.B. see ROSZKOWSKI, A.P., 89, 501P
- WALLIS, D.I. see ROUND, A.A., 88, 429P
- WALLWORK, J. see ENGLISH, T.A.H., 87, 203P
- WALSH, L.P. see BLACKHAM, A., 89, 694P

- WAN, B.Y.C. see PARKE, D.V., 87, 208P
- - - see SACRA, P., 87, 9P
- WANG, C.M. see AULT, B., 88, 461P
- WANG, X.L. see BECKERINGH, J.J., 89, 564P
- - - see BRODDE, O.-E., 87, 85P
- - - see BRODDE, O.-E., 87, 200P
- WANN, K.T. see HEWITT, G.M., 89, 789P
- WARD, D.J. see BARIS, C., 87, 173P
- - - see GRIFFITHS, E.C., 87, 177P
- - - see GRIFFITHS, E.C., 88, 361P
- WARD, S. see BARRETT, M.L., 89, 505P
- WARDLAW, A.C. see FURMAN, B.L., 87, 52P
- WARLAND, J.J.I. see BURNSTOCK, G., 89, 857P
- WARNOCK, P. see DOCHERTY, J.R., 87, 16P
- - - see DOCHERTY, J.R., 89, 843P
- WARNER, T.J. see BYFIELD, R.A., 88, 438P
- WASSINK, G.A. see RAAIJMAKERS, J.A.M., 89, 653P
- WATERMAN, A. see LIVINGSTON, A., 88, 363P
- WATERS, C.M. see BROWNSTEIN, M.J., 87, 134P
- - - see DOWNING, O.A., 88, 251P
- WATSON, S.P. see POLASCIK, T., 89, 854P
- WATT, A.H. see BUSS, D.C., 87, 182P
- - - see BUSS, D.C., 88, 411P
- - - see BUSS, D.C., 88, 412P
- - - see DUFF, G.R., 89, 713P
- - - see BUSS, D.C., 88, 413P
- - - see HENDERSON, A.H., 89, 712P
- - - see HORNE, J.J., 89, 714P
- - - see ROUTLEDGE, P.A., 89, 711P
- WAUGH, J. see STANFORD, S.C., 89, 645P
- WAYNE, M. see JESSUP, C.L., 87, 112P
- WEBB, D.B. see ROUND, A.A., 88, 429P
- WEBBON, P.M. see GAZELEY, M.J.S., 87, 122P
- WEI, E.T. see BUCHAN, P., 88, 268P
- WEIDMANN, R. see FRITZ, S., 88, 336P
- WEIR, S.W. & WESTON, A.H. Some effects of nicorandil on the aorta and portal vein of the rat, 87, 212P
- WEISS, P. see KONIG, E., 87, 114P
- WELFORD, L.A. see CUSACK, N.J., 87, 83P
- - - see CUSACK, N.J., 87, 84P
- - - see CUSACK, N.J., 89, 514P
- WELLER, M.E. see JENNER, P., 87, 162P
- - - see JENNER, P., 89, 877P
- WERDMULLER, B.F.M. see LEEUWIN, R.S., 88, 460P

- - - see LEEUWIN, R.S., 89, 575P
- WERLING, L.L. see COX, B.M., 87, 168P
- WESCHE, H. see DE MEY, C., 89, 724P
- WESPES, E. see FONTAINE, J., 89, 493P
- WESTMACOTT, D. see BALL, I.J., 89, 814P
- - - see BALL, I.J., 89, 815P
- WESTON, A.H. see EDWARDS, D., 87, 90P
- - - see WEIR, S.W., 87, 212P
- WESTWICK, J. see BARRETT, M.L., 89, 505P
- - - see POLL, C., 87, 82P
- - - see POLL, C., 88, 246P
- WEZEL, K. see BAKKER, E.T., 89, 583P
- WHALLEY, E.T. see AKINOSI, I.A., 88, 404P
- - - see AKINOSI, I.A., 89, 731P
- - - see CAREY, F., 89, 806P
- - - see CLEGG, S., 89, 807P
- - - see LYE, R.H., 89, 691P
- - - see STEWART, J.M., 87, 211P
- WHALLEY, E.T. & WHALLEY, H. Role of endothelium in the response of the in vitro rat aorta under resting and sustained tension to bradykinin and angiotensin 11, 89, 736P
- WHALLEY, H. see AKINOSI, I.A., 88, 404P
- - - see WHALLEY, E.T., 89, 736P
- WHEATLEY, P.L. A simple method for recording excitatory amino acid-evoked depolarisations of rat cortex in vitro, 87, 159P
- - - see COLLINS, K.J., 87, 154P
- WHELAN, C.J. see TREVETHICK, M.A., 88, 393P
- WHELAN, J. see MARTIN, F., 87, 179P
- WHITE, B.P. see HUMPHREY, P.P.A., 89, 820P
- WHITE, D. see FURLONG, B., 88, 447P
- WHITE, D.G. see MARTIN, W., 88, 267P
- WHITE, V. see HILLIER, K., 88, 389P
- WHITING, M.V. see ALLAN, G., 89, 488P
- WHITING, R.L. see CLAGUE, R.U., 87, 132P
- - - see EGLIN, R.M., 87, 33P
- - - see EGLIN, R.M., 89, 552P
- - - see EGLIN, R.M., 89, 655P
- WHITTLE, B.J.R. see BOUGHTON-SMITH, N. K., 88, 391P
- - - see HAMID, S., 87, 110P
- - - see KAUFFMAN, G.L., 89, 503P
- - - see LEES, I.W., 89, 504P
- - - see WALLACE, J.L., 87, 92P
- - - see WALLACE, J.L., 88, 237P
- WIDDOWSON, P.S. see HOLMAN, R.B., 87, 171P
- WIDDOWSON, P.S. & HOLMAN, R.B. Effects of neurotensin and TRH on the release of endogenous dopamine from rat corpus striatum and nucleus accumbens, 87, 74P
- WIEGANT, V.M. see DE JONG, W., 89, 593P
- WIJCKER, J.E. see BAST, A., 89, 698P
- WILKINSON, C.M. see BARRAND, M.A., 87, 47P
- WILKINSON, J. see HUNT, W.B., 89, 819P
- WILLEMS, J.L. see BLANQUAERT, J.P., 89, 517P
- WILLIAMS, A.M. see BRYAN, L.J., 87, 18P
- WILLIAMS, B.C. see EGLIN, A., 87, 127P
- WILLIAMS, C. see FREEMAN, E., 88, 368P
- WILLIAMS, D. see BALL, I.J., 89, 814P
- - - see BALL, I.J., 89, 815P
- WILLOUGHBY, D.A. see ADHYA, S.A., 87, 48P
- - - see DE BRITO, F.B., 89, 567P
- WILLIAMS, F. see SCHOLTYSIK, G., 87, 75P
- WILLIAMS, J. see COLE, G., 89, 628P
- WILLIAMS, J. see KONGOLA, G., 89, 563P
- WILLIAMS, J.R. see ADHYA, S.A., 87, 48P
- WILLIAMS, K. see BENNETT, T., 87, 87P
- - - see BENNETT, T., 88, 283P
- - - see BENNETT, T., 89, 558P
- - - see BENNETT, T., 89, 576P
- WILLIAMS, K.I. see FINNEN, M.J., 88, 406P
- - - see FINNEN, M.J., 88, 407P
- WILLIAMS, L.C. see BOWERY, N.G., 87, 37P
- WILLIAMS, P.E.O. see DAVIES, D.E., 89, 721P
- WILLIAMS, R.B. see CALLINGHAM, B.A., 89, 769P
- WILLIAMS, R.C. see GWILT, M., 88, 290P
- WILLIAMS, R.J. see DETTMAR, P.W., 88, 322P
- - - see DETTMAR, P.W., 88, 465P
- WILLIAMS, T.J. see BRAIN, S.D., 87, 54P
- - - see BRAIN, S.D., 88, 440P
- - - see GRISTWOOD, R.W., 89, 573P
- WILLIS, A.L. see ROSZKOWSKI, A.P., 89, 692P
- WILLOUGHBY, D.A. see DE BRITO, F.B., 89, 662P
- WILSON, A.D. see ALPS, B.J., 88, 250P
- WILSON, C. see CLAPHAM, J.C., 87, 77P

- WILSON, G.A.M. see MAIN, I.H.M., 87, 128P
- WILSON, J.M. see CLARKE, B., 88, 445P
- WILSON, K. see KHINDER, J., 89, 856P
- - - see LOBO, P.J., 89, 813P
- - - see LOBO, P.J., 89, 850P
- WILSON, K.A. see DETTMAR, P.W., 88, 322P
- - - see DETTMAR, P.W., 88, 465P
- - - see DOWNING, O.A., 88, 251P
- - - see DOWNING, O.A., 88, 292P
- - - see DOWNING, O.A., 89, 491P
- - - see DOWNING, O.A., 89, 830P
- - - see DOWNING, O.A., 89, 841P
- - - see MUNBY, J., 89, 822P
- WILSON, N.H. see ARMSTRONG, R.A., 88, 263P
- - - see BARR, S.M., 88, 392P
- WILSON, S.E. see BRADSHAW, D., 89, 816P
- WILSON, V.G. see DOWNING, O.A., 89, 491P
- WILSON, V.G. & TRENDLENBURG, U. A study of the extraneuronal O-methylating system for catecholamines in the rat cerebral cortex, 89, 532P
- WINSLOW, E. see BARRON, E., 87, 4P
- WINTER, R.J.D. see INKPEN, P.M., 88, 468P
- WITHERINGTON, P.G. The differential actions of calcitonin gene related peptide on the vascular and capsular smooth muscle of the dog spleen, 88, 436P
- - - see CORDER, R., 87, 57P
- WOLFRAM, E. see RUHL, D., 89, 604P
- WONG, E.H.F. & WOODRUFF, G.N. The identification of a novel binding site for the anticonvulsant MK-801, in rat brain membranes, 89, 536P
- WOOD, A.J. see DE SOUZA, R.J., 87, 66P
- WOOD, D. 6-Nitro-2-phenylisatogen specifically enhances the inhibitory effects of adenosine on electrically stimulated guinea-pig ileum, 87, 186P
- WOOD, M.D. see ALEXANDER, B.S., 87, 22P
- - - see ALEXANDER, B.S., 87, 129P
- - - see ALEXANDER, B.S., 88, 348P
- - - see MINCHIN, M.C.W., 89, 784P
- WOODRUFF, G. N. see KEMP, J.A., 89, 535P
- - - see WONG, E.H.F., 89, 536P
- WOODS, H.F. see BAX, N.D.S., 89, 709P
- WOODWARD, A.J. see DAVIES, D.E., 89, 721P
- WOODWARD, B. see AVKIRAN, M., 88, 279P
- - - see BENTHAM, J.M., 89, 735P
- - - see BLACKWELL, C.P., 88, 421P
- WOODWARD, D.F. see HAWLEY, S.B., 89, 766P
- WOODWARD, K. see CHANDLER, J., 88, 242P
- WOOLFREY, S.G. see DAVIS, S.S., 89, 849P
- WOOLLARD, P.M. see CUNNINGHAM, F.M., 87, 107P
- WOOLLEY, G.E. see GAZELEY, M.J.S., 87, 122P
- WORCEL, M. see BROWN, N.L., 88, 289P
- - - see HAMON, G., 87, 183P
- WORLOCK, A.J. see BENNETT, P.N., 88, 308P
- WORMS, P. see BIZIERE, K., 87, 31P
- - - see BIZIERE, K., 87, 43P
- WOUTERS, W. see BEVAN, P., 89, 506P
- - - see BEVAN, P., 89, 637P
- - - see CALIS, J.I.M., 89, 496P
- WOUTERSEN-VAN NIJNANTEN, F.M.A., see LOESBERG, C., 89, 499P
- WRIGHT, D.M. see CLARKE, G., 89, 676P
- - - see CLARKE, G., 89, 788P
- WRIGHT, G. see TREVETHICK, M.A., 88, 393P
- WRIGHT, T. see GIBSON, A., 88, 434P
- WROE, S. see GRIFFITHS, A., 89, 707P
- WYLLIE, J.H. see COOPER, M., 87, 201P
- YACOB, M. see BLOOM, S.R., 88, 470P
- YAMAGUCHI, Y. see DAVIES, S.L., 89, 801P
- - - see GIBSON, M.J., 87, 89P
- - - see GIBSON, M.J., 88, 366P
- YANG, J. see BEVAN, J.A., 88, 384P
- YATES, M.S. see BOWMER, C.J., 87, 49P
- YATES, M.S. see BOWMER, C.J., 89, 679P
- YEHUDA, S., YODIM, M.B.H. & ZAMIR, N. Iron-deficiency induces increased brain met-enkephalin and pain threshold response to opiate peptides, 87, 44P
- YELLON, D.M. see DENNISS, A.R., 89, 737P
- YEUNG, J.H.K. see CHRISTIE, G., 88, 424P
- YORK, M. see KHINDER, J., 89, 856P
- YODIM, M.B.H. see BANERJEE, D.K., 87, 67P
- YODIM, M.B.H. see YEHUDA, S., 87, 44P
- YOUNG, J.M. see CARSWELL, H., 87, 71P
- - - see TREHERNE, J.M., 87, 72P

YOUNG, M.M. see GODFREY, P.P., 87,
 117P
 YOUNG, R.C. see CALCUTT, C.R., 89,
 773P
 YOUNG, R.C. see GANELLIN, C.R., 89,
 772P
 YUEN, W.C. see COHEN, A.F., 89, 704P
 YUEN, W.C. see COHEN, A.F., 89, 706P

 ZAIDI, M. see BEVIS, P.J.R., 88, 314P
 ZAKARIA, M.N.M. see BLACKWELL, C.P.,
88, 421P
 ZAKRZEWSKI, J.T. see ADAMS, T., 87,
 46P
 ZAMIR, N. see BROWNSTEIN, M.J., 87,
 134P
 - - - see YEHUDA, S., 87, 44P
 ZANIRATO, J. see BROWN, N.L., 88,
 289P
 ZAR, M.A. The effect of pulse-duration
 on the responses of rat vas deferens
 to electrical field stimulation, 87,
 213P
 ZAR, M.A. see IRAVANI, M.M., 89, 578P
 ZEEGERS, A. see LEEUWIN, R.S., 89,
 575P
 ZEEIKA, M. see DIFRANCESCO, G.F., 89,
 685P
 ZEITLIN, I.J. see BLACKHAM, A., 89,
 694P
 - - - see GALLOWAY, D.J., 87, 109P
 ZERKOWSKI, H.-R. see BRODDE, O.-E.,
87, 200P
 ZIVKOVIC, B. see ALI-KODJA, F., 87,
 130P
 - - - see LLOYD, K.G., 87, 38P
 - - - see MOREL, E., 88, 295P
 - - - see SANGER, D.J., 88, 296P
 ZOUMBOULIS, G. see PIPILI, E., 88,
 382P
 ZUIDERVELD, O.P. see BAST, A., 89,
 580P

SUBJECT INDEX

- A23187, 88, 282P
 AA861, 87, 172P
 Absorption, 89, 762P
 Acenocoumarol, 89, 669P
 Acetylcholine, 88, 282P, 341P, 358P, 363P, 372P; 89, 555P, 651P, 824P
 Acetylcholine release, 87, 30P; 88, 358P; 89, 534P, 875P
 α_1 -Acid glycoprotein, 89, 479P
 Acid secretion, 88, 356P
 Acrylamide, 88, 351P
 Adaptive tracking, 89, 706P
 Adenine nucleotides, 87, 83P
 Adenosine, 87, 8P, 182P, 184P, 185P, 186P, 207P; 88, 234P, 280P, 309P, 411P, 412P, 461P; 89, 591P, 629P, 711P, 712P, 714P, 771P, 819P, 847P
 Adenosine antagonists, 88, 272P
 Adenosine deaminase, 88, 280P
 Adenosine 3',5'-monophosphate, cyclic, 87, 200P; 88, 256P, 262P, 263P; 89, 555P, 571P, 666P, 785P, 791P, 811P
 Adenosine-3',5'-monophosphate, dibutyl cyclic, 87, 166P
 Adenosine 3',5'-monophosphate phosphodiesterase, cyclic, 87, 81P
 Adenosine A₁ responses, 87, 181P
 Adenosine triphosphate, 88, 247P; 89, 577P, 621P, 847P, 857P
 Adenosine triphosphate analogues, 89, 514P
 Adenosine triphosphatase, ecto-, 89, 514P
 Adenylate cyclase, 87, 84P, 106P, 262P; 89, 542P, 783P, 823P
 Adimolol, 87, 189P
 Adipocytes, 89, 850P
 Adrenal blood flow, 88, 434P
 Adrenal corticosterone production, 88, 434P
 Adrenal demullation, 88, 364P
 Adrenal glands, dog, 88, 453P
 Adrenal medulla, rat, 89, 846P
 Adrenal medullary endothelial cells, 87, 67P
 Adrenaline, 87, 63P, 76P, 195P; 88, 281P; 89, 765P
 Adrenergic inhibition, 89, 786P
 Adrenergic transmission, 88, 435P
 β -Adrenoceptor adenylate cyclase complex, 88, 316P
 Adrenoceptor agonists, 89, 498P
 α -Adrenoceptor agonists, 89, 489P
 α_1 -Adrenoceptor agonists, 88, 285P
 α_2 -Adrenoceptor agonists, 88, 366P
 β -Adrenoceptor agonists, 88, 284P; 89, 568P
 β -Adrenoceptor antagonism, 89, 487P, 488P, 607P
 α_2 -Adrenoceptor antagonist activity, 89, 726P
 Adrenoceptor antagonists, 89, 498P
 α -Adrenoceptor antagonists, 87, 147P; 89, 617P, 872P
 α_1 -Adrenoceptor antagonists, 87, 191P
 α_2 -Adrenoceptor antagonists, 88, 279P, 366P; 89, 687P
 β -Adrenoceptor antagonists, 88, 286P, 289P; 89, 483P, 634P
 β_1 -Adrenoceptor antagonists, 88, 287P
 β -Adrenoceptor characteristics, 89, 477P
 α -Adrenoceptor sensitivity, 89, 828P
 α_2 -Adrenoceptor upregulation, 89, 645P
 β -Adrenoceptor upregulation, 89, 800P
 Adrenoceptors, 88, 286P, 308P, 338P; 89, 493P, 495P, 588P, 668P, 785P, 845P
 α -Adrenoceptors, 87, 189P; 88, 318P, 322P, 384P, 451P, 452P, 463P; 89, 494P, 497P, 581P, 582P, 830P
 α_1 -Adrenoceptors, 87, 87P, 192P, 194P; 88, 254P; 89, 558P, 576P, 696P, 842P
 α_2 -Adrenoceptors, 87, 86P, 88P, 89P, 192P, 194P, 221P; 88, 292P, 307P, 352P, 371P, 420P; 89, 516P, 671P, 801P
 β -Adrenoceptors, 87, 88P, 106P, 113P, 141P, 143P, 221P, 223P; 88, 283P, 284P, 317P, 318P, 382P, 468P; 89, 499P, 545P, 583P, 585P, 596P, 603P, 695P, 742P, 754P, 782P
 β_1 -Adrenoceptors, 87, 85P; 89, 520P
 β_2 -Adrenoceptors, 87, 85P, 222P; 88, 462P, 465P, 466P, 467P; 89, 520P, 564P
 Adrenoceptors, prejunctional, 88, 281P
 α -Adrenoceptors, prejunctional, 89, 790P, 842P
 β -Adrenoceptors, prejunctional, 89, 580P
 Adrenocorticotrophin, 89, 795P
 AF-DX 116, 88, 261P
 Afferent neurones, 89, 562P

Affinity chromatography, 88, 339P
 Afluzosin, 87, 191P
 Ageing, 87, 113P; 88, 233P; 89, 475P, 603P, 721P, 733P
 Aggression, 89, 648P, 801P, 854P
 Agonist affinity constants, 89, 552P
 Agonist binding, 89, 801P
 AH 23848, 89, 820P
 Air pouch, 89, 662P
 Airway epithelium, 88, 407P
 Airway smooth muscle, 88, 399P; 89, 477P
 Airways, guinea-pigs, 89, 764P, 782P
 Airways, human, 89, 767P
 Albumin, 87, 76P
 Alcohol, 87, 120P, 171P
 Alfentanil, 89, 747P
 Algae, 89, 826P
 Alkylxanthines, 89, 679P
 Allergy, 88, 424P, 425P
 Allopurinol, 89, 544P, 737P
 N-allylnormetazocine, 89, 874P
 Alveolar macrophages, guinea-pig, 88, 231P, 89, 568P
 Alveolar macrophages, human, 87, 13P
 Alzheimer-type dementia, 88, 380P
 Ambroxol, 88, 264P
 Amidantel, 89, 824P
 Amine depleters, 88, 338P
 Amines, brain, 89, 625P
 Amino acid release, 87, 157P
 Amino acids, 87, 159P
 2-Amino-7-phosphonoheptanoate, 87, 69P
 2-Amino-5-phosphovaleric acid, 88, 328P
 γ -Aminobutyric acid, 87, 38P, 148P; 88, 446P; 89, 789P, 864P
 γ -Aminobutyric acid_B binding, 87, 36P; 89, 521P
 γ -Aminobutyric acid mimetics, 87, 79P
 γ -Aminobutyric acid_B receptor, 89, 627P, 799P
 γ -Aminobutyric acid_A receptor antagonists, 87, 150P
 γ -Aminobutyric acid receptors, 87, 37P
 γ -Aminobutyric acid release, 89, 875P
 γ -Aminobutyric acid transaminase, 88, 324P; 89, 563P
 γ -Aminobutyric acid transaminase inhibitor, 89, 628P
 Aminogluthethimide, 88, 430P; 89, 831P, 832P
 p-Aminohippuric acid, 89, 512P, 513P
 δ -Aminolaevulinic acid, 89, 852P
 Aminophosphonates, 87, 154P
 Aminophylline, 88, 411P; 89, 711P, 714P
 4-Aminopropiophenone, 87, 119P
 Aminopyrine desmethylase, 88, 427P
 Amiodarone, 87, 144P
 Amlodipine, 89, 539P
 Amnesia, 87, 139P
 Amphetamine, 87, 24P; 89, 872P, 879P
 Amphiphiles, 89, 735P
 Amygdala, rat, 88, 349P; 89, 868P
 Amylase, 89, 787P
 Anabolic steroids, 89, 515P
 Anaesthetic potency, 89, 622P
 Anaesthetics, 89, 512P
 Anaesthetics, local, 87, 101P, 205P; 88, 415P; 89, 560P
 Analgesia, 87, 42P; 88, 363P, 364P; 89, 639P, 673P, 720P, 727P, 795P, 797P, 818P
 Anaphylactic mediators, 89, 584P
 Anaphylactoid reaction, 89, 808P
 Anaphylaxis, 88, 233P, 394P, 418P; 89, 586P
 Androgenic steroids, 89, 515P
 Angiotensin, 89, 736P
 Angiotensin II, 89, 631P
 Angiotensin converting enzyme inhibition, 89, 487P, 488P, 607P
 Animal model, 89, 694P
 Anion secretion, 89, 833P
 Anion transport, organic, 89, 681P
 Anococcygeus muscle, 87, 125P
 Anococcygeus muscle, rat, 87, 189P; 88, 455P; 89, 560P, 574P
 Anorexia, 88, 377P
 Anoxia, 87, 142P
 Antiarrhythmic agents, 89, 700P, 756P
 Antiarrhythmic effects, 87, 75P, 289P
 Antiasthma drugs, 87, 73P
 Anticholinergic drugs, 89, 794P
 Anticonvulsant drugs, 87, 155P; 88, 270P, 325P; 89, 355P, 536P, 778P
 Anticonvulsant effects, 89, 566P, 866P
 Antidepressant drugs, 87, 43P, 217P; 88, 353P, 365P; 89, 521P, 523P, 635P, 636P, 799P
 Antidysrhythmic properties, 87, 191P
 Anti-epileptic drugs, 88, 323P
 Antihistamines, 87, 125P; 89, 724P
 Antihypertensive action, 89, 637P, 758P
 Antihypertensive agents, 87, 77P, 78P, 189P
 Anti-inflammatory activity, 88, 242P
 Antinociception, 88, 274P, 362P; 89, 638P, 831P
 Antiparkinsonian drugs, 88, 340P
 Antiplatelet compounds, 87, 105P
 Antipsychotic drugs, 88, 365P
 Antipyrine, 89, 724P
 Antisecretory mechanisms, 87, 79P
 Antitumour agents, 89, 510P
 Antitussives, 89, 818P
 Antiulcer action, 87, 79P
 Anxiety, 87, 217P; 88, 294P, 332P; 89, 868P

Anxiolytic drugs, 88, 299P, 331P
 Anxiolytic activity, 88, 336P; 89, 798P
 Anxiolytic-like activity, 89, 646P
 Aorta, guinea-pig, 89, 490P
 Aorta, dog, 87, 212P
 Aorta, rabbit, 87, 195P, 281P, 282P; 89, 489P
 Aorta, rat, 87, 8P, 194P, 207P; 88, 311P, 369P; 89, 608P, 659P
 Aortic fibres, rat, 89, 591P
 Apomorphine, 89, 599P, 860P, 872P
 Arachidonic acid, 88, 406P; 89, 809P
 Arachidonic acid metabolites, 88, 231P, 417P
 Arachidonate lipooxygenase, 88, 265P
 Argon, 89, 622P
 Arrhythmias, 88, 279P, 288P, 291P, 397P; 89, 597P, 735P
 Arrhythmias, reperfusion-induced, 89, 755P
 Arterial blood pressure, 88, 286P
 Arterial blood pressure, mean, 88, 310P, 312P
 Arterial preparations, isolated, 87, 193P
 Arthritis, 88, 401P, 662P; 89, 816P, 817P
 Arthritis, adjuvant, 88, 403P
 Arthritis, chronic, 87, 229P
 Ascorbic acid, 89, 781P
 D-aspartate, 87, 156P
 Aspartate release, 89, 534P
 Aspirin, 88, 400P, 720P
 Aspirin tolerance, 89, 792P
 Assay, 89, 784P
 Asthma, 89, 477P
 Asymmetry, 87, 214P
 Atracurium, 89, 471P
 Atenolol, 87, 133P
 Atria, guinea-pig, 87, 33P
 Atria, human, 87, 200P
 Atria, rat, 87, 34P; 89, 551P, 554P, 754P
 Atrial natriuretic peptides, 89, 541P
 Atrial pacing, 89, 712P
 Atrial peptides, 87, 176P
 Atrial slices, rat, 87, 80P
 Atriopeptin, 88, 267P; 89, 761P
 Atropine, 87, 34P; 89, 559P, 738P
 Autonomic receptors, 89, 584P
 Autoradiographic studies, 87, 194P; 88, 345P, 346P, 350P, 378P; 89, 775P
 Axonal calcium spikes, 88, 459P
 Axonal transport, 88, 351P
 Axiridinium inhibition rates, 89, 650P
 Baroreflex, 89, 853P
 Bay K 8644, 87, 3P, 96P; 88, 385P, 386P, 445P; 89, 540P, 605P, 622P, 623P, 624P, 625P
 Beclamide, 88, 323P
 Behaviour, 87, 20P, 215P, 216P; 89, 861P, 872P
 Behavioural effects, central, 89, 624P, 625P
 Behavioural effects, peripheral, 89, 623P
 Behavioural syndrome, 89, 523P
 Benextramine, 88, 352P
 Benzoates, 89, 681P
 Benzodiazepines, 87, 38P, 39P, 151P; 88, 332P, 344P; 89, 474P, 575P, 627P, 629P
 Benzodiazepine agonists, 88, 293P
 Benzodiazepine antagonists, 88, 295P
 Benzodiazepine inverse agonists, 88, 293P; 89, 796P, 797P
 Benzodiazepine ligands, 88, 330P
 Benzodiazepine receptor subtypes, 88, 296P, 345P
 Benzodiazepine withdrawal, 89, 796P
 Benzylamine oxidase, 89, 769P
 Benzylpenicillin, 88, 424P
 Bepredil, 87, 4P
 Betaxolol, 87, 80P; 88, 287P; 89, 634P, 754P
 Bezold-Jarisch reflex, 88, 319P
 Bicuculline, 87, 70P
 Binding, 87, 156P, 161P
 Binding site, 89, 535P
 Bioassay, 89, 651P
 Blood, human, 89, 855P
 Blood-brain barrier, 89, 632P, 772P
 Blood flow, 89, 844P
 Blood flow, adrenal, 88, 434P
 Blood flow, cerebral, 88, 239P
 Blood flow, forearm, 87, 227P
 Blood pressure, 87, 16P, 97P, 188P; 89, 484P, 593P, 599P, 688P, 731P, 739P, 740P, 840P
 Blood vessel walls, 89, 548P
 Blood vessels, 88, 448P
 Blood vessels, rat heart, 89, 500P
 BM13.177, 88, 291P
 Bombesin, 87, 179P
 Bowel, rat, 87, 208P
 Bradykinin, 87, 14P, 211P; 88, 240P; 89, 736P
 Bradykinin receptors, 89, 807P
 Brain, primate, 88, 350P
 Brain, human, 88, 380P
 Brain, rat, 88, 345P; 89, 551P
 Brain biochemistry, 88, 335P
 Brain concentrations, 89, 866P
 Brain dialysis, 89, 878P, 879P
 Brain membranes, rat, 87, 22P

Brain penetration, 89, 772P, 773P
 Brain reaggregate cultures, rat, 88, 355P
 Brain stem, rat, 89, 877P
 Breeding first cycle, 89, 674P
 BRL 24924, 88, 319P, 374P, 383P
 BRL 34914, 89, 500P
 BRL 34915, 87, 77P, 78P; 88, 443P
 Bromocryptine, 89, 688P
 Bronchial hyperreactivity, 88, 410P; 89, 768P
 Bronchial reactivity, 88, 407P
 Bronchoconstriction, 87, 112P, 115P; 88, 416P; 89, 586P
 Buccal absorption, 89, 699P
 Bumetanide, 89, 745P
 Buprenorphine, 88, 346P, 363P; 89, 673P
 Bupropion, 87, 121P
 Buspirone, 88, 333P; 89, 726P, 863P
 BW A575C, 89, 487P, 488P, 756P
 Byssinosis, 88, 417P

Cadmium, 88, 455P
 Caffeine metabolism, 89, 702P
 Calcitonin, 89, 840P
 Calcitonin gene-related peptide, 87, 54P, 56P; 88, 312P, 314P, 436P, 439P, 440P, 441P; 89, 542P
 α -Calcitonin gene related peptides, 87, 55P
 Calcitriol, 89, 812P
 Calcium, 87, 7P; 88, 246P, 247P, 428P; 89, 779P, 821P, 835P, 837P, 841P
 Calcium, intracellular, 87, 8P
 Calcium activator, 89, 687P
 Calcium agonists, 87, 97P; 88, 388P
 Calcium antagonists, 87, 5P, 40P; 88, 249P, 252P, 379P, 386P, 389P, 414P; 89, 507P, 601P, 615P, 617P, 682P, 811P
 Calcium channel activation, 87, 62P; 88, 381P; 89, 624P, 625P
 Calcium channel antagonists, 87, 98P, 99P, 100P; 89, 758P, 759P, 866P
 Calcium channels, 87, 101P; 88, 248P; 89, 507P, 757P
 Calcium contractions, 89, 539P
 Calcium currents, 87, 100P; 89, 780P
 Calcium influx, 87, 37P, 90P; 89, 865P
 Calcium metabolism, 89, 590P
 Calcium mobilization, 87, 82P
 Calcium release, 89, 619P, 734P
 Calcium sensitivity, 87, 102P; 89, 751P
 Calcium translocation, 87, 206P
 Calcium uptake, 87, 3P; 88, 387P, 388P
 Calmodulin antagonists, 87, 4P
 Calmodulin binding, 87, 95P
 Cannabinoids, 87, 209P
 Canrenone, 89, 850P
 Capsular smooth muscle, 87, 57P

Capsaicin, 89, 562P
 Captopril, 88, 313P; 89, 731P, 740P
 Carbachol, 87, 117P, 140P; 89, 609P, 611P
 Carbamazepine, 89, 658P, 704P
 Carbamazepine-10-11-epoxide, 89, 658P
 Carbidopa, 88, 337P
 β -Carbolines, 89, 476P, 871P
 Carbomer, 87, 126P
 Carcinogenesis, 87, 109P
 Cardiac action potentials, 88, 290P, 422P
 Cardiac anaphylaxis, 88, 238P
 Cardiac arrhythmias, 88, 290P; 89, 613P, 614P
 Cardiac cells, chick, 87, 99P
 Cardiac contractility, 87, 97P
 Cardiac disorders, 89, 827P
 Cardiac electrophysiology, 88, 419P
 Cardiac force, 89, 612P
 Cardiac function, 89, 605P
 Cardiac glycosides, 89, 611P
 Cardiac ischaemia, 89, 759P
 Cardiac membranes, mammal, 87, 141P
 Cardiac muscle, 88, 261P, 445P; 89, 757P
 Cardiodepressant activity, 89, 615P
 Cardioprotective properties, 87, 191P
 Cardiopulmonary resuscitation, 89, 538P
 Cardiotonics, 87, 102P
 Cardiotoxicity, 88, 353P
 Cardiovascular effects, 87, 55P, 175P; 88, 442P; 89, 488P, 496P, 504P
 Cardiovascular responses, 87, 133P; 88, 278P, 285P, 386P
 Cardiovascular stimulation, 87, 96P
 Cardiovascular system, rat, 89, 689P
 Carotid nerve, rabbit, 88, 413P
 Cartilage, rat, 89, 567P
 Cartilage destruction, 87, 48P; 88, 243P
 Catechol, 88, 325P; 89, 640P
 Catecholamine receptors, 89, 689P
 Catecholamine uptake, 89, 523P
 Catecholaminergic neurones, 89, 530P
 Catecholamines, 87, 188P; 88, 279P, 315P, 459P, 464P; 89, 484P, 498P
 Cations, extracellular, 87, 165P
 CBA mice, 87, 120P
 Cefoxitin sodium, 89, 509P
 Cell responses, 89, 662P
 Cellular pharmacokinetics, 89, 481P, 482P, 661P
 Central administration, 88, 285P
 Central nervous system, 89, 520P, 832P
 Cerebellum, rat, 89, 864P
 Cerebral circulation, 88, 239P
 Cerebral cortex, guinea-pig, 87, 71P
 Cerebral cortex, human, 89, 802P

Cerebral cortex, mouse, 87, 45P
 Cerebral cortex, rat, 88, 358P, 446P;
89, 532P, 645P, 650P
 Cerebral ischaemia, 87, 95P, 224P;
88, 249P, 250P
 Cerebral microvessels, 89, 507P, 601P
 Cerebrospinal fluid, 89, 657P
 CG 3509, 87, 216P; 88, 300P
 CGS 9896, 88, 295P
 Characterization, 89, 492P
 Chemokinetic activity, 87, 107P; 88,
 244P
 Chemosensory discharges, 88, 275P
 Chewing, 88, 341P
 Chlordiazepoxide, 89, 575P, 867P, 868P
 Chloride ionophore function, 89, 798P
 Chlormethiazole, 89, 722P
 2-Chloroadenosine, 89, 780P
 p-Chlorophenylalanine, 87, 17P
 Chlorpromazine, 87, 163P
 Cholecystokinin, 89, 684P
 Cholecystokinin antagonist, 89, 684P
 Choline transport rates, 89, 649P
 Cholinergic agonists, 89, 794P
 Cholinergic blockade, 87, 28P
 Cholinergic drugs, 89, 727P
 Cholinergic nerve activity, 89, 610P
 Cholinergic receptors, 89, 585P
 Cholinergic responses, 88, 415P
 Cholinomimetics, 87, 31P
 Chromaffin cells, 88, 248P, 464P; 89,
 666P
 Cicletanine, 89, 710P
 Cicloprolol, 88, 449P
 Cicloxlone, 87, 9P
 Cigarette smoking, 87, 111P, 113P
 Cigarette smoking, filters, 89, 486P,
 703P
 Cilazapril, 89, 846P
 Cimetidine, 88, 259P; 89, 511P, 722P
 Cinnamic acid metabolism, 88, 423P
 Cirazoline, 89, 830P
 Circadian variation, 87, 138P
 Circling behaviour, 87, 214P
 Circulatory shock, 89, 748P
 Cisplatin, 88, 374P
 CL218872, 89, 867P
 Class III antiarrhythmic drugs, 88,
 290P
 Clenbuterol, 88, 454P; 89, 531P
 Clobazam, 89, 643P, 723P
 Clomipramine, 88, 342P
 Clonidine, 87, 137P, 167P; 89, 738P
 Clonidine-withdrawal tics, 89, 647P
 Cognitive disorders, 88, 359P
 Collagen, 88, 401P; 89, 816P
 Colloidal bismuth subcitrate, 89, 693P
 Colitis, 89, 694P
 Colon, guinea-pig, 89, 610P
 Colon, human, 88, 389P; 89, 610P
 Colon, rat, 88, 463P
 Colonic epithelium, rabbit, 88, 240P
 Competition, 89, 557P
 Computer, 88, 422P
 Concentration-effect relationship, 89,
 620P
 Conditioned taste aversion, 89, 517P
 Conflict test, 88, 330P
 Conformational analysis, 87, 177P; 88,
 361P
 Conjunctival tissue, guinea-pig, 89,
 766P
 Contraceptives, oral, 88, 431P
 Contractile depression, 89, 553P
 Contractile effects, 87, 62P
 Contractile force, 87, 200P
 Contractility, 88, 450P; 89, 574P
 Contractions, 87, 76P; 88, 311P; 89,
 490P, 608P
 Convergent neurones, 87, 61P
 Convulsions, 88, 325P; 89, 640P
 Convulsions, sensory-evoked, 89, 881P
 Copper, 89, 698P
 Coronary artery, bovine, 87, 205P
 Coronary artery, dog, 89, 539P
 Coronary artery, human, 89, 495P
 Coronary artery, pig isolated, 87,
 132P
 Coronary artery disease, 89, 480P
 Coronary artery ligation, 87, 180P
 Coronary circulation, pig, 87, 56P
 Coronary flow, 89, 712P
 Coronary ligation, 89, 606P
 Coronary occlusion, 88, 397P
 Coronary stimulation, 87, 114P
 Coronary vasoconstriction, 88, 238P
 Corpus striatum, rat, 89, 650P
 Cortex, gerbil, 89, 858P
 Cortex, mouse, 87, 149P
 Cortex, rat, 87, 159P; 88, 307P; 89,
 631P
 Cortical neurones, rat, 87, 138P
 Cortical slices, rat, 89, 776P
 Corticosteroids, 88, 237P
 Corticosterone production, 88, 434P
 Corticotrophin releasing factor, 87,
 60P; 88, 268P
 Cotinine, 88, 298P; 89, 703P
 Cotton bract, 89, 809P
 Cotton dust, 88, 417P
 Coumarin, 89, 663P
 Covalent binding, 89, 709P
 Cremophor EL, 89, 569P
 Croton oil, 88, 402P; 89, 810P
 Cutaneous reactions, 89, 471P
 Cyclandelate, 89, 682P
 Cyclic nucleotides, 89, 790P
 Cyclo-oxygenase inhibitors, 87, 170P
 L-cycloserine, 88, 324P
 Cyclosporin A, 88, 242P

Cyproheptadine, 87, 125P
 Cystic fibrosis, 87, 50P
 Cytochrome P-450, 88, 406P, 430P; 89, 511P, 697P
 Cytoplasmic calcium, 88, 247P
 Cytoprotection, 89, 692P
 Cytotoxicity, 89, 663P

 Data analysis, 89, 884P
 Data storage, 89, 884P
 Decarboxylase inhibitor, 88, 337P
 Deep dorsal vein, human penis, 89, 493P
 Defeat analgesia, 89, 797P
 Deiodinase function, 89, 732P
 Denervation, 87, 87P; 88, 283P, 432P, 558P
 Dentate gyrus, rat, 88, 456P
 2-Deoxyglucose, 89, 871P
 2-Deoxy-D-glucose hyperphagia, 89, 672P
 Depolarization, 88, 273P, 388P
 Deprenyl, 87, 147P; 88, 304P
 Depression, 89, 642P, 802P
 Desensitization, 89, 552P, 782P
 N-desmethyloclobazam, 89, 643P, 705P
 Desmethylinipramine, 87, 88P, 221P; 88, 521P; 89, 800P, 859P
 Dexamethasone, 87, 14P; 89, 567P, 656P
 Dexamphetamine, 89, 706P
 Dextran, 89, 808P
 Diabetes, 89, 667P
 Diabetes mellitus, insulin-dependent, 89, 719P
 Diabetic obesity syndrome, 87, 120P
 Diaphragm, 89, 656P
 Diaphragm, rat isolated, 88, 469P; 89, 555P
 Diazepam, 88, 295P, 324P, 336P, 460P, 469P; 89, 559P, 575P
 Dibromosulphophthalein, 87, 49P
 Dichlorobenzamil, 89, 600P
 Diet, 89, 499P
 Diet restriction, 89, 733P
 Dietary lipids, 87, 202P
 Diethylpropion, 88, 377P
 Digitalis-like activity, mammalian, 89, 602P
 Dihydropyridine, 87, 98P; 88, 248P; 89, 758P
 3,4-Dihydroxyphenylacetic acid, 87, 151P
 L-dihydroxyphenylalanine, 88, 337P
 L-dihydroxytryptamine, 87, 197P
 Dilator agents, 88, 448P
 Dilazep, 88, 280P
 Diltiazem, 87, 2p, 6P; 89, 480P, 539P, 616P, 619P
 Dimethylaminophenol, 87, 119P
 N,N-dimethyl tyramine, 87, 145P
 Dimethylsulphoxide, 88, 265P
 Dinitrophenylated autologous proteins, 88, 425P

Diphenhydramine, 87, 125P
 N,N-dipropyl-5-carboxamidotryptamine, 87, 136P
 Distribution, 88, 308P
 Dithiothreitol, 88, 256P, 257P; 89, 770P
 Diuretic drugs, 89, 710P
 Diuresis, 87, 167P; 88, 321P; 89, 680P, 718P, 738P
 DOCA-salt hypertensive rats, 87, 86P
 Dopamine, 87, 27P, 160P, 165P, 166P, 203P, 210P; 88, 249P, 305P, 432P; 89, 534P, 688P, 823P
 Dopamine, endogenous release, 89, 641P
 Dopamine D-2 autoreceptors, 89, 641P
 Dopamine D-2 binding, 89, 633P
 Dopamine function, 87, 163P
 Dopamine receptors, 87, 26P, 162P, 164P, 197P; 88, 303P, 305P, 338P; 89, 492P
 Dopamine D-1 receptors, 89, 518P, 793P, 861P, 862P
 Dopamine D-2 receptors, 89, 518P
 Dopamine receptors, peripheral, 89, 599P
 Dopamine receptors, presynaptic, 87, 25P
 Dopamine release, 87, 74P, 164P, 171P; 89, 875P, 878P, 879P
 Dopaminergic denervation, 87, 161P
 Dopaminergic mechanism, 89, 708P
 Dorsal horn, rat, 87, 61P
 Dorsal raphe nucleus, 88, 294P
 DPI 201-106, 87, 75P
 Drug discrimination, 88, 354P, 874P
 Drug interaction, 89, 715P
 Drug metabolism, 87, 146P
 DU 29373, 89, 496P, 506P, 637P
 Duodenum, human, 88, 405P
 Duodenum, rat, 89, 502P
 Dynamics, 89, 566P
 Dynorphin, 87, 134P; 88, 361P
 Dysrhythmia, 87, 202P
 Dystonia, 89, 794P

 Ebselen, 87, 15P
 E/C coupling, 88, 399P
 Ectonucleotidases, 87, 83P
 EDRF-relaxation, 89, 687P
 Eicosanoids, 87, 14P, 15P, 105P, 229P; 88, 405P
 Eleldoisin, 89, 774P
 Electrical stimulation, 88, 409P, 437P, 455P
 Electrical field stimulation, 88, 389P; 89, 641P
 Electrocardiogram, 89, 827P
 Electroconvulsive shock, 89, 523P

- Electroencephalogram, 87, 111P, 139P;
89, 635P, 636P
- Electrophysiology, 88, 309P, 399P,
457P; 89, 869P
- Emesis, 88, 374P, 375P
- Emulsions, 89, 665P
- Enalapril, 89, 485P
- Enantiomers, 89, 700P, 701P
- Endothelial cells, 88, 247P; 89, 542P
- Endothelial derived relaxing factor,
88, 438P, 447P
- Endothelium, 87, 194P, 198P, 207P; 88,
266P, 404P; 89, 489P, 490P, 540P,
548P, 659P, 736P
- Endothelium dependent relaxation, 88,
282P, 406P
- Endotoxin shock, 88, 230P; 89, 674P,
840P
- Endplate, frog, 87, 140P
- Enkephalin, Leu-, 87, 177P
- Enkephalin, Met-, 87, 44P, 171P, 224P;
88, 275P, 315P
- Enkephalins, 88, 306P
- Enteric reflexes, 89, 684P
- Enterohepatic circulation, 89, 660P
- Entopeduncular injection, 87, 69P
- Enzyme induction, 88, 430P, 431P
- Enzyme inhibitors, 89, 826P
- Enzymuria, 89, 848P
- Eosinophils, 88, 410P; 89, 766P
- Epilepsy, 88, 329P, 379P; 89, 705P
- Epinine, 87, 203P
- Ergot alkaloids, 89, 524P
- Ergotamine, 89, 689P
- Erythrocytes, 89, 695P
- Erythromycin, 89, 661P
- Eserine, 89, 559P
- Ethanol, 87, 92P, 226P; 89, 622P, 667P,
707P
- Ethanol anaesthesia, 89, 680P
- Ethanol dependence, 89, 623P
- Ethanol withdrawal syndrome, 87, 40P
- Ethnic study, 89, 747P
- Ethinylestradiol, 88, 431P
- 5'-N-ethylcarboxamideadenosine, 88,
278P
- Ethylcholine mustard aziridinium, 88,
355P
- Ethylisopropylamiloride, 89, 599P
- N-ethylmaleimide, 89, 554P
- Etorphine, 89, 673P
- Evoked potentials, 87, 153P
- Excitatory amino acid, 87, 159P; 88,
270P, 271P, 273P, 328P, 329P; 89,
537P, 880P
- Excitatory amino acid antagonists, 89,
640P, 865P
- Excitatory amino acid receptors, 88,
458P
- Excitatory synaptic input, 87, 58P
- Exercise tolerance, 89, 483P
- Excretory effects, 89, 678P
- Experimental conditions, 88, 448P
- Extravasation, 88, 268P
- F7-toxin, 89, 556P
- Famotidine, 88, 390P
- Fatty acids, 87, 51P
- Feeding, 87, 21P; 89, 863P
- Fever, 87, 108P
- Feverfew, 89, 834P
- Femoral vein, rat, 88, 292P
- Fenoldopam, 89, 708P
- FG-7142, 87, 45P; 88, 326P; 89, 800P
- Field stimulation, 87, 195P, 213P
- Finger tremor, 87, 227P
- Flow rate, 88, 437P
- Flufenamic acid, 87, 116P; 89, 734P
- Flunarizine, 89, 615P
- Flunitrazepam metabolism, 88, 333P
- Fluoride, 89, 608P
- Fluoxetine, 89, 473P
- Flupirtine, 89, 716P
- Flurazepam, 88, 294P, 326P
- Food intake, 87, 220P; 89, 873P
- Food reward, 87, 218P
- Forearm vasculature, human, 89, 708P
- N-formyl-methionyl-leucyl-phenylalanine,
88, 416P
- Forskolin, 87, 128P; 89, 787P
- FPL57231, 88, 230P, 395P, 396P
- Free radical scavengers, 88, 421P
- Frontal cortex, rat, 87, 36P
- Frusamide, 89, 718P
- Fundic strip, rat, 87, 196P
- Furosamide, 89, 678P
- Gallamine, 87, 34P
- Ganglion blocking potential, 88, 429P
- Gap junction recruitment, 88, 241P
- Gastric acid secretion, 87, 128P; 88,
390P
- Gastric damage, 88, 236P, 237P
- Gastric effects, 89, 504P
- Gastric fundus, rat, 89, 498P, 668P
- Gastric motility, 88, 383P
- Gastric mucus, 87, 126P
- Gastric mucosa, 87, 92P, 123P, 226P;
89, 503P
- Gastric protective drugs, 88, 236P
- Gastric ulcer, 89, 562P
- Gastrointestinal absorption, 89, 849P
- Gentamicin, 89, 679P
- Gentamicin nephrotoxicity, 88, 428P
- GH₃ cells, 87, 179P
- Glands, mouse, 88, 356P
- Glipizide, 88, 427P
- Glucocorticoids, 89, 555P
- Glucose-induced hyperinsulinaemia, 89,
671P

Glucose uptake, 87, 121P; 89, 667P
Glutamate, 89, 777P, 778P, 865P, 869P
Glutamate binding protein, 87, 158P
Glutamate efflux, 87, 155P
Glutamate release, 88, 272P; 89, 529P
Glutamate terminals, 88, 347P
Glutamate uptake sites, 87, 156P
Glutathione, 89, 697P
Granulation tissue, 88, 402P; 89, 805P
Granulomatous inflammation, 89, 567P
Guanosine 3',5'-monophosphate, cyclic, 89, 612P
Guanosine triphosphate, 88, 366P
Guanosine triphosphate binding protein, 89, 780P
Guanylate cyclase, 88, 267P
Gut, locust, 89, 565P
Gut, rat, 88, 368P

HA 1004, 88, 442P
Hair follicle, mouse, 89, 592P
Haemodynamic effects, 89, 475P, 480P, 604P, 605P, 741P, 745P
Haemodynamic profiles, 87, 190P
Haemoglobin, 88, 267P
Haemophilus influenzae, 89, 653P
Haemorrhage, 88, 310P
Haemostasis, 89, 503P
Heart, cat, 89, 546P, 572P, 573P, 827P
Heart, chick, 88, 283P; 89, 757P, 845P
Heart, guinea-pig, 88, 277P; 89, 615P
Heart, human, 87, 85P; 89, 750P
Heart, rat, 87, 142P, 202P; 88, 287P; 89, 553P, 686P, 749P, 842P
Heart failure, 89, 606P, 745P
Heart rate, 89, 545P, 711P
Heat urticaria, 87, 103P
Helix aspersa neurones, 87, 166P; 89, 823P, 824P
Hemicholinium-3, 89, 656P
Hepatic artery, rat, 88, 308P
Hepatic oxidative drug metabolism, 87, 144P
Heptabarbital, 89, 657P
Hernandulcin, 89, 725P
Hexamethonium, 87, 28P
Hindbrain, rat, 89, 739P
Hindquarters, rat, 89, 617P
Hippocampal lesions, 89, 880P
Hippocampal slice, rabbit, 87, 157P
Hippocampal slice, rat, 88, 299P; 89, 644P
Hippocampus, 87, 215P; 88, 461P
Hippocampus, gerbil, 88, 250P
Hippocampus, human, 88, 359P; 89, 802P
Hippocampus, rat, 87, 5P; 88, 273P; 89, 527P, 528P, 629P, 650P
Histamine, 87, 71P, 93P, 127P, 177P; 88, 256P, 257P, 260P, 327P; 89, 609P, 770P, 771P, 804P

Histamine H₂-receptor antagonists, 87, 178P; 88, 258P, 390P; 89, 772P, 773P
Histamine H₁-receptors, 87, 72P; 89, 696P
Histamine H₂ receptors, 88, 258P, 259P
Histamine release, 89, 569P, 570P
Histamine-N-methyltransferase, 89, 856P
Hordenine, 87, 145P; 89, 839P
Horses, 89, 769P
Host defense, 89, 677P
HPLC 88, 327P
HPLC-electrochemical detection, 88, 376P
Hydrallazine, 88, 266P
Hydroxocobalamin, 89, 508P
[³H]-8-hydroxy-2-(di-n-propylamino) tetralin, 87, 20P, 21P; 88, 301P, 368P; 89, 523P, 524P, 729P, 863P
6-Hydroxydopamine, 87, 87P, 94P; 88, 287P
Hydroxyeicosatetraenoic acids, 87, 107P
5-Hydroxyindoles, 87, 135P
5-Hydroxytryptamine, 87, 12P, 16P, 18P, 19P, 20P, 66P, 117P, 131P, 137P, 138P, 149P; 88, 288P, 299P, 320P, 327P, 360P, 362P, 368P, 372P; 89, 528P, 545P, 547P, 548P, 550P, 644P, 753P, 810P
5-Hydroxytryptamine agonists, 88, 369P; 89, 648P
5-Hydroxytryptamine_{1A} agonists, 87, 136P
5-Hydroxytryptamine antagonists, 87, 187P; 89, 533P, 825P
5-Hydroxytryptamine₂ antagonists, 89, 646P
5-Hydroxytryptamine autoreceptors, 87, 23P
5-Hydroxytryptamine binding sites, 87, 21P, 129P; 88, 348P, 349P
5-Hydroxytryptamine₁ binding sites, 89, 526P
5-Hydroxytryptamine_{1A} binding sites, 89, 637P
5-Hydroxytryptamine₂ binding sites, 89, 526P, 802P
5-Hydroxytryptamine ligands, 88, 330P
5-Hydroxytryptamine₁-like receptors, 89, 522P, 587P
5-Hydroxytryptamine overflow, 87, 17P
5-Hydroxytryptamine receptors, 88, 301P; 338P, 370P; 89, 546P, 547P, 550P, 565P, 825P
5-Hydroxytryptamine₁ receptors, 87, 66P, 132P, 219P; 89, 529P
5-Hydroxytryptamine_{1A} receptors, 88, 302P, 371P; 89, 524P, 729P
5-Hydroxytryptamine_{1C} receptors, 88, 367P
5-Hydroxytryptamine₂ receptors, 87, 7P, 66P, 132P, 219P

- 5-Hydroxytryptamine M receptors, 88, 319P, 374P
 5-Hydroxytryptamine receptors, prejunctional, 89, 843P
 5-Hydroxytryptamine release, 88, 370P; 89, 529P, 793P, 799P
 5-Hydroxytryptamine terminals, 89, 527P
 5-Hydroxytryptamine uptake, 89, 525P
 5-Hydroxytryptamine uptake inhibitors, 87, 23P, 130P
 5-Hydroxytryptaminergic pathways, central, 89, 638P
 Hyperglycaemic actions, 88, 462P
 Hyperinsulinaemia, 87, 52P
 Hyperpolarising responses, 89, 777P
 Hyper-reactivity, 89, 742P
 Hypersensitivity reaction, 87, 172P; 89, 814P
 Hypertension, 87, 1P, 3P, 6P, 86P, 106P; 88, 312P, 433P, 453P; 89, 485P, 487P, 496P, 501P, 506P, 541P, 598P, 616P, 844P
 Hypertension, borderline, 89, 484P
 Hyperuricaemia, 89, 710P
 Hyperventilation, 88, 315P
 Hypnotic drugs, 87, 151P; 88, 345P
 Hypoactivity, 87, 137P
 Hypocholesterolaemic activity, 89, 829P
 Hypoglycaemia, 87, 52P
 Hypotension, 88, 454P; 89, 748P
 Hypothalamo-pituitary-adrenal cortical responses, 88, 435P
 Hypothermia, 87, 108P; 89, 523P
 Hypoxia, 88, 251P, 468P
 Hypoxia pulmonary vasoconstriction, 88, 395P, 396P
 Huntington's disease, 87, 134P, 156P

 ICI 118, 551, 89, 594P
 ICI 159995, 87, 112P
 ICI 174864, 88, 275P
 ICS 205-930, 87, 187P; 88, 373P
 Ibopamine, 87, 203P
 Idazoxan, 87, 188P; 88, 307P, 353P; 89, 671P
 IgE, 87, 13P; 89, 808P
 Ileum, guinea-pig, 87, 33P, 59P, 186P, 187P; 88, 369P, 373P; 89, 651P, 770P, 833P
 Ileum, rat, 88, 398P
 [³H]-imipramine binding, 89, 525P
 Immunological sensitization, 88, 316P
 In vitro superfusion, 87, 201P
 In vivo voltammetry, 87, 135P; 88, 301P
 Indanidine, 87, 190P
 Indomethacin, 87, 109P; 88, 239P; 89, 567P
 Infarct size, 89, 737P
 Inflammation, 87, 9P; 88, 245P, 400P; 89, 744P, 813P, 814P, 815P
 Inflammatory bowel disease, 87, 208P
 Inhalation studies, 87, 225P
 Inhibition, 89, 563P, 572P, 573P, 834P
 Inhibitor factor, 88, 447P
 Inositol, 88, 255P
 Inositol phosphates, 88, 256P; 89, 771P, 783P, 784P
 Inositol phospholipid breakdown, 87, 71P; 89, 623P
 Inositol phospholipid hydrolysis, 87, 29P
 Inositol phospholipid metabolism, 89, 854P
 Inotrope vasodilator, 87, 11P
 Inotropic agents, positive, 89, 606P
 Inotropic activity, 87, 199P; 89, 750P, 600P, 804P
 Insulotropic actions, 88, 462P
 Inter-hemisphere activity, 88, 335P
 Interleukin 1, 88, 243P, 244P
 Interleukin-1, 89, 817P
 Interleukin-2, 89, 505P
 Interoceptive stimuli, 88, 371P; 89, 867P
 Intestinal epithelium, rat, 87, 124P
 Intestinal smooth muscle, 87, 206P
 Intestinal smooth muscle, rabbit and guinea-pig, 87, 64P
 Intestinal transport, 88, 322P
 Intestinal transport, 88, 465P
 Intestine, rabbit, 89, 852P
 Intracerebral infusion, 88, 334P
 Intraocular pressure, 89, 713P
 Intratesticular infusion, 89, 669P
 Iodocyanopindolol, 89, 781P
 Ion transport, 87, 50P
 Ions, 88, 366P
 Iron deficiency, 87, 44P
 Iron uptake, 87, 47P
 Isapirone, 89, 729P
 Ischaemia, 88, 249P, 309P, 444P; 89, 735P, 830P, 858P
 Ischemia-induced amnesia, 87, 139P
 Isoprenaline, 87, 200P, 203P, 223P; 88, 454P, 467P; 89, 557P, 590P, 603P
 Isolated conspecific, 87, 42P
 Ivermectin, 87, 35P

 Kainic acid, 87, 155P; 88, 350P
 Kallikrein, 87, 6P
 KB 944, 87, 2P
 Ketamine, 87, 154P
 Ketanserin, 87, 19P; 88, 288P; 89, 586P
 Kidney, dog, 89, 513P, 681P

Kidney rat, 87, 25P; 89, 761P
Kinase, 89, 596P
Kinetics, 88, 408P; 89, 566P, 721P
Kinin B1 receptors, 88, 404P
Kinins, 88, 404P; 89, 731P, 806P, 807P
Kynurenic acid, 88, 456P

Labetalol, 87, 104P; 88, 450P; 89, 741P
Lamotrigine, 89, 704P
Latent learning, 89, 728P
Learning, 87, 218P
Leucocyte migration, 88, 243P
Leucocytes, 89, 481P
Leukotriene B₄, 87, 46P
Leukotriene C₄, 87, 46P; 89, 783P
Leukotriene D₄, 87, 46P; 88, 399P
Leukotrienes, 88, 230P, 232P, 236P, 245P, 393P, 395P, 418P; 89, 766P
Levallorphan, 87, 220P
Levorphanol, 87, 220P
Licking conflict, 88, 331P
Lidocaine, 89, 559P, 756P
Ligand binding, 89, 576P
Ligand-binding assay, 89, 481P
Lignans, 89, 602P
Limbic system, rat, 89, 871P
Linoleic acid, 87, 10P
Lipid membranes, 89, 699P
Lipid peroxidation, 89, 695P, 698P, 876P
Lipocortin, 89, 743P
Lipoproteins, low density, 89, 489P
Lipoxygenase inhibitors, 87, 53P, 172P; 88, 416P
Lipoxygenase metabolites, 89, 690P
Lithium, 87, 66P, 117P, 219P; 88, 255P; 89, 525P
Liver, guinea-pig, 88, 426P
Liver cirrhosis, 89, 482P
Liver microsomes, human, 89, 709P
Liver plasma membrane, 89, 696P
Locomotor effects, 87, 220P; 88, 293P
Locus coeruleus, rat, 87, 58P; 89, 631P
Locust, 89, 825P
Lofepamine, 89, 859P
Lung, guinea-pig, 87, 73P; 89, 768P, 809P
Lung, human, 87, 173P
Lung mitochondria, guinea-pig, 89, 734P
Lung oedema, 88, 234P
Lung tissue, 89, 584P
Lymphoid tissue, 87, 118P; 89, 664P

M-7, 87, 190P
Macrophages, mouse, 87, 15P
Magnesium, 88, 428P
Magnesium removal, 87, 70P

Malondialdehyde, 89, 876P
Maltol, 87, 47P
Maprotiline, 88, 377P
Marmoset, 88, 304P, 375P
Mast cells, guinea-pig, human and rabbit, 89, 569P
Mast cells, rat, 89, 569P, 570P
[³H]-mazindol, 89, 630P
MDL 72145, 87, 68P
MDL 72222, 87, 187P
MDL 72394, 89, 685P
MDL 72567, 89, 618P
Medial raphe nucleus, mouse, 87, 214P
Medial raphe nucleus, rat, 88, 335P
Mediator release, 89, 768P
Medullary A1 stimulation, 89, 543P
Melanocytes, 89, 592P
Melphalan, 87, 124P
Membrane fusion, 87, 51P
Membrane vesicles, isolated, 89, 513P
Menstrual cycle, 89, 801P
Meptazinol, 88, 321P; 89, 649P, 720P, 738P, 831P
[³H]-mepyramine, 88, 257P
Mesenteric artery, dog, 87, 210P; 88, 383P
Mesenteric artery, rabbit, 87, 1p; 89, 497P
Mesenteric artery, rat, 88, 266P
Mesenteric artery rings, 88, 439P
Mesentery, rat, 88, 438P, 439P, 466P
Metabolism, 88, 232P, 424P, 425P; 89, 483P
Methacholine, 87, 93P
Methaemoglobin production, 87, 119P
Methiothepin, 87, 131P
Methoxamine, 88, 285P
N-methylaspartate, 88, 269P, 270P; 89, 778P
N-methyl-D-aspartate, 87, 154P; 88, 458P; 89, 870P
N-methyl-D,L-aspartate, 87, 153P
N-methyl D-aspartate antagonists, 87, 70P; 89, 535P
N-methyl-D-aspartate receptors, 87, 159P; 89, 775P, 780P, 869P
α-Methyldopa, 89, 593P
N-methyl-4-methyl-diphenhydramine, 87, 72P
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine, 88, 304P, 340P; 89, 519P, 626P
[³H]-N-methylscopolamine, 89, 652P
2-Methylthio-adenosine 5'-(β, γ-methylene)-diphosphonate, 87, 84P
Methoxyphenytoin metabolism, 89, 478P
Methylxanthine PDE inhibitors, 87, 181P
Methylxanthines, 88, 445P
Methysergide, 87, 131P

Metoclopramide, 88, 373P
 Mianserin, 87, 129P; 88, 341P, 342P; 89, 475P
 Microcirculation, 88, 438P
 Microcomputer analysis, 89, 881P
 Microcomputers, 87, 201P, 227P; 89, 883P, 884P
 Microiontophoresis, 89, 526P
 Microsomes, guinea-pig liver, 88, 426P
 Midazolam, 89, 474P
 Miglyol 812 oil, 89, 849P
 Milrinone, 87, 181P
 Minaprine, 87, 31P, 139P
 Mitochondria, rat heart, 88, 387P; 89, 619P
 MK-801, 89, 535P, 536P, 775P, 778P, 870P
 Monoamine metabolism, 87, 151P
 Monoamine oxidase, 87, 18P; 89, 769P
 Monoamine oxidase A, 87, 67P, 68P
 Monoamine oxidase B, 87, 67P, 68P, 145P
 Monoamine oxidase inhibitor, 89, 684P
 Monoamine oxidase B inhibitor, 89, 519P
 Monoamine turnover, 88, 323P
 Monoamines, 87, 45P
 Monophasic action potentials, 88, 277P
 Morphine, 88, 274P, 360P, 435P; 89, 515P, 803P
 Morphine dependence, 87, 170P
 Morphine tolerance, 89, 795P
 Morphine withdrawal, 89, 516P, 647P
 Morris water maze, 87, 41P
 Motoneurons, 89, 537P
 Motor responses, 87, 219P; 89, 519P, 626P, 862P
 Motor endplate, rodent, 89, 556P
 Motor impairment, 88, 354P
 Mouthing movements, 89, 794P
 MrZ 2593, 89, 613P
 Mucus secretion, 89, 767P
 Muscarinic acetylcholine receptors, 87, 29P, 30P, 31P; 88, 261P, 359P, 554P, 556P, 649P, 652P, 653P, 749P, 828P
 Muscarinic acetylcholine receptor subtypes, 88, 356P, 357P; 89, 551P
 Muscarinic agonists, 87, 34P
 Muscarinic antagonists, 87, 33P; 88, 358P
 Muscimol, 87, 69P, 148P; 88, 294P
 Muscle, *Ascaris suum*, 89, 789P
 Muscle, rat, 88, 337P
 Muscle relaxation, 88, 469P
 Mydriasis, 89, 726P
 Myocardial fibres, 87, 102P
 Myocardial infarction, 87, 104P; 89, 611P
 Myocardial necrosis, 87, 104P
 Myocardial protection, 89, 544P
 Myocardium, cat, 89, 573P
 Myofibroblasts, 89, 810P, 811P
 Myometrium, human, 88, 450P
 N₂, 87, 141P
 N-0164, 87, 110P
 Nadolol, 89, 713P
 Naloxone, 88, 435P; 89, 593P, 613P, 614P, 674P
 Naltrexone, 87, 220P; 89, 674P
 Naphthoxylactic acid, 87, 143P
 Nausea, 88, 375P
 Nefopam, 89, 638P, 639P, 697P, 707P, 721P
 Neodepolarization, 89, 472P
 Neomycin, 89, 854P
 Neonatal rabbits, 88, 411P, 412P
 Nephrotoxicity, 89, 848P
 Nerve conduction, 89, 559P
 Nerve physiology, 89, 882P
 NG 108-15 neuroblastoma x glioma hybrid cells, 87, 168P
 Nicardipine, 87, 96P; 88, 250P; 89, 485P
 Nicotine, 87, 215P; 88, 297P, 298P; 88, 703P
 Nicotine intake, 89, 486P
 Nicotinic acetylcholine receptors, 88, 297P, 359P
 Nicotating membrane, cat, 88, 318P
 Nicorandil, 87, 212P; 89, 686P
 Neural release, 88, 314P
 Neurodegeneration, 89, 870P
 Neurogenic hypertension, 88, 453P
 Neurokinin A, 89, 683P, 774P
 Neuroleptic drugs, 88, 334P, 338P; 89, 635P, 636P, 794P
 Neuromuscular blocking drugs, 89, 472P
 Neuromuscular junction, 88, 460P; 89, 621P
 Neuromuscular junction, frog, 87, 184P
 Neuromuscular junction, rat, 88, 414P
 Neuromuscular transmission, 89, 575P
 Neuronal activity, 88, 461P
 Neuropeptide Y, 89, 578P
 Neuropeptides, 87, 175P
 Neuropeptides, fish, 88, 311P
 Neurotensin, 87, 74P; 88, 380P
 Neurotoxin, 88, 351P
 Neurotransmission, 87, 209P; 89, 578P
 Neurotransmitter release, 88, 328P; 89, 497P, 549P
 Neutrophils, 88, 253P; 89, 661P
 Neutrophils, human, 87, 81P
 Nifedipine, 87, 77P, 133P; 88, 385P; 89, 539P, 760P
 Nifedipine metabolism, 89, 478P
 Nifentidine, 88, 259P
 Nigrostriatal stimulation, 89, 878P
 Nimodipine, 88, 446P; 89, 538P
 Nisoldipine, 89, 482P
 Nitrates, organic, 87, 114P

Nitrendipine, 88, 387P; 89, 619P
 [³H]-nitrendipine binding, 89, 858P
 Nitroglycerine, 88, 282P
 6-Nitro-2-phenylisatogen, 87, 186P
 Nitroprusside, 87, 176P; 89, 508P
 6-Nitroquipazine, 87, 17P
 Nomifensine, 87, 165P
 Non-adrenergic, non-cholinergic nerve-induced responses, 89, 668P
 Non-adrenergic, non-cholinergic nerves, 88, 252P
 Non-adrenergic non-cholinergic transmission, 89, 819P
 Non competitive antagonism, 89, 655P
 Non-endotoxic septic shock, 89, 748P
 Noradrenaline, 87, 76P, 157P, 210P; 88, 287P, 313P, 327P, 384P, 420P, 455P; 89, 666P, 838P
 Noradrenaline release, 87, 30P, 142P; 88, 307P, 376P; 89, 631P, 790P
 Noradrenaline transporter, 89, 630P
 Noradrenaline uptake inhibitors, 89, 533P
 Norethisterone, 89, 822P
 Nornicotine, 88, 298P
 Novel compositions, 89, 665P
 5'-Nucleotidase, 89, 621P
 Nucleus accumbens, 87, 152P; 88, 334P; 89, 519P

Obesity, 87, 120P
 Octopamine, 87, 165P
 Octopamine receptors, 89, 825P
 Oestradiol, 87, 88P
 Oestrogen secretion, 87, 204P
 Oestrogens, 89, 822P
 Oestrous cycle, 89, 844P
 Olfactory bulbectomy, 87, 36P
 Omeprazole, 89, 511P
 On-line analysis, 88, 422P
 ONO-3144, 87, 108P
 OPC-8212, 89, 604P
 Operant behaviour, 87, 24P
 Opiates, 88, 321P, 354P, 378P; 89, 579P, 788P, 818P
 Opioid binding, 87, 168P
 Opioid neuromodulation, 89, 610P
 Opioid peptides, 87, 44P; 88, 464P
 Opioid receptor agonists, 89, 517P, 672P
 δ-Opioid receptor agonists, 87, 60P, 169P
 κ-Opioid receptor agonists, 87, 59P, 60P; 88, 364P
 μ-Opioid receptor agonists, 87, 59P, 60P
 Opioid receptor antagonists, 87, 171P
 Opioid receptors, 89, 613P, 828P, 833P
 κ-Opioid receptors, 87, 58P; 88, 378P

Opioid receptors, multiple, 88, 276P
 Opioids, 88, 268P
 κ-Opioids, 87, 61P, 167P
 Oral administration, 89, 762P
 Osteoarthritis, 89, 812P
 Ouabain, 89, 600P
 Ouabain intoxication, 89, 597P
 Ovaries, rat, 87, 204P
 Oxidising agents, 89, 805P
 2-Oxoglutamate uptake, 88, 347P
 Oxygen, 88, 320P, 452P
 Oxygen radicals, 89, 568P, 755P
 Oxygen tensions, 88, 385P
 Oxyperine, 88, 338P
 Oxytocin, 87, 90P; 89, 670P, 676P, 788P
 Pain, 89, 806P, 807P
 Palmityl carnitine, 88, 381P; 89, 540P, 757P
 Papaverine, 89, 811P
 Papillary muscle, 88, 444P; 89, 751P
 Paracetamol, 89, 718P, 720P
 Paraquat dichloride, 88, 429P
 Parasympathetic denervation, 89, 652P
 Paraxanthine, 89, 702P
 Parietal cells, 88, 258P
 Parkinson's disease, 87, 161P; 89, 626P, 717P
 Parotid gland, rat, 89, 652P
 Partial agonist activity, 89, 594P
 Paroxysmal events, 87, 70P
 Patch clamp, 87, 28P
 d-Penicillamine, 88, 403P; 89, 567P
 Penis, human, 89, 493P
 Pentazocine, 89, 720P
 Pentobarbital, 89, 566P
 Pentobarbitone, 88, 427P
 L-pentobutolol, 87, 183P
 Pentylenetetrazol, 87, 35P; 88, 326P
 Pepsin, 87, 126P
 Peptide histidine isoleucine, 87, 57P
 Peptides, 87, 176P
 Pergolide, 88, 453P
 B. Pertussis, 87, 52P; 89, 585P
 Pertussis toxin, 87, 27P; 88, 253P; 89, 554P, 748P
 Perinephritis hypertension, 87, 1P
 Peripheral system, 89, 732P
 Perfluorocarbon blood substitute, 87, 118P
 Perfluorocarbons, 89, 664P, 665P
 Perforant path, 88, 456P
 Performance, human, 89, 707P, 720P
 Pethidine, 89, 673P
 pH, 89, 835P
 Phagocytic cells, 89, 677P
 Pharmacokinetic data acquisition, 89, 746P

Pharmacokinetics, 89, 474P, 482P, 512P, 657P, 658P, 701P, 702P, 716P, 723P, 724P, 725P, 730P
 Pharmacology computer programs, 89, 884P
 Phencyclidine, 89, 778P, 874P
 Phencyclidine/sigma receptor agonists, 88, 270P
 Phenolphthalein, 89, 660P
 Phenothiazine drugs, 87, 146P
 Phentolamine, 89, 838P
 1-Phenyl-3-benzamines, 87, 26P
 Phenylbutazone, 89, 762P, 763P
 Phenylephrine, 88, 285P; 89, 853P
 L-N⁶-phenylisopropyladenosine, 88, 278P
 Phorbol esters, 87, 62P; 88, 262P
 Phorbol 12-myristate 13 acetate, 89, 791P
 Phosphatidic acid, 87, 64P
 Phosphatidylinositol, 87, 64P
 Phosphatidylinositol turnover, 87, 65P
 Phosphodiesterases, 88, 419P; 89, 572P, 573P
 Phosphodiesterase inhibition, 87, 11P; 89, 750P
 Phosphoinositide, 87, 117P
 Phosphoinositide hydrolysis, 87, 10P
 Phosphoinositide metabolism, 87, 7P, 32P; 89, 649P
 Phospholipase A₂, 88, 242P, 264P; 89, 743P, 744P, 834P
 Phospholipids, 88, 255P
 Phosphorylation, 89, 596P
 Physostigmine, 89, 728P
 Pilocarpine, 88, 341P
 Pindolol, 88, 449P; 89, 741P
 Pinealocytes, rat, 88, 254P
 Pimobendan, 89, 750P, 751P
 Pimozide, 87, 24P
 Pithed rats, 88, 434P; 89, 753P
 Pituitary gland, rat, 89, 732P
 7315c Pituitary tumour cells, 87, 168P
 Placenta, human, 89, 588P
 Plasma, 89, 484P, 657P
 Plasma, rat, 87, 188P; 88, 337P, 420P
 Plasma concentrations, 89, 747P
 Plasma fractionation, 89, 873P
 Platelet accumulation, 87, 73P
 Platelet activating factor, 87, 92P; 88, 231P, 237P, 238P, 433P; 89, 504P, 505P, 742P, 764P, 765P, 768P
 Platelet activation, 87, 180P
 Platelet aggregation, 88, 264P, 265P, 365P, 391P
 Platelet-derived substances, 87, 115P
 Platelet function, 87, 114P; 89, 682P
 Platelet function assay, 89, 692P
 Platelets, 87, 222P; 88, 263P; 89, 563P
 Platelets, dog, 89, 548P
 Platelets, human, 87, 82P, 84P; 88, 246P, 447P; 89, 525P, 563P, 571P, 765P, 791P, 801P, 854P, 855P
 Platelets, rabbit, 89, 792P
 Plus-maze test, 87, 217P
 Polyacrylate, 87, 126P
 Polymorphonuclear leucocytes, 87, 107P; 89, 836P
 Polyunsaturated fatty acids, 89, 499P, 876P
 Porphyrins, 89, 852P
 Portal vein, 87, 212P
 Portal vein, rat, 88, 308P, 452P; 89, 491P
 Positron emission tomography, 89, 632P
 Potassium, 87, 93P
 Potassium channel activation, 88, 443P
 Potassium channels, 89, 500P
 Potentiation, long term, 89, 779P
 Pramiracetam, 89, 728P
 Prazosin, 88, 300P; 89, 491P, 841P
 Prednisolone, 89, 694P
 Preganglionic sympathetic nerve activity, 89, 506P
 Pregnancy, 88, 433P; 89, 598P
 Pressure sores, 89, 722P
 Pre-synaptic receptors, 88, 466P, 467P
 Pretectal nucleus stimulation, 88, 274P
 Pro-drugs, 87, 207P
 Progestogen, 87, 204P
 Prolactin, serum levels, 89, 733P
 Prolactin secretion, 87, 165P
 Prolactin specific mRNA, 87, 179P
 Propafenone, 88, 289P
 Propionate, 87, 196P
 Propranolol, 88, 454P; 89, 557P, 676P, 680P, 709P, 788P, 813P, 849P
 Propranolol metabolites, 87, 143P
 (+)-4-Propyl-9-hydroxyphthalazine, 88, 340P; 89, 626P
 Prostacyclin, 87, 114P; 89, 503P, 691P, 835P, 837P
 Prostacyclin synthesis, 89, 502P
 Prostaglandin D₂, 87, 103P, 110P, 116P; 88, 235P, 394P
 Prostaglandin E₂, 87, 116P; 88, 234P, 240P, 400P
 Prostaglandin F_{2α}, 87, 116P
 Prostaglandin F₂, 9α, 11β -, 88, 235P
 Prostaglandin receptors, 87, 113P; 89, 690P
 Prostaglandin E₂ synthesis, 89, 502P
 Prostaglandin, 87, 109P; 88, 241P, 245P, 263P, 382P, 398P; 89, 501P, 670P, 692P, 836P

Prostanoids, 88, 265P
Protein binding, 89, 479P, 699P, 719P, 813P, 850P
Protein kinase C, 87, 82P; 88, 234P
Protein kinase C activators, 89, 785P
Proteoglycan, 88, 401P
Psoriasis, 88, 244P
Psychomotor performance, 89, 704P
Psychosis, atypical, 89, 476P
Pulmonary artery, pig, 88, 232P
Pulmonary artery, rabbit, 88, 467P
Pulmonary vasodilation, 87, 198P
Pulse variation, 87, 213P
Purification, 88, 339P
Purinergic co-transmission, 89, 577P
Purinergic inhibition, 89, 786P
Purines, 89, 629P
P_{2y} purinoceptor, 89, 857P
Purinoceptors, 89, 754P
Purposeless chewing, 88, 341P
Pyridazine- δ -aminobutyric acid derivatives, 87, 150P

Quinacrine, 87, 12P
Quinidine, 89, 559P, 560P, 632P
Quinine, 89, 574P
Quinolinate receptors, 88, 271P
3-Quinuclidinyl xanthene-9-carboxylate hemioxalate hydrate, 88, 357P
Quisqualate, 87, 152P; 89, 776P

R 58735, 89, 597P
Racehorses, 89, 769P
Radioaerosol inhalation, 87, 122P
Ranitidine, 88, 390P
Ranitidine analogues, 89, 856P
Ranitidine metabolism, 88, 426P
Raubasine, 89, 549P
Rauwolscine, 88, 348P, 382P
Reactive blue-2, 89, 857P
Receptor autoradiography, 88, 350P
Receptor binding, 89, 656P
Receptor-effector coupling, 89, 609P
Receptor internalization, 87, 222P
Rectal absorption, 89, 509P
Red blood cells, 87, 50P
Reductase, 89, 669P
Reflex tachycardia, 89, 618P
Regeneration, 89, 561P
Regional vascular conductance, 89, 605P
Regulatory mechanism, 89, 564P
Relaxation, 88, 393P; 89, 489P
Renal arteries, dog, 89, 690P
Renal cortical cells, rat, 87, 127P
Renal excretion, 89, 699P
Renal failure, 87, 49P; 89, 679P
Renal hypertension, 89, 760P
Renal impairment, 89, 716P

Renin, 87, 127P; 89, 740P
Renovascular effects, 89, 488P
Reperfusion, 88, 421P
Reperfusion-arrhythmias, 89, 686P
Reproduction, 89, 675P
Reserpine, 87, 94P, 163P
Respiration, 87, 182P; 88, 411P, 412P, 413P; 89, 711P
Retinoids, 89, 814P, 815P, 817P
Retropulsion, 89, 531P
Rhythmic activity, 89, 581P
Ritanserin, 89, 647P
Rolipram, 87, 91P
Rotation, 87, 197P
Route of administration, 89, 860P
RS-93427, 89, 501P, 692P
RU24969, 88, 368P
RU38486, 89, 502P
Rubidium efflux, 88, 421P, 443P
RX 801080, 87, 192P

Salbutamol, 89, 715P
Salicylate, 88, 400P
Salivary glands, rat, 89, 589P, 590P, 630P, 749P
Saphenous vein, human, 87, 205P
Saponin permeabilisation, 89, 854P
SCH23390, 87, 26P, 160P, 161P; 89, 633P, 877P
Schizophrenia, 89, 642P
Sciatic nerve, frog, 89, 559P
Scopolamine, 87, 41P
Screening, 89, 826P
Sedation, 89, 475P
Seizure thresholds, 88, 326P
Seizures, 87, 35P, 69P
Semicarbazide-sensitive amine oxidase, 87, 68P
Selectivity, 89, 594P
Sendai virus phospholipids, 87, 51P
Sensitivity testing, 89, 510P
Sensory-evoked convulsions, 89, 881P
Serine metabolism, 89, 476P
Serum amyloid P, 89, 815P
Sheep, 89, 675P
Single channels, 87, 140P
SK&F 38393, 88, 303P; 89, 861P, 862P
SK&F 94120, 87, 11P, 91P, 181P; 88, 419P; 89, 571P
SK&F 95282, 89, 773P
SK&F L-94901, 89, 829P
Skeletal muscle, guinea-pig, 88, 317P
SK&F 525A, 89, 479P
Skin, guinea-pig, 88, 418P
Skin, human, 87, 54P; 88, 394P
Sleep, 89, 473P
Small intestine, rat, 87, 47P
Smooth muscle, 89, 558P
Smooth muscle, chick, 89, 576P

Smooth muscle, guinea-pig, 87, 64P; 88, 381P; 89, 820P
 Smooth muscle, rabbit, 87, 64P
 Smooth muscle, rat, 89, 810P, 821P
 Sodium, 89, 760P, 761P
 Sodium-coupled active transport, 87, 124P
 Sodium/hydrogen exchange, 89, 837P
 Sodium nitroprusside, 89, 853P
 Sodium paradox, 89, 553P
 Sodium-potassium pump, 89, 659P
 Sodium regulation, 87, 168P
 Sodium salicylate, 89, 509P
 Sodium secretion, 88, 398P
 Sodium L-3,3,5-triiodothyronine, 89, 827P
 Solubilization, 87, 158P
 Sorbinil, 89, 851P
 Spinal cord, rat, 89, 803P
 Sparteine metabolism, 89, 478P
 Spasmogens, 87, 65P
 Specific binding, 89, 877P
 Spinal cord, rat, 88, 457P; 89, 803P
 Spinal cord, frog, 89, 537P
 Spinal cord, sheep, 88, 346P
 Spinal sites, 89, 639P
 Spine, rat, 88, 269P
 spleen, dog, 88, 436P
 Spontaneously hypertensive rats, 87, 16P; 88, 312P, 313P, 420P
 Spontaneous movement, nocturnal, 89, 717P
 Spontaneous movements, inhibition, 89, 722P
 SR 24870, 87, 199P
 SR 95191, 87, 43P
 ST 587, 88, 285P
 Stereotyped behaviour, 88, 303P; 89, 518P
 Steroids, 87, 67P, 148P; 88, 431P, 561P
 Stimulation, 89, 836P
 Stimulus properties, 88, 296P
 Stomach, rat, 89, 502P, 683P, 819P
 Stomach muscle, guinea-pig, 88, 372P
 Stomach strip, rat isolated, 88, 367P
 Stress, 89, 645P; 90, 677P
 Striatum, marmoset, 89, 519P
 Striatum, rat, 87, 163P, 164P; 88, 305P, 306P, 343P, 344P, 875P, 877P
 Structure-activity relationships, 88, 458P
 Strychnine, 89, 559P
 Subcutaneous infusion, 89, 626P
 Submandibular gland, 89, 551P
 Substance P, 89, 590P, 683P, 767P, 787P
 Substantia nigra, 88, 329P
 Substituted benzamides, 88, 332P, 339P
 Substrate binding, 89, 743P
 Sucralfate, 87, 123P
 Suicide victims, 89, 802P
 Sulphasalazine, 88, 391P
 Sulpiride, 88, 306P; 89, 642P
 Suprachiasmatic nucleus, 89, 528P
 Supraspinal sites, 89, 639P
 Superfusion system, 88, 408P, 409P
 Superior colliculus, rat, 87, 162P
 Superoxide dismutase, 89, 698P
 Supersensitivity, 89, 633P
 Sweetening agents, 89, 725P
 Sympathectomy, 88, 318P
 Sympathetic cell bodies, preganglionic, 87, 63P
 Sympathetic inhibition, 89, 846P
 Sympathetic nerve stimulation, 89, 577P
 β -Sympathomimetics, 89, 595P
 Sympathetic nerves, 88, 459P
 Sympatric activity, spontaneous, 88, 272P
 Synaptic responses, 88, 268P
 Synaptic transmission, 89, 779P
 Synaptosomes, 88, 347P
 Synergistic activation, 89, 855P
 Systems dynamics, 89, 486P, 660P
 T-lymphoblasts, 89, 505P
 Taenia caecum, guinea-pig, 89, 609P
 Taenia coli, 87, 83P
 Tail artery, rat, 88, 437P, 451P
 Tail suspension test, 87, 130P
 Tachycardia antagonist, 89, 634P
 Tachykinins, 88, 457P; 89, 774P
 Teaching packages, 89, 882P, 883P
 Temperature, 89, 582P
 Temperature dependence, 87, 72P
 Temperature regulation, 88, 293P
 Tenoxicam, 89, 816P
 Terbutaline, 88, 260P
 Tetrabenazine, 87, 163P
 TFP, 87, 4P
 Theophylline, 89, 715P
 Thiosulphate, 89, 508P
 Thrombin, 88, 246P
 Thrombin challenge, 87, 105P
 Thromboxane, 87, 110P
 Thromboxane, 88, 391P
 Thromboxane A₂, 87, 10P; 88, 238P
 Thromboxane antagonists, 88, 291P
 Thromboxane A₂ receptor partial agonists, 88, 392P
 Thromboxane receptors, 89, 820P
 Thromboxane A₂ receptors, 88, 392P
 Thymus, 89, 561P
 Thyroid hormone, 87, 221P
 Thyroid stimulating hormone, 87, 178P
 Thyrotropin-releasing hormone, 87, 74P; 165P, 177P; 88, 300P; 89, 530P
 Thyrotrophin-releasing hormone analogues, 87, 173P, 216P

Thyrotropin-releasing hormone antibodies, 87, 216P
 Thyroxine, 89, 828P
 Timolol, 89, 713P
 Tocainide, 89, 700P, 701P
 Tolerance, 88, 336P; 89, 643P, 795P, 796P, 832P
 Tonic activity, 89, 581P
 Torasemide, 89, 678P
 Toxicity, 88, 424P, 425P
 Trachea, guinea-pig, 88, 407P, 409P; 89, 781P
 Trachea, mouse, 89, 585P
 Trachea, rat, 89, 821P
 Tracheal muscle strip, 88, 316P
 Tracheal smooth muscle, bovine, 87, 65P
 Tracheal smooth muscle, chick isolated, 88, 415P
 Train-of-four fade, 89, 472P
 Transduction processes, 88, 253P
 Tremor, 87, 227P
 Trifluoperazine, 89, 876P
 Tri-iodothyronine enantiomers, 89, 732P
 Trimethyltin, 89, 880P
 Tryptophan hydroxylase activity, 88, 342P
 Tryptophan metabolism, 89, 859P
 L-tryptophan binding, 89, 527P
 L-tryptophan uptake, 89, 527P
 Trypsin, 89, 589P
 Tryptamine, 87, 196P; 89, 644P
 Tubocurarine, 88, 414P
 Tulobuterol, 89, 595P
 Tyramine potentiation, 89, 685P
 Tyrosine activity, 89, 592P
 Tyrosine hydroxylation, 88, 343P

 U50488H, 89, 676P
 UK-14,304, 87, 89P, 190P, 193P; 89, 495P, 830P
 Ulcer pain, 89, 714P
 Ulceration, 87, 9P; 88, 405P
 Ultrasonic nebuliser, 87, 225P
 Umbilical artery, human, 88, 320P; 89, 587P
 Uric acid, 87, 135P
 Urinary bladder, 89, 514P, 547P
 Urinary excretion, 89, 848P
 Urine, 87, 169P
 Urotensin, 87, 175P
 Uterus, 89, 670P
 Uterus, rat, 87, 90P; 89, 620P
 Uterine smooth muscle, sheep, 88, 241P

 Vagal nerve stimulation, 87, 184P
 Vas deferens, mouse, 87, 94P; 89, 786P
 Vas deferens, rat, 87, 94P, 147P, 209P, 213P; 88, 276P, 432P; 89, 578P, 579P, 580P, 581P, 582P, 583P, 839P, 843P

Vas deferens, stimulation, 89, 838P
 Vascular leakage, 88, 260P
 Vascular muscle, 88, 251P; 89, 691P, 822P, 841P
 Vascular muscle, rat, 88, 292P
 Vascular permeability, 87, 211P; 88, 418P; 89, 764P
 Vascular receptors, 89, 541P
 Vascular relaxants, 87, 176P
 Vascular smooth muscle, 87, 57P, 98P
 Vasoactive agents, 89, 598P
 Vasoactive intestinal peptide, 87, 57P
 Vasoactive intestinal peptide receptors, 87, 174P
 Vasoconstriction, 88, 395P, 396P, 397P; 89, 601P, 617P
 Vasodilation, 87, 12P, 54P, 56P, 183P; 88, 436P, 441P; 89, 708P, 753P, 847P
 Vasopressin, 87, 218P; 89, 543P
 Vasopressin V₁ antagonist, 88, 310P; 89, 543P
 Vasospasm, 89, 691P
 Ventricle, cat, 89, 572P
 Ventricle, human, 87, 203P
 Ventricular arrhythmias, 89, 611P
 Ventricular muscle, guinea-pig, 89, 804P
 Ventrolateral medulla, 87, 63P
 Verapamil, 87, 2P; 88, 251P, 444P; 89, 616P, 737P, 759P, 821P
 Vigabatrin, 89, 628P
 Vitamin K1 2,3 epoxide reductase, 89, 663P
 Voltammetry, 88, 344P
 Vomiting, 88, 374P, 375P; 89, 860P

 W7, 87, 4P
 Wakefulness, 89, 522P
 Water-loaded rats, 89, 738P
 WB 4101, 88, 302P
 Welding fumes, 89, 805P
 Wet dog shakes, 88, 300P; 89, 530P
 Withdrawal syndrome, 88, 360P
 Wound healing, 88, 402P

 X-maze, 89, 646P
 Xanthine oxidase inhibition, 89, 544P
 Xamoterol, 87, 223P; 88, 449P; 89, 594P

 Y proteins, 87, 49P
 Yawning, 89, 625P, 727P
 [³H]-yohimbine, 87, 89P

Z proteins, 87, 49P
Zimelidine, 89, 521P
Zinc, 89, 744P
Zolpidem, 87, 38P, 39P, 151P, 152P;
88, 296P; 89, 730P
Zolpidem binding sites, 88, 345P