

British Journal of Pharmacology

PAPERS

- 625 TSAI, M.C. Effect of neomycin on post-tetanic twitch tension of the mouse diaphragm preparation
- 635 LOT, T.Y. The consequences of loss followed by recovery of noradrenergic nerve function on muscarinic receptors in the chick expansor secundariorum muscle
- 641 JHAMANDAS, K. & MARIEN, M. Glutamate-evoked release of endogenous brain dopamine: inhibition by an excitatory amino acid antagonist and an enkephalin analogue
- 651 MAGGI, C.A., MELI, A. & SANTICIOLI, P. Four motor effects of capsaicin on guinea-pig distal colon
- 661 TOKOLA, O. Effects of repeated intravenous administration of haem arginate upon hepatic metabolism of foreign compounds in rats and dogs
- 669 GALINA, Z.H. & KASTIN, A.J. Tyr-MIF-1 attenuates antinociceptive responses induced by three models of stress-analgesia
- 675 DE SARRO, G.B., ASCIOTI, C., FROIO, F., LIBRI, V. & NISTICO, G. Evidence that locus coeruleus is the site where clonidine and drugs acting at α_1 - and α_2 -adrenoceptors affect sleep and arousal mechanisms
- 687 FURLONG, B., HENDERSON, A.H., LEWIS, M.J. & SMITH, J.A. Endothelium-derived relaxing factor inhibits *in vitro* platelet aggregation
- 693 EGLEN, R.M., KENNY, B.A., MICHEL, A.D. & WHITING, R.L. Muscarinic activity of McN-A-343 and its value in muscarinic receptor classification
- 701 EGLEN, R.M. & WHITING, R.L. Competitive and non-competitive antagonism exhibited by 'selective' antagonists at atrial and ileal muscarinic receptor subtypes
- 709 BARNES, P.J., GRANDORDY, B.M., PAGE, C.P., RHODEN, K.J. & ROBERTSON, D.N. The effect of platelet activating factor on pulmonary β -adrenoceptors
- 717 GAUTIER, P., GUIRAUDOU, P. & SAUVIAT, M-P. Electrophysiological effects of diclofurime on rabbit and frog atrial heart muscle
- 727 AMANN, R. & LEMBECK, F. Stress induced ACTH release in capsaicin treated rats
- 733 BOYLE, J.P., DAVIES, J.M., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. Inhibitory responses to nicotine and transmural stimulation in hyoscine-treated guinea-pig isolated trachealis: an electrical and mechanical study
- 745 BOSCHI, G., LAUNAY, N. & RIPS, R. Neuroleptic-induced hypothermia in mice: lack of evidence for a central mechanism
- 753 BARTHÓ, L., HOLZER, P., LEMBECK, F., LIPPE, I.T. & SETNIKAR, I. Evaluation of a new and potent cholecystokinin antagonist on motor responses of the guinea-pig intestine
- 763 KERR, D.I.B. & ONG, J. Bicarbonate-dependence of responses to ethylenediamine in the guinea-pig isolated ileum: involvement of ethylenediamine-monocarbamate
- 771 PIPER, P.J. & STEWART, A.G. Antagonism of vasoconstriction induced by platelet-activating factor in guinea-pig perfused hearts by selective platelet-activating factor receptor antagonists
- 785 CORDER, R., LOWRY, P.J. & WITHERINGTON, P.G. The actions of the peptides, neuropeptide Y and peptide YY, on the vascular and capsular smooth muscle of the isolated, blood-perfused spleen of the dog
- 791 CUSACK, N.J., HOURANI, S.M.O., LOIZOU, G.D. & WELFORD, L.A. Pharmacological effects of isopolar phosphonate analogues of ATP on P_2 -purinoceptors in guinea-pig taenia coli and urinary bladder
- 797 **VOLUME INDEX**
CUMULATIVE CONTENTS
MEETINGS CALENDAR

British Journal of Pharmacology

CONTENTS

VOLUME 90 NUMBER 1 JANUARY 1987

SHORT COMMUNICATIONS

- 3 CONSTANTI, A. & SIM, J.A. Muscarinic receptors mediating suppression of the M-current in guinea-pig olfactory cortex neurones may be of the M_2 -subtype

PAPERS

- 7 BENOIT, E., CARRATÙ, M.R., DUBOIS, J.M., MITOLO-CHIEPPA, D. & PREZIOSI, P. Electrophysiological studies of the effects of the general anaesthetic etomidate on frog myelinated nerve fibre
- 15 BARASI, S., BEN-SRETI, M.M., CLATWORTHY, A.L., DUGGAL, K.N., GONZALEZ, J.P., ROBERTSON, J., ROONEY, K.F. & SEWELL, R.D.E. Dopamine receptor-mediated spinal antinociception in the normal and haloperidol pretreated rat: effects of sulphide and SCH 23390
- 23 CAPARROTTA, L., FASSINA, G., FROLDI, G. & POJA, R. Antagonism between (—)-N⁶-phenylisopropyladenosine and the calcium channel facilitator Bay K 8644, on guinea-pig isolated atria
- 31 FRIGO, G.M., GALLI, A., LECCHINI, S. & MARCOLI, M. A facilitatory effect of bicuculline on the enteric neurones in the guinea-pig isolated colon
- 43 DART, A.M., RIEMERSMA, R.A., SCHÖMIG, A. & UNGAR, A. Metabolic requirements for release of endogenous noradrenaline during myocardial ischaemia and anoxia
- 51 HIRST, G.D.S. & LEW, M.J. Lack of involvement of α -adrenoceptors in sympathetic neural vasoconstriction in the hindquarters of the rabbit
- 61 HILEY, C.R. & THOMAS G.R. Effects of α -adrenoceptor agonists on cardiac output and its regional distribution in the pithed rat
- 71 POCOCK, G. & RICHARDS, C.D. The action of pentobarbitone on stimulus-secretion coupling in adrenal chromaffin cells
- 81 KORTH, M. & KÜHLKAMP, V. Muscarinic receptors mediate negative and positive inotropic effects in mammalian ventricular myocardium: differentiation by agonists
- 91 SOARES-DA-SILVA, P. A comparison between the pattern of dopamine and noradrenaline release from sympathetic neurones of the dog mesenteric artery
- 99 DILLON, J.S. & NAYLER, W.G. [³H]-verapamil binding to rat cardiac sarcolemmal membrane fragments: an effect of ischaemia
- 111 BURNSTOCK, G. & WARLAND, J.J.I. A pharmacological study of the rabbit saphenous artery *in vitro*: a vessel with a large purinergic contractile response to sympathetic nerve stimulation
- 121 KOMORI, S. & OHASHI, H. Nerve pathways involved in adrenergic regulation of electrical and mechanical activities in the chicken rectum
- 131 NORTHOVER, B.J. Electrical changes produced by injury to the rat myocardium *in vitro* and the protective effects of certain antiarrhythmic drugs
- 139 CASALS-STENZEL, J. & WEBER, K.H. Triazolodiazepines: dissociation of their Paf (platelet activating factor) antagonistic and CNS activity
- 147 SIM, M.K. & SINGH, M. Decreased responsiveness of the aortae of hypertensive rats to acetylcholine, histamine and noradrenaline
- 151 IRELAND, S.J., STRAUGHAN, D.W. & TYERS, M.B. Influence of 5-hydroxytryptamine uptake on the apparent 5-hydroxytryptamine antagonist potency of metoclopramide in the rat isolated superior cervical ganglion
- 161 ENDO, Y. Suppression and potentiation of 5-hydroxytryptophan-induced hypoglycaemia by α -monofluoromethyl-dopa: correlation with the accumulation of 5-hydroxytryptamine in the liver
- 167 BLAKE, J.F., EVANS, R.H. & SMITH, D.A.S. The effect of nicotine on motoneurons of the immature rat spinal cord *in vitro*
- 175 CARSWELL, H., GALIONE, A.G. & YOUNG, J.M. Differential effect of temperature on histamine- and carbachol-stimulated inositol phospholipid breakdown in slices of guinea-pig cerebral cortex
- 183 BIZIERE, K., BOURGUIGNON, J.J., CHAMBON, J.P., HEAULME, M., PERIO, A., TEBIB, S. & WERMUTH, C.G. A 7-phenyl substituted triazolopyridazine has inverse agonist activity at the benzodiazepine receptor site
- 191 KATO, H. & TAKATA, Y. Differential effects of Ca antagonists on the noradrenaline release and contraction evoked by nerve stimulation in the presence of 4-aminopyridine
- 203 CRISCUOLI, M. & SUBISSI, A. Paf-acether-induced death in mice: involvement of arachidonate metabolites and β -adrenoceptors
- 211 BRISTOW, D.R., CURTIS, N.R., SUMAN-CHAUHAN, N., WATLING, K.J. & WILLIAMS, B.J. Effects of tachykinins on inositol phospholipid hydrolysis in slices of hamster urinary bladder
- 219 FLEETWOOD, G. & GORDON, J.L. Purinoceptors in the rat heart
- 229 IRELAND, S.J. & TYERS, M.B. Pharmacological characterization of 5-hydroxytryptamine-induced depolarization of the rat isolated vagus nerve
- 239 KUMAR, R., REAVILL, C. & STOLERMAN, I.P. Nicotine cue in rats: effects of central administration of ganglion-blocking drugs

- 247 ADDICKS, K., HIRCHE, H., McDONALD, F.M. & POLWIN, W. Effects of morphine on catecholamine release and arrhythmias evoked by myocardial ischaemia in rats
- 255 CORSINI, A., FOLCO, G.C., FUMAGALLI, R., NICOSIA, S., NOE, M.A. & OLIVA, D. (5Z)-carbacyclin discriminates between prostacyclin-receptors coupled to adenylate cyclase in vascular smooth muscle and platelets
- 263 DONALDSON, J. & HILL, S.J. 1,4-Dithiothreitol-induced changes in histamine H₁-agonist efficacy and affinity in the longitudinal smooth muscle of guinea-pig ileum
- 273 HOLZER-PETSCHKE, U., LEMBECK, F. & SEITZ, H. Contractile effects of substance P and neurokinin A on the rat stomach *in vivo* and *in vitro*
- 281 HOMEIDA, A.M. & KHALAFALLA, A.E. Effects of oxytocin-antagonist injections on luteal regression in the goat

VOLUME 90 NUMBER 2 FEBRUARY 1987

PAPERS

- 287 DESARMENIEN, M., DESAULLES, E., FELTZ, P. & HAMANN, M. Electrophysiological study of SR 42641, a novel aminopyridazine derivative of GABA: antagonist properties and receptor selectivity of GABA_A versus GABA_B responses
- 299 DEMPSTER, J., JONES, S.V.P. & MARSHALL, I.G. A kinetic analysis of the endplate ion channel blocking action of disopyramide and its optical isomers
- 309 DíEZ, J. & TAMARGO, J. Effect of somatostatin on ⁴⁵Ca fluxes in guinea-pig isolated atria
- 315 JUAN, H., PESKAR, B.A. & SIMMET, Th. Effect of exogenous 5,8,11,14,17-eicosapentaenoic acid on cardiac anaphylaxis
- 327 MURPHY, R.L.W., & SMITH, M.E. Effects of diacylglycerol and phorbol ester on acetylcholine release and action at the neuromuscular junction in mice
- 335 KAROUM, F. N-propargylbenzylamine, a major metabolite of pargyline, is a potent inhibitor of monoamine oxidase type B in rats *in vivo*: a comparison with deprenyl
- 347 ABOULAFIA, J., CAPOCCI, H., PAIVA, A.C.M. & PAIVA, T.B. Sodium-dependence of the non-specific desensitization of the guinea-pig ileum induced by acetylcholine and histamine
- 355 FUJII, K., FUJIWARA, M., KUMADA, K., KURAHASHI, K. & USUI, H. Regional differences of reactivity to stimulants in the dog portal tree
- 365 STEEL, G., WALLACE, J.L. & WHITTLE, B.J.R. Failure of prostaglandin E₂ and its 16,16-dimethyl analogue to prevent the gastric mucosal damage induced by Paf
- 373 KENAKIN, T.P. & PIKE, N.B. An *in vitro* analysis of purine-mediated renal vasoconstriction in rat isolated kidney
- 383 BURNSTOCK, G. & WARLAND, J.J.I. P₂-purinoceptors of two subtypes in the rabbit mesenteric artery: reactive blue 2 selectively inhibits responses mediated via the P_{2y}-but not the P_{2u}-purinoceptor
- 393 COX, H.M., CUTHBERT, A.W. & MUNDAY, K.A. The effect of angiotensin II upon electrogenic ion transport in rat intestinal epithelia
- 403 ALLGAIER, C., HERTTING, G. & KÜGELGEN, O.V. The adenosine receptor-mediated inhibition of noradrenaline release possibly involves a N-protein and is increased by α₂-autoreceptor blockade
- 413 BROOKS, P.M., BURTON, D. & FORREST, M.J. Crystal-induced inflammation in the rat subcutaneous air-pouch
- 421 CHURCH, M.K. & HIROI, J. Inhibition of IgE-dependent histamine release from human dispersed lung mast cells by anti-allergic drugs and salbutamol
- 431 FILEP, J., FÖLDES-FILEP, É. & FRÖLICH, J.C. Vascular responses to leukotriene B₄, C₄ and D₄ following FPL 55712, indomethacin, saralasin, phentolamine and verapamil in the conscious rat

VOLUME 90 NUMBER 3 MARCH 1987

SHORT COMMUNICATION

- 443 CARNUCCIO, R., DI ROSA, M., GUERRASIO, B., IUVONE, T. & SAUTEBIN, L. Vasocortin: a novel glucocorticoid-induced anti-inflammatory protein
- 459 BLANDINA, P., BRUNELLESCHI, S., FANTOZZI, R., GIANNELLA, E., MANNAIONI, P.F. & MASINI, E. The antianaphylactic action of histamine H₂-receptor agonists in the guinea-pig isolated heart
- 467 CHIVERS, J., JENNER, P. & MARSDEN, C.D. Pharmacological characterization of binding sites identified in rat brain following *in vivo* administration of [³H]-siperone.
- 447 FERRY, D.R. & KAUMANN, A.J. Relationship between β-adrenoceptors and calcium channels in human ventricular myocardium

- 479 PUURUNEN, J. & SCHWABE, U. Effect of gastric secretagogues on the formation of inositol phosphates in isolated gastric cells of the rat
- 491 COTTRELL, G.A., LAMBERT, J.J. & PETERS, J.A. Modulation of GABA_A receptor activity by alphaxalone
- 501 EDWARDS, R.J., MACDERMOT J. & WILKINS, A.J. Prostacyclin analogues reduce ADP-ribosylation of the α -subunit of the regulatory G_i-protein and diminish adenosine (A₂) responsiveness of platelets
- 511 GIBB, A.J. & MARSHALL, I.G. Examination of the mechanisms involved in tetanic fade produced by vecuronium and related analogues in the rat diaphragm
- 523 ADVENIER, C., GNASSOUNOU, J.P. & SCARPIGNATO, C. Relaxant effect of the H₂-receptor antagonist oxmethidine on guinea-pig and human airways
- 531 KING, K.A. & PANG, C.C.Y. Cardiovascular effects of injections of vasopressin into the nucleus tractus solitarius in conscious rats
- 537 CHAN, M-Y., DAI, S. & KO, W.W.W. Effects of morphine on cardiovascular responses to acute myocardial ischaemia in rats
- 545 NAKAMOTO, M., TANAKA, C. & TANIYAMA, K. Release of γ -aminobutyric acid and acetylcholine by neurotensin in guinea-pig ileum
- 553 EDVINSSON, L. & JANSEN, I. Characterization of tachykinin receptors in isolated basilar arteries of guinea-pig
- 561 MARTIN, K.J. & VYAS, S. Increase in acetylcholine concentrations in the brain of 'old' rats following treatment with pyridoxin (Encephabol)
- 567 LÜLLMANN, H. & MOHR, K. High and concentration-proportional accumulation of [³H]-nitrendipine by intact cardiac tissue
- 575 DELGADO, C., TAMARGO, J., TEJERINA, T. & VALENZUELA, C. Effects of 5-hydroxy-propafenone in guinea-pig atrial fibres
- 583 GARRINO, M.G. & HENQUIN, J.C. Adamantane derivatives: a new class of insulin secretagogues
- 593 CAMPBELL, T.J. Cellular electrophysiological effects of D- and DL-sotalol in guinea-pig sinoatrial node, atrium and ventricle and human atrium: differential tissue sensitivity
- 601 ROTHWELL, N.J., STOCK, M.J. & SUDERA, D.K. Changes in tissue blood flow and β -receptor density of skeletal muscle in rats treated with the β_2 -adrenoceptor agonist clenbuterol
- 609 ALLAN, G., CAMBRIDGE, D., HARDY, G.W. & FOLLENFANT, M.J. BW A575C, a chemically novel agent with angiotensin converting enzyme inhibitor and β -adrenoceptor-blocking properties
- 617 GALTON, S.A. & PIPER, P.J. The role of blood vessels in the bioconversion of leukotrienes in the pig

VOLUME 90 NUMBER 4 APRIL 1987

PAPERS

- 625 TSAI, M.C. Effect of neomycin on post-tetanic twitch tension of the mouse diaphragm preparation
- 635 LOT, T.Y. The consequences of loss followed by recovery of noradrenergic nerve function on muscarinic receptors in the chick expansor secundariorum muscle
- 641 JHAMANDAS, K. & MARIEN, M. Glutamate-evoked release of endogenous brain dopamine: inhibition by an excitatory amino acid antagonist and an enkephalin analogue
- 651 MAGGI, C.A., MELI, A. & SANTICIOLI, P. Four motor effects of capsaicin on guinea-pig distal colon
- 661 TOKOLA, O. Effects of repeated intravenous administration of haem arginate upon hepatic metabolism of foreign compounds in rats and dogs
- 669 GALINA, Z.H. & KASTIN, A.J. Tyr-MIF-1 attenuates antinociceptive responses induced by three models of stress-analgesia
- 675 DE SARRO, G.B., ASCIOTI, C., FROIO, F., LIBRI, V. & NISTICO, G. Evidence that locus coeruleus is the site where clonidine and drugs acting at α_1 - and α_2 -adrenoceptors affect sleep and arousal mechanisms
- 687 FURLONG, B., HENDERSON, A.H., LEWIS, M.J. & SMITH, J.A. Endothelium-derived relaxing factor inhibits *in vitro* platelet aggregation
- 693 EGLEN, R.M., KENNY, B.A., MICHEL, A.D. & WHITING, R.L. Muscarinic activity of McN-A-343 and its value in muscarinic receptor classification
- 701 EGLEN, R.M. & WHITING, R.L. Competitive and non-competitive antagonism exhibited by 'selective' antagonists at atrial and ileal muscarinic receptor subtypes
- 709 BARNES, P.J., GRANDORDY, B.M., PAGE, C.P., RHODEN, K.J. & ROBERTSON, D.N. The effect of platelet activating factor on pulmonary β -adrenoceptors
- 717 GAUTIER, P., GUIRAUDOU, P. & SAUVIAT, M-P. Electrophysiological effects of diclofurime on rabbit and frog atrial heart muscle
- 727 AMANN, R. & LEMBECK, F. Stress induced ACTH release in capsaicin treated rats
- 733 BOYLE, J.P., DAVIES, J.M., FOSTER, R.W., MORGAN, G.P. & SMALL, R.C. Inhibitory responses to nicotine and transmural stimulation in hyoscine-treated guinea-pig isolated trachealis: an electrical and mechanical study

- 745 BOSCHI, G., LAUNAY, N. & RIPS, R. Neuroleptic-induced hypothermia in mice: lack of evidence for a central mechanism
- 753 BARTHÓ, L., HOLZER, P., LEMBECK, F., LIPPE, I.T. & SETNIKAR, I. Evaluation of a new and potent cholecystokinin antagonist on motor responses of the guinea-pig intestine
- 763 KERR, D.I.B. & ONG, J. Bicarbonate-dependence of responses to ethylenediamine in the guinea-pig isolated ileum: involvement of ethylenediamine-monocarbamate
- 771 PIPER, P.J. & STEWART, A.G. Antagonism of vasoconstriction induced by platelet-activating factor in guinea-pig perfused hearts by selective platelet-activating factor receptor antagonists
- 785 CORDER, R., LOWRY, P.J. & WITHRINGTON, P.G. The actions of the peptides, neuropeptide Y and peptide YY, on the vascular and capsular smooth muscle of the isolated, blood-perfused spleen of the dog
- 791 CUSACK, N.J., HOURANI, S.M.O., LOIZOU, G.D. & WELFORD, L.A. Pharmacological effects of isopolar phosphonate analogues of ATP on P₂-purinoceptors in guinea-pig taenia coli and urinary bladder
- 797 **VOLUME INDEX**
CUMULATIVE CONTENTS