## VOLUME 91(4) AUGUST 1987

# British Journal of Pharmacology

### **PAPERS**

- 711 MAJCHERCZYK, S., MIKULSKI, A., SJÖLANDER, M. & THORÉN, P. Increase of renal sympathetic nerve activity by metoprolol or propranolol in conscious spontaneously hypertensive rats.
- 715 SAAD, M., STRNAD, C.F. & WONG, K. Dual regulation of neutrophil adenylate cyclase by fluoride and its relationship to cellular activation
- 721 GILLIS, C.N., HAVILL, A.M. & MOALLI, R. Effect of nafazatrom and indomethacin on pulmonary removal of prostaglandin E<sub>1</sub> after endotoxin in rabbits
- 729 GRACE, G.C., DUSTING, G.J., KEMP, B.E. & MAR-TIN, T.J. Endothelium and the vasodilator action of rat calcitonin gene-related peptide (CGRP)
- 735 DOWNING, S.J., EDWARDS, D. & HOLLINGS-WORTH, M. Dilitazem pharmacokinetics in the rat and relationship between its serum concentration and uterine and cardiovascular effects
- 747 AULAKH, C.S., COHEN, R.M., HILL, J.L., MUR-PHY, D.L. & ZOHAR, J. Long-term imipramine treatment enhances locomotor and food intake suppressant effects of m-chlorophenylpiperazine in rats
- 753 ANSON, J. & COLLINS, G.G.S. Possible presynaptic actions of 2-amino-4-phosphonobutyrate in rat olfactory cortex
- 763 EBNER, F. How fast do cardioactive steroids act independently of diffusion in guinea-pig myocardium?
- 773 JOHNSTON, H., MAJEWSKI, H. & MUSGRAVE I.F. Involvement of cyclic nucleotides in prejunctional modulation of noradrenaline release in mouse atria
- 783 BERTRAND, G., CHAPAL, J., LOUBATIÉRES-MARIANI, M.M. & ROYE, M. Evidence for two different P<sub>2</sub>-purinoceptors on β cell and pancreatic vascular bed

- 789 CHIHARA, S. & TOMITA, T. Mechanical and electrical responses to α-adrenoceptor activation in the circular muscle of guinea-pig stomach
- 799 CASALS-STENZEL, J., FRANKE, J, FRIEDRICH, T. & LICHEY, J. Bronchial and vascular effects of Paf in the rat isolated lung are completely blocked by WEB 2086, a novel specific Paf antagonist
- 803 HOLLINGSWORTH, M., AMÉDÉE, T., EDWARDS, D., MIRONNEAU, J., SAVINEAU, J.P., SMALL, R.C. & WESTON A.H. The relaxant action of BRL 34915 in rat uterus
- 815 ASHWOOD, T.J. & WHEAL, H.V. The expression of N-methyl-D-aspartate-receptor-mediated component during epileptiform synaptic activity in the hippocampus
- 823 HAYES, A.G., SHEEHAN, M.J. & TYERS, M.B. Differential sensitivity of models of antinociception in the rat, mouse and guinea-pig to μ- and κ-opioid receptor agonists
- 833 RICE, W.R. & SINGLETON, F.M. P<sub>2Y</sub>-purinoceptor regulation of surfactant secretion from rat isolated alveolar type II cells is associated with mobilization of intracellular calcium
- 839 ONO, H. & SUZUKI, H. Effects of histamine on the guinea-pig stomach: excitation of smooth muscle and inhibition of transmitter release
- 849 BAKHLE, Y.S. & GRANTHAM, C.J. Effects of pulmonary oedema on pharmacokinetics of adenosine in rat isolated lungs
- 857 BAIRD, A.W., CUTHBERT, A.W. & MACVINISH, L.J. Type 1 hypersensitivity reactions in reconstructed tissues using syngeneic cell types
- 871 VOLUME INDEX
  CUMULATIVE CONTENTS
  MEETINGS CALENDAR

# **British Journal of Pharmacology**

### **CONTENTS**

VOLUME 91 NUMBER 1 MAY 1987

### SHORT COMMUNICATIONS

- 3 KAUMANN, A.J., RICHARDS, D.E. & RUSSELL, D.A. Inhibition of the sodium pump by cardioactive DPI 201-106
- 6 EGLEN, R.M., HUFF, M.M., MONTGOMERY, W.W. & WHITING, R.L. Differential effects of pertussis toxin and lithium on muscarinic responses in the atria and ileum: evidence for receptor heterogeneity

### **PAPERS**

- 9 ONG, J. Uptake inhibitors potentiate γ-aminobutyric acid-induced contractile responses in the isolated ileum of the guinea-pig.
- 17 CHAND, N., DIAMANTIS, W. & SOFIA, R.D. The obligatory role of calcium in the development of antigeninduced airway hyperreactivity to cold provocation in the rat isolated trachea
- BUNCE, K.T. & CLAYTON, N.M. The effects of the stable thromboxane A<sub>2</sub>-mimetic, U46619, on gastric mucosal damage and gastric non-parietal secretion in the rat
- 31 DZIMIRI, N., FRICKE, U. & KLAUS, W. Influence of derivation on the lipophilicity and inhibitory actions of cardiac glycosides on myocardial Na\*-K\*-ATPase
- 39 DOHERTY, N.S., BEAVER, T.H., CHAN, K.Y., COUTANT, J.E. & WESTRICH, G.L. The role of prostaglandins in the nociceptive response induced by intraperitoneal injection of zymosan in mice
- 49 PARRATT, J.R. & WAINWRIGHT, C.L. Failure of allopurinol and a spin trapping agent N-t-butyl-α-phenyl nitrone to modify significantly ischaemia and reperfusion-induced arrhythmias
- 61 HOLCK, M. & OSTERRIEDER, W. Inhibition of myocardial Ca<sup>2+</sup> channels by three dihydropyridines with different structural features: potential-dependent blockade by Ro 18-3981
- 69 HELL, M. & SEWING, K.-Fr. Effect of omeprazole on eicosanoid formation in and release from guinea-pig gastric mucosal cells
- 77 SANGER, G.J. Increased gut cholinergic activity and antagonism of 5-hydroxytryptamine M-receptors by BRL 24924: potential clinical importance of BRL 24924
- 89 BYRNE, N.G. & LARGE, W.A. The action of noradrenaline on single smooth muscle cells freshly dispersed from the guinea-pig pulmonary artery
- 95 PALMER, J.B.D., CUSS, F.M.C., MULDERRY, P.K., GHATEI, M.A., SPRINGALL, D.R., CADIEUX, A., BLOOM, S.R., POLAK, J.M. & BARNES, P.J. Calcitonin gene-related peptide is localised to human airway nerves and potently constricts human airway smooth muscle
- 103 MASON, D.F.J., MEDBAK, S. & REES, L.H. Circulating [Met]enkephalin and catecholamine responses to acute hypotension and hypertension in anaesthetized greyhounds

- 113 DAUGHERTY, A., RATERI, D.L., SCHONFELD, G. & SOBEL, B.E. Inhibition of cholesteryl ester deposition in macrophages by calcium entry blockers: an effect dissociable from calcium entry blockade
- 119 BAILEY, C.C. & KITCHEN, I. Developmental responses to opioids reveals a lack of effect on stress-induced corticosterone levels in neonatal rats
- 127 SZEKERES, L., UDVARY, É. & VÉGH, Á. Nifedipine effects in severe myocardial ischaemia in the dog due to left anterior descending coronary occlusion with left circumflex coronary artery constriction
- 139 WEBBER, S.E. & WIDDICOMBE, J.G. The effect of vasoactive intestinal peptide on smooth muscle tone and mucus secretion from the ferret trachea
- 149 APPLEYARD, M.E., GREEN, A.R. & GREEN-FIELD, S.A. Acetylcholinesterase activity rises in rat cerebrospinal fluid post-ictally; effect of a substantia nigra lesion on this rise and on seizure threshold
- 155 JAYAKODY, R.L., KAPPAGODA, C.T., SEN-ARATNE, M.P.J. & SREEHARAN, N. Absence of effect of calcium antagonists on endothelium-dependent relaxation in rabbit aorta
- 165 GOOSSENS, J., VAN REEMPTS, J. & VAN WAUWE, J.P. Cytoprotective effects of disodium cromoglycate on rat stomach mucosa
- 171 DE BEURME, F.A. & LEFEBVRE, R.A. Influence of α-chymotrypsin and trypsin on the non-adrenergic noncholinergic relaxation in the rat gastric fundus
- 179 CHARETTE, L. & JONES. T.R. Effects of L-serine borate on antagonism of leukotriene C<sub>4</sub>-induced contractions of guinea-pig trachea
- 189 AKAGI, H. & YANAGISAWA, M. GABAergic modulation of a substance P-mediated reflex of slow time course in the isolated rat spinal cord
- 199 CALIXTO, J.B., NICOLAU, M., PIZZOLATTI, M.G. & YUNES, R.A. Kinin antagonist activity of compounds from Mandevilla velutina in the rat isolated uterus
- 205 GIBSON, A. Complex effects of Gillichthys urotensin II on rat aortic strips
- 213 AL-GADI, M. & HILL, S.J. The role of calcium in the cyclic AMP response to histamine in rabbit cerebral cortical slices
- 223 HALUSHKA, P.V., KOCHEL, P.J. & MAIS, D.E. Binding of thromboxane A<sub>2</sub>/prostaglandin H<sub>2</sub> agonists to human platelets
- 229 BENNETT, A., GAFFEN, J.D., MELHUISH, P.B. & STAMFORD, I.F. Studies on the mechanism by which indomethacin increases the anticancer effect of methotrexate
- 237 BONANNO, G. & RAITERI, M. Coexistence of carriers for dopamine and GABA uptake on a same nerve terminal in the rat brain

- 245 BARROW, S.E., COCKCROFT, J., DOLLERY, C.T., HICKLING, N.E. & RITTER, J.M. Identification of 13, 14-dihydro-15-oxo-prostaglandin F<sub>2a</sub> in the circulation during infusions of bradykinin and prostaglandin E<sub>2</sub> in man
- 251 FRAZER, C.E. & RITTER, J.M. Recovery of prostacyclin synthesis by rabbit aortic endothelium and other tissues after inhibition by aspirin

VOLUME 91 NUMBER 2 JUNE 1987

### SHORT COMMUNICATIONS

- 259 CASSELL, J.F. & McLACHLAN, E.M. Muscarinic agonists block five different potassium conductances in guinea-pig sympathetic neurones
- 263 COSTALL, B., GUNNING, S.J., NAYLOR, R.J. & TYERS, M.B. The effect of GR38032F, novel 5-HT<sub>3</sub>-receptor antagonist on gastric emptying in the guinea-pig
- 265 COUTURE, R. & KÉROUAC, R. Plasma protein extravasation induced by mammalian tachykinins in rat skin: influence of anaesthetic agents and an acetylcholine antagonist
- 275 HEAD, R.J., LONGHURST, P.A., PANEK, R.L. & STITZEL, R.E. A contrasting effect of the diabetic state upon the contractile responses of aortic preparations from the rat and rabbit
- 287 FUJIWARA, H., KATO, N., SHUNTOH, H. & TAN-AKA, C. D<sub>2</sub>-dopamine receptor-mediated inhibition of intracellular Ca<sup>2+</sup> mobilization and release of acetylcholine from guinea-pig neostriatal slices
- 299 BOTTONCETTI, A. & GALLI, A. Prevention of physostigmine-induced lethality by the opioid analgesic meptazinol in the mouse
- 307 CALAM, J., GORDON, D., PEART, W.S., TAYLOR, S.A. & UNWIN, R.J. Renal effects of gastrin C-terminal tetrapeptide (as pentagastrin) and cholecystokinin octapeptide in conscious rabbit and man
- 315 KONDO, N. Electrophysiological effects of Ca antogonists, tetrodotoxin, [Ca]<sub>o</sub> and [Na]<sub>o</sub> on myocardium of hibernating chipmunks: possible involvement of Na-Ca exchange mechanism
- 321 LEFF, P., MARTIN, G.R. & MORSE, J.M. Differential classification of vascular smooth muscle and endothelial cell 5-HT receptors by use of tryptamine analogues
- MORTON, A.J. An investigation of the role of adrenergic innervation in the regulation of the extraneuronal uptake of [3H]-isoprenaline into rat vasa deferentia and
- MORTON, A.J. A role for corticosterone in the *in vivo* regulation of the extraneuronal uptake of [<sup>3</sup>H]-isoprenaline into rat atria

- 355 McGRATH, J.C. & O'BRIEN, J.W. Blockade by nifedipine of responses to intravenous bolus injection or infusion of α<sub>1</sub>- and α<sub>2</sub>-adrenoceptor agonists in the pithed rat
- 367 NEYLON, C.B. & SUMMERS, R.J. Stimulation of α<sub>1</sub>adrenoceptors in rat kidney mediates increased inositol phospholipid hydrolysis
- 377 SPEDDING, M. Interaction of phorbol esters with Ca<sup>2+</sup> channels in smooth muscle
- 385 McCAIG, D.J. Effects of sympathetic stimulation and applied catecholamines on mechanical and electrical responses to stimulation of the vagus nerve in guinea-pig isolated trachea
- 395 CAMPBELL, T. Differing electrophysiological effects of class IA, IB and IC antiarrhythmic drugs on guinea-pig sinoatrial node
- 403 FOSTER, A.C. & WONG, E.H.F. The novel anticonvulsant MK-801 binds to the activated state of the Nmethyl-D-aspartate receptor in rat brain
- 411 NOGUCHI K. & SAKANASHI M. Effects of nipradilol on myocardial ischaemia produced by coronary stenosis in dogs
- 421 BRAY, K.M., NEWGREEN, D.T., SMALL, R.C., SOUTHERTON, J.S., TAYLOR, S.G., WEIR, S.W. & WESTON, A.H. Evidence that the mechanism of the inhibitory action of pinacidil in rat and guinea-pig smooth muscle differs from that of glyceryl trinitrate
- 431 KOSTERLITZ, H.W., PATERSON, S.J., ROBSON, L.E. & TRAYNOR, J.R. Effects of cations on binding, in membrane suspensions, of various opioids at μ-sites of rabbit cerebellum and κ-sites of guinea-pig cerebellum
- 439 RITTER, J.M., FRAZER, C.E. & TAYLOR, G.W. pHdependent stimulation by Ca<sup>2+</sup> of prostacyclin synthesis in rat aortic rings: effects of drugs and inorganic ions

VOLUME 91 NUMBER 3 JULY 1987

### SHORT COMMUNICATIONS

- 449 ALTURA, B.T. & ALTURA. M.A. Endotheliumdependent relaxation in coronary arteries requires magnesium ions
- 453 AKASU, T., HASUO, H. & TOKIMASA, T. Activation of 5-HT<sub>3</sub> receptor subtypes causes rapid excitation of rabbit parasympathetic neurones

### **PAPERS**

- 457 BULLOCH, J.M., DOCHERTY, J.R., FLAVAHAN,
- 457 BULLOCH, J.M., DOCHERTY, J.R., FLAVAHAN, N.A., McGRATH, J.C. & McKEAN, C.E. Difference in the potency of α<sub>2</sub>-adrenoceptor agonists and antagonists between the pithed rabbit and rat
- 467 MURAMATSU, I. The effect of reserpine on sympathetic, purinergic neurotransmission in the isolated mesenteric artery of the dog: a pharmacological study
- 475 DOLEŽAL, V. & TUČEK, S. Failure of the calcium channel activator, Bay K 8644, to increase the release of acetylcholine from nerve terminals in brain and diaphragm
- 481 ANGLADE, F., DANG TRAN, L., DE SAINT BLAN-QUAT, G., GAILLARD, G., MICHEL-DAMASE, C., MONTASTRUC, J.L., MONTASTRUC, P., ROSTIN, M. & TRAN, M.A. A study of the action of clonidine on secretion from the adrenal medulla in dogs
- 487 CLERICI, C., HARF, A. & MACQUIN-MAVIER, I. Failure of enhancement of labetalol of bronchopulmonary effects of histamine in guinea-pigs: independence of αadrenoceptor antagonism
- 493 DUPONT, A.G., LEFEBVRE, R.A. & VANDER-NIEPEN, P. Influence of the dopamine receptor agonists fenoldopam and quinpirole in the rat superior mesenteric vascular bed
- 503 CUTHBERT, A.W., EGLÉME, C., GREENWOOD, H., HICKMAN, M.E., KIRKLAND, S.C. & MacVIN-ISH, L.J. Calcium- and cyclic AMP-dependent chloride secretion in human colonic epithelia
- 517 GRAY, J.A. & GREEN, A.R. GABA<sub>B</sub>-receptor mediated inhibition of potassium-evoked release of endogenous 5hydroxytryptamine from mouse frontal cortex
- 523 DUNWIDDIE, T.V., JOHNSON, K.J. & PROCTOR, W.R. Bremazocine differentially antagonizes responses to selective μ and δ opioid receptor agonists in rat hippocampus
- 531 EVANS, R.H., EVANS, S.J., POOK, P.C. & SUNTER, D.C. A comparison of excitatory amino acid antagonists acting at primary afferent C fibres and motoneurones of the isolated spinal cord of the rat
- 539 ABAJO, F.J., CASTRO, M.A.S., GARIJO, B. & SÁN-CHEZ-GARCÍA P. Catecholamine release evoked by lithium from the perfused adrenal gland of the cat
- 547 COAN, E.J. & COLLINGRIDGE, G.L. Effects of phencyclidine, SKF 10,047 and related psychotomimetic agents on N-methyl-D-aspartate receptor mediated synaptic responses in rat hippocampal slices
- 557 NOURSHARGH, S. & HOULT, J.R.S. Divergent effects of co-carcinogenic phorbol esters and a synthetic diacylglycerol on human neutrophil chemokinesis and granular enzyme secretion
- 569 QUAST, U. Effect of the K<sup>+</sup> efflux stimulating vasodilator BRL 34915 on <sup>86</sup>Rb<sup>+</sup> efflux and spontaneous activity in guinea-pig portal vein

- 579 CLARKE, R.W. & FORD, T.W. The contributions of μ-, δ- and κ-opioid receptors to the actions of endogenous opioids on spinal reflexes in the rabbit
- 591 SOARES-DA-SILVA, P. Dopamine released from nerve terminals activates prejunctional dopamine receptors in dog mesenteric arterial vessels
- 601 KEMP, J.A., MARSHALL, G.R., WONG, E.H.F. & WOODRUFF, G.N. The affinities, potencies and efficacies of some benzodiazepine-receptor agonists, antagonists and inverse-agonists at rat hippocampal GABA-receptors
- 609 DUNCKER, D.J., HARTOG, J.M., LEVINSKY, L. & VERDOUW, P.D. Systemic haemodynamic actions of pimobendan (UD-CG 115 BS) and its O-demethylmetabolite UD-CG 212 Cl in the conscious pig
- 617 LINDGREN, S. & SIMMONDS, M.A. Adaptation of the GABA<sub>λ</sub>-receptor complex in rat brain during chronic elevation of GABA by ethanolamine O-sulphate
- 627 D'ALARCAO, M., COREY, E.J., CUNARD, C., RAMWELL, P., UOTILA, P., VARGAS, R. & WROBLEWSKA, B. The vasodilatation induced by hydroperoxy metabolites of arachidonic acid in the rat mesenteric and pulmonary circulation
- 633 FEDAN, J.S. Potentiation of adenosine triphosphateinduced contractile responses of the guinea-pig isolated vas deferens by adenosine monophosphate and adenosine 5'-monophosphorothioate
- 641 SMITH, R.J., SAM, L.M., JUSTEN, J.M., LEACH, K.L. & EPPS, D.E. Human polymorphonuclear neutrophil activation with arachidonic acid
- 651 BURCZYNSKI, F.J., GREENWAY, C.V. & SITAR, D.S. Hepatic blood flow: accuracy of estimation from infusions of indocyanine green in anaesthetized cats
- 661 HILL, S.J. & KENDALL, D.A. Studies on the adenosine-receptor mediating the augmentation of histamine-induced inositol phospholipid hydrolysis in guinea-pig cerebral cortex
- 671 KUBA, K. & NOHMI, M. Role of ion conductance changes and of the sodium-pump in adrenaline-induced hyperpolarization of rat diaphragm muscle fibres
- 683 BOND, R.A. & CLARKE, D.E. A response to isoprenaline unrelated to α- and β-adrenoceptor agonism
- 687 JANSEN, T.L.TH.A., MORICE, A.H. & BROWN, M.J. A comparison of the vasodilator responses to atrial peptides in the pulmonary and renal arteries of the pig in vitro
- 693 SHIRLEY, D.G., SKINNER, J. & WALTER, S.J. The influence of dietary potassium on the renal tubular effect of hydrochlorothiazide in the rat
- 701 DAFFONCHIO, L., LEES, I.W., PAYNE, A.N. & WHITTLE, B.J.R. Pharmacological modulation of bronchial anaphylaxis induced by aerosol challenge in anaesthetized guinea-pigs

VOLUME 91 NUMBER 4 AUGUST 1987

### **PAPERS**

- 711 MAJCHERCZYK, S., MIKULSKI, A., SJÖLANDER, M. & THORÉN, P. Increase of renal sympathetic nerve activity by metoprolol or propranolol in conscious spontaneously hypertensive rats.
- 715 SAAD, M., STRNAD, C.F. & WONG, K. Dual regulation of neutrophil adenylate cyclase by fluoride and its relationship to cellular activation

- 72i GILLIS, C.N., HAVILL, A.M. & MOALLI, R. Effect of nafazatrom and indomethacin on pulmonary removal of prostaglandin E<sub>1</sub> after endotoxin in rabbits
- 729 GRACE, G.C., DUSTING, G.J., KEMP, B.E. & MAR-TIN, T.J. Endothelium and the vasodilator action of rat calcitonin gene-related peptide (CGRP)
- 735 DOWNING, S.J., EDWARDS, D. & HOLLINGS-WORTH, M. Dilitazem pharmacokinetics in the rat and relationship between its serum concentration and uterine and cardiovascular effects
- 747 AULAKH, C.S., COHEN, R.M., HILL, J.L., MUR-PHY, D.L. & ZOHAR, J. Long-term imipramine treatment enhances locomotor and food intake suppressant effects of m-chlorophenylpiperazine in rats
- 753 ANSON, J. & COLLINS, G.G.S. Possible presynaptic actions of 2-amino-4-phosphonobutyrate in rat olfactory cortex
- 763 EBNER, F. How fast do cardioactive steroids act independently of diffusion in guinea-pig myocardium?
- 773 JOHNSTON, H., MAJEWSKI, H. & MUSGRAVE I.F. Involvement of cyclic nucleotides in prejunctional modulation of noradrenaline release in mouse atria
- 783 BERTRAND, G., CHAPAL, J., LOUBATIÉRES-MARIANI, M.M. & ROYE, M. Evidence for two different P<sub>2</sub>-purinoceptors on β cell and pancreatic vascular bed
- 789 CHIHARA, S. & TOMITA, T. Mechanical and electrical responses to α-adrenoceptor activation in the circular muscle of guinea-pig stomach

- 799 CASALS-STENZEL, J., FRANKE, J, FRIEDRICH, T. & LICHEY, J. Bronchial and vascular effects of Paf in the rat isolated lung are completely blocked by WEB 2086, a novel specific Paf antagonist
- 803 HOLLINGSWORTH, M., AMÉDÉE, T., EDWARDS, D., MIRONNEAU, J., SAVINEAU, J.P., SMALL, R.C. & WESTON A.H. The relaxant action of BRL 34915 in rat uterus
- 815 ASHWOOD, T.J. & WHEAL, H.V. The expression of N-methyl-D-aspartate-receptor-mediated component during epileptiform synaptic activity in the hippocampus
- 823 HAYES, A.G., SHEEHAN, M.J. & TYERS, M.B. Differential sensitivity of models of antinociception in the rat, mouse and guinea-pig to  $\mu$  and  $\kappa$ -opioid receptor agonists
- 833 RICE, W.R. & SINGLETON, F.M. P<sub>2Y</sub>-purinoceptor regulation of surfactant secretion from rat isolated alveolar type II cells is associated with mobilization of intracellular calcium
- 839 ONO, H. & SUZUKI, H. Effects of histamine on the guinea-pig stomach: excitation of smooth muscle and inhibition of transmitter release
- 849 BAKHLE, Y.S. & GRANTHAM, C.J. Effects of pulmonary oedema on pharmacokinetics of adenosine in rat isolated lungs
- 857 BAIRD, A.W., CUTHBERT, A.W. & MacVINISH, L.J. Type 1 hypersensitivity reactions in reconstructed tissues using syngeneic cell types
- 871 VOLUME INDEX CUMULATIVE CONTENTS